

JavaScript Load Events

[Back to JS page](#)

Table of Contents

- [JavaScript Load Events](#)
 - [DOMContentLoaded](#)
 - [Example 1](#)
 - [Window Load](#)
 - [Example 2](#)
 - [Other Load Events](#)
 - [Image Load](#)
 - [Example 3](#)
 - [Document](#)
 - [Reference](#)

DOMContentLoaded

The `DOMContentLoaded` event fires when the initial HTML document has been completely loaded and parsed, without waiting for stylesheets, images, and subframes to finish loading.

```
<!DOCTYPE html>
<html>
<body>

<h2>JavaScript Load Events</h2>
<p>From w3schools.com, Experiment by Teeratus_R</p>

<h4>DOMContentLoaded</h4>
<p id="demo"></p>

<script>
document.addEventListener("DOMContentLoaded", function() {
    document.getElementById("demo").innerHTML = "DOM fully loaded and parsed!";
});
</script>

</body>
</html>
```

Example 1

Result [View Example](#)

Window Load

The `window.onload` event fires when the entire page loads including all content (images, CSS, scripts, etc.).

```
<!DOCTYPE html>
<html>
<body>

<h2>JavaScript Load Events</h2>
<p>From w3schools.com, Experiment by Teeratus_R</p>

<h4>Window Load</h4>
<p id="demo"></p>

<script>
window.onload = function() {
    document.getElementById("demo").innerHTML = "Window fully loaded (including images)!"
};
</script>

</body>
</html>
```

Example 2

Result [View Example](#)

Other Load Events

Here are other load-related events:

Event	Description
DOMContentLoaded	Fires when the HTML document is loaded and parsed
load	Fires when the entire page (including resources) has loaded
beforeunload	Fires when the document is about to be unloaded
unload	Fires once a page has unloaded (or the browser window has been closed)
error	Fires when an error occurs while loading an external resource

Image Load

The `load` event can be used on images to know when an image has finished loading:

```
<!DOCTYPE html>
<html>
<body>

<h2>JavaScript Load Events</h2>
<p>From w3schools.com, Experiment by Teeratus_R</p>

<h4>Image Load</h4>

<p id="demo"></p>

<script>
document.getElementById("myImg").onload = function() {
    document.getElementById("demo").innerHTML = "Image loaded successfully!";
};
</script>

</body>
</html>
```

Example 3

Result [View Example](#)

Document

Document in project

You can [Download PDF](#) file.

Reference

- [W3Schools JavaScript Load Events](#)