

JavaScript Cookies

[Back to JS page](#)

Table of Contents

- [JavaScript Cookies](#)
 - [Create a Cookie](#)
 - [Example 1](#)
 - [Read a Cookie](#)
 - [Example 2](#)
 - [Change a Cookie](#)
 - [Example 3](#)
 - [Delete a Cookie](#)
 - [Example 4](#)
 - [Cookie Functions](#)
 - [Example 5](#)
 - [Document](#)
 - [Reference](#)

What are Cookies?

Cookies are data, stored in small text files on your computer. When a web server sends a web page to a browser, the connection is closed. The server forgets everything about the user. Cookies were invented to solve the problem of "remembering" the user.

Create a Cookie

A cookie is created with `document.cookie` . You can add an expiry date (in UTC time) and a path:

```
<!DOCTYPE html>
<html>
<body>

<h2>JavaScript Cookies</h2>
<p>From w3schools.com, Experiment by Teeratus_R</p>

<h4>Create a Cookie</h4>
<p id="demo"></p>

<button onclick="createCookie()">Create Cookie</button>

<script>
function createCookie() {
    document.cookie = "username=John Doe; expires=Thu, 31 Dec 2027 23:59:59 UTC; path="/;
    document.getElementById("demo").innerHTML = "Cookie 'username' created!";
}
</script>

</body>
</html>
```

Example 1

Result [View Example](#)

Read a Cookie

You can read all cookies with `document.cookie` . It returns all cookies in one string:

```
<!DOCTYPE html>
<html>
<body>

<h2>JavaScript Cookies</h2>
<p>From w3schools.com, Experiment by Teeratus_R</p>

<h4>Read a Cookie</h4>
<p id="demo"></p>

<button onclick="createCookie()">Create Cookie</button>
<button onclick="readCookie()">Read Cookie</button>

<script>
function createCookie() {
  document.cookie = "username=John Doe; expires=Thu, 31 Dec 2027 23:59:59 UTC; path="/;
  document.getElementById("demo").innerHTML = "Cookie 'username' created!";
}

function readCookie() {
  let cookies = document.cookie;
  document.getElementById("demo").innerHTML = "All cookies: " + cookies;
}
</script>

</body>
</html>
```

Example 2

Result [View Example](#)

Change a Cookie

To change a cookie, just set it again with a new value:

```
<!DOCTYPE html>
<html>
<body>

<h2>JavaScript Cookies</h2>
<p>From w3schools.com, Experiment by Teeratus_R</p>

<h4>Change a Cookie</h4>
<p id="demo"></p>

<button onclick="createCookie()">Create Cookie</button>
<button onclick="changeCookie()">Change Cookie</button>
<button onclick="readCookie()">Read Cookie</button>

<script>
function createCookie() {
    document.cookie = "username=John Doe; expires=Thu, 31 Dec 2027 23:59:59 UTC; path=/";
    document.getElementById("demo").innerHTML = "Cookie 'username' created!";
}

function changeCookie() {
    document.cookie = "username=Jane Smith; expires=Thu, 31 Dec 2027 23:59:59 UTC; path=/";
    document.getElementById("demo").innerHTML = "Cookie 'username' changed to Jane Smith!";
}

function readCookie() {
    document.getElementById("demo").innerHTML = "All cookies: " + document.cookie;
}
</script>

</body>
</html>
```

Example 3

Result [View Example](#)

Delete a Cookie

To delete a cookie, set the expires parameter to a past date:

```
<!DOCTYPE html>
<html>
<body>

<h2>JavaScript Cookies</h2>
<p>From w3schools.com, Experiment by Teeratus_R</p>

<h4>Delete a Cookie</h4>
<p id="demo"></p>

<button onclick="createCookie()">Create Cookie</button>
<button onclick="deleteCookie()">Delete Cookie</button>
<button onclick="readCookie()">Check Cookies</button>

<script>
function createCookie() {
    document.cookie = "username=John Doe; expires=Thu, 31 Dec 2027 23:59:59 UTC; path="/;
    document.getElementById("demo").innerHTML = "Cookie created!";
}

function deleteCookie() {
    document.cookie = "username=; expires=Thu, 01 Jan 1970 00:00:00 UTC; path="/;
    document.getElementById("demo").innerHTML = "Cookie deleted!";
}

function readCookie() {
    document.getElementById("demo").innerHTML = "All cookies: " + document.cookie;
}
</script>

</body>
</html>
```

Example 4

Result [View Example](#)

Cookie Functions

Create a complete set of cookie functions for easier management:

```
<!DOCTYPE html>
<html>
<body>

<h2>JavaScript Cookies</h2>
<p>From w3schools.com, Experiment by Teeratus_R</p>

<h4>Cookie Functions</h4>

<input type="text" id="nameInput" placeholder="Enter name" value="John">
<button onclick="saveName()">Save Name</button>
<br><br>
<button onclick="loadName()">Load Name</button>
<button onclick="deleteName()">Delete Name</button>
<p id="demo"></p>

<script>
function setCookie(cname, cvalue, exdays) {
    const d = new Date();
    d.setTime(d.getTime() + (exdays * 24 * 60 * 60 * 1000));
    let expires = "expires=" + d.toUTCString();
    document.cookie = cname + "=" + cvalue + ";" + expires + ";path=/";
}

function getCookie(cname) {
    let name = cname + "=";
    let ca = document.cookie.split(";");
    for (let i = 0; i < ca.length; i++) {
        let c = ca[i].trim();
        if (c.indexOf(name) === 0) return c.substring(name.length, c.length);
    }
    return "";
}

function checkCookie() {
    let user = getCookie("username");
    if (user !== "") {
        document.getElementById("demo").innerHTML = "Welcome back " + user;
    }
}

function saveName() {
    let name = document.getElementById("nameInput").value;
    setCookie("username", name, 365);
    document.getElementById("demo").innerHTML = "Name '" + name + "' saved in cookie!";
}

function loadName() {
    let user = getCookie("username");
    if (user !== "") {
```

```
        document.getElementById("demo").innerHTML = "Loaded: " + user;
    } else {
        document.getElementById("demo").innerHTML = "No cookie found!";
    }
}

function deleteName() {
    setCookie("username", "", -1);
    document.getElementById("demo").innerHTML = "Cookie deleted!";
}

checkCookie();
</script>

</body>
</html>
```

Example 5

Result [View Example](#)

Document

Document in project

You can [Download PDF](#) file.

Reference

- [W3Schools JavaScript Cookies](#)