Mixes, and templates Beyond Mixes
Kick Drum

Equalization

1. **Kick Out**


Post
HPF: 30 Hz
Pre: 19 dB

Low:
Frequency: 54.46 Hz
Gain: 5.40 dB
Q: 1.2


Low-Mid
Frequency: 217.0 Hz
Gain: -11.52 dB
Q:0.73

High-Mid
Frequency: 539.3 Hz
Gain: -8.58 dB
Q: 1.28


High
Frequency: 3.08 kHz
Gain: 13.32 dB
Q:0.88



Compression



Gate



Kick In

HPF



Post:
HPF: 1000H

Equalization:

Low:
Frequency: 130.0 Hz
Gain: -0.30 dB
Q: 0.60

Low-Mid
Frequency: 320.0 Hz
Gain: 0.00 dB
Q: 0.60

High-Mid
Frequency: 1.57 kHz
Gain: -9.90 dB
Q:0.60


High
Frequency: 8.97 kHz
Gain: 6.24 dB
Q:0.91



Compression:


Compressor
Threshold
-41.55 dB
Attack
10.4 ms
Key Source
None
Ratio
4.1:1
Release
75.7 ms
Key Listen
Key Filter
off
Gain
6.55 dB
I
O
Auto
Soft
0
-6
-12
-18
-24
-36
-48
-48
-36
-24
-12

Gate


Gate
Threshold
-30.24 dB
Attack
0.13 ms
Key Source
None
Range
-43.80 dB
Release
84.2 ms
Key Listen
Key Filter
off
Expander
I
O
0
-6
-12
-18
-24
-36
-48
-72
-72
-48
-36
-24
-12