



«
 ..
 ()»
 (...)

« »

« »

1

« »

: « PostgreSQL »

2

6-13

()

(,)

..
 (..)

(,)

..
 (..)

1

: PostgreSQL Ubuntu, , .

2 users

user_ids users:

```
CREATE SEQUENCE user_ids;  
CREATE TABLE users (  
    id INTEGER PRIMARY KEY DEFAULT nextval('user_ids') ,  
    surname VARCHAR(64) ,  
    firstname VARCHAR(64)  
);
```

:

```
INSERT INTO users (surname, firstname) VALUES ('', '');  
INSERT INTO users (surname, firstname) VALUES ('', '');
```

:

```
SELECT * FROM users;  
SELECT * FROM users WHERE surname='';
```

1.

123 id ▼	A-Z surname ▼	A-Z firstname ▼
2	Иванов	Иван

1 –


3 2. К Ъ

3.1

2.

3.2

```
SELECT DISTINCT  
    s.url ,  
    c.name AS campaign_name
```



2 –

```

FROM campaigns c
  JOIN sites s
    ON s.campaign_id = c.id
  JOIN banners b
    ON b.site_id = s.id
  AND s.campaign_id = c.id
  JOIN products p
    ON b.product_id = p.id
WHERE p.description ILIKE '%%';
  
```

3.

4

PostgreSQL Ubuntu, , . књ, users, wallets, operations
operation_types. .

Введите SQL-выражение

A-Z url ▼	A-Z campaign_name ▼	
☒ https://auto-example.ru	Весеннее авто	
☒ https://cars-example.ru	Весеннее авто	
☒ https://motor-example.ru	Автомобильный сезон	
☒ https://sale-example.ru	Большая распродажа	