

Cohesive with Lumecon, distinct as a sovereign-economy workspace.

Three positions for the Tribal Economic Impact app: **Main** (today's production), **My branch** (Kaylyn's richer build), and a **Proposed v3** that puts the live Lumecon brand on Kaylyn's flow and adds a sovereign-scope language of its own. The v3 screenshots are the **real app**, re-skinned to the brand tokens (white surfaces, teal accent, amber-gold sovereign markers, Inter) — not hand mockups.

These are guides, not mandates. Brian (Local) and Kaylyn (Tribal) own their platforms — keep, change, or ignore anything here. The bar isn't "looks nice": every choice should make the product **clearly better to use than IMPLAN, REMI, and alocal.ai — not on par with them.** If it doesn't move us past them, drop it.

The system

Platform	Owner	Geography layers	Brand
Local Economic Impact	Brian	Nation · State · County	Lumecon white + teal
Tribal Economic Impact	Kaylyn	Nation · State · County · AIANNH (+ intersecting counties)	white + teal, amber-gold sovereign markers

Global Economic Impact	—	international, cross-border (placeholder — Q4 2027 roadmap)	white + teal
------------------------------	---	---	--------------

Columns throughout: **MAIN** = `main` · **MY BRANCH** = `explore-lumecon-foundation` (Kaylyn) · **PROPOSED V3** = real app re-skinned to brand.
Companion files: GEOGRAPHIC-SELECTOR.md · DEV-NOTES.md · samples/.

Contents

1 · Home	v3 thesis
2 · Dashboard	tier gating
3 · Analyses	card grid
4 · Intake & geography	real maps
5 · Results & filing templates	the moat
6 · Workspace	governance
7 · Geography — consolidation	Local + Tribal
8 · End-to-end flow	scope → export
9 · What we're asking for	sign-off
Appendix · Dev notes	run + reskin

What makes v3 a third position (not a recolor)

	Main (lumecon.ai)	My branch (TEIM)	Proposed v3
Identity	LUMECON wordmark	"TEIM by Lumecon" sub- brand	LUMECON primary · "Tribal Economic Impact" as workspace title
Surface	White, hairlines	Cream / tan tint	White, hairlines
Accent	Teal #0FB5A5	Rust / amber	Teal + amber-gold #C77A18 for sovereign scope
Type	Inter only	Serif display + Inter	Inter only

Map	stylized, no real geom	real Census AIANNH	real AIANNH in amber-gold + teal spillover
-----	------------------------	--------------------	--

01 • HOME

Home

All three share the `editorial-band` hero system. The differences that matter: whether the hero carries the **real tribal-lands map**, the surface color, and the brand hierarchy. Main is the parent site's promise; My branch leads with the real Census AIANNH map (its single best asset) but under a rust band and a sub-brand lockup; v3 keeps that map and puts it under the Lumecon white/teal chrome with LUMECON as the primary mark.



v3 thesis. Promote Lumecon to primary: the `Ⓒ LUMECON` mark + wordmark in the nav, a hairline divider, then **Tribal Economic Impact** as a small-caps workspace title — the way the site treats Cedar. Pure white surface, teal accent, Inter only, and the live `MapWorkspace` map as the hero. The map is the bridge: real AIANNH boundaries say "modeled on tribal land, not a state outline," and the amber-gold reservation fill is the sovereign-scope marker that makes Tribal distinct *within* the brand.

The reskin is a token swap, not a rewrite — the rust palette already lives in CSS variables, so v3's screenshot above is the real app with three tokens remapped:

```
// v3 reskin (DEV-NOTES.md) — applied to the live My-branch UI before screenshot
:root{ --lume-terra:#0FB5A5; /* rust → teal accent */
      --lume-white:#FFFFFF; --lume-cream:#F7F7F8; /* warm tints → white */
```


```
--lume-gold:#C77A18; /* → amber-gold sovereign marker */
--editorial-serif:'Inter',system-ui; } /* kill the serif */
```

02 • DASHBOARD


Dashboard

Both pull the same data (`getProjects()` → `getAnalysesViewModel()`). Main is a flat list and has no concept of tiers — it treats every pilot as Sprout. My branch is a hub of action tiles with **real tier-gating**: Cedar Grove locks below the "leader" tier and routes to pricing. That gating is the single biggest reuse opportunity — it's platform-agnostic, so Local gets it for free.


MAIN flat list, no tiers



MY BRANCH hub + gating



PROPOSED V3 hub + gating, brand



The gating logic names no tribal concept — it's a feature→min-tier map. That's why it can be shared with Local unchanged:


```
// src/auth/accessPolicy.js — promote to shared
export const FEATURES = { DATA_COMPLIANCE_LIBRARY: "data-compliance-library", ... };
const FEATURE_MIN_TIER = { [FEATURES.DATA_COMPLIANCE_LIBRARY]: "leader" };
export const canAccess = (user, f) => isTierAtLeast(getUserTier(user), FEATURE_MIN_TIER[f]);
```

Decision — promote `accessPolicy.js` to shared. Local registers its own `FEATURES`; the tiles, lock state, and tier chip all carry through. The v3 reskin changed zero markup. (Also: clarify the "STARTER TIER 4" badge — read it as "4 active analyses," not a tier position.)

03 • ANALYSES

Analyses

Same view model. Main is a row list; My branch is a card grid with a skeleton loading state and a per-card status chip (Draft / Updated / No run yet). The grid scans faster than a dense table — the kind of legibility win that separates us from IMPLAN's spreadsheet UI. Keep Main's Active / Drafts / Archived tabs on top of the grid.



```
// src/pages/Analyses.jsx – My branch adds the skeleton + card grid over the shared
const vm = getAnalysesViewModel(projects);
{loading ? <SkeletonGrid/> : vm.cards.map(c => <ResultCard .../>}}
```

04 • INTAKE & GEOGRAPHY

Intake & the geography selector

The most important difference in the product. Main's geography step is a free-text box beside a stylized 7-dot SVG — a placeholder with no real boundaries. My branch ships a genuine selection instrument: real `us-atlas` states plus **491 Census TIGER/Line AIANNH polygons**, multi-select, keyboard + screen-reader accessible, with a live scope summary. A council user recognizes their reservation on a map far faster than they can free-type a name that has to match an engine value — and IMPLAN/REMI make you know FIPS codes. That's a concrete usability moat.

MAIN





free-text + 7 dots

MY BRANCH

real AIANNH picker

PROPOSED V3

brand map palette



v3 geography, full width — real Census geometry in the brand map palette: counties in **teal** (Local), AIANNH in **amber-gold** (Tribal sovereign scope), Navajo Nation selected, intersecting counties dashed.

The selector value is already layer-keyed, and every path is an accessible option — this is what lets v3 light up reservation → county → state as one nested scope instead of three loose layers:


```
// src/components/map/GeographyMap.jsx — value = { states:[fips], tribalLands:[aiannh] }
import usAtlas from 'us-atlas/states-albers-10m.json';
import { CENSUS_TRIBAL_LANDS } from './tribalLands.generated.js'; // 491 real features
<path role="option" aria-selected={sel.has(f.id)} aria-label={f.name}
  onClick={()=>onChange(toggleStateSelection(value, f.id))}/>
```

Decision — generalize, don't fork. Drive one `GeographyMap` from a per-platform `layers` config (`samples/geo-selector.config.mjs`): `Local = [nation, state, county]`, `Tribal = [nation, state, county, aiannh]`; the AIANNH import is gated so Local never pays for the polygons. **Answer for v3 (was open):** when a reservation is selected, intersecting counties are **suggested as confirmable amber-gold chips** ("Counties this reservation spans: ...") — not auto-added, not silent — so the user stays in control and the sovereign scope stays explicit.

Results & filing templates


Same run data (`getRunResults()` → `toPersistedResultDetail()`). Main is a KPI strip + scope table. My branch is the deliverable a council packet or federal filing actually needs: the analyzed geography on the page, a glossary that defines every term inline, a screen-share mask, and **real filing templates** — SBA 8(a), Tribal-State Gaming Compact, Treasury SLFRF. No incumbent does the filing step; this is the biggest "Lumecon does what others don't" lever in the brief.

MAIN KPI strip




**MY
BRANCH**

long-form
report



PROPOSED V3 report, brand




```
// src/pages/ResultDetail.jsx (My branch)
<GeographyMap value={selection} variant="display"/> // the analyzed geogr
const tpl = getFilingTemplate(id); // SBA_8A · GAMING_COMPACT · TREASURY_SLFRF
<InlineGlossary termKey={k}/> · useSensitiveScreenMask(); // every term defin
```

v3 keeps all of it — display map, filing templates, glossary, mask — and only moves to white surfaces + teal accent, with the **amber-gold sovereign chip** on the scope. Two modules to make permanent and brand them as Lumecon deliverables: (1) a `<ScopeRollupNotice>` carrying the sovereign-statistics norm "Reservation results are a subset of state results and must not be added to state totals," shipped on every tribal report; (2) one filing template promoted to a real, exportable preview a user can imagine handing to a council.

Workspace

Main treats the workspace as a "single-user pilot" with contact-sales mailto links. My branch models the operating system this work actually needs: four roles (Owner / Lead Analyst / Data Contributor / Reviewer), four structured data-request types (HR/payroll, Finance, Council, Compliance), tier gating (Sprout 1 / Sapling 3 / Tree 10), and an invite flow. "Who can see and do what" is exactly what a governed institution asks before it trusts a tool — something IMPLAN and REMI simply don't answer.



```
// src/data/workspaceOperatingModel.js – platform-agnostic
export const WORKSPACE_ROLE_OPTIONS = [analyst, data_contributor, reviewer, view];
export const WORKSPACE_DATA_REQUESTS = [hr_payroll, finance, council, compliance];
const inviteHref = mailto(email, role, request); // → next: POST /workspace/invite
```

Decision — promote `workspaceOperatingModel.js` **to shared** alongside `accessPolicy.js`; roles/requests are identical for Local, only copy differs. v3 retints to teal + amber-gold and renames user-facing "TEIM pilot" → "Tribal Economic Impact pilot." Next engineering step: swap the mailto for a real invitation endpoint.

07 • GEOGRAPHY – CONSOLIDATION

One selector, Local + Tribal

Three implementations exist: Main's placeholder, My branch's real `GeographyMap`, and the marketing site's interactive `/map`. They share an Albers + `us-atlas` + TIGER/Line stack. Don't fork a Local copy and a Tribal copy — drive one component from a per-platform `layers` config. Full write-up in [GEOGRAPHIC-SELECTOR.md](#).

Layer	Local (Brian)	Tribal (Kaylyn)	Shared?	Source
Nation	✓	✓	yes	us-atlas nation-10m
State	✓	✓	yes	us-atlas states-albers-10m
County	✓	✓ + intersecting	yes (core)	us-atlas counties-albers-10m
Metro / MSA	—	—	—	not used
AIANNH	—	✓ first-class	Tribal-only (gated)	Census TIGER/Line 2018 → tribalLands.generated.js (491)

```
// samples/geo-selector.config.mjs — run: node ../geo-selector.config.mjs
export const LOCAL_LAYERS = { layers:[nation,state,county],      selectionToken: 'local' };
export const TRIBAL_LAYERS = { layers:[nation,state,county,aiannh], selectionToken: 'tribal',
                                deriveCountiesFromTribalLands:true };
intersectingCounties(sel.tribalLands) // reservation n county (offline GeoPandas)
```

Decision — generalize `GeographyMap`. Rendering = `d3-geo` + `topojson-client` (~50 KB gz, under the 120 KB intake budget); exact intersection math in EPSG:5070; accessibility carries straight over. Attribution before ship: "Source: US Census Bureau TIGER/Line 2018" + the MIT line for us-atlas.

08 • END-TO-END FLOW

From scope to export

How an analysis travels, with the real files at each step. The geography selection sets the run's `scope`; the engine is a **mock adapter** in dev that returns placeholder results. The production engine is **Lumecon's own** — we don't model or benchmark against third-party multiplier sets, so no modeling math is asserted here; the point is the contract lets the real engine drop in behind the same adapter.

```
1 · Intake (Form.jsx)          projectData + analysis.geographySelection
2 · Submit (api.js)           createProjectAndStartRun → buildEiaRunRequest → POS
3 · Orchestrate (runOrchestrator.js) launchRun({projectId,requestPayload,engineAda
4 · Adapt (contracts/runRequestAdapter.js) resolveStateCode · deriveEntities · r
5 · Engine (engine/index.js) getEngineAdapter() → mock (dev) | Lumecon's own e
6 · Results (resultDetailModel.js · filingTemplates.js) toPersistedResultDetail →
```

Where geography plugs in: the selector value (states / tribalLands, and the proposed counties) becomes `scope.state` / `scope.reservation_id` at step 4. Adding the county layer is filling a scope slot the adapter already has — not new plumbing. Storage and exports follow the platform sub-brand.

09 · WHAT WE'RE ASKING FOR

Decisions to sign off

Every decision in the body, consolidated. Tick what you agree with; strike what you don't.

- ☐ **Brand:** adopt the Lumecon v3 chrome for Tribal — white surfaces, teal accent, Inter, **LUMECON** primary lockup with "Tribal Economic Impact" as the workspace title. Retire the rust band and the standalone "TEIM" mark.
- ☐ **Sovereign palette:** amber-gold `#C77A18` is the sovereign-scope marker (AIANNH polygons, reservation chips, scope tags, the subset-of-state caveat). Teal for actions; the two never share a control.
- ☐ **Geography:** generalize `GeographyMap` to a per-platform `layers` config; **don't fork** Local vs Tribal. Intersecting counties surface as confirmable chips.
- ☐ **Shared code:** promote `accessPolicy.js` (tier gating) and `workspaceOperatingModel.js` (roles/requests) to shared modules both platforms consume.
- ☐ **Results:** ship `<ScopeRollupNotice>` on every tribal report; promote one filing template (SBA 8(a) / Gaming Compact / SLFRF) to a real exportable deliverable preview.

- ☐ **Map source of truth:** mount the live `MapWorkspace` on homepage, intake, and the results geography panel — one widget, not three.
- ☐ **County crosswalk:** build the AIANNHncounty crosswalk offline (GeoPandas) and commit it next to the geometry.

APPENDIX

Dev notes

Run either design locally (full detail + the screenshot harness in [DEV-NOTES.md](#)):

```
# Postgres :5433 (run as an unprivileged user) · server runs migrations on boot, m
cd server && node --env-file=.env index.js  &&  npm i && npx vite --port 5173
# run both designs at once → second gets DB teim2, ports 3002/5174, via a git work
```

How the v3 screenshots were produced — the real app, re-skinned with one injected stylesheet (no hand mockups):

```
page.addStyleTag({ content: `:root{ --lume-terra:#0FB5A5; --lume-white:#fff;
  --lume-cream:#F7F7F8; --lume-gold:#C77A18; --editorial-serif:'Inter',system-ui;
```

Caveats: ~31 bare-hex rust usages remain in a few spots — promote them to the token before shipping the theme. The Chromium in this environment needs `--single-process` to screenshot authenticated routes (environment quirk, not a bug). Samples: `geo-selector.config.mjs`, `build-aiannh-county-crosswalk.py`, `screenshot-harness.mjs`.

Lumecon · Tribal Economic Impact — design brief. White surfaces, teal accent, amber-gold sovereign scope, Inter. © Lumecon.