



Video 2.1

Chris Murphy

Motivation

- HTML and CSS only allow for **static** content
- HTML/CSS do not allow for generating **dynamic** content that can change based on user input, activity, etc.
- However, recall that the browser has an engine for generating dynamic content using **JavaScript**

JavaScript

- Developed at Netscape Communications in mid-1990s as a way of adding dynamic elements to HTML
- Originally known as “LiveScript”; changed to “JavaScript” soon after its release
- Now one of the most popular programming languages in the world

Developing in JavaScript

1. JavaScript can be embedded directly in the HTML inside `<script>` tags and/or using `<link>` tags to external .js files
2. Browsers such as Chrome provide a JavaScript “REPL” console for writing and evaluating code
 - Can also see output generated by JavaScript in HTML
3. You can also develop JavaScript in a .js file and execute it in a runtime environment such as Node.js

```
<!DOCTYPE html>
<html>
  <head>
  </head>

  <body>
    This is my first JavaScript web page.
    <p>

      <script>
        document.write('The current date and time is ');
        var time = new Date();
        document.write(time);
      </script>

    </body>
  </html>
```

```
<!DOCTYPE html>
<html>
  <head>
  </head>

  <body>
    This is my first JavaScript web page.
    <p>

      <script>
        document.write('The current date and time is ');
        var time = new Date();
        document.write(time);
      </script>

  </body>

</html>
```

```
<!DOCTYPE html>
<html>
  <head>
  </head>

  <body>
    This is my first JavaScript web page.
    <p>

      <script>
        document.write('The current date and time is ');
        var time = new Date();
        document.write(time);
      </script>

    </body>
  </html>
```

```
<!DOCTYPE html>
<html>
  <head>
  </head>

  <body>
    This is my first JavaScript web page.
    <p>

      <script>
        document.write('The current date and time is ');
        var time = new Date();
        document.write(time);
      </script>

    </body>
  </html>
```



```
<!DOCTYPE html>
<html>
  <head>
  </head>

  <body>
    This is my first JavaScript web page.
    <p>

      <script>
        document.write('The current date and time is ');
        var time = new Date();
        document.write(time);
      </script>

    </body>
  </html>
```


```
<!DOCTYPE html>
<html>
  <head>
  </head>


  <body>
    This is my first JavaScript web page.
    <p>


      <script>
        document.write('The current date and time is ');
        var time = new Date();
        document.write(time);
      </script>

    </body>

  </html>
```







Looking Ahead

- JavaScript basics
- How JavaScript code interacts with HTML elements
- Frameworks for developing “client-side” JavaScript (i.e., in the browser)
- Frameworks for developing “server-side” JavaScript (i.e., on a server)

Disclaimer!

- The code and examples for this part of the course have been developed using:
 - JavaScript 1.7
 - Google Chrome 58.0
 - Mac OSX 10.11.5
- You may observe slight differences on your own platform