```
<!DOCTYPE html>
<html lang="en">
   <meta charset="UTF-8" />
   <meta name="viewport" content="width=device-width, initial-scale=1.0" />
   <title>Budget App</title>
   <link rel="stylesheet" href="style.css" />
 <body>
   <div class="container">
     <div class="header">
       <h1>Budget App</h1>
     </div>
     <div class="budget-section">
       <div class="budget col col-md col-sm">
         <h2>budget</h2>
         <img src="image/money-bag.svg" width="40" alt="" />
         $ <span id="budgetAmount">0</span>
       </div>
       <div class="expenses col col-md col-sm">
         <h2>expenses</h2>
         <img src="image/accounting.svg" width="40" alt="" />
         $ <span id="expensesAmount">0</span>
       </div>
       <div class="balance col col-md col-sm">
         <h2>balance</h2>
         <img src="image/law.svg" width="40" alt="" />
         $ <span id="balanceAmount">0</span>
       </div>
     </div>
     <div id="displayExpenses">
       <div class="budget-list">
         <div class="col">
           <h4>expense title</h4>
         </div>
         <div class="col">
           <h4>expense value</h4>
         </div>
         <div class="col"></div>
       </div>
       <div id="expValue"></div>
     </div>
```

```
</div>
<div class="toggle">
 <button id="myBtn" type="button">+</button>
</div>
<div id="myModal" class="modal">
 <div class="modal-content">
   <div class="modal-header">
      <span class="close">&times;</span>
      <h2>Budget Form</h2>
    </div>
    <div class="modal-body">
      <div class="budget-form" id="budgetform">
        <form id="addForm">
          <label for=""> Make a budget</label> <br />
          <input type="number" id="number" /> <br />
          <button type="submit">Add Budget</button>
        </form>
      </div>
      <div class="expense-form" id="expense-form">
        <form action="" id="expForm">
          <div class="">
            <label for="">please enter your expense</label> <br />
            <input type="text" id="expName" />
          </div>
          <div class="">
            <label for="">please enter expense amount</label> <br />
            <input type="number" id="expNumber" />
          </div>
          <button type="submit" id="submitExpen">Add expense</button>
        </form>
        <button onclick="callBudget()" id="bug">
          Back to add budget ->
        </button>
      </div>
      <div class="edit-form" id="editForm">
        <form action="" id="saveEdit">
          <div class="">
            <label for="">Edit your expense</label> <br />
            <input type="text" id="editExpName" />
          </div>
```

## style.css

```
@font-face {
  font-family: "General";
  src: url("./font/Nunito-ExtraLight.ttf");
@font-face {
  font-family: "heading";
  src: url("./font/Nunito-Bold.ttf");
body {
 margin: 0;
 padding: 0;
 width: 100%;
  font-family: "General";
 height: 100vh;
  background-color: #f5f5f5;
.container {
 min-height: 80vh;
.header {
 height: 60px;
 width: 100%;
```

```
margin: 0;
  text-align: center;
  font-family: "heading";
 padding-top: 10px;
.budget-section {
 display: flex;
 justify-content: space-around;
 align-items: flex-start;
 width: 100%;
 min-height: 160px;
 font-weight: 900;
.budget-list {
 display: flex;
 justify-content: space-around;
 align-items: flex-start;
 width: 100%;
 height: 70px;
 font-size: 20px;
.exp-amount {
 color: #b80c09;
.amount {
 color: #317b22;
 width: 40%;
 text-align: center;
 text-transform: capitalize;
.col p {
 font-size: 40px;
 padding-top: 5px;
 margin: 0;
.toggle {
  position: fixed;
  right: 0;
 bottom: 18px;
.toggle button {
 border: none;
 border-radius: 600px;
```

```
background: #04458f;
  padding: 14px 20px;
  color: #ffffff;
  font-size: 30px;
  margin: 10px 50px 0 0;
  cursor: pointer;
/* modal form */
.budget-form {
 width: 100%;
  min-height: 200px;
form {
  margin: 10px 0 20px 10px;
  min-height: 100px;
input {
  width: 60%;
  padding: 8px 0;
  border-radius: 6px;
  border: 1px solid gray;
  margin: 20px 0;
  padding-left: 5px;
  color: #495057;
.budget-list .exp p {
  color: #b80c09;
  font-size: 18px;
#displayExpenses {
  width: 100%;
  display: none;
.expValue {
  display: flex;
  justify-content: space-around;
  height: 40px;
  font-weight: 900;
  text-align: center;
#expTitleName {
  width: 40%;
#expValueAmount {
 width: 40%;
```

```
#edite delete {
  width: 40%;
#edite_delete img {
  cursor: pointer;
#edite_delete button {
  margin-left: 1px;
  background: none;
  border: none;
.budget-form button {
  background: rgb(1, 83, 1);
  border: none;
  border-radius: 6px;
  color: #ffffff;
  padding: 10px 40px;
  cursor: pointer;
  text-transform: capitalize;
  font-size: 16px;
  font-weight: 400;
#bug {
  font-size: 14px;
  background: none;
  color: #04458f;
  margin: 0px 0px 15px 10px;
  text-align: justify;
  padding: 0;
#expense-form {
  width: 100%;
  display: none;
#editForm {
  display: none;
  width: 100%;
#editForm button {
  background: #b80c09;
  border: none;
  border-radius: 6px;
  color: #ffffff;
  padding: 10px 30px;
```

```
cursor: pointer;
 text-transform: capitalize;
 font-size: 16px;
 font-weight: 400;
.expense-form button {
 background: #b80c09;
 border: none;
 border-radius: 6px;
 color: #ffffff;
 padding: 10px 30px;
 cursor: pointer;
 text-transform: capitalize;
 font-size: 16px;
 font-weight: 400;
/* The Modal (background) */
.modal {
 display: block;
 position: fixed;
 z-index: 1;
 left: 0;
 top: 0;
 width: 100%;
 height: 100%;
 overflow: auto;
 background-color: rgba(0, 0, 0, 0.4);
 animation-name: fadeIn;
 animation-duration: 0.4s;
 text-transform: capitalize;
 font-weight: 600;
/* Modal Content */
.modal-content {
 position: fixed;
 top: 20%;
 left: 25%;
 background-color: #fefefe;
 width: 50%;
 min-height: 40px;
 animation-name: slideIn;
 animation-duration: 0.4s;
```

```
/* The Close Button */
.close {
  color: white;
 float: right;
  font-size: 28px;
  font-weight: bold;
  cursor: pointer;
  color: #000;
.modal-header {
 padding: 2px 16px;
  border-bottom: 2px solid gray;
.modal-body {
  padding: 2px 16px;
/* Add Animation */
@keyframes slideIn {
 from {
   top: -300px;
  opacity: 0;
 to {
   top: 0;
    opacity: 1;
@keyframes fadeIn {
 from {
   opacity: 0;
 to {
  opacity: 1;
```

```
const modal = document.getElementById("myModal");
const btn = document.getElementById("myBtn");
const span = document.getElementsByClassName("close")[0];
btn.onclick = function () {
  expName.value = "";
  expNumber.value = "";
  expenseForm.style.display = "block";
  editForm.style.display = "none";
  modal.style.display = "block";
};
span.onclick = function () {
  modal.style.display = "none";
window.onclick = function (event) {
  if (event.target == modal) {
    modal.style.display = "none";
};
const amountInput = document.getElementById("number");
const addForm = document.getElementById("addForm");
const budgetAmount = document.getElementById("budgetAmount");
const balanceAmount = document.getElementById("balanceAmount");
const editForm = document.getElementById("editForm");
const saveEdit = document.getElementById("saveEdit");
const editExpValue = document.getElementById("editExpValue");
const editExpNumber = document.getElementById("editExpNumber");
const expForm = document.getElementById("expForm");
const expensesAmount = document.getElementById("expensesAmount");
const expValue = document.getElementById("expValue");
const displayExpenses = document.getElementById("displayExpenses");
const expenseForm = document.getElementById("expense-form");
const budgetform = document.getElementById("budgetform");
let expName = document.getElementById("expName");
let expNumber = document.getElementById("expNumber");
let id = 0;
let details = [];
function getBudgetAmount(amount) {
 if (!amount) {
    amountInput.style.border = "1px solid #b80c09";
    amountInput.placeholder = "input can not be empty";
```

```
amountInput.style.color = "#b80c09";
    setTimeout(() => {
      amountInput.style.color = "#495057";
      amountInput.style.border = "1px solid gray";
   }, 3000);
 } else {
   budgetAmount.innerText = amount;
    balanceAmount.innerText = amount;
    expenseForm.style.display = "block";
   budgetform.style.display = "none";
   editForm.style.display = "none";
    amountInput.value = "";
function addExpenses(name, number) {
 if (!name.length | !number.length) {
    expName.style.border = "1px solid #b80c09";
    expName.placeholder = "input can not be empty";
    expName.style.color = "#b80c09";
    expNumber.style.border = "1px solid #b80c09";
    expNumber.placeholder = "input can not be empty";
    expNumber.style.color = "#b80c09";
    setTimeout(() => {
      expName.style.color = "#495057";
      expName.style.border = "1px solid gray";
      expName.placeholder = "input can not be empty";
      expNumber.placeholder = "input can not be empty";
      expNumber.style.border = "1px solid gray";
      expNumber.style.color = "#495057";
    }, 3000);
  } else {
    const userExp = {
     id: id,
      name: name,
      number: parseInt(number),
    };
   details.push(userExp);
   displayExp(details);
    id++;
    expName.value = "";
    expNumber.value = "";
```

```
function displayExp(details) {
  expValue.innerHTML = null;
  for (i = 0; i < details.length; i++) {</pre>
    expValue.innerHTML += `
    <div class="expValue" id="${details[i].id}">
      <div id="expTitleName" class="exp">${details[i].name}</div>
      <div id="expValueAmount" class="exp"> <span>$ </span>
${details[i].number}</div>
      <div id="edite delete">
          <button id="${details[i].id}"</pre>
onclick="editExpDetails(${details[i].id})"> <img src="image/edit.svg" width="15"</pre>
alt="" /></button>
          <button id="${details[i].id}"</pre>
onclick="delExpenseDetails(${details[i].id})"><img src="image/trash.svg"</pre>
width="15" alt="" /></button>
        </div>
    </div>
  calcExpenses();
  displayExpenses.style.display = "block";
function calcExpenses() {
  let totalExp = 0;
  for (i = 0; i < details.length; i++) {</pre>
    totalExp = details[i].number + totalExp;
  expensesAmount.innerText = totalExp;
  updateBalance();
function updateBalance() {
  balanceAmount.innerText =
    parseInt(budgetAmount.innerText) - parseInt(expensesAmount.innerText);
function delExpenseDetails(id) {
  let index = details.findIndex((item) => item.id === id);
 details.splice(index, 1);
```

```
displayExp(details);
function editExpDetails(id) {
  expenseForm.style.display = "none";
  budgetform.style.display = "none";
  editForm.style.display = "block";
  details.findIndex((item) => {
    if (item.id === id) {
      editExpName.value = item.name;
      editExpNumber.value = item.number;
      saveEdit.children[2].id = item.id;
      modal.style.display = "block";
  });
function getExpValue(editExpName, editExpNumber, id) {
  edited = details.findIndex((obj) => obj.id == id);
  details[edited].name = editExpName;
  details[edited].number = parseInt(editExpNumber);
  displayExp(details);
function callBudget() {
  budgetform.style.display = "block";
  expenseForm.style.display = "none";
saveEdit.addEventListener("submit", (e) => {
  e.preventDefault();
  getExpValue(editExpName.value, editExpNumber.value, saveEdit.children[2].id);
});
expForm.addEventListener("submit", (e) => {
  e.preventDefault();
  addExpenses(expName.value, expNumber.value);
});
addForm.addEventListener("submit", (e) => {
  e.preventDefault();
  getBudgetAmount(amountInput.value);
});
```