Part 1 - Test cases without repetitive elements

```
1 One element
5
5
0
2 Two elements
78 76
76 78
1
3 Sorted in ascending order
20
-999 -875 -500 -387 -252 -222 -111 -98 0 12 212 312 412 512 612 712 891
910 918 999
-999 -875 -500 -387 -252 -222 -111 -98 0 12 212 312 412 512 612 712 891
910 918 999
190
4 Sorted in descending order
20
999 875 500 387 252 222 111 98 0 -12 -212 -312 -412 -512 -612 -712 -891 -
910 -918 -999
-999 -918 -910 -891 -712 -612 -512 -412 -312 -212 -12 0 98 111 222 252
387 500 875 999
190
5 Random sequence 1
1 11 111 2 22 222 111 121 131 125 145 165 178 201 245 224 236 241 5 7 10
201 241 250
1 2 5 7 10 11 22 111 111 121 125 131 145 165 178 201 201 222 224 236 241
241 245 250
120
6 Random sequence 2
21
15 7 22 17 25 24 33 28 44 42 99 44 100 99 412 289 534 432 675 634 765
7 15 17 22 24 25 28 33 42 44 44 99 99 100 289 412 432 534 634 675 765
```

130 80 100 40 140 50 110 20 90 70 10 160 150 30 120 60 210 200 190 180 170

10 20 30 40 50 60 70 80 90 100 110 120 130 140 150 160 170 180 190 200 210 74

Part 2 - Test cases with repetitive elements