Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for uploaded file gallery.html

Checker Input
Show source outline image report Options
Check by file upload ▼ Choose File No file chosen
Uploaded files with xhtml or .xht extensions are automatically processed as XHTML.
Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
2. Error Bad value early01 for attribute rel on element a: The string

early01 is not a registered keyword.

From line 96, column 37; to line 96, column 106

<a class="fancybox" rel="early01" href="images/gallery/early/002.png"><img c syntax of list of link-type keywords:

A whitespace-separated list of link types, with no duplicate keywords in the list. Each link type must be listed as allowed on <a> and <area> in the HTML specification, or must be listed as allowed on <a> and <area> on the Microformats wiki. You can register link types on the Microformats wiki yourself.
```

https://validator.w3.org/nu/#file 1/13

Error | Bad value | early01 | for attribute | rel | on element | a |: The string 3. early01 is not a registered keyword.

From line 99, column 37; to line 99, column 106

<a class="fancybox" rel="early01"</pre>

href="images/gallery/early/003.png"><img c</pre>

Syntax of list of link-type keywords:

A whitespace-separated list of link types, with no duplicate keywords in the list. Each link type must be listed as allowed on <a> and <area> in the HTML specification, or must be listed as allowed on <a> and <area> on the Microformats wiki. You can register link types on the Microformats wiki yourself.

Error Bad value early01 for attribute rel on element a: The string 4. early01 is not a registered keyword.

From line 102, column 37; to line 102, column 106

<a class="fancybox" rel="early01"</pre>

href="images/gallery/early/004.png"><img c</pre>

Syntax of list of link-type keywords:

A whitespace-separated list of link types, with no duplicate keywords in the list. Each link type must be listed as allowed on <a> and <area> in the HTML specification, or must be listed as allowed on <a> and <area> on the Microformats wiki. You can register link types on the Microformats wiki yourself.

Error Bad value early01 for attribute rel on element a: The string 5. early01 is not a registered keyword.

From line 106, column 34; to line 106, column 103

<a class="fancybox" rel="early01"</pre>

href="images/gallery/early/005.png"><img c</pre>

Syntax of list of link-type keywords:

A whitespace-separated list of link types, with no duplicate keywords in the list. Each link type must be listed as allowed on <a> and <area> in the HTML specification, or must be listed as allowed on <a> and <area> on the Microformats wiki. You can register link types on the Microformats wiki yourself.

Error Bad value early01 for attribute rel on element a: The string 6. early01 is not a registered keyword.

From line 109, column 37; to line 109, column 106

<a class="fancybox" rel="early01"</pre>

href="images/gallery/early/006.png"><img c</pre>

Syntax of list of link-type keywords:

2/13 https://validator.w3.org/nu/#file

A whitespace-separated list of link types, with no duplicate keywords in the list. Each link type must be listed as allowed on <a> and <area> in the HTML specification, or must be listed as allowed on <a> and <area> on the Microformats wiki. You can register link types on the Microformats wiki yourself.

7. Error Bad value early01 for attribute rel on element a: The string early01 is not a registered keyword.

From line 112, column 37; to line 112, column 106

<img c Syntax of list of link-type keywords:

A whitespace-separated list of link types, with no duplicate keywords in the list. Each link type must be listed as allowed on <a> and <area> in the HTML specification, or must be listed as allowed on <a> and <area> on the Microformats wiki. You can

8. Error Bad value early01 for attribute rel on element a: The string early01 is not a registered keyword.

From line 115, column 37; to line 115, column 106

<img c Syntax of list of link-type keywords:

register link types on the Microformats wiki yourself.

9. Error Bad value early01 for attribute rel on element a: The string early01 is not a registered keyword.

From line 119, column 34; to line 119, column 103

<img c Syntax of list of link-type keywords:

A whitespace-separated list of link types, with no duplicate keywords in the list. Each link type must be listed as allowed on <a> and <area> in the HTML specification, or must be listed as allowed on <a> and <area> on the Microformats wiki. You can register link types on the Microformats wiki yourself.

10. Error Bad value early01 for attribute rel on element a: The string

https://validator.w3.org/nu/#file 3/13

early01 is not a registered keyword.

From line 122, column 37; to line 122, column 106

```
<a class="fancybox" rel="early01"</pre>
```

href="images/gallery/early/010.png"><img c</pre>

Syntax of list of link-type keywords:

A whitespace-separated list of link types, with no duplicate keywords in the list. Each link type must be listed as allowed on <a> and <area> in the HTML specification, or must be listed as allowed on <a> and <area> on the Microformats wiki. You can register link types on the Microformats wiki yourself.

Error Bad value early01 for attribute rel on element a: The string 11. early01 is not a registered keyword.

From line 125, column 37; to line 125, column 106

```
<a class="fancybox" rel="early01"</pre>
```

href="images/gallery/early/011.png"><img c</pre>

Syntax of list of link-type keywords:

A whitespace-separated list of link types, with no duplicate keywords in the list. Each link type must be listed as allowed on <a> and <area> in the HTML specification, or must be listed as allowed on <a> and <area> on the Microformats wiki. You can register link types on the Microformats wiki yourself.

12. Error | Bad value | early01 | for attribute | rel | on element | a |: The string early01 is not a registered keyword.

```
From line 128, column 37; to line 128, column 106
```

```
<a class="fancybox" rel="early01"</pre>
```

href="images/gallery/early/012.png"><img c</pre>

Syntax of list of link-type keywords:

A whitespace-separated list of link types, with no duplicate keywords in the list. Each link type must be listed as allowed on <a> and <area> in the HTML specification, or must be listed as allowed on <a> and <area> on the Microformats wiki. You can register link types on the Microformats wiki yourself.

Error Bad value early02 for attribute rel on element a: The string 13. early02 is not a registered keyword.

From line 133, column 34; to line 133, column 103

```
<a class="fancybox" rel="early02"</pre>
```

href="images/gallery/early/021.png"><img c</pre>

Syntax of list of link-type keywords:

A whitespace-separated list of link types, with no duplicate keywords in the list. Each

4/13 https://validator.w3.org/nu/#file

link type must be listed as allowed on <a> and <area> in the <u>HTML specification</u>, or must be listed as allowed on <a> and <area> on the <u>Microformats wiki</u>. **You can** register link types on the <u>Microformats wiki</u> yourself.

14. Error Bad value early02 for attribute rel on element a: The string early02 is not a registered keyword.

From line 136, column 37; to line 136, column 106

```
<a class="fancybox" rel="early02"
```

href="images/gallery/early/022.png"><img c

Syntax of list of link-type keywords:

A whitespace-separated list of link types, with no duplicate keywords in the list. Each link type must be listed as allowed on <a> and <area> in the HTML specification, or must be listed as allowed on <a> and <area> on the Microformats wiki. You can register link types on the Microformats wiki yourself.

15. Error Bad value early02 for attribute rel on element a: The string early02 is not a registered keyword.

From line 139, column 37; to line 139, column 106

```
<a class="fancybox" rel="early02"
```

href="images/gallery/early/023.gif"><img c

Syntax of list of link-type keywords:

A whitespace-separated list of link types, with no duplicate keywords in the list. Each link type must be listed as allowed on <a> and <area> in the HTML specification, or must be listed as allowed on <a> and <area> on the Microformats wiki. You can register link types on the Microformats wiki yourself.

16. Error Bad value early02 for attribute rel on element a: The string early02 is not a registered keyword.

From line 142, column 37; to line 142, column 106

Syntax of list of link-type keywords:

A whitespace-separated list of link types, with no duplicate keywords in the list. Each link type must be listed as allowed on <a> and <area> in the <u>HTML specification</u>, or must be listed as allowed on <a> and <area> on the <u>Microformats wiki</u>. **You can register link types on the <u>Microformats wiki</u> yourself.**

17. Error Bad value early03 for attribute rel on element a: The string early03 is not a registered keyword.

https://validator.w3.org/nu/#file 5/13

```
From line 147, column 10; to line 147, column 79

ca class="fancybox" rel="early03" href="images/gallery/early/014.png">

cimg c
```

A whitespace-separated list of link types, with no duplicate keywords in the list. Each link type must be listed as allowed on <a> and <area> in the HTML specification, or must be listed as allowed on <a> and <area> on the Microformats wiki. You can register link types on the Microformats wiki yourself.

```
Error Bad value early03 for attribute rel on element a: The string

early03 is not a registered keyword.

From line 150, column 10; to line 150, column 79

<a class="fancybox" rel="early03" href="images/gallery/early/015.png">
<img c |
Syntax of list of link-type keywords:

A whitespace-separated list of link types, with no duplicate keywords in the list. Each
```

```
19. Error Bad value early03 for attribute rel on element a: The string early03 is not a registered keyword.

From line 153, column 34; to line 153, column 103

<a class="fancybox" rel="early03" href="images/gallery/early/013.png"><img c Syntax of list of link-type keywords:
```

```
20. Error Bad value early03 for attribute rel on element a: The string early03 is not a registered keyword.

From line 158, column 37; to line 158, column 106

<a class="fancybox" rel="early03" href="images/gallery/early/020.png"><img c Syntax of list of link-type keywords:

A whitespace-separated list of link types, with no duplicate keywords in the list. Each
```

https://validator.w3.org/nu/#file 6/13

link type must be listed as allowed on <a> and <area> in the <u>HTML specification</u>, or must be listed as allowed on <a> and <area> on the <u>Microformats wiki</u>. **You can** register link types on the <u>Microformats wiki</u> yourself.

21. Error Bad value early03 for attribute rel on element a: The string early03 is not a registered keyword.

From line 161, column 34; to line 161, column 103

```
<a class="fancybox" rel="early03"
```

href="images/gallery/early/017.png"><img c

Syntax of list of link-type keywords:

22. Error Bad value early03 for attribute rel on element a: The string early03 is not a registered keyword.

From line 164, column 37; to line 164, column 106

```
<a class="fancybox" rel="early03"
```

href="images/gallery/early/027.png"><img c</pre>

Syntax of list of link-type keywords:

A whitespace-separated list of link types, with no duplicate keywords in the list. Each link type must be listed as allowed on <a> and <area> in the HTML specification, or must be listed as allowed on <a> and <area> on the Microformats wiki. You can register link types on the Microformats wiki yourself.

23. Error Bad value early03 for attribute rel on element a: The string early03 is not a registered keyword.

From line 169, column 37; to line 169, column 106

```
<a class="fancybox" rel="early03"
```

href="images/gallery/early/028.png"><img c</pre>

Syntax of list of link-type keywords:

A whitespace-separated list of link types, with no duplicate keywords in the list. Each link type must be listed as allowed on <a> and <area> in the HTML specification, or must be listed as allowed on <a> and <area> on the Microformats wiki. You can register link types on the Microformats wiki yourself.

24. Error Bad value early03 for attribute rel on element a: The string early03 is not a registered keyword.

https://validator.w3.org/nu/#file 7/13

```
From line 172, column 37; to line 172, column 106

<a class="fancybox" rel="early03"
href="images/gallery/early/025.png"><img c
```

A whitespace-separated list of link types, with no duplicate keywords in the list. Each link type must be listed as allowed on <a> and <area> in the HTML specification, or must be listed as allowed on <a> and <area> on the Microformats wiki. You can register link types on the Microformats wiki yourself.

25. Error Bad value early03 for attribute rel on element a: The string early03 is not a registered keyword.

From line 175, column 37; to line 175, column 106

<img c Syntax of list of link-type keywords:

26. Error Bad value during01 for attribute rel on element a: The string during01 is not a registered keyword.

From line 183, column 37; to line 183, column 108

<img c Syntax of list of link-type keywords:

A whitespace-separated list of link types, with no duplicate keywords in the list. Each link type must be listed as allowed on <a> and <area> in the HTML specification, or must be listed as allowed on <a> and <area> on the Microformats wiki. You can register link types on the Microformats wiki yourself.

```
27. Error Bad value during01 for attribute rel on element a: The string during01 is not a registered keyword.

From line 186, column 37; to line 186, column 108

(a class="fancybox" rel="during01" href="images/gallery/during/002.png"><img c

Syntax of list of link-type keywords:

A whitespace-separated list of link types, with no duplicate keywords in the list. Each link type must be listed as allowed on <a> and <area> in the HTML specification, or
```

https://validator.w3.org/nu/#file 8/13

must be listed as allowed on <a> and <area> on the Microformats wiki. You can

register link types on the Microformats wiki yourself.

```
28. Error Bad value during01 for attribute rel on element a: The string during01 is not a registered keyword.
```

From line 189, column 37; to line 189, column 108

```
<a class="fancybox" rel="during01"</pre>
```

```
href="images/gallery/during/003.png"><img c</pre>
```

Syntax of list of link-type keywords:

A whitespace-separated list of link types, with no duplicate keywords in the list. Each link type must be listed as allowed on <a> and <area> in the https://mx.mc.englister.nc..or and <area> on the https://mx.mc.englister.nc..or and https://mx.mc.englister.nc..or and https://mx.mc.englister.nc..or and https://mx.mc.engl

```
29. Error Bad value during01 for attribute rel on element a: The string during01 is not a registered keyword.
```

From line 194, column 37; to line 194, column 108

```
<a class="fancybox" rel="during01"
```

```
href="images/gallery/during/004.png"><img c</pre>
```

Syntax of list of link-type keywords:

A whitespace-separated list of link types, with no duplicate keywords in the list. Each link type must be listed as allowed on <a> and <area> in the HTML specification, or must be listed as allowed on <a> and <area> on the Microformats wiki. You can register link types on the Microformats wiki yourself.

```
30. Error Bad value during01 for attribute rel on element a: The string during01 is not a registered keyword.
```

```
From line 197, column 37; to line 197, column 108
```

```
<a class="fancybox" rel="during01"
```

```
href="images/gallery/during/005.png"><img c
```

Syntax of list of link-type keywords:

A whitespace-separated list of link types, with no duplicate keywords in the list. Each link type must be listed as allowed on <a> and <area> in the HTML specification, or must be listed as allowed on <a> and <area> on the Microformats wiki. You can register link types on the Microformats wiki yourself.

```
31. Error Bad value during01 for attribute rel on element a: The string during01 is not a registered keyword.

From line 200, column 37; to line 200, column 108

<a class="fancybox" rel="during01"</a>
```

https://validator.w3.org/nu/#file 9/13

```
href="images/gallery/during/006.png"><img c</pre>
```

A whitespace-separated list of link types, with no duplicate keywords in the list. Each link type must be listed as allowed on <a> and <area> in the HTML specification, or must be listed as allowed on <a> and <area> on the Microformats wiki. You can register link types on the Microformats wiki yourself.

A whitespace-separated list of link types, with no duplicate keywords in the list. Each link type must be listed as allowed on <a> and <area> in the <u>HTML specification</u>, or must be listed as allowed on <a> and <area> on the <u>Microformats wiki</u>. **You can register link types on the <u>Microformats wiki</u> yourself.**

33. Error Bad value during01 for attribute rel on element a: The string during01 is not a registered keyword.

From line 208, column 37; to line 208, column 108

<img c Syntax of list of link-type keywords:

A whitespace-separated list of link types, with no duplicate keywords in the list. Each link type must be listed as allowed on <a> and <area> in the HTML specification, or must be listed as allowed on <a> and <area> on the Microformats wiki. You can register link types on the Microformats wiki yourself.

34. Error Bad value during01 for attribute rel on element a: The string during01 is not a registered keyword.

From line 211, column 37; to line 211, column 108

(a class="fancybox" rel="during01" href="images/gallery/during/009.png"><img c

Syntax of list of link-type keywords:

A whitespace-separated list of link types, with no duplicate keywords in the list. Each link type must be listed as allowed on <a> and <area> in the HTML specification, or must be listed as allowed on <a> and <area> on the Microformats wiki. You can

https://validator.w3.org/nu/#file 10/13

register link types on the Microformats wiki yourself.

A whitespace-separated list of link types, with no duplicate keywords in the list. Each link type must be listed as allowed on <a> and <area> in the HTML specification, or must be listed as allowed on <a> and <area> on the Microformats wiki. You can register link types on the Microformats wiki yourself.

38. Error Bad value after01 for attribute rel on element a: The string after01 is not a registered keyword.

From line 231, column 9; to line 231, column 78

https://validator.w3.org/nu/#file 11/13

```
>← <arcless="fancybox" rel="after01" href="images/gallery/after/004.png"><img
```

40. Error Bad value after01 for attribute rel on element a: The string after01 is not a registered keyword.

From line 237, column 9; to line 237, column 78

> ← ⟨a class="fancybox" rel="after01" href="images/gallery/after/006.png"><img c |
Syntax of list of link-type keywords:

register link types on the Microformats wiki yourself.

Document checking completed.

The Content-Type header specified text/html. Used the HTML parser.

Total execution time 16 milliseconds.

https://validator.w3.org/nu/#file 13/13