

Conic Sections

11th Maths - Chapter 11

Short Answer Type Questions

1. If the letters of the word ALGORITHM are arranged at random in a row what is the probability the letters GOR must remain together as a unit?
2. Six new employees, two of whom are married to be assigned six desks that are lined up in a row. If the assignment of employees to desks is made randomly, what is the probability that the married couple will have nonadjacent desks: [Hint: First find the probability that the couple has adjacent desks, and then subtract it from 1.]
3. Suppose an integer from 1 through 1000 is chosen at random, find the probability that the integer is a multiple of 2 or a multiple of 3
4. An experiment consists of rolling a die until a 2 appears.
5. How many elements of the sample space correspond to the event that the 2 appears on the k^{th} roll of the die? [Hint:(a) First (k-1) rolls have 5 outcomes each and k^{th} rolls should result in 1 outcomes. (b) $1+5+5^2+....+5^{k-1}$].
6. A die is loaded in such a way that each odd number is twice as likely to occur as each even number. Find $\Pr(G)$, where G is the event that a number greater than 3 occurs on a single roll of the die
7. In a large metropolitan area, the probabilities are .87, .36, .30 that a family (randomly chosen for a sample survey) owns a colour television set, a black and white television set, or both kinds of sets what is the probability that a family owns either any one or both kinds of sets

8. If A and B are mutually exclusive events. $\Pr(A) = 0.35$ and $\Pr B = 0.45$ find
- $\Pr(A)$
 - $\Pr(B)$
 - $\Pr(A \cup B)$
 - $\Pr(A \cap B)$
 - $\Pr(A \cap B)$
 - $A' \cap B'$
9. A team of medical students doing their internship have to assist during surgeries at a city hospital. The probabilities of surgeries rated as very complex, Complex, routine, simple or very simple are respectively, 0.15,0.20,0.31,0.26,.08. Find the probabilities that a particular surgery will be rated
- complex or very complex.
 - neither very complex nor very simple.
 - routine or complex.
 - routine or simple.
10. Four candidates A, B, C, D have applied for the assignment to coach a school cricket team. If A is twice as likely to be selected as B , and B , and B and C are given about the same chance of being selected. while C is twice as likely to be selected as D , what are the probabilities that
- C will be selected ?
 - A will not be selected ?
11. One of the four persons John, Rita, Aslam or Gurpreet will be promoted next month. Consequently the sample space consists of four elementary outcomes=[John promoted, Rita promoted, Aslam promoted, Gurpreet promoted] you are told that the chances of John's promotion is same as that of Gurpreet, Rita's chances of promotion are twice as likely as John's. Aslam's chances are four times that of John.

- (a) Determine $\Pr(\text{John promoted} \mid \text{Pratap promoted} \mid \text{Aslam promoted} \mid \text{Gurpreet promoted})$
 - (b) If $A = \text{John promoted or Gurpreet promoted}$ find $\Pr(A)$.
- 12. The accompanying venn diagram shows three events A, B and C , and also the probabilities of the various intersections (for instance. $\Pr(A \cap B) = 0.7$). Determine
 - (a) $\Pr(A)$
 - (b) $\Pr(B \cap C)$
 - (c) $\Pr(A \cap B)$
 - (d) $\Pr(A \cap B)$
 - (e) $\Pr(A \cap B)$
 - (f) $\Pr(B \cap C)$
- 13. Probability of exactly one of the three occurs.
- 14. One urn contains two black balls (labelled $B1$ and $B2$) and one white ball and two white balls (labelled $W1$ and $W2$). Suppose the following experiment is performed one of the two urns is chosen at random. newt a ball is randomly chosen from the urn. Then a second ball is chosen at random from the some urn without replacing the first ball.
 - (a) Write the sample space showing all possible outcomes.
 - (b) What is the probability that two black balls are chosen?
 - (c) What is the probability that two balls of opposite colour are chosen
- 15. A bag cantains 8 red and 5 white balls Three balls are drawn at random Find the probability that
 - (a) All the three balls are white
 - (b) All the three balls are red
 - (c) one ball is red and two balls are white
- 16. If the letters of the word ASSASSINATION are arranged at random. Find the probabiliy that

- (a) Four 5's come consecutively in the word
 - (b) Two 1's and two $N'S$ come together
 - (c) All A'S are not coming together
 - (d) No two A's are coming together
17. A card is drawn from a deck of 52 cards Find the probability of getting aking or a heart or a red card.
18. A sample space consists of a elementary outcomes e_1, e_2, \dots, e_9 whose probabilities are $\Pr(e_1) = \Pr(e_2) = 0.8, \Pr(e_4) = \Pr(e_4) = \Pr(e_5) = .1$
 $\Pr(e_6) = \Pr(e_7) = .2, \Pr(e_9) = 0.7$
 Suppose $A = e_1, e_5, e_8, B = e_2, e_5, e_8, e_9$
- (a) calculate $\Pr(A), \Pr(B),$ and $\Pr(A \cap B)$
 - (b) Using the addition law of probability. Calcuate $\Pr(A \cap B)$
 - (c) List the composition of the event $A \cap B$, and calcutate $\Pr(A \cap B)$ by adding the probabilities of the elementary outcomes
 - (d) calculate $\Pr(\overline{B})$ from $\Pr(B)$, also calculate $\Pr(\overline{B})$ directly from the elementary outcomes of \overline{B}
19. Determine the probability, for each of the following events
- (a) An odd number appears in a single toss of a fair die
 - (b) At least one head appears in two tosses of a fair coin
 - (c) A king, 9 of hearts, or 3 of spades appears in drawing a single card froma well shuffled ordinary deck of 52 cards
 - (d) The sum of 6 appears in a single toss of a pair of fair dice

Objective Type Questions

Choose the corrent answer out of four given options in each of the exercises 18 to 29(M.C.Q)

20. In a non-leap year. The probability of having 53 tuesdays or 53 wednesdays is
- (a) $\frac{1}{7}$
 - (b) $\frac{2}{7}$
 - (c) $\frac{3}{7}$
 - (d) none of these
21. Three numbers are chosen from 1 to 20- Find the probability that they are not consecutive
- (a) $\frac{186}{190}$
 - (b) $\frac{187}{190}$
 - (c) $\frac{188}{190}$
 - (d) $\frac{18}{20 \times 3}$
22. While shuffling a pack of 52 playing cards, 2 are accidentally dropped. Find the probability that the missing cards to be of different colours.
- (a) $\frac{29}{52}$
 - (b) $\frac{1}{2}$
 - (c) $\frac{26}{51}$
 - (d) $\frac{27}{51}$
23. seven persons are to be seated in a row The probability that two particular persons sit next to each other is
- (a) $\frac{1}{3}$
 - (b) $\frac{1}{6}$
 - (c) $\frac{2}{7}$
 - (d) $\frac{1}{2}$
24. Without repetition of the numbers four digit numbers are formed with the numbers 0,2,3,5. The probability of such a number divisible by 5 is

- (a) $\frac{1}{5}$
 - (b) $\frac{4}{5}$
 - (c) $\frac{1}{30}$
 - (d) $\frac{5}{9}$
25. If A and B are mutually exclusive events, then
- (a) $\Pr(A) < \Pr(B)$
 - (b) $\Pr(A) > \Pr(B)$
 - (c) $\Pr(A) < \Pr(B)$
 - (d) none of these
26. If $\Pr(A \cap B) = \Pr(A \cap B)$ for any two events A and B , then
- (a) $\Pr(A) = \Pr(B)$
 - (b) $\Pr(A) > \Pr(B)$
 - (c) $\Pr(A) < \Pr(B)$
 - (d) none of these
27. 6 boys and 6 girls sit in a row at random. The probability that all the girls sit together is
- (a) $\frac{1}{432}$
 - (b) $\frac{12}{431}$
 - (c) $\frac{1}{132}$
 - (d) none of these
28. A single letter is selected at random from the word, PROBABILITY', The probability that it is a vowel is
- (a) $\frac{1}{3}$
 - (b) $\frac{4}{11}$
 - (c) $\frac{2}{11}$
 - (d) $\frac{3}{11}$

29. If the probabilities for A to fail in an examination is 0.2 and that for B is 0., then the probability that either A or B fails is
- (a) > 5
 - (b) $.5$
 - (c) $< .5$
 - (d) 0
30. The probability that at least one of the events A and B occurs is 0.6. If A and B occur simultaneously with probability 0.2, then $\Pr(A) + \Pr(B)$ is
- (a) 0.4
 - (b) 0.8
 - (c) 1.2
 - (d) 1.6
31. If M and N are any two events, the probability that at least one of them occurs is
- (a) $\Pr(M) + \Pr(N) - 2\Pr(M \cap N)$
 - (b) $\Pr(M) + \Pr(N) - \Pr(M \cap N)$
 - (c) $\Pr(M) + \Pr(N) \Pr(M \cap N)$
 - (d) $\Pr(M) + \Pr(N) + 2\Pr(M \cap N)$
32. The probability that a person visiting a zoo will see the giraffe is 0.72. the probability that he will see the bears is 0.84 and the probability that he will see both is 0.52.
33. The probability that a student will pass his examination is 0.73, the probability of the student getting a compartment is 0.13, and the probability that the student will either pass or get compartment is 0.96.
34. The probabilities that a typist will make 0,1,2,3,4,5 or more mistakes in typing a report are, respectively, 0.12,0.25,0.36, 0.14,0.08,0.11.

35. If A and B are two candidates seeking admission in an engineering college. The probability that both A and B are selected is at most. 3 Is it possible that the probability of B getting selected is 0.7 ?
36. The probability of intersection of two events A and B is always less than or equal to those favourable to the event A
37. The probability of an occurrence of event A is 0.7 and that of the occurrence of event B is 0.3. and the probability of occurrence of both is 0.4.
38. The sum of probabilities of two students getting distinction in their final examinations is 1.2. Fill in the blanks in the exercises 37 to 41.
39. The probability that the home team will win an upcoming football game is 0.77, the probability that it will tie the game is 0.08, and the probability that it will lose the game is
40. If e_1, e_2, e_3, e_4 are the four elementary outcomes in a sample space and $\Pr(e_1) = 0.1, \Pr(e_2) = 0.1, \Pr(e_3) = 0.1$, then the probability of e_4 is
41. Let $S = \{1, 2, 3, 4, 5, 6\}$ and $E = \{1, 3, 5\}$, then $\Pr(E)$
42. If A and B are two events associated with a random experiment such that $\Pr(A) = 0.3, \Pr(B) = 0.2, \Pr(A \cap B) = 0.1$ then the value of $\Pr(A \cup B)$ is
43. The probability of happening of an event A is 0.5 and that of B is 0.3 If A and B are mutually exclusive events, then the probability of neither A nor B is
44. match the proposed probability under column C_1 , with the appropriate written description under column C_2

45. Column C_1	Column C_2
------------------------------------	--------------------------------

1. The coordinates of the points $P(a)$ and Q on the line $x + 5y = 13$ which are at a distance of 2 units from the line $12x - 5y + 26 = 0$ are
 - a. $(3,1), (-7,11)$
2. The coordinates of the point on the line $x + y = 4$, which are at a unit distance from the line $4x + 3y - 10 = 0$ are
 - b. $-\frac{1}{11}, \frac{11}{3}, \frac{4}{3}, \frac{7}{3}$
3. The coordinates of the point on the line joining $A(-2, 5)$ and $B(3, 1)$ such that $AP(=) Pr(Q) = QB$ are
 - c. $1, \frac{12}{5}, -3, \frac{16}{5}$

46. **Column C_1**

Column C_2

- | | |
|---------|---------------------------------------|
| 1. 0.95 | a. An incorrent assignmet |
| 2. 0.02 | b. No chance of happening |
| 3. -0.3 | c. As much chance of happening as not |
| 4. 0.5 | d. Very likely to happen |
| 5. 0 | e. Very little chance of happening |

47. **Column C_1**

Column C_2

- | | |
|---|--|
| 1. If E_1 , and E_2 are the two mutually exclusive evets | a. $E_1 \cap E_2 = E_1$ |
| 2. If E_1 , and E_2 are the two mutually exclusive events | b. $(E_1, -E_2) \cap (E_1, \cap E_2) = E_1$ |
| 3. If E_1 , and E_2 have common out comes, then | c. $E_1, \cap E_2 = \phi, E_1, \cap E_2 = S$ |
| 4. If E_1 , and E_2 are two events such that E_1, E_2 | d. $E_1 \cap E_2 = \phi$ |