

SCHEMATIC STATION MAPS



DERAIL VALLEY
RAILWORKS AND TRANSPORTATION


Schematic Station Maps

Legend

If you have the Dispatcher license, you can change switches remotely by hovering over the red markers.

 Track	 Locomotive Storage
 Switch	 Repairs & Maintenance
 Track/Yard ID	 Diesel Station
 Freight Yard	 Charging Station
 Passenger Yard	 Water Tower
 Military Yard	 Coal Tower
 Dead End	 Freight Loading Platform
 Exit	 Passenger Loading Platform
 Turntable	 Military Loading Platform
 Station Office (Full)	 Station Office Direction
 Station Office (Basic)	 Orientation
 Shop	

OVERVIEW




TRANSFER YARD



TRANSFER YARD




OVERVIEW



TRANSFER YARD



OVERVIEW



Coal Power Plant


CP

B

YARD



OVERVIEW




TRANSFER YARD



TRANSFER YARD



OVERVIEW




City West

CW

B

PASSENGER STATION



TRANSFER YARD




Food Factory and Town

FF

A

OVERVIEW



Food Factory and Town

FF

B

PASSENGER STATION



Food Factory and Town

FF **C**

TRANSFER YARD



Food Factory and Town


FF

D


LOADING YARD




OVERVIEW



TRANSFER YARD



OVERVIEW




TRANSFER YARD



TRANSFER YARD



OVERVIEW



TRANSFER YARD




Goods Factory and Town

GF

A

OVERVIEW



LOADING YARD




Goods Factory and Town

GF

C

PASSENGER STATION



Goods Factory and Town

GF

D

TRANSFER YARD




Harbor and Town


HB

A

OVERVIEW




MILITARY BASE




FLUID LOADING YARD




CRANE LOADING YARD



TRANSFER YARD



PASSENGER STATION



TRANSFER YARD




Iron Ore Mine East

IME

A

OVERVIEW



Iron Ore Mine East

IME

B


TRANSFER YARD



TRANSFER YARD



OVERVIEW



TRANSFER YARD




Military Base

MB

A

OVERVIEW




Military Base

MB

B


TRANSFER YARD



Machine Factory and Town

MF A

OVERVIEW



Machine Factory and Town

MF **B**

TRANSFER YARD




TRANSFER YARD



Machine Factory and Town

MF **D**

PASSENGER STATION



Machine Factory and Town

MF **E**

MILITARY BASE




Oil Refinery

OR

A


OVERVIEW




OVERVIEW



OVERVIEW



TRANSFER YARD




Oil Well North

OWN

A

OVERVIEW




Oil Well North

OWN

B

TRANSFER YARD




Oil Well North

OWN

C

TRANSFER YARD





TRANSFER YARD




Sawmill

SW

A

OVERVIEW



LOADING YARD



TRANSFER YARD







- TRAIN STATION
- REPAIR STATION
- DIESEL SERVICE
- COAL SERVICE
- ELECTRIC CHARGER
- SHOP

Route Map

If you have the Dispatcher license, you can change switches remotely by hovering over the red markers.






VEHICLE CATALOG



1981-1996

LOAD RATING



LOCOMOTIVE

Heavy Shunting



V6 Diesel

Internal Combustion Engine



2x DC Traction Motor

Electric Transmission



Frontal Radiator

Heat Management



Self-Lapping Valve

Compressed Air Brake System



Central Dual-Facing

Closed Cab



MU Cable, Remote

Additional Control Interface

Ease of Operation Score 4.4

Learning Simplicity	4
Brake Operation	5
Warning Systems	4
Misuse Tolerance	4
Remote Connectivity	5
Controls Layout	5
Item Storage	5
Reversing Comfort	4
Lighting Operation	4
Sound Comfort	4

Maintenance Score 3.3

Energy Economy	4
Repair Economy	4
Sander Adjustability	1
Wheels Lifetime	3
Powertrain Lifetime	5
Collision Toughness	3

Hauling Score 2.9

Load Rating	2
Top Speed	3
Adhesion Control	3
Heat Management	2
Range	3
Cruise Driving Ease	5
Hillclimb Driving Ease	4
Dynamic Braking	1

Shunting Score 4.3

Visibility	5
Responsiveness	5
Shunt Acceleration	3
Acceleration Driving Ease	3
Solo Braking	5
Compressor Strength	4
Compactness	4
Outside Access	5



1942-1948 \$20,000

LOAD RATING



LOCOMOTIVE

Heavy Shunting



14 bar Coal Burner

Steam Engine



2-Cylinder Valve Gear

Mechanical Transmission



Non-Self-Lapping Valve

Compressed Air Brake System



Rear Dual-Facing

Open Cab

Ease of Operation Score

2

Learning Simplicity	1
Brake Operation	2
Warning Systems	1
Misuse Tolerance	1
Remote Connectivity	1
Controls Layout	3
Item Storage	3
Reversing Comfort	4
Lighting Operation	2
Sound Comfort	2

Maintenance Score

4.7

Energy Economy	5
Repair Economy	5
Sander Adjustability	5
Wheels Lifetime	4
Powertrain Lifetime	5
Collision Toughness	4

Hauling Score

3

Load Rating	3
Top Speed	3
Adhesion Control	4
Heat Management	5
Range	2
Cruise Driving Ease	3
Hillclimb Driving Ease	2
Dynamic Braking	2

Shunting Score

4

Visibility	4
Responsiveness	4
Shunt Acceleration	4
Acceleration Driving Ease	5
Solo Braking	5
Compressor Strength	3
Compactness	4
Outside Access	3



1949-1962 \$30,000

LOAD RATING



LOCOMOTIVE

Heavy Shunting
Light Hauling

- 18 Diesel**
Internal Combustion Engine
- Fluid Coupling 2x 3-Speed Manual**
Mechanical Transmission
- Frontal Radiator**
Heat Management
- Non-Self-Lapping Valve**
Compressed Air Brake System
- Engine Compression**
Dynamic Brake System
- Rear Dual-Facing**
Closed Cab

Ease of Operation Score **2.7**

Learning Simplicity	2
Brake Operation	3
Warning Systems	4
Misuse Tolerance	2
Remote Connectivity	1
Controls Layout	3
Item Storage	3
Reversing Comfort	4
Lighting Operation	2
Sound Comfort	3

Maintenance Score **4.2**

Energy Economy	4
Repair Economy	5
Sander Adjustability	5
Wheels Lifetime	3
Powertrain Lifetime	3
Collision Toughness	5

Hauling Score **3.6**

Load Rating	3
Top Speed	3
Adhesion Control	5
Heat Management	4
Range	3
Cruise Driving Ease	4
Hillclimb Driving Ease	3
Dynamic Braking	4

Shunting Score **3.6**

Visibility	4
Responsiveness	4
Shunt Acceleration	5
Acceleration Driving Ease	1
Solo Braking	4
Compressor Strength	4
Compactness	4
Outside Access	3



LOAD RATING



LOCOMOTIVE

Heavy Shunting
Light Hauling



- 18 Diesel Turbocharged**
Internal Combustion Engine
- 3x Torque Converter Automatic**
Hydraulic Transmission
- Active 2-Speed Forced Air Cooling**
Heat Management
- Self-Lapping Valve**
Compressed Air Brake System
- Hydraulic**
Dynamic Brake System
- Central Dual-Facing**
Closed Cab
- MU Cable, Remote**
Additional Control Interface

Ease of Operation Score **4.3**

Learning Simplicity	5
Brake Operation	4
Warning Systems	5
Misuse Tolerance	3
Remote Connectivity	5
Controls Layout	4
Item Storage	4
Reversing Comfort	4
Lighting Operation	4
Sound Comfort	5

Maintenance Score **3.5**

Energy Economy	3
Repair Economy	3
Sander Adjustability	3
Wheels Lifetime	5
Powertrain Lifetime	4
Collision Toughness	3

Hauling Score **4**

Load Rating	3
Top Speed	4
Adhesion Control	5
Heat Management	4
Range	4
Cruise Driving Ease	5
Hillclimb Driving Ease	4
Dynamic Braking	3

Shunting Score **4.3**

Visibility	4
Responsiveness	5
Shunt Acceleration	4
Acceleration Driving Ease	4
Solo Braking	5
Compressor Strength	5
Compactness	3
Outside Access	4




1938-1945 \$10,000 \$20,000 \$50,000

LOAD RATING



LOCOMOTIVE

Heavy Hauling



14 bar Coal Burner Superheated
Steam Engine

2-Cylinder Valve Gear
Mechanical Transmission

Non-Self-Lapping Valve
Compressed Air Brake System

Rear In-Facing
Open Cab

Primary Unit
Score includes secondary unit(s) effects

Ease of Operation Score 1.5

Learning Simplicity	1
Brake Operation	2
Warning Systems	1
Misuse Tolerance	1
Remote Connectivity	1
Controls Layout	2
Item Storage	2
Reversing Comfort	2
Lighting Operation	2
Sound Comfort	1

Maintenance Score 4.7

Energy Economy	5
Repair Economy	4
Sander Adjustability	5
Wheels Lifetime	4
Powertrain Lifetime	5
Collision Toughness	5

Hauling Score 3.6

Load Rating	5
Top Speed	5
Adhesion Control	4
Heat Management	5
Range	4
Cruise Driving Ease	3
Hillclimb Driving Ease	1
Dynamic Braking	2


Shunting Score 2.9

Visibility	1
Responsiveness	3
Shunt Acceleration	5
Acceleration Driving Ease	5
Solo Braking	3
Compressor Strength	2
Compactness	1
Outside Access	3



TENDER

Fuel Supply



Secondary Unit

Primary unit score already includes effects below

Ease of Operation Score

Learning Simplicity

Brake Operation

Warning Systems

Misuse Tolerance

Remote Connectivity

Controls Layout

Item Storage +1

Reversing Comfort -3

Lighting Operation

Sound Comfort

Hauling Score

Load Rating

Top Speed

Adhesion Control

Heat Management

Range +4

Cruise Driving Ease

Hillclimb Driving Ease

Dynamic Braking

Maintenance Score

Energy Economy

Repair Economy

Sander Adjustability

Wheels Lifetime

Powertrain Lifetime

Collision Toughness

Shunting Score

Visibility -3

Responsiveness

Shunt Acceleration


Acceleration Driving Ease

Solo Braking -1

Compressor Strength

Compactness -2

Outside Access -2



LOAD RATING



LOCOMOTIVE

Heavy Hauling



- V12 Diesel Turbocharged**
Internal Combustion Engine
- 6x DC Traction Motor**
Electric Transmission
- Forced Air Cooling**
Heat Management
- Self-Lapping Valve**
Compressed Air Brake System
- Rheostatic**
Dynamic Brake System
- Central Dual-Facing**
Closed Cab
- MU Cable**
Additional Control Interface

Ease of Operation Score **3.6**

Learning Simplicity	4
Brake Operation	4
Warning Systems	4
Misuse Tolerance	4
Remote Connectivity	3
Controls Layout	3
Item Storage	3
Reversing Comfort	3
Lighting Operation	4
Sound Comfort	4

Maintenance Score **3.2**

Energy Economy	1
Repair Economy	3
Sander Adjustability	1
Wheels Lifetime	5
Powertrain Lifetime	5
Collision Toughness	4

Hauling Score **4.9**

Load Rating	5
Top Speed	5
Adhesion Control	5
Heat Management	5
Range	5
Cruise Driving Ease	5
Hillclimb Driving Ease	4
Dynamic Braking	5

Shunting Score **2.8**

Visibility	2
Responsiveness	1
Shunt Acceleration	5
Acceleration Driving Ease	3
Solo Braking	4
Compressor Strength	2
Compactness	1
Outside Access	4



1968-1990

\$17,000

\$1,000

LOCOMOTIVE

Light Shunting

LOAD RATING



112V Lead-Acid Battery

Electric Power Supply



2x DC Traction Motor

Electric Transmission



Self-Lapping Valve

Compressed Air Brake System



Dual-Facing

Closed Cab



Remote

Additional Control Interface



On Demand Delivery

Order with comms radio

Ease of Operation Score 3.9

Learning Simplicity	5
Brake Operation	5
Warning Systems	4
Misuse Tolerance	3
Remote Connectivity	3
Controls Layout	2
Item Storage	2
Reversing Comfort	5
Lighting Operation	5
Sound Comfort	5

Maintenance Score 3.5

Energy Economy	5
Repair Economy	4
Sander Adjustability	1
Wheels Lifetime	3
Powertrain Lifetime	5
Collision Toughness	3

Hauling Score 2.1

Load Rating	1
Top Speed	1
Adhesion Control	2
Heat Management	2
Range	1
Cruise Driving Ease	5
Hillclimb Driving Ease	4
Dynamic Braking	1

Shunting Score 4


Visibility	5
Responsiveness	5
Shunt Acceleration	1
Acceleration Driving Ease	3
Solo Braking	5
Compressor Strength	3
Compactness	5
Outside Access	5



\$7,000 \$5,000

SLUG

Heavy Hauling
Heavy Shunting



6x DC Traction Motor

Electric Transmission



Forced Air Cooling

Heat Management



Self-Lapping Valve

Compressed Air Brake System



Rheostatic

Dynamic Brake System



MU Cable

Additional Control Interface



Optional Unit

Potential effect on other units shown below



On Demand Delivery

Order with comms radio

Ease of Operation Score

Learning Simplicity

Brake Operation

Warning Systems

Misuse Tolerance

Remote Connectivity

Controls Layout

Item Storage

Reversing Comfort

-3

Lighting Operation

Sound Comfort

Maintenance Score

Energy Economy

Repair Economy

Sander Adjustability

Wheels Lifetime

+3

Powertrain Lifetime

Collision Toughness

Hauling Score

Load Rating

+2

Top Speed

Adhesion Control

+3

Heat Management

+2

Range

-1

Cruise Driving Ease

Hillclimb Driving Ease

+1

Dynamic Braking

+2

Shunting Score

Visibility

-1

Responsiveness

Shunt Acceleration

+2

Acceleration Driving Ease

+3

Solo Braking

-3

Compressor Strength

+2

Compactness

-3


Outside Access



1920-1931 \$0

DRAISINE

Crew Transport



Human-Powered 2x Handcrank

Mechanical Transmission



Mechanically-Actuated Clasp

Direct Brake System



On Demand Delivery

Order with comms radio

Ease of Operation Score

3

Learning Simplicity	3
Brake Operation	2
Warning Systems	1
Misuse Tolerance	5
Remote Connectivity	1
Controls Layout	5
Item Storage	2
Reversing Comfort	5
Lighting Operation	1
Sound Comfort	5

Maintenance Score

5

Energy Economy	5
Repair Economy	5
Sander Adjustability	-
Wheels Lifetime	5
Powertrain Lifetime	5
Collision Toughness	5

Hauling Score

-

Load Rating	-
Top Speed	3
Adhesion Control	5
Heat Management	5
Range	5
Cruise Driving Ease	2
Hillclimb Driving Ease	1
Dynamic Braking	2

Shunting Score

-


Visibility	5
Responsiveness	3
Shunt Acceleration	-
Acceleration Driving Ease	2
Solo Braking	2
Compressor Strength	-
Compactness	5
Outside Access	5



🔒 \$4,000 📶 \$1,000

CAR

Crew Support



Permanently Athermal

Direct Brake System



Living Quarters, Storage

Crew Compartment



Career Manager

Specialized Equipment



Optional Unit

Potential effect on other units shown below



On Demand Delivery

Order with comms radio

Ease of Operation Score

Learning Simplicity

Brake Operation

2

Warning Systems

Misuse Tolerance

Remote Connectivity

Controls Layout

Item Storage

5

Reversing Comfort

Lighting Operation

Sound Comfort

Hauling Score

Load Rating

Top Speed

Adhesion Control

Heat Management

Range

Cruise Driving Ease

Hillclimb Driving Ease

Dynamic Braking

+3

Maintenance Score

Energy Economy

Repair Economy

Sander Adjustability

Wheels Lifetime

Powertrain Lifetime

Collision Toughness

Shunting Score

Visibility

Responsiveness

Shunt Acceleration

Acceleration Driving Ease

Solo Braking

Compressor Strength

Compactness

Outside Access



1950-1983

\$18,000

\$1,000

RAILCAR

Utility Transport

LOAD RATING



I6 Diesel

Internal Combustion Engine



Fluid Coupling 1x 6-Speed Manual

Mechanical Transmission



Self-Lapping Valve

Compressed Air Brake System



Dual-Facing

Closed Cab



Railway Equipment

Cargo Compartment



2x Seat

Crew Compartment



On Demand Delivery

Order with comms radio

Ease of Operation Score 3.1

Learning Simplicity	3
Brake Operation	5
Warning Systems	2
Misuse Tolerance	2
Remote Connectivity	1
Controls Layout	4
Item Storage	3
Reversing Comfort	3
Lighting Operation	3
Sound Comfort	5

Maintenance Score 3

Energy Economy	5
Repair Economy	4
Sander Adjustability	1
Wheels Lifetime	3
Powertrain Lifetime	3
Collision Toughness	2

Hauling Score -

Load Rating	-
Top Speed	4
Adhesion Control	3
Heat Management	2
Range	4
Cruise Driving Ease	4
Hillclimb Driving Ease	3
Dynamic Braking	4

Shunting Score -

Visibility	2
Responsiveness	2
Shunt Acceleration	-
Acceleration Driving Ease	2
Solo Braking	4
Compressor Strength	1
Compactness	3
Outside Access	4