

PRODUCTION BLUEPRINT · KEYNOTE FILM

The vieww Keynote Film

The complete production plan for the three-minute launch film: a four-act kishōtenketsu re-architecture, the capability audit of the framework and the studio, the shortlist of features that render every frame, sixteen scene beat sheets, eight new builds, and the board that ships the master.

for the viewwstudio product release

3:00 locked · 60fps master · 10,800 frames · rendered by vieww itself

PLAN 2.0 · 2026 · VIEWW_ARTIFACTS

Table of Contents

1

The Mission and the Method

3

1.1

The film, and the meta-move

3

1.2

The four acts - kishōtenketsu, made explicit

3

1.3

The twist ladder

4

1.4

The escalation curve

4

1.5

The inherited rules

4

2

The Capability Audit - What vieww Can Do Today

5

2.1

Family A - viewwstudio, the product being released

5

2.2

Family B - the framework powers (the film's own toolkit)

6

2.3

Family C - the props library (the 90 plates)

7

2.4

Family D - the ecosystem proof

8

3

The Feature Shortlist - What the Film Uses

8

3.1

The spine

8

3.2

The look (the sheet-vf floor, and above it)

8

3.3

The motion grammar

9

3.4

The light (the blend-mode economy)

9

3.5

The receipts (data, not ornament)

9

3.6

The reveal machinery

10

3.7

The reserve

10

4

The Four Acts - Scene Beat Sheets

10

4.1

Act I · Ki - THE WORLD OF THE WAIT · 0:00-0:40

10

4.2

Act II · Sho - THE SESSION · 0:40-2:05

11

4.3

Act III · Ten - THE TWISTS · 2:05-2:35

12

4.4

Act IV · Ketsu - THE RECONCILIATION · 2:35-3:00

12

4.5

The session rail - the counter ladder

13

4.6

The reveal - S13/S14, frame by frame

13

4.7

The transition grammar and the numbers rail

13

5

New Builds and the Build Board

14

5.1

The eight new builds

14

- 5.2 The build board 15
- 6 Render Pipeline, Receipts, and Risk 16**
 - 6.1 Master spec 16
 - 6.2 The receipts and audit loop 16
 - 6.3 The risk register 16
- 7 Appendix 17**
 - 7.1 What changed from scene graph v0.7, and why 17
 - 7.2 The honesty ledger (updated) 18
 - 7.3 Open questions for the author 18

1 The Mission and the Method

1.1 The film, and the meta-move

A **3:00 keynote film** for the viewwstudio product release, carrying one meta-move that defines everything else: **the film's motion graphics layer is rendered by vieww itself** - headless FrameDriver, fixed clock, raw frames out, re-renderable to the byte on a given bench. The closing sting is the contract: *“this film was rendered with vieww.”*

What the film is allowed to fake: **nothing in a product shot**. Tier C camera footage may be color-graded and carries no claims. Everything else is the product rendering itself at capture. The strategy's one-line thesis, inherited verbatim from the keynote strategy note: **the film's grammar becomes the product's proof**. The absence of cuts around waiting is evidence; the 60fps cadence is the product's own; the manifest on the end card is the renderer's account of itself. Nothing in the film argues - everything demonstrates.

tier	meaning	determinism
A	headless render through NativeRenderer	byte-reproducible per bench
B	scripted replay through the real input pipeline	deterministic ≠ fake
C	camera capture (warmth, no claims)	gradeable

Table 1 - The three capture tiers.

1.2 The four acts - kishōtenketsu, made explicit

The keynote strategy note named the theft: *“Kishōtenketsu for the joints. The four-act Japanese structure has no villain; its engine is the twist that recontextualizes what you've seen.”* This plan promotes that engine from the joints to the whole skeleton. The 3:00 is re-architected as **four explicit movements** (起承転結), replacing the inherited three-act frame:

act	movement	name	time	job
I	Ki (起 · introduce)	THE WORLD OF THE WAIT	0:00-0:40 · 40s	establish the world as it is - the wait - without naming an enemy
II	Shō (承 · develop)	THE SESSION	0:40-2:05 · 85s	deepen one session, one artifact, across every surface; comprehension builds
III	Ten (転 · twist)	THE TWISTS	2:05-2:35 · 30s	the cascade that recontextualizes everything watched
IV	Ketsu (結 · reconcile)	THE RECONCILIATION	2:35-3:00 · 25s	the new world settles; the circle closes; the sting

Table 2 - The four movements. Durations close: 40 + 85 + 30 + 25 = 180s.

Kishōtenketsu's engine is not conflict but **recontextualization**: the twist does not defeat an antagonist, it changes the meaning of what you already saw. That is exactly this film's shape - its best beats were always reveals, and Act III stacks them; Act IV then reconciles by returning to the opening image transformed (§4, S16). No villain appears anywhere: the wait is a condition, not a competitor; it is never even granted a product name.

1.3 The twist ladder

id	time	twist	what it recontextualizes
K1	0:13	the hard cut out of the wait: into silence and 60fps - the wait is obsolete	the judder and grain of S01
K0	0:36	a Rust framework whose first shown code is say , not Rust	"UI in Rust" as you assumed it
K2	2:03	tap on the phone; the desktop felt it - 7 on every surface	"a desktop tool"
K3	2:05	the IDE you've been watching is a vieww app - devtools turns on the studio itself	every studio shot since S04
K4	2:21	what you watched, from outside - the three trees unfold; the signal apart, reading 7	the whole session as one picture
K5	2:43	this film was rendered with vieww	the film itself

Table 3 - The K-twists, chronological.

1.4 The escalation curve

Richness escalates deliberately, and every escalation is a demo. The curve is the argument:

- **Act I opens degraded by design** - but degraded-crafted: grain, dust, defocus and 24-in-60 judder rendered through the same FilterChain grammar the aurora plate proved (E-21). The poverty of the image is a *rendered* effect, which is itself the first quiet demo - and the hard cut into S02 (silence, 60fps smoothness) is the first escalation: the cadence *is* the product's argument.
- **Act II is clean and restrained** - the studio register: frosted glass, springs, dithered gradients. The fireworks here are data (the receipts), not ornament. Restraint keeps the budget for the back half.
- **Act III spends** - the wonder register: Plus-blended light, perspective unfolds, receipts blooming in space. The last 55 seconds carry the visual budget.
- **Act IV settles** - the fold-back, typographic calm, one accent. The escalation resolves into stillness; the end card holds.

1.5 The inherited rules

The handoff's five rules survive this re-architecture untouched - they are the culture, not the structure:

- **No number is typed by a human** - every figure is emitted by the pipeline it describes. (Two incidents already proved the rule: 4320→10,800 when 60fps locked; 2550→2551 when the mount was forgotten.

Expect frames + 1.)

- **No effect is added in post** - visible in a product shot $\Rightarrow$ the product rendered it.
- **The edit only chooses where the knife falls** - cuts select, never fabricate; within the session, strips are deliberately unfelt.
- **Richness escalates deliberately - every escalation is a demo.**
- **If an annotation cannot be sourced live, it does not appear.**

Two honesty corrections, both from evidence in this repository (§7.2): the S04 caption drops the phrase *“nothing was compiled”* - the studio's own 06-say.md documents the real pipeline (say $\rightarrow$ codegen $\rightarrow$ rustc $\rightarrow$ cdylib $\rightarrow$ dlopen), so the honest caption is **“alive in N seconds”** with N measured by the T-01 probe; and the manifest now carries its **bench identity** (round 11 found glyph rasterization is a property of the host's fonts - determinism is per-bench, and the manifest says which bench).

2 The Capability Audit - What vieww Can Do Today

Everything below is verified in this repository with receipts, organized into the four families the film draws on. Nothing in §3-§6 reaches past this surface.

2.1 Family A - viewwstudio, the product being released

The studio is itself a vieww app (dogfooded - the fact K3 twists), and its entire loop is the film's Act II stage.

capability	what it is	film use
the preview loop	a buffer is a standalone crate; <code>fn screen() -> impl Widget</code> is the entry; edit a line, see the picture change	S04's first paint; S06's per-keystroke compose
say	the English-facing screen language: keep state that survives recompiles, screens, a fixed widget/property/action/icon vocabulary, all problems reported at once; codegen emits Rust annotated <code>// say: file:line</code>	S04 (K0); the ladder's birth
the descent	the same buffer as ordinary Rust, state held across the switch - “doorway, not a wall”	S05
live compose	per-keystroke preview; a deliberate error renders as a boundary (ErrorPlaceholder), not a crash	S06
state survives	keep values carry across remounts, edits, refreshes	S08
the receipts	build counts, the damage overlay, FrameStats ms·px, the scrub's 10-writes-1-rebuild coalescing made visible	S07, S09
platform preview	device frames (iOS / Android / Desktop), safe areas and theme conventions switched without touching <code>screen()</code>	S10's staging
build & run	Desktop, Windows cross-compile, Android debug-signed APK (named as such), iOS - each tool checked before a build starts	S12's reach

capability	what it is	film use
devtools	the inspector - which can inspect the studio itself	S11 (K3)
the craft surface	LSP, completion, folding, find bar, file tree, git panel, command palette, problems panel, recovery	the texture of every studio shot

Table 4 - viewwstudio's loop, end to end.

2.2 Family B - the framework powers (the film's own toolkit)

power	primitive	receipt
signals outside the tree	<code>runtime().signal(v)</code> ; reading during build is the subscription; rebuild is pull-based and coalesced - ten writes → one rebuild	the scrub plate: 10 writes · 1 rebuild · 1 damage rect, counted live
three trees	Widget → Element → Render; identity + state survive rebuilds	the reveal's three planes are the real trees, from the live inspector
own native rasterizer	vieww-paint native : 4×4 supersampling, gradients, blurs, shadows, all 28 blend modes, glyph caches - headless via FrameDriver	byte-identical across runs; every receipt PNG in the repo was drawn by it
springs	vieww-animation : Spring/SpringSpec/SpringPreset (Expressive, Standard), retarget/retune mid-flight, Spring2D , staggered Timeline	spring plate: the wordmark drop + underline overshoot, springs drawn as their own receipt
paths	Path verbs, full-turn arc (U-22 closed), ~40k segments in one stroke verb, dash-phase, stroke_outline glyph outlines	circuit plate: the self-drawing session line; megapath: a night landscape as one line
gradients	linear/radial/sweep, 16 stops (U-23 closed), with_stops_resampled for ramps of any length	prism plate: 256 stops as 256 breathing rects
the blur economy	gaussian + directional blur_angle (motion blur along velocity); Filtered chains; backdrop blur (frosted glass); 32-layer guard	rackfocus (focus pull as cinematography); filterstack (nested σ sweep); shadowplay (30/32 layers, gauge drawn live)
blend modes	28 modes through the rasterizer; Plus for additive light, Screen , the non-separable four; sketch-level blended_layer	blendmatrix: 16/16 distinct, “production-grade”; blackhole/startrail: light as accumulation
3D	Transform3::project_rect + the manual pipeline (painter's sort, Lambert + Blinn-Phong, perspective camera); 4D→3D→2D demonstrated	unfold: three planes fanning; dolly: the vertigo shot at 0.1% drift; tesseract
damage tracking	one write lights one region; partial repaint; render_damaged	damage plate: PerformanceOverlay with damage-area history measured from the mock's own geometry
SceneReport	per-frame counted work: shapes, images, glyph_runs , layers, unsupported_blends , open_subpath_fills	the manifest: the film audits itself; the census caught U-22 and swarm's 38,419 open triangles
text	shaping, CJK through the shaper (107 glyph runs/frame, LXGW WenKai + Noto Serif SC, tofu probe), glyph-run storms at 936/frame	han; kinetic (380 runs); typo (39 glyphs become weather)

power	primitive	receipt
platforms	winit desktop + Android (59.3 fps / 4.09 ms median on a Redmi Note 7 Pro, 2019 - device-suite receipts), web-dom (real DOM), wasm	S10's world tour; S12's card
the ceilings	galaxy: 60,527 shapes/frame in 101 ms · mandel: 57,602 rects in 69 ms · hero4k: 3840×2160 at 440-489 ms/frame · longplay: 256 frames, RSS flat 38.3→39.0 MiB	"nothing in the film is limited by the renderer" - the constraint is taste

Table 5 - The framework powers, each proven by a lab plate.

2.3 Family C - the props library (the 90 plates)

The lab is the film's motion language, and every plate ships the three-artifact receipt set (anim.gif + sheet.png + metrics.txt). Three registers:

The spine register - plates that are scenes, reused directly

kinetic (type-on, hour-counter, odometer, count-ups) · spring (wordmark drop, overshoot) · morph (say→rust scan-line sweep, state held) · scrub (10→1 coalescing, build-count badge) · damage (one region lights) · rackfocus (the blur ramp between buffer and preview) · circuit (the self-drawing session line, node blooms, fork ×3, the axis) · globe (the reveal spine: the 7, the ghost part, the pull-back, planes fanning) · unfold (Transform3 planes + tree glyphs) · receipts (benchmark card in 3D + CI timeline) · endcard (wordmark, install lines, manifest, the sting) · light (the sheet-vf aesthetic floor itself) · aurora (the degradation grammar: FilterChain ramp + grain + dust).

The texture register - motifs and grammar

wordmark (glyph outlines, re-sorted chrome, glint, mirrored reflection) · typo (a sentence rides a flow field and condenses into a drop) · settle (scramble-to-settle, per-glyph pops) · ink / sea (drop → nebula; drop → entire ocean - the genesis arcs) · ghosts (motion persistence, direction-bucketed blur economy) · currents (streamline phase, dash marching) · beams (volumetric shafts, 6,000 dust motes through one Plus-blended layer) · dolly (the vertigo) · prism (the stop field) · han (the script axis) · megapath (the single-path axis).

The wonder register - the visual spend, Acts III-IV

eclipse (totality as a documented light sequence) · blackhole (Doppler-beamed orbits, lensed stars) · startrail (long exposure as Plus accumulation) · galaxy (the 60,527-shape record) · avatar (a line becomes a lit bust) · fourier (the line re-drawn by its own choir) · harmony (the phase choir that rephases exactly) · bubble (thin-film iridescence) · caustics · orrery · storm · tesseract · forest · city - plus the law machines (rounds 9-11: quantum, smoke, threebody, neural, ising, crystal, sandpile, lorenz, gw, planck, pathtrace, and the rest) held as the deep reserve for cutdowns and the making-of.

2.4 Family D - the ecosystem proof

- **Four real apps, migrated and enriched:** three (temporal 3D capture + social, 47 tests), `vavlt` (consent-first vault; phone + desktop, dark + light screenshot suites), `upxcale` (Lanczos-3 + unsharp render flow, 21 tests), `snapsearch` (semantic photo search, CLIP ViT-B/32 behind a flag, 38-47 tests). Each ships sheet + GIF + metrics rendered headless through the one renderer.
- **viewwsite** - the product page as a vieww widget tree on a (wasm, ~2.7 MB → ~900 KB compressed), with the page's real copy as the canvas fallback for screen readers and crawlers. The page is the argument made of itself; so is the film.
- **Android with receipts:** 59.3 fps / 4.09 ms median on a 2019 Redmi Note 7 Pro via `ci/mobile/device-suite.sh` - the numbers arrive as CI artifact files, and the film prints them without touching them.
- **iOS stays excluded** - disputed by the codebase's own docs; not in the film, per the honesty ledger.

3 The Feature Shortlist - What the Film Uses

Every effect names the primitive that renders it. This is the complete shortlist; anything not on it does not appear.

3.1 The spine

feature	primitive	lands
the witness counter	a <code>say</code> buffer, <code>keep</code> state, one <code>Signal</code>	S04 → S10, returns S13
session continuity	the counter never resets; the session chip ticks elapsed	every studio scene
the counter ladder	one increment per human touch, 1-7, never reset	S04-S05-S06-S08-S09-S10
the session line	<code>Path</code> + dash-phase progressive stroke; forks ×3 at the world tour	S04 → S13, where it becomes the axis

Table 6 - The spine.

3.2 The look (the sheet-vf floor, and above it)

feature	primitive	lands
the dark plate	<code>Color::hex</code> background, one bright anchor per frame	everywhere
frosted glass	<code>Filtered::blur().with_backdrop().tint()</code>	studio chrome, cards
dithered gradients	gradient + the aurora/prism dither grammar	backdrops, title
rim strokes + shadows	<code>Sketchbook::stroke_styled, path_shadow</code>	cards, the wordmark
crafted degradation	<code>FilterChain</code> ramp + grain + dust + 24-in-60 cadence	S01 only

Table 7 - The look.

3.3 The motion grammar

feature	primitive	lands
springs	vieww-animation Spring + SpringPreset, mid-flight retarget	wordmark drop, overlays, the unfold
type-on kinetics	Text + signal substring; scramble-to-settle	S02's question, captions
motion persistence	ghosts evaluated not remembered, direction-bucketed with_blur_angle	F2's parting, S13
rack focus	blur ramp between two Filtered layers, both σ values printed live	S07's entry
the flow field	RK2-integrated tables, then pure phase	S02's condensing question

Table 8 - The motion grammar.

3.4 The light (the blend-mode economy)

feature	primitive	lands
additive light	one Plus-blended group per source (sketch blended_layer)	coronas, glints, the photon ring
volumetric shafts	one blurred Plus layer + cone-lit dust motes	the receipts-in-space bloom
glow accumulation	Plus across frames (the startrail economy)	F5's build-count bloom

Table 9 - The light.

3.5 The receipts (data, not ornament)

feature	primitive	lands
latency N	T-01 probe: edit committed → parsed → driven → raster	S04's caption, the manifest
10 → 1	the scrub's coalescing, counted live	S07
ms · px	FrameStats on screen	S09
build counts	element.build_count() surfaced as overlays	S07
one region lights	damage tracking + PerformanceOverlay	S09
59.3 · 4.09	device-suite CI artifacts, arriving as files	S12
the manifest	SceneReport accumulated across 10,800 frames	S15's bars

Table 10 - The receipts.

3.6 The reveal machinery

feature	primitive	lands
the three planes	Transform3::project_rect fan + real tree glyphs from the live inspector	S13 F4
the axis	the session line's final node extended into a spatial axis	S13 F2
the signal apart	one node outside all three trees, one tether, reading 7	S13 F6
the fold-back	the unfold in reverse, spring-eased	S14
the inspector, live	vieww-devtools on the studio, rendered angled	S11, S13

Table 11 - The reveal machinery.

3.7 The reserve

The wonder register (§2.3) is budgeted, not decorative: the eclipse ladder is the light-sequencing model for S13's bloom; startrail and blackhole set the accumulation grammar for F5; galaxy is the standing proof that no frame in this film stresses the rasterizer. The law machines stay in the library for the extended cut - the keynote master keeps its spend focused on the product.

4 The Four Acts - Scene Beat Sheets

Sixteen scenes. Setups: **A** the wide (S04-S06) · **B** pure render (S07-S09) · **C** handheld + srcpy + laptop (S10). Continuity markers always visible in studio scenes: the buffer tab counter · the session chip (elapsed, emitted) · the witness counter · the session line (E-17).

4.1 Act I · Ki - THE WORLD OF THE WAIT · 0:00-0:40

Introduce the world as it is. No villain, no product named, no logo. The poverty of the image is rendered, not excused - and the act's first cut is already the argument: silence and 60fps.

#	scene	time	tie r	content	effects	props
S01	THE WAIT	0:00-0:13	A	a generic montage of the dev-world's texture - terminals, spinners, progress bars, a clock - degraded-crafted: grain, dust, defocus, 24-in-60 judder (a 24Hz clock sampled inside a 60Hz render; the judder is the mechanism). An hour-counter ticks in the corner, its number emitted by the overlay's own clock. Nothing is named.	E-01, E-21	aurora, kinetic
S02	THE QUESTION	0:13-0:20	A	black. type-on: "how long should it take to see what you built?" - then the sentence lifts: 39 glyphs ride a deterministic flow field, accelerate, and condense into one falling drop .	E-02	typo, settle

#	scene	time	tie r	content	effects	props
S03	THE TITLE	0:20-0:26	A	the drop falls; where it lands, vieww springs up - the wordmark drop (E-03) with the underline's overshoot (E-04). One drop became a word. The film's genesis image: everything else grows from here.	E-03, E-04	spring, ink, wordmark
S04	FIRST PAINT	0:26-0:40	B	the studio: a buffer counter . say , three lines of say typed. The preview blooms alive. Caption: " alive in N seconds " - N from the T-01 probe, emitted. Tap → the counter reads 1 . First shown code of a Rust framework: say (K0 at 0:36).	E-05	light, kinetic - build N-01

Table 12 - Act I. $13+7+6+14 = 40s$. Ki closes the world of the wait by opening its opposite: a door.

4.2 Act II · Sho - THE SESSION · 0:40-2:05

One session, one artifact, carried across every surface. Comprehension builds: alive → deep → composed → measured → carried → everywhere. No twist lives here except the quiet ones (K0's say, K1's cadence, and K2 at the act's last beat) - Shō deepens, it does not turn.

#	scene	time	tie r	content	effects	props
S05	THE DESCENT	0:40-0:51	B	the same buffer, now as Rust - a scan-line sweep crosses and the code resolves (E-06), the counter never resetting through the switch. Caption: " <i>start in say · go as deep as you want.</i> " Tap → 2 .	E-06	morph
S06	COMPOSE LIVE	0:51-1:11	B	keystrokes land per-keystroke in the preview. At ~1:03 a deliberate error renders in the preview as a boundary, not a crash (E-07); fixed in three keystrokes. The app grows a dial and a spring. Tap → 3 .	E-07	scrub grammar, settle
S07	THE RECEIPT	1:11-1:29	B	rack focus pulls from editor to pure render (E-16, both σ values live). Overlays on: build counts bloom (E-09). The scrub: one frame window, ten writes driven through the real input pipeline - 10 → 1 - the coalescing scheduler made visible (E-08).	E-08, E-09, E-16	rackfocus, scrub
S08	STATE SURVIVES	1:29-1:40	B	edited mid-flight; the spring continues; state carries. <i>No effect on purpose - the carry is the shot.</i> Tap → 4 .	-	-
S09	DAMAGE IN PIXELS	1:40-1:51	B	one write lights one region (E-10); FrameStats ms · px on screen, measured not typed. Tap → 5 .	E-10	damage
S10	WORLD TOUR	1:51-2:05	B → C	the buffer leaves: native window → browser DOM → the phone in hand. The session line forks $\times 3$ (E-22). Desktop tap → 6 . Phone tap → 7 - every surface updates (K2). Caption: " <i>one session · every surface.</i> "	E-11, E-22	circuit, build N-07

Table 13 - Act II. $11+20+18+11+11+14 = 85s$. Shō closes on the counter at 7 - the session's witness - on three platforms at once.

4.3 Act III · Ten - THE TWISTS · 2:05-2:35

The turn: three twists in thirty seconds, descending product → meta → structure. Each recontextualizes a specific earlier image; none of them is a conflict.

#	scene	time	tie r	content	effects	props
S11	THE MIRROR	2:05-2:13	B	devtools turns on the studio itself; its own damage lights up (E-12). The inspector shows the studio's real trees. The IDE you've been watching is a vieww app (K3).	E-12	build N-05
S12	THE RECEIPTS	2:13-2:21	A+ C	the benchmark card assembles in 3D around real widget props (E-13/E-18), the CI timeline drawing as a path (E-19): 59.3 · 4.09 · Redmi Note 7 Pro (2019) - numbers arriving as files. Caption: <i>"that's a 2019 phone."</i>	E-13, E-18, E-19	receipts, kinetic, build N-04
S13	THE UNFOLD	2:21-2:35	A+ B	the reveal proper (E-20): the return, the turn, depth, the unfold, receipts in space, the signal - six frames, then the fold-back opens Act IV. See §4.6.	E-17, E-20	globe, unfold, circuit, build N-03

Table 14 - Act III. $8+8+14 = 30s$. Ten closes having recontextualized the studio (K3), the platform story (K2 → S12), and the whole session (K4).

4.4 Act IV · Ketsu - THE RECONCILIATION · 2:35-3:00

The new understanding settles. Kishōtenketsu closes by returning to the opening image, transformed - and this film's opening image was a door.

#	scene	time	tie r	content	effects	props
S14	THE FOLD-BACK	2:35-2:39	A	the unfold in reverse, fast, spring-eased - the world flattens to one surface: the studio, as it was in S04 . Everything you watched was one thing.	E-20 (F7)	globe/unfold reversed
S15	THE END CARD	2:39-2:52	A	the wordmark; vieww.dev ; the install lines, single-sourced and printed by the tool they install; the manifest bars - frames, shapes, glyph runs, layers, springs, blurs, paths - the film's own audit, emitted at render. At +4s the sting: <i>"this film was rendered with vieww."</i> (K5 at 2:43).	E-15	endcard, build N-06
S16	THE LOOP	2:52-3:00	A	the camera pulls back from the end card: it is one more buffer open in the studio - the session never ended; it rendered the film. The session chip reads 3:00 , emitted by the session clock. The buffer tab says endcard . Fade on the wordmark's reflection.	E-15 variant	build N-08

Table 15 - Act IV. $4+13+8 = 25s$. Ketsu reconciles: the tool that escaped the wait is the tool that rendered the film about escaping it. Total: $40+85+30+25 = 180s$.

4.5 The session rail - the counter ladder

One number per human touch, never reset: **1** born (S04, say) · **2** rust (S05) · **3** composed (S06, after the fix) · **4** carried (S08) · **5** the damage write (S09) · **6** desktop (S10) · **7** the phone (S10) - and **7** **returns in space** at F6, the only number allowed to appear twice. The camera and the setup change; the session never restarts. **The counter is the witness.**

4.6 The reveal - S13/S14, frame by frame

Layer colors inherited from the E-20 storyboard: description #58a6ff · identity #3fb950 · geometry #ffa657 · signal #bc8cff · damage #f85149. Durations close: $3+1+2+3+2+3 = 14s$ (S13) + $4s$ (F7, S14).

F	time	content	data source (no fabrication)
F1	2:21-2:24	the return - the counter full-frame, flat, reading 7 ; the session line arrives node by node	the real counter widget, Tier B
F2	2:24-2:25	the turn - ghosts part by pixels; the completed line extends into an axis. Caption: <i>"what you watched, from outside."</i>	the line's real node list; the axis is E-17's final node (reversible - fallback: unmotivated pull-back)
F3	2:25-2:27	depth opens - root pull-back, spring-eased; a floor plane arrives	Transform3
F4	2:27-2:30	the unfold - three planes fan and are labelled. Caption: <i>"description · identity · geometry."</i>	the counter's real three trees, glyph-rendered from the live inspector
F5	2:30-2:32	receipts in space - build counts bloom in sequence; tap 7's damage rect pulses. Caption: <i>"every number was measured."</i>	<code>element.build_count()</code> live; tap 7's actual damage rect from the session
F6	2:32-2:35	the signal - one node apart from all three trees, one tether, reading 7 . Caption: <i>"state lives outside the tree."</i> - the thesis, spatialized	the real Signal handle
F7	2:35-2:39	the fold-back - the unfold in reverse, fast; the world flattens to the studio as it was	-

Table 16 - The reveal, frame by frame.

Disciplines inherited whole: annotations bloom in sequence, never simultaneously · key info center-frame for the vertical cutdowns · angular velocity capped · every beat captioned.

4.7 The transition grammar and the numbers rail

act	grammar	devices
I	abrupt, mechanical	HARD CUT (into silence · into 60 - S01→S02) · FADE UP
II	non-cuts - in-frame state changes	CONTINUE · KEEP TYPING · RACK FOCUS · OVERLAY ON · LIFT OFF
III	cinematic	CUT · the camera turns around
IV	settling	the fold-back · FADE (from the reflection)

Table 17 - The transition grammar, by act.

figure	lands	source
hours on the counter	S01	the overlay's own clock, emitted
N	S04	preview-latency probe (T-01), three samples, median
10 → 1	S07	the scrub, measured live
ms · px	S09	FrameStats on screen
7	S10	the witness, every surface
59.3 · 4.09	S12	device-suite CI artifacts
7 · in space	F6 · 2:32	the signal, read live
MANIFEST	S15	SceneReport accumulated across the render: 10,800 frames @60 - shapes, glyph runs, layers, springs, blurs, paths - plus the bench identity
3:00	S16	the session chip, emitted

Table 18 - The numbers rail. No number is typed by a human.

5 New Builds and the Build Board

The film composes primarily from the 90 proven plates plus the studio itself; eight bespoke builds cover what the story demands and the library does not own. Each is a workspace crate in the film tree, each ships the three-artifact receipt set, and each names the plates it fuses.

5.1 The eight new builds

id	build	scope	fuses	blocks
N-0 1	the door	S04 whole: the studio's first-paint as a premium-UI composite - frosted chrome, the buffer typing, the preview blooming alive, N emitted, tap → 1	light floor + kinetic + the premium-test lineage (52.5 ms mean, 0 overflows)	S04
N-0 2	the drop	S02→S03 whole: the question's glyphs lift, ride the field, condense to one drop; the drop lands and the wordmark springs up - one continuous shot from typography to settle	typo + spring + ink's drop grammar	S02, S03
N-0 3	the axis	the reveal, film-resolution: the return, the turn, depth, the unfold, receipts in space, the signal, the fold-back - the counter's real trees, tap 7's real damage rect	globe + unfold + circuit + the receipt overlays	S13, S14
N-0 4	the receipts card	S12: the benchmark card assembling in 3D around real widget props; the CI timeline as a self-drawing path; the numbers arriving as files	receipts + kinetic count-ups, CI-fed	S12
N-0 5	the mirror	S11: devtools on the studio itself - the inspector's live views rendered angled, the studio's own damage lighting up	the devtools inspector + damage overlays	S11

id	build	scope	fuses	blocks
N-06	the end card	S15: wordmark, install lines (single-sourced from the <code>vieww-cli</code> constant), manifest bars from accumulated SceneReports, the sting, the hold	endcard + wordmark	S15
N-07	the world tour rail	S10: the three-surface composite - native window, browser DOM, the phone in hand (scrcpy) - the line forking $\times 3$, all surfaces updating on tap 7	circuit fork + the platform switcher staging	S10
N-08	the loop	S16: the pull-back from end card to studio - the end card as one more buffer, the session chip reading 3:00, the reflection fade	N-06 + N-01's staging reversed	S16

Table 19 - The eight new builds.

5.2 The build board

task	status	scope	blocks
T-01 latency probe	DESIGNED	keystroke → preview-visible along the real pipeline; N = raster – edit; three samples from the film's typing; median → <code>numbers.json</code> → S04 + manifest; doubles as a CI budget test	S04's caption
T-02 the crafted wait	BUILD	the S01 montage, procedural-first (no licensing, no product named): terminals, spinners, progress as rendered texture + the E-21 degradation pass + the E-01 hour-counter	S01
T-03 the session spine	SCRIPTED	the beat-by-beat script (§4); setups A/B/C; carries E-05..E-10, E-16, E-17 and the counter ladder - critical path: unblocks six scenes	S04-S10
T-04 receipts from CI	BUILD	the benchmark card pulls 59.3/4.09 from device-suite artifacts - numbers arrive as files	S12
T-05 the mirror	BUILD	devtools on the studio itself	S11
T-06 the reveal	BUILD	N-03 + N-04 + N-05; needs T-03's session data (the real trees, the real damage rect)	S11-S14
T-07 the close	BUILD	N-06 + N-08; the end-card system; install lines single-sourced	S15, S16
T-08 master & cutdowns	LOCKED (fps, install)	1080p@60 master, 10,800 frames; manifest; render gate curls the install URLs; vertical cutdowns after the master	delivery

Table 20 - The build board.

Order: T-01 and T-03 first (T-03 is the critical path); T-02 parallel; then T-04/T-05, then T-06/T-07, then T-08. Nothing in this board requires a design decision - the graph is closed; what remains are deployment gates: `vieww.dev` answers · the installer ships · the CI artifacts exist · then the master renders.

6 Render Pipeline, Receipts, and Risk

6.1 Master spec

parameter	value
resolution	1920×1080 (4K cutdowns optional, chunked)
cadence	60fps master · the wait at 24-in-60 (true 2-3-2-3, sampled in-render)
frames	10,800 (emitted, never typed - two incidents already proved the rule)
renderer	FrameDriver + NativeRenderer, headless, fixed clock
encode	raw RGBA → ffmpeg -c:v libx264 -pix_fmt yuv420p -crf 18
budget	hero-class frames 149-171 ms → a full master ≈ 30-45 min; galaxy-class 101 ms proves headroom; plan 60 min per pass with iterations
reproducibility	byte-identical per bench; glyph rasterization follows the host's fonts (<code>use_system_fonts</code>) - the manifest names the bench

Table 21 - The master spec.

6.2 The receipts and audit loop

- **Per-scene receipt sets:** `metrics.txt` with the measured gif= line · sheet.png contact sheet (fps=10, scale=480: -1, tile=4x4) · `anim.gif` per scene - the house recipe (two-pass palette, floyd-steinberg; settled by the audit loop, not chosen).
- **The VLM audit with intent-carrying prompts** - the fadeaway lesson: the same pixels scored 2/10 context-free and 9/10 with the design intent named. Dark plates audit with their intent attached; dark plates keep one bright anchor on stage (the lit contour, the photon ring, the drop).
- **Full-res audits for fine detail** (the han lesson: taper invisible at sheet scale, clear at full frame).
- **The census:** `SceneReport.open_subpath_fills` runs on every scene; `unsupported_blends` must read 0 on the master (the no-post honesty counter).
- **The gates:** the render gate curls the install URLs before shipping · the manifest emits itself from accumulated `SceneReports` · iOS excluded · screen readers never claimed.

6.3 The risk register

risk	evidence	mitigation
glyph determinism is per-bench	round 11: 17 of 90 sheets moved between benches; <code>use_system_fonts</code> reads the host	render the master on one named bench; the manifest carries the bench identity; <code>FILM_EMBEDDED_FONTS=1</code> kept as the fallback for plates that can use it

risk	evidence	mitigation
4K memory, not speed	hero4k SIGKILLed at 4-frame chunks on the 4 GB bench	master at 1080p; 4K cutdowns in chunked passes or on a bigger box
audit false positives on dark plates	fadeaway 2/10 vs 9/10, same pixels	intent-carrying prompts; bright anchors; full-res second pass
the axis decision untested	handoff: perceptual verdicts withdrawn with the gray-box medium	the rich pass (T-03/T-06) is the instrument; fallback pre-scoped: unmotivated pull-back
“nothing was compiled” wording	06-say.md: say → codegen → rustc → cdylib → dlopen	caption is “ alive in N seconds ”, N measured; the ledger is updated (§7.2)
the wait montage licensing	generic footage needs sourcing	procedural-first: render the wait in-house - it also quietly reinforces the meta-move
10,800-frame render time	hero budget 149 ms mean	30-45 min per pass is acceptable; iterate on scene crops, master rarely
sound deferred	author's job; the mp4 has no audio track	the cut works muted; every beat captioned
iOS claims	disputed by the repo's own docs	excluded, per the ledger
scope creep in the wonder register	90 plates are seductive	the keynote master spends only where §3 shortlists; the law machines wait for the extended cut

Table 22 - The risk register.

7 Appendix

7.1 What changed from scene graph v0.7, and why

Inherited systems (session rail, numbers rail, effects inventory, transition grammar, build board) carry over with node ids intact. The structural changes:

change	v0.7	this plan	why
act frame	three acts (45+95+40)	four explicit movements (40+85+30+25)	the strategy note named kishōtenketsu as the engine; promoting it to the skeleton gives Ten its own movement and Ketsu its own breath - the twist cascade and the reconciliation stop competing for the same 40 seconds
the reveal's home	all of E-20 inside S12 (20s)	F1-F6 in S13 (Ten), F7 opens Ketsu	the fold-back is reconciliation, not twist - it belongs to the act whose job is settling
the close	end card (6s)	end card + the loop (S16, 8s)	kishōtenketsu closes by returning to the opening image transformed; the film's first image was the studio door - S16 shows the door again, now holding the film itself
the title	question → wordmark (10s, one scene)	question → the drop → wordmark (13s, two beats)	the drop is the film's genesis image (one drop → a word → a world), reusing the lab's two strongest genesis arcs; it also plants the reflection motif S16 fades on

change	v0.7	this plan	why
first paint	S03 at 0:22-0:45	S04 at 0:26-0:40	Ki needs its 40s; the door arrives 4s later and loses none of its silence
S04 caption	“alive in N seconds - nothing was compiled”	“alive in N seconds”	the studio's own docs describe the codegen+compile pipeline; the dropped phrase was a claim the product's documentation does not make
the wait	generic montage (footage TBD)	procedural-first	no licensing, no sourcing risk, and the degraded world is itself a vieww render - the meta-move starts in frame one

Table 23 - The delta from v0.7. Everything else - the tiers, the counter ladder, the five rules, the install lines, 60fps, the sting, the escalation discipline - is inherited unchanged.

7.2 The honesty ledger (updated)

Twelve lines. The first ten are inherited verbatim; lines 11 and 12 are born in this plan.

1. Android - verified on a real device · iOS - disputed by our own docs; not in the film
2. Screen readers - wired, never heard; not claimed · no widget wall · no mockups
3. The wait names no product · no number is typed by a human
4. No effect in post - everything visible in a product shot was rendered by the product · tier C may be graded; carries no claims
5. The edit only chooses where the knife falls - selects, never fabricates
6. The 3D is the framework's own transforms - no external engine
7. The reveal is the devtools inspector, live - real trees, not a fabrication
8. If an annotation cannot be sourced live, it does not appear
9. The film runs at 60 - the cadence the product delivers; the wait at 24-in-60, deliberately
10. Install lines single-sourced, printed by the tool they install · the render gate curls the URL
11. **“alive in N seconds” is the claim; N is measured, and the say pipeline compiles (codegen → cdylib → dlopen) - the studio escapes your project's build, not compilation itself**
12. **Determinism is per-bench** (the host's fonts shape the glyphs); the manifest names the bench that rendered it

7.3 Open questions for the author

- **The axis (F2)** - ratified but reversible; the rich pass is the instrument, the fallback is pre-scoped.
- **The loop (S16)** - new: does the final recursion read as closure or as one twist too many? The fallback is a plain hold on the end card's reflection (cuts S16 to 5s and gifts 3s to S15's manifest bars).

- **The wait's texture** - procedural-first is proposed; if the author has camera footage with no claims attached, tier C remains available for the montage's warmth, graded, carrying no numbers.
- **The drop (S03)** - whether the wordmark springs from the impact point (proposed) or the drop *becomes* the wordmark's ink as it falls (the alternative; one of the two reads better in the rich pass).

The graph is closed. The film is a build program. First move: T-01 and the session spine.