Cucumber Report

Start : Feb 10, 8:00:41.260 PM	End : Feb 10, 8:03:11.786 PM	Duration : 2 m 30.526 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 7 FAILED - 1 SKIPPED - 0

Features: 1

Scenarios: 1

Steps: 8

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 87 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Title of your feature	2 m 30.526 s	1	0	1	0	8	7	1	0

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tag	1	0	1	0	1	0	1	0
@tag1	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	*Title of your feature*	1	0	1	0	*2 m 30.526 s*

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Title of your feature	login	8	7	1	0	2 m 30.523 s

Title of your feature

FAILED	DURATION - 2 m 30.526 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 8 Pass - 7 Fail - 1 Skip - 0	
/ 8:00:41.260 PM // 8:03:11.786 PM /			1		8

login

FAILED	DURATION - 2 m 30.523 s		Steps Total - 8 Pass - 7 Fail - 1 Skip - 0	
/ 8:00:41.263 PM // 8:03:11.786 PM /				8
Title of your feature				
@tag @tag1				

#	Step / Hook Details	Status	Duration
1	Given I open browser	PASSED	0.069 s
2	When i enter send keys "admin@yourstore.com" And "admin"	PASSED	0.303 s
3	When i click login	PASSED	27.156 s
4	Then see the dashboardpage	PASSED	0.014 s
5	When i click the productpage and " Products" option	PASSED	12.939 s
6	Then i see the products page	PASSED	0.009 s
7	When i click the edit option	PASSED	32.689 s
8	When i click multimedia table and add the picture	FAILED	20.286 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'LAPTOP-KNCJI4TL', ip: '192.168.43.239' Build info: version: '4.6.0', revision: '79f1c02ae20' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.17' Driver info: org.openqa.selenium.winium.WiniumDriver Command: [null, newSession {capabilities=[Capabilities {}], desiredCapabilities=Capabilities {}}] Capabilities {}
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559)
	    at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:242)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:157)
	    at org.openqa.selenium.winium.WiniumDriver.<init>(WiniumDriver.java:84)		

#	Step / Hook Details	Status	Duration
	at utils.productspage.uploadbutton(productspage.java:80)		
	at Stepdefinitions.stepdefinitions.i_click_multimedia_table_and_add_the_picture(stepdefinitions.java:168)		
	at ?.i click multimedia table and add the picture(file:///C:/SEKKKK/New%20folder/fvjl/features/edit.feature:18)		
	Caused by: java.io.UncheckedIOException: java.net.ConnectException: Connection refused: no further information: localhost/ 0:0:0:0:0:0:0:1:9999		
	at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:73)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56)		
	at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:49)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56)		
	at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:99)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:122)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:101)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:67)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156)		
	at org.openqa.selenium.winium.WiniumDriverCommandExecutor.execute(WiniumDriverCommandExecutor.java:78)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:541)		
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:242)		
	at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:157)		
	at org.openqa.selenium.winium.WiniumDriver.<init>(WiniumDriver.java:84)		
	at utils.productspage.uploadbutton(productspage.java:80)		
	at Stepdefinitions.stepdefinitions.i_click_multimedia_table_and_add_the_picture(stepdefinitions.java:168)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:129)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:962)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1541)		
	at org.testng.TestRunner.privateRun(TestRunner.java:806)		
	at org.testng.TestRunner.run(TestRunner.java:601)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:433)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:330)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)		
	at org.testng.TestNG.runSuites(TestNG.java:1099)		
	at org.testng.TestNG.run(TestNG.java:1067)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	Caused by: java.net.ConnectException: Connection refused: no further information: localhost/0:0:0:0:0:0:0:1:9999		
	at org.asynchttpclient.netty.channel.NettyConnectListener.onFailure(NettyConnectListener.java:179)		
	at org.asynchttpclient.netty.channel.NettyChannelConnector$1.onFailure(NettyChannelConnector.java:108)		
	at org.asynchttpclient.netty.SimpleChannelFutureListener.operationComplete(SimpleChannelFutureListener.java:28)		
	at org.asynchttpclient.netty.SimpleChannelFutureListener.operationComplete(SimpleChannelFutureListener.java:20)		
	at io.netty.util.concurrent.DefaultPromise.notifyListener0(DefaultPromise.java:578)		
	at io.netty.util.concurrent.DefaultPromise.notifyListeners0(DefaultPromise.java:571)		
	at io.netty.util.concurrent.DefaultPromise.notifyListenersNow(DefaultPromise.java:550)		
	at io.netty.util.concurrent.DefaultPromise.notifyListeners(DefaultPromise.java:491)		

#	Step / Hook Details	Status	Duration
	at io.netty.util.concurrent.DefaultPromise.setValue0(DefaultPromise.java:616)		
	at io.netty.util.concurrent.DefaultPromise.setFailure0(DefaultPromise.java:609)		
	at io.netty.util.concurrent.DefaultPromise.tryFailure(DefaultPromise.java:117)		
	at io.netty.channel.nio.AbstractNioChannel$AbstractNioUnsafe.fulfillConnectPromise(AbstractNioChannel.java:321)		
	at io.netty.channel.nio.AbstractNioChannel$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:337)		
	at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776)		
	at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724)		
	at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650)		
	at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562)		
	at io.netty.util.concurrent.SingleThreadEventExecutor$4.run(SingleThreadEventExecutor.java:997)		
	at io.netty.util.internal.ThreadExecutorMap$2.run(ThreadExecutorMap.java:74)		
	at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30)		
	at java.base/java.lang.Thread.run(Thread.java:834)		
	Caused by: io.netty.channel.AbstractChannel$AnnotatedConnectException: Connection refused: no further information: localhost/ 0:0:0:0:0:0:0:1:9999 Caused by: java.net.ConnectException: Connection refused: no further information		
	at java.base/sun.nio.ch.SocketChannelImpl.checkConnect(Native Method)		
	at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:779)		
	at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337)		
	at io.netty.channel.nio.AbstractNioChannel$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334)		
	at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776)		
	at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724)		
	at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650)		
	at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562)		
	at io.netty.util.concurrent.SingleThreadEventExecutor$4.run(SingleThreadEventExecutor.java:997)		
	at io.netty.util.internal.ThreadExecutorMap$2.run(ThreadExecutorMap.java:74)		
	at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30)		
	at java.base/java.lang.Thread.run(Thread.java:834)		
	* Not displayable characters are replaced by '?'.		
	AFTER - Stepdefinitions.stepdefinitions.takescreenshot(io.cucumber.java.Scenario)	PASSED	0.242 s
	login		