

Cucumber Report

09-Feb-2023, 1:07:01 PM

Start : Feb 09, 1:06:39.415 PM

End : Feb 09, 1:06:59.384 PM

Duration : 19.969 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 6
FAILED - 1
SKIPPED - 2




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Title of your feature</u>	19.969 s	1	0	1	0	9	6	1	2

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@tag	1	0	1	0	1	0	1	0
@tag1	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Title of your feature</u>	1	0	1	0	19.969 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Title of your feature</u>	<u>login</u>	9	6	1	2	19.964 s

Title of your feature

FAILED	DURATION - 19.969 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 9 Pass - 6 Fail - 1 Skip - 2	
/ 1:06:39.415 PM // 1:06:59.384 PM /					

login

FAILED	DURATION - 19.964 s		Steps Total - 9 Pass - 6 Fail - 1 Skip - 2	
/ 1:06:39.420 PM // 1:06:59.384 PM /				
Title of your feature				
@tag @tag1				

#	Step / Hook Details	Status	Duration
1	Given I open browser	PASSED	0.068 s
2	When i enter send keys "admin@yourstore.com" And "admin"	PASSED	0.341 s
3	When i click login	PASSED	10.170 s
4	Then see the dashboardpage	PASSED	0.014 s
5	When i click the productpage and " Products" option	PASSED	3.088 s
6	Then i see the products page	PASSED	0.024 s
7	When i click the edit option	FAILED	0.068 s
	org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.6.0', revision: '79f1c02ae20' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.17' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [9b24daf91100c28b5aa4aaa33b8ba5d6, actions {actions=[org.openqa.selenium.interactions. Sequence@4816ee24]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.120, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\MTEJA\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57274}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57274/devtoo..., se:cdpVersion: 109.0.5414.120, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9b24daf91100c28b5aa4aaa33b8ba5d6 at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:362)		

#	Step / Hook Details	Status	Duration
	<p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:154)</p> <p>at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)</p> <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:169)</p> <p>at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183)</p> <p>at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:177)</p> <p>at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)</p> <p>at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1801)</p> <p>at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:484)</p> <p>at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474)</p> <p>at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150)</p> <p>at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173)</p> <p>at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)</p> <p>at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:497)</p> <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169)</p> <p>at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)</p> <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182)</p> <p>at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68)</p> <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177)</p> <p>at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)</p> <p>at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278)</p> <p>at org.openqa.selenium.json.Json.toJson(Json.java:42)</p> <p>at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:259)</p> <p>at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:122)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:541)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:609)</p> <p>at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:567)</p> <p>at utils.productspage.edit(productspage.java:52)</p> <p>at Stepdefinitions.stepdefinitions.i_click_the_edit_option(stepdefinitions.java:162)</p> <p>at ?.i click the edit option(file:///C:/SEKKKK/New%20folder/fvjl/features/edit.feature:16)</p> <p>Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.6.0', revision: '79f1c02ae20' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.17' Driver info: driver.version: RemoteWebDriver</p> <p>at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:303) at org.openqa.selenium.json.Json.toJson(Json.java:40)</p> <p>at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:259)</p> <p>at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:122) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:541) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:609)</p> <p>at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:567) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:567) at</p>		

#	Step / Hook Details	Status	Duration
	<p>Stepdefinitions.stepdefinitions.i_click_the_edit_option(stepdefinitions.java:162) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:358) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:154) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:169) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183) at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:177) at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1801)</p>		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:484) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:497) at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182) at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68) at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278) at org.openqa.selenium.json.Json.toJson(Json.java:42) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:259) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:122) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:541) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:609) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:567) at utils.productspage.edit(productspage.java:52) at Stepdefinitions.stepdefinitions.i_click_the_edit_option(stepdefinitions.java:162) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		

#	Step / Hook Details	Status	Duration
	<p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)</p> <p>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)</p> <p>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:566)</p> <p>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)</p> <p>at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)</p> <p>at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)</p> <p>at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)</p> <p>at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)</p> <p>at java.base/java.util.ArrayList.forEach(ArrayList.java:1541)</p> <p>at org.testng.TestRunner.privateRun(TestRunner.java:806)</p> <p>at org.testng.TestRunner.run(TestRunner.java:601)</p> <p>at org.testng.SuiteRunner.runTest(SuiteRunner.java:433)</p> <p>at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427)</p> <p>at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387)</p> <p>at org.testng.SuiteRunner.run(SuiteRunner.java:330)</p> <p>at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)</p> <p>at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)</p> <p>at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)</p> <p>at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)</p> <p>at org.testng.TestNG.runSuites(TestNG.java:1099)</p> <p>at org.testng.TestNG.run(TestNG.java:1067)</p> <p>at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)</p> <p>at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)</p> <p>at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//tbody/tr[1]/td[8]/a[1]"} (Session info: chrome=109.0.5414.120) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.6.0', revision: '79f1c02ae20' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.17' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9b24daf91100c28b5aa4aaa33b8ba5d6, findElement {using=xpath, value=//tbody/tr[1]/td[8]/a[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.120, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\MTEJA\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57274}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57274/devtoo..., se:cdpVersion: 109.0.5414.120, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,</p>		

#	Step / Hook Details	Status	Duration
	<p>webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9b24daf91100c28b5aa4aaa33b8ba5d6 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:541) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy28.getWrappedElement(Unknown Source) at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:260) at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:209) at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:73) at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:82) * Not displayable characters are replaced by '?'. </p>		
8	Then i see the edit product list page	SKIPPED	0.000 s
9	When i click multimedia table and add the picture	SKIPPED	0.000 s
	AFTER - Stepdefinitions.stepdefinitions.takescreenshot(io.cucumber.java.Scenario)	PASSED	0.257 s
	login		
	