
Cucumber Report



| Feature | | | Scer | nario | | | Step | | |
|-----------------------|--------------|---|------|-------|---|---|------|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| Title of your feature | 1 m 30.904 s | 1 | 0 | 1 | 0 | 8 | 7 | 1 | 0 |

| Tag | | Scer | nario | | | Fea | ture | ure | |
|-------|---|------|-------|---|---|-----|------|-----|--|
| Name | T | P | F | S | T | P | F | S | |
| @tag | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |
| @tag1 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |


FEATURES SUMMARY -- 4



| # | Feature Name | T | P | F | S | Duration |
|---|-----------------------|---|---|---|---|--------------|
| 1 | Title of your feature | 1 | 0 | 1 | 0 | 1 m 30.904 s |

SCENARIOS SUMMARY

-- 5 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|-----------------------|---------------|---|---|---|---|--------------|
| 1 | Title of your feature | <u>login</u> | 8 | 7 | 1 | 0 | 1 m 30.901 s |

DETAILED SECTION -- 6 --

Title of your feature

| FAILED | DURATION - 1 m 30.904 s | Scenarios | | Steps | |
|------------------|-------------------------|-----------|---|-----------|---|
| | | Total - 1 | | Total - 8 | |
| / 6:49:17.201 PI | M // 6:50:48.105 PM / | Pass - 0 | 1 | Pass - 7 | 8 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 0 | |
| | | | | | |

login



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given I open browser | PASSED | 0.083 s |
| 2 | When i enter send keys "admin@yourstore.com" And "admin" | PASSED | 0.360 s |
| 3 | When i click login | PASSED | 18.243 s |
| 4 | Then see the dashboardpage | PASSED | 0.011 s |
| 5 | When i click the productpage and " Products" option | PASSED | 9.579 s |
| 6 | Then i see the products page | PASSED | 0.014 s |
| 7 | When i click the edit option | PASSED | 22.306 s |
| 8 | When i click multimedia table and add the picture | FAILED | 15.260 s |
| | org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'LAPTOP-KNCJI4TL', ip: '192.168.169.129' Build info: version: '4.6.0', revision: '79f1c02ae20' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.17' Driver info: org.openqa.selenium.winium.WiniumDriver Command: [null, newSession {capabilities=[Capabilities {}}, desiredCapabilities=Capabilities {}}] Capabilities {}} at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:242) at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:157) at org.openqa.selenium.winium.WiniumDriver.<init>(WiniumDriver.java:84)</init></init> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at utils.productspage.uploadbutton(productspage.java:77) | | |
| | at Stepdefinitions.stepdefinitions.i_click_multimedia_table_and_add_the_picture(stepdefinitions.java:168) | | |
| | at ?.i click multimedia table and add the picture(file:///C:/SEKKKK/New%20folder/fvjl/features/edit.feature:18) | | |
| | Caused by: java.io.UncheckedIOException: java.net.ConnectException: Connection refused: no further information: localhost/ 0:0:0:0:0:0:0:0:1:9999 | | |
| | at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:73) | | |
| | at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) | | |
| | at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56) | | |
| | at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:49) | | |
| | at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) | | |
| | at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56) | | |
| | at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:99) | | |
| | at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:122) | | |
| | at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:101) | | |
| | at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:67) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) | | |
| | at org.openqa.selenium.winium.WiniumDriverCommandExecutor.execute(WiniumDriverCommandExecutor.java:78) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:541) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:242) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:157)</init> | | |
| | at org.openqa.selenium.winium.WiniumDriver. <init>(WiniumDriver.java:84)</init> | | |
| | at utils.productspage.uploadbutton(productspage.java:77) | | |
| | at Stepdefinitions.stepdefinitions.i_click_multimedia_table_and_add_the_picture(stepdefinitions.java:168) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:566) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:57) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:84) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) | | |

| | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:566) | | |
| | at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) | | |
| | at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) | | |
| | at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) | | |
| | at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) | | |
| | at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) | | |
| | at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) | | |
| | at org.testng.TestRunner.privateRun(TestRunner.java:806) | | |
| | at org.testng.TestRunner.run(TestRunner.java:601) | | |
| | at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) | | |
| | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) | | |
| | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) | | |
| | at org.testng.SuiteRunner.run(SuiteRunner.java:330) | | |
| | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) | | |
| | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) | | |
| | at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) | | |
| | at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) | | |
| | at org.testng.TestNG.runSuites(TestNG.java:1099) | | |
| | at org.testng.TestNG.run(TestNG.java:1067) | | |
| | at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) | | |
| | at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) | | |
| | at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) | | |
| С | Caused by: java.net.ConnectException: Connection refused: no further information: localhost/0:0:0:0:0:0:0:0:1:9999 | | |
| | at org.asynchttpclient.netty.channel.NettyConnectListener.onFailure(NettyConnectListener.java:179) | | |
| | at org.asynchttpclient.netty.channel.NettyChannelConnector\$1.onFailure(NettyChannelConnector.java:108) | | |
| | at org.asynchttpclient.netty.SimpleChannelFutureListener.operationComplete(SimpleChannelFutureListener.java:28) | | |
| | at org.asynchttpclient.netty.SimpleChannelFutureListener.operationComplete(SimpleChannelFutureListener.java:20) | | |
| | at io.netty.util.concurrent.DefaultPromise.notifyListener0(DefaultPromise.java:578) | | |
| | at io.netty.util.concurrent.DefaultPromise.notifyListeners0(DefaultPromise.java:571) | | |
| | at io.netty.util.concurrent.DefaultPromise.notifyListenersNow(DefaultPromise.java:550) | | |
| | at io.netty.util.concurrent.DefaultPromise.notifyListeners(DefaultPromise.java:491) | | |

DETAILED SECTION -- 9 --

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at io.netty.util.concurrent.DefaultPromise.setValue0(DefaultPromise.java:616) | | |
| | at io.netty.util.concurrent.DefaultPromise.setFailure0(DefaultPromise.java:609) | | |
| | at io.netty.util.concurrent.DefaultPromise.tryFailure(DefaultPromise.java:117) | | |
| | at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.fulfillConnectPromise(AbstractNioChannel.java:321) | | |
| | at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:337) | | |
| | at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) | | |
| | at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) | | |
| | at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) | | |
| | at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) | | |
| | at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) | | |
| | at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) | | |
| | at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) | | |
| | at java.base/java.lang.Thread.run(Thread.java:834) | | |
| | Caused by: io.netty.channel.AbstractChannel\$AnnotatedConnectException: Connection refused: no further information: localhost/ | | |
| | 0:0:0:0:0:0:0:1:9999 Caused by: java.net.ConnectException: Connection refused: no further information | | |
| | at java.base/sun.nio.ch.SocketChannelImpl.checkConnect(Native Method) | | |
| | at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:779) | | |
| | at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) | | |
| | at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) | | |
| | at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) | | |
| | at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) | | |
| | at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) | | |
| | at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) | | |
| | at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) | | |
| | at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) | | |
| | at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) | | |
| | at java.base/java.lang.Thread.run(Thread.java:834) | | |
| | * Not displayable characters are replaced by '?'. | | |
| | AFTER - Stepdefinitions.stepdefinitions.takescreenshot(io.cucumber.java.Scenario) | PASSED | 0.189 s |
| | login | 1 | |
| | ************************************** | - | |
| | Edit product details - Build your own computer a banks product | | |
| | © Code © Cod | | |
| | © Engines © Manufactures © Product minb | | |
| | © Principal Principal Adjugation Adjugation companie ■ 100 March 4 Speed Adjugation Adjugation Companie ■ 100 March 4 Speed Adjugation Adjugation Companie ■ 100 March 4 Speed Adjugation Compa | | |
| | © Customs * ■ Pressures * ■ Reference is the Control of the Con | | |
| | (B b c c | | |
| | A searting of the contraction of | | |