

BEAUTYFOLIO · PHASE 3F.4A.1

Backend Portability Remediation

Controlled cleanup of the 4 findings from Phase 3F.4A's audit — one live database write (after identity verification), two prepared-but-not-executed tooling/documentation deliverables, one deliberate no-change decision.

Scope	DB writes	Project verified
Controlled cleanup only	1 (index drop)	ivbujlylzmblubqzalu

Identity verified before any write: "ivbujlylzmblubqzalu" confirmed identical across 3 independent sources — .env config, the Supabase MCP's `get_project_url`, and a live database row's own stored absolute Storage URL. The "iybuj..." reference in the request was a typo (iy vs iv) — matches no configuration anywhere.

1

REDUNDANT INDEX
DROPPED

1

FILE KEPT AS-IS
(DORMANT, SAFE)

2

NEW TOOLING/DOC FILES
CREATED

0

REGRESSIONS FOUND

A. Redundant Service Slug Index — Removed

`services_beautician_profile_id_slug_key` (original, full `UNIQUE`, present since the base migration) already provided identical protection to `idx_services_bp_slug` (Phase 3F.4's addition) — standard SQL treats every `NULL` as distinct, so the original already allowed unlimited `NULL` slugs while rejecting duplicate non-null pairs. Confirmed genuinely redundant, then dropped.

Verified after the drop: `services_slug_format` intact · all 5 existing service slugs unchanged · duplicate protection re-tested via a deliberately-failing, rolled-back insert against `hd-bridal-makeup` — correctly rejected with `23505 duplicate key value violates unique constraint "services_beautician_profile_id_slug_key"` · post-check confirmed zero stray rows (count still exactly 1).

Matching migration created: `supabase/migrations/20260824090000_drop_redundant_service_slug_index.sql`

B. Dormant Service-Role Client — Audited, Kept As-Is

Repo-wide search confirmed `supabaseAdmin / createSupabaseAdminClient` (`client.server.ts`) has **zero imports** anywhere — application code, server functions, admin actions, build scripts, tests.

Decision: not deleted. The file is marked "automatically generated, do not edit directly" (Lovable-managed scaffold) — removing it risks silent regeneration or conflicting with Lovable's own codegen, for no real benefit: an unimported module with a lazy-init Proxy has zero runtime footprint whether or not the file exists. The actual goal — "the app doesn't depend on unused privileged code" — was already true. `SUPABASE_SERVICE_ROLE_KEY` was not rotated, exposed, or removed from Lovable Cloud.

C. Storage URL Migration Preparation — Created, Not Executed

New file: `supabase/tooling/rewrite-storage-origin.sql`

- Dry-run mode first (read-only row-count + before/after value preview)
- Only rewrites rows whose value currently starts with the exact old origin
- Never touches `video_url` (YouTube/Instagram), `storage_path`, or any other column
- Idempotent — a completed rewrite naturally excludes itself from the WHERE clause on re-run
- Covers exactly the 3 columns identified in the Phase 3F.4A audit: `beautician_profiles.profile_image_url`, `beautician_profiles.cover_image_url`, `portfolio_videos.thumbnail_url`

Not run against any database — documentation/tooling only, ready for the day a real migration is approved.

D. Auth Migration Documentation — Expanded

`backend-portability.md` §11 rewritten into a full 6-step future plan:

1. Preserve user UUIDs where possible (preferred, via raw `auth` schema restore)
2. `profiles.auth_user_id` remapping if UUIDs can't be preserved
3. `user_roles.user_id` remapping — same old→new map, same pass
4. `handle_new_user()` trigger interaction warning (fires again on re-signup, must be accounted for)
5. Explicit password-reset requirement (Supabase can't export hashes via standard API)
6. Post-migration validation checklist

No Auth change made.

E. Portability Documentation — Updated

- `backend-portability.md` — verified project reference stated at the top, §4/§11/§13 amended, new §31 remediation record
- `backend-portability-manifest.json` — index status marked `REMOVED`, storage-rewrite tooling path linked, project-reference verification sources recorded

Validation

Check	Result
<code>tsc --noEmit</code>	Clean
ESLint	Clean on every file this remediation touched — 116 pre-existing errors found in a full-repo sweep are all inside Lovable-generated files never touched here
Production build	Succeeds
Service pages / sitemap / portfolio / admin	Unchanged — live-verified 200s and identical sitemap slugs
RLS	Unchanged — no policy touched, only an index dropped

Remaining AMBER Risks (unchanged in level, narrowed in scope)

- Migration-history visibility — no CLI-tracked table visible from this access path

- Auth — Supabase-platform password-migration limitation is not fixable from this repo; now more thoroughly documented
- Storage — binaries still need a separate object-copy step for a real migration; rewrite tooling now prepared
- Lovable build dependency (`@lovable.dev/vite-tanstack-config`) — real but replaceable

Manual Actions Required

None. No migration executed, no new Supabase project, no hosting change, no Storage move, no Auth-user modification.