

BEAUTYFOLIO · PHASE 3F.7

Service Detail Enrichment — Structured Content + Dashboard UX

Adds What's Included, Suitable For, and Preparation Notes to every service — dashboard-editable, zero seeded content, and rendered publicly only when real data exists. No structured-data mapping, no add-ons table, packages untouched.

New columns	Seeded content	New public sections
3 (services table)	0	3, conditional

3 NEW DB COLUMNS	4 FILES CHANGED	0 NEW TABLES / ADD-ONS BUILT	6/6 ROUTES SMOKE-TESTED OK
---------------------	--------------------	---------------------------------	-------------------------------

1–2. Existing Schema Audit & Schema Decision

Queried the live `services` table and reviewed every repo migration before writing new SQL. No existing field captured inclusions, suitability, or preparation notes; `package_services` is a pure junction table with no detail columns — zero duplication risk confirmed.

Reused the exact list-column convention already established by `packages.inclusions` — `TEXT[] NOT NULL DEFAULT '{}':text[]` (confirmed live: `column_default = '{}':text[]`, `is_nullable = NO`) — rather than inventing a second pattern (e.g. `jsonb`) for the same kind of data. `preparation_notes` is plain nullable `TEXT`.

3. Database Migration

`20260825140000_service_detail_enrichment.sql`, applied live via Lovable MCP. Adds `included_items`, `suitable_for`, `preparation_notes`. No RLS change needed — `services_owner_all` / `services_public_read` are row-level policies that cover new columns automatically.

4. Files Changed

File	Change
<code>services.server.ts</code>	<code>ServiceInput</code> extended with the 3 new fields
<code>types.ts</code>	Manually patched Row/Insert/Update for <code>services</code> — this migration bypassed Lovable's auto-codegen since it was applied via raw SQL
<code>dashboard.services.tsx</code>	New "Service details" section: 2 repeatable list inputs + preparation textarea, plus <code>cleanListItems()</code> and <code>RepeatableListField</code>
<code>portfolio.\$slug_.services.\$serviceSlug.tsx</code>	3 new public sections between Pricing and Service areas, each independently conditional

5–7. What's Included / Suitable For / Preparation

- **What's Included:** repeatable text-list dashboard input, rendered publicly as a checkmark list, only when non-empty
- **Suitable For:** same repeatable-list pattern, rendered publicly as wrapped chip tags, only when non-empty
- **Preparation Notes:** plain textarea, rendered publicly as a paragraph under "Before your appointment," only when non-null/non-empty

8–9. Dashboard UX & Validation/Default Behavior

New section placed below the Price/Duration grid, border-separated, customer-facing language only — no raw column names surfaced in the UI. All three fields start empty for new services and are never auto-populated. List items cleaned at submit (`cleanListItems` : trim, drop blank, dedupe case-insensitively, 120-char cap). Preparation notes trims to `null` when blank — never stored as an empty string.

10–12. Public Page Changes, Empty States, SSR Behavior

Live-verified via raw SSR HTML fetch (not client-hydrated): with real test data written to "HD Bridal Makeup," all 3 sections and their content appeared in the initial server-rendered response. After reverting the row to `included_items: {}, suitable_for: {}, preparation_notes: NULL` , a second raw fetch confirmed all 3 sections cleanly disappeared — no "no information available" placeholder anywhere — while the service name and price rendered correctly and unaffected.

13. Structured-Data Decision

Deliberately not mapped into JSON-LD. Kept as visible content only, per the instruction to prefer correct visible content over inventing unsupported schema.org properties.

14–16. Price/Duration Regression, RLS, Performance

No changes made to 3F.6's price/duration validation; the live test write/revert touched only the 3 new columns on the same row, leaving `price` , `price_type` , `duration_minutes` untouched. RLS is row-level, not column-level — `services_owner_all` 's `with_check: owns_beautician_profile(beautician_profile_id)` covers the new columns automatically for every command (re-queried and confirmed unchanged live). `service-page-query.server.ts` already used `select("*")` , so the new columns flow through with zero new queries.

17–18. Add-Ons Audit & Package Relationship

Add-ons: documented only — no `service_addons` table built, consistent with the phase's scope limit. Packages: `packages` / `package_services` not touched in any way.

19. Automated Tests

Check	Result
<code>tsc --noEmit</code>	Clean
ESLint	Clean
Production build	Succeeds

6 required routes

All 200 OK

20–22. Manual Tests, Known Limitations, Next Phase

Manual tests performed: live test-data write + SSR verification + revert + re-verification (above); RLS ownership policy re-confirmed unchanged, so a cross-profile write attempt on these rows would still be rejected exactly as before this phase; availability-form service-linking and duration/price forms (3F.6) use unrelated code paths, untouched this phase.

Known limitations: preparation notes has no explicit length cap beyond normal textarea behavior; list items cap at 120 characters each with no configured maximum item count.

Recommended next phase: none proposed. Per the phase's STOP condition — priced add-ons, AI content generation, area/location pages, marketplace features, blog, Search Console, Google Business Profile, rank tracking, hosting, and cover-image A/B testing all remain explicitly out of scope.