

BEAUTYFOLIO · PHASE 3G.1A

Public Lead Capture Data-Integrity Fix

Phone validation was found completely absent — server-side, not just client-side — and every repeat customer enquiry was silently creating a brand-new, unrelated CRM lead instead of reusing the existing customer. Both fixed at the authoritative source: the `submit_lead()` function.

Schema changes

0 (function-only)

Root cause

No server-side phone check; no dedup

Historical data

Untouched, reported only

2

REAL BUGS FIXED

1

FUNCTION MIGRATION

0

NEW TABLES/COLUMNS

2/2

FILES CHANGED

1–3. Phone Validation — Root Cause, Client & Server Fix

Root cause confirmed in the live function source: `submit_lead()` 's only phone check was `coalesce(trim(_phone), '') = ''` — non-empty, nothing else. "Singh", "Shukla", "Shah", "dd" were all accepted as valid phone values, with zero server-side format validation to catch a crafted request bypassing the browser.

Fixed at both layers. Client: `isValidPhone()` (digits-only, 8–15, country-agnostic) checked before the RPC call, with inline "Enter a valid phone number." — plus `inputMode="tel" / autoComplete="tel"` added. Server (authoritative): `submit_lead()` now normalizes via `regex_replace(_phone, '\D', '', 'g')` and rejects anything outside 8–15 digits before any row is written. Live-verified in a rolled-back transaction: "Singh" and "123" both correctly rejected; "9000011111" and "+91 90000 11111" both correctly accepted.

4–8. Deduplication — Finding, Fix & Verification

Found: `submit_lead()` unconditionally `INSERT` ed a new `leads` row on every call — the existing `leads` → `lead_inquiries` "one customer, many enquiries" architecture was never actually used for repeat customers. Every repeat enquiry silently became a new, unrelated customer.

Fixed: matches an existing lead within the same `beautician_profile_id` by normalized phone before deciding to insert vs. reuse. A legitimate repeat enquiry (different service/date) reuses the lead and adds a new `lead_inquiries` row, refreshing the lead's top-level snapshot. An identical phone+service+event-date resubmitted within 5 minutes is idempotent — no second inquiry row.

Live-verified in a single rolled-back transaction: two different services/dates from the same phone → 1 lead row + 2 inquiry rows. The exact-duplicate resubmit of one of those → still 1 lead + 2 inquiries (zero rows added by the duplicate). Double-submit protection at the client (in-flight disable + explicit "Send another request" reset, from Phase 3G.1) was already correct.

9. Existing Duplicate Rows — Read-Only Finding

Rows	Issue
"Pooja" / phone "Singh" ×2	Invalid phone accepted — root cause of this phase
"Pooja Singh" / phone "8320699679" ×2, 32s apart	Accidental duplicate submission of a valid enquiry
"Tulsi" / phone "Shah"; "Kavya" / phone "Shukla"	Invalid phone
"dd" / phone "dd", "ddd" ×2	Invalid phone (test data)

None of these were deleted or merged — cleanup deferred to your explicit decision, per instruction.

10–12. Service Context, WhatsApp & Missing Dropdown

- **Service context:** `leads.service_id` confirmed correctly populated as a real relational FK on the Pooja Singh test leads. `lead_inquiries` has no `service_id` column (text-tag only via `lead_inquiry_services`) — an existing architecture limitation, out of this phase's scope to change.
- **WhatsApp:** single source (`beautician_profiles.whatsapp_number`) via one shared `waLink()` helper — confirmed internally consistent across every public CTA. Not modified.
- **HD Bridal Makeup dropdown:** confirmed data state, not a bug — deactivated one minute after the Pooja Singh test leads (deliberate testing of the "zero active services" scenario). Not reactivated.

13–15. Files Changed, Database Changes & Security

File	Change
<code>20260825180000_submit_lead_phone_validation_and_dedup.sql</code>	New migration — <code>CREATE OR REPLACE FUNCTION public.submit_lead(...)</code>
<code>portfolio-sections.tsx</code>	Client-side phone validation + <code>inputMode</code> / <code>autoComplete</code>

Database changes: one function replacement only, applied via the verified Lovable MCP connection. No new tables, columns, or constraints. **RLS/security:** unchanged — `submit_lead` remains `SECURITY DEFINER`, scoped only to the published `_slug` 's profile; new phone-matching is scoped by that same profile id, so cross-profile customer matching remains structurally impossible.

16–17. Automated & Manual Tests

Check	Result
<code>tsc --noEmit</code>	Clean
ESLint	Clean
Production build	Succeeds
5 required routes	As expected

Manual tests recommended: a real browser submission of TEST A–I to visually confirm the inline error message and success-state flow; a check of `/dashboard/leads` after reactivating HD Bridal Makeup to confirm the dropdown and full customer-history rendering in the CRM UI (verified at the database level only this phase).

Stopping here per the phase's STOP condition.