

BEAUTYFOLIO · PHASE 3G.2A

Manual Add Lead Data Integrity

The dashboard's manual "Add Lead" path had zero phone validation and zero customer matching — a completely separate code path from the public form that never received the 3G.1A fix. Now brought into the same one-customer, many-enquiries identity model, with zero schema changes.

Schema changes

0

Root cause

Separate code path, never fixed

Existing duplicate

Audited only, not merged

5

FILES CHANGED

1

NEW SHARED HELPER

0

NEW DB
COLUMNS/TABLES

2

JAY JOGIYA ROWS —
MERGE CANDIDATE ONLY

1–3. Root Cause & Phone Validation

Root cause: `createLead()` had zero phone validation (any string accepted) and zero customer-matching logic — it unconditionally inserted a new `leads` row on every call. The exact same bug class fixed for the public form in 3G.1A, in a completely separate, never-touched code path.

Fixed: extracted the 3G.1A rule (digits-only, 8–15 length, country-agnostic) into a new shared `src/lib/phone.ts`. The public form's local duplicate was removed and now imports the same helper — the two paths can never diverge. Applied client-side to both Quick Add and Full Details schemas, and enforced authoritatively inside `createLead()` itself — a request bypassing the dialog still hits the same check.

4–6. Customer Matching & Form Parity

`createLead()` now normalizes the submitted phone, fetches this beautician's own leads (RLS-scoped), and compares normalized digits in application code. A match reuses the existing lead; no match falls through to the original insert path. Quick Add and Full Details both call the exact same `createLead()`, so both get identical behavior automatically — no second deduplication model.

7–8. Existing-Customer UX & Name Handling

On reuse, the success screen now shows "Existing customer found: {name}" / "New enquiry will be added to this customer" instead of the generic message — never shown as an error. Deliberately conservative: the customer's existing `name` and `phone` are **never overwritten** on reuse — only "current enquiry" snapshot fields refresh. This is intentionally more cautious than 3G.1A's public-form behavior, documented here as a deliberate scoped decision, not an inconsistency.

9–13. Source, Service History, Status & Follow-Up Preservation

Audited, not schema-changed: `lead_inquiries` has no inquiry-level `source` column. No column was added. Instead, each reuse-path enquiry's source is preserved durably in its activity note: *"New enquiry added manually via {source}."* — so WhatsApp-vs-Portfolio history stays visible without a new column.

Service history: unchanged — each enquiry keeps its own real service tag via existing `lead_inquiry_services`. **Status:** never touched by the reuse path — confirmed customer-level only, so a repeat manual enquiry can never reset an established pipeline stage. **Follow-up:** `next_followup_at` / `next_followup_reason` / `last_contacted_at` are never included in the reuse-path update.

14. Concurrency Finding

A genuine, low-probability race exists: two near-simultaneous requests for the same new phone could both find "no match" before either inserts. Per instruction, no new unique constraint was added (would be a real schema change). Documented residual limitation — recommend a future phase evaluate a profile-scoped, normalized-phone unique index if this proves to matter in practice.

15. Jay Jogiya Duplicate Audit — Read-Only

Lead ID	Service	Source	Status	Event Date	Activities
4c76e672 (07:45:24)	Hair Cutting	Portfolio	new	2026-08-29	1
5f5fdad4 (08:11:59)	Hair Styling	WhatsApp	new	2026-08-29	1

Same normalized phone, same status, no conflicting data — a clean, safe merge candidate for a future approved cleanup. **Not merged automatically**, per instruction.

16–19. Files, Database, RLS & Tests

File	Change
lib/phone.ts (new)	Shared validation/normalization helper
leads-query.server.ts	<code>createLead()</code> rewritten — validation, matching, reuse logic
dashboard.leads.tsx	Return-type threading
lead-add-dialog.tsx	Phone validation, existing-customer success UX
portfolio-sections.tsx	Local phone helper replaced with shared import

Database changes: zero. **RLS/security:** unchanged — matching runs through the same RLS-scoped, authenticated client with an explicit profile filter as defense in depth; structurally scoped to one profile only. **Tests:** `tsc --noEmit` clean, ESLint clean, production build succeeded, all 4 required routes returned 200.

20–21. Manual Tests & Cleanup Recommendation

Manual browser tests needed (no automation available): TEST A–I via real form submission — invalid/short phone rejection through both Quick Add and Full Details, a new customer, then a repeat enquiry with a different service/source confirming the "Existing customer found" screen and that `/dashboard/leads` shows one customer row with both enquiries visible.

Recommend a follow-up phase to merge the two Jay Jogiya rows using the same re-parent-then-delete transaction pattern already proven safe in Phase 3G.2's Pooja Singh merge, once explicitly approved.

Stopping here per the phase's STOP condition.