

BEAUTYFOLIO · PHASE 3G.3C

Insights → CRM Drill-Down

Clicking any Insights row (source, UTM channel, campaign, service, CTA) now switches to the CRM List view filtered to exactly the customers whose enquiries match — enquiry-aware, deduplicated per customer, date-range preserved. Zero schema changes.

Drill-down types

5 (source, UTM, campaign, service, CTA)

Database changes

0

Live matches verified

All predicates cross-checked via SQL

5

CLICKABLE INSIGHT TYPES

2

POOJA SINGH'S
MATCHING ENQUIRIES →
1 ROW

7

UNKNOWN/HISTORICAL
CUSTOMERS (VERIFIED)

0

SCHEMA CHANGES

1–4. Architecture & Semantics

Audited the existing CRM filters — all local React state, no URL params. The new drill-down filter follows the exact same pattern: one more `useState`, intersected into the existing filtered-list logic as one additional constraint. Every predicate reads enquiry-level columns (`lead_inquiries.source/utm_*/cta_location`, `lead_inquiry_services.service_tag`) — never the customer-level `leads.source / leads.service_id` snapshot fields. A shared `fetchOwnInquiriesInRange()` helper is now used by both the Insights rollout and this drill-down so the two can never disagree.

5–6. Deduplication & Matched-Enquiry Context

Matches are grouped by `lead_id` server-side before reaching the CRM list. **Live-verified:** customer "Pooja Singh" has 2 enquiries both linked to "HD Bridal Makeup" — confirmed to collapse into exactly one result row with `matchCount: 2`, never a duplicated row.

Restructuring the lead detail dialog into a full multi-enquiry history view was explicitly deferred (a larger change, per the phase's own instruction). Instead, a small banner — "Matched via Insights · N matching enquiries · most recent: X, received Y" — was added to the existing dialog, satisfying the "at minimum" requirement without a redesign.

7–11. Range, Filters, Indicator, Back/Clear

The drill-down always reuses the exact `insightsRange` active when the row was clicked — no separate "locked range" state, no silent expansion to all-time. A dedicated banner shows the active insight filter, matching-customer count, and range, with its own Clear action — independent of the pre-existing status/attention-filter chips, which remain fully functional alongside it. Switching back to the Insights tab does not clear the drill-down filter, so a user can go back and forth without losing context.

Live Verification — All 5 Drill-Down Types

Filter clicked	Matching customers (SQL-verified)
Source · Portfolio	2
Campaign · bridal_test	1
CTA · service_detail_hero	1
Service · HD Bridal Makeup	3 (incl. Pooja Singh with 2 matching enquiries)
Source · Unknown / historical	7

All five counts were independently computed via direct SQL against the live database and matched the server-side grouping logic exactly — $2 + 7 = 9$, the full unique-customer count from Phase 3G.3B.

12–13. Query Architecture & Security

One query per drill-down, reusing the identical `lead_inquiries + leads!inner(beatutician_profile_id) + lead_inquiry_services` join shape as the 3G.3B rollup — no N+1, no second full-lead fetch (the already-loaded lead list is filtered client-side against the returned matching-ID set). Profile scoping is explicit (`beatutician_profile_id = bpId`) on top of unchanged RLS — identical security posture to 3G.3B, live-verified to only ever reflect the one test profile's own data.

14. Files Changed

- `src/data/lead-insights.server.ts` — shared fetch helper extracted; `InsightFilter/DrilldownMatch` types + `getInsightDrilldownMatches()`
- `src/components/leads/lead-insights-view.tsx` — every breakdown row is now a real, keyboard-accessible `<button>`
- `src/components/leads/lead-detail-dialog.tsx` — optional `matchContext` banner
- `src/routes/dashboard.leads.tsx` — drill-down state, server fn, filter integration, active-filter banner
- `src/lib/analytics.ts` — optional `insight_drilldown` event added

15–17. Database, Analytics & Accessibility

Database changes: zero. **Analytics:** implemented the optional `insight_drilldown` event (`drilldown_type/value/date_range` only, never customer data) — fits the existing 3G.3 taxonomy cleanly. **Accessibility:** every clickable row is a real `<button type="button">`, never a `div` — keyboard-reachable via Tab, activatable via Enter/Space, with visible hover/focus-ring states.

18. Quality Gates

Check	Result
<code>tsc --noEmit</code>	Clean
ESLint	0 errors after autofix
<code>npm run build</code>	Succeeded
Route smoke tests	All 200: <code>/dashboard/leads</code> , <code>/portfolio/dharti-panchal</code> , service page, <code>/sitemap.xml</code> , <code>/robots.txt</code>

19. Test Matrix Results

Test	Result
A — Source (Portfolio)	PASS 2 customers, SQL-verified
B — Campaign (bridal_test)	PASS 1 customer, the real 3G.3A test enquiry
C — Service (HD Bridal Makeup)	PASS 3 customers
D — CTA (service_detail_hero)	PASS 1 customer
E — Unique customer, multiple matches	PASS Pooja Singh: 2 enquiries → 1 row, matchCount=2
F — Date range	PASS reuses verified 7d/30d/90d/all cutoffs from 3G.3B
G — Clear filter	Code-verified — fully removes the constraint
H — Historical (Unknown)	PASS source IS NULL matches exactly 7 customers
I — Open Lead	Code-verified — matchContext banner renders when present
J — Security	Code-verified — identical explicit profile scoping as 3G.3B
K — Mobile	Not browser-tested — manual check required

20–22. Manual Checks, Limitations & Next Phase

Manual checks needed: open Leads → Insights, click "Portfolio" and confirm List shows exactly 2 customers with the filter banner visible; click Clear; click "HD Bridal Makeup" and open Pooja Singh to confirm the "2 matching enquiries" banner; check mobile tap targets.

Known limitations: no URL persistence for the drill-down filter (matches the pre-existing local-state-only CRM architecture); landing/conversion-page drill-down not implemented (deliberate scope decision); the lead detail dialog still shows only the latest inquiry as its main summary, with the match-context banner as an additive callout rather than a full history browser.

Recommended next phase (not started): a full multi-enquiry history view inside the lead detail dialog — correctly deferred as a larger dialog restructuring, out of this phase's "keep it small" scope.

Stopping here per the phase's explicit STOP condition.