

BEAUTYFOLIO · PHASE 3H · READ-ONLY AUDIT

Production Launch Readiness Audit

A full audit of the deployment path, environment configuration, backend connectivity, storage, security, and operational readiness — cross-verified by running the actual built Cloudflare Worker artifact locally. Zero deployment, zero DNS, zero code, zero database changes made.

P0 blockers	P1 items	Verdict
0	2 (both config/process, not code)	Narrowly not ready — checklist only

⚠ VERDICT: NOT READY (narrowly) — zero code defects, 2 deployment-config prerequisites outstanding

The application code itself has zero P0/P1 defects — every 3G system works correctly. Two deployment-configuration items must be completed as part of the deploy process itself: (1) production env vars configured on the real host, (2) migration-tracking approach documented. Both are checklist items, doable in minutes, not code fixes.

0 P0 CODE DEFECTS	2 P1 DEPLOY PREREQUISITES	18 MIGRATION FILES (1 TRACKED LIVE)	0 SECRETS HARDCODED IN REPO
----------------------	------------------------------	--	--------------------------------

P1 — Must Complete Before Deployment

ID	Finding
P1-1	Production env vars must be set on the real host. Live-tested by running the actual built Cloudflare Worker (<code>.output/server/index.mjs</code>) via <code>wrangler dev</code> : without <code>SUPABASE_URL/SUPABASE_PUBLISHABLE_KEY/VITE_SITE_URL</code> injected, every portfolio/service page and the dynamic sitemap return 500. This is expected — <code>.env</code> is local/Vite-only and never transfers to the deployed Worker automatically. Not a bug: the app fails safely with a clean generic error page (see below), and Lovable's own error text ("Connect Supabase in Lovable Cloud") anticipates this exact step.
P1-2	Migration tracking gap. 18 migration files exist in the repo; only 1 is recorded in <code>supabase_migrations.schema_migrations</code> live. The live schema content is verified correct (matches all 18 files' cumulative effect, extensively tested throughout 3G) — this is untracked, not drifted. But standard Supabase CLI tooling (<code>db push</code>) could conflict with this state if used carelessly in the future.

P2 — Should Fix Soon (not launch blockers)

- `.env` is tracked in git (not in `.gitignore`) — no actual secret exposed today (only the public/anon key + project ID + site URL, all safe-by-design to be public), but a best-practice gap for the future.
- No custom security headers configured (only asset caching in the generated `_headers` file) — not urgent since RLS + auth middleware are the real security boundary.
- The build's own printed hint ("preview with `npm vite preview` ") doesn't work for this project's Cloudflare/Nitro output — confirmed live; real local verification needs `wrangler dev` .
- 3 already-known 3G CRM P2 items (filter enquiry-awareness, snapshot labels) — reconfirmed, still not blockers.

- Cosmetic: trailing whitespace in the live "Bridal Makeup Artist " title field.

Deployment Architecture (Verified)

TanStack Start via `@lovable.dev/vite-tanstack-config` , which wires Nitro with **Cloudflare as its default build target** — confirmed via the config file's own comment and the generated `wrangler.json` . `npm run build` produces a real Cloudflare Worker script, not a static export. `/sitemap.xml` is a genuinely dynamic, database-driven, server-executed route (custom fetch intercept in `src/server.ts`).

Recommended host: Lovable's own native publish path — the entire toolchain is purpose-built for it, and the app's own error messages anticipate it. **Static-only hosting (plain Hostinger, static export) would break the app** — confirmed the dynamic sitemap and every SSR route require a live server runtime. Vercel is technically possible but would need a Nitro preset change (out of scope for a read-only audit) and is unverified.

Production Runtime Test — Live Evidence

Test	Result
Real Cloudflare Worker artifact, no env vars	Homepage/robots.txt 200 (static); portfolio/service/sitemap 500 (expected — see P1-1)
Client-facing error page content	Generic "This page didn't load / Try again / Go home" — zero stack traces, file paths, or env var names leaked
404 behavior (unknown slug/route)	Correct HTTP 404, real non-blank "Page not found" page (~3.4KB)
RLS on all 13 core tables	Confirmed <code>relrowsecurity = true</code> on every one
Storage bucket + profile photo URL	Live-fetched, resolved 200 image/png, correct project/bucket/path
Admin cross-profile query	Correctly gated by explicit <code>assertIsAdmin()</code> role check
Secret scan (src/, server/, supabase/)	Zero hardcoded service-role keys, tokens, or passwords found
http:// reference scan	Only 2 hits, both harmless XML namespace URIs — zero mixed-content risk
Delete-mutation audit	No UI path anywhere can delete a leads or lead_inquiries row

Environment Variable Inventory

Name	Required	Type	Status
VITE_SUPABASE_URL / VITE_SUPABASE_PUBLISHABLE_KEY	Yes	Public	Present, correct project (ivbujlyilzmlublqzalu)
SUPABASE_URL / SUPABASE_PUBLISHABLE_KEY	Yes	Server	Present locally — must be confirmed on host (P1-1)
VITE_SITE_URL	Yes	Public	Correctly set to https://beautyfolio.in
SUPABASE_SERVICE_ROLE_KEY	No (unused)	Server secret	Not present — dead code path only, safe
VITE_GTM_ID	No	Public	Unset — confirmed clean no-op, zero script injected

Launch-Readiness Scorecard

Area	Status
Deployment architecture	READY
Production environment variables	NOT READY — must configure on host
Backend connectivity	READY
Migration consistency	MINOR ISSUES — tracking gap only
Database health	READY
Storage	READY
Authentication	READY
Public portfolio / service pages	READY
Lead conversion	READY
CRM	MINOR ISSUES — known P2s only
Attribution	READY
Analytics readiness	READY (safe no-op)
SEO	READY
Security/RLS	READY
Error handling	READY
Performance	READY
Mobile	MINOR ISSUES — code-reviewed only
Backup/recovery	MANUAL PLATFORM CHECK REQUIRED
Rollback	READY — plan defined
Monitoring	MINOR ISSUES — platform logs only
Public-data cleanliness	READY

Exact Minimum Fixes Before Deployment

1. Configure SUPABASE_URL, SUPABASE_PUBLISHABLE_KEY, and VITE_SITE_URL as environment variables on the actual production host (expected automatic via Lovable's publish flow — confirm explicitly).
2. Document the migration-tracking approach going forward: continue applying all future schema changes via the verified Lovable MCP connection only, never a blind Supabase CLI push.
3. Manually confirm backup/PITR capability in the Lovable Cloud dashboard — informational, not a code change.

None of the three require a code change, redesign, or migration.

Post-Launch Verification Checklist

1. Homepage loads, no console errors
2. Portfolio page: canonical/OG/JSON-LD match beautyfolio.in

3. Service page: pricing/duration/content correct
4. /sitemap.xml: valid XML, absolute production URLs
5. /robots.txt: correct Sitemap line
6. Profile/gallery/before-after media loads
7. Dashboard login → session persists → protected routes load
8. Submit a real test enquiry end-to-end, confirm it appears in CRM
9. WhatsApp CTA opens the correct number
10. CRM: List/Cards/Pipeline/Insights/drill-down/multi-enquiry all load
11. A UTM-tagged test visit produces expected attribution
12. No console/network errors anywhere above

Items Safely Deferred After Launch

- .env git-tracking cleanup, custom security headers, 3 known CRM filter/label P2s, cosmetic title whitespace
- Dedicated error-tracking vendor, live mobile/device testing, DNS/www-redirect finalization
- Customer Growth OS, billing, LTV, Google Ads/Meta integration, automation — explicitly out of scope

No production configuration was changed. No DNS was changed. No GTM was configured. No code was modified. No database data was modified. No migrations were applied.