UTA ID : 1001729131 Name : Tejas Pravinbhai Patel

Documentation for client-server application

My code contain two files:

1) client.py 2) server.py

Command Line Argument for executing both files:

python client.py python server.py

Client GUI Components Explained:-

- 1) Disconnect Client Button:
 - Close Client and notify server that client is disconnected
- 2) Text box
 - Enter client's name.
 - Clients should enter alphabet or digit. If other illegal entered then client will be closed
- 3) Connect button
 - When the user clicks the connect button. Directory will be created based on client's name
- 4) Connected label
 - Connected represent acknowledgement of client
- 5) Text Box
- Create directory :- enter directory name you want to create
- Delete directory :- enter directory name you want to delete
- Move directory: enter source directory then destination directory following my #
 E.g sourcedir#destination (from source to destination move)
- Rename directory:- enter source directory then destination directory following my # E.g sourcedir#destination (source directory changed with destination dir)
- 6) Label
 - List of directory after any directory operation
 - Assumption
 - Directory is not listed before any operation on directory
 - List is in directory so please take directory name of one character Directory list representation is under list representation :-

 ${ C:\ filename1\ filename2 [dir1 , dir2] }} {{ dir1 [subdir1 , subdir2]}} {{ dir2 [subdir1, subdir2]}}$

Basically passed in list form and displayed in list form only.

UTA ID : 1001729131 Name : Tejas Pravinbhai Patel

- 7) Create directory
 - Create directory of name given in above textbox
- 8) delete directory
 - Delete directory of name given in above textbox
- 9) Move directory
 - Move directory from source name to destination name given in above textbox
 Assumption for move directory
 - Please put full path is it is in sub directory (full path means: start with sub directory inside client directory till the directory you want)
- 10) rename directory
 - Rename directory from source name to destination name given in above textbox

Assumption for rename directory

- Please put full path is it is in sub directory (full path means: start with sub directory inside client directory till the directory you want)
- 11) Synchronize
 - Synchronize button for synchronizing directory Desynchronize button for Desynchronize directory

Server GUI components Explained :-

- 1. Disconnect Server button: -
 - Disconnect server
- 2. Label :-
 - LIst how many clients are connected
 - List will be updated after client connect or disconnect
- 3. Label:
 - Last operation on directory performed by which server E.g Directory delete
 by client : client_name
- 4 Logging
- Display all logs

5 text box

- Which log you want to undo a Click on undo button

Reference Links (Citation)

- https://github.com/kenilpatel/Client-server-application/blob/master/client.py
- https://github.com/kenilpatel/Client-server-application/blob/master/server.py
- https://github.com/kenilpatel/Client-server-application

- Assumption
 - o Directory is not listed before any operation on directory
 - o List is in directory so please take directory name of one character
- Please put full path is it is in sub directory (full path means: start with sub directory inside client directory till the directory you want)
- Please put full path is it is in sub directory (full path means: start with sub directory inside client directory till the directory you want)