

## Arrays Challenge-Longest Arithmetic Subarray (Google kickstart)

### Problem

An arithmetic array is an array that contains at least two integers and the differences between consecutive integers are equal. For example, [9, 10], [3, 3, 3], and [9, 7, 5, 3] are arithmetic arrays, while [1, 3, 3, 7], [2, 1, 2], and [1, 2, 4] are not arithmetic arrays.

Sarasvati has an array of  $N$  non-negative integers. The  $i$ -th integer of the array is  $A_i$ . She wants to choose a contiguous arithmetic subarray from her array that has the maximum length. Please help her to determine the length of the longest contiguous arithmetic subarray.

### Input

The first line of the input gives the number of test cases,  $T$ .  $T$  test cases follow. Each test case begins with a line containing the integer  $N$ . The second line contains  $N$  integers. The  $i$ -th integer is  $A_i$ .

### Output

For each test case, output one line containing Case #x: y, where x is the test case number (starting from 1) and y is the length of the longest contiguous arithmetic subarray.

### Constraints

Time limit: 20 seconds per test set.

Memory limit: 1GB.

$1 \leq T \leq 100$ .

$0 \leq A_i \leq 10^9$ .

Test Set 1


$2 \leq N \leq 2000$ .

Test Set 2

$2 \leq N \leq 2 \times 10^5$  for at most 10 test cases.

For the remaining cases,  $2 \leq N \leq 2000$ .

## Sample Test Case:



Output: 4

### Solution

#### Constraints Analysis

1 sec =  $10^8$  operations  
20 sec =  $2 \times 10^9$  operations

Intuition: We have to loop over the array and find the answer.

#### Steps

- While iterating in the array we need to maintain the following variables,
  - Previous common difference (pd) - To compare it with current common difference ( $a[i] - a[i-1]$ ).
  - Current arithmetic subarray length (curr) - It denotes the arithmetic subarray length including  $a[i]$ .
  - Maximum arithmetic subarray length (ans) - It denotes the max. Arithmetic subarray length till  $a[i]$ .
- While iterating, there will be two cases,
  - $pd = a[i] - a[i-1]$ 
    - Increase curr by 1
    - $ans = \max(ans, curr)$
- After loop ends, output the answer. (stored in ans variable).

Code

```
int main()
{
    int n;
    cin >> n;

    int a[n];

    for(int i=0; i<n; i++)
        cin >> a[i];

    int ans = 2;
    int d = a[1]-a[0];
    int j=2;
    int curr=2;
    while(j<n)
    {
        if(a[j]-a[j-1] == d)
            curr++;
        else
        {
            d = a[j]-a[j-1];
            curr=2;
        }
        ans = max(ans,curr);
        j++;
    }
    cout << ans << endl;
    return 0;
}
```

Apni Kaksha