


## Practical No.2

### Title: - Installation and Configuration of Google App Engine (GAE)

#### Step 1: Create Google Cloud Project

1. Open browser (Chrome/Firefox).
2. Go to: <https://console.cloud.google.com>






The screenshot shows the Google Cloud CLI installation guide for Windows. The page title is "Install gcloud CLI version 563.0.0". The navigation bar includes "Overview", "Guides", "Reference", and "Resources". The left sidebar lists various guides, with "Install the Google Cloud CLI" selected. The main content area is titled "Install gcloud CLI version 563.0.0" and has tabs for "Linux", "Debian/Ubuntu", "Red Hat/Fedora/CentOS", "macOS", "Windows", and "Chromebook". The "Windows" tab is active. The text states: "The Google Cloud CLI on Windows requires Windows 8.1 and later, or Windows Server 2012 and later." It provides two methods for installation: 1. Download the Google Cloud CLI installer. 2. Launch the installer and follow the prompts. A PowerShell command is shown in a code block: 



```
(New-Object Net.WebClient).DownloadFile("https://dl.google.com/dl/cloudsdk/channels/rapid/cmdlets-windows-macos-powershell/563.0.0/gcloud.exe") & $env:Temp\GoogleCloudSDKInstaller.exe
```

 The right sidebar contains a "On this page" section with links to "Before you begin", "Install gcloud CLI version 563.0.0", "Initialize and authorize the gcloud CLI", "Run core commands", "Optional: Install additional components", and "What's next".



The screenshot shows the "Google Cloud CLI Setup" window. The window title is "Google Cloud CLI Setup". The Google Cloud logo is displayed at the top. Below the logo, the text reads: "Press Page Down to see the rest of the agreement." A scrollable text area contains the following text: "The Google Cloud CLI and its source code are licensed under Apache License v. 2.0 (the 'License'), unless otherwise specified by an alternate license file. You may obtain a copy of the License at <http://www.apache.org/licenses/LICENSE-2.0> Note that if you use the Google Cloud CLI with any Google Cloud Platform products, your use is additionally going to be governed by the license agreement or terms of service, as applicable, of the underlying Google Cloud Platform". Below the scrollable text area, the text reads: "If you accept the terms of the agreement, click I Agree to continue. You must accept the agreement to install Google Cloud CLI." At the bottom of the window, there are three buttons: "< Back", "I Agree", and "Cancel".





## Step 3: Initialize Google Cloud SDK

1. In Command Prompt, type:

```
gcloud init
```

2. Press Enter.

```
C:\Users\Tejas>gcloud init
Welcome! This command will take you through the configuration of gcloud.

Settings from your current configuration [default] are:
accessibility:
  screen_reader: 'False'
core:
  account: tejas113m@gmail.com
  disable_usage_reporting: 'True'
  project: gae-practical-491801

Pick configuration to use:
[1] Re-initialize this configuration [default] with new settings
[2] Create a new configuration
Please enter your numeric choice: 1

Your current configuration has been set to: [default]

You can skip diagnostics next time by using the following flag:
gcloud init --skip-diagnostics

Network diagnostic detects and fixes local network connection issues.
Checking network connection...done.
Reachability Check passed.
Network diagnostic passed (1/1 checks passed).

Choose the account you want to use for this configuration.
To use a federated user account, exit this command and sign in to the gcloud CLI with your login configuration file, then run this command again.

Select an account:
[1] tejas113m@gmail.com
[2] Sign in with a new Google Account
[3] Skip this step
Please enter your numeric choice: 1

You are signed in as: [tejas113m@gmail.com].

Pick cloud project to use:
[1] gae-practical-491801
[2] project-21674364-b8eb-4fc1-810
```

```
Pick cloud project to use:
[1] gae-practical-491801
[2] project-21674364-b8eb-4fc1-810
[3] Enter a project ID
[4] Create a new project
Please enter numeric choice or text value (must exactly match list item): 1

Your current project has been set to: [gae-practical-491801].

Not setting default zone/region (this feature makes it easier to use
[gcloud compute] by setting an appropriate default value for the
--zone and --region flag).
See https://cloud.google.com/compute/docs/gcloud-compute section on how to set
default compute region and zone manually. If you would like [gcloud init] to be
able to do this for you the next time you run it, make sure the
Compute Engine API is enabled for your project on the
https://console.developers.google.com/apis page.

The Google Cloud CLI is configured and ready to use!

* Commands that require authentication will use tejas113m@gmail.com by default
* Commands will reference project 'gae-practical-491801' by default
Run 'gcloud help config' to learn how to change individual settings

This gcloud configuration is called [default]. You can create additional configurations if you work with multiple accounts and/or projects.
Run 'gcloud topic configurations' to learn more.

Some things to try next:

* Run 'gcloud --help' to see the Cloud Platform services you can interact with. And run 'gcloud help COMMAND' to get help on any gcloud command.
* Run 'gcloud topic --help' to learn about advanced features of the CLI like arg files and output formatting
* Run 'gcloud cheat-sheet' to see a roster of go-to 'gcloud' commands.

Updates are available for some Google Cloud CLI components. To install them,
please run:
$ gcloud components update

C:\Users\Tejas>
```



Command Prompt





Microsoft Windows [Version 10.0.26200.8039]  
(c) Microsoft Corporation. All rights reserved.

```
C:\Users\Tejas>gcloud version
Google Cloud SDK 562.0.0
bq 2.1.30
core 2026.03.23
gcloud-crc32c 1.0.0
gsutil 5.36
```

```
C:\Users\Tejas>
```

# Practical No.3

Title : - Creating an Application in Salesforce.com using Apex Programming Language.



Object Manager | Salesforce

orgfarm-2a7ca40a06-dev-ed.develop.my.salesforce-setup.com/lightning/setup/ObjectManager/home

Developer Edition

Search Setup

Setup Home Object Manager

Object Manager

1 Items, Sorted by Label

Student

Schema Builder

Create

| Label   | API Name   | Type          | Description | Last Modified | Deployed |
|---------|------------|---------------|-------------|---------------|----------|
| Student | Student__c | Custom Object |             | 3/29/2026     | ✓        |

Edit

Delete

Student | Salesforce

orgfarm-2a7ca40a06-dev-ed.develop.my.salesforce-setup.com/lightning/setup/ObjectManager/01gl000004wxS1/Details/view

Developer Edition

Search Setup

Setup Home Object Manager

Object Manager

Student

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Restriction Rules

Scoping Rules

Object Access

Triggers

Flow Triggers

Details

Description

API Name

Student\_\_c

Custom

✓

Singular Label

Student

Plural Label

Students

Enable Reports

✓

Track Activities

✓

Track Field History

✓

Deployment Status

Deployed

Help Settings

Standard salesforce.com Help Window

Edit

Delete

Developer Edition

Search Setup

Setup Home Object Manager

SETUP > OBJECT MANAGER

Student

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Restriction Rules

Scoping Rules

Object Access

Triggers

Flow Triggers

Fields & Relationships

7 Items, Sorted by Field Label

Quick Find

New Deleted Fields Field Dependencies Set History Tracking

| FIELD LABEL      | FIELD NAME       | DATA TYPE          | CONTROLLING FIELD | INDEXED |
|------------------|------------------|--------------------|-------------------|---------|
| Age              | Age__c           | Number(18, 0)      |                   |         |
| Course           | Course__c        | Text(30)           |                   |         |
| Created By       | CreatedById      | Lookup(User)       |                   |         |
| Email            | Email__c         | Email              |                   |         |
| Last Modified By | LastModifiedById | Lookup(User)       |                   |         |
| Owner            | OwnerId          | Lookup(User,Group) |                   | ✓       |
| Student Name     | Name             | Text(80)           |                   | ✓       |

Developer Edition

Search Setup

Setup Home Object Manager

SETUP

Apex Classes

Apex Class

Custom Code

Apex Classes

Didn't find what you're looking for? Try using Global Search.

Apex Class

StudentApp

Help for this Page

Apex Class Detail

Edit Delete Download Security Show Dependencies

|                  |                                    |                  |                                    |
|------------------|------------------------------------|------------------|------------------------------------|
| Name             | StudentApp                         | Status           | Active                             |
| Namespace Prefix |                                    | Code Coverage    | 0% (0/1)                           |
| Created By       | Pallavi Dhope , 4/1/2026, 10:02 PM | Last Modified By | Pallavi Dhope , 4/1/2026, 10:02 PM |

Class Body

Class Summary



Version Settings

Trace Flags

```
1 public class StudentApp {
2     public static void displayMessage() {
3         System.debug("Welcome to Salesforce Apex Programming");
4     }
5 }
```

Edit Delete Download Security Show Dependencies





Developer Console - Google Chrome

orgfarm-82dea59a07-dev-ed.develop.my.salesforce.com/\_ui/common/apex/debug/ApexCSIPage

File Edit Debug Test Workspace Help < >

Logs Tests Checkpoints Query Editor View State Progress Problems

| User         | Application | Operation                  | Time                  | Status  | Read   | Size    |
|--------------|-------------|----------------------------|-----------------------|---------|--------|---------|
| Tejas Margaj | Unknown     | /services/data/v66.0/to... | 4/2/2026, 11:38:03 PM | Success | Unread | 4.35 KB |

☐ Filter [Click here to filter the log list](#)

Developer Console - Google Chrome

orgfarm-82dea59a07-dev-ed.develop.my.salesforce.com/\_ui/common/apex/debug/ApexCSIPage

File Edit Debug Test Workspace Help < >

Log executeAnonymous @4/2/2026, 11:38:03 PM

Execution Log

| Timestamp    | Event            | Details                                          |
|--------------|------------------|--------------------------------------------------|
| 23:38:03:016 | METHOD_ENTRY     | [1]01pgk000009nNhrK(StudentApp.StudentApp)       |
| 23:38:03:016 | STATEMENT_EX...  | [1]                                              |
| 23:38:03:016 | STATEMENT_EX...  | [1]                                              |
| 23:38:03:016 | METHOD_EXIT      | [1]StudentApp                                    |
| 23:38:03:016 | METHOD_ENTRY     | [1]01pgk000009nNhrK(StudentApp.displayMessage()) |
| 23:38:03:016 | STATEMENT_EX...  | [3]                                              |
| 23:38:03:016 | STATEMENT_EX...  | [4]                                              |
| 23:38:03:016 | HEAP_ALLOCATE    | [4]Bytes:38                                      |
| 23:38:03:016 | USER_DEBUG       | [4][DEBUG>Welcome to Salesforce Apex Programming |
| 23:38:03:016 | METHOD_EXIT      | [1]01pgk000009nNhrK(StudentApp.displayMessage()) |
| 23:38:03:016 | SYSTEM_MODE...   | false                                            |
| 23:38:03:016 | STATEMENT_EX...  | [2]                                              |
| 23:38:03:016 | SYSTEM_MODE...   | false                                            |
| 23:38:03:016 | HEAP_ALLOCATE    | [2]Bytes:5                                       |
| 23:38:03:016 | METHOD_ENTRY     | [2]01pgk000009nNhrK(StudentApp.createStudent())  |
| 23:38:03:016 | STATEMENT_EX...  | [7]                                              |
| 23:38:03:016 | STATEMENT_EX...  | [8]                                              |
| 23:38:03:016 | HEAP_ALLOCATE    | [8]Bytes:4                                       |
| 23:38:03:016 | VARIABLE_SCO...  | [8]s[Student__c]true>false                       |
| 23:38:03:017 | VARIABLE_ASSL... | [8]s[()]0x5f14400e                               |
| 23:38:03:017 | STATEMENT_EX...  | [9]                                              |
| 23:38:03:017 | HEAP_ALLOCATE    | [9]Bytes:5                                       |
| 23:38:03:017 | VARIABLE_ASSL... | [9][this.Name]"Tejas"0x5f14400e                  |
| 23:38:03:017 | STATEMENT_EX...  | [10]                                             |
| 23:38:03:017 | HEAP_ALLOCATE    | [10]Bytes:28                                     |
| 23:38:03:017 | VARIABLE_ASSL... | [10][this.AGE__c]210x5f14400e                    |
| 23:38:03:017 | STATEMENT_EX...  | [11]                                             |
| 23:38:03:017 | HEAP_ALLOCATE    | [11]Bytes:15                                     |
| 23:38:03:017 | VARIABLE_ASSL... | [11][this.Email__c]"tejas@gmail.com"0x5f14400e   |

☐ This Frame ☐ Executable ☐ Debug Only ☐ Filter [Click here to filter the log](#)

Logs Tests Checkpoints Query Editor View State Progress Problems

☐ Filter [Click here to filter the log list](#)

Developer Console - Google Chrome

orgfarm-82dea59a07-dev-ed.develop.my.salesforce.com/\_ui/common/apex/debug/ApexCSIPage

File Edit Debug Test Workspace Help

Log executeAnonymous @4/2/2026, 11:38:03 PM

Execution Log

| Timestamp    | Event            | Details                                               |
|--------------|------------------|-------------------------------------------------------|
| 23:38:03:016 | STATEMENT_EX...  | [7]                                                   |
| 23:38:03:016 | STATEMENT_EX...  | [8]                                                   |
| 23:38:03:016 | HEAP_ALLOCATE    | [8]Bytes:4                                            |
| 23:38:03:016 | VARIABLE_SCO...  | [8]s Student__c true false                            |
| 23:38:03:017 | VARIABLE_ASSI... | [8]s {} 0x5f14400e                                    |
| 23:38:03:017 | STATEMENT_EX...  | [9]                                                   |
| 23:38:03:017 | HEAP_ALLOCATE    | [9]Bytes:5                                            |
| 23:38:03:017 | VARIABLE_ASSI... | [9] this.Name "Tejas" 0x5f14400e                      |
| 23:38:03:017 | STATEMENT_EX...  | [10]                                                  |
| 23:38:03:017 | HEAP_ALLOCATE    | [10]Bytes:28                                          |
| 23:38:03:017 | VARIABLE_ASSI... | [10] this.AGE__c 21 0x5f14400e                        |
| 23:38:03:017 | STATEMENT_EX...  | [11]                                                  |
| 23:38:03:017 | HEAP_ALLOCATE    | [11]Bytes:15                                          |
| 23:38:03:017 | VARIABLE_ASSI... | [11] this.Email__c "tejas@gmail.com" 0x5f14400e       |
| 23:38:03:017 | STATEMENT_EX...  | [12]                                                  |
| 23:38:03:017 | HEAP_ALLOCATE    | [12]Bytes:20                                          |
| 23:38:03:017 | VARIABLE_ASSI... | [12] this.Course__c "Computer Engineering" 0x5f14400e |
| 23:38:03:017 | STATEMENT_EX...  | [14]                                                  |
| 23:38:03:017 | HEAP_ALLOCATE    | [14]Bytes:8                                           |
| 23:38:03:017 | DML_BEGIN        | [14] Op:Insert Type:Student__c Rows:1                 |
| 23:38:03:017 | HEAP_ALLOCATE    | [EXTERNAL] Bytes:8                                    |
| 23:38:03:105 | DML_END          | [14]                                                  |
| 23:38:03:107 | STATEMENT_EX...  | [15]                                                  |
| 23:38:03:107 | HEAP_ALLOCATE    | [15]Bytes:36                                          |
| 23:38:03:107 | USER_DEBUG       | [15] DEBUG Student record inserted successfully       |
| 23:38:03:107 | METHOD_EXIT      | [2] 01pgK000009nNHR StudentApp.createStudent()        |
| 23:38:03:107 | SYSTEM_MODE...   | false                                                 |
| 23:38:03:161 | CUMULATIVE_L...  |                                                       |

☐ This Frame☐ Executable☐ Debug Only☐ FilterClick here to filter the log

LogsTestsCheckpointsQuery EditorView StateProgressProblems

Log line #57 details

23:38:03:107 USER\_DEBUG [15]|DEBUG|Student record inserted successfully

OK

Developer Console - Google Chrome

orgfarm-82dea59a07-dev-ed.develop.my.salesforce.com/\_ui/common/apex/debug/ApexCSIPage

File Edit Debug Test Workspace Help

Log executeAnonymous @4/2/2026, 11:38:03 PM

Execution Log

| Timestamp    | Event           | Details                                          |
|--------------|-----------------|--------------------------------------------------|
| 23:38:03:001 | HEAP_ALLOCATE   | [417] Bytes:408                                  |
| 23:38:03:001 | HEAP_ALLOCATE   | [430] Bytes:408                                  |
| 23:38:03:001 | HEAP_ALLOCATE   | [317] Bytes:6                                    |
| 23:38:03:001 | HEAP_ALLOCATE   | [EXTERNAL] Bytes:3                               |
| 23:38:03:001 | STATEMENT_EX... | [1]                                              |
| 23:38:03:001 | STATEMENT_EX... | [1]                                              |
| 23:38:03:001 | HEAP_ALLOCATE   | [68] Bytes:5                                     |
| 23:38:03:001 | HEAP_ALLOCATE   | [74] Bytes:5                                     |
| 23:38:03:001 | HEAP_ALLOCATE   | [82] Bytes:7                                     |
| 23:38:03:001 | SYSTEM_MODE...  | false                                            |
| 23:38:03:001 | HEAP_ALLOCATE   | [1] Bytes:5                                      |
| 23:38:03:016 | HEAP_ALLOCATE   | [1] Bytes:3                                      |
| 23:38:03:016 | HEAP_ALLOCATE   | [1] Bytes:4                                      |
| 23:38:03:016 | METHOD_ENTRY    | [1] 01pgK000009nNHR StudentApp.StudentApp()      |
| 23:38:03:016 | STATEMENT_EX... | [1]                                              |
| 23:38:03:016 | STATEMENT_EX... | [1]                                              |
| 23:38:03:016 | METHOD_EXIT     | [1] StudentApp                                   |
| 23:38:03:016 | METHOD_ENTRY    | [1] 01pgK000009nNHR StudentApp.displayMessage()  |
| 23:38:03:016 | STATEMENT_EX... | [3]                                              |
| 23:38:03:016 | STATEMENT_EX... | [4]                                              |
| 23:38:03:016 | HEAP_ALLOCATE   | [4] Bytes:38                                     |
| 23:38:03:016 | USER_DEBUG      | [4] DEBUG Welcome to Salesforce Apex Programming |
| 23:38:03:016 | METHOD_EXIT     | [1] 01pgK000009nNHR StudentApp.displayMessage()  |
| 23:38:03:016 | SYSTEM_MODE...  | false                                            |
| 23:38:03:016 | STATEMENT_EX... | [2]                                              |
| 23:38:03:016 | SYSTEM_MODE...  | false                                            |
| 23:38:03:016 | HEAP_ALLOCATE   | [2] Bytes:5                                      |
| 23:38:03:016 | METHOD_ENTRY    | [2] 01pgK000009nNHR StudentApp.createStudent()   |

☐ This Frame☐ Executable☐ Debug Only☐ FilterClick here to filter the log

LogsTestsCheckpointsQuery EditorView StateProgressProblems

Log line #26 details


23:38:03:016 USER\_DEBUG [4]|DEBUG|Welcome to Salesforce Apex Programming

OK


## Practical No. :- 04

**Title :-** Design and develop custom Application (Mini Project) using Salesforce Cloud.

**Step 1:-** Login on Salesforce Website . You will directed to home page.



**Step 2:-** Go on Setting icon and press on Setup. Setup list will appear.



Step 3 :- Search Object manager and Create an object.

The screenshot shows the 'Custom Object Definition Edit' page in Salesforce. The 'Custom Object Information' section is active, showing fields for Label (Student), Plural Label (Students), Object Name (Student), and Description. The 'Enter Record Name Label and Format' section is also visible.

**Custom Object Definition Edit**

**Custom Object Information**

The singular and plural labels are used in tabs, page layouts, and reports.

Label:  Example: Account

Plural Label:  Example: Accounts

Starts with vowel sound: ☐

The Object Name is used when referencing the object via the API.

Object Name:  Example: Account

Description:

Context-Sensitive Help Setting: ☒ Open the standard Salesforce.com Help & Training window ☐ Open a window using a Visualforce page

Content Name:

**Enter Record Name Label and Format**

The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name for Account is "Account Name" and for Case it is "Case Number". Note that the Record Name field is always called "Name" when referenced via the API.

Step 4 :- Now , choose that object and move toward the Field & Relationships in details section . After that chose the field you want to make and label it.

The screenshot shows the 'Students' page in Salesforce, specifically the 'Fields & Relationships' section. The 'New Custom Field' page is displayed, showing the 'Step 3. Establish field-level security' section. The table below shows the field-level security for the 'Email' field.

**Students**

**New Custom Field**

**Step 3. Establish field-level security**

Field Label: Email

Data Type: Email

Field Name: Email

Description:

Select the profiles to which you want to grant edit access to this field via field-level security. The field will be hidden from all profiles if you do not add it to field-level security.

| Field-Level Security for Profile | <input type="checkbox"/> Visible    | <input type="checkbox"/> Read-Only |
|----------------------------------|-------------------------------------|------------------------------------|
| Analytics Cloud Integration User | <input checked="" type="checkbox"/> | <input type="checkbox"/>           |
| Analytics Cloud Security User    | <input checked="" type="checkbox"/> | <input type="checkbox"/>           |
| Anypoint Integration             | <input checked="" type="checkbox"/> | <input type="checkbox"/>           |
| Contract Manager                 | <input checked="" type="checkbox"/> | <input type="checkbox"/>           |
| Cross Org Data Proxy User        | <input checked="" type="checkbox"/> | <input type="checkbox"/>           |
| Custom: Marketing Profile        | <input checked="" type="checkbox"/> | <input type="checkbox"/>           |

Make the fields as per your requiremnts. Like I ' have added Email , Phone No. , Address , Fees , Course ,Etc.

Step 5 :- Now in Setup list search for the App Manager . After opening the App Manager click on New Lightning App to create the App.

The screenshot shows the 'New Lightning App' setup wizard in Salesforce. The current step is 'App Details & Branding', which prompts the user to 'Give your Lightning app a name and description. Upload an image and choose the highlight color for its navigation bar.' The form is divided into two main sections: 'App Details' and 'App Branding'.

**App Details:**

- \* App Name:** Student Management App
- \* Developer Name:** Tej\_Developer
- Description:** Store, retrieve, and update details such as personal information, courses, and fees in a centralized system.

**App Branding:**

- Image:** A logo featuring a graduation cap and an open book.
- Primary Color Hex Value:** #01FAFE
- Org Theme Options:** A checkbox labeled 'Use the app's image and color instead of the org's custom theme' is present but not checked.

At the bottom of the wizard, there is a progress bar with four steps, and a 'Next' button is visible on the right side.

Label the Name of App as per your app content.

Step 6 :- Keep App options Default .

The screenshot shows the 'New Lightning App' setup wizard in Salesforce, continuing from the previous step. The current step is 'App Options', which allows the user to configure the app's navigation and form factors.

**Navigation and Form Factor:**


- \* Navigation Style:** ☒ Standard navigation, ☐ Console navigation
- \* Supported Form Factors:** ☒ Desktop and phone, ☐ Desktop, ☐ Phone

**Setup and Personalization:**


- Setup Experience:** ☒ Setup (full set of Setup options), ☐ Service Setup, ☐ Data Cloud Setup
- App Personalization Settings:** ☐ Disable end user personalization of nav items in this app, ☐ Disable temporary tabs for items outside of this app, ☐ Use Omni-Channel sidebar

At the bottom of the wizard, there is a progress bar with four steps, and 'Back' and 'Next' buttons are visible.

Step 7 :- After clicking on Next, navigation Items will appears . Choose the items as per developers content.



Step 8 :- After that , developer have to add the Profile user for profession identification.



Step 9 :- Then , again in Setup list search for Apex Classes . The exact same window will appear like given below.

The screenshot shows the Salesforce 'Apex Classes' setup page. The left sidebar contains a navigation menu with 'Apex Classes' highlighted under 'Custom Code'. The main content area has a header 'Apex Classes' and a sub-header 'Apex Code is an object oriented programming language that allows developers to develop on-demand business applications on the Lightning Platform.' Below this, there is a green box indicating 'Percent of Apex Used: 0.01%' and a note about the 6,000,000 character limit. A table lists existing Apex classes with columns for Action, Name, Namespace Prefix, Api Version, Status, Size Without Comments, Last Modified By, and Has Trace Flags. The table includes entries for 'DeveloperEditionUtils', 'DeveloperEditionUtilsTest', 'PostinstallScript', 'PostinstallScriptTest', and 'StudentApp'.

| Action                | Name                      | Namespace Prefix | Api Version | Status | Size Without Comments | Last Modified By                  | Has Trace Flags          |
|-----------------------|---------------------------|------------------|-------------|--------|-----------------------|-----------------------------------|--------------------------|
| Edit   Security       | DeveloperEditionUtils     | devedapp         | 64.0        | Active | 164                   | OrgFarm.EPIC, 3/20/2026, 10:55 AM | <input type="checkbox"/> |
| Edit                  | DeveloperEditionUtilsTest | devedapp         | 64.0        | Active | 261                   | OrgFarm.EPIC, 3/20/2026, 10:55 AM | <input type="checkbox"/> |
| Edit   Security       | PostinstallScript         | devedapp         | 64.0        | Active | 2,175                 | OrgFarm.EPIC, 3/20/2026, 10:55 AM | <input type="checkbox"/> |
| Edit                  | PostinstallScriptTest     | devedapp         | 64.0        | Active | 781                   | OrgFarm.EPIC, 3/20/2026, 10:55 AM | <input type="checkbox"/> |
| Edit   Del   Security | StudentApp                |                  | 66.0        | Active | 443                   | Tejas Margaj, 4/2/2026, 11:06 AM  | <input type="checkbox"/> |

Step 10 :- Click on New ,to write **custom business logic**. And type the code for its logic.

The screenshot shows the Salesforce 'Apex Class Edit' page. The left sidebar is the same as in Step 9. The main content area has a header 'Apex Class' and a sub-header 'Apex Class Edit'. Below this, there is a 'Save' button, a 'Quick Save' button, and a 'Cancel' button. The main area contains a code editor with the following Apex code:

```
1 public class StudentController {
2
3     public static void addStudent(String name, String email) {
4         Student__c s = new Student__c();
5         s.Student_Name__c = name;
6         s.Email__c = email;
7         insert s;
8     }
9
10    public static List<Student__c> getStudents() {
11        return [SELECT Id, Student_Name__c, Email__c FROM Student__c];
12    }
13 }
```






Step 11 :- After that, search for apex triggers. Again type the code to triggering the undefined values.

The screenshot shows the Salesforce Setup interface in Developer Edition. The left sidebar contains a search bar with 'Apex' and a list of categories: Email, Custom Code, Apex Classes, Apex Settings, Apex Triggers (selected), Application Test Execution, Application Test History, Environments, and Jobs. Under 'Apex Triggers', there are links for 'Apex Flex Queue' and 'Apex Jobs'. The main content area is titled 'Apex Triggers' and shows details for a trigger named 'StudentTrigger'. The trigger is active, created by 'Tejas Margaj' on 4/5/2026 at 11:39 AM, and is associated with the 'Students' object type. The code coverage is 0% (0/3). The trigger code is displayed in a text area, showing a trigger on 'Students\_\_c' (before insert) that sets 's.Fees\_\_c' to 1000 if it is null. The code is as follows:

```
1 trigger StudentTrigger on Students__c (before insert) {
2
3   for(Student__c s : Trigger.new){
4     if(s.Fees__c == null){
5       s.Fees__c = 1000;
6     }
7   }
8 }
```

The screenshot shows the Lightning App Builder interface. A dialog box titled 'Create a new Lightning page' is open, displaying a list of page types on the left: App Page, Home Page, Record Page (selected), Embedded Service Page, CDP Record Page, Voice Extension, and Omni Supervisor Page. The right side of the dialog shows a preview of a Lightning page for 'Edge SLA' with a table of data. The table has columns for 'Account Name', 'Close Date', 'Amount', and 'Opportunity Owner'. The data rows are:

| Account Name        | Close Date | Amount      | Opportunity Owner |
|---------------------|------------|-------------|-------------------|
| Edge Communications | 4/13/2017  | \$65,000.00 | Admin User        |
| Edge Communications | 4/13/2017  | \$65,000.00 | Admin User        |



Step 13:- Here we crates the Report . for that click on the New Report and generate the data of the student. After opening search for the object created before and click on start report.

Recent | Reports | Salesforce

Ask Gemini

orgfarm-82dea59a07-dev-ed.develop.lightning.force.com/lightning/o/Report/home?queryScope=mru

Developer Edition

Search...

Developer EditionWelcome

Reports

Recent

1 item

Search recent reports...

New Report

New Folder

| REPORTS | Report Name                      | Description                                                                                               | Folder         | Created By        | Created On          | Subscribed |
|---------|----------------------------------|-----------------------------------------------------------------------------------------------------------|----------------|-------------------|---------------------|------------|
| Recent  | Sample Flow Report: Screen Flows | Which flows run, what's the status of each interview, and how long do users take to complete the screens? | Public Reports | Automated Process | 3/20/2026, 10:33 AM |            |

Created by Me

Private Reports

Public Reports

All Reports

FOLDERS

All Folders

Created by Me

Shared with Me

Report Builder | Salesforce

Ask Gemini

orgfarm-82dea59a07-dev-ed.develop.lightning.force.com/one/app#eyJjb21wb25lbnREZWYiOiJyZXBvcnRzOnJlcG9ydE1aWxkZXIlLCJhdHFRyaWJ1dGVzlp7InJlY29yZEIkj...

Create Report

Category

Recently Used

All

Accounts & Contacts

Opportunities

Customer Support Reports

Leads

Campaigns

Activities

Contracts and Orders

Price Books, Products and Assets

Administrative Reports

File and Content Reports

Select a Report Type

Q Students

Showing results for Students

| Report Type Name         | Category |
|--------------------------|----------|
| Activities with Students | Standard |
| Activities with Students | Standard |
| Students                 | Standard |
| Students                 | Standard |

Details

Students

Standard Report Type

Start Report

Details

Fields (15)

Created By You

No Reports Yet

Created By Others

No Reports Yet

Objects Used in Report Type

Owner

Report Builder | Salesforce

Ask Gemini

orgfarm-82dea59a07-dev-ed.develop.lightning.force.com/one/app#eyJjb21wb25lbnREZWYiOiJyZXBvcnRzOnJlcG9ydE1aWxkZXIlLCJhdHFRyaWJ1dGVzlp7InJlY29yZEIkj...

Developer Edition

Search...

Developer EditionWelcome

REPORT

New Students Report

Students

Add Chart

Save & Run

Save

Close

Run

Outline

Filters

Previewing a limited number of records. Run the report to see everything.

Update Preview Automatically

Student: Students Name

|   |       |
|---|-------|
| 1 | Tejas |
|---|-------|

Fields

Groups

GROUP ROWS

Add group...

Columns

Add column...

Student: Students Name

Save Report

\* Report Name

New Students Report

Report Unique Name

New\_Students\_Report\_001

Report Description

created on urgent basics

Folder

Private Reports

Select Folder

Cancel

Save

Report Builder | Salesforce

Students | Salesforce

Ask Gemini

orgfarm-82dea59a07-dev-ed.develop.lightning.force.com/one.app#eyJjb21wb25lbnREZWYiOiJyZXBvcnRzOnJlcG9ydEJ1aWwKZXIiLCJhdHRyaWJ1dGVzjp7lnJlY29yZElkij...

Developer Edition

Search...

Developer Edition Welcome

REPORT

New Students Report Students

Add Chart Save & Run Save Close Run

Outline Filters

Previewing a limited number of records. Run the report to see everything.

Students: Student Name Course Fees

No records returned in preview. Try running the report or editing report filters.

Show All students.

Edit other filters in the filter panel.

Update Preview Automatically

Fields

Groups

GROUP ROWS

Add group...

Columns

Add column...

Students: Student Name

Course

# Fees

Step 14 :- Now, click on the same 9 points part on the home page of Salesforce and search for Dashboard.

Students Dashboard | Salesforce

Students | Salesforce

Ask Gemini

orgfarm-82dea59a07-dev-ed.develop.lightning.force.com/one.app#eyJjb21wb25lbnREZWYiOiJkZXNrdG9wRGFzaGJvYXUkczpkYXNoYm9hcmQiLCJhdHRyaWJ1dGVzjp7lnRhc...

Developer Edition


Search...

Developer Edition Welcome

Students Dashboard

+ Widget + Filter Save Done

On dashboard home page , go to widget and click on the chart option for and choose bar chart.



After , clickin on add the bar chart will appear on the darshboard.

Although it is showing nothing in it , because I haven't add any data in it.

