

Assignment 5

1. Display all the first names in lower case and the last names in upper case as the single column separated with ' - '. Provide the meaningful name to the column.

```
mysql> SELECT CONCAT (LOWER(FIRST_NAME),' - ',UPPER(LAST_NAME))
-> AS 'FULL NAME' FROM employees;
+-----+
| FULL NAME |
+-----+
| ellen - ABEL |
| sundar - ANDE |
| mozhe - ATKINSON |
| shelli - BAIDA |
| amit - BANDA |
| elizabeth - BATES |
| sarah - BELL |
| david - BERNSTEIN |
| laura - BISSOT |
| harrison - BLOOM |
| hermann - BROWN |
| alexis - BULL |
| anthony - CABRIO |
| gerald - CAMBRAULT |
| nanette - CAMBRAULT |
| john - CHEN |
| kelly - CHUNG |
| karen - COLMENARES |
| curtis - DAVIES |
| pat - DAVIS |
| julia - DELLINGER |
| jennifer - DILLY |
```

2. Display the first word of the job title. (Hint : Use substring_index).

```
+-----+
| job title |
+-----+
| Public |
| Accounting |
| Administration |
| President |
| Administration |
| Accountant |
| Finance |
| Human |
| Programmer |
| Marketing |
| Marketing |
| Public |
| Purchasing |
| Purchasing |
| Sales |
| Sales |
| Shipping |
| Stock |
| Stock |
```

3. Display the First name, last name and length of first name for the employees whose last name contains character 'b' anywhere after 3rd position.

```
mysql> SELECT FIRST_NAME, LAST_NAME, LENGTH(FIRST_NAME) FROM employees
-> WHERE LAST_NAME LIKE "__%B%";
```

FIRST_NAME	LAST_NAME	LENGTH(FIRST_NAME)
Anthony	Cabrio	7
Gerald	Cambrault	6
Nanette	Cambrault	7
Nancy	Gruenberg	5
Susan	Jacobs	5
Sigal	Tobias	5

4. Display the employee id, first name and last name of the employees whose first or last name includes a space in between.

```
mysql> SELECT EMPLOYEE_ID, FIRST_NAME, LAST_NAME
-> from employees
-> where LAST_NAME LIKE "% %"
-> OR FIRST_NAME LIKE "% %";
```

EMPLOYEE_ID	FIRST_NAME	LAST_NAME
112	Jose Manuel	Urman

5. Display first name, salary, and round the salary to thousands.

```
mysql> SELECT FIRST_NAME, SALARY, ROUND(SALARY,-3) AS 'r_salary_-3' FROM employees;
```

FIRST_NAME	SALARY	r_salary_-3
Steven	24000.00	24000
Neena	17000.00	17000
Lex	17000.00	17000
Alexander	9000.00	9000
Bruce	6000.00	6000
David	4800.00	5000
Valli	4800.00	5000
Diana	4200.00	4000
Nancy	12008.00	12000
Daniel	9000.00	9000
John	8200.00	8000
Ismael	7700.00	8000
Jose Manuel	7800.00	8000
Luis	6900.00	7000
Den	11000.00	11000

6. Display employee ID and the date on which he ended his previous job in the format as mentioned. (Format: Thursday, October 27th 2011)

```
mysql> SELECT employee_id, DATE_FORMAT(END_DATE, '%w, %m %d %y') FROM job_history;
```

employee_id	DATE_FORMAT(END_DATE, '%w, %m %d %y')
101	4, 10 27 11
101	0, 03 15 15
102	0, 07 24 16
114	0, 12 31 17
122	0, 12 31 17
176	6, 12 31 16
176	0, 12 31 17
200	5, 06 17 11
200	6, 12 31 16
201	2, 12 19 17

7. Display first name and date of first salary of the employees. (Consider 1st day of month as salary day. HINT: LAST_DAY).

```
mysql> SELECT employee_id,FIRST_NAME,date_add(last_day(hire_date),interval 1 day)as first_salary from employees;
```

employee_id	FIRST_NAME	first_salary
100	Steven	2013-07-01
101	Neena	2015-10-01
102	Lex	2011-02-01
103	Alexander	2016-02-01
104	Bruce	2017-06-01
105	David	2015-07-01
106	Valli	2016-03-01
107	Diana	2017-03-01
108	Nancy	2012-09-01
109	Daniel	2012-09-01
110	John	2015-10-01
111	Ismael	2015-10-01
112	Jose Manuel	2016-04-01
113	Luis	2018-01-01
114	Den	2013-01-01
115	Alexander	2013-06-01
116	Shelli	2016-01-01
117	Sigal	2015-08-01
118	Guy	2016-12-01
119	Karen	2017-09-01
120	Matthew	2014-08-01
121	Adam	2015-05-01
122	Pavam	2013-06-01

8. Display first name and experience of the employees in the format of number of years, months and days completed.

```
mysql> SELECT first_name,CONCAT(TIMESTAMPDIFF(YEAR,hire_date,NOW()),' years ',TIMESTAMPDIFF(MONTH,hire_date,NOW())%12,' month ',TIMESTAMPDIFF(DAY,hire_date,now())%30,' days ') AS 'EXPRENCE' FROM employees;
```

first_name	EXPRENCE
Steven	13 years 2 month 18 days
Neena	10 years 11 month 2 days
Lex	15 years 7 month 4 days
Alexander	10 years 7 month 18 days
Bruce	9 years 3 month 24 days
David	11 years 2 month 0 days
Valli	10 years 6 month 15 days
Diana	9 years 6 month 7 days
Matthew	10 years 6 month 23 days

9. Display the employee id, first name and joining date of the employees who joined in the month of august of any year.

```
mysql> SELECT EMPLOYEE_ID ,FIRST_NAME, HIRE_DATE  
-> from employees  
-> WHERE MONTH(HIRE_DATE)=8;
```

EMPLOYEE_ID	FIRST_NAME	HIRE_DATE
108	Nancy	2012-08-17
109	Daniel	2012-08-16
119	Karen	2017-08-10
129	Laura	2015-08-20
134	Michael	2016-08-26
152	Peter	2015-08-20
158	Allan	2014-08-01
189	Jennifer	2015-08-13
202	Pat	2015-08-17

10. Display the details of employees who joined before the year 2015.

```
mysql> SELECT * FROM employees
-> where year(HIRE_DATE) < 2015;
```

EMPLOYEE_ID	FIRST_NAME	LAST_NAME	EMAIL	PHONE_NUMBER	HIRE_DATE	JOB_ID	SALARY	COMMISSION_PCT	MANAGER_ID	DEPARTMENT_ID
100	Steven	King	SKING	1.515.555.0100	2013-06-17	AD_PRES	24000.00	NULL	NULL	90
102	Lex	Garcia	LGARCIA	1.515.555.0102	2011-01-13	AD_VP	17000.00	NULL	100	90
108	Nancy	Gruenberg	NGRUENBE	1.515.555.0108	2012-08-17	FI_MGR	12008.00	NULL	101	100
109	Daniel	Faviet	DFAVIET	1.515.555.0109	2012-08-16	FI_ACCOUNT	9000.00	NULL	108	100
114	Den	Li	DLI	1.515.555.0114	2012-12-07	PU_MAN	11000.00	NULL	100	30
115	Alexander	Khoo	AKHOO	1.515.555.0115	2013-05-18	PU_CLERK	3100.00	NULL	114	30
120	Matthew	Weiss	MWEISS	1.650.555.0120	2014-07-18	ST_MAN	8000.00	NULL	100	50
122	Payam	Kaufling	PKAUFLIN	1.650.555.0122	2013-05-01	ST_MAN	7900.00	NULL	100	50
133	Jason	Mallin	JMALLIN	1.650.555.0133	2014-06-14	ST_CLERK	3300.00	NULL	122	50
137	Renske	Ladwig	RLADWIG	1.650.555.0137	2013-07-14	ST_CLERK	3600.00	NULL	123	50
141	Trenna	Rajs	TRAJS	1.650.555.0141	2013-10-17	ST_CLERK	3500.00	NULL	124	50
145	John	Singh	JSINGH	44.1632.960000	2014-10-01	SA_MAN	14000.00	0.40	100	80
156	Janette	King	JKING	44.1632.960011	2014-01-30	SA_REP	10000.00	0.35	146	80
157	Patrick	Sully	PSULLY	44.1632.960012	2014-03-04	SA_REP	9500.00	0.35	146	80
158	Allan	McEwen	AMCEWEN	44.1632.960013	2014-08-01	SA_REP	9000.00	0.35	146	80
174	Ellen	Abel	EABEL	44.1632.960029	2014-05-11	SA_REP	11000.00	0.30	149	80
184	Nandita	Sarchand	NSARCHAN	1.650.555.0149	2014-01-27	SH_CLERK	4200.00	NULL	121	50
192	Sarah	Bell	SBELL	1.650.555.0157	2014-02-04	SH_CLERK	4000.00	NULL	123	50
200	Jennifer	Whalen	JWHALEN	1.515.555.0165	2013-09-17	AD_ASST	4400.00	NULL	101	10
201	Michael	Martinez	MMARTINE	1.515.555.0166	2014-02-17	MK_MAN	13000.00	NULL	100	20
203	Susan	Jacobs	SJACOBS	1.515.555.0168	2012-06-07	HR_REP	6500.00	NULL	101	40
204	Hermann	Brown	HBROWN	1.515.555.0169	2012-06-07	PR_REP	10000.00	NULL	101	70
205	Shelley	Higgins	SHIGGINS	1.515.555.0170	2012-06-07	AC_MGR	12008.00	NULL	101	110
206	William	Gietz	WGIEZT	1.515.555.0171	2012-06-07	AC_ACCOUNT	8300.00	NULL	205	110

11. Display the number of days between system date and 1st January 2011.

```
mysql> SELECT TIMESTAMPDIFF(day,'2011-01-01',NOW()) AS days FROM DUAL;
```

days
5716

12. Display number of employees joined after 15th of any month.

```
mysql> SELECT COUNT(employee_id)AS count from employees WHERE DAY(HIRE_DATE)>15;
```

count
57

13. Display third highest salary of employees.

```
mysql> SELECT SALARY from employees
-> ORDER BY SALARY DESC
-> LIMIT 2,1;
```

SALARY
17000.00

1. Display all the Suppliers, belonging to cities starting with the letter 'L'.

```
D6_99024_tejas>select * from s
-> where city like 'L%';
```

S#	Sname	status	city
S1	Smith	20	London
S4	Clark	20	London

2. Display all the Jobs, with the third letter in JNAME as 'n'.

```
D6_99024_tejas>select jname from j
-> where jname LIKE '__n%';
```

jname
Punch
Console

3. Display all the Supplier names with the initial letter capital.

```
D6_99024_tejas>select concat(UPPER(LEFT(sname,1)),substring(sname,2))
-> as supplier_name from s;
```

supplier_name
Smith
Jones
Blake
Clark
Adams

4. Display all the Supplier names in upper case.

```
D6_99024_tejas>select upper(sname) from s;
```

upper(sname)
SMITH
JONES
BLAKE
CLARK
ADAMS

5. Display all the Supplier names in lower case.

```
D6_99024_tejas>select lower(sname) from s;
```

lower(sname)
smith
jones
blake
clark
adams

6. Display the Supplier names and the lengths of the names.

```
D6_99024_tejas>select length(sname) from s;  
+-----+  
| length(sname) |  
+-----+  
|              5 |  
|              5 |  
|              5 |  
|              5 |  
|              5 |  
+-----+
```

7. Display the current day (e.g. Thursday).

```
D6_99024_tejas>select dayname(now());  
+-----+  
| dayname(now()) |  
+-----+  
| Friday          |  
+-----+
```

8. Display the minimum Status in the Supplier table.

```
D6_99024_tejas>select min(status) from s;  
+-----+  
| min(status) |  
+-----+  
|           10 |  
+-----+
```

9. Display the maximum Weight in the Parts table.

```
D6_99024_tejas>select max(weight) from p;  
+-----+  
| max(weight) |  
+-----+  
|           19 |  
+-----+  
1 row in set (0.00 sec)
```

10. Display the average Weight of the Parts.

```
D6_99024_tejas>select avg(weight) from p;  
+-----+  
| avg(weight) |  
+-----+  
|      15.1667 |  
+-----+
```

11. Display the total Quantity sold for part 'P1'.

```
D6_99024_tejas>select sum(QTY) from sp
-> where `p#`='p1';
+-----+
| sum(QTY) |
+-----+
|      1000 |
+-----+
```

12. Display all the Supplier names (with 'la' replaced by 'ro'). HINT: REPLACE.

```
D6_99024_tejas>select replace (sname,'la','ra') from s;
+-----+
| replace (sname,'la','ra') |
+-----+
| Smith                      |
| Jones                      |
| Brake                      |
| Crark                      |
| Adams                      |
+-----+
```