

Appendix A

Item Content

1. Lately, my strength seems to be draining out of me, even in the morning.
2. I think highly of rules because they are a good guide to follow.
3. I enjoy doing so many different things that I can't make up my mind what to do first.
4. I feel weak and tired much of the time.
5. I know I'm a superior person, so I don't care what people think.
6. People have never given me enough recognition for the things I've done.
7. If my family puts pressure on me, I'm likely to feel angry and resist doing what they want.
8. People make fun of me behind my back, talking about the way I act or look.
9. I often criticize people strongly if they annoy me.
10. What few feelings I seem to have I rarely show to the outside world.
11. I have a hard time keeping my balance when walking.
12. I show my feelings easily and quickly.
13. My drug habits have often gotten me into a good deal of trouble in the past.
14. Sometimes I can be pretty rough and mean in my relations with my family.
15. Things that are going well today won't last very long.
16. I am a very agreeable and submissive person.
17. As a teenager, I got into lots of trouble because of bad school behavior.
18. I'm afraid to get really close to another person because it may end up with my being ridiculed or shamed.
19. I seem to choose friends who end up mistreating me.
20. I've had sad thoughts much of my life since I was a child.
21. I like to flirt with members of the opposite sex.
22. I'm a very erratic person, changing my mind and feelings all the time.
23. Drinking alcohol has never caused me any real problems in my work.
24. I began to feel like a failure some years ago.
25. I feel guilty much of the time for no reason that I know.
26. Other people envy my abilities.
27. When I have a choice, I prefer to do things alone.
28. I think it's necessary to place strict controls on the behavior of members of my family.

29. People usually think of me as a reserved and serious-minded person.
30. Lately, I have begun to feel like smashing things.
31. I think I'm a special person who deserves special attention from others.
32. I am always looking to make new friends and meet new people.
33. If someone criticized me for making a mistake, I would quickly point out some of that person's mistakes.
34. Lately, I have gone all to pieces.
35. I often give up doing things because I'm afraid I won't do them well.
36. I often let my angry feelings out and then feel terribly guilty about it.
37. I very often lose my ability to feel any sensations in parts of my body.
38. I do what I want without worrying about its effect on others.
39. Taking so-called illegal drugs may be unwise, but in the past I found I needed them.
40. I guess I'm a fearful and inhibited person.
41. I've done a number of stupid things on impulse that ended up causing me great trouble.
42. I never forgive an insult or forget an embarrassment that someone caused me.
43. I often feel sad or tense right after something good has happened to me.
44. I feel terribly depressed and sad much of the time now.
45. I always try hard to please others, even when I dislike them.
46. I've always had less interest in sex than most people do.
47. I tend to always blame myself when things go wrong.
48. A long time ago, I decided it's best to have little to do with people.
49. Since I was a child, I have always had to watch out for people who were trying to cheat me.
50. I strongly resent "big shots" who always think they can do things better than I can.
51. When things get boring, I like to stir up some excitement.
52. I have an alcohol problem that has made difficulties for me and my family.
53. Punishment never stopped me from doing what I wanted.
54. There are many times, when for no reason, I feel very cheerful and full of excitement.
55. In recent weeks I feel worn out for no special reason.
56. For some time now I've been feeling very guilty because I can't do things right anymore.
57. I think I am a very sociable and outgoing person.
58. I've become very jumpy in the last few weeks.
59. I keep very close track of my money so I am prepared if a need comes up.
60. I just haven't had the luck in life that others have had.
61. Ideas keep turning over and over in my mind and they won't go away.
62. I've become quite discouraged and sad about life in the past year or two.
63. Many people have been spying into my private life for years.
64. I don't know why, but I sometimes say cruel things just to make others unhappy.
65. I flew across the Atlantic 30 times last year.
66. My habit of abusing drugs has caused me to miss work in the past.
67. I have many ideas that are ahead of the times.
68. Lately, I have to think things over and over again for no good reason.
69. I avoid most social situations because I expect people to criticize or reject me.
70. I often think that I don't deserve the good things that happen to me.
71. When I'm alone, I often feel the strong presence of someone nearby who can't be seen.
72. I feel pretty aimless and don't know where I'm going in life.
73. I often allow others to make important decisions for me.

74. I can't seem to sleep, and wake up just as tired as when I went to bed.
75. Lately, I've been sweating a great deal and feel very tense.
76. I keep having strange thoughts that I wish I could get rid of.
77. I have a great deal of trouble trying to control an impulse to drink to excess.
78. Even when I'm awake, I don't seem to notice people who are near me.
79. I am often cross and grouchy.
80. It is very easy for me to make many friends.
81. I'm ashamed of some of the abuses I suffered when I was young.
82. I always make sure that my work is well planned and organized.
83. My moods seem to change a great deal from one day to the next.
84. I'm too unsure of myself to risk trying something new.
85. I don't blame anyone who takes advantage of someone who allows it.
86. For some time now I've been feeling sad and blue and can't seem to snap out of it.
87. I often get angry with people who do things slowly.
88. I never sit on the sidelines when I'm at a party.
89. I watch my family closely so I'll know who can and who can't be trusted.
90. I sometimes get confused and feel upset when people are kind to me.
91. My use of so-called illegal drugs has led to family arguments.
92. I'm alone most of the time and I prefer it that way.
93. There are members of my family who say I'm selfish and think only of myself.
94. People can easily change my ideas, even if I thought my mind was made up.
95. I often make people angry by bossing them.
96. People have said in the past that I became too interested and too excited about too many things.

97. I believe in the saying, "early to bed and early to rise..."
98. My feelings toward important people in my life often swing from loving them to hating them.
99. In social groups I am almost always very self-conscious and tense.
100. I guess I'm no different from my parents in becoming somewhat of an alcoholic.
101. I guess I don't take many of my family responsibilities as seriously as I should.
102. Ever since I was a child, I have been losing touch with the real world.
103. Sneaky people often try to get the credit for things I have done or thought of.
104. I can't experience much pleasure because I don't feel I deserve it.
105. I have little desire for close friendships.
106. I've had many periods in my life when I was so cheerful and used up so much energy that I fell into a low mood.
107. I have completely lost my appetite and have trouble sleeping most nights.
108. I worry a great deal about being left alone and having to take care of myself.
109. The memory of a very upsetting experience in my past keeps coming back to haunt my thoughts.
110. I was on the front cover of several magazines last year.
111. I seem to have lost interest in most things that I used to find pleasurable, such as sex.
112. I have been downhearted and sad much of my life since I was quite young.
113. I've gotten into trouble with the law a couple of times.
114. A good way to avoid mistakes is to have a routine for doing things.
115. Other people often blame me for things I didn't do.
116. I have had to be really rough with some people to keep them in line.
117. People think I sometimes talk about strange or different things than they do.

118. There have been times when I couldn't get through the day without some street drugs.
119. People are trying to make me believe that I'm crazy.
120. I'll do something desperate to prevent a person I love from abandoning me.
121. I go on eating binges a couple of times a week.
122. I seem to make a mess of good opportunities that come my way.
123. I've always had a hard time stopping myself from feeling blue and unhappy.
124. When I'm alone and away from home, I often begin to feel tense and panicky.
125. People sometimes get annoyed with me because they say I talk too much or too fast for them.
126. Most successful people today have been either lucky or dishonest.
127. I won't get involved with people unless I'm sure they'll like me.
128. I feel deeply depressed for no reason I can figure out.
129. Years later I still have nightmares about an event that was a real threat to my life.
130. I don't have the energy to concentrate on my everyday responsibilities anymore.
131. Drinking alcohol helps when I'm feeling down.
132. I hate to think about some of the ways I was abused as a child.
133. Even in good times, I've always been afraid that things would soon go bad.
134. I sometimes feel crazy-like or unreal when things start to go badly in my life.
135. Being alone, without the help of someone close to depend on, really frightens me.
136. I know I've spent more money than I should buying illegal drugs.
137. I always see to it that my work is finished before taking time out for leisure activities.
138. I can tell that people are talking about me when I pass by them.
139. I'm very good at making up excuses when I get into trouble.
140. I believe I'm being plotted against.
141. I feel that most people think poorly of me.
142. I frequently feel there's nothing inside me, like I'm empty and hollow.
143. I sometimes force myself to vomit after eating.
144. I guess I go out of my way to encourage people to admire the things I say or do.
145. I spend my life worrying over one thing or another.
146. I always wonder what the real reason is when someone is acting especially nice to me.
147. There are certain thoughts that keep coming back again and again in my mind.
148. Few things in life give me pleasure.
149. I feel shaky and have difficulty falling asleep because painful memories of a past event keep running through my mind.
150. Looking ahead as each day begins makes me feel terribly depressed.
151. I've never been able to shake the feeling that I'm worthless to others.
152. I have a drinking problem that I've tried unsuccessfully to end.
153. Someone has been trying to control my mind.
154. I have tried to commit suicide.
155. I'm willing to starve myself to be even thinner than I am.
156. I don't understand why some people smile at me.
157. I have not seen a car in the last ten years.
158. I get very tense with people I don't know well because they may want to harm me.
159. Someone would have to be pretty exceptional to understand my special abilities.
160. My current life is still upset by flashbacks of something terrible that happened to me.
161. I seem to create situations with others in which I get hurt or feel rejected.
162. I often get lost in my thoughts and forget what's going on around me.

163. People say I'm a thin person, but I feel that
164. my thighs and backside are much too big.
165. There are terrible events from my past that
166. come back repeatedly to haunt my thoughts
and dreams.
167. Other than my family, I have no close friends.
168. I act quickly much of the time and don't think
things through as I should.
169. I take great care to keep my life a private
matter so no one can take advantage of me.
170. I very often hear things so well that it bothers
me.
171. I'm always willing to give in to others in a
disagreement because I fear their anger or
rejection.

170. I repeat certain behaviors again and again,
sometimes to reduce my anxiety and
sometimes to stop something bad from
happening.
171. I have given serious thought recently to doing
away with myself.
172. People tell me that I'm a very proper and
moral person.
173. I still feel terrified when I think of a traumatic
experience I had years ago.
174. Although I'm afraid to make friendships, I
wish I had more than I do.
175. There are people who are supposed to be my
friends who would like to do me harm.

Appendix B

Scale Composition and Item Weighting

(See Appendix D for scoring information for the Grossman facet scales.)

Scale 1 Schizoid (16 items)

True prototypal items (weight = 2)	10, 27, 46, 92, 105, 148, 165
True nonprototypal items (weight = 1)	4, 38, 48, 101, 142, 156, 167
False (weight = 1)	32, 57

Scale 2A Avoidant (16 items)

True prototypal items (weight = 2)	18, 40, 69, 84, 99, 127, 141, 174
True nonprototypal items (weight = 1)	47, 48, 146, 148, 151, 158
False (weight = 1)	57, 80

Scale 2B Depressive (15 items)

True prototypal items (weight = 2)	20, 25, 47, 112, 123, 133, 145, 151
True nonprototypal items (weight = 1)	24, 43, 83, 86, 142, 148, 154

Scale 3 Dependent (16 items)

True prototypal items (weight = 2)	16, 35, 45, 73, 94, 108, 135, 169
True nonprototypal items (weight = 1)	47, 56, 84, 120, 133, 141, 151
False (weight = 1)	82

Scale 4 Histrionic (17 items)

True prototypal items (weight = 2)	12, 21, 32, 51, 57, 80, 88
False (weight = 1)	10, 24, 27, 48, 69, 92, 99, 123, 127, 174

Scale 5 Narcissistic (24 items)	5, 26, 31, 67, 85, 93, 144, 159
True prototypal items (weight = 2)	21, 38, 57, 80, 88, 116
True nonprototypal items (weight = 1)	35, 40, 47, 69, 84, 86, 94, 99, 141, 169
False (weight = 1)	
Scale 6A Antisocial (17 items)	17, 38, 53, 101, 113, 139, 166
True prototypal items (weight = 2)	7, 13, 14, 21, 41, 52, 93, 122, 136
True nonprototypal items (weight = 1)	172
False (weight = 1)	
Scale 6B Sadistic (Aggressive) (20 items)	9, 14, 28, 64, 87, 95, 116
True prototypal items (weight = 2)	7, 13, 17, 33, 36, 39, 41, 49, 53, 79, 93, 96, 166
True nonprototypal items (weight = 1)	
Scale 7 Compulsive (17 items)	2, 29, 59, 82, 97, 114, 137, 172
True prototypal items (weight = 2)	7, 14, 22, 41, 53, 72, 101, 139, 166
False (weight = 1)	
Scale 8A Negativistic (Passive-Aggressive) (16 items)	7, 15, 22, 36, 50, 60, 79, 115, 126
True prototypal items (weight = 2)	6, 42, 83, 98, 122, 133, 166
True nonprototypal items (weight = 1)	
Scale 8B Masochistic (Self-Defeating) (15 items)	19, 43, 70, 90, 104, 122, 161
True prototypal items (weight = 2)	18, 24, 25, 35, 40, 98, 148, 169
True nonprototypal items (weight = 1)	
Scale S Schizotypal (16 items)	8, 48, 71, 76, 117, 138, 156, 158, 162
True prototypal items (weight = 2)	69, 99, 102, 134, 141, 148, 151
True nonprototypal items (weight = 1)	
Scale C Borderline (16 items)	30, 41, 72, 83, 98, 120, 134, 142, 154
True prototypal items (weight = 2)	7, 22, 122, 135, 161, 166, 171
True nonprototypal items (weight = 1)	
Scale P Paranoid (17 items)	6, 33, 42, 49, 89, 103, 146, 167, 175
True prototypal items (weight = 2)	8, 48, 60, 63, 115, 138, 158, 159
True nonprototypal items (weight = 1)	
Scale A Anxiety (14 items)	58, 75, 124, 147, 164, 170
True prototypal items (weight = 2)	40, 61, 76, 108, 109, 135, 145, 149
True nonprototypal items (weight = 1)	
Scale H Somatoform (12 items)	4, 11, 37, 55, 74
True prototypal items (weight = 2)	1, 75, 107, 111, 130, 145, 148
True nonprototypal items (weight = 1)	

Scale N Bipolar: Manic (13 items)	
True prototypal items (weight = 2)	3, 54, 96, 106, 125
True nonprototypal items (weight = 1)	22, 41, 51, 83, 117, 134, 166, 170
Scale D Dysthymia (14 items)	
True prototypal items (weight = 2)	24, 56, 62, 86, 111, 130
True nonprototypal items (weight = 1)	15, 25, 55, 83, 104, 141, 142, 148
Scale B Alcohol Dependence (15 items)	
True prototypal items (weight = 2)	52, 77, 100, 131, 152
True nonprototypal items (weight = 1)	14, 41, 64, 93, 101, 113, 122, 139, 166
False prototypal item (weight = 2)	23
Scale T Drug Dependence (14 items)	
True prototypal items (weight = 2)	13, 39, 66, 91, 118, 136
True nonprototypal items (weight = 1)	7, 21, 38, 41, 53, 101, 113, 139
Scale R Post-Traumatic Stress Disorder (16 items)	
True prototypal items (weight = 2)	109, 129, 149, 160, 173
True nonprototypal items (weight = 1)	62, 76, 83, 123, 133, 142, 147, 148, 151, 154, 164
Scale SS Thought Disorder (17 items)	
True prototypal items (weight = 2)	34, 61, 68, 78, 102, 168
True nonprototypal items (weight = 1)	22, 56, 72, 76, 83, 117, 134, 142, 148, 151, 162
Scale CC Major Depression (17 items)	
True prototypal items (weight = 2)	1, 44, 107, 128, 150, 171
True nonprototypal items (weight = 1)	4, 34, 55, 74, 104, 111, 130, 142, 148, 149, 154
Scale PP Delusional Disorder (13 items)	
True prototypal items (weight = 2)	63, 119, 140, 153
True nonprototypal items (weight = 1)	5, 38, 49, 67, 89, 103, 138, 159, 175
Scale Y Desirability (21 items)	
True (weight = 1)	32, 51, 57, 59, 80, 82, 88, 97, 137, 172
False (weight = 1)	20, 35, 40, 69, 104, 112, 123, 141, 142, 148, 151
Scale Z Debasement (33 items)	
True (weight = 1)	1, 4, 8, 15, 22, 24, 30, 34, 36, 37, 44, 55, 56, 58, 62, 63, 70, 74, 75, 76, 83, 84, 86, 99, 111, 123, 128, 133, 134, 142, 145, 150, 171

Scale V Invalidity (3 items)
True (weight = 1)

65, 110, 157

Scale W Inconsistency
(44 item response pairs)
Add 1 raw score point for each

1T-4F, 1F-4T, 8F-141T, 13T-66F, 13F-66T, 15T-133F,
20T-112F, 20F-112T, 22T-83F, 24F-151T, 25T-56F,
25F-56T, 27F-92T, 32T-80F, 35T-84F, 35F-84T,
39T-118F, 39F-118T, 41F-166T, 44T-86F, 44F-150T,
48T-92F, 49T-146F, 52F-152T, 55F-130T, 57F-80T,
61F-76T, 62F-86T, 68F-162T, 69T-99F, 70F-104T,
72F-142T, 74F-107T, 77T-131F, 91T-136F, 91F-136T,
108T-135F, 109F-164T, 123F-128T, 129T-173F,
133T-145F, 147F-149T, 160T-164F, 160F-173T

Appendix C

Base Rate

Transformation Tables

(The base rate transformation tables for the Grossman facet scales can be found in Appendix E.)

Appendix C.1 Base Rate Transformations for All Scales Except X (Males and Females)

Raw Score	BR Scale Scores														P
	1	2A	2B	3	4	5	6A	6B	7	8A	8B	S	C		
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1	12	12	10	10	4	5	12	12	4	10	20	20	12	15	15
2	24	24	20	20	8	10	24	24	8	20	40	40	24	30	30
3	36	36	30	30	12	15	36	36	12	30	60	60	36	45	45
4	48	48	40	40	16	20	48	48	16	40	63	62	48	60	60
5	60	60	50	50	20	25	60	60	20	50	66	64	60	61	61
6	62	63	60	60	24	30	62	62	24	60	69	66	63	63	63
7	64	67	65	65	28	35	64	64	28	62	72	67	66	64	64
8	66	71	70	70	32	40	66	66	32	64	75	68	69	66	66
9	68	75	75	75	36	44	69	68	36	66	78	69	72	67	67
10	70	77	77	78	40	48	71	69	39	68	80	70	75	69	69
11	72	79	79	81	44	52	73	70	42	70	82	71	77	70	70
12	75	81	81	83	48	56	75	71	45	72	85	72	79	72	72
13	78	83	83	85	51	60	79	72	48	75	88	73	81	73	73
14	81	85	85	87	54	63	82	73	51	77	91	74	83	75	75
15	85	88	89	89	57	67	85	74	54	79	94	75	85	77	77
16	89	91	92	91	60	71	89	75	57	81	97	78	88	79	79
17	93	94	96	94	63	75	92	78	60	83	100	81	91	81	81
18	97	97	99	97	66	85	96	80	63	85	103	85	94	83	83
19	101	100	103	100	69	89	99	83	66	89	106	90	97	85	85
20	105	103	106	103	72	93	103	85	69	93	109	95	100	90	90
21	109	106	109	106	75	97	106	90	72	97	112	99	103	95	95
22	112	109	112	109	79	101	109	95	75	101	115	103	106	100	100
23	115	112	115	112	83	105	112	100	79	105	115	107	109	105	105
24		115		115	88	110	115	105	83	110		111	112	110	110
25						115		110	87	115		115	115	115	115
26															

BR Scale Scores

Raw Score	A	H	N	D	B	T	R	SS	CC	PP	Y	L
0	0	0	0	0	0	0	0	0	0	0	0	0
1	20	15	12	12	20	20	15	15	15	30	5	18
2	40	30	24	24	40	40	30	30	30	60	10	35
3	60	45	36	36	60	60	45	45	45	62	15	38
4	75	60	48	48	63	63	60	60	60	65	20	40
5	77	62	60	60	67	67	62	62	65	68	25	42
6	79	64	63	62	71	71	63	64	70	70	30	45
7	81	66	66	64	75	75	65	66	75	72	35	47
8	83	68	69	66	77	76	66	67	78	75	39	49
9	85	70	72	69	80	77	68	68	81	80	43	52
10	87	72	75	72	83	78	69	69	85	85	47	54
11	89	73	80	75	85	79	71	70	87	90	51	56
12	91	74	85	78	88	81	73	71	89	95	55	59
13	94	75	90	80	91	83	75	72	91	100	59	61
14	97	80	95	82	95	85	77	73	93	105	63	63
15	100	85	100	85	99	90	79	74	95	110	67	66
16	103	100	105	91	103	95	81	75	97	115	71	68
17	106	115	110	97	107	100	83	79	99		75	70
18	109		115	103	111	105	85	82	101		80	73
19	112			109	115	110	95	85	103		85	75
20	115			115		115	105	93	106		93	76
21							115	100	109		100	78
22								108	112			79
23								115	115			81
24												82
25												84
26												85
27												88
28												90
29												92
30												94
31												96
32												98
33												100

Appendix C.2 Base Rate Transformations for Scale X (Males and Females)

Raw Score	BR Score	Raw Score	BR Score
34-38	0	93-94	57
39	2	95	58
40	3	96-97	59
41	5	98	60
42	6	99-100	61
43	8	101	62
44	9	102-103	63
45	11	104	64
46	12	105-106	65
47	14	107	66
48	15	108-109	67
49	17	110	68
50	18	111-112	69
51	20	113	70
52	21	114-115	71
53	23	116	72
54	24	117-118	73
55	26	119-120	74
56	27	121-123	75
57	29	124-126	76
58	30	127-129	77
59	32	130-132	78
60	33	133-135	79
61	35	136-138	80
62	36	139-141	81
63-64	37	142-144	82
65	38	145-146	83
66-67	39	147-148	84
68	40	149-150	85
69-70	41	151-152	86
71	42	153	87
72-73	43	154-155	88
74	44	156-157	89
75-76	45	158-159	90
77	46	160	91
78-79	47	161-162	92
80	48	163-164	93
81-82	49	165-166	94
83	50	167-168	95
84-85	51	169-170	96
86	52	171-172	97
87-88	53	173	98
89	54	174	99
90-91	55	175-178	100
92	56		

Appendix D

Grossman Facet Scale Scoring

For the 14 primary personality scales, each scale's three facet scales are listed along with the True-keyed and False-keyed items that make up each facet. Each keyed response counts 1 point toward the facet scale raw score. Appendix E provides tables for converting the facet scale raw scores to base rate scores.

	Items Keyed True	Items Keyed False
Scale 1 Schizoid		
1.1 Temperamentally Apathetic	1, 4, 46, 142, 148, 156, 162	51
1.2 Interpersonally Unengaged	27, 48, 92, 105, 141, 165	32, 57, 80, 88
1.3 Expressively Impassive	10, 29, 35, 38, 84, 101, 167	12
Scale 2A Avoidant		
2A.1 Interpersonally Aversive	19, 27, 48, 69, 92, 127, 146, 158, 161	
2A.2 Alienated Self-Image	20, 35, 40, 47, 70, 84, 104, 141, 148, 151	
2A.3 Vexatious Representations	10, 18, 46, 99, 105, 174	57, 80
Scale 2B Depressive		
2B.1 Temperamentally Woeful	1, 86, 112, 123, 130, 142, 148	
2B.2 Worthless Self-Image	19, 24, 25, 43, 47, 70, 104, 122, 151	
2B.3 Cognitively Fatalistic	15, 20, 62, 133, 145, 150, 154, 171	

Items Keyed True

Items Keyed False

Scale 3 Dependent

- 3.1 Inept Self-Image
- 3.2 Interpersonally Submissive
- 3.3 Immature Representations

35, 40, 47, 56, 84, 122, 133, 151
2, 16, 45, 73, 94, 120, 169, 172
108, 127, 135, 141, 142, 165

Scale 4 Histrionic

- 4.1 Gregarious Self-Image
- 4.2 Interpersonally Attention-Seeking
- 4.3 Expressively Dramatic

51, 88
31, 32, 57, 80, 144
12, 21, 54

Scale 5 Narcissistic

- 5.1 Admirable Self-Image
- 5.2 Cognitively Expansive
- 5.3 Interpersonally Exploitive

5, 31, 57, 80
21, 26, 42, 67, 87, 139, 144
9, 33, 38, 64, 85, 93, 95, 101, 116,
159

Scale 6A Antisocial

- 6A.1 Expressively Impulsive
- 6A.2 Acting-Out Mechanism
- 6A.3 Interpersonally Irresponsible

9, 12, 33, 38, 41, 87, 122, 166
7, 13, 17, 21, 39, 51, 52, 53, 113, 136
14, 85, 91, 93, 101, 116, 126, 139

Scale 6B Sadistic (Aggressive)

- 6B.1 Temperamentally Hostile
- 6B.2 Eruptive Organization
- 6B.3 Pernicious Representations

9, 14, 33, 36, 53, 64, 79, 113
13, 17, 39, 41, 51, 87, 96, 166
6, 7, 28, 38, 49, 89, 93, 95, 103, 116,
175

Scale 7 Compulsive

- 7.1 Cognitively Constricted
- 7.2 Interpersonally Respectful
- 7.3 Reliable Self-Image

2, 114
59, 82, 97
16, 137, 172

Scale 8A Negativistic (Passive-Aggressive)

- 8A.1 Temperamentally Irritable
- 8A.2 Expressively Resentful
- 8A.3 Discontented Self-Image

7, 9, 22, 36, 41, 79, 83, 87, 98, 166
6, 15, 33, 42, 50, 115, 126
25, 47, 60, 70, 104, 122, 133

Scale 8B Masochistic (Self-Defeating)

- 8B.1 Discredited Representations
- 8B.2 Cognitively Diffident
- 8B.3 Undeserving Self-Image

18, 19, 48, 98, 120, 127, 135, 161
16, 24, 35, 40, 45, 94, 133, 169
25, 43, 47, 70, 90, 104, 122, 141,
148, 151

69, 99, 105, 127, 174
46, 48, 92
10, 40, 123, 148

35, 40, 47, 69, 99, 141

172

22, 51, 84, 139,
147, 166
7, 38, 53
17, 41, 101, 113

Scale **S Schizotypal**
 S.1 Estranged Self-Image
 S.2 Cognitively Autistic
 S.3 Chaotic Representations

Scale **C Borderline**
 C.1 Temperamentally Labile
 C.2 Interpersonally Paradoxical
 C.3 Uncertain Self-Image

Scale **P Paranoid**
 P.1 Cognitively Mistrustful
 P.2 Expressively Defensive
 P.3 Projection Mechanism

Items Keyed True

8, 18, 40, 48, 49, 69, 99, 141, 158,
 165, 175
 71, 76, 78, 102, 109, 117, 138,
 149, 153, 162
 10, 22, 34, 134, 148, 151, 156, 173

20, 22, 25, 30, 36, 83, 98, 133, 154, 171
 7, 19, 41, 43, 115, 120, 122, 161, 166
 24, 70, 72, 90, 104, 134, 135, 142, 151

8, 28, 49, 63, 89, 138, 140, 175
 42, 48, 53, 146, 153, 158, 167
 6, 26, 31, 33, 60, 85, 103, 115, 159

Items Keyed False

Appendix E

Base Rate Transformation Tables for the Grossman Facet Scales

Appendix E.1 Base Rate Transformations for Grossman Facet Scales (Males and Females)

Appendix E.1 Base Rate Transformation											Raw Scores		Percentiles (males)	
Facet Scale	0	1	2	3	4	5	6	7	8	9	10	11		
	0	32	48	63	73	84	93	98	100					
1.1	0	27	42	55	65	75	82	90	95	98	100			
1.2	0	26	47	63	77	90	97	99	100					
1.3	0	42	59	69	78	83	91	95	98	100				
2A.1	0	37	51	61	68	75	82	87	93	96	100			
2A.2	0	37	52	64	76	85	93	98	100					
2A.3	0	46	56	66	74	82	91	100						
2B.1	0	42	54	64	73	79	85	91	96	100				
2B.2	0	37	52	63	74	83	92	97	100					
2B.3	0	38	51	61	69	78	86	94	100					
3.1	0	15	32	53	72	84	93	98	100					
3.2	0	56	73	83	92	98	100							
3.3	0	11	21	33	49	73	92	100						
4.1	0	9	17	29	43	65	89	98	100					
4.2	0	9	21	36	60	81	95	100						
4.3	0	9	15	22	31	43	58	76	93	98	100			
5.1	0	35	59	77	89	97	99	100						
5.2	0	51	69	79	88	94	96	98	99	99	100			
5.3	0	23	42	57	70	82	91	97	99	100				
6A.1	0	34	55	70	79	86	92	95	98	99	100			
6A.2	0	49	68	82	90	96	98	99	100					
6A.3	0	43	61	75	85	92	97	99	100					
6B.1	0	34	54	69	83	91	96	99	100					
6B.2	0	44	60	72	81	88	94	97	99	99	99	100		
6B.3	0	3	9	18	31	50	69	89	100					
7.1	0	7	20	43	66	85	100							
7.2	0	6	16	34	54	77	92	100						
7.3	0	28	42	53	62	71	80	87	93	98	100			
8A.1	0	46	64	77	87	94	98	100						
8A.2	0	41	55	66	77	85	93	100						
8A.3	0	52	66	76	83	91	96	98	100					
8B.1	0	26	43	57	71	81	89	96	100					
8B.2	0	43	55	66	73	78	83	88	93	98	100			
8B.3	0	46	58	68	75	81	88	92	95	97	99	100		
S.1	0	50	65	76	84	89	94	97	98	99	100			
S.2	0	43	57	68	78	86	93	98	100					
S.3	0	38	51	61	71	78	85	92	96	98	100			
C.1	0	36	49	64	77	84	91	96	99	100				
C.2	0	46	57	66	73	79	86	91	96	100				
C.3	0	63	77	87	92	96	98	99	100					
P.1	0	55	70	84	93	97	99	100						
P.2	0	42	60	76	87	93	96	99	99	100				
P.3	0													

Appendix F

Noteworthy Responses

Any item below that is marked True is reported as a Noteworthy Response.

Health Preoccupation

- 1. Lately, my strength seems to be draining out of me, even in the morning.
- 4. I feel weak and tired much of the time.
- 11. I have a hard time keeping my balance when walking.
- 37. I very often lose my ability to feel any sensations in parts of my body.
- 55. In recent weeks I feel worn out for no special reason.
- 74. I can't seem to sleep, and wake up just as tired as when I went to bed.
- 75. Lately, I've been sweating a great deal and feel very tense.
- 107. I have completely lost my appetite and have trouble sleeping most nights.
- 130. I don't have the energy to concentrate on my everyday responsibilities anymore.
- 149. I feel shaky and have difficulty falling asleep because painful memories of a past event keep running through my mind.

Interpersonal Alienation

- 10. What few feelings I seem to have I rarely show to the outside world.
- 18. I'm afraid to get really close to another person because it may end up with my being ridiculed or shamed.
- 27. When I have a choice, I prefer to do things alone.
- 48. A long time ago, I decided it's best to have little to do with people.
- 63. Many people have been spying into my private life for years.
- 69. I avoid most social situations because I expect people to criticize or reject me.
- 92. I'm alone most of the time and I prefer it that way.
- 99. In social groups I am almost always very self-conscious and tense.
- 105. I have little desire for close friendships.
- 161. I seem to create situations with others in which I get hurt or feel rejected.

Interpersonal Alienation (continued)

- 165. Other than my family, I have no close friends.
- 167. I take great care to keep my life a private matter so no one can take advantage of me.
- 174. Although I'm afraid to make friendships, I wish I had more than I do.

Emotional Dyscontrol

- 9. I often criticize people strongly if they annoy me.
- 14. Sometimes I can be pretty rough and mean in my relations with my family.
- 22. I'm a very erratic person, changing my mind and feelings all the time.
- 30. Lately, I have begun to feel like smashing things.
- 34. Lately, I have gone all to pieces.
- 77. I have a great deal of trouble trying to control an impulse to drink to excess.
- 83. My moods seem to change a great deal from one day to the next.
- 87. I often get angry with people who do things slowly.
- 96. People have said in the past that I became too interested and too excited about too many things.
- 116. I have had to be really rough with some people to keep them in line.
- 124. When I'm alone and away from home, I often begin to feel tense and panicky.
- 134. I sometimes feel crazy-like or unreal when things start to go badly in my life.

Self-Destructive Potential

- 24. I began to feel like a failure some years ago.
- 44. I feel terribly depressed and sad much of the time now.
- 112. I have been downhearted and sad much of my life since I was quite young.
- 128. I feel deeply depressed for no reason I can figure out.
- 142. I frequently feel there's nothing inside me, like I'm empty and hollow.
- 150. Looking ahead as each day begins makes me feel terribly depressed.
- 151. I've never been able to shake the feeling that I'm worthless to others.
- 154. I have tried to commit suicide.
- 171. I have given serious thought recently to doing away with myself.

Childhood Abuse

- 81. I'm ashamed of some of the abuses I suffered when I was young.
- 132. I hate to think about some of the ways I was abused as a child.

Eating Disorder

- 121. I go on eating binges a couple of times a week.
- 143. I sometimes force myself to vomit after eating.
- 155. I'm willing to starve myself to be even thinner than I am.
- 163. People say I'm a thin person, but I feel that my thighs and backside are much too big.

Appendix G

Score Adjustments

1. Disclosure Adjustment

This section computes the Disclosure adjustment, which is used to adjust the scores for the Clinical Personality Patterns scales (1, 2A, 2B, 3, 4, 5, 6A, 6B, 7, 8A, 8B), the Severe Personality Pathology scales (S, C, P), the Clinical Syndromes scales (A, H, N, D, B, T, R), and the Severe Clinical Syndromes scales (SS, CC, PP).

NOTE: This adjustment is based on the Scale X **RAW** score (**not** the BR score).

- 1-1: In Table 1, locate the raw score range that contains the respondent's Scale X **raw** score.
- 1-2: Find the 1-8B and the S-PP adjustments that correspond to the respondent's **raw** score on Scale X.
- 1-3: Apply the 1-8B adjustment to the BR scores for Scales 1-8B. Apply the S-PP adjustment to the BR scores for Scales S-PP. After the adjustments are applied, any BR values that are less than 0 should be changed to 0, and any BR values that are greater than 115 should be changed to 115.

2. Anxiety/Depression (A/D) Adjustment

The Anxiety/Depression (A/D) adjustment is based on the respondent's Scale A (Anxiety) and Scale D (Dysthymia) scores. The A/D adjustment is applied to Clinical Personality Patterns Scales 2A, 2B, and 8B and to Severe Personality Pathology Scales S and C.

- 2-1: Compute the Anxiety/Depression value, which is used to select the appropriate A/D adjustment based on the BR scores for Scales A and D.
 - **if A and D are both less than 75:**
No A/D adjustment is necessary. Proceed to section 3, "Inpatient Adjustment."
 - **if A is greater than or equal to 75 and D is less than 75:**
Calculate $(A - 75) = A/D$ value. Proceed to step 2-2.
 - **if D is greater than or equal to 75 and A is less than 75:**
Calculate $(D - 75) = A/D$ value. Proceed to step 2-2.
 - **if A and D are both greater than or equal to 75:**
Calculate $[(A - 75) + (D - 75)] = A/D$ value.

Table 1 Disclosure Adjustment Values

Disclosure Adjustment Values			Scale X		
Scale X Raw Score	1-8B Adjustment	S-PP Adjustment	Raw Score	1-8B Adjustment	S-PP Adjustment
0-33 ^a		+10	138	-6	
34	+20	+10	139	-7	-4
35	+20	+10	140	-7	-4
36	+20	+10	141	-7	-4
37	+20	+10	142	-8	-4
38	+19	+10	143	-8	-5
39	+18	+9	144	-9	-5
40	+17	+9	145	-9	-5
41	+17	+9	146	-9	-5
42	+16	+8	147	-10	-5
43	+15	+8	148	-10	-6
44	+14	+7	149	-11	-6
45	+13	+7	150	-11	-6
46	+13	+7	151	-11	-6
47	+12	+6	152	-12	-7
48	+11	+6	153	-12	-7
49	+10	+5	154	-13	-7
50	+9	+5	155	-13	-7
51	+9	+5	156	-13	-7
52	+8	+4	157	-14	-8
53	+7	+4	158	-14	-8
54	+6	+3	159	-15	-8
55	+5	+3	160	-15	-8
56	+5	+3	161	-15	-8
57	+4	+2	162	-16	-9
58	+3	+2	163	-16	-9
59	+2	+1	164	-17	-9
60	+1	+1	165	-17	-9
61-123	None	None	166	-17	-9
124	-1	-1	167	-18	-10
125	-1	-1	168	-18	-10
126	-1	-1	169	-19	-10
127	-2	-2	170	-19	-10
128	-2	-2	171	-19	-10
129	-3	-2	172	-20	-11
130	-3	-2	173	-20	-11
131	-3	-2	174	-20	-11
132	-4	-3	175	-20	-11
133	-4	-3	176	-20	-11
134	-5	-3	177	-20	-11
135	-5	-3	178	-20	-11
136	-5	-3	179+ ^a	-20	-11
137	-6	-4			

^aAn individual's MCMI-III results are considered invalid if the raw score on Scale X is less than 34 or greater than 178. Scoring and/or interpretation of invalid results is not recommended.

- 2-2: Proceed to step 2-2.
Using the result of the preceding calculation (the A/D value), find the A/D adjustments in the appropriate table. Table 2 should be used when the client is not an inpatient, or when the client is an inpatient and the duration of his or her Axis I disorder is more than four weeks. Table 3 should be used when the client is an inpatient and his or her Axis I disorder has been present for less than one week. Table 4 should be used when the client is an inpatient and his or her Axis I disorder has been present for one to four weeks.
- 2-3: Apply the 2B, 8B, C adjustment factor to the BR scores for Scales 2B, 8B, and C. Apply the 2A, S adjustment factor to the BR scores for Scales 2A and S. After the adjustments are applied, any BR values that are less than 0 should be changed to 0, and any BR values that are greater than 115 should be changed to 115.

3. Inpatient Adjustment

The Inpatient adjustment is computed using the client's setting and Axis I duration. It is used to adjust the BR scores for the Severe Clinical Syndromes scales (SS, CC, PP).

3-1: Determine the setting and Axis I duration for the client.

3-2: Determine whether an adjustment should be applied.

If the client:

- is being evaluated using the correctional norms in the *MCMII-III Corrections Report User's Guide*, or
- is not an inpatient, or
- is an inpatient and his or her Axis I symptoms have been present for more than four weeks:
No Inpatient adjustment is necessary.
Proceed to section 4, "Denial/Complaint Adjustment."

If the client:

- is an inpatient and his or her Axis I symptoms have been present less than one week or one to four weeks:
Proceed to step 3-3.

Table 2 Non-Inpatient, or Inpatient and Axis I Duration of More Than Four Weeks

2B, 8B, C		2A, S	
A/D Value	Adjustment	A/D Value	Adjustment
0	-1	0	-1
1	-1	1	-1
2	-1	2	-1
3	-1	3	-1
4	-1	4	-1
5	-1	5	-1
6	-1	6	-1
7	-1	7	-1
8	-1	8-15	-1
9	-1	16-23	-2
10	-2	24-31	-3
11	-2	32-39	-4
12	-2	40-47	-5
13	-2	48-55	-6
14	-2	56-63	-7
15-19	-3	64-71	-8
20-24	-4	72-79	-9
25-29	-5	80	-10
30-34	-6		
35-39	-7		
40-44	-8		
45-49	-9		
50-54	-10		
55-59	-11		
60-64	-12		
65-69	-13		
70-74	-14		
75-80	-15		

3-3: In Table 5, select the appropriate row to find the Inpatient adjustment.

3-4: Apply the Inpatient adjustment to the BR scores for Scales SS, CC, and PP. After the adjustment is applied, any BR values that are less than 0 should be changed to 0, and any BR values that are greater than 115 should be changed to 115.

Table 3 Inpatient and Axis I Duration of Less Than One Week

2B, 8B, C		2A, S	
A/D Value	Adjustment	A/D Value	Adjustment
0	-1	0	-1
1	-1	1	-1
2	-1	2	-1
3	-1	3	-1
4	-1	4	-1
5	-2	5	-1
6	-2	6	-1
7	-2	7	-1
8	-3	8-11	-2
9	-3	12-15	-3
10-12	-4	16-19	-4
13-14	-5	20-23	-5
15-17	-6	24-27	-6
18-19	-7	28-31	-7
20-22	-8	32-35	-8
23-24	-9	36-39	-9
25-27	-10	40-43	-10
28-29	-11	44-47	-11
30-32	-12	48-51	-12
33-34	-13	52-55	-13
35-37	-14	56-59	-14
38-39	-15	60-63	-15
40-80	-15	64-80	-15

4. Denial/Complaint Adjustment

The Denial/Complaint adjustment is computed using a rank ordering of the current BR scores for the Clinical Personality Patterns scales. It is used to adjust the latest BR scores for Scales 4, 5, and 7.

- 4-1:** Determine which of the Clinical Personality Patterns scales (1, 2A, 2B, 3, 4, 5, 6A, 6B, 7, 8A, 8B) is highest based on their current **adjusted BR** scores. Any ties between scales should be broken by giving a higher ranking to the scale that appears first in the following

Table 4 Inpatient and Axis I Duration of One to Four Weeks

2B, 8B, C		2A, S	
A/D Value	Adjustment	A/D Value	Adjustment
0-3	-1	0-5	
4-6	-1	6-10	-1
7-9	-2	11-15	-1
10-13	-3	16-21	-2
14-16	-4	22-26	-3
17-19	-5	27-31	-4
20-23	-6	32-37	-5
24-26	-7	38-42	-6
27-29	-8	43-47	-7
30-33	-9	48-53	-8
34-36	-10	54-58	-9
37-39	-11	59-63	-10
40-43	-12	64-69	-11
44-46	-13	70-74	-12
47-49	-14	75-79	-13
50-53	-15	80	-14
54-80	-15		-15

list: 2B, 6A, 8B, 6B, 2A, 8A, 7, 4, 5, 3, 1.

- 4-2:** The Denial/Complaint adjustment is applied as follows: if the highest ranked Clinical Personality Patterns scale is 4, 5, or 7, the adjustment value is 8. If the highest ranked Clinical Personality Patterns scale is anything else, no adjustment is made.
- 4-3:** Add the 8-point adjustment factor from step 4-2 **only** to the highest ranking scale of Scales 4, 5, and 7. After the adjustment is applied, if the BR value is less than 0, it should be changed to 0. If the BR value is greater than 115, it should be changed to 115.

The resulting BR values are the final BR scores. They are used for all profiling and interpretation.

Table 5 Inpatient Axis I Duration Status

Inpatient/Axis I Duration Status	SS Adjustment	CC Adjustment	PP Adjustment
If setting = Inpatient and Axis I duration = Less than one week	+6	+10	+4
If setting = Inpatient and Axis I duration = One to four weeks	+4	+8	+2

Appendix H

Sample Interpretive Report



MCMI-III™
MILLON™ CLINICAL
MULTIAXIAL INVENTORY-III

MCMI-III™
Millon™ Clinical Multiaxial Inventory-III
Interpretive Report with Grossman Facet Scales
Theodore Millon, PhD, DSc

Name:	Sample Interpretive Report
ID Number:	98765
Age:	21
Gender:	Female
Setting:	Outpatient Never Hospitalized
Race:	White
Marital Status:	Never Married
Date Assessed:	05/03/2012

TRADE SECRET INFORMATION

Not for release under HIPAA or other data disclosure laws that exempt trade secrets from disclosure.

[7.0 / 1 / 2.7.10]

CAPSULE SUMMARY

MCMI-III reports are normed on patients who were in the early phases of assessment or psychotherapy for emotional discomfort or social difficulties. Respondents who do not fit this normative population or who have inappropriately taken the MCMI-III for nonclinical purposes may have inaccurate reports. The MCMI-III report cannot be considered definitive. It should be evaluated in conjunction with additional clinical data. The report should be evaluated by a mental health clinician trained in the use of psychological tests. The report should not be shown to patients or their relatives.

Interpretive Considerations

The client is a 21-year-old single white female with 11 years of education. She is currently being seen as an outpatient, and she reports that she has recently experienced problems that involve her job or school and use of alcohol. These self-reported difficulties, which have occurred for an undetermined period of time, may take the form of an Axis I disorder.

Unless this patient is a well-functioning adult with only minor life stressors, her responses suggest a need for social approval or naivete about psychological matters. This interpretive report should be read with these characteristics in mind.

Profile Severity

On the basis of the test data, it may be reasonable to assume that the patient is experiencing a moderately severe mental disorder; further professional study may be advisable to assess the need for ongoing clinical care. The text of the following interpretive report may need to be modulated only slightly upward or downward given this probable level of severity.

Possible Diagnoses

She appears to fit the following Axis II classifications best: Antisocial Personality Disorder, with Histrionic Personality Features, and Paranoid Personality Features.

Axis I clinical syndromes are suggested by the client's MCMI-III profile in the areas of Alcohol Abuse and Psychoactive Substance Abuse NOS.

Therapeutic Considerations

Superficially gregarious and friendly, this patient can readily become ill-humored and touchy if subjected to persistent social discomfort and external demands. She is disinclined to persevere in routine tasks such as long-term therapeutic compliance, but there may be considerable gain by using short-term treatment regimens that focus on specific goals and time-limited techniques.

MILLON CLINICAL MULTIAXIAL INVENTORY - III
CONFIDENTIAL INFORMATION FOR PROFESSIONAL USE ONLY

INVALIDITY (SCALE V) = 0 INCONSISTENCY (SCALE W) = 4
PERSONALITY CODE: 6A ** - * 4 5 6B 8A 8B 3 + 7 2A * 1 2B ' ' // - * - * //
SYNDROME CODE: B * T * // - * - * //
DEMOGRAPHIC CODE: 98765/ON/F/21/W/N/11/JO/AL/-----/10/-----/

CATEGORY		SCORE		PROFILE OF BR SCORES				DIAGNOSTIC SCALES
		RAW	BR	0	60	75	85	115
MODIFYING INDICES	X	92	56					DISCLOSURE
	Y	17	75					DESIRABILITY
	Z	4	40					DEBASEMENT
CLINICAL PERSONALITY PATTERNS	1	2	24					SCHIZOID
	2A	3	36					AVOIDANT
	2B	1	10					DEPRESSIVE
	3	6	60					DEPENDENT
	4	20	72					HISTRIONIC
	5	15	67					NARCISSISTIC
	6A	17	92					ANTISOCIAL
	6B	8	66					SADISTIC
	7	12	45					COMPULSIVE
	8A	9	66					NEGATIVISTIC
	8B	4	63					MASOCHISTIC
SEVERE PERSONALITY PATHOLOGY	S	4	62					SCHIZOTYPAL
	C	5	60					BORDERLINE
	P	9	67					PARANOID
CLINICAL SYNDROMES	A	1	20					ANXIETY
	H	0	0					SOMATOFORM
	N	7	66					BIPOLAR: MANIC
	D	4	48					DYSTHYMIA
	B	12	88					ALCOHOL DEPENDENCE
	T	11	79					DRUG DEPENDENCE
	R	0	0					POST-TRAUMATIC STRESS
SEVERE CLINICAL SYNDROMES	SS	1	15					THOUGHT DISORDER
	CC	0	0					MAJOR DEPRESSION
	PP	4	65					DELUSIONAL DISORDER

MILLON CLINICAL MULTIAXIAL INVENTORY - III
CONFIDENTIAL INFORMATION FOR PROFESSIONAL USE ONLY

FACET SCORES FOR HIGHEST PERSONALITY SCALES BR 65 OR HIGHER

HIGHEST PERSONALITY SCALE BR 65 OR HIGHER: SCALE 6A Antisocial

SCALE	SCORE		0	PROFILE OF BR SCORES					FACET SCALES
	RAW	BR		60	70	80	90	100	
6A.1	4	70							Expressively Impulsive
6A.2	8	98							Acting-Out Mechanism
6A.3	2	68							Interpersonally Irresponsible

SECOND-HIGHEST PERSONALITY SCALE BR 65 OR HIGHER: SCALE 4 Histrionic

SCALE	SCORE		0	PROFILE OF BR SCORES					FACET SCALES
	RAW	BR		60	70	80	90	100	
4.1	7	100							Gregarious Self-Image
4.2	5	65							Interpersonally Attention-Seeking
4.3	5	81							Expressively Dramatic

THIRD-HIGHEST PERSONALITY SCALE BR 65 OR HIGHER: SCALE P Paranoid

SCALE	SCORE		0	PROFILE OF BR SCORES					FACET SCALES
	RAW	BR		60	70	80	90	100	
P.1	3	87							Cognitively Mistrustful
P.2	1	55							Expressively Defensive
P.3	3	76							Projection Mechanism

MILLON CLINICAL MULTIAXIAL INVENTORY - III
CONFIDENTIAL INFORMATION FOR PROFESSIONAL USE ONLY

COMPLETE LISTING OF MCMI-III GROSSMAN FACET SCALE SCORES

		RAW	BR			RAW	BR
1	Schizoid	0	0	6B	Sadistic		
1.1	Temperamentally Apathetic	1	27	6B.1	Temperamentally Hostile	2	61
1.2	Interpersonally Unengaged	2	47	6B.2	Eruptive Organization	5	91
1.3	Expressively Impassive			6B.3	Pernicious Representations	3	72
2A	Avoidant	1	42	7	Compulsive		
2A.1	Interpersonally Aversive	1	37	7.1	Cognitively Constricted	6	69
2A.2	Alienated Self-Image	0	0	7.2	Interpersonally Respectful	4	66
2A.3	Vexatious Representations			7.3	Reliable Self-Image	1	6
2B	Depressive	0	0	8A	Negativistic		
2B.1	Temperamentally Woeful	2	54	8A.1	Temperamentally Irritable	3	53
2B.2	Worthless Self-Image	0	0	8A.2	Expressively Resentful	2	64
2B.3	Cognitively Fatalistic			8A.3	Discontented Self-Image	2	55
3	Dependent	3	61	8B	Masochistic		
3.1	Inept Self-Image	3	53	8B.1	Discredited Representations	1	52
3.2	Interpersonally Submissive	0	0	8B.2	Cognitively Diffident	4	71
3.3	Immature Representations			8B.3	Undeserving Self-Image	1	43
4	Histrionic	7	100	S	Schizotypal		
4.1	Gregarious Self-Image	5	65	S.1	Estranged Self-Image	4	75
4.2	Interpersonally Attention-Seeking	5	81	S.2	Cognitively Autistic	0	0
4.3	Expressively Dramatic			S.3	Chaotic Representations	0	0
5	Narcissistic	7	76	C	Borderline		
5.1	Admirable Self-Image	2	59	C.1	Temperamentally Labile	0	0
5.2	Cognitively Expansive	1	51	C.2	Interpersonally Paradoxical	5	84
5.3	Interpersonally Exploitive			C.3	Uncertain Self-Image	1	46
6A	Antisocial	4	70	P	Paranoid		
6A.1	Expressively Impulsive	8	98	P.1	Cognitively Mistrustful	3	87
6A.2	Acting-Out Mechanism	2	68	P.2	Expressively Defensive	1	55
6A.3	Interpersonally Irresponsible			P.3	Projection Mechanism	3	76

For each of the Clinical Personality Patterns and Severe Personality Pathology scales (the scale names shown in **bold**), scores on the three facet scales are shown beneath the scale name.

RESPONSE TENDENCIES

Unless this patient is a demonstrably well-functioning adult who is currently facing minor life stressors, her responses suggest (1) a well-established need for social approval and commendation, evident in tendencies to present herself in a favorable light, or (2) a general naivete about psychological matters, including a possible deficit in self-knowledge. The interpretation of this profile should be made with these characteristics in mind.

No adjustments were made to the BR scores of this individual to account for any undesirable response tendencies.

AXIS II: PERSONALITY PATTERNS

The following paragraphs refer to those enduring and pervasive personality traits that underlie this woman's emotional, cognitive, and interpersonal difficulties. Rather than focus on the largely transitory symptoms that make up Axis I clinical syndromes, this section concentrates on her more habitual and maladaptive methods of relating, behaving, thinking, and feeling.

The MCMI-III profile of this woman suggests a veneer of friendliness and sociability overlying a deeper contempt for conventional morals. Although she is able to make a good impression on casual acquaintances, there is a characteristic unreliability, impulsiveness, restlessness, and moodiness that may be seen frequently by family members and close associates. There is the possibility that she is untrustworthy and unreliable, persistently seeking attention and excitement and often engaging in seductive and self-dramatizing behavior. Her relationships may be shallow and fleeting, and she may fail to meet routine responsibilities. Interactions may be disrupted by caustic comments and hostile outbursts. Not infrequently, she may act impetuously with insufficient deliberation and poor judgment. She also tends to exhibit short-lived enthusiasm followed by disillusionment and resentment at having been misled. The referring clinician may wish to corroborate these hypotheses as well as those in subsequent paragraphs.

This woman is unlikely to admit responsibility for personal or family difficulties, possessing what may be an easily circumvented conscience. Moreover, she may be quite facile in denying the presence of psychological tension or conflicts. Interpersonal problems are likely to be rationalized, especially those that she engenders, and blame may readily be projected onto others. Although she is prone to be self-indulgent and insistent on gaining the center of attention, she may reciprocate this attention with only minimal loyalty and affection.

When her actions are criticized or she is subjected to minor pressures or faced with potential embarrassment, she may be inclined to abandon her responsibilities, possibly with minimal guilt or remorse. Unfettered by the restrictions of social conventions or the restraints of personal loyalties, she may be quick to free herself from unwanted obligations. Her superficial affability may easily collapse, and she may be readily inclined to jettison anyone who might undermine her autonomy. Although infrequent, her temper outbursts may turn into uncontrollable rages. More typically, she is impetuous and imprudent, driven by a need for excitement and an inability to delay gratification, with minimal regard for consequences. Stimulus-seeking, she may restlessly chase one capricious whim after another, and she may have traveled an erratic course of irresponsibility, perhaps even delighting in defying social

conventions. She appears to have a poor prognosis for staying out of trouble.

GROSSMAN PERSONALITY FACET SCALES

The Grossman facet scales are designed to aid in the interpretation of elevations on the Clinical Personality Patterns and Severe Personality Pathology scales by helping to pinpoint the specific personality processes (e.g., self-image, interpersonal relations) that underlie overall scale elevations. A careful analysis of this patient's facet scale scores suggests that the following characteristics are among her most prominent personality features.

Most notable is her view of herself as a socially stimulating and charming person, one who seeks to pursue a busy and pleasure-oriented lifestyle and is invariably perceived by others as appealing and attractive. She probably lacks insight, however, failing to recognize, or to admit recognizing, her deeper insecurities and her desperate need to garner attention and to be well liked. Signs of inner turmoil, weakness, depression, or hostility are almost invariably denied, suppressed so as not to be part of her sense of self.

Also salient are her failure to constrain or postpone the expression of offensive thoughts or malevolent actions, a deficit in guilt feelings, and a consequent disinclination to refashion repugnant impulses in sublimated form. Given her perception of the environment, she does not feel the need to rationalize her outbursts, which she believes are fully justified as a response to the supposed malevolence of others. She experiences herself as the victim, an indignant bystander subjected to persecution and hostility. Through this intrapsychic maneuver, she not only disowns her malicious impulses but attributes the evil to others. As a persecuted victim, she feels free to counterattack and gain restitution and vindication.

Also worthy of attention are her suspiciousness regarding the motives of others and her tendency to misconstrue innocuous events as signifying proof of duplicity or conspiratorial intent. Her learned feelings and attitudes have produced deep mistrust and pervasive suspiciousness of others. She is notoriously oversensitive and disposed to detect signs of trickery and deception everywhere. She is preoccupied with these thoughts, actively picking up minute cues, then magnifying and distorting them so as to confirm her worst expectations. To further complicate matters, events that fail to confirm her suspicions are evidence in her mind of just how deceitful and clever others can be.

Early treatment efforts are likely to produce optimal results if they are oriented toward modifying the personality features just described.

AXIS I: CLINICAL SYNDROMES

The features and dynamics of the following Axis I clinical syndromes appear worthy of description and analysis. They may arise in response to external precipitants but are likely to reflect and accentuate several of the more enduring and pervasive aspects of this woman's basic personality makeup.

The evidence is strong that this woman exhibits an alcoholic disorder, probably contained within the context of a pervasive substance-abuse syndrome. Her excessive drinking may also be seen, as well as understood, within the context of a broad-based, somewhat self-indulgent, and excitement-seeking

lifestyle. Hedonistic and manipulative, she may use alcohol to maintain the camaraderie of youthful socializing. In addition to accommodating her immature, pleasure-oriented, and exploitive traits, alcoholism permits her to express a number of narcissistic attitudes, antiauthority resentments, an unwillingness to tolerate the limits of conventional society, and rejection of traditional family constraints.

An addictive disposition, probably involving active use of illicit or street agents, seems highly probable in this woman, who is hedonistic and exploitive. That drug use fits her recreational pattern of adolescent-like stimulus seeking and narcissistic indulgence is likely. Also consonant with her personality is the use of drugs as a symbol of disdain for conventional social values as well as an image of flouting authority that includes the posturing of independence from her family.

NOTEWORTHY RESPONSES

The client answered the following statements in the direction noted in parentheses. These items suggest specific problem areas that the clinician may wish to investigate.

Health Preoccupation

No items endorsed.

Interpersonal Alienation

- 48. A long time ago, I decided it's best to have little to do with people. (True)
- 63. Many people have been spying into my private life for years. (True)

Emotional Dyscontrol

- 14. Sometimes I can be pretty rough and mean in my relations with my family. (True)

Self-Destructive Potential

- 24. I began to feel like a failure some years ago. (True)

Childhood Abuse

No items endorsed.

Eating Disorder

No items endorsed.

POSSIBLE DSM-IV® MULTIAXIAL DIAGNOSES

The following diagnostic assignments should be considered judgments of personality and clinical prototypes that correspond conceptually to formal diagnostic categories. The diagnostic criteria and items used in the MCMIII differ somewhat from those in the DSM-IV, but there are sufficient parallels in the MCMIII items to recommend consideration of the following assignments. It should be noted that several DSM-IV Axis I syndromes are not assessed in the MCMIII. Definitive diagnoses must draw on biographical, observational, and interview data in addition to self-report inventories such as the MCMIII.

Axis I: Clinical Syndrome

The major complaints and behaviors of the patient parallel the following Axis I diagnoses, listed in order of their clinical significance and salience.

- 305.00 Alcohol Abuse
- 305.90 Psychoactive Substance Abuse NOS

Axis II: Personality Disorders

Deeply ingrained and pervasive patterns of maladaptive functioning underlie Axis I clinical syndromal pictures. The following personality prototypes correspond to the most probable *DSM-IV* diagnoses (Disorders, Traits, Features) that characterize this patient.

Personality configuration composed of the following:

- 301.70 Antisocial Personality Disorder
with Histrionic Personality Features
and Paranoid Personality Features

Course: The major personality features described previously reflect long-term or chronic traits that are likely to have persisted for several years prior to the present assessment.

The clinical syndromes described previously tend to be relatively transient, waxing and waning in their prominence and intensity depending on the presence of environmental stress.

Axis IV: Psychosocial and Environmental Problems

In completing the MCMI-III, this individual identified the following problems that may be complicating or exacerbating her present emotional state. They are listed in order of importance as indicated by the client. This information should be viewed as a guide for further investigation by the clinician.

Job or School Problems; Use of Alcohol

TREATMENT GUIDE

If additional clinical data are supportive of the MCMI-III's hypotheses, it is likely that this patient's difficulties can be managed with either brief or extended therapeutic methods. The following guide to treatment planning is oriented toward issues and techniques of a short-term character, focusing on matters that might call for immediate attention, followed by time-limited procedures designed to reduce the likelihood of repeated relapses.

Worthy of note is the possibility of a troublesome alcohol and/or substance-abuse disorder. If verified, appropriate short-term behavioral management or group therapy programs should be rapidly implemented.

Once this patient's more pressing or acute difficulties are adequately stabilized, attention should be directed toward goals that would aid in preventing a recurrence of problems, focusing on circumscribed issues and employing delimited methods such as those discussed in the following paragraphs.

Essential to the success of a short-term approach with this woman is the therapist's readiness to see things from the patient's point of view and to convey a sense of trust and to create a feeling of alliance. To achieve reasonable short-term goals, this building of rapport must not be interpreted as a sign of the therapist's capitulation to the patient's bluff and arrogance. Brief treatment with her will require a balance of professional firmness and authority, mixed with tolerance for the patient's less attractive traits. By building an image of a fair-minded and strong authority figure, the therapist may successfully employ cognitive methods that will encourage the patient to change her expectations. Through reasoned and convincing comments, the therapist may provide a model for the patient to learn the mix of power, logic and fairness.

Less confrontive cognitive approaches may provide the patient with opportunities to vent her anger, even in short-term therapy. Once drained of these hostile feelings, she may be led to examine her habitual behavior and cognitive attitudes and be guided into less destructive perceptions and outlets than before. Interpersonal methods, such as those of Benjamin and Kiesler, may provide a means to explore more socially acceptable behaviors. As far as group methods are concerned, until the patient has incorporated changed cognitions and actions, she may intrude and disrupt therapeutic functions. On the other hand, she may become a useful catalyst for short-term group interaction and gain some useful insights and a few constructive skills.

A useful short-term goal for this woman is to enable her to tolerate the experience of guilt or to accept blame for the turmoil she may cause. Cognitive methods using a measure of confrontation may help undermine her tendency to always trace problems to another person's stupidity, laziness, or hostility. When she does accept responsibility for some of her difficulties it is important that the therapist be prepared to deal with the patient's inclination to resent the therapist for supposedly tricking her into admitting it. Similarly, the therapist should be ready to be challenged and avoid efforts to outwit her. The patient may try to set up situations to test the therapist's skills, to catch inconsistencies, to arouse ire and, if possible, to belittle and humiliate the therapist. Restraining impulses to express condemning attitudes can be a major task for the therapist, but one that can be used for positive gains, especially if tied into the application of combined cognitive (e.g., Beck, Ellis) and interpersonal interventions.

It should be noted that the precipitant for this woman's treatment is probably situational rather than internal. Hence, she is unlikely to have sought therapy voluntarily, and she may be convinced that if she were just left alone, she could work matters out on her own. Such beliefs will have to be confronted, albeit carefully. Similarly, if treatment is self-motivated, it probably was inspired by a series of legal entanglements, family problems, social humiliations, or achievement failures. Whatever its source, a firm cognitive and behavior-change approach would seem required. For this domineering and often intimidating woman, complaints are likely to be expressed in the form of irritability and restlessness. To succeed in her initial disinclination to be frank with authority figures, she may wander from one superficial topic to another. This inclination should be monitored and prevented. Moreover, contact with family members may be advisable because they may report matters quite differently than the patient. To ensure that she takes discussions seriously, she may have to be confronted directly with evidence of her contribution to her troubles. Treatment is best geared to short-term goals, reestablishing her psychic balance, and strengthening her previously adequate coping behavior with cognitive methods, unless her actions are frankly antisocial. In general, short-term approaches with this patient are best directed toward building controls rather than insights, toward the here and now rather than the past, and toward teaching her ways to sustain relationships cooperatively rather than with dominance and intimidation.

End of Report

NOTE: This and previous pages of this report contain trade secrets and are not to be released in response to requests under HIPAA (or any other data disclosure law that exempts trade secret information from release). Further, release in response to litigation discovery demands should be made only in accordance with your profession's ethical guidelines and under an appropriate protective order.

ITEM RESPONSES

1: 2	2: 1	3: 1	4: 2	5: 2	6: 1	7: 1	8: 1	9: 2	10: 2
11: 2	12: 2	13: 1	14: 1	15: 2	16: 1	17: 1	18: 2	19: 2	20: 2
21: 1	22: 2	23: 2	24: 1	25: 2	26: 2	27: 2	28: 2	29: 2	30: 2
31: 2	32: 1	33: 2	34: 2	35: 2	36: 2	37: 2	38: 2	39: 2	40: 1
41: 1	42: 2	43: 2	44: 2	45: 1	46: 2	47: 2	48: 1	49: 1	50: 2
51: 1	52: 1	53: 2	54: 1	55: 2	56: 1	57: 1	58: 2	59: 1	60: 1
61: 2	62: 2	63: 1	64: 2	65: 2	66: 1	67: 1	68: 2	69: 2	70: 2
71: 2	72: 2	73: 2	74: 2	75: 2	76: 2	77: 2	78: 2	79: 2	80: 1
81: 2	82: 2	83: 2	84: 2	85: 2	86: 2	87: 2	88: 1	89: 2	90: 2
91: 2	92: 2	93: 2	94: 2	95: 2	96: 2	97: 1	98: 2	99: 2	100: 2
101: 1	102: 2	103: 2	104: 2	105: 2	106: 2	107: 2	108: 2	109: 2	110: 2
111: 2	112: 2	113: 1	114: 1	115: 1	116: 2	117: 2	118: 2	119: 2	120: 2
121: 2	122: 1	123: 2	124: 2	125: 2	126: 2	127: 2	128: 2	129: 2	130: 2
131: 1	132: 2	133: 2	134: 2	135: 2	136: 1	137: 2	138: 2	139: 2	140: 2
141: 2	142: 2	143: 2	144: 2	145: 2	146: 2	147: 2	148: 2	149: 2	150: 2
151: 2	152: 2	153: 2	154: 2	155: 2	156: 2	157: 2	158: 2	159: 2	160: 2
161: 2	162: 2	163: 2	164: 2	165: 2	166: 1	167: 2	168: 2	169: 2	170: 2
171: 2	172: 2	173: 2	174: 2	175: 2					

Appendix I

Sample Profile Report



MCMII-III™
MILLON™ CLINICAL
MULTIAXIAL INVENTORY-III

MCMII-III™
Millon™ Clinical Multiaxial Inventory-III
Profile Report with Grossman Facet Scales
Theodore Millon, PhD, DSc

Name:	Sample Profile Report
ID Number:	12345
Age:	34
Gender:	Female
Setting:	Outpatient Never Hospitalized
Race:	Hispanic
Marital Status:	First Marriage
Date Assessed:	07/11/2012

TRADE SECRET INFORMATION

Not for release under HIPAA or other data disclosure laws that exempt trade secrets from disclosure.

[7.0 / 1 / 2.7.10]

INTERPRETIVE CONSIDERATIONS

MCMI-III reports are normed on patients who were in the early phases of assessment or psychotherapy for emotional discomfort or social difficulties. Respondents who do not fit this normative population or who have inappropriately taken the MCMI-III for nonclinical purposes may have inaccurate reports. The MCMI-III report cannot be considered definitive. It should be evaluated in conjunction with additional clinical data. The report should be evaluated by a mental health clinician trained in the use of psychological tests. The report should not be shown to patients or their relatives.

The client is a 34-year-old married Hispanic female with 13 years of education. She is currently being seen as an outpatient, and she reports that she has recently experienced problems that involve illness or fatigue and low self-confidence. These self-reported difficulties, which have occurred in the last one to four weeks, may take the form of an Axis I disorder.

The BR scores reported for this individual have been modified to account for the psychic tension indicated by the elevation on Scale A (Anxiety).

MILLON CLINICAL MULTIAXIAL INVENTORY - III
CONFIDENTIAL INFORMATION FOR PROFESSIONAL USE ONLY

INVALIDITY (SCALE V) = 0 INCONSISTENCY (SCALE W) = 5
PERSONALITY CODE: 3 * - * 2A 7 8B 2B 1 6A + 4 " 8A 5 6B ' ' // - * - * //
SYNDROME CODE: A * - * // - * CC * //
DEMOGRAPHIC CODE: 12345/ON/F/34/H/F/13/IL/SC/30030/2/-----/

CATEGORY		SCORE		PROFILE OF BR SCORES				DIAGNOSTIC SCALES
		RAW	BR	0	60	75	85	115
MODIFYING INDICES	X	87	53					DISCLOSURE
	Y	13	59					DESIRABILITY
	Z	13	61					DEBASEMENT
CLINICAL PERSONALITY PATTERNS	1	5	60					SCHIZOID
	2A	8	69					AVOIDANT
	2B	8	67					DEPRESSIVE
	3	15	89					DEPENDENT
	4	11	44					HISTRIONIC
	5	5	25					NARCISSISTIC
	6A	5	60					ANTISOCIAL
	6B	2	24					SADISTIC
	7	20	69					COMPULSIVE
	8A	3	30					NEGATIVISTIC
SEVERE PERSONALITY PATHOLOGY	8B	7	69					MASOCHISTIC
	S	3	58					SCHIZOTYPAL
	C	3	33					BORDERLINE
CLINICAL SYNDROMES	P	0	0					PARANOID
	A	12	91					ANXIETY
	H	7	66					SOMATOFORM
	N	2	24					BIPOLAR: MANIC
	D	6	62					DYSTHYMIA
	B	3	60					ALCOHOL DEPENDENCE
	T	4	63					DRUG DEPENDENCE
SEVERE CLINICAL SYNDROMES	R	3	45					POST-TRAUMATIC STRESS
	SS	5	62					THOUGHT DISORDER
	CC	7	75					MAJOR DEPRESSION
SYNDROMES	PP	0	0					DELUSIONAL DISORDER

MILLON CLINICAL MULTIAXIAL INVENTORY - III
CONFIDENTIAL INFORMATION FOR PROFESSIONAL USE ONLY

FACET SCORES FOR HIGHEST PERSONALITY SCALES BR 65 OR HIGHER

HIGHEST PERSONALITY SCALE BR 65 OR HIGHER: SCALE 3 Dependent

SCALE	SCORE		0	PROFILE OF BR SCORES					FACET SCALES
	RAW	BR		60	70	80	90	100	
3.1	5	78							Inept Self-Image
3.2	6	93							Interpersonally Submissive
3.3	1	56							Immature Representations

SECOND-HIGHEST PERSONALITY SCALE BR 65 OR HIGHER: SCALE 2A Avoidant

SCALE	SCORE		0	PROFILE OF BR SCORES					FACET SCALES
	RAW	BR		60	70	80	90	100	
2A.1	1	42							Interpersonally Aversive
2A.2	5	75							Alienated Self-Image
2A.3	2	52							Vexatious Representations

THIRD-HIGHEST PERSONALITY SCALE BR 65 OR HIGHER: SCALE 7 Compulsive

SCALE	SCORE		0	PROFILE OF BR SCORES					FACET SCALES
	RAW	BR		60	70	80	90	100	
7.1	6	69							Cognitively Constricted
7.2	5	85							Interpersonally Respectful
7.3	4	54							Reliable Self-Image

MILLON CLINICAL MULTIAXIAL INVENTORY - III
CONFIDENTIAL INFORMATION FOR PROFESSIONAL USE ONLY

COMPLETE LISTING OF MCMII-III GROSSMAN FACET SCALE SCORES

		RAW	BR			RAW	BR
1	Schizoid			6B	Sadistic		
1.1	Temperamentally Apathetic	3	63	6B.1	Temperamentally Hostile	0	0
1.2	Interpersonally Unengaged	4	65	6B.2	Eruptive Organization	2	54
1.3	Expressively Impassive	4	77	6B.3	Pernicious Representations	0	0
2A	Avoidant			7	Compulsive		
2A.1	Interpersonally Aversive	1	42	7.1	Cognitively Constricted	6	69
2A.2	Alienated Self-Image	5	75	7.2	Interpersonally Respectful	5	85
2A.3	Vexatious Representations	2	52	7.3	Reliable Self-Image	4	54
2B	Depressive			8A	Negativistic		
2B.1	Temperamentally Woeful	2	56	8A.1	Temperamentally Irritable	1	28
2B.2	Worthless Self-Image	4	73	8A.2	Expressively Resentful	1	46
2B.3	Cognitively Fatalistic	2	52	8A.3	Discontented Self-Image	4	77
3	Dependent			8B	Masochistic		
3.1	Inept Self-Image	5	78	8B.1	Discredited Representations	1	52
3.2	Interpersonally Submissive	6	93	8B.2	Cognitively Diffident	7	96
3.3	Immature Representations	1	56	8B.3	Undeserving Self-Image	3	66
4	Histrionic			S	Schizotypal		
4.1	Gregarious Self-Image	4	49	S.1	Estranged Self-Image	2	58
4.2	Interpersonally Attention-Seeking	4	43	S.2	Cognitively Autistic	1	50
4.3	Expressively Dramatic	4	60	S.3	Chaotic Representations	1	43
5	Narcissistic			C	Borderline		
5.1	Admirable Self-Image	3	22	C.1	Temperamentally Labile	2	51
5.2	Cognitively Expansive	1	35	C.2	Interpersonally Paradoxical	1	36
5.3	Interpersonally Exploitive	0	0	C.3	Uncertain Self-Image	3	66
6A	Antisocial			P	Paranoid		
6A.1	Expressively Impulsive	1	23	P.1	Cognitively Mistrustful	0	0
6A.2	Acting-Out Mechanism	3	70	P.2	Expressively Defensive	0	0
6A.3	Interpersonally Irresponsible	0	0	P.3	Projection Mechanism	0	0

For each of the Clinical Personality Patterns and Severe Personality Pathology scales (the scale names shown in **bold**), scores on the three facet scales are shown beneath the scale name.

NOTEWORTHY RESPONSES

The client answered the following statements in the direction noted in parentheses. These items suggest specific problem areas that the clinician may wish to investigate.

Health Preoccupation

- 1. Lately, my strength seems to be draining out of me, even in the morning. (True)
- 4. I feel weak and tired much of the time. (True)
- 74. I can't seem to sleep, and wake up just as tired as when I went to bed. (True)
- 75. Lately, I've been sweating a great deal and feel very tense. (True)
- 107. I have completely lost my appetite and have trouble sleeping most nights. (True)

Interpersonal Alienation

- 27. When I have a choice, I prefer to do things alone. (True)
- 99. In social groups I am almost always very self-conscious and tense. (True)

Emotional Dyscontrol

- 34. Lately, I have gone all to pieces. (True)
- 124. When I'm alone and away from home, I often begin to feel tense and panicky. (True)

Self-Destructive Potential

- 24. I began to feel like a failure some years ago. (True)

Childhood Abuse

No items endorsed.

Eating Disorder

No items endorsed.

End of Report

NOTE: This and previous pages of this report contain trade secrets and are not to be released in response to requests under HIPAA (or any other data disclosure law that exempts trade secret information from release). Further, release in response to litigation discovery demands should be made only in accordance with your profession's ethical guidelines and under an appropriate protective order.

ITEM RESPONSES

1: 1	2: 1	3: 2	4: 1	5: 2	6: 2	7: 2	8: 2	9: 2	10: 2
11: 2	12: 2	13: 2	14: 2	15: 1	16: 1	17: 1	18: 2	19: 2	20: 2
21: 1	22: 2	23: 2	24: 1	25: 1	26: 2	27: 1	28: 2	29: 1	30: 2
31: 2	32: 2	33: 2	34: 1	35: 1	36: 2	37: 2	38: 2	39: 2	40: 1
41: 1	42: 2	43: 2	44: 2	45: 1	46: 2	47: 1	48: 2	49: 2	50: 2
51: 2	52: 2	53: 2	54: 2	55: 2	56: 2	57: 2	58: 2	59: 2	60: 2
61: 1	62: 2	63: 2	64: 2	65: 2	66: 2	67: 2	68: 2	69: 2	70: 1
71: 2	72: 2	73: 1	74: 1	75: 1	76: 1	77: 2	78: 2	79: 2	80: 1
81: 2	82: 1	83: 2	84: 1	85: 2	86: 1	87: 2	88: 2	89: 2	90: 2
91: 2	92: 2	93: 2	94: 2	95: 2	96: 2	97: 1	98: 2	99: 1	100: 2
101: 2	102: 2	103: 2	104: 2	105: 2	106: 2	107: 1	108: 2	109: 2	110: 2
111: 2	112: 2	113: 2	114: 1	115: 2	116: 2	117: 2	118: 2	119: 2	120: 2
121: 2	122: 2	123: 2	124: 1	125: 2	126: 2	127: 2	128: 2	129: 2	130: 2
131: 2	132: 2	133: 1	134: 2	135: 1	136: 1	137: 2	138: 2	139: 2	140: 2
141: 2	142: 2	143: 2	144: 2	145: 2	146: 2	147: 1	148: 2	149: 2	150: 2
151: 2	152: 2	153: 2	154: 2	155: 2	156: 2	157: 2	158: 2	159: 2	160: 2
161: 2	162: 2	163: 2	164: 2	165: 2	166: 2	167: 2	168: 2	169: 1	170: 1
171: 2	172: 1	173: 2	174: 2	175: 2					

Appendix J

Descriptions of the Grossman Facet Scales

Schizoid (Scale 1) Facets

- 1.1 *Temperamentally Apathetic:* Is emotionally unexcitable, exhibiting an intrinsic unfeeling, cold, stark quality. Reports weak affectionate or erotic needs, rarely displaying warm or intense feelings. Is apparently unable to experience most affects—pleasure, sadness, or anger—in any depth.
- 1.2 *Interpersonally Unengaged:* Seems indifferent and remote, rarely responsive to the actions or feelings of others. Chooses solitary activities and has minimal “human” interests. Fades into the background. Is aloof or unobtrusive. Neither desires nor enjoys close relationships, preferring a peripheral role in social, school, and family settings.
- 1.3 *Expressively Impassive:* Appears to be in an inert emotional state, lifeless, undemonstrative, and lacking in energy and vitality. Is unmoved, boring, unanimated, robotic, phlegmatic. Displays deficits in activation, motoric expressiveness, and spontaneity.

Avoidant (Scale 2A) Facets

- 2A.1 *Interpersonally Aversive:* Distances him- or herself from activities that involve intimate personal relationships and reports an extensive history of social anxiety and distrust. Seeks acceptance but is unwilling to get involved unless certain to be liked, maintaining distance and privacy to avoid being shamed and humiliated.
- 2A.2 *Alienated Self-Image:* Sees him- or herself as socially inept, inadequate, and inferior, thereby justifying his or her isolation from and rejection by others. Feels personally unappealing, devalues his or her achievements, and reports a persistent sense of aloneness and emptiness.
- 2A.3 *Vexatious Representations:* Has internalized representations that are composed of readily reactivated, intense, and conflict-ridden memories of problematic early relations, limited avenues for experiencing or recalling gratification, and few mechanisms to channel needs, bind impulses, resolve conflicts, or deflect external stressors.

Depressive (Scale 2B) Facets

- 2B.1 *Temperamentally Woeful:* Is typically melancholic, gloomy, tearful, joyless, and morose. Worries and broods continually. Low spirits and dysphoric state rarely remit.

- 2B.2 *Worthless Self-Image*: Judges him- or herself to be of no account, valueless to self or others, inadequate, and unsuccessful in all aspirations. Feels barren, sterile, and impotent. Sees self as inconsequential and reproachable if not contemptible, a person who should be criticized and derogated and who should feel guilty for having no praiseworthy traits or achievements.
- 2B.3 *Cognitively Fatalistic*: Has defeatist and fatalistic attitudes about almost all matters. Sees things in their blackest form and invariably expects the worst. Feels weighed down, discouraged, and bleak. Gives the gloomiest interpretation of current events, feeling that things will never improve.

Dependent (Scale 3) Facets

- 3.1 *Inept Self-Image*: Views self as weak, fragile, and inadequate. Exhibits lack of self-confidence by belittling own attitudes and competencies and hence is not capable of doing things on his or her own.
- 3.2 *Interpersonally Submissive*: Needs excessive advice and reassurance. Subordinates him- or herself to a stronger, nurturing figure, without whom he or she may feel anxiously alone and helpless. Is compliant, conciliatory, and placating, afraid of being left to care for him- or herself.
- 3.3 *Immature Representations*: Has internalized representations that are composed of infantile impressions of others, unsophisticated ideas, incomplete recollections, rudimentary drives, childlike impulses, and minimal competencies to manage and resolve stressors.

Histrionic (Scale 4) Facets

- 4.1 *Gregarious Self-Image*: Views him- or herself as sociable, stimulating, and charming. Enjoys the image of attracting acquaintances by physical appearance and by pursuing a busy and pleasure-oriented life.
- 4.2 *Interpersonally Attention-Seeking*: Actively solicits praise and manipulates others to gain needed reassurance, attention, and approval. Is demanding, flirtatious, vain, and seductively exhibitionistic, especially when wishing to be the center of attention.
- 4.3 *Expressively Dramatic*: Is overreactive, volatile, provocative, and engaging. Is intolerant of inactivity, resulting in impulsive, highly emotional, and theatrical responsiveness. Describes penchant for momentary excitement, fleeting adventures, and shortsighted hedonism.

Narcissistic (Scale 5) Facets

- 5.1 *Admirable Self-Image*: Believes him- or herself to be meritorious, special, unique, and deserving of great admiration. Acts in a grandiose or self-assured manner, often without parallel achievements. Has a very strong sense of self-worth despite being seen by others as egotistic, inconsiderate, and arrogant.
- 5.2 *Cognitively Expansive*: Has an undisciplined imagination and exhibits a preoccupation with immature and self-glorifying fantasies of success, beauty, or love. Is minimally constrained by objective reality, takes liberties with facts, and often lies to redeem illusions about him- or herself.
- 5.3 *Interpersonally Exploitive*: Feels entitled, is unempathic, and expects special favors without assuming reciprocal responsibilities. Shamelessly takes others for granted and uses them to enhance self and indulge desires.

Antisocial (Scale 6A) Facets

- 6A.1 *Expressively Impulsive*: Is impetuous and irrepressible, acting hastily and spontaneously in a restless, spur-of-the-moment manner. Is short-sighted, careless, and imprudent, failing to plan ahead, consider alternatives, or heed consequences.

- 6A.2 *Acting-Out Mechanism*: Avoids inner tensions through the unconstrained expression of offensive thoughts and malevolent actions. Does not refashion socially repugnant impulses in sublimated forms but discharges them directly in precipitous ways, usually without guilt or remorse.
- 6A.3 *Interpersonally Irresponsible*: Is untrustworthy and unreliable, failing to meet or intentionally negating personal obligations. Actively intrudes on and violates the rights of others. Transgresses established social codes through deceitful or illegal behavior.

Sadistic (Scale 6B) Facets

- 6B.1 *Temperamentally Hostile*: Has an excitable and irritable temper that flares readily into contentious arguments and physical belligerence. Is cruel, mean-spirited, and fractious, willing to do harm or even persecute others to get his or her way.
- 6B.2 *Eruptive Organization*: Although he or she has a generally cohesive morphologic structure composed of routinely adequate modulating controls, defenses, and expressive channels, surging powerful and explosive energies of an aggressive and sexual nature threaten to produce precipitous outbursts that periodically overwhelm and overrun otherwise competent restraints.
- 6B.3 *Pernicious Representations*: Has internalized representations of the past that are distinguished by early relationships that have generated strongly driven aggressive energies and malicious attitudes as well as by a contrasting paucity of sentimental memories, tender affects, internal conflicts, shame, or guilt feelings.

Compulsive (Scale 7) Facets

- 7.1 *Cognitively Constricted*: Constructs the world in terms of rules, regulations, schedules, and hierarchies. Is rigid, stubborn, and indecisive and is notably upset by unfamiliar or novel ideas and customs.
- 7.2 *Interpersonally Respectful*: Exhibits unusual adherence to social conventions and propriety. Is scrupulous and overly conscientious about matters of morality and ethics. Prefers polite, formal, and proper personal relationships, usually insisting that subordinates adhere to personally established rules and methods.
- 7.3 *Reliable Self-Image*: Sees him- or herself as devoted to work, industrious, reliable, meticulous, and efficient, largely to the exclusion of leisure activities. Is fearful of error or misjudgment and hence overvalues aspects of him- or herself that exhibit discipline, perfection, prudence, and loyalty.

Negativistic (Scale 8A) Facets

- 8A.1 *Temperamentally Irritable*: Is frequently touchy, temperamental, and peevish, followed by sullen and moody withdrawal. Is often petulant and impatient. Unreasonably scorns those in authority and reports being easily annoyed or frustrated by others.
- 8A.2 *Expressively Resentful*: Resists fulfilling others' expectations, frequently exhibiting procrastination, inefficiency, and obstinate, contrary, and irksome behavior. Reveals gratification in demoralizing and undermining the pleasures and aspirations of others.
- 8A.3 *Discontented Self-Image*: Sees him- or herself as misunderstood, luckless, unappreciated, jinxed, and demeaned by others. Recognizes being characteristically embittered, disgruntled, and disillusioned with life.

Masochistic (Scale 8B) Facets

- 8B.1 *Discredited Representations*: Has object representations that are composed of failed past relationships and disparaged personal achievements, of positive feelings and erotic drives transposed into their least attractive opposites, of internal conflicts intentionally aggravated, and of mechanisms for reducing dysphoria being subverted by processes that intensify discomfort.

- SB.2 *Cognitively Diffident*: Is hesitant to interpret observations positively for fear that, in doing so, they may not take problematic forms or achieve troublesome and self-denigrating outcomes. As a result, he or she has a habit of repeatedly expressing attitudes and anticipation that are contrary to favorable beliefs and feelings.
- SB.3 *Undeserving Self-Image*: Is self-abasing, focusing on his or her very worst personal features and thereby asserting that he or she is worthy of being shamed, humbled, and debased. Feels that he or she has failed to live up to others' expectations and hence deserves to suffer painful consequences.

Schizotypal (Scale S) Facets

- S.1 *Estranged Self-Image*: Experiences recurrent social perplexities and illusions and experiences of depersonalization, derealization, and dissociation. Sees him- or herself as forlorn, with repetitive thoughts of life's emptiness and meaninglessness.
- S.2 *Cognitively Autistic*: Has a capacity to "read" the thoughts and feelings of others that is markedly dysfunctional. Mixes social communication with personal irrelevancies, circumstantial speech, ideas of reference, and metaphorical asides. Is often ruminative, appearing self-absorbed and lost in daydreams with occasional magical thinking, bodily illusions, obscure suspicions, odd beliefs, and a blurring of reality and fantasy.
- S.3 *Chaotic Representations*: Has internalized representations that consist of a piecemeal jumble of early relationships and affects, random drives and impulses, and uncoordinated channels of regulation that are only fitfully competent for binding tensions, accommodating needs, and mediating conflicts.

Borderline (Scale C) Facets

- C.1 *Temperamentally Labile*: Fails to accord unstable mood level with external reality. Has marked shifts from normality to depression to excitement or has periods of dejection and apathy interspersed with episodes of inappropriate and intense anger and brief spells of anxiety or euphoria.
- C.2 *Interpersonally Paradoxical*: Although needing attention and affection, is unpredictably contrary, manipulative, and volatile, frequently eliciting rejection rather than support. Frantically reacts to fears of abandonment and isolation but often in angry, mercurial, and self-destructive ways.
- C.3 *Uncertain Self-Image*: Experiences the confusion of an immature, nebulous, or wavering sense of identity, often with underlying feelings of emptiness. Seeks to redeem precipitate actions and changing self-presentations with expressions of contrition and self-punitive behavior.

Paranoid (Scale P) Facets

- P.1 *Cognitively Mistrustful*: Is unwarrantedly skeptical, cynical, and mistrustful of the motives of others, including relatives, friends, and associates, construing innocuous events as signifying hidden or conspiratorial intent. Tends to read hidden meaning into benign matters and to magnify tangential or minor difficulties into proof of duplicity and treachery, especially regarding the fidelity and trustworthiness of a spouse or intimate friend.
- P.2 *Expressively Defensive*: Is vigilantly guarded, alert to anticipate and ward off expected derogation, malice, and deception. Is tenacious and firmly resistant to sources of external influence and control.
- P.3 *Projection Mechanism*: Actively disowns undesirable personal traits and motives and attributes them to others. Remains blind to his or her own unattractive behavior and characteristics, yet is overalert to and hypercritical of similar features in others.