#### **EXPERIMENT NO: - 02**

Name:- Tejas Gunjal Class:- D15A Roll:No: - 18

**<u>AIM: -</u>** To design Flutter UI by including common widgets.

# Theory: -

Each element on the screen of the Flutter app is a widget. The view of the screen completely depends upon the choice and sequence of the widgets used to build the apps. And the structure of the code of apps is a tree of widgets.

When you made any alteration in the code, the widget rebuilds its description by calculating the difference of previous and current widget to determine the minimal changes for rendering in UI of the app. Widgets are nested with each other to build the app. It means the root of your app is itself a widget, and all the way down is a widget also. For example, a widget can display something, can define design, can handle interaction, etc.

The single child layout widget is a type of widget, which can have only **one child widget** inside the parent layout widget. These widgets can also contain special layout functionality. Flutter provides us many single child widgets to make the app UI attractive. If we use these widgets appropriately, it can save our time and makes the app code more readable.

The multiple child widgets are a type of widget, which contains **more than one child widget**, and the layout of these widgets are **unique**. For example, Row widget laying out of its child widget in a horizontal direction, and Column widget laying out of its child widget in a vertical direction. If we combine the Row and Column widget, then it can build any level of the complex widget.

# **Type of Widgetss**

#### > StatefulWidget

A StatefulWidget has state information. It contains mainly two classes: the state object and the widget. It is dynamic because it can change the inner data during the widget lifetime. This widget does not have a build() method. It has createState() method, which returns a class that extends the Flutters State Class. The examples of the StatefulWidget are Checkbox, Radio, Slider, InkWell, Form, and TextField.

# > StatelessWidget

The StatelessWidget does not have any state information. It remains static throughout its lifecycle. The examples of the StatelessWidget are Text, Row, Column, Container, etc.

### Some of the commonly used widgets

Container – A box widget used for styling with padding, margins, colors, borders, and constraints. It helps in layout structuring and positioning.

Row & Column – Used to arrange widgets in horizontal (Row) or vertical (Column) orientation. They manage spacing, alignment, and distribution of child widgets.

Stack – Overlaps widgets on top of each other, useful for creating layered UIs like banners, tooltips, or floating elements.

Text – Displays text on the screen with customizable font size, color, alignment, and styling options

Image – Loads and displays images from assets, network, or memory with scaling, fit, properties.

Scaffold – Provides a basic layout structure with an app bar, body, floating action button, and bottom navigation.

ListView – A scrollable list widget that efficiently renders large amounts of dynamic content. Supports both vertical and horizontal scrolling.

GridView – Displays widgets in a grid format, useful for galleries, product listings, or dashboards. It supports dynamic column adjustments.

SizedBox – Used to create space between widgets or define fixed width and height for layout adjustments.

ElevatedButton – A button with elevation that provides a raised effect, customizable with color, shape, and click actions.

TextField – A user input field that supports text entry, keyboard configurations, validation.

AppBar – A top navigation bar that includes a title, actions, and menu icons, commonly used in Scaffold.

BottomNavigationBar - A bar at the bottom of the screen used for navigation between different app sections with icons and labels.

Drawer - A side navigation panel that slides out from the left, typically used for app menus and quick navigation.

Card – A material design component that displays content inside a box with elevation.

#### Code: -

```
Navigator.push(
home page.dart
                                                             context,
import 'package:flutter/material.dart';
                                                            MaterialPageRoute(builder: (context) =>
import 'myaccountpage.dart';
                                                        CropListPage()),
import 'news section.dart';
                                                           );
import 'crop list page.dart';
import 'weather forecast page.dart';
                                                          if (index == 4) {
                                                           Navigator.push(
void main() {
                                                            context.
 runApp(MyApp());
                                                            MaterialPageRoute(builder: (context) =>
                                                        MyAccountPage()),
                                                           );
class MyApp extends StatelessWidget {
 @override
 Widget build(BuildContext context) {
  return MaterialApp(
   debugShowCheckedModeBanner: false,
   home: HomePage(),
                                                         // Returns the widget corresponding to the
  );
                                                        selected index
                                                         Widget getSelectedPage() {
                                                          switch ( currentIndex) {
                                                           case 0:
class HomePage extends StatefulWidget {
                                                            return Center(child: Text('Home Page'));
 @override
                                                           case 1:
  HomePageState createState() =>
                                                            return Center(child: Text('Weather Page'));
HomePageState();
                                                           case 2:
                                                            return Center(child: Text('Disease
                                                       Detection Page'));
class HomePageState extends
                                                           case 3:
State<HomePage> {
                                                            return Center(child: Text('Crop'));
int currentIndex = 0;
                                                           case 4:
                                                            return Center(child: Text('Profile Page'));
// Method to handle the bottom navigation item
taps
                                                            return Center(child: Text('Home Page'));
 void onItemTapped(int index) {
  setState(() {
                                                         }
    currentIndex = index;
  });
                                                         @override
  if (index == 1) {
                                                         Widget build(BuildContext context) {
   Navigator.push(
                                                          return Scaffold(
    context,
                                                           backgroundColor: Colors.white,
    MaterialPageRoute(builder: (context) =>
                                                           appBar: AppBar(
WeatherPage()),
                                                            backgroundColor: Colors.white,
   );
                                                            title: Row(
                                                              children: [
  if (index == 3) {
```

```
Image.asset('assets/images/logo.png',
                                                              BottomNavigationBarItem(
height: 40), // Your logo here
                                                               icon: Icon(Icons.camera alt), // Disease
       SizedBox(width: 10),
                                                        detection icon
       Text('AgriApp'),
                                                               label: 'Detect',
      ],
                                                              ),
    ),
                                                              BottomNavigationBarItem(
                                                               icon: Icon(Icons.local florist), // Crop
     actions: [
      IconButton(
                                                        practices icon
       icon: Icon(Icons.search),
                                                               label: 'Crops',
       onPressed: () {
        // Add search functionality
                                                              BottomNavigationBarItem(
                                                               icon: Icon(Icons.account circle), //
                                                        Profile icon
                                                               label: 'Profile',
   body: SingleChildScrollView(
    child: Column(
      children: [
       BannerSection(),
       CategorySection(),
       DealsOfTheDaySection(),
       FreeDeliverySection(),
                                                        class BannerSection extends StatelessWidget {
       NewsSection(),
                                                         @override
                                                         Widget build(BuildContext context) {
      ],
                                                          return Padding(
                                                            padding: EdgeInsets.all(14.0),
   bottomNavigationBar:
                                                            child: ClipRRect(
BottomNavigationBar(
                                                             borderRadius: BorderRadius.circular(20),
     currentIndex: currentIndex, // Keep track
                                                             child: Container(
of the selected index
                                                              width: double.infinity,
     onTap: onItemTapped, // Update the index
                                                              height: 200,
when an item is tapped
                                                              decoration: BoxDecoration(
     selectedItemColor: Colors.black, // Color
                                                               image: DecorationImage(
for the selected item
                                                                image:
     unselectedItemColor: Colors.black54, //
                                                        AssetImage('assets/images/banner.jpg'),
                                                                //fit: BoxFit.cover,
Color for unselected items
     type: BottomNavigationBarType.fixed, //
                                                               ),
Ensures icons stay the same size
     items: const <BottomNavigationBarItem>[
      BottomNavigationBarItem(
       icon: Icon(Icons.home),
       label: 'Home',
      BottomNavigationBarItem(
       icon: Icon(Icons.cloud), // Weather icon
                                                        class CategorySection extends StatelessWidget {
       label: 'Weather',
                                                         @override
                                                         Widget build(BuildContext context) {
      ),
```

```
return Container(
                                                         style: TextStyle(fontSize: 12, fontWeight:
   padding: EdgeInsets.symmetric(vertical: 20),
                                                         FontWeight.bold)),
   child: GridView.count(
                                                            ],
     crossAxisCount: 4,
                                                           );
     shrinkWrap: true,
     physics: NeverScrollableScrollPhysics(),
     children: [
      CategoryItem('Offers',
                                                         class DealsOfTheDaySection extends
'assets/images/offers.png'),
                                                         StatelessWidget {
      CategoryItem('Crop Tonics',
                                                          @override
'assets/images/crop tonics.png'),
                                                          Widget build(BuildContext context) {
      CategoryItem('Fertilizer',
                                                           return Container(
'assets/images/fertilizer.png'),
                                                            padding: EdgeInsets.symmetric(vertical: 10),
      CategoryItem('Pesticides',
                                                            child: Column(
'assets/images/pesticides.png'),
                                                              crossAxisAlignment:
                                                         CrossAxisAlignment.start,
                                                              children: [
                                                               // Row for title and "See All" button
                                                               Padding(
                                                                padding: EdgeInsets.only(left: 20),
                                                                child: Row(
class CategoryItem extends StatelessWidget {
                                                                 mainAxisAlignment:
                                                         MainAxisAlignment.spaceBetween,
 final String title;
 final String imagePath; // Changed from
                                                                 children: [
IconData to String
                                                                  Text(
                                                                    'Deals of the day!',
 CategoryItem(this.title, this.imagePath);
                                                                    style: TextStyle(fontSize: 24,
                                                         fontWeight: FontWeight.bold),
 @override
                                                                  ),
 Widget build(BuildContext context) {
                                                                  TextButton(
  return Column(
                                                                    onPressed: () {
   children: [
                                                                     // Navigate to All Deals screen
     Container(
                                                                     Navigator.push(
      width:80,
                                                                      context,
                                                                      MaterialPageRoute(builder:
      height:80,
      decoration: BoxDecoration(
                                                         (context) => AllDealsScreen()),
       color: Colors.green.withAlpha(50), //
                                                                     );
Light green background
                                                                    },
       shape: BoxShape.circle,
                                                                    child: Text(
      ),
                                                                     'See All >',
      padding: EdgeInsets.all(16),
                                                                     style: TextStyle(color: Colors.blue,
      child: Image.asset(imagePath, width:
                                                         fontWeight: FontWeight.bold),
double.infinity, height: double.infinity,
fit:BoxFit.cover), // Load image instead of icon
    ),
    SizedBox(height: 5),
    Text(title, textAlign: TextAlign.center,
```

```
SizedBox(height: 10),
                                                                  fit: BoxFit.contain.
      // Grid of products for Deals of the Day
                                                                 ),
      GridView.count(
                                                                ),
       crossAxisCount: 2,
                                                                Text(productName),
       shrinkWrap: true,
                                                                Text(price, style: TextStyle(fontWeight:
       physics: NeverScrollableScrollPhysics(),
                                                         FontWeight.bold)),
                                                                Text(originalPrice, style:
       children: [
        ProductCard('00-00-50', '₹240.00',
                                                         TextStyle(decoration:
'₹270.00', 'assets/images/product1.png'),
                                                         TextDecoration.lineThrough)),
        ProductCard('12-61-00', '₹277.2',
                                                              ],
'₹355.00', 'assets/images/product2.png'),
                                                             ),
       ],
                                                            );
                                                         class AllDealsScreen extends StatelessWidget {
                                                          @override
                                                          Widget build(BuildContext context) {
                                                            return Scaffold(
// Product Card widget
                                                             appBar: AppBar(
class ProductCard extends StatelessWidget {
                                                              title: Text('All Deals'),
 final String productName;
 final String price;
                                                             body: GridView.count(
 final String originalPrice;
                                                              crossAxisCount: 2,
                                                              padding: EdgeInsets.all(10),
 final String imagePath;
                                                              children: [
 ProductCard(this.productName, this.price,
                                                                // List of all product cards
this.originalPrice, this.imagePath);
                                                                ProductCard('00-00-50', '₹240.00',
                                                         '₹270.00', 'assets/images/product1.png'),
                                                                ProductCard('12-61-00', '₹277.2',
 @override
 Widget build(BuildContext context) {
                                                         '₹355.00', 'assets/images/product2.png'),
  return Card(
                                                                ProductCard('23-45-67', '₹500.00',
   margin: EdgeInsets.all(8),
                                                         '₹600.00', 'assets/images/product3.png'),
   //color: Colors.white, // White background
                                                                ProductCard('34-56-78', '₹350.00',
                                                         '₹400.00', 'assets/images/product4.png'),
for card
   shape: RoundedRectangleBorder(
                                                                ProductCard('45-67-89', '₹220.00',
     borderRadius: BorderRadius.circular(8),
                                                         '₹280.00', 'assets/images/product5.png'),
                                                                ProductCard('56-78-90', '₹310.00',
     side: BorderSide(color: Colors.grey, width:
1), // Black border
                                                         '₹370.00', 'assets/images/product6.png'),
                                                                ProductCard('67-89-01', '₹450.00',
   ),
                                                         '₹520.00', 'assets/images/product7.png'),
   child: Column(
     children: [
                                                                ProductCard('78-90-12', '₹200.00',
      Container(
                                                         '₹250.00', 'assets/images/product8.png'),
                                                                ProductCard('89-01-23', '₹600.00',
       height: 100,
       width: 100,
                                                         '₹700.00', 'assets/images/product9.png'),
                                                                ProductCard('90-12-34', '₹150.00',
       child: Image.asset(
                                                         '₹200.00', 'assets/images/product10.png'),
        imagePath,
```

```
ProductCard('01-23-45', '₹180.00',
'₹230.00', 'assets/images/product11.png'),
      ProductCard('12-34-56', '₹420.00',
'₹480.00', 'assets/images/product12.png'),
      // Add more ProductCard widgets here
    ],
   ),
class FreeDeliverySection extends
StatelessWidget {
 @override
 Widget build(BuildContext context) {
  return Container(
   padding: EdgeInsets.symmetric(vertical: 10),
// Vertical padding
   child: Center(
     child: Padding(
      padding:
EdgeInsets.symmetric(horizontal: 10), // Add
horizontal space (left & right)
      child: ClipRRect(
       borderRadius:
BorderRadius.circular(15), // Adjust the radius
as needed
       child: Image.asset(
        'assets/images/delivery.png',
        fit: BoxFit.cover,
```

#### news section.dart } import 'package:flutter/material.dart'; @override import 'package:http/http.dart' as http; Widget build(BuildContext context) { import 'dart:convert'; return SingleChildScrollView( // Wrap the column in a scroll view // Define the API endpoint child: Padding( const String apiKey = padding: EdgeInsets.symmetric(vertical: "7b40c2993a264008904439ac295309b0"; 20), const String newsApiUrl = child: Column( crossAxisAlignment: "https://newsapi.org/v2/everything?q=Agricultur CrossAxisAlignment.start, e&sortBy=popularity&apiKey=7b40c2993a264 children: [ 008904439ac295309b0"; Padding( padding: EdgeInsets.only(left: 20), // News Section widget child: Text( class NewsSection extends StatefulWidget { 'Latest Farming News', @override style: TextStyle(fontSize: 24, NewsSectionState createState() => fontWeight: FontWeight.bold), NewsSectionState(); ), ), SizedBox(height: 10), class NewsSectionState extends // Container with horizontal scrolling for State<NewsSection> { news List<dynamic> farmingNews = []; Container( height: 150, // Set height for horizontal @override scroll void initState() { child: ListView.builder( super.initState(); scrollDirection: Axis.horizontal, fetchNews(); itemCount: farmingNews.length > 4? } 4 : farmingNews.length, // Limit to 4 items itemBuilder: (context, index) { // Fetch the news from the API return Padding( Future<void> fetchNews() async { padding: EdgeInsets.only(left: 10), final response = await child: Card( http.get(Uri.parse(newsApiUrl)); child: Container( width: 200, if (response.statusCode == 200) { padding: EdgeInsets.all(8), setState(() { child: Column( farmingNews = crossAxisAlignment: json.decode(response.body)['articles']; // Adjust CrossAxisAlignment.start, based on the response structure children: [ **})**; Text( } else { farmingNews[index]['title'], // Handle the error if the request fails style: TextStyle(fontWeight: throw Exception('Failed to load news'); FontWeight.bold), maxLines: 2,

```
overflow:
                                                         final List<dynamic> news;
TextOverflow.ellipsis,
                                                         AllNewsScreen({required this.news});
                 SizedBox(height: 10),
                 Text(
                                                         @override
                                                         Widget build(BuildContext context) {
                                                           return Scaffold(
farmingNews[index]['description'] ?? 'No
description available.',
                                                            appBar: AppBar(title: Text('All Farming
                  maxLines: 3,
                                                        News')),
                  overflow:
                                                            body: ListView.builder(
                                                             itemCount: news.length,
TextOverflow.ellipsis,
                                                             itemBuilder: (context, index) {
                                                              return Card(
                                                                margin: EdgeInsets.all(10),
                                                                child: ListTile(
                                                                 title: Text(news[index]['title']),
                                                                 subtitle: Text(news[index]['description']
                                                        ?? 'No description available.'),
                                                               ),
                                                              );
       // View All Button
       Padding(
        padding: EdgeInsets.only(left: 20, top:
10),
        child: TextButton(
         onPressed: () {
          // Navigate to the next screen to show
all the news
           Navigator.push(
            context,
            MaterialPageRoute(
             builder: (context) =>
AllNewsScreen(news: farmingNews),
            ),
          );
          },
         child: Text('View All'),
class AllNewsScreen extends StatelessWidget {
```

# **OUTPUT: -**







