

SKILL WEEK 7

Task 1:

Code:

```
#include <stdio.h>
#include <stdlib.h>
#include <unistd.h>
#include <sys/wait.h>

int main() {
    pid_t
    pid;
    int status;

    pid = fork();
    if (pid < 0) {
        perror("fork failed");    return
        1;
    }

    if (pid == 0) {

        // Child process    printf("Child process
        started.\n");    printf("Child
        PID: %d\n", getpid());

        sleep(3);

        printf("Child process completed.\n");

        exit(0);

    } else {

        // Parent process    printf("Parent process
        waiting for child...\n");

        waitpid(pid, &status, 0);

        if (WIFEXITED(status)) {    printf("Child exited
        normally.\n");    printf("Child exit status: %d\n",
        WEXITSTATUS(status));
        }
    }
}
```

```

        printf("Parent process completed.\n");
    }

    return 0;
}

```

```

charanteja_a@charan:~$ nano exp7s.c
charanteja_a@charan:~$ gcc exp7s.c -o exp7s
charanteja_a@charan:~$ ./exp7s
Parent process waiting for child...
Child process started.
Child PID: 1139
Child process completed.
Child exited normally.
Child exit status: 0
Parent process completed.
charanteja_a@charan:~$ |

```

Task 2:

Code:

```

#include <stdio.h>
#include <stdlib.h>
#include <string.h>
#include <unistd.h>

int main() {

    char *path = getenv("PATH");

    if (path == NULL) {        printf("PATH
variable not found.\n");      return 1;
    }

    printf("PATH:\n%s\n\n", path);

    char *copy = strdup(path);
    char *directory = strtok(copy, ":");

    char filename[100];

    printf("Enter executable name to search: ");
    scanf("%99s", filename);

    while (directory != NULL) {

```

```

char fullpath[500];

snprintf(fullpath, sizeof(fullpath),
         "%s/%s", directory, filename);

if (access(fullpath, X_OK) == 0) {
printf("Executable found: %s\n", fullpath);
    free(copy);
return 0;
}

directory = strtok(NULL, ":");
}

printf("Executable not found in PATH.\n");

free(copy);

return 0;
}

```

Output:

```

charanteja_a@charan:~$ nano exp7ss.c
charanteja_a@charan:~$ gcc exp7ss.c -o exp7ss
charanteja_a@charan:~$ ./exp7ss
PATH:
/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin:/usr/games:/usr/local/games:/usr/lib/wsl/lib:/mnt/c/Program Files/WindowsApps/MicrosoftCorporat
ionII.WindowsSubsystemForLinux_2.7.11.0_x64_8wekyb3d8bbwe:/mnt/c/Program Files/Common Files/Oracle/Java/javapath:/mnt/c/Program Files (x86)/Common Files/Or
acle/Java/javapath:/mnt/c/Program Files (x86)/Common Files/Oracle/Java/javapath:/mnt/c/Windows/system32:/mnt/c/Windows:/mnt/c/Windows/System32/Wbem:/mnt/c/
Windows/System32/WindowsPowerShell/v1.0:/mnt/c/Windows/System32/PowerShell/1.0:/mnt/c/Program Files/dotnet:/mnt/c/Program Files/nodejs:/mnt/c/Program Files/Git
/cmd:/mnt/c/Users/allam/AppData/Local/Programs/Python/Python310/Scripts:/mnt/c/Users/allam/AppData/Local/Programs/Python/Python310:/mnt/c/Users/allam/AppD
ata/Local/Programs/Python/Python315/Scripts:/mnt/c/Users/allam/AppData/Local/Programs/Python/Python315:/mnt/c/Users/allam/AppData/Local/Programs/Python/La
uncher:/mnt/c/Users/allam/AppData/Local/Programs/Eclipse Adoptium/jdk-25.0.1.8-hotspot/bin:/mnt/c/Users/allam/AppData/Local/Microsoft/WindowsApps:/mnt/c/Us
ers/allam/AppData/Local/Programs/Microsoft VS Code/bin:/mnt/c/Users/allam/AppData/Roaming/npm:/snap/bin

Enter executable name to search: teja
Executable not found in PATH.
charanteja_a@charan:~$ |

```