Go to

- Journey Planner
- Pilot & PPP
- Map
- Gap Ranking
- What-If Scenarios
- Ask Genie
- Data Journey
- How It Works

TransitGap · One City, One Journe

Metro + BRTS + AMTS in one plan, one fare estimate, real transfer walks · PS-08 · Ahmedabad

🎯 **What this resolves:** *Can I trust these scores? Where did the data come from, and what are the caveat*

Source files / APIs → notebook validation → Delta tables → score → this UI and Genie. The numbers below

1. Data sources & provenance

dataset_id	name	source_url
metro_stations	Ahmedabad/Gandhinagar metro stations	https://www.google.com/maps/d/viewer?mid=1ebnA
bus_stops	Bus stops (AMTS / AJL-BRTS / GTSL)	https://github.com/croyla/amd-gtfs/raw/main/gtfs.zi
areas	Analysis areas (localities)	seed list in notebook
area_accessibility	Accessibility scores	milacron_platform.transitgap.metro_stations, milacr
feeder_scenarios	Feeder scenarios	milacron_platform.transitgap.area_accessibility
bus_routes	GTFS bus routes	https://github.com/croyla/amd-gtfs/raw/main/gtfs.zi
bus_trips	GTFS scheduled trips	https://github.com/croyla/amd-gtfs/raw/main/gtfs.zi
fare_brts_leg	BRTS fare rules (GTFS-Fares v2)	https://github.com/croyla/amd-gtfs/raw/main/gtfs.zi
fare_amts_stages	AMTS stage-based fares	https://amts.co.in
fare_metro_slabs	Metro distance-based fare slabs	https://gujaratmetrorail.com/fare-calculator/

2. All 21 Tables — Key Columns & Sample Data

Showing the most important columns per table so you can verify the data is real, structured, and correct.

metro_stations — 57 rows · 8 key columns

bus_stops — 3,138 rows · 7 key columns

bus_routes — 978 rows · 4 key columns

bus_trips — 14,323 rows · 4 key columns

areas — 24 rows · 4 key columns

area_accessibility — 24 rows · 12 key columns

feeder_scenarios — 6 rows · 7 key columns

data_sources — 11 rows · 6 key columns

scoring_config — 5 rows · 4 key columns

pipeline_runs — 13 rows · 6 key columns

route_stops — 41,995 rows · 6 key columns

metro_trips — 732 rows · 5 key columns

metro_stop_times — 500 rows · 5 key columns

metro_calendar — 4 rows · 6 key columns

metro_transfers — 3 rows · 3 key columns

methodology — 5 rows · 3 key columns

fare_brts_leg — 36,290 rows · 3 key columns

fare_amts_stages — 7 rows · 3 key columns

fare_metro_slabs — 9 rows · 3 key columns

fare_split_policy — 4 rows · 3 key columns

3. Pipeline run log

run_id	step	input_rows	output_rows	rejected_rows	status
7f9d8460	load_areas	24	24	0	OK
7f9d8460	validate_metro_stations	57	57	0	OK
7f9d8460	validate_bus_stops	3,140	3,138	2	OK
7f9d8460	save_bus_routes	978	978	0	OK
7f9d8460	save_bus_trips	14,323	14,323	0	OK
7f9d8460	fare_brts_leg	108,870	36,290	0	OK
7f9d8460	fare_brts_areas	191	191	0	OK
7f9d8460	fare_amts_stages	7	7	0	OK
7f9d8460	fare_metro_slabs	9	9	0	OK
7f9d8460	fare_split_policy	4	4	0	OK

4. Scoring configuration

component	weight	threshold
metro	40	
bus	35	
density	25	
gap_threshold	35	
moderate_threshold	60	

```
score = 40·clamp(1 − dist_metro/3) + 35·clamp(1 − dist_bus/1) + 25·clamp(stops_1k
category: < 35 potential access gap · 35–60 moderate · > 60 well connected
```

5. Bus route coverage (GTFS)

Total routes

978

Total trips

14,323

agency_id
AMTS
AJL
GTSL

6. Limitations

- Straight-line distances, not walking network
- Area centroids approximate; demand weights synthetic and unused in the score
- GTFS data from community-maintained repo (croyla/amd-gtfs), not official AMC open-data portal
- No passenger volume, population density, or cost data
- Scenarios are hypothetical modeled improvements