

MILESTONE 05 / DELIVERY RECORD

Groq planning

Implemented; live provider pending

Groq provider abstraction, structured tools, bounded context, plan generation and workflow state.

What was built

Groq provider abstraction, structured tools, bounded context, plan generation and workflow state.

Debugging and evidence

Groq response parsing plus 5 mocked workflow integration tests cover planning, approval and cancellation.

Remaining limitations

No live Groq key was supplied. Provider behavior, quota and quality remain to be verified with the fixture.

Scope of this document

The following pages list the 5 source, configuration, test and documentation files assigned to this stage, with their purpose. Shared files are assigned to their principal delivery stage; the complete guide lists every authored file. Generated dependencies, caches, private settings and saved repository data are excluded.

Owner workflow

All development stages were authorized together. In-product approval is still required before repairs and again before publishing. No remote GitHub changes were made during development verification.

Folder structure

```
backend/  
  src/  
    main/  
      java/  
        dev/  
          codebasedoctor/  
            agent/  
              GroqLlmProvider.java  
              LlmProvider.java  
            config/  
              Redactor.java  
            service/  
              DoctorService.java  
    test/  
      java/  
        dev/  
          codebasedoctor/  
            service/  
              DoctorServiceTest.java
```

Files and responsibilities

`backend/src/main/java/dev/codebasedoctor/agent/GroqLlmProvider.java`

Created | Delivery stage 5

Sends bounded tool-calling requests to Groq, validates provider responses and stops safely on missing keys or malformed output.

`backend/src/main/java/dev/codebasedoctor/agent/LlmProvider.java`

Created | Delivery stage 5

Provider abstraction separating the agent loop from Groq HTTP transport.

`backend/src/main/java/dev/codebasedoctor/config/Redactor.java`

Created | Delivery stage 5

Redacts configured tokens and common credential patterns from model observations, logs and reports.

`backend/src/main/java/dev/codebasedoctor/service/DoctorService.java`

Created | Delivery stage 5

Coordinates intake, parsing, baseline evidence, bounded model tools, plan approval, repair, cancellation and final reports.

`backend/src/test/java/dev/codebasedoctor/service/DoctorServiceTest.java`

Created | Delivery stage 5

Five mocked workflow tests cover exact approval, allowed edits, missing sandbox, late cancellation and report-error cleanup.