HAVELLS

FASTER
SAFER
SMARTER

India's Innovative
Range of Water Heaters

ENGINEERED FOR
HARD WATER

Just Say
Hello Havells

Water Heater
Range Catalogue 2026

ABOUT US

Redefining the modern homes with innovation and excellence

Havells is at the forefront of transforming modern living spaces by offering innovative solutions that elevate everyday experiences. With a deep understanding of consumer needs, the company has expanded its footprint across every aspect of home life, creating environment that are not only functional but also comfortable, stylish, and future-ready. To make these solutions accessible, Havells leverages an extensive distribution network encompassing 20,700 dealers, over 1,100 exclusive brand stores, intensifying presence in modern retail, e-commerce and quick commerce.

The company's portfolio includes power brands like Havells, Havells Crabtree, Lloyd, REO, Havells Studio, and Standard each designed to cater to the unique demands of today's consumers.

Anchored in the 'Make in India' initiative, Havells operates 17 cutting-edge manufacturing facilities across India, producing 90% of its products in-house. At the forefront of Havells product evolution lies its Customer Experience & Designs (CXD) Studio, where creativity and user-centric design converge. This is complemented by its Centre for Research & Innovation (CRI), supported by four advanced R&D centres, enabling Havells to consistently deliver products that are both functional and visually compelling.

Driven by a commitment to innovation, quality, and design, the company also upholds sustainable practices throughout its operations, including eco-friendly manufacturing processes and energy-efficient product design, contributing to a greener and more sustainable future.

CORPORATE OFFICE
NOIDA

Industry 4.0 Process

Center For Research & Innovation

State-of-the-Art Manufacturing Unit

Customer Experience & Design

17 Manufacturing Units | **~20700** Strong Dealer Network | **4** Research Centres | **51** Offices

HAVELLS | LLOYD | HAVELLS Crabtree | HAVELLS STUDIO | REO | STANDARD

INDIA'S MOST MODERN AND INTEGRATED
MANUFACTURING PLANT FOR WATER HEATERS

The Water Heater plant is the crown jewel in our jewellery box. Located in Neemrana, we pride ourselves on having India's most modern and integrated Water Heaters manufacturing plant with a capacity of producing 14 Lakh Water Heaters annually. Housing a state-of-the-art testing laboratory and equipped with technology like an automatic MIG welding, dry powder enamel coating, automatic PUF filling and outer body-rolling for metal range. It also has a computerized online safety testing process that makes sure every Havells Water Heater is safe and secure for your use.

INNOVATION AT ITS BEST.

Today, Havells Water Heaters meet diverse individual needs across the country. Havells pioneered the introduction state-of-the-art, "Adonia" Water Heater with first ever color changing LED indicating change in temperature. that has revolutionized India's energy efficient Water Heaters.

Keeping up with the tradition of making a difference, Havells introduces Magnatron, a state-of-the-art Water Heater with Innovative Technology, Stylish Design & Advanced Features. Its innovative element free, Induction Heat Transfer Technology (iHTT) uses electromagnetic waves to heat water without a Heating Element. It allows faster heating with less electricity consumption and long-lasting efficient performance.

Havells also introduces the Dual Element concept into many models in Water Heater Range, which is flexible and intelligent. With a unique flexible wattage setting options, this water heater is indeed there to adjust basis your demands. Switch between 3 heating modes of 1 kW, 2 kW, and 3 kW for quicker, energy-efficient hot water. At 3 kW 33% faster Heating can be achieved.

WHY HAVELLS

WATER HEATER?

FASTER

Havells water heaters saves your precious time with fast heating.
With Less wait time – enjoy the convenience of hot water whenever you need it.

MAGNATRON WATER HEATER
10 min - 12 min or 25% faster heating in Magnatron Water Heater because of patented induction technology. No Heating element inside water Heater, Minimal scaling and uniform heating throughout life of water Heater.

MCOLOY HEATING ELEMENT
Mcoloy Heating element provides quick heating and high performance with its excellent heat transfer ability and enhanced durability.

3-IN-1 CONVERTIBLE DUAL ELEMENT WATER HEATER
33% faster heating in Dual element Water heater because of 2 heating elements. 3 Heating modes of 1 kW, 2 kW and 3 kW. For faster Heating water heater can be operated at 3 kW.

SAFER

Safety is paramount when it comes to water heaters. A safe water heater protects you and your family from potential hazards like overheating, electrical issues, and scalding. Peace of mind comes from knowing Havells water heater is designed with top-notch safety features.

SHOCK SAFE PLUG*
India's first integrated shock safe plug is designed to prevent injury to humans due to electric shocks, the plug will cut off the power immediately in case of any current leakage.

WATER RESISTANCE AND SPLASH PROOF (IPX4)
Ensures high level of protection for electrical parts from water splashing

0.8 MPA HIGH WORKING PRESSURE
Suitable for high rise buildings. The multi function valve prevents pressure to increase beyond 8 bar.

HIGH PRECISION THERMOSTAT & CUT OUT
Controls Water Temperature & Prevents the Water Heater from overheating by activating and deactivating the Heating element

FIRE RETARDANT POWER CORD
It resists ignition and prevents fire spread, ensuring enhanced safety during water heating.

DUAL SAFETY ADAPTER
Protects against fire and electric shock by ensuring safe current flow.

1 00 000 PRESSURE CYCLE TESTED TANK
The water heater tank is tested through 1 00 000 pressure cycles, simulating years of water pressure fluctuations. This ensures exceptional tank durability, leak resistance, and reliable performance, giving users long-lasting peace of mind and reducing the risk of tank failure over time.

ROHS COMPLIANT
RoHS compliance ensures that the water heater is manufactured without hazardous substances such as lead, mercury, cadmium, and other harmful materials. This makes the product safer for users, environmentally responsible, and compliant with international safety and sustainability standards

*Available in selected models.

SMARTER

Energy efficiency in water heaters translates to significant savings on your Electricity bills. Havells water heater saves energy not only reduces your expenses but also minimizes your environmental footprint, making it a smart and eco-friendly choice.

MAGNATRON: RS. 30 000/- SAVING IN 5 YEAR SPAN
Reduction in heating time by 10 min -12 min because of Induction technology results 25% less yearly electricity consumption. Uniform heating throughout the lifespan of Water Heater because of No Heating element & Minimal scaling further adds to energy saving.



HIGH DENSITY PUF INSULATION
CFC free thicker PUF insulation offers complete protection against radiant heat loss, reduces energy consumption and provides higher energy efficiency.

DUAL ADJUSTABLE KNOBS IN CONVERTIBLE (DUAL ELEMENT) WATER HEATER
The temperature & Wattage setting knob lets users adjust temperature & power to their comfort level, ensuring personalized warmth and energy-efficient usage



WHIRLFLOW TECHNOLOGY
It avoids direct contact between cold and hot water flow for a faster heating and optimized energy saving effecting 20% more hot water output.

SUPER EFFICIENT HEATING
Designed to maximize heating efficiency, it heats water quickly while consuming less electricity. This ensures faster access to hot water, lower energy costs, and reliable performance, delivering greater comfort and savings every day.

LONG LIFE

A durable water heater means fewer replacements and repairs, providing long-term reliability and cost savings.
Havells water heater ensures a long lifespan, consistent performance and peace of mind for years to come.

FEROGLAS COATED INNER CONTAINER
Provides superior corrosion resistance and 'anti-rust property' resulting in longer life compared to standard inner container designs, also able to withstand high pressure up to 8 bar.

HEAVY DUTY ADVANCED PROTECTIVE ANODE ROD
The specially designed anode rod attracts corrosive elements present in water, protecting the inner tank from rust and corrosion. This extends tank life, improves durability, and ensures reliable performance even in challenging water conditions.

STORAGE WATER HEATER

Smart heating technology that stores maximum heat using minimum electricity.

FASTER | SAFER | SMARTER | LONG LIFE

MAGNATRON PRIME

INDIA'S FIRST INDUCTION WATER HEATER

NO HEATING ELEMENT | **SCALING** RESISTANT

ENGINEERED FOR HARD WATER

FASTER | SAFER | SMARTER | LONG LIFE

Why Magnatron Water Heater ?

Ordinary water heaters are prone to Calcium Carbonate scale deposition on heating elements while Magnatron Water Heater has zero chance of scale deposition as it doesn't have a heating element. Moreover, it doesn't need year on year replacement of heating element like an ordinary water heater.

What's more, an ordinary water heater faces variation in energy consumption because of the scale deposition, while with Magnatron Water Heater, you don't have to worry about it.

Magnatron Water Heater Vs Ordinary Water Heater



Electricity Saving

25 L

Saving Comparison Between Magnatron Vs Ordinary Water Heater



*Calculation in the comparison chart above is based on following parameters

- Hot water output of a 25 litre water heater is 40 litre @ 40 °C (normal bathing temperature is considered as 40 °C)
- Considering 20 litre per person per day, for a family of 2 people, a 25 litre water heater needs to be operated once a day
- Savings (in Rs.) is calculated assuming Rs. 7 per unit
- TDS value is taken as 1800 mg / L (ppm).

Units saved per year in (kWh) MAGNATRON saving per year (in Rs.)

SAVES Rs. 30000/- IN 5 YEAR SPAN

How Magnatron Water Heater works ?

It's on-board electronics convert mains supply into high frequency alternating current for induction coil. When high frequency alternating current passes through coils, varying electro-magnetic field generated and induced towards the tank surface, the induced electro-magnetic field generates eddy currents on the tank surface producing heat. The tank, in turn, heats up the water inside it.

SMARTER WARMTH. LOWER CONSUMPTION.

Advanced technology delivers optimal heating while helping reduce energy usage.

MAGNATRON PRIME

ELECTRIC STORAGE WATER HEATER

Saves **Rs. 30 000/-** *IN 5 YEAR SPAN*

Patented **Technology**

25%* FASTER HEATING

CAPACITY : 15 L & 25 L
COLOR : WHITE BLUE

2 YEAR COMPREHENSIVE WARRANTY

5 YEAR WARRANTY ON INDUCTION COIL

7 YEAR PRODUCT REPLACEMENT WARRANTY*

MORE STARS MORE SAVINGS

FASTER

- Induction Technology
- Scaling Resistant

SAFER

- No Heating Element
- Dry Heat Protection
- Fire Retardant Power Cord
- High Working Pressure 0.8 MPa
- Dual Safety Adapter

SAVES

- 25% Energy Saving
- High Density PUF Insulation
- Whirlflow Technology

LONG LIFE

- Feroglas Coated Inner Container
- Heavy Duty Protective Anode Rod
- Long lasting Heating efficiency

CONVENIENCE

- Remote control Easy operation
- Smart Mode Setting
- Eco Mode
- Digital Temperature Display

DIMENSION (mm)



Capacity	15 L	25 L
A	380 mm	400 mm
B	501 mm	560 mm
C	374 mm	413 mm
D	62 mm	62 mm

*T&C Apply. Based on understanding that water heater with rated capacity of 25 L provides a hot water output of 40 L @ 40 °C (which is considered as normal bathing temperature) when mixed with cold water. Based on consideration that avg. consumption of hot water is 20 L per person per day. For a family of 2 people, a 25 L water heater needs to be operated once a day for requirement of 40 L @ 40 °C assuming rate of Rs. 7/- per unit electricity & TDS value is taken as 1800 mg/L (ppm)

*IN CASE OF TANK LEAKAGE

ENGINEERED FOR HARD WATER

FASTER | SAFER | SMARTER | LONG LIFE

33% Faster Heating

3-in-1 Convertible Heating with **Dual Element** Technology

Smart Load Management Modes

ECO 1kW | STANDARD 2kW | TURBO 3kW

3-IN1 CONVERTIBLE DUAL ELEMENT WATER HEATER

Dual Element:
Unlike conventional water heaters that use a single 2 kW heating element, the Convertible Water Heater features two heating elements—1 kW and 2 kW. This unique dual-element design provides greater flexibility, improved efficiency, and enhanced control over heating performance.

Dual Reliability: Uninterrupted Hot Water Supply even if one of the element faults



THREE HEATING MODES

Dual Element: Unlike conventional water heaters that use a single 2 kW heating element, the Convertible Water Heater features two heating elements—1 kW and 2 kW. This unique dual-element design provides greater flexibility, improved efficiency, and enhanced control over heating performance.

1 kW
ECO MODE

2 kW
STANDARD MODE

3 kW
TURBO MODE

33% Faster Heating:
By operating both heating elements together in the 3 kW mode, the water heater delivers up to 33% faster heating compared to a conventional 2 kW water heater, ensuring quicker availability of hot water.

Load Management:
In situations where power load is limited or there are wattage constraints, the water heater can be operated in 1 kW mode, helping prevent overload issues while still providing hot water efficiently.

COMFORT, WITHOUT THE WAIT.

Advanced heating technology delivers hot water faster, so your comfort begins the moment you need it.

BIANCA DG+ DUAL ELEMENT

ELECTRIC STORAGE WATER HEATER

33*% FASTER HEATING

CAPACITY : 15 L & 25 L
COLOR : WHITE BLUE

Smart Load Management Modes

ECO 1kW | STANDARD 2kW | TURBO 3kW

- 2 YEAR COMPREHENSIVE WARRANTY
- 5 YEAR WARRANTY ON HEATING ELEMENT
- 7 YEAR PRODUCT REPLACEMENT WARRANTY*

FASTER

- Dual Element With 3 Heating Modes
- Mcoloy Heating Element

SAFER

- Shock Safe Plug
- Fire Retardant Power Cord
- High Working Pressure 0.8 MPa
- Dual Safety Adapter

SAVES

- High Density PUF Insulation
- Whirlflow Technology
- Digital Temperature Display & Wattage setting

LONG LIFE

- Feroglas Coated Inner Container
- Heavy Duty Protective Anode Rod

CONVENIENCE

- Remote control Easy operation
- Smart Mode Setting
- Eco Mode

DIMENSION (mm)



Capacity	15 L	25 L
A	412 mm	466 mm
B	420 mm	476 mm
C	351 mm	388 mm
D	172 mm	172 mm

*IN CASE OF TANK LEAKAGE



WARMTH THAT KEEPS PACE WITH LIFE.

Engineered for rapid water heating, ensuring every busy morning starts effortlessly.

BIANCA+ DUAL ELEMENT

33*% FASTER HEATING

CAPACITY : 10 L, 15 L & 25 L
COLOR : WHITE BLUE

Smart Load Management Modes

ECO 1kW | STANDARD 2kW | TURBO 3kW

2 YEAR COMPREHENSIVE WARRANTY

5 YEAR WARRANTY ON HEATING ELEMENT

7 YEAR PRODUCT REPLACEMENT WARRANTY*

MORE STARS MORE SAVINGS

FASTER

- Dual Element With 3 Heating Modes
- Mcoloy Heating Element

SAFER

- Shock Safe Plug
- Fire Retardant Power Cord
- High Working Pressure 0.8 MPa
- Dual Safety Adapter

SAVES

- High Density PUF Insulation
- Whirlflow Technology
- Dual Adjustable Knobs

LONG LIFE

- Feroglas Coated Inner Container
- Heavy Duty Protective Anode Rod

DIMENSION (mm)



Capacity	10 L	15 L	25 L
A	412 mm	412 mm	466 mm
B	420 mm	420 mm	476 mm
C	271 mm	340 mm	377 mm
D	172 mm	172 mm	172 mm

*IN CASE OF TANK LEAKAGE

GREAT DESIGN BELONGS EVERYWHERE

Aesthetic excellence crafted for every contemporary living space.

OTTO+ DUAL ELEMENT

ELECTRIC STORAGE WATER HEATER

33%* FASTER HEATING

Free Replaceable Silver Decorative panel inside the box

CAPACITY : 10 L, 15 L & 25 L
COLOR : WHITE CHAMPAGNE GOLD & WHITE SILVER

Smart Load Management Modes

ECO 1kW | STANDARD 2kW | TURBO 3kW

2 YEAR COMPREHENSIVE WARRANTY

5 YEAR WARRANTY ON HEATING ELEMENT

7 YEAR PRODUCT REPLACEMENT WARRANTY*

MORE STARS MORE SAVINGS

FASTER

- Dual Element With 3 Heating Modes
- Mcoloy Heating Element

SAFER

- Shock Safe Plug
- Fire Retardant Power Cord
- High Working Pressure 0.8 MPa
- Dual Safety Adapter

SAVES

- High Density PUF Insulation
- Whirlflow Technology
- Dual Adjustable Knob

LONG LIFE

- Feroglas Coated Inner Container
- Heavy Duty Protective Anode Rod

CONVENIENCE

- Color Changing LED Indicator

DIMENSION (mm)



Capacity	10 L	15 L	25 L
A	427 mm	427 mm	484 mm
B	427 mm	427 mm	484 mm
C	270 mm	328 mm	360 mm
D	68 mm	68 mm	68 mm

*IN CASE OF TANK LEAKAGE

TWICE THE POWER. LESS OF THE WAIT.

Dual Element technology delivers faster heating, so hot water is ready when you are.

ADONIA SPIN+ DUAL ELEMENT

ELECTRIC STORAGE WATER HEATER

33*% FASTER HEATING

CAPACITY : 10 L, 15 L & 25 L
COLOR : WHITE BLUE

Smart Load Management Modes

ECO 1kW | STANDARD 2kW | TURBO 3kW

- 2 YEAR COMPREHENSIVE WARRANTY
- 5 YEAR WARRANTY ON HEATING ELEMENT
- 7 YEAR PRODUCT REPLACEMENT WARRANTY*

MORE STARS MORE SAVINGS

FASTER

- Dual Element With 3 Heating Modes
- Mcoloy Heating Element

SAFER

- Fire Retardant Power Cord
- High Working Pressure 0.8 MPa
- High Precision Thermostat & Cut Out
- Dual Safety Adapter

SAVES

- High Density PUF Insulation
- Whirlflow Technology
- Dual Adjustable Knob

LONG LIFE

- Feroglas Coated Inner Container
- Heavy Duty Protective Anode Rod

DIMENSION (mm)



Capacity	10 L	15 L	25 L
A	390 mm	390 mm	453 mm
B	390 mm	390 mm	453 mm
C	291 mm	328 mm	365 mm
D	67 mm	67 mm	67 mm

GRASIA+ DUAL ELEMENT

ELECTRIC STORAGE WATER HEATER

33*% FASTER HEATING

CAPACITY : 10 L, 15 L & 25 L
COLOR : WHITE BLUE

Smart Load Management Modes

ECO 1kW | STANDARD 2kW | TURBO 3kW

2 YEAR COMPREHENSIVE WARRANTY

5 YEAR WARRANTY ON HEATING ELEMENT

7 YEAR PRODUCT REPLACEMENT WARRANTY*

MORE STARS MORE SAVINGS

FASTER

- Dual Element With 3 Heating Modes
- Mcoloy Heating Element

SAFER

- Fire Retardant Power Cord
- High Working Pressure 0.8 MPa
- High Precision Thermostat & Cut Out
- Dual Safety Adapter

SAVES

- High Density PUF Insulation
- Whirlflow Technology
- Dual Adjustable Knob

LONG LIFE

- Feroglas Coated Inner Container
- Heavy Duty Protective Anode Rod

DIMENSION (mm)



Capacity	10 L	15 L	25 L
A	360 mm	384 mm	447 mm
B	402 mm	429 mm	496 mm
C	345 mm	375 mm	424 mm
D	67.5 mm	67.5 mm	67.5 mm

*IN CASE OF TANK LEAKAGE



VELORA+ DUAL ELEMENT

ELECTRIC STORAGE WATER HEATER

33*% FASTER HEATING

CAPACITY : 10 L, 15 L & 25 L
COLOR : WHITE BLUE

Smart Load Management Modes

ECO 1kW | STANDARD 2kW | TURBO 3kW

2 YEAR COMPREHENSIVE WARRANTY

5 YEAR WARRANTY ON HEATING ELEMENT

7 YEAR PRODUCT REPLACEMENT WARRANTY*

MORE STARS MORE SAVINGS

FASTER

- Dual Element With 3 Heating Modes
- Mcoloy Heating Element

SAFER

- Fire Retardant Power Cord
- High Working Pressure 0.8 MPa
- High Precision Thermostat & Cut Out
- Dual Safety Adapter

SAVES

- High Density PUF Insulation
- Whirlflow Technology
- Dual Adjustable Knobs

LONG LIFE

- Feroglas Coated Inner Container
- Heavy Duty Protective Anode Rod

DIMENSION (mm)



Capacity	10 L	15 L	25 L
A	328 mm	328 mm	378 mm
B	426 mm	526 mm	564 mm
C	352 mm	352 mm	405 mm
D	163 mm	163 mm	163 mm

*IN CASE OF TANK LEAKAGE

WARMTH, BUILT FOR TOMORROW

Future-ready innovation designed for evolving lifestyles.

ADONIA i

ELECTRIC STORAGE WATER HEATER

India's 1st* AGENTIC AI VOICE

CAPACITY : 15 L & 25 L
COLOR : WHITE

WORKS WITH alexa

works with Ok Google

2 YEAR COMPREHENSIVE WARRANTY

4 YEAR WARRANTY ON HEATING ELEMENT

7 YEAR PRODUCT REPLACEMENT WARRANTY*

MORE STARS MORE SAVINGS

FASTER

- Mcoloy Heating Element

SAFER

- Shock Safe Plug
- Fire Retardant Power Cord
- 75 °C High Precision Thermostat & Cut Out
- Dual Safety Adapter

SAVES

- High Density PUF Insulation
- Whirlflow Technology

LONG LIFE

- Feroglas Coated Inner Container
- Heavy Duty Protective Anode Rod

SMART

- Wi-Fi Control
- Smart Scheduler
- Geo Fencing
- Color Changing LED Indicator

DIMENSION (mm)



Capacity	15 L	25 L
A	390 mm	453 mm
B	390 mm	453 mm
C	328 mm	365 mm
D	67 mm	67 mm

ALL TRADEMARKS USED HEREIN ARE PROPERTY OF THEIR RESPECTIVE OWNERS. ANY USE OF THIRD PARTY TRADE MARKS IS FOR IDENTIFICATION PURPOSE ONLY AND DOES NOT IMPLY ENDORSEMENT .

*BASED ON INTERNAL RESEARCH, TESTS, AND MARKET SURVEY. FOR DETAILS, VISIT WWW.HAVELLS.COM

*IN CASE OF TANK LEAKAGE



ADONIA WAVE

ELECTRIC STORAGE WATER HEATER

India's 1st Water Heater with Intelligent Voice Control

CAPACITY : 15 L & 25 L
COLOR : WHITE

2 YEAR COMPREHENSIVE WARRANTY

4 YEAR WARRANTY ON HEATING ELEMENT

7 YEAR PRODUCT REPLACEMENT WARRANTY*

MORE STARS MORE SAVINGS

FASTER

- Mcoloy Heating Element

SAFER

- Shock Safe Plug
- Fire Retardant Power Cord
- 75 °C High Precision Thermostat & Cut Out
- Dual Safety Adapter

SAVES

- High Density PUF Insulation
- Whirlflow Technology

LONG LIFE

- Feroglas Coated Inner Container
- Heavy Duty Protective Anode Rod

SMART

- Voice control to operate the product
- No Internet / Wi-Fi connectivity required
- Wake Word Sensing Indicator
- Color Changing LED Indicator

DIMENSION (mm)



Capacity	15 L	25 L
A	390 mm	453 mm
B	390 mm	453 mm
C	328 mm	365 mm
D	67 mm	67 mm

*IN CASE OF TANK LEAKAGE

DESIGNED TO BELONG. ENGINEERED TO PERFORM.

A contemporary water heater that blends seamlessly into modern spaces while delivering dependable comfort, safety and efficiency.

VALERIO

ELECTRIC STORAGE WATER HEATER

CAPACITY : 10 L, 15 L & 25 L
COLOR : WHITE BLUE

2 YEAR COMPREHENSIVE WARRANTY

4 YEAR WARRANTY ON HEATING ELEMENT

7 YEAR PRODUCT REPLACEMENT WARRANTY*

MORE STARS MORE SAVINGS

FASTER

- Mcoloy Heating Element

SAFER

- Fire Retardant Power Cord
- High Working Pressure 0.8 MPa
- High Precision Thermostat & Cut Out
- Dual Safety Adapter

SAVES

- High Density PUF Insulation
- Whirlflow Technology
- Temperature setting knob

LONG LIFE

- Feroglas Coated Inner Container
- Heavy Duty Protective Anode Rod

DIMENSION (mm)



Capacity	10 L	15 L	25 L
A	412 mm	412 mm	466 mm
B	420 mm	420 mm	476 mm
C	280 mm	348 mm	385 mm
D	172 mm	172 mm	172 mm

*IN CASE OF TANK LEAKAGE

COMFORT IS INVISIBLE

Effortless performance that works quietly in the background.

GRETA PRIME

ELECTRIC STORAGE WATER HEATER

CAPACITY : 10 L, 15 L & 25 L
COLOR : WHITE BLUE

2 YEAR COMPREHENSIVE WARRANTY

4 YEAR WARRANTY ON HEATING ELEMENT

7 YEAR PRODUCT REPLACEMENT WARRANTY*

MORE STARS MORE SAVINGS

FASTER

- Mcoloy Heating Element

SAFER

- Fire Retardant Power Cord
- High Working Pressure 0.8 MPa
- High Precision Thermostat & Cut Out
- Dual Safety Adapter

SAVES

- High Density PUF Insulation
- Whirlflow Technology
- Temperature setting knob

LONG LIFE

- Feroglas Coated Inner Container
- Heavy Duty Protective Anode Rod

DIMENSION (mm)



Capacity	10 L	15 L	25 L
A	411 mm	411 mm	468 mm
B	410 mm	410 mm	466 mm
C	298 mm	358 mm	398 mm
D	68 mm	68 mm	68 mm

*IN CASE OF TANK LEAKAGE

CRAFTED FOR MODERN LIVING

Thoughtfully engineered to suit today's homes and routines.

ORAZIO PRIME

ELECTRIC STORAGE WATER HEATER

CAPACITY : 10 L, 15 L & 25 L
COLOR : WHITE GREY

2 YEAR COMPREHENSIVE WARRANTY

4 YEAR WARRANTY ON HEATING ELEMENT

7 YEAR PRODUCT REPLACEMENT WARRANTY*

MORE STARS MORE SAVINGS

FASTER

- Mcoloy Heating Element

SAFER

- Fire Retardant Power Cord
- High Working Pressure 0.8 MPa
- 75 °C High Precision Thermostat & Cut Out
- Dual Safety Adapter

SAVES

- High Density PUF Insulation
- Whirlflow Technology
- Temperature setting knob

LONG LIFE

- Feroglas Coated Inner Container
- Heavy Duty Protective Anode Rod

DIMENSION (mm)



Capacity	10 L	15 L	25 L
A	425 mm	425 mm	482 mm
B	425 mm	425 mm	482 mm
C	289 mm	345 mm	373 mm
D	68 mm	68 mm	68 mm

*IN CASE OF TANK LEAKAGE

MORE COMFORT. LESS COMPROMISE.

A compact design that maximizes space while delivering dependable hot water performance.

GRASIA

ELECTRIC STORAGE WATER HEATER

CAPACITY : 10 L, 15 L & 25 L
COLOR : WHITE BLUE

2 YEAR COMPREHENSIVE WARRANTY

4 YEAR WARRANTY ON HEATING ELEMENT

7 YEAR PRODUCT REPLACEMENT WARRANTY*

FASTER

- Mcoloy Heating Element

SAFER

- Fire Retardant Power Cord
- High Working Pressure 0.8 MPa
- High Precision Thermostat & Cut Out
- Dual Safety Adapter

SAVES

- High Density PUF Insulation
- Whirlflow Technology
- Temperature setting knob

LONG LIFE

- Feroglas Coated Inner Container
- Heavy Duty Protective Anode Rod

DIMENSION (mm)



Capacity	10 L	15 L	25 L
A	360 mm	384 mm	447 mm
B	402 mm	429 mm	496 mm
C	345 mm	375 mm	424 mm
D	67.5 mm	67.5 mm	67.5 mm

*IN CASE OF TANK LEAKAGE



DESIGNED TO FIT. BUILT TO IMPRESS.

Thoughtfully engineered to blend into modern homes without taking up valuable space.

FABIA SLIM

ELECTRIC STORAGE WATER HEATER

CAPACITY : 10 L, 15 L & 25 L
COLOR : WHITE BLUE

AVAILABLE IN LH & RH CONFIGURATION

2 YEAR COMPREHENSIVE WARRANTY

5 YEAR WARRANTY ON HEATING ELEMENT

7 YEAR PRODUCT REPLACEMENT WARRANTY*

MORE STARS MORE SAVINGS
25 L : 2 STAR

FASTER

- Mcoloy Heating Element

SAFER

- Fire Retardant Power Cord
- High Working Pressure 0.8 MPa
- High Precision Thermostat & Cut Out
- Dual Safety Adapter

SAVES

- High Density PUF Insulation
- Whirlflow Technology
- Temperature setting knob

LONG LIFE

- Feroglas Coated Inner Container
- Heavy Duty Protective Anode Rod

DIMENSION (mm)



Capacity	10 L	15 L	25 L
A	311 mm	311 mm	322 mm
B	425 mm	555 mm	720 mm
C	190 mm	320 mm	250 mm
D	217 mm	217 mm	217 mm

*IN CASE OF TANK LEAKAGE

MORNINGS BEGIN WITH WARMTH

Start every day refreshed, relaxed, and ready.

VELORA PRIME

ELECTRIC STORAGE WATER HEATER

CAPACITY : 10 L, 15 L & 25 L
COLOR : WHITE BLUE

2 YEAR COMPREHENSIVE WARRANTY

4 YEAR WARRANTY ON HEATING ELEMENT

7 YEAR PRODUCT REPLACEMENT WARRANTY*

FASTER

- Mcoloy Heating Element

SAFER

- Fire Retardant Power Cord
- High Working Pressure 0.8 MPa
- High Precision Thermostat & Cut Out
- Dual Safety Adapter

SAVES

- High Density PUF Insulation
- Whirlflow Technology
- Temperature setting knob

LONG LIFE

- Feroglas Coated Inner Container
- Heavy Duty Protective Anode Rod

DIMENSION (mm)



Capacity	10 L	15 L	25 L
A	328 mm	328 mm	378 mm
B	426 mm	526 mm	564 mm
C	352 mm	352 mm	405 mm
D	163 mm	163 mm	163 mm

*IN CASE OF TANK LEAKAGE

WARMTH ISN'T
A TEMPERATURE.
IT'S A FEELING.

A comforting experience
that goes beyond hot water.

VELORA PRO

ELECTRIC STORAGE WATER HEATER

CAPACITY : 10 L, 15 L & 25 L
COLOR : WHITE BLUE

2 YEAR COMPREHENSIVE WARRANTY

4 YEAR WARRANTY ON HEATING ELEMENT

7 YEAR PRODUCT REPLACEMENT WARRANTY*

FASTER

- Mcoloy Heating Element

SAFER

- Fire Retardant Power Cord
- High Working Pressure 0.8 MPa
- High Precision Thermostat & Cut Out
- Dual Safety Adapter

SAVES

- High Density PUF Insulation
- Whirlflow Technology

LONG LIFE

- Feroglas Coated Inner Container
- Heavy Duty Protective Anode Rod

DIMENSION (mm)



Capacity	10 L	15 L	25 L
A	328 mm	328 mm	378 mm
B	401 mm	501 mm	553 mm
C	338 mm	338 mm	390 mm
D	163 mm	163 mm	163 mm

*IN CASE OF TANK LEAKAGE

BIG ON COMFORT. SMALL ON SPACE.

Enjoy efficient water heating in a sleek, compact form designed for contemporary living.

MONZA NU

ELECTRIC STORAGE WATER HEATER

CAPACITY : 35 L, 50 L & 100 L
COLOR : WHITE GREY

2 YEAR COMPREHENSIVE WARRANTY

4 YEAR WARRANTY ON HEATING ELEMENT

7 YEAR PRODUCT REPLACEMENT WARRANTY*

MORE STARS MORE SAVINGS

FASTER

- Mcoloy Heating Element#

SAFER

- Fire Retardant Power Cord
- High Working Pressure 0.8 MPa
- 75 °C High Precision Thermostat & Cut Out
- Dual Safety Adapter

SAVES

- High Density PUF Insulation
- Whirlflow Technology
- Temperature setting knob

LONG LIFE

- Feroglas Coated Inner Container
- Heavy Duty Protective Anode Rod

DIMENSION (mm)





Capacity	35 L	50 L	100 L
A	411 mm	461 mm	461 mm
B	616 mm	652 mm	1070 mm
C	435 mm	486 mm	486 mm
D	217 mm	217 mm	217 mm

#100 L incoloy glass coated heating element

*IN CASE OF TANK LEAKAGE

MONZA DX-CF

ELECTRIC STORAGE WATER HEATER

CAPACITY : 50 L
COLOR : WHITE GREY

2 YEAR COMPREHENSIVE WARRANTY

4 YEAR WARRANTY ON HEATING ELEMENT

7 YEAR PRODUCT REPLACEMENT WARRANTY*

MORE STARS MORE SAVINGS

FASTER

- Mcoloy Heating Element

SAFER

- Fire Retardant Power Cord
- High Working Pressure 0.8 MPa
- High Precision Thermostat & Cut Out
- Dual Safety Adapter

SAVES

- High Density PUF Insulation
- Whirlflow Technology
- Temperature setting knob

LONG LIFE

- Feroglas Coated Inner Container
- Heavy Duty Protective Anode Rod

DIMENSION (mm)



Capacity	50 L
A	476 mm
B	600 mm
C	525 mm
D	163 mm

*IN CASE OF TANK LEAKAGE



MONZA PRIME CF

ELECTRIC STORAGE WATER HEATER

CAPACITY : 35 L
COLOR : WHITE GREY

2 YEAR COMPREHENSIVE WARRANTY

4 YEAR WARRANTY ON HEATING ELEMENT

7 YEAR PRODUCT REPLACEMENT WARRANTY*

MORE STARS MORE SAVINGS

FASTER

- Mcoloy Heating Element

SAFER

- Fire Retardant Power Cord
- High Working Pressure 0.8 MPa
- High Precision Thermostat & Cut Out
- Dual Safety Adapter

SAVES

- High Density PUF Insulation
- Whirlflow Technology
- Temperature setting knob

LONG LIFE

- Feroglas Coated Inner Container
- Heavy Duty Protective Anode Rod

DIMENSION (mm)



Capacity	35 L
A	427 mm
B	550 mm
C	480 mm
D	217 mm

*IN CASE OF TANK LEAKAGE

COMFORT COMES NATURALLY

Engineered to make everyday comfort effortless.

FABIA

ELECTRIC STORAGE WATER HEATER

CAPACITY : 6 L
COLOR : WHITE BLUE

2 YEAR COMPREHENSIVE WARRANTY

4 YEAR WARRANTY ON HEATING ELEMENT

7 YEAR PRODUCT REPLACEMENT WARRANTY*

MORE STARS MORE SAVINGS

FASTER

- Incoloy Glass Coated Heating Element

SAFER

- Fire Retardant Power Cord
- High Working Pressure 0.8 MPa
- 75 °C High Precision Thermostat & Cut Out
- Dual Safety Adapter

SAVES

- High Density PUF Insulation
- Whirlflow Technology
- Temperature setting knob

LONG LIFE

- Feroglas Coated Inner Container
- Heavy Duty Protective Anode Rod

DIMENSION (mm)



Capacity	6 L
A	259 mm
B	412 mm
C	272 mm
D	163 mm

*IN CASE OF TANK LEAKAGE

BUILT AROUND YOUR COMFORT

Every feature is thoughtfully designed with you in mind.

BIANCA

ELECTRIC STORAGE WATER HEATER

CAPACITY : 6 L
COLOR : WHITE BLUE

2 YEAR COMPREHENSIVE WARRANTY

4 YEAR WARRANTY ON HEATING ELEMENT

7 YEAR PRODUCT REPLACEMENT WARRANTY*

MORE STARS MORE SAVINGS

FASTER

- Incoloy Glass Coated Heating Element

SAFER

- Fire Retardant Power Cord
- High Working Pressure 0.8 MPa
- 75 °C High Precision Thermostat & Cut Out
- Dual Safety Adapter

SAVES

- High Density PUF Insulation
- Whirlflow Technology
- Temperature setting knob

LONG LIFE

- Feroglas Coated Inner Container
- Heavy Duty Protective Anode Rod

DIMENSION (mm)



Capacity	6 L
A	352 mm
B	344 mm
C	301 mm
D	157 mm

*IN CASE OF TANK LEAKAGE

ELECTRIC INSTANTANEOUS WATER HEATER

FASTER | SAFER | SMARTER | LONG LIFE

CARLO PRO

ELECTRIC INSTANTANEOUS WATER HEATER

CAPACITY : 5.9 L
COLOR : WHITE BLUE

2 YEAR COMPREHENSIVE WARRANTY

3 YEAR WARRANTY ON HEATING ELEMENT

7 YEAR WARRANTY ON INNER CONTAINER

- Heavy duty Heating element
- Feroglas Coated Inner Container
- Bi-Color LED Indicator
- Fire Retardant Power Cord
- High Precision Pre calibrated thermostat (55 °C)
- Whirlflow Technology
- High Working Pressure 0.8 MPa
- Heavy Duty Protective Anode Rod

DIMENSION (mm)



Capacity	5.9 L
A	236 mm
B	455 mm
C	100 mm
D	254 mm



READY WHENEVER YOU ARE

Instant access to comfort whenever you need it.

PURO PRO

ELECTRIC INSTANTANEOUS WATER HEATER

CAPACITY : 5.9 L
COLOR : WHITE BLUE

2 YEAR COMPREHENSIVE WARRANTY

3 YEAR WARRANTY ON HEATING ELEMENT

7 YEAR WARRANTY ON INNER CONTAINER

- Heavy duty Heating element
- Feroglas Coated Inner Container
- Bi-Color LED Indicator
- Fire Retardant Power Cord
- 55 °C High Precision Pre calibrated thermostat
- Whirlflow Technology
- High Working Pressure 0.8 MPa
- Heavy Duty Protective Anode Rod

DIMENSION (mm)



Capacity	5.9 L
A	270 mm
B	457 mm
C	100 mm
D	120 mm

WHERE EVERY DAY BEGINS BETTER

Creating more comfortable starts and smoother routines.

INSTANIO PRIME

ELECTRIC INSTANTANEOUS WATER HEATER

CAPACITY : 3 L
COLOR : WHITE BLUE

2 YEAR COMPREHENSIVE WARRANTY

3 YEAR WARRANTY ON HEATING ELEMENT

7 YEAR WARRANTY ON INNER CONTAINER

- Heavy duty Heating element
- Feroglas Coated Inner Container
- Bi-Color LED Indicator
- Fire Retardant Power Cord
- 55 °C High Precision Pre calibrated thermostat
- Rust & shock proof outer body
- High Working Pressure 0.8 MPa
- Heavy Duty Protective Anode Rod

DIMENSION (mm)



Capacity	3 L
A	214 mm
B	362 mm
C	100 mm
D	315 mm

ZENO

ELECTRIC INSTANTANEOUS WATER HEATER

CAPACITY : 3 L
COLOR : WHITE BROWN

2 YEAR COMPREHENSIVE WARRANTY

2 YEAR WARRANTY ON HEATING ELEMENT

5 YEAR WARRANTY ON INNER CONTAINER

Heavy duty Heating element

SS 304 L Inner Tank

Bi-Color LED Indicator

Fire Retardant Power Cord

55 °C High Precision Pre calibrated thermostat

Rust & shock proof outer body

6.5 bar
94 psi
0.65 MPa
0.65 MPa High working pressure

DIMENSION (mm)



Capacity	3 L
A	184 mm
B	331 mm
C	180 mm
D	67 mm

RENZO

ELECTRIC INSTANTANEOUS WATER HEATER

CAPACITY : 3 L
COLOR : WHITE BLUE

2 YEAR COMPREHENSIVE WARRANTY

2 YEAR WARRANTY ON HEATING ELEMENT

5 YEAR WARRANTY ON INNER CONTAINER

Heavy duty Heating element

SS 304 L Inner Tank

Bi-Color LED Indicator

Fire Retardant Power Cord

55 °C High Precision Pre calibrated thermostat

Rust & shock proof outer body

6.5 bar
94 psi
0.65 MPa
0.65 MPa High working pressure

DIMENSION (mm)



Capacity	3 L
A	192 mm
B	328 mm
C	191 mm
D	64 mm

RUSH+

ELECTRIC INSTANTANEOUS WATER HEATER

CAPACITY : 1 L
COLOR : WHITE BLUE

2 YEAR COMPREHENSIVE WARRANTY

2 YEAR WARRANTY ON HEATING ELEMENT

5 YEAR WARRANTY ON INNER CONTAINER

Heavy duty Heating element

SS 304 L Inner Tank

Bi-Color LED Indicator

Fire Retardant Power Cord

55 °C High Precision Pre calibrated thermostat

Rust & shock proof outer body

6.5 bar
94 psi
0.65 MPa

0.65 MPa High working pressure

DIMENSION (mm)



Capacity	1 L
A	180 mm
B	313 mm
C	66 mm
D	159 mm

THE LUXURY OF NOW.

Instant hot water whenever you need it, for uninterrupted comfort throughout the day.

BREAA

ELECTRIC INSTANTANEOUS WATER HEATER

WATTAGE : 5.5 kW
COLOR : WHITE

WITH 3 HEATING MODES
3.5 kW | 4.5 kW | 5.5 kW

2 YEAR COMPREHENSIVE WARRANTY

FASTER

3-IN-1 3-in-1 Convertible Heating Modes

SAFER

Anti-Scald

Dry Heat Protection

SAVES

Energy Savings

CONVENIENCE

30°C Digital Temperature Display

Feather Touch Panel

DIMENSION (mm)



Capacity	5.5 kW
A	182 mm
B	172 mm
C	72 mm

FLAGRO

INSTANTANEOUS GAS WATER HEATER

CAPACITY : 5.5 L
COLOR : WHITE
VARIANTS : LPG & CNG

2 YEAR COMPREHENSIVE WARRANTY

- Electromagnetic Valve*
- Over-Heat Protection
- 20 min Timer Protection
- Anti-Dry Burning Protection
- Child Lock Safety Device
- Low Water Pressure Technology
- High water pressure protection
- Flame out protection

DIMENSION (mm)



Capacity	5.5 L
A	300 mm
B	140 mm
C	440 mm
D	160 mm

ZELLA

CARRY COMFORT WHEREVER LIFE TAKES YOU.

Lightweight and portable design makes hot water available wherever you're staying.

WATTAGE : 1000 W & 1500 W
COLOR : BLUE

INDIA'S 1ST Auto Immersion Water Heater WITH TEMPERATURE SETTING KNOB

2 YEAR COMPREHENSIVE WARRANTY

- Efficient heat transfer heating element
- Water Resistant
- ISI mark 3 pin molded plug
- Heating indicator
- Elegant & sturdy safe Bucket hanger
- Nickel plating for corrosion resistance
- Automatic cut-off
- Temperature setting knob

ZETA

DESIGNED FOR WARMTH. BUILT FOR SAFETY.

Robust construction and dependable performance ensure confidence with every use.

WATTAGE : 1000 W & 1500 W
COLOR : GREY

2 YEAR COMPREHENSIVE WARRANTY

- Efficient heat transfer heating element
- Elegant & sturdy bucket hook
- ISI mark 3 pin molded plug
- Heating indicator
- Shock proof water level indicator
- Nickel plating for corrosion resistance
- Water proof

Benefits	Parameter	Magnatron Prime	
Range	Rated Capacity (Litre)	15 L	25 L
	Star Rating	3 Star	3 Star
	Mounting	Vertical	Vertical
	Rated Voltage & Frequency	230 V, 1 Phase 50 Hz AC	230 V, 1 Phase 50 Hz AC
	Rated Power (W)	2000 W	2000 W
Faster	Induction Technology-25% Faster Heating	✓	✓
	No Heating Element-Scaling Resistant	✓	✓
Safer	Shock Safe Plug	×	×
	Fire Retardant Power Cord	✓	✓
	Dual Safety Adapter	✓	✓
	Multifunction Safety Valve	✓	✓
	Dry Heat Protection	✓	✓
	Water Resistant & Splash Proof (IPX4)	✓	✓
	Thermostat Cutout Temperature (°C)	75 °C	75 °C
	Rated Pressure (MPa)	0.8 MPa	0.8 MPa
Saves	Saves Rs. 30 000/- in 5 Year Span	✓	✓
	High Density PUF Insulation	✓	✓
	Whirlflow Technology	✓	✓
Long Life	Inner Container	Feroglas Coated	Feroglas Coated
	Heavy Duty Protective Anode Rod	✓	✓
	Long Lasting Heating efficiency	✓	✓
Smart	Remote Control	✓	✓
	Smart & Eco Mode	✓	✓
	Digital Temperature Display	✓	✓
Pipe	Flexible Pipe Inside the Box	✓	✓
Warranty	Inner Container	7 Years	7 Years
	Induction Coil	5 Years	5 Years
	Comprehensive	2 Years	2 Years

Benefits	Parameter	Bianca DG+	
Range	Rated Capacity (Litre)	15 L	25 L
	Star Rating	5 Star	5 Star
	Mounting	Vertical	Vertical
	Rated Voltage & Frequency	230 V, 1 Phase 50 Hz AC	230 V, 1 Phase 50 Hz AC
	Rated Power (W)	1000 W / 2000 W / 3000 W	1000 W / 2000 W / 3000 W
Faster	Convertible Dual Element WH:33% Faster Heating Element	✓ Mcoloy Heating Element	✓ Mcoloy Heating Element
Safer	Shock Safe Plug	✓	✓
	Fire Retardant Power Cord	✓	✓
	Dual Safety Adapter	✓	✓
	Multifunction Safety Valve	✓	✓
	Water Resistant & Splash Proof (IPX4)	✓	✓
	Thermostat Cutout Temperature (°C)	75 °C	75 °C
	Rated Pressure (MPa)	0.8 MPa	0.8 MPa
Saves	High Density PUF Insulation	✓	✓
	Whirlflow Technology	✓	✓
	Temperature & Wattage Setting	Digital & Remote	Digital & Remote
Long Life	Inner Container	Feroglas Coated	Feroglas Coated
	Heavy Duty Protective Anode Rod	✓	✓
Pipe	Flexible Pipe Inside the Box	✓	✓
Warranty	Inner Container	7 Years	7 Years
	Induction Coil	5 Years	5 Years
	Comprehensive	2 Years	2 Years

Benefits	Parameter	Otto+		
Range	Rated Capacity (Litre)	10 L	15 L	25 L
	Star Rating	5 Star	5 Star	5 Star
	Mounting	Vertical	Vertical	Vertical
	Rated Voltage & Frequency	230 V, 1 Phase 50 Hz AC	230 V, 1 Phase 50 Hz AC	230 V, 1 Phase 50 Hz AC
	Rated Power (W)	1000 W / 2000 W / 3000 W	1000 W / 2000 W / 3000 W	1000 W / 2000 W / 3000 W
Faster	Convertible Dual Element WH:33% Faster	✓	✓	✓
	Heating Element	Mcoloy Heating Element	Mcoloy Heating Element	Mcoloy Heating Element
Safer	Shock Safe Plug	✓	✓	✓
	Fire Retardant Power Cord	✓	✓	✓
	Dual Safety Adapter	✓	✓	✓
	Multifunction Safety Valve	✓	✓	✓
	Water Resistant & Splash Proof (IPX4)	✓	✓	✓
	Thermostat Cutout Temperature (°C)	75 °C	75 °C	75 °C
	Rated Pressure (MPa)	0.8 MPa	0.8 MPa	0.8 MPa
Saves	High Density PUF Insulation	✓	✓	✓
	Whirlflow Technology	✓	✓	✓
	Temperature & Wattage Setting	Dual Knob	Dual Knob	Dual Knob
Long Life	Inner Container	Feroglas Coated	Feroglas Coated	Feroglas Coated
	Heavy Duty Protective Anode Rod	✓	✓	✓
Pipe	Flexible Pipe Inside the Box	✓	✓	✓
Warranty	Inner Container	7 Years	7 Years	7 Years
	Heating Element	5 Years	5 Years	5 Years
	Comprehensive	2 Years	2 Years	2 Years

Benefits	Parameter	Bianca+		
Range	Rated Capacity (Litre)	10 L	15 L	25 L
	Star Rating	5 Star	5 Star	5 Star
	Mounting	Vertical	Vertical	Vertical
	Rated Voltage & Frequency	230 V, 1 Phase 50 Hz AC	230 V, 1 Phase 50 Hz AC	230 V, 1 Phase 50 Hz AC
	Rated Power (W)	1000 W / 2000 W / 3000 W	1000 W / 2000 W / 3000 W	1000 W / 2000 W / 3000 W
Faster	Convertible Dual Element WH:33% Faster	✓	✓	✓
	Heating Element	Mcoloy Heating Element	Mcoloy Heating Element	Mcoloy Heating Element
Safer	Shock Safe Plug	✓	✓	✓
	Fire Retardant Power Cord	✓	✓	✓
	Dual Safety Adapter	✓	✓	✓
	Multifunction Safety Valve	✓	✓	✓
	Water Resistant & Splash Proof (IPX4)	✓	✓	✓
	Thermostat Cutout Temperature (°C)	75 °C	75 °C	75 °C
	Rated Pressure (MPa)	0.8 MPa	0.8 MPa	0.8 MPa
Saves	High Density PUF Insulation	✓	✓	✓
	Whirlflow Technology	✓	✓	✓
	Temperature & Wattage Setting	Dual Knob	Dual Knob	Dual Knob
Long Life	Inner Container	Feroglas Coated	Feroglas Coated	Feroglas Coated
	Heavy Duty Protective Anode Rod	✓	✓	✓
Pipe	Flexible Pipe Inside the Box	✓	✓	✓
Warranty	Inner Container	7 Years	7 Years	7 Years
	Heating Element	5 Years	5 Years	5 Years
	Comprehensive	2 Years	2 Years	2 Years

Benefits	Parameter	Adonia Spin+		
Range	Rated Capacity (Litre)	10 L	15 L	25 L
	Star Rating	4 Star	4 Star	4 Star
	Mounting	Vertical	Vertical	Vertical
	Rated Voltage & Frequency	230 V, 1 Phase 50 Hz AC	230 V, 1 Phase 50 Hz AC	230 V, 1 Phase 50 Hz AC
	Rated Power (W)	1000 W / 2000 W / 3000 W	1000 W / 2000 W / 3000 W	1000 W / 2000 W / 3000 W
Faster	Convertible Dual Element WH:33% Faster	✓	✓	✓
	Heating Element	Mcoloy Heating Element	Mcoloy Heating Element	Mcoloy Heating Element
Safer	Shock Safe Plug	×	×	×
	Fire Retardant Power Cord	✓	✓	✓
	Dual Safety Adapter	✓	✓	✓
	Multifunction Safety Valve	✓	✓	✓
	Water Resistant & Splash Proof (IPX4)	✓	✓	✓
	Thermostat Cutout Temperature (°C)	75 °C	75 °C	75 °C
	Rated Pressure (MPa)	0.8 MPa	0.8 MPa	0.8 MPa
Saves	High Density PUF Insulation	✓	✓	✓
	Whirlflow Technology	✓	✓	✓
	Temperature & Wattage Setting	Dual Knob	Dual Knob	Dual Knob
Long Life	Inner Container	Feroglas Coated	Feroglas Coated	Feroglas Coated
	Heavy Duty Protective Anode Rod	✓	✓	✓
Pipe	Flexible Pipe Inside the Box	✓	✓	✓
Warranty	Inner Container	7 Years	7 Years	7 Years
	Heating Element	5 Years	5 Years	5 Years
	Comprehensive	2 Years	2 Years	2 Years

Benefits	Parameter	Grasia+		
Range	Rated Capacity (Litre)	10 L	15 L	25 L
	Star Rating	5 Star	5 Star	5 Star
	Mounting	Vertical	Vertical	Vertical
	Rated Voltage & Frequency	230 V, 1 Phase 50 Hz AC	230 V, 1 Phase 50 Hz AC	230 V, 1 Phase 50 Hz AC
	Rated Power (W)	1000 W / 2000 W / 3000 W	1000 W / 2000 W / 3000 W	1000 W / 2000 W / 3000 W
Faster	Convertible Dual Element WH:33% Faster	✓	✓	✓
	Heating Element	Mcoloy Heating Element	Mcoloy Heating Element	Mcoloy Heating Element
Safer	Shock Safe Plug	×	×	×
	Fire Retardant Power Cord	✓	✓	✓
	Dual Safety Adapter	✓	✓	✓
	Multifunction Safety Valve	✓	✓	✓
	Water Resistant & Splash Proof (IPX4)	✓	✓	✓
	Thermostat Cutout Temperature (°C)	75 °C	75 °C	75 °C
	Rated Pressure (MPa)	0.8 MPa	0.8 MPa	0.8 MPa
Saves	High Density PUF Insulation	✓	✓	✓
	Whirlflow Technology	✓	✓	✓
	Temperature & Wattage Setting	Dual Knob	Dual Knob	Dual Knob
Long Life	Inner Container	Feroglas Coated	Feroglas Coated	Feroglas Coated
	Heavy Duty Protective Anode Rod	✓	✓	✓
Pipe	Flexible Pipe Inside the Box	✓	✓	✓
Warranty	Inner Container	7 Years	7 Years	7 Years
	Heating Element	5 Years	5 Years	5 Years
	Comprehensive	2 Years	2 Years	2 Years

Benefits	Parameter	Velora+		
Range	Rated Capacity (Litre)	10 L	15 L	25 L
	Star Rating	5 Star	5 Star	5 Star
	Mounting	Vertical	Vertical	Vertical
	Rated Voltage & Frequency	230 V, 1 Phase 50 Hz AC	230 V, 1 Phase 50 Hz AC	230 V, 1 Phase 50 Hz AC
	Rated Power (W)	1000 W / 2000 W / 3000 W	1000 W / 2000 W / 3000 W	1000 W / 2000 W / 3000 W
Faster	Convertible Dual Element WH:33% Faster	✓	✓	✓
	Heating Element	Mcoloy Heating Element	Mcoloy Heating Element	Mcoloy Heating Element
Safer	Shock Safe Plug	×	×	×
	Fire Retardant Power Cord	✓	✓	✓
	Dual Safety Adapter	✓	✓	✓
	Multifunction Safety Valve	✓	✓	✓
	Water Resistant & Splash Proof (IPX4)	✓	✓	✓
	Thermostat Cutout Temperature (°C)	75 °C	75 °C	75 °C
	Rated Pressure (MPa)	0.8 MPa	0.8 MPa	0.8 MPa
Saves	High Density PUF Insulation	✓	✓	✓
	Whirlflow Technology	✓	✓	✓
	Temperature & Wattage Setting	Dual Knob	Dual Knob	Dual Knob
Long Life	Inner Container	Feroglas Coated	Feroglas Coated	Feroglas Coated
	Heavy Duty Protective Anode Rod	✓	✓	✓
Pipe	Flexible Pipe Inside the Box	✓	✓	✓
Warranty	Inner Container	7 Years	7 Years	7 Years
	Heating Element	5 Years	5 Years	5 Years
	Comprehensive	2 Years	2 Years	2 Years

Benefits	Parameter	Adonia I	
Range	Rated Capacity (Litre)	15 L	25 L
	Star Rating	4 Star	4 Star
	Mounting	Vertical	Vertical
	Rated Voltage & Frequency	230 V, 1 Phase 50 Hz AC	230 V, 1 Phase 50 Hz AC
	Rated Power (W)	2000 W	2000 W
Faster	Heating Element	Mcoloy Heating Element	Mcoloy Heating Element
Safer	Shock Safe Plug	✓	✓
	Fire Retardant Power Cord	✓	✓
	Dual Safety Adapter	✓	✓
	Multifunction Safety Valve	✓	✓
	Water Resistant & Splash Proof (IPX4)	✓	✓
	Thermostat Cutout Temperature (°C)	75 °C	75 °C
	Rated Pressure (MPa)	0.8 MPa	0.8 MPa
Saves	High Density PUF Insulation	✓	✓
	Whirlflow Technology	✓	✓
	Temperature Setting	Digital & Remote	Digital & Remote
Long Life	Inner Container	Feroglas Coated	Feroglas Coated
	Heavy Duty Protective Anode Rod	✓	✓
Smart	Wi-Fi Control	✓	✓
	Geo Fencing	✓	✓
	Smart Scheduler	✓	✓
	Agentic Ai Voice	✓	✓
Pipe	Flexible Pipe Inside the Box	✓	✓
Warranty	Inner Container	7 Years	7 Years
	Heating Element	4 Years	4 Years
	Comprehensive	2 Years	2 Years

Benefits	Parameter	Adonia Wave	
Range	Rated Capacity (Litre)	15 L	25 L
	Star Rating	4 Star	4 Star
	Mounting	Vertical	Vertical
	Rated Voltage & Frequency	230 V, 1 Phase 50 Hz AC	230 V, 1 Phase 50 Hz AC
	Rated Power (W)	2000 W	2000 W
Faster	Heating Element	Mcoloy Heating Element	Mcoloy Heating Element
Safer	Shock Safe Plug	✓	✓
	Fire Retardant Power Cord	✓	✓
	Dual Safety Adapter	✓	✓
	Multifunction Safety Valve	✓	✓
	Water Resistant & Splash Proof (IPX4)	✓	✓
	Thermostat Cutout Temperature (°C)	75 °C	75 °C
	Rated Pressure (MPa)	0.8 MPa	0.8 MPa
Saves	High Density PUF Insulation	✓	✓
	Whirlflow Technology	✓	✓
	Temperature Setting	Digital & Remote	Digital & Remote
Long Life	Inner Container	Feroglas Coated	Feroglas Coated
	Heavy Duty Protective Anode Rod	✓	✓
Smart		✓	✓
	Voice Control to Operate the product	✓	✓
	Touch Free Control Operation	✓	✓
	Completely secure to use without internet	✓	✓
Pipe	Flexible Pipe Inside the Box	✓	✓
Warranty	Inner Container	7 Years	7 Years
	Heating Element	4 Years	4 Years
	Comprehensive	2 Years	2 Years

Benefits	Parameter	Valerio		
Range	Rated Capacity (Litre)	10 L	15 L	25 L
	Star Rating	5 Star	5 Star	5 Star
	Mounting	Vertical	Vertical	Vertical
	Rated Voltage & Frequency	230 V, 1 Phase 50 Hz AC	230 V, 1 Phase 50 Hz AC	230 V, 1 Phase 50 Hz AC
	Rated Power (W)	2000 W	2000 W	2000 W
Faster	Heating Element	Mcoloy Heating Element	Mcoloy Heating Element	Mcoloy Heating Element
Safer	Shock Safe Plug	×	×	×
	Fire Retardant Power Cord	✓	✓	✓
	Dual Safety Adapter	✓	✓	✓
	Multifunction Safety Valve	✓	✓	✓
	Water Resistant & Splash Proof (IPX4)	✓	✓	✓
	Thermostat Cutout Temperature (°C)	75 °C	75 °C	75 °C
	Rated Pressure (MPa)	0.8 MPa	0.8 MPa	0.8 MPa
Saves	High Density PUF Insulation	✓	✓	✓
	Whirlflow Technology	✓	✓	✓
	Temperature Setting	Knob	Knob	Knob
Long Life	Inner Container	Feroglas Coated	Feroglas Coated	Feroglas Coated
	Heavy Duty Protective Anode Rod	✓	✓	✓
Pipe	Flexible Pipe Inside the Box	✓	✓	✓
Warranty	Inner Container	7 Years	7 Years	7 Years
	Heating Element	4 Years	4 Years	4 Years
	Comprehensive	2 Years	2 Years	2 Years

Benefits	Parameter	Greta Prime		
Range	Rated Capacity (Litre)	10 L	15 L	25 L
	Star Rating	5 Star	5 Star	5 Star
	Mounting	Vertical	Vertical	Vertical
	Rated Voltage & Frequency	230 V, 1 Phase 50 Hz AC	230 V, 1 Phase 50 Hz AC	230 V, 1 Phase 50 Hz AC
	Rated Power (W)	2000 W	2000 W	2000 W
Faster	Heating Element	Mcoloy Heating Element	Mcoloy Heating Element	Mcoloy Heating Element
Safer	Shock Safe Plug	×	×	×
	Fire Retardant Power Cord	✓	✓	✓
	Dual Safety Adapter	✓	✓	✓
	Multifunction Safety Valve	✓	✓	✓
	Water Resistant & Splash Proof (IPX4)	✓	✓	✓
	Thermostat Cutout Temperature (°C)	75 °C	75 °C	75 °C
	Rated Pressure (MPa)	0.8 MPa	0.8 MPa	0.8 MPa
Saves	High Density PUF Insulation	✓	✓	✓
	Whirlflow Technology	✓	✓	✓
	Temperature Setting	Knob	Knob	Knob
Long Life	Inner Container	Feroglas Coated	Feroglas Coated	Feroglas Coated
	Heavy Duty Protective Anode Rod	✓	✓	✓
Pipe	Flexible Pipe Inside the Box	✓	✓	✓
Warranty	Inner Container	7 Years	7 Years	7 Years
	Heating Element	4 Years	4 Years	4 Years
	Comprehensive	2 Years	2 Years	2 Years

Benefits	Parameter	Grasia		
Range	Rated Capacity (Litre)	10 L	15 L	25 L
	Star Rating	5 Star	5 Star	5 Star
	Mounting	Vertical	Vertical	Vertical
	Rated Voltage & Frequency	230 V, 1 Phase 50 Hz AC	230 V, 1 Phase 50 Hz AC	230 V, 1 Phase 50 Hz AC
	Rated Power (W)	2000 W	2000 W	2000 W
Faster	Heating Element	Mcoloy Heating Element	Mcoloy Heating Element	Mcoloy Heating Element
Safer	Shock Safe Plug	×	×	×
	Fire Retardant Power Cord	✓	✓	✓
	Dual Safety Adapter	✓	✓	✓
	Multifunction Safety Valve	✓	✓	✓
	Water Resistant & Splash Proof (IPX4)	✓	✓	✓
	Thermostat Cutout Temperature (°C)	75 °C	75 °C	75 °C
	Rated Pressure (MPa)	0.8 MPa	0.8 MPa	0.8 MPa
Saves	High Density PUF Insulation	✓	✓	✓
	Whirlflow Technology	✓	✓	✓
	Temperature Setting	Knob	Knob	Knob
Long Life	Inner Container	Feroglas Coated	Feroglas Coated	Feroglas Coated
	Heavy Duty Protective Anode Rod	✓	✓	✓
Pipe	Flexible Pipe Inside the Box	✓	✓	✓
Warranty	Inner Container	7 Years	7 Years	7 Years
	Heating Element	4 Years	4 Years	4 Years
	Comprehensive	2 Years	2 Years	2 Years

Benefits	Parameter	Orazio Prime		
Range	Rated Capacity (Litre)	10 L	15 L	25 L
	Star Rating	5 Star	5 Star	5 Star
	Mounting	Vertical	Vertical	Vertical
	Rated Voltage & Frequency	230 V, 1 Phase 50 Hz AC	230 V, 1 Phase 50 Hz AC	230 V, 1 Phase 50 Hz AC
	Rated Power (W)	2000 W	2000 W	2000 W
Faster	Heating Element	Mcoloy Heating Element	Mcoloy Heating Element	Mcoloy Heating Element
Safer	Shock Safe Plug	×	×	×
	Fire Retardant Power Cord	✓	✓	✓
	Dual Safety Adapter	✓	✓	✓
	Multifunction Safety Valve	✓	✓	✓
	Water Resistant & Splash Proof (IPX4)	✓	✓	✓
	Thermostat Cutout Temperature (°C)	75 °C	75 °C	75 °C
	Rated Pressure (MPa)	0.8 MPa	0.8 MPa	0.8 MPa
Saves	High Density PUF Insulation	✓	✓	✓
	Whirlflow Technology	✓	✓	✓
	Temperature Setting	Knob	Knob	Knob
Long Life	Inner Container	Feroglas Coated	Feroglas Coated	Feroglas Coated
	Heavy Duty Protective Anode Rod	✓	✓	✓
Pipe	Flexible Pipe Inside the Box	✓	✓	✓
Warranty	Inner Container	7 Years	7 Years	7 Years
	Heating Element	4 Years	4 Years	4 Years
	Comprehensive	2 Years	2 Years	2 Years

Benefits	Parameter	Fabia Slim		
Range	Rated Capacity (Litre)	10 L	15 L	25 L
	Star Rating	3 Star	3 Star	2 Star
	Mounting	Horizontal	Horizontal	Horizontal
	Rated Voltage & Frequency	230 V, 1 Phase 50 Hz AC	230 V, 1 Phase 50 Hz AC	230 V, 1 Phase 50 Hz AC
	Rated Power (W)	2000 W	2000 W	2000 W
Faster	Heating Element	Mcoloy Heating Element	Mcoloy Heating Element	Mcoloy Heating Element
Safer	Shock Safe Plug	×	×	×
	Fire Retardant Power Cord	✓	✓	✓
	Dual Safety Adapter	✓	✓	✓
	Multifunction Safety Valve	✓	✓	✓
	Water Resistant & Splash Proof (IPX4)	✓	✓	✓
	Thermostat Cutout Temperature (°C)	75 °C	75 °C	75 °C
	Rated Pressure (MPa)	0.8 MPa	0.8 MPa	0.8 MPa
Saves	High Density PUF Insulation	✓	✓	✓
	Whirlflow Technology	✓	✓	✓
	Temperature Setting	Knob	Knob	Knob
Long Life	Inner Container	Feroglas Coated	Feroglas Coated	Feroglas Coated
	Heavy Duty Protective Anode Rod	✓	✓	✓
Pipe	Flexible Pipe Inside the Box	✓	✓	✓
Warranty	Inner Container	7 Years	7 Years	7 Years
	Heating Element	5 Years	5 Years	5 Years
	Comprehensive	2 Years	2 Years	2 Years

Benefits	Parameter	Velora Prime		
Range	Rated Capacity (Litre)	10 L	15 L	25 L
	Star Rating	5 Star	5 Star	5 Star
	Mounting	Vertical	Vertical	Vertical
	Rated Voltage & Frequency	230 V, 1 Phase 50 Hz AC	230 V, 1 Phase 50 Hz AC	230 V, 1 Phase 50 Hz AC
	Rated Power (W)	2000 W	2000 W	2000 W
Faster	Heating Element	Mcoloy Heating Element	Mcoloy Heating Element	Mcoloy Heating Element
Safer	Shock Safe Plug	×	×	×
	Fire Retardant Power Cord	✓	✓	✓
	Dual Safety Adapter	✓	✓	✓
	Multifunction Safety Valve	✓	✓	✓
	Water Resistant & Splash Proof (IPX4)	✓	✓	✓
	Thermostat Cutout Temperature (°C)	75 °C	75 °C	75 °C
	Rated Pressure (MPa)	0.8 MPa	0.8 MPa	0.8 MPa
Saves	High Density PUF Insulation	✓	✓	✓
	Whirlflow Technology	✓	✓	✓
	Temperature Setting	Knob	Knob	Knob
Long Life	Inner Container	Feroglas Coated	Feroglas Coated	Feroglas Coated
	Heavy Duty Protective Anode Rod	✓	✓	✓
Pipe	Flexible Pipe Inside the Box	✓	✓	✓
Warranty	Inner Container	7 Years	7 Years	7 Years
	Heating Element	4 Years	4 Years	4 Years
	Comprehensive	2 Years	2 Years	2 Years

Benefits	Parameter	Velora Pro		
Range	Rated Capacity (Litre)	10 L	15 L	25 L
	Star Rating	4 Star	4 Star	4 Star
	Mounting	Vertical	Vertical	Vertical
	Rated Voltage & Frequency	230 V, 1 Phase 50 Hz AC	230 V, 1 Phase 50 Hz AC	230 V, 1 Phase 50 Hz AC
	Rated Power (W)	2000 W	2000 W	2000 W
Faster	Heating Element	Mcoloy Heating Element	Mcoloy Heating Element	Mcoloy Heating Element
Safer	Shock Safe Plug	×	×	×
	Fire Retardant Power Cord	✓	✓	✓
	Dual Safety Adapter	✓	✓	✓
	Multifunction Safety Valve	✓	✓	✓
	Water Resistant & Splash Proof (IPX4)	✓	✓	✓
	Thermostat Cutout Temperature (°C)	75 °C	75 °C	75 °C
	Rated Pressure (MPa)	0.8 MPa	0.8 MPa	0.8 MPa
Saves	High Density PUF Insulation	✓	✓	✓
	Whirlflow Technology	✓	✓	✓
	Temperature Setting	×	×	×
Long Life	Inner Container	Feroglas Coated	Feroglas Coated	Feroglas Coated
	Heavy Duty Protective Anode Rod	✓	✓	✓
Pipe	Flexible Pipe Inside the Box	✓	✓	✓
Warranty	Inner Container	7 Years	7 Years	7 Years
	Heating Element	4 Years	4 Years	4 Years
	Comprehensive	2 Years	2 Years	2 Years

Benefits	Parameter	Monza Nu		
Range	Rated Capacity (Litre)	35 L	50 L	100 L
	Star Rating	4 Star	4 Star	4 Star
	Mounting	Vertical	Vertical	Vertical
	Rated Voltage & Frequency	230 V, 1 Phase 50 Hz AC	230 V, 1 Phase 50 Hz AC	230 V, 1 Phase 50 Hz AC
	Rated Power (W)	2000 W	2000 W	3000 W
Faster	Heating Element	Mcoloy Heating Element	Mcoloy Heating Element	Incoloy Glass Coated Heating Element
Safer	Shock Safe Plug	×	×	×
	Fire Retardant Power Cord	✓	✓	✓
	Dual Safety Adapter	✓	✓	✓
	Multifunction Safety Valve	✓	✓	✓
	Water Resistant & Splash Proof (IPX4)	✓	✓	✓
	Thermostat Cutout Temperature (°C)	75 °C	75 °C	75 °C
	Rated Pressure (MPa)	0.8 MPa	0.8 MPa	0.8 MPa
Saves	High Density PUF Insulation	✓	✓	✓
	Whirlflow Technology	✓	✓	✓
	Temperature Setting	Knob	Knob	Knob
Long Life	Inner Container	Feroglas Coated	Feroglas Coated	Feroglas Coated
	Heavy Duty Protective Anode Rod	✓	✓	✓
Pipe	Flexible Pipe Inside the Box	✓	✓	✓
Warranty	Inner Container	7 Years	7 Years	7 Years
	Heating Element	4 Years	4 Years	4 Years
	Comprehensive	2 Years	2 Years	2 Years

Benefits	Parameter	Monza DX CF	Monza Prime CF
Range	Rated Capacity (Litre)	50 L	35 L
	Star Rating	3 Star	3 Star
	Mounting	Horizontal	Horizontal
	Rated Voltage & Frequency	230 V, 1 Phase 50 Hz AC	230 V, 1 Phase 50 Hz AC
	Rated Power (W)	2000 W	2000 W
Faster	Heating Element	Mcoloy Heating Element	Mcoloy Heating Element
Safer	Shock Safe Plug	×	×
	Fire Retardant Power Cord	✓	✓
	Dual Safety Adapter	✓	✓
	Multifunction Safety Valve	✓	✓
	Water Resistant & Splash Proof (IPX4)	✓	✓
	Thermostat Cutout Temperature (°C)	75 °C	75 °C
	Rated Pressure (MPa)	0.8 MPa	0.8 MPa
Saves	High Density PUF Insulation	✓	✓
	Whirlflow Technology	✓	✓
	Temperature Setting	Knob	Knob
Long Life	Inner Container	Feroglas Coated	Feroglas Coated
	Heavy Duty Protective Anode Rod	✓	✓
Pipe	Flexible Pipe Inside the Box	✓	✓
Warranty	Inner Container	7 Years	7 Years
	Heating Element	4 Years	4 Years
	Comprehensive	2 Years	2 Years

Benefits	Parameter	Bianca	Fabia
Range	Rated Capacity (Litre)	6 L	6 L
	Star Rating	5 Star	5 Star
	Mounting	Vertical	Vertical
	Rated Voltage & Frequency	230 V, 1 Phase 50 Hz AC	230 V, 1 Phase 50 Hz AC
	Rated Power (W)	2500 W	3000 W
Faster	Heating Element	Incoloy Glass Coated Heating Element	Incoloy Glass Coated Heating Element
Safer	Shock Safe Plug	×	×
	Fire Retardant Power Cord	✓	✓
	Dual Safety Adapter	✓	✓
	Multifunction Safety Valve	✓	✓
	Water Resistant & Splash Proof (IPX4)	✓	✓
	Thermostat Cutout Temperature (°C)	75 °C	75 °C
	Rated Pressure (MPa)	0.8 MPa	0.8 MPa
Saves	High Density PUF Insulation	✓	✓
	Whirlflow Technology	✓	✓
	Temperature Setting	Knob	Knob
Long Life	Inner Container	Feroglas Coated	Feroglas Coated
	Heavy Duty Protective Anode Rod	✓	✓
Pipe	Flexible Pipe Inside the Box	✓	✓
Warranty	Inner Container	7 Years	7 Years
	Heating Element	4 Years	4 Years
	Comprehensive	2 Years	2 Years

Parameter	Carlo Pro	Puro Pro	Instanio Prime	Zeno
Rated Capacity (Litre)	5.9 L	5.9 L	3 L	3 L
Mounting	Vertical	Horizontal	Vertical	Vertical
Rated Voltage & Frequency	230 V,1 Phase 50 Hz AC	230 V,1 Phase 50 Hz AC	230 V,1 Phase 50 Hz AC	230 V,1 Phase 50 Hz AC
Rated Power (W)	3000 W	3000 W	3000 W	3000 W
Heating Element	Heavy Duty Heating Element	Heavy Duty Heating Element	Heavy Duty Heating Element	Heavy Duty Heating Element
Fire Retardant Power Cord	✓	✓	✓	✓
Thermostat Cutout Temperature (°C)	55 °C	55 °C	55 °C	55 °C
Rated Pressure (MPa)	0.8 MPa	0.8 MPa	0.8 MPa	0.65 MPa
Flexible Pipe Inside the Box	✓	✓	✓	✓
Warranty				
Inner Container	7 Years	7 Years	7 Years	5 Years
Heating Element	3 Years	3 Years	3 Years	2 Years
Comprehensive	2 Years	2 Years	2 Years	2 Years

Parameter	Renzo		Rush+	
Rated Capacity (Litre)	3 L	3 L	1 L	1 L
Mounting	Vertical	Vertical	Vertical	Vertical
Rated Voltage & Frequency	230 V,1 Phase 50 Hz AC	230 V,1 Phase 50 Hz AC	230 V,1 Phase 50 Hz AC	230 V,1 Phase 50 Hz AC
Rated Power (W)	3000 W	4500 W	3000 W	4500 W
Heating Element	Heavy Duty Heating Element	Heavy Duty Heating Element	Heavy Duty Heating Element	Heavy Duty Heating Element
Fire Retardant Power Cord	✓	✓	✓	✓
Thermostat Cutout Temperature (°C)	55 °C	55 °C	55 °C	55 °C
Rated Pressure (MPa)	0.65 MPa	0.65 MPa	0.65 MPa	0.65 MPa
Flexible Pipe Inside the Box	×	×	×	×
Warranty				
Inner Container	5 Years	5 Years	5 Years	5 Years
Heating Element	2 Years	2 Years	2 Years	2 Years
Comprehensive	2 Years	2 Years	2 Years	2 Years

Parameter	Zella		Zeta	
Rated Power Input in Watts	1000 W	1500 W	1000 W	1500 W
Rated Voltage & Frequency	230 V, 50 Hz AC	230 V, 50 Hz AC	230 V, 50 Hz AC	230 V, 50 Hz AC
Heating element	Nickel plated Corrosion Resistant	Nickel plated Corrosion Resistant	Nickel plated Corrosion Resistant	Nickel plated Corrosion Resistant
Heating Indicator	✓	✓	✓	✓
Automatic cut-out off	✓	✓	×	×
Temperature setting Knob	✓	✓	×	×
Water proof	×	×	✓	✓
Water resistant	✓	✓	✓	✓
Touch protection cover	✓	✓	×	×
Elegant & Sturdy safe bucket hanger	✓	✓	×	×
Elegant & Sturdy bucket hook	×	×	✓	✓
Shock Proof water level Indicator	×	×	✓	✓
Power cord	3 Core 3 Pin	3 Core 3 Pin	3 Core 3 Pin	3 Core 3 Pin
Warranty	2 Years	2 Years	2 Years	2 Years

NOTES

NOTES

Fans

Small Domestic Appliances

Kitchen Appliances

Consumer Lighting

Water Heater

Water Purifiers

Personal Grooming

Air Coolers

Switches & Automation

Accessories

Wire & Cables

Solar

Building Circuit Protection

Pumps & Motors

Industrial Products

ADVANCE SAFETY
COMPLETE PEACE OF MIND

0311225/V1

SCAN TO KNOW MORE

Havells India Ltd.
QRG Towers, 2D, Sector -126, Expressway, Noida - 201 304 (UP), Ph. +91-120-3331000
CIN - L31900DL1983PLC016304.

Copyright Subsists. Imitation of trade dress, graphics and color scheme of this document is a punishable offence.

"Actual products may vary in colour, design, description and colour combination etc. Although every effort has been made to ensure accuracy in the compilation of the technical detail within this publication. Specifications & performance data are constantly changing."

HAVELLS