REO

# TRUST NAAM MEIN, PERFECT KAAM MEIN.




SAFE • RELIABLE • DURABLE

**List Price** w.e.f. 21st Sep, 2026

# TRUST NAAM MEIN, PERFECT KAAM MEIN.

**Made with love for India, in India.**


That's REO - a fast-moving electrical goods brand that has won the trust of the nation with products specially designed for the value seeking Indian customer. Manufacturing 95% of our range indigenously, we at REO ensure that each product is a proof of our commitment to quality, innovation, and trust. Thanks to our cutting-edge technology and smart automation, we've successfully balanced performance with sustainability, so the products that reach you are efficient, reliable and built to last.

Choosing REO is choosing a brand that cares for you as well as the planet.
















# QUALITY WITH A SEAL OF TRUST




With a strong belief in
"Make in India",
REO delivers trust and
reliability to every
Indian home.



Strong Pan-India Presence

**90K+**

Retail Network



## Best Manufacturing Facilities

At REO, how we make our products is as important as what we make. That's why, we use manufacturing processes that not only focus on the impact on customer's life, but the impact on the environment as well. Our commitment to conserve energy and water reflects in the Total Quality Management that has continuously helped us improve by following the principle of reduce, reuse, and recycle. At REO, we take pride in having built our workplace culture on care, safety, and everyday innovation, inspired by the Japanese Kaizen methodology. Each of our plants operates with a focus on efficiency and a deep sense of responsibility towards the local communities which they are part of.

## Best-in-industry - Innovation Centre

- Focus on innovation as one of the main pillars for growth. Our dedicated CRI Centre in Noida brings together top experts and innovators, all focused on creating solutions that truly enhance your everyday life.
- R&D centers across our plant locations support manufacturing of Zero-defect products.
- These centers collaborate across teams to deliver the latest in technology and design — ensuring you always get the best.
- On-goinginnovationandresearchempowerourteamstodeliversmarterandmoreadvanced solutions.







# CONTENTS




MARVEL
PAGE 6-11



ELEGANT BOLD
PAGE 12-16



ELEGANT
PAGE 13-19



BLISS
PAGE 20-23




BLISS +
PAGE 25-27



FLAIR
PAGE 28-30



ACCESSORIES
PAGE 31-33



WIRE
PAGE 34-41



BCP - RANGE
PAGE 42-47




FAN
PAGE 48-55



LIGHTING
PAGE 56-60


# REO
# MARVEL
Range of Modular Switches



# REO SWITCHES KEY FEATURES

## 360° Rotation* for Break-free Operations

No more struggling with fragile regulators. Our ceiling fans feature a durable 360° rotation knob, designed for smooth, break-free control, giving you effortless performance that lasts.







## Tested for Over 1 Lakh Clicks & 10,000+ Plugging Cycles

Built to last, designed for daily life. Our switches are rigorously tested for over 100,000 operations, while our sockets are engineered to withstand more than 10,000 plug-ins and plug-outs.

## 6 A / 16 A Versatile Socket Design*

The REO socket features a versatile design that supports both 3-pin and 2-pin plugs, enabling effortless use of common 2-pin devices like mobile chargers.





## Front Loading & Removal Plates*

The switches come with front loading and removal options making the installation process quicker and easier than ever.

*Mentioned feature may vary with product

## Conforms to IP20

The switches are designed for safety, preventing accidental contact with fingers or large objects (over 12 mm).




## Hassle-free Plugging

With REO switches, you can be rest assured about the safety of your children as the sockets come with built-in safety shutters.

## ISI & BIS Certified

At REO, we strictly follow the highest safety and quality standards. Rest assured, you are choosing nothing less than the best.




## Smart Connectors*

TV, computer or projector, our smart connecting solutions have you covered. Another strong connection between you and us.

*Mentioned feature may vary with product

## SWITCHES




| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 6 AX 1 WAY SWITCH REO MARVEL | AHVSXXW060 | 20 N/400 N | ₹ 29.00 |
| 6 AX 2 WAY SWITCH REO MARVEL | AHVSXXW062 | 20 N/120 N | ₹ 83.00 |
| 6 A BELL PUSH 1M WITH IND REO MARVEL | AHVSBIW061 | 20 N/120 N | ₹ 96.00 |
| 6 A BELL PUSH 2M WITH IND REO MARVEL | AHVMBIW061 | 20 N/120 N | ₹ 118.00 |
| 16 AX 1 WAY SWITCH REO MARVEL | AHVSXXW161 | 20 N/60 N | ₹ 96.00 |
| 16 AX 1 WAY SWITCH WITH IND REO MARVEL | AHVSXIW161 | 20 N/60 N | ₹ 133.00 |
| 25 A 1 WAY SWITCH WITH IND REO MARVEL | AHVSXXW251 | 10 N/60 N | ₹ 171.00 |
| 20 A DP SWITCH 2M WITH IND REO MARVEL | AHVSDIW201 | 10 N/60 N | ₹ 220.00 |
| 32 A DP SWITCH WITH IND REO MARVEL | AHVSDIW321 | 10 N/60 N | ₹ 239.00 |

## SOCKETS




| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 6 A 3P WITH SHUTTER SOCKET REO MARVEL | AHVKSWW063 | 10 N/60 N | ₹ 72.00 |
| 6 A /16 A 3PIN SOCKET REO MARVEL | AHVKCWW163 | 10 N/120 N | ₹ 171.00 |
| 16 A HEAVY DUTY SOCKET REO MARVEL | AHVKCWW253 | 10 N/60 N | ₹ 200.00 |

## FAN REGULATORS




| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 1M REG 4 STEP REO MARVEL | AHVRFXW004 | 10 N/120 N | ₹ 339.00 |
| 2M REG 5 STEP REO MARVEL | AHVRFXW005 | 10 N/60 N | ₹ 414.00 |

## COMMUNICATION MODULES




| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| TV SOCKET REO MARVEL | AHVKTOW001 | 20 N/60 N | ₹ 108.00 |
| RJ 11 REO MARVEL | AHVKRWW111 | 12 N/108 N | ₹ 113.00 |
| RJ 45 REO MARVEL | AHVKRWW451 | 20 N/240 N | ₹ 615.00 |
| USB CHARGER TYPE A 18W REO MARVEL | AHVGGXW001 | 10 N/80 N | ₹ 1054.00 |
| USB CHARGER TYPE C 18W REO MARVEL | AHVKGXW001 | 10 N/80 N | ₹ 1230.00 |




## SUPPORT MODULES

| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| BLANK PLATE REO MARVEL | AHVPLBWV01 | 20 N/60 N | ₹ 27.00 |
| NIGHT LAMP REO MARVEL | AHVILIW061 | 20 N/60 N | ₹ 84.00 |
| 20 A MOTOR STARTER REO MARVEL* | AHVSMXW201 | 20 N/120 N | ₹ 374.00 |
| 25 A MOTOR STARTER REO MARVEL | AHVSMXW251 | 20 N/120 N | ₹ 374.00 |
| 2M FOOT LIGHT REO MARVEL | AHVPFCWV02 | 20 N/120 N | ₹ 577.00 |
| 4M FOOT LIGHT COLOR CCT MARVEL | AHVPFCWV04 | 6 N/54 N | ₹ 740.00 |
| KEY CARD ELECTRONIC TYPE REO MARVEL | AHVSEIW321 | 6 N/54 N | ₹ 1996.00 |
| 2M BUZZER REO MARVEL* | AHVBXXW000 | 1 N/28 N | ₹ 390.00 |
| 2M CHIMES (ELECTRONIC) REO MARVEL* | AHVCEEW002 | 10 N/80 N | ₹ 458.00 |
| DND DOOR PANEL 2 WAY SWITCH REO MARVEL* | AHVSPDW102 | 10 N/80 N | ₹ 289.00 |
| MMR 1 WAY SWITCH (6 A) REO MARVEL* | AHVSXCW061 | 20 N/60 N | ₹ 239.00 |
| DND AND MMR OUTDOOR PANEL REO MARVEL* | AHVSIIW061 | 10 N/60 N | ₹ 703.00 |




## MINI MCBs


| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 10 A SP MINI MCB REO MARVEL | DHVNCSPA01000WW | 12 N/120 N | ₹ 277.00 |
| 16 A SP MINI MCB REO MARVEL | DHVNCSPA01600WW | 12 N/120 N | ₹ 277.00 |
| 20 A SP MINI MCB REO MARVEL | DHVNCSPA02000WW | 12 N/120 N | ₹ 277.00 |
| 25 A SP MINI MCB REO MARVEL | DHVNCSPA02500WW | 12 N/120 N | ₹ 286.00 |
| 32 A SP MINI MCB REO MARVEL | DHVNCSPA03200WW | 12 N/120 N | ₹ 286.00 |



## WHITE PLATES

| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 1M COMB PLATE REO MARVEL | AHVPLAWV01 | 5 N/80 N | ₹ 77.00 |
| 2M COMB PLATE REO MARVEL | AHVPLAWV02 | 5 N/80 N | ₹ 77.00 |
| 3M COMB PLATE REO MARVEL | AHVPLAWV03 | 5 N/80 N | ₹ 106.00 |
| 4M COMB PLATE REO MARVEL | AHVPLAWV04 | 5 N/80 N | ₹ 118.00 |
| 6M COMB PLATE REO MARVEL | AHVPLAWV06 | 5 N/60 N | ₹ 177.00 |
| 8MH COMB PLATE REO MARVEL | AHVPLAWH08 | 5 N/60 N | ₹ 221.00 |
| 8MS COMB PLATE REO MARVEL | AHVPLAWV08 | 5 N/60 N | ₹ 221.00 |
| 9M COMB PLATE REO MARVEL | AHVPLAWV09 | 5 N/60 N | ₹ 252.00 |
| 12M COMB PLATE REO MARVEL | AHVPLAWV12 | 5 N/40 N | ₹ 274.00 |
| 16M COMB PLATE REO MARVEL | AHVPLAWV16 | 5 N/40 N | ₹ 305.00 |
| 18M COMB PLATE REO MARVEL | AHVPLAWV18 | 5 N/40 N | ₹ 330.00 |

*Make to order only.




## CHROME PLATES

| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 1M COMB PLATE WITH CHROME REO MARVEL | AHVPLCCV01 | 5 N/80 N | ₹ 94.00 |
| 2M COMB PLATE WITH CHROME REO MARVEL | AHVPLCCV02 | 5 N/80 N | ₹ 94.00 |
| 3M COMB PLATE WITH CHROME REO MARVEL | AHVPLCCV03 | 5 N/80 N | ₹ 132.00 |
| 4M COMB PLATE WITH CHROME REO MARVEL | AHVPLCCV04 | 5 N/80 N | ₹ 143.00 |
| 6M COMB PLATE WITH CHROME REO MARVEL | AHVPLCCV06 | 5 N/60 N | ₹ 218.00 |
| 8M COMB PLATE (H) WITH CHROME REO MARVEL | AHVPLCCH08 | 5 N/60 N | ₹ 261.00 |
| 8M COMB PLATE (SQ) WITH CHROME REO MARVEL | AHVPLCCV08 | 5 N/60 N | ₹ 261.00 |
| 9M COMB PLATE WITH CHROME REO MARVEL | AHVPLCCV09 | 5 N/60 N | ₹ 292.00 |
| 12M COMB PLATE WITH CHROME REO MARVEL | AHVPLCCV12 | 5 N/40 N | ₹ 341.00 |
| 16M COMB PLATE WITH CHROME REO MARVEL | AHVPLCCV16 | 5 N/40 N | ₹ 358.00 |
| 18M COMB PLATE WITH CHROME REO MARVEL | AHVPLCCV18 | 5 N/40 N | ₹ 388.00 |

# REO
# ELEGANT
# BOLD

Range of Modular Switches





# REO Elegant Bold-Soot Black




## SWITCHES

| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 6 AX 1 Way Switch (Soot Black) | AHRSXXB061 | 20 N/600 N | ₹ 43.00 |
| 6 AX 2 Way Switch (Soot Black) | AHRSXXB062 | 20 N/120 N | ₹ 122.00 |
| 6 A Bell Switch (Soot Black) | AHRSBXB061 | 20 N/120 N | ₹ 127.00 |
| 6 A Bell Switch With Ind (Soot Black) | AHRSBIB061 | 10 N /60 N | ₹ 148.00 |
| 6 A Mega Bell Switch With Ind (Soot Black)* | AHRMBIB061 | 10 N/60 N | ₹ 177.00 |
| 6 AX 1 Way Mega Switch With Ind (Soot Black)* | AHRMXIB061 | 10 N/60 N | ₹ 145.00 |
| 6 AX 2 Way Mega Switch (Soot Black) | AHRMXXB062 | 10 N/60 N | ₹ 194.00 |
| 16 AX 1 Way Switch (Soot Black) | AHRSXXB161 | 20 N/240 N | ₹ 146.00 |
| 16 AX 1 Way Switch With Ind (Soot Black) | AHRSXIB161 | 20 N/120 N | ₹ 185.00 |
| 20 A DP Switch With Ind (Soot Black) | AHRSDIB201 | 10 N/60 N | ₹ 335.00 |
| 32 A DP Switch With Ind (Soot Black) | AHRSDIB321 | 10 N/60 N | ₹ 356.00 |




## SOCKETS

| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 6 A 3 Pin Socket (Soot Black) | AHRKPXB063 | 12 N/240 N | ₹ 126.00 |
| 6 A/16 A 3 Pin Socket (Soot Black) | AHRKCXB163 | 10 N/120 N | ₹ 248.00 |
| 6 A/16 A Heavy Duty 3 Pin Socket (Soot Black) | AHRKCXB253 | 10 N/60 N | ₹ 277.00 |




## FAN REGULATORS

| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 1 M Fan Regulator (Soot Black) | AHRRFXB004 | 10 N/120 N | ₹ 453.00 |
| 2 M Fan Regulator (Soot Black) | AHRRFXB005 | 10 N/60 N | ₹ 531.00 |




## COMMUNICATION MODULES

| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| RJ-11 Tel. Socket (Soot Black)* | AHRKRXB111 | 20 N/120 N | ₹ 170.00 |
| RJ-45 N/W Socket (Soot Black)* | AHRKRWB451 | 20 N/120 N | ₹ 974.00 |
| TV Socket (Soot Black) | AHRKTOB001 | 20 N/120 N | ₹ 161.00 |
| 2.1 A USB Charger (Soot Black)* | AHRKGXB002 | 20 N/120 N | ₹ 1 564.00 |




## SUPPORT MODULES

| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 1 M Dummy Plate (Soot Black) | AHRPLBBV01 | 20 N/120 N | ₹ 40.00 |
| Indicator Lamp (Soot Black) | AHRILIB061 | 20 N/240 N | ₹ 132.00 |
| Buzzer (Soot Black)* | AHRBXXB000 | 6 N/54 N | ₹ 370.00 |
| Electronic Keytag (Soot Black)* | AHRSEIB321 | 1 N/30 N | ₹ 3 099.00 |
| 25 A Motor Starter (Soot Black) | AHRSMXB251 | 10 N/80 N | ₹ 646.00 |
| 32 A Motor Starter (Soot Black) | AHRSMXB321 | 10 N/80 N | ₹ 646.00 |
| 2 M Footlight (Soot Black)* | AHRPFCBV02 | 6 N/54 N | ₹ 831.00 |

*Make to order only.


DHGNCSPA01000MR


DHGNCSPA01600MR


DHGNCSPA03200MR

## MINI MCBs

| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 10 A Reo Elegant Mini MCB (Soot Black) | DHGNCSPA01000MR | 12 N/240 N | ₹ 394.00 |
| 16 A Reo Elegant Mini MCB (Soot Black) | DHGNCSPA01600MR | 12 N/240 N | ₹ 394.00 |
| 25 A Reo Elegant Mini MCB (Soot Black) | DHGNCSPA02500MR | 12 N/240 N | ₹ 417.00 |
| 32 A Reo Elegant Mini MCB (Soot Black) | DHGNCSPA03200MR | 12 N/240 N | ₹ 417.00 |



## COLOUR PLATES-SOOT BLACK

| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 1M Comb Plate (Soot Black) | AHRPLCBV01 | 5 N/80 N | ₹ 115.00 |
| 2M Comb Plate (Soot Black) | AHRPLCBV02 | 5 N/80 N | ₹ 115.00 |
| 3M Comb Plate (Soot Black) | AHRPLCBV03 | 5 N/80 N | ₹ 159.00 |
| 4M Comb Plate (Soot Black) | AHRPLCBV04 | 5 N/80 N | ₹ 179.00 |
| 6M Comb Plate (Soot Black) | AHRPLCBV06 | 5 N/60 N | ₹ 262.00 |
| 8M (H) Comb Plate (Soot Black) | AHRPLCBH08 | 5 N/60 N | ₹ 338.00 |
| 8M (V) Comb Plate (Soot Black) | AHRPLCBV08 | 5 N/60 N | ₹ 338.00 |
| 9M Comb Plate (Soot Black)* | AHRPLCBV09 | 5 N/60 N | ₹ 383.00 |
| 12M Comb Plate (Soot Black) | AHRPLCBV12 | 5 N/40 N | ₹ 406.00 |
| 16M Comb Plate (Soot Black)* | AHRPLCBV16 | 5 N/60 N | ₹ 439.00 |
| 18M Comb Plate (Soot Black) | AHRPLCBV18 | 5 N/30 N | ₹ 462.00 |



*Make to order only.

# REO Elegant Bold-Graphite Grey

## SWITCHES




| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 6 AX 1 Way Switch (Graphite Grey) | AHRSXXG061 | 20 N/600 N | ₹ 43.00 |
| 6 AX 2 Way Switch (Graphite Grey) | AHRSXXG062 | 20 N/120 N | ₹ 122.00 |
| 6 A Bell Switch (Graphite Grey) | AHRSBXG061 | 20 N/120 N | ₹ 127.00 |
| 6 A Bell Switch With Ind (Graphite Grey) | AHRSBIG061 | 10 N/60 N | ₹ 148.00 |
| 6 AX 1 Way Mega Switch With Ind (Graphite Grey) | AHRMXIG061 | 10 N/60 N | ₹ 145.00 |
| 6 AX 2 Way Mega Switch (Graphite Grey) | AHRMXXG062 | 10 N/60 N | ₹ 194.00 |
| 6 A Mega Bell Switch With Ind (Graphite Grey) | AHRMBIG061 | 10 N/60 N | ₹ 177.00 |
| 16 AX 1 Way Switch (Graphite Grey) | AHRSXXG161 | 20 N/240 N | ₹ 146.00 |
| 16 AX 1 Way Switch With Ind (Graphite Grey) | AHRSXIG161 | 20 N/120 N | ₹ 185.00 |
| 20 A DP Switch With Ind (Graphite Grey) | AHRSDIG201 | 10 N/60 N | ₹ 335.00 |
| 32 A DP Switch With Ind (Graphite Grey) | AHRSDIG321 | 10 N/60 N | ₹ 356.00 |

## SOCKETS




| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 6 A 3 Pin Socket (Graphite Grey) | AHRKSWG063 | 12 N/240 N | ₹ 126.00 |
| 6 A/16 A 3 Pin Socket (Graphite Grey) | AHRKCWG163 | 10 N/120 N | ₹ 248.00 |
| 6 A/16 A Heavy Duty 3 Pin Socket (Graphite Grey) | AHRKCWG253 | 10 N/60 N | ₹ 277.00 |

## FAN REGULATORS




| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 1 M Fan Regulator (Graphite Grey) | AHRRFXG004 | 10 N/120 N | ₹ 453.00 |
| 2 M Fan Regulator (Graphite Grey) | AHRRFXG005 | 10 N/60 N | ₹ 531.00 |

## COMMUNICATION MODULES




| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| RJ-11 Tel. Socket (Graphite Grey)* | AHRKRXG111 | 20 N/120 N | ₹ 170.00 |
| RJ-45 N/W Socket (Graphite Grey)* | AHRKRWG451 | 20 N/120 N | ₹ 974.00 |
| TV Socket (Graphite Grey) | AHRKTOG001 | 20 N/120 N | ₹ 161.00 |
| 2.1 A USB Charger (Graphite Grey)* | AHRKGXG002 | 20 N/120 N | ₹ 1 564.00 |

## SUPPORT MODULES




| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 1M Dummy Plate (Graphite Grey) | AHRPLBGV01 | 20 N/120 N | ₹ 40.00 |
| Indicator Lamp (Graphite Grey) | AHRILIG061 | 20 N/240 N | ₹ 132.00 |
| Buzzer (Graphite Grey)* | AHRBXXG000 | 6 N/54 N | ₹ 370.00 |
| Electronic Keytag (Graphite Grey)* | AHRSEIG321 | 1 N/30 N | ₹ 3 099.00 |
| 25 A Motor Starter (Graphite Grey) | AHRSMXG251 | 10 N/80 N | ₹ 646.00 |
| 32 A Motor Starter (Graphite Grey) | AHRSMXG321 | 10 N/80 N | ₹ 646.00 |
| 2M Footlight (Graphite Grey)* | AHRPFCGV02 | 6 N/54 N | ₹ 831.00 |

*Make to order only.

# REO Elegant Bold-Graphite Grey



DHGNCSPA01000GG




DHGNCSPA01600GG



DHGNCSPA03200GG

## MINI MCBs

| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 10 A REO Elegant Mini MCB (Graphite Grey) | DHGNCSPA01000GG | 12 N/240 N | ₹ 394.00 |
| 16 A REO Elegant Mini MCB (Graphite Grey) | DHGNCSPA01600GG | 12 N/240 N | ₹ 394.00 |
| 25 A REO Elegant Mini MCB (Graphite Grey) | DHGNCSPA02500GG | 12 N/240 N | ₹ 417.00 |
| 32 A REO Elegant Mini MCB (Graphite Grey) | DHGNCSPA03200GG | 12 N/240 N | ₹ 417.00 |




## COLOUR PLATES-GRAPHITE GREY

| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 1M Comb Plate (Graphite Grey) | AHRPLCGV01 | N 5/80 N | ₹ 115.00 |
| 2M Comb Plate (Graphite Grey) | AHRPLCGV02 | 5 N/80 N | ₹ 115.00 |
| 3M Comb Plate (Graphite Grey) | AHRPLCGV03 | 5 N/80 N | ₹ 159.00 |
| 4M Comb Plate (Graphite Grey) | AHRPLCGV04 | 5 N/80 N | ₹ 179.00 |
| 6M Comb Plate (Graphite Grey) | AHRPLCGV06 | 5 N/60 N | ₹ 262.00 |
| 8M (H) Comb Plate (Graphite Grey) | AHRPLCGH08 | 5 N/60 N | ₹ 338.00 |
| 8M (V) Comb Plate (Graphite Grey) | AHRPLCGV08 | 5 N/60 N | ₹ 338.00 |
| 9M Comb Plate (Graphite Grey)* | AHRPLCGV09 | 5 N/60 N | ₹ 383.00 |
| 12M Comb Plate (Graphite Grey) | AHRPLCGV12 | 5 N/40 N | ₹ 406.00 |
| 16M Comb Plate (Graphite Grey)* | AHRPLCGV16 | 5 N/60 N | ₹ 439.00 |
| 18M Comb Plate (Graphite Grey) | AHRPLCGV18 | 5 N/30 N | ₹ 462.00 |

*Make to order only.

# REO
# ELEGANT

Range of Modular Switches






AHRSXXW061


AHRSXXW062


AHRSBXW061


AHRSBIW061


AHRMXIW061


AHRMXXW062


AHRMBIW061


AHRSXXW161


AHRSXIW161


AHRSXXW162


AHRSDIW201

## SWITCHES

| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 6 A 1 Way Switch | AHRSXXW061 | 20 N/600 N | ₹ 36.00 |
| 6 A 2 Way Switch | AHRSXXW062 | 20 N/120 N | ₹ 95.00 |
| 6 A Bell Push Switch | AHRSBXW061 | 20 N/120 N | ₹ 102.00 |
| 6 A Bell Push Switch with Indicator | AHRSBIW061 | 10 N/60 N | ₹ 118.00 |
| 6 A Mega Switch with Indicator | AHRMXIW061 | 10 N/60 N | ₹ 115.00 |
| 6 A Mega Two Way Switch | AHRMXXW062 | 10 N/60 N | ₹ 156.00 |
| 6 A Mega Bell Push Switch with Indicator | AHRMBIW061 | 10 N/60 N | ₹ 141.00 |
| 16 AX 1 Way Switch | AHRSXXW161 | 20 N/240 N | ₹ 113.00 |
| 16 AX 1 Way Switch with Indicator | AHRSXIW161 | 20 N/120 N | ₹ 150.00 |
| 16 AX 2 Way switch | AHRSXXW162 | 20 N/120 N | ₹ 152.00 |
| 20 A DP Switch with Indicator | AHRSDIW201 | 10 N/60 N | ₹ 243.00 |
| 32 A DP Switch with Indicator | AHRSDIW321 | 10 N/60 N | ₹ 259.00 |


AHRKPXW063


AHRKCXW163


AHRKCXW253

## SOCKETS

| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 6 A 3 Pin Socket | AHRKPXW063 | 12 N/240 N | ₹ 100.00 |
| 6 A/16 A 3 Pin Socket | AHRKCXW163 | 10 N/120 N | ₹ 203.00 |
| 6 A/16 A Heavy duty shutter 3 Pin Socket | AHRKCXW253 | 10 N/60 N | ₹ 230.00 |


AHRRFXW004


AHRRFXW005

## FAN REGULATORS

| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 1 M Fan Regulator | AHRRFXW004 | 10 N/120 N | ₹ 381.00 |
| 2 M Fan Regulator | AHRRFXW005 | 10 N/60 N | ₹ 449.00 |


AHRKRXW111


AHRKRWW451


AHRKTOW001


AHRKGXW002

## COMMUNICATION MODULES

| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| RJ-11* | AHRKRXW111 | 20 N/120 N | ₹ 132.00 |
| RJ-45* | AHRKRWW451 | 20 N/120 N | ₹ 740.00 |
| TV Socket | AHRKTOW001 | 20 N/120 N | ₹ 124.00 |
| USB Charger 2.1 A Single Port* | AHRKGXW002 | 12 N/72 N | ₹ 1 193.00 |


AHRILIW061


AHRPLBWV01


AHRSMXW251


AHRPFCWV02


AHRSEIW321


AHRBXXW000

## SUPPORT MODULES

| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 1 M Dummy Plate | AHRPLBWV01 | 20 N/120 N | ₹ 31.00 |
| Indicator Night Lamp | AHRILIW061 | 20 N/240 N | ₹ 102.00 |
| Buzzer* | AHRBXXW000 | 6 N/54 N | ₹ 339.00 |
| Electronic Key tag* | AHRSEIW321 | 1 N/18 N | ₹ 2 367.00 |
| 25 A Motor Starter | AHRSMXW251 | 10 N/80 N | ₹ 489.00 |
| 32 A Motor Starter | AHRSMXW321 | 10 N/80 N | ₹ 489.00 |
| 2 M Footlight* | AHRPFCWV02 | 6 N/54 N | ₹ 633.00 |

*Make to order only.




DHGMCSPA010 DHGMCSPA016 DHGMCSPA025

## MINI MCBs

| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 10 A SP Mini MCB | DHGMCSPA010 | 12 N/120 N | ₹ 305.00 |
| 16 A SP Mini MCB | DHGMCSPA016 | 12 N /120 N | ₹ 305.00 |
| 25 A SP Mini MCB | DHGMCSPA025 | 12 N/120 N | ₹ 323.00 |
| 32 A SP Mini MCB | DHGMCSPA032 | 12 N/120 N | ₹ 323.00 |



## WHITE PLATES

| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 1 M White Combination Plate | AHRPLCWV01 | 5 N/80 N | ₹ 91.00 |
| 2 M White Combination Plate | AHRPLCWV02 | 5 N/80 N | ₹ 91.00 |
| 3 M White Combination Plate | AHRPLCWV03 | 5 N/80 N | ₹ 123.00 |
| 4 M White Combination Plate | AHRPLCWV04 | 5 N/80 N | ₹ 138.00 |
| 6 M White Combination Plate | AHRPLCWV06 | 5 N/60 N | ₹ 202.00 |
| 8 M (V) White Combination Plate | AHRPLCWV08 | 5 N/60 N | ₹ 261.00 |
| 8 M (H) White Combination Plate | AHRPLCWH08 | 5 N/60 N | ₹ 261.00 |
| 9 M White Combination Plate* | AHRPLCWV09 | 5 N/60 N | ₹ 289.00 |
| 12 M White Combination Plate | AHRPLCWV12 | 5 N/40 N | ₹ 314.00 |
| 16 M White Combination Plate* | AHRPLCWV16 | 5 N/65 N | ₹ 338.00 |
| 18 M White Combination Plate | AHRPLCWV18 | 5 N/30 N | ₹ 352.00 |

*Make to order only.

# REO
# BLISS

Range of Modular Switches





## BIG KNOB SWITCHES


AHBSXXW101


AHBSXXW102


AHBSBXW101


AHBSXXW201


AHBSXIW201


AHBSXXW202


AHBMBIW101


AHBMXIW201

| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 10 AX 1 Way Switch | AHBSXXW101 | 20 N/400 N | ₹ 31.00 |
| 10 AX 2 Way Switch | AHBSXXW102 | 20 N/120 N | ₹ 82.00 |
| 10 A 1 Way Bell Push Switch | AHBSBXW101 | 20 N/120 N | ₹ 90.00 |
| 10 A Mega Bell Push with Indicator | AHBMBIW101 | 10 N/60 N | ₹ 115.00 |
| 20 A 1 Way Switch | AHBSXXW201 | 20 N/120 N | ₹ 105.00 |
| 20 A 2 Way Switch* | AHBSXXW202 | 20 N/60 N | ₹ 153.00 |
| 20 A 1 Way Switch with Indicator | AHBSXIW201 | 20 N/60 N | ₹ 134.00 |
| 20 AX 1 Way Mega Ind. Switch | AHBMXIW201 | 10 N/60 N | ₹ 177.00 |

## SWITCH


AHBSDIW321

| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 32 A DP Switch with Indicator | AHBSDIW321 | 10 N/60 N | ₹ 218.00 |

## SOCKETS


AHBKSWW063


AHBKCXW062


AHBKCXW251

| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 6 A 3 Pin Socket with Shutter (ISI) | AHBKSWW063 | 10 N/60 N | ₹ 75.00 |
| 6 A/16 A Twin Socket with Shutter | AHBKCXW062 | 10 N/120 N | ₹ 173.00 |
| 6 A/16 A Heavy Duty Socket with Shutter | AHBKCXW251 | 10 N/120 N | ₹ 195.00 |

## FAN REGULATORS


AHBRFXW001


AHBRFXW002

| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 1 M Fan Regulator | AHBRFXW001 | 10 N/120 N | ₹ 338.00 |
| 2 M Fan Regulator | AHBRFXW002 | 10 N/60 N | ₹ 390.00 |

## COMMUNICATION MODULES


AHBKTOW001


AHBKRWW111


AHBKRWW451


AHBKGXW062

| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| RJ-11* | AHBKRWW111 | 20 N/60 N | ₹ 100.00 |
| RJ-45 with Shutter * | AHBKRWW451 | 20 N/60 N | ₹ 566.00 |
| TV Socket | AHBKTOW001 | 20 N/60 N | ₹ 100.00 |
| USB CHARGER 2.1 A REO BLISS * | AHBKGXW062 | 12 N/108 N | ₹ 914.00 |

*Make to order only.

## SUPPORT MODULES


AHBO202004


AHBPIBWX01


AHBILIW061


AHBFPXW061


AHBSEXW320


AHBBXXW001


AHBPFCWL00

| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| Blank Plate | AHBPIBWX01 | 20 N/120 N | ₹ 23.00 |
| Night Lamp | AHBILIW061 | 20 N/120 N | ₹ 84.00 |
| Buzzer Reo Bliss* | AHBBXXW001 | 6 N/54 N | ₹ 325.00 |
| Mechanical Key Tag* | AHBSEXW320 | 1 N/28 N | ₹ 721.00 |
| KIT KAT Fuse* | AHBFPXW061 | 20 N/120 N | ₹ 105.00 |
| 25 A Motor Starter | AHBO252504 | 10 N/80 N | ₹ 383.00 |
| 2 M Footlight* | AHBPFCWL00 | 6 N/54 N | ₹ 578.00 |

## MEGA BELL PUSH WITH PLATE


AHBPEAWV06

| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| Mega Bell Push with 6 M Plate (V) | 1 N/30 N | AHBPEAWV06 | ₹ 349.00 |

## POWER BOXES


AHBR252503


AHBI252504

| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 6 A 16 A Heavy Duty MCB COMBO WITH 3M BOX | 1 N/4 N | AHBR252503 | 669.00 |
| 6 A 16 A Heavy Duty MCB COMBO WITH 4M BOX METAL | 1 N/20 N | AHBI252504 | 712.00 |

## MINI MCBs



DHEMCSPA010



DHEMCSPA016

| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 10 A SP C MINI MCB | DHEMCSPA010 | 12 N/120 N | 248.00 |
| 16 A SP C MINI MCB | DHEMCSPA016 | 12 N/120 N | 248.00 |
| 25 A SP C MINI MCB | DHEMCSPA025 | 12 N/120 N | 261.00 |
| 32 A SP C MINI MCB | DHEMCSPA032 | 12 N/120 N | 275.00 |
| 32 A DP C MINI MCB | DHEMCDPA032 | 6 N/60 N | 494.00 |



*Make to order only.



## WHITE PLATES

| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 1 M Combination Plate Silk White Reo Bliss | AHBPICWV01 | 5 N/80 N | 72.00 |
| 2 M Combination Plate Silk White Reo Bliss | AHBPICWV02 | 5 N/80 N | 72.00 |
| 3 M Combination Plate Silk White Reo Bliss | AHBPICWV03 | 5 N/80 N | 99.00 |
| 4 M Combination Plate Silk White Reo Bliss | AHBPICWV04 | 5 N/80 N | 110.00 |
| 6 M Combination Plate Silk White Reo Bliss | AHBPICWV06 | 5 N/60 N | 155.00 |
| 8 M Combination Plate Silk White Reo Bliss | AHBPICWV08 | 5 N/60 N | 214.00 |
| 8 M-H Combination Plate Silk White Reo Bliss | AHBPICWH08 | 5 N/60 N | 214.00 |
| 9 M Combination Plate Silk White Reo Bliss* | AHBPICWV09 | 5 N/60 N | 232.00 |
| 12 M Combination Plate Silk White Reo Bliss | AHBPICWV12 | 5 N/40 N | 253.00 |
| 16 M Combination Plate Silk White Reo Bliss* | AHBPICWV16 | 5 N/40 N | 278.00 |
| 18 M Combination Plate Silk White Reo Bliss | AHBPICWV18 | 5 N/30 N | 291.00 |



## PLATE SUITABLE FOR WOODEN BOXES

| Item Name | Plate Size | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|---|
| 1 M Comb. Plate* | (12.7x12.7) cm (5x5) | AHBPLCDV01 | 5 N/80 N | 98.00 |
| 2 M Comb. Plate* | (12.7x12.7) cm (5x5) | AHBPLCDV02 | 5 N/80 N | 98.00 |
| 3 M Comb. Plate* | (12.7x12.7) cm (5x5) | AHBPLCDV03 | 5 N/80 N | 127.00 |
| 4 M Comb. Plate* | (12.7x17.8) cm (5x7) | AHBPLCDV04 | 5 N/80 N | 152.00 |
| 6 M Comb. Plate* | (12.7x22.9) cm (5x9) | AHBPLCDV06 | 5 N/60 N | 219.00 |
| 8 M (H) Comb. Plate* | (12.7x27.9) cm (5x11) | AHBPLCDH08 | 5 N/60 N | 272.00 |
| 8 M (SQ) Comb. Plate* | (17.8X17.8) cm (7x7) | AHBPLCDV08 | 5 N/60 N | 272.00 |
| 10 M (H) Comb. Plate* | (12.7x33) cm (5x13) | AHBPLCDH00 | 5 N/40 N | 302.00 |
| 12 M (H) Comb. Plate* | (12.7x38.1) cm (5x15) | AHBPLCDH12 | 5 N/40 N | 334.00 |
| 12 M (SQ) Comb. Plate* | (17.8x22.9) cm (7x9) | AHBPLCDV12 | 5 N/40 N | 354.00 |
| 18 M Comb. Plate* | (22.9x27.9) cm (9x11) | AHBPLCDV18 | 5 N/30 N | 430.00 |



Plate with wooden box



Plate with non-modular GI box




Plate with modular GI box

*Make to order only.



## FLUSH METAL GI BOXES

| Item Name | Size (cm) | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|---|
| 1 / 2 Module GI Box | (7.6x7.6) cm / ( 3X3 ) | AHBXMIIX01 | 60 N | ₹ 64.00 |
| 3 Module GI Box | (10.6x7.6) cm / ( 4X3 ) | AHBXMIIX03 | 40 N | ₹ 78.00 |
| 4 Module GI Box | (13.6x7.62) cm / ( 5X3 ) | AHBXMIIX04 | 30 N | ₹ 92.00 |
| 6 Module GI Box | (21x7.62) cm / ( 8X3 ) | AHBXMIIX06 | 20 N | ₹ 140.00 |
| 8 Module GI Box | (13.6x13.6) cm / ( 5X5 ) | AHBXMIIX08 | 20 N | ₹ 169.00 |
| 8 Module (H) GI Box | (22.7x7.62) cm / ( 9X3 ) | AHBXMIIH08 | 20 N | ₹ 169.00 |
| 8 Module (H) GI Box with 6 screws | (22.7x7.62) cm / ( 9X3 ) | AHBXMIWH08 | 20 N | ₹ 169.00 |
| 12 Module GI Box | (21x13.6) cm / ( 8X6 ) | AHBXMIIX12 | 10 N | ₹ 194.00 |
| 16 Module GI Box* | (21x21) cm/ (8x8) | AHBXMIIX16 | 10 N | ₹ 242.00 |
| 18 Module GI Box | (21x21) cm / ( 9X8 ) | AHBXMIIX18 | 05 N | ₹ 274.00 |
| 1/2 Module GI Box (0.8 mm thickness) | (7.6x7.6) cm / ( 3X3 ) | AHBXMIAX01 | 60 N | ₹ 47.00 |
| 3 Module GI Box (0.8 mm thickness) | (10.6x7.6) cm / ( 4X3 ) | AHBXMIAX03 | 40 N | ₹ 63.00 |
| 4 Module GI Box (0.8 mm thickness) | (13.6x7.62) cm / ( 5X3 ) | AHBXMIAX04 | 30 N | ₹ 80.00 |
| 6 Module GI Box (0.8 mm thickness) | (21x7.62) cm / ( 8X3 ) | AHBXMIAX06 | 20 N | ₹ 122.00 |



## SURFACE PLASTIC BOXES

| Item Name | Size (cm) | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|---|
| 1 / 2 M Surface Box | (9x9) cm / (3x3) | AHBXMIWX01 | 60 N | ₹ 83.00 |
| 3 M Surface Box | (12x9) cm / (4x3) | AHBXMIWX03 | 40 N | ₹ 102.00 |
| 4 M Surface Box | (15x9) cm / (5x3) | AHBXMIWX04 | 30 N | ₹ 131.00 |
| 6 M Surface Box | (22.4x9) cm / (8x3) | AHBXMIWX06 | 20 N | ₹ 159.00 |
| 8 M Surface Box | (15x15) cm / (5x5) | AHBXMIWV08 | 20 N | ₹ 214.00 |
| 8 M (H) Surface Box | (24.1x9) cm / (9x3) | AHBXMIWX08 | 20 N | ₹ 214.00 |
| 12 M Surface Box | (22.4x15) cm / (8x6) | AHBXMIWX12 | 10 N | ₹ 275.00 |
| 18 M Surface Box | (22.4x22.4) cm / (9x8) | AHBXMIWX18 | 05 N | ₹ 411.00 |



## SURFACE PLASTIC BOXES FOR ELEGANT

| Item Name | Size (cm) | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|---|
| 1M/2M Surface Box Reo Elegant* | (9x9) cm / (3x3) | AHRSLSWV01 | 60 N | ₹ 88.00 |
| 3M Surface Box Reo Elegant* | (12x9) cm / (4x3) | AHRSLSWV03 | 40 N | ₹ 109.00 |
| 4M Surface Box Reo Elegant* | (15x9) cm / (5x3) | AHRSLSWV04 | 30 N | ₹ 143.00 |
| 6M Surface Box Reo Elegant* | (22.4x9) cm / (8x3) | AHRSLSWV06 | 20 N | ₹ 170.00 |
| 8M (H) Surface Box Reo Elegant* | (15x15) cm / (5x5) | AHRSLSWH08 | 20 N | ₹ 232.00 |
| 8M Surface Box Reo Elegant* | (24.1x9) cm / (9x3) | AHRSLSWV08 | 20 N | ₹ 232.00 |
| 12M Surface Box Reo Elegant* | (22.4x15) cm / (8x6) | AHRSLSWV12 | 10 N | ₹ 279.00 |
| 16M Surface Box Reo Elegant* | (22.4x22.4) cm / (9x8) | AHRSLSWV16 | 05 N | ₹ 327.00 |
| 18M Surface Box Reo Elegant* | (22.4x22.4) cm / (9x8) | AHRSLSWV18 | 05 N | ₹ 420.00 |



*Make to order only.

# REO BLISS+

Range of Modular Switches






## SWITCHES

| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 10 AX 1 Way Switch* | AHBSXXG101 | 20 N/400 N | 35.00 |
| 10 AX 2 Way Switch* | AHBSXXG102 | 20 N/120 N | 89.00 |
| 10 A 1 Way Bell Push Switch* | AHBSBXG101 | 20 N/120 N | 95.00 |
| 10 A Mega Bell Push with Indicator* | AHBMBIG101 | 10 N/60 N | 125.00 |
| 20 AX 1 Way Switch* | AHBSXXG201 | 20 N/120 N | 110.00 |
| 20 AX 1Way Switch with Indicator* | AHBSXIG201 | 20 N/60 N | 145.00 |
| 32 A DP Switch with Indicator REO BLISS GREY * | AHBSDIG321 | 10 N/60 N | 235.00 |




## SOCKETS

| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 6 A 3 Pin Socket with Shutter (ISI)* | AHBKSWG063 | 10 N/60 N | 81.00 |
| 6 A/16 A Twin Socket with Shtter* | AHBKCXG062 | 10 N/120 N | 185.00 |
| 6 A /16 A Heavy Duty 3 Pin Socket* | AHBKCXG251 | 10 N/60 N | 210.00 |




## FAN REGULATORS

| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 1 M Fan Regulator* | AHBRFXG001 | 10 N/120 N | 354.00 |
| 2 M Fan Regulator* | AHBRFXG002 | 10 N/60 N | 406.00 |




## COMMUNICATION MODULES

| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| TV Socket* | AHBKTOG001 | 20 N/60 N | 108.00 |




## SUPPORT MODULES

| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| Blank Plate* | AHBPIBGX01 | 20 N/120 N | 25.00 |
| Night Lamp* | AHBILIG061 | 20 N/120 N | 90.00 |
| Mechanical Key Tag* | AHBSEXG000 | 1 N/28 N | 774.00 |
| 20 A Motor Starter* | AHBSMXG201 | 10 N/80 N | 587.00 |
| 25 A Motor Starter* | AHBSMXG251 | 10 N/80 N | 587.00 |



*Make to order only.

## MINI MCBs





DHEMCSPA01000MR




DHEMCSPA01600MR


| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 10 A SP C MINI MCB* | DHEMCSPA01000MR | 12 N/120 N | 270.00 |
| 16 A SP C MINI MCB* | DHEMCSPA01600MR | 12 N/120 N | 270.00 |
| 25 A SP C MINI MCB* | DHEMCSPA02500MR | 12 N/120 N | 278.00 |
| 32 A SP C MINI MCB* | DHEMCSPA03200MR | 12 N/120 N | 291.00 |

## DARK GREY PLATES



| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 1M Combination Plate Dark Grey* | AHBPLAGV01 | 5 N/80 N | 81.00 |
| 2M Combination Plate Dark Grey* | AHBPLAGV02 | 5 N/80 N | 81.00 |
| 3M Combination Plate Dark Grey* | AHBPLAGV03 | 5 N/80 N | 108.00 |
| 4M Combination Plate Dark Grey* | AHBPLAGV04 | 5 N/80 N | 122.00 |
| 6M Combination Plate Dark Grey* | AHBPLAGV06 | 5 N/60 N | 173.00 |
| 8MH Combination Plate Dark Grey* | AHBPLAGH08 | 5 N/60 N | 230.00 |
| 8MS Combination Plate Dark Grey* | AHBPLAGV08 | 5 N/60 N | 230.00 |
| 12M Combination Plate Dark Grey* | AHBPLAGV12 | 5 N/60 N | 272.00 |
| 16M Combination Plate Dark Grey* | AHBPLAGV16 | 5 N/40 N | 299.00 |
| 18M Combination Plate Dark Grey* | AHBPLAGV18 | 5 N/40 N | 314.00 |

## ASH GREY PLATES



| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 1 M Combination Plate Ash Grey* | AHBPLCGV01 | 5 N/80 N | 81.00 |
| 2 M Combination Plate Ash Grey* | AHBPLOGV02 | 5 N/80 N | 81.00 |
| 3 M Combination Plate Ash Grey* | AHBPLCGV03 | 5 N/80 N | 108.00 |
| 4 M Combination Plate Ash Grey* | AHBPLCGV04 | 5 N/80 N | 122.00 |
| 6 M Combination Plate Ash Grey* | AHBPLCGV06 | 5 N/60 N | 173.00 |
| 8 M Combination Plate Ash Grey* | AHBPLCGV08 | 5 N/60 N | 230.00 |
| 8 M(H) Combination Plate Ash Grey* | AHBPLCGH08 | 5 N/60 N | 230.00 |
| 12 M Combination Plate Ash Grey* | AHBPLCGV12 | 5 N/40 N | 272.00 |
| 16 M Combination Plate Ash Grey* | AHBPLCGV16 | 5 N/40 N | 299.00 |
| 18 M Combination Plate Ash Grey* | AHBPLCGV18 | 5 N/30 N | 314.00 |

*Make to order only.

# REO
# FLAIR

Range of Non Modular Switches





## SWITCHES REO EDGE



AHESXXW061 AHESXXW062 AHESBXW061 AHESWXW061

| Item Name | SAP Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 6 AX One Way Switch | AHESXXW061 | 30 N/600 N | 29.0 |
| 6 AX Two Way Switch* | AHESXXW062 | 30 N/180 N | 52.0 |
| 6 A One Way Bell Push* | AHESBXW061 | 30 N/180 N | 55.0 |
| 6 AX Bed Switch* | AHESWXW061 | 20 N/120 N | 80.0 |

## SWITCHES REO CURVE



AHESEXW061

| Item Name | SAP Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 6 A X 1 way switch REO CURVE | AHESEXW061 | 30 N/600 N | ₹ 29.00 |

## SOCKET



AHEKXOW063

| Item Name | SAP Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 6 A 3 Pin Socket (W/O Shutter ) Reo Flair | AHEKXOW063 | 10 N/200 N | ₹ 53.00 |

## FAN REGULATORS



AHERFXW001 AHERFXW002

| Item Name | SAP Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 1 Module Fan Regulator | AHERFXW001 | 20 N/240 N | ₹ 360.00 |
| 2 Module Fan Regulator | AHERFXW002 | 10 N/120 N | ₹ 437.00 |

## POWER SWITCHES




AHESXXW201 AHESYXW161

| Item Name | SAP Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 16 AX One Way Switch | AHESXXW201 | 10 N/120 N | ₹ 144.00 |
| 16 AX 1 Way Switch 2 Hole (Ceramic)** | AHESYXW161 | 10 N/240 N | ₹ 145.00 |

Ceramic Base for High Load Resistance

## POWER SOCKETS



AHEKUXW063 AHEKYXW163

| Item Name | SAP Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 6 A /16 A Combined Socket | AHEKUXW063 | 6 N/120 N | ₹ 147.00 |
| 6 A /16 A Socket 2 Hole (Ceramic)** | AHEKYXW163 | 10 N/240 N | ₹ 147.00 |

**Std/Master Packing is a running change & during transition old packing will continue till stock lasts.

*Make to order only.


AHEILIW061


AHEFPXW061

## SUPPORT MODULES

| Item Name | SAP Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| Night Lamp* | AHEILIW061 | 20 N/120 N | ₹ 76.00 |
| Kit Kat Fuse* | AHEFPXW061 | 20 N/120 N | ₹ 84.00 |


AHETWXW062


AHETWXW202


AHETWFW162


AHETOXW204

## SWITCH SOCKET (SS) COMBINED

| Item Name | SAP Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 6 A Switch Socket Combined with Box | AHETWXW062 | 10 N/80 N | ₹ 144.00 |
| SS Combined With Box (02 Hole) | AHETWXW202 | 10 N/80 N | ₹ 220.00 |
| SS Combined Ceramic With Box (2 Hole) | AHETWXW162 | 10 N/80 N | ₹ 229.00 |
| 5 in 1 Combined Ceramic with Box (2 Hole) | AHETWFW162 | 6 N/72 N | ₹ 326.00 |
| SS Combined W/O Box (04 Hole)* | AHETOXW204 | 10 N/80 N | ₹ 226.00 |


AHEUYIW321


DHEPCDPA032


AHEO202504

## REO-S 3 & MOTOR STARTERS

| Item Name | SAP Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| Surface 32 S DP (Roller & Ceramic) | AHEUYIW321 | 6 N/72 N | ₹ 237.00 |
| 32 A DP MCB With Enclosure | DHEPCDPA032 | 6 N/54 N | ₹ 396.00 |
| 25 A Motor Starter* | AHEO252504 | 6 N/72 N | ₹ 618.00 |

Features:

- Best in-class engineering polymers • Captive screws
- Brass terminals • Arc shield • Shuttered socket • Shrouded terminals
- 360° rotation of knob • Smooth & Noise-free operation
- Switch & socket with heavy brass parts to withstand load
- Perfect fit of plug top & socket • Easy installation

*Std/Master Packing is a running change & during transition old packing will continue till stock lasts.



*Make to order only.

# REO
# ACCESSORIES






AHEHAXW001


AHEHMXW001


AHEHBXW000


AHEDMXW002


AHEHRPW001


AHEHQPW001


AHEEPXW000


AHEEUXW000

## LAMP HOLDERS & CEILING ROSES

| Item Name | SAP Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| Eco Pendant Holder (Metal) Reo | AHEDMXW002 | 30 N/480 N | ₹ 46.00 |
| 2 A Eco Angle Holder ( Metal Ring) | AHEHAXW001 | 30 N/240 N | ₹ 51.00 |
| 2 A Eco Batten Holder ( Metal Ring) | AHEHMXW001 | 30 N/240 N | ₹ 51.00 |
| Fancy Angle Holder ( Plastic) | AHEHQPW001 | 10 N/100 N | ₹ 53.00 |
| Fancy Batten Holder ( Plastic) | AHEHRPW001 | 10 N/100 N | ₹ 53.00 |
| Eco Jumbo Batten Holder (Metal)* | AHEHBXW000 | 20 N/120 N | ₹ 62.00 |
| Fancy Angle Holder (Metal Ring) - N | AHEHQMW003 | 30 N/240 N | ₹ 55.00 |
| Fancy Batten Holder (Metal Ring) - N | AHEHRMW003 | 30 N/240 N | ₹ 55.00 |
| Fancy Jumbo Batten Holder (Metal Ring)* | AHEHBMW000 | 10 N/100 N | ₹ 71.00 |
| Fancy Plate Angle Holder* | AHEHQLW002 | 10 N/200 N | ₹ 99.00 |
| Fancy Plate Batten Holder* | AHEHRLW002 | 10 N/200 N | ₹ 99.00 |
| Ceiling Rose 2 Plate - Mini | AHEEPXW000 | 20 N/240 N | ₹ 39.00 |
| Ceiling Rose 3 Plate - Mini* | AHEEIXW000 | 20 N/240 N | ₹ 47.00 |
| Ceiling Rose 2 Plate - Jumbo* | AHEEUXW000 | 20 N/240 N | ₹ 54.00 |


AHEGXXW063


AHEGXXW163


AHEGXXW163

## PLUGTOPS

| Item Name | SAP Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 6 A 3 Pin Plug Top Reo | AHEGXXW063 | 20 N/240 N | ₹ 77.00 |
| 16 A 3 Pin Plug Top Reo | AHEGXXW163 | 20 N/240 N | ₹ 106.00 |
| 25 A 3 Pin Plug Top Reo | AHEGXXW253 | 20 N/240 N | ₹ 171.00 |


AHELERW060


AHELEXW000


AHELEXU002


AHELEXB002


AHELXX0001


AHELEX0005

## DOORBELLS

| Item Name | SAP Code | Std. / Master Packing (No. of Unit/s) | List Price in ` Per Unit |
|---|---|---|---|
| Jingle - Electromagnetic | AHELXX0001 | 1 N/20 N | ₹ 272.00 |
| Ding Dong Electronic | AHELEXW000 | 1 N/20 N | ₹ 389.00 |
| Ripple Ding Dong | AHELEXU002 | 1 N/20 N | ₹ 469.00 |
| Tarana - 5 in 1 Ding Dong | AHELEXB002 | 1 N/20 N | ₹ 522.00 |
| Bhakti Mantra 16 with locking feature | AHELERW060 | 1 N/20 N | ₹ 574.00 |
| Sajal- Water Conservation Alarm | AHELEX0005 | 1 N/20 N | ₹ 520.00 |



*Make to order only.



AHEXXXY020



AHEXXXO060

## FLEXBOXES

| Item Name | SAP Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| YellowMoon- 2 pin 4m Flexbox (Univ) | AHEXXXY020 | 1 N/10 N | ₹ 530.00 |
| Stella- 2 pin 7 m Flexbox (Univ) | AHEXXXO060 | 1 N/20 N | ₹ 785.00 |



AHEKXXB061



AHEKXXG2X3



AHEKXXG2X4

## SPIKEGUARDS

| Item Name | SAP Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| Blackleo - 4+1 surge & spike guard 1.5 m | AHEKXXB061 | 1 N/20 N | ₹ 760.00 |
| Zest 3+1 powerstrip (2 m) | AHEKXXG2X3 | 1 N/20 N | ₹ 614.00 |
| Zest 4+1 powerstrip (1.5 m) | AHEKXXG2X4 | 1 N/20 N | ₹ 683.00 |

*Make to order only.

# REO
# WIRE

Domestic Cable





# REO WIRE KEY FEATURES

## Domestic Cables
## FLAME RETARDANT PVC INSULATED CABLE

### About FR

Electrical wires serve as crucial pathways for both industrial and household power supply. Excessive and sudden voltage fluctuation in service lines can often lead to reduced voltage at the receiving end. This lower voltage increases current flow through the wires, raising conductor temperature. Regular wires often fail under such strain, resulting in risks like short circuits and potential fire hazards.
To address these conditions, we designed REO-FR wires. Engineered using advanced technology, these wires are known for their higher current-carrying capacity, meaning higher temperature resistance and reliability in case of power overload. So, what you get is a wire that's not only energy efficient but offers enhanced safety with a longer service life.

Insulation

- Premium "A" Grade PVC Compound & Resin
- Excellent Electrical Properties
- High-Grade Copper
- Flame Retardant
- Heat & Abrasion Resistant

The robust mechanical strength, along with superior resistance to moisture, chemicals, and environmental factors, adds an extra layer of protection in challenging conditions.





## ENERGY CONSUMPTION

The domestic sector uses 30% of the country's total energy consumption. REO employs high-purity copper in wire manufacturing, delivering over 101% conductivity. This high conductivity helps save around 2% to 3% on electricity bills and offers enhanced protection from voltage fluctuations.







## COPPER CONDUCTIVITY

REO FR PVC wires use ETP grade annealed copper, with purity exceeding 99.95%, ensuring 101% IACS conductivity for superior performance.

## FLAME RETARDANT

In commercial and public infrastructure where strict fire norms apply, flame-retardant materials are critical. REO's flame retardant PVC compound limits fire spread even under extreme temperatures, meeting the flame-retardant criteria as specified in **IS 694:2010.** This provides added protection against electrical hazards like short-circuits and shocks.




## OXYGEN INDEX

The REO FR PVC compound provides added fire safety due to its high Oxygen Index of 29%. A higher oxygen index means better non-combustibility, enhancing overall fire resistance.

# Flame Retardant PVC Insulated Cable (Unsheathed) Flexible Cables, 1100 Volt

| Basic Code | Nominal Cross Sectional area of conductor | Number/ Nominal Diameter of conductor strands* | Nominal Thickness of Insulation | Approx. overall Diameter | Current Carrying Capacity 2 Cables Single Phase | | Maximum Conductor Resistance per kilometre at 20 °C |
|---|---|---|---|---|---|---|---|
| | | | | | Conduit / Trunking | Unenclosed clipped directly to a surface or on cable trays | |
| FR | sq. mm | mm | mm | mm | A | A | Ω (Ohm) |
| WRFFDN...A1X75 | 0.75 sq. mm | 24 N/0.20 mm | 0.6 mm | 2.3 mm | 9 A | 9 A | 26.00 Ω (Ohm) |
| WRFFDN...A11X0 | 1.0 sq. mm | 32 N/0.20 mm | 0.6 mm | 2.7 mm | 12 A | 14 A | 19.50 Ω (Ohm) |
| WRFFDN...A11X5 | 1.5 sq. mm | 30 N/0.25 mm | 0.6 mm | 3.0 mm | 15 A | 17 A | 13.30 Ω (Ohm) |
| WRFFDN...A12X5 | 2.5 sq. mm | 50 N/0.25 mm | 0.7 mm | 3.6 mm | 21 A | 23 A | 7.98 Ω (Ohm) |
| WRFFDN...A14X0 | 4.0 sq. mm | 56 N/0.30 mm | 0.8 mm | 4.1 mm | 29 A | 32 A | 4.95 Ω (Ohm) |
| WRFFDN...A16X0 | 6.0 sq. mm | 84 N/0.30 mm | 0.8 mm | 4.6 mm | 39 A | 43 A | 3.30 Ω (Ohm) |
| WRFFDN...A1010 | 10.0 sq. mm | 80 N/0.40 mm | 1.0 mm | 6.1 mm | - | 53 A | 1.91 Ω (Ohm) |
| WRFFDN...A1016 | 16.0 sq. mm | 126 N/0.40 mm | 1.0 mm | 7.0 mm | - | 71 A | 1.21 Ω (Ohm) |

...Fill the colour code i.e. B = Blue B... / K = Black K... etc...

Note: Conductor as per class V of IS 8130 confirming to IS 694.

*The number and diameter of conductor strands are for reference only. Conductor resistance as per IS 8130 is the governing criteria.

Progressive sequential length marking on every metre.

Construction :-

Conductor : Plain annealed copper conductor as per IS 8130


Insulation : Primary - Natural FR PVC

Secondary - Skin colour coated PVC with FR property


Colour : Red/Yellow/Blue/Black/Green

Any other colour on specific request can also be supplied subject to economical run.










# Three Core Flat PVC Insulated Copper Conductor Cable for Submersible use, 1100 Volt


Our cable boasts a highly abrasion-resistant PVC outer sheath, impervious to grease, oil, and water, ensuring good insulation properties even when submerged. It also offers excellent mechanical and electrical properties, plus progressive sequential length marking every meter for easy installation tracking.

Key Benefits Include:
- Withstands harsh underwater and underground environments
- Reliable power supply for deep well submersible pumps
- Easy installation with sequential length marking
- Durable construction for long service life

| Basic Code | Nominal area of conductor | *Number/ Size of Wire for each Core | Nominal Thickness of Insulation | Nominal Thickness of Sheath | SHEATH Approx Overall Dimension | | Maximum Conductor Resistance at 20 °C | Current Carrying Capacity at 40 °C |
|---|---|---|---|---|---|---|---|---|
| | | | | | Width (W) | Height (H) | | |
| | sq. mm | mm | mm | mm | (Nom.) mm | (Nom.) mm | Ω/km | A |
| WRPNDSKG31X5 | 1.50 sq. mm** | 30 N/0.20 mm | 0.6 mm | 0.9 mm | 10.1 mm | 4.7 mm | 13.30 Ω/km | 13 A |
| WRPNDSKG32X5 | 2.50 sq. mm** | 50 N/0.25 mm | 0.7 mm | 1.0 mm | 12.2 mm | 5.5 mm | 7.98 Ω/km | 18 A |
| WRPNDSKG34X0 | 4.00 sq. mm | 56 N/0.30 mm | 0.8 mm | 1.0 mm | 14.6 mm | 6.5 mm | 4.95 Ω/km | 24 A |

Note: Available in 300 m & 500 m ± 5% metre packing in drums. Also available in 100 metre packing on request.

*The number and diameter of conductor strands are for reference only. Conductor resistance as per IS 8130 is the governing criteria.







| Nominal area of conductor sq. mm | REO 3 Core Flat Cable Basic Code |
|---|---|
| 1.5 sq. mm | WRPNDSKG31X5 |
| 2.5 sq. mm | WRPNDSKG32X5 |
| 4.0 sq. mm | WRPNDSKG34X0 |

# Telephone Switch Board Cable

## APPLICATION

Our telephone cables serve various purposes including indoor telephones, telephone exchanges, industrial plant communication systems, EPBAX systems, closed circuit security systems, in-house telephone wiring, and various other equipment involving telephones.

## STANDARD

Cables are manufactured to strict standards, made as per TEC Specification No. G/WIR-06/03 or customized to meet customer specifications.

## CONSTRUCTION

Our telephone cables are built with solid annealed tinned copper conductors for reliability, PVC insulated cores with colour coding for easy identification, twisted pairs to reduce interference, and pairs laid up and protected with a durable PVC sheath.

## DESIGN / MATERIAL

| | | |
|---|---|---|
| Conductor | : | Tinned copper |
| Insulation | : | PVC |
| Shielding | : | Overall shielded with polyester tape |
| Sheathing | : | FR PVC |
| Conductor size Cable | : | 0.4 mm |
| Configuration | : | 2P |


Note: Telephone Cable can also be made available with bare copper, polyethylene insulation FR-LSH/polyethylene sheathing & conductor sizes of 0.5 mm/0.6 mm on request.


## SALIENT FEATURES FOR TELEPHONE CABLE

- Hard grade PVC insulation is used for long life and stable properties of cables.
- Staggered lays of twisted pairs are used to ensure minimum cross talk.
- Sizing and processing of conductor and insulated cores is done in precisely controlled manner on automatic modern machines to have optimum values of capacitance, capacitance unbalance, image and cross talk attenuation and characteristic impendence.
- Shielding is done to protect from outside / inter pair interference as per specific needs.

## PROSPECTIVE BUYERS

BSNL, C.DOT, Switching equipment manufacturers, every industrial and commercial establishment, construction industry.








| No. of Pairs | UNARMOURED 0.4 mm ATC |
|---|---|
| 2 pair | WRTTATEA2P40 |

REO COAXIAL

# Co-Axial TV Cables

## APPLICATION
Used in cable TV operations, Computer net-working etc.

## CONSTRUCTION
Solid annealed bare copper conductor polyethylene insulated shielded with polyester backed aluminium tape and additional shielding with fine aluminium braid protected with polyester tape wrapping and sheathed with PVC.






## TECHNICAL DATA

| S. No. | Type | |
|---|---|---|
| 1 | Size | RG-6 |
| 2 | Inner Conductor | Copper Coated Steel |
| 3 | Insulation | Gas Injected Physical Foamed Polyethylene |
| 4 | Outer Conductor | Bonded polyaluminium Tape, Braided with Aluminium Alloy Wire |
| 5 | Outer Jacket | UV Resistant Black PVC Jacket |
| 6 | Marking | Progressive Sequential Length Marking on Every Metre |

## ELECTRICAL PARAMETERS

| S. No. | Type | RG-6 Foam |
|---|---|---|
| 1 | Inner Conductor | |
| | Max. Resistance Ω/km (Ohm per kilometre) @ 20 °C | 2.13 Ω/km |
| 2 | Inner Conductor | |
| | Loop Resistance Ω/km (Ohm per kilometre) @ 20 °C | 2.78 Ω/km |
| 3 | Nominal Capacitance (pf/m) | 53 pf/m |
| 4 | Nominal Impedance Ω (Ohm) | 75 Ω |
| 5 | Nominal Velocity Ratio (%) | 85% |
| 6 | Nominal Attenuation @ 25 °C (dB/100 m) | |
| | @55 MHz | 1.95 dB |
| | @83 MHz | 6.20 dB |
| | @187 MHz | 9.15 dB |
| | @211 MHz | 9.50 dB |
| | @250 MHz | 10.50 dB |
| | @300 MHz | 11.50 dB |
| | @350 MHz | 12.45 dB |
| | @400 MHz | 13.30 dB |
| | @450 MHz | 14.35 dB |
| | @500 MHz | 14.95 dB |
| | @550 MHz | 15.70 dB |
| 7 | Structural Return Loss (dB/100 m) | |
| | From 30 MHz to 300 MHz | >28 dB |
| | From 300 MHz to 550 MHz | >22 dB |
| | Bending Radius, min (mm) | 65 mm |

Note: RG 6 also available in CCS.

## CONSTRUCTION PARAMETERS

| S. No. | Type Foam | RG 6 CCS Foam |
|---|---|---|
| 1 | Inner Conductor | Copper Coated Steel |
| 2 | Nominal Diameter (mm) | 1.02 mm ± 0.03 mm |
| 3 | Dielectric | Foam PE |
| 4 | Nominal Diameter (mm) | 4.57 mm |
| 5 | Outer Conductor - First | Bonded Al Tape |
| 6 | Outer Conductor - Second | Al Braid |
| 7 | Nominal Coverage (%) | 60% |
| 8 | Jacket | PVC (Black) |
| 9 | Nominal Diameter (mm) | 6.5 mm ± 0.10 mm |


Note: Supplied in 90 m

| Item / Type | Screen | Basic Code |
|---|---|---|
| RG 06 CCS | AL. FOIL + AL. BRAID | WROJTTKARG06 |

## REO FLAME RETARDANT PVC INSULATED CABLES


REO Single Core FR PVC Insulated Copper Conductor (Unsheathed) Flexible Cables, 1100 V Conforming to IS 694



HSN Code - 8544

| Nominal area of conductor sq. mm | REO FR PVC Basic Code | List Price in ₹ per 90 m | No. of Standard packing in master carton |
|---|---|---|---|
| 0.75 sq. mm | WRFFDN…A1X75 | ** | 20 N |
| 1.0 sq. mm | WRFFDN…A11X0 | ** | 20 N |
| 1.5 sq. mm | WRFFDN…A11X5 | ** | 16 N |
| 2.5 sq. mm | WRFFDN…A12X5 | ** | 12 N |
| 4.0 sq. mm | WRFFDN…A14X0 | ** | 4 N |
| 6.0 sq. mm | WRFFDN…A16X0 | ** | 4 N |
| 10.0 sq. mm | WRFFDN…A1010 | ** | - |
| 16.0 sq. mm | WRFFDN…A1016 | ** | - |



## TELECOM SWITCH BOARD CABLES

REO PVC Insulated Telephone cables for indoor applications confirming to TEC specification G/WIR06/03

HSN Code - 8544

| | | UNARMOURED 0.4 mm ATC |
|---|---|---|
| No. of Pairs | Basic Code | List Price in ₹ per 90 m |
| 2 pair | WRTTATEA2P40 | ** |



## CCS CO-AXIAL CABLE

RG-06 CCS CO-AXIAL CBL 90 m

HSN Code - 8544

| Item / Type | Screen | Basic Code | List Price in ₹ per 90 m |
|---|---|---|---|
| 0.75 sq. mm | AL. FOIL + AL. BRAID | WROJTTKARG06 | ** |




## FLAT THREE CORE PVC INSULATED & PVC SHEATHED INDUSTRIAL CABLE FOR SUBMERSIBLE PUMP MOTORS

1100 Volt, conforming to IS 694

HSN Code - 8544


| Nominal area of conductor sq. mm | REO 3 Core Flat Cable Basic Code | List Price in ₹ per 1000 m |
|---|---|---|
| 1.5 sq. mm | WRPNDSKG31X5 | ** |
| 2.5 sq. mm | WRPNDSKG32X5 | ** |
| 4.0 sq. mm | WRPNDSKG34X0 | ** |

Available in 300 m & 500 m also.

****For latest List Price please contact REO Sales Representative.**

# REO
# SWITCHGEAR

MCB/RCCB/Isolator/MCB Change Over/Distribution Boards





# REO MCB KEY FEATURES

## SAFETY REDEFINED

Finger-proof terminals help avoid accidental contact with live parts. REO MCBs are designed for safe installation, operation, and maintenance.

IP20






## NON-WELDING CONTACTS


Silver-graphite contacts in REO MCBs prevent contact welding, thereby, enhancing safety and extending product lifespan.



## SAFETY MEETS SUPERIOR AESTHETICS

Engineered for optimal heat dissipation and made from flame-retardant material, REO MCBs offer a perfect blend of safety and quality design.





## ENERGY LIMITING CLASS - 3

In case of a fault, REO's quick arc-quenching system swiftly interrupts the current flow, reducing energy dissipation and improving equipment protection.

3

## INNOVATIVE BREATHING CHANNELS

REO MCBs include specially designed channels that help with air circulation where there are multiple poles installed side-by-side, ensuring cooler and more efficient operation.





## COMBI-HEAD SCREW

Combi-head screws support both flat and Philips screwdrivers, enhancing installation convenience.



## DUAL TERMINATION

The terminal structure accommodates both cables and busbars, offering greater installation flexibility.





## SUPERIOR ARC QUENCHING ARRANGEMENT

Advanced arc plate configurations allow faster arc extinguishing and reduce carbon fume dispersion within the MCB, thereby, protecting internal components.

*Mentioned feature may vary with product

## SP MCB 'B' Curve



**Miniature Circuit Breaker (MCBs) - 'B' Curve**
(In accordance with IS/IEC 60898-1) 240 V / 415 V, 50 Hz, 6 kA
Suitable for Lighting and other Resistive loads.

HSN Code - 8536

| Item Description | SP Cat. No. | Std. Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 6 A SP B MCB | DHMXBSPZ006 | 12 N | ₹ 167.00 |
| 10 A SP B MCB | DHMXBSPZ010 | 12 N | ₹ 167.00 |
| 16 A SP B MCB | DHMXBSPZ016 | 12 N | ₹ 167.00 |
| 20 A SP B MCB | DHMXBSPZ020 | 12 N | ₹ 167.00 |
| 25 A SP B MCB | DHMXBSPZ025 | 12 N | ₹ 167.00 |
| 32 A SP B MCB | DHMXBSPZ032 | 12 N | ₹ 167.00 |

## SP MCB 'C' Curve



**Miniature Circuit Breaker (MCBs) - 'C' Curve**
(In accordance with IS/IEC 60898-1) 240 V / 415 V, 50 Hz, 6 kA
Suitable for Motor and other Inductive loads.

HSN Code - 8536

| Item Description | SP Cat. No. | Std. Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 6 A SP C MCB | DHMXCSPZ006 | 12 N | ₹ 167.00 |
| 10 A SP C MCB | DHMXCSPZ010 | 12 N | ₹ 167.00 |
| 16 A SP C MCB | DHMXCSPZ016 | 12 N | ₹ 167.00 |
| 20 A SP C MCB | DHMXCSPZ020 | 12 N | ₹ 167.00 |
| 25 A SP C MCB | DHMXCSPZ025 | 12 N | ₹ 167.00 |
| 32 A SP C MCB | DHMXCSPZ032 | 12 N | ₹ 167.00 |
| 40 A SP C MCB | DHMXCSPZ040 | 12 N | ₹ 453.00 |
| 63 A SP C MCB | DHMXCSPZ063 | 12 N | ₹ 500.00 |

## DP MCB 'C' Curve



| Item Description | DP Cat. No. | Std. Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 10 A DP C MCB | DHMXCDPZ010 | 6 N | ₹ 722.00 |
| 16 A DP C MCB | DHMXCDPZ016 | 6 N | ₹ 722.00 |
| 20 A DP C MCB | DHMXCDPZ020 | 6 N | ₹ 722.00 |
| 25 A DP C MCB | DHMXCDPZ025 | 6 N | ₹ 722.00 |
| 32 A DP C MCB | DHMXCDPZ032 | 6 N | ₹ 722.00 |
| 40 A DP C MCB | DHMXCDPZ040 | 6 N | ₹ 1 016.00 |
| 63 A DP C MCB | DHMXCDPZ063 | 6 N | ₹ 1 202.00 |

## SPN MCB 'C' Curve



| Item Description | SPN Cat. No. | Std. Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 32 A SPN C MCB | DHMXCSNZ032 | 6 N | ₹ 634.00 |
| 63 A SPN C MCB | DHMXCSNZ063 | 6 N | ₹ 974.00 |

## TPN MCB 'C' Curve



| Item Description | TPN Cat. No. | Std. Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 32 A TPN C MCB | DHMXCTNZ032 | 3 N | ₹ 1 373.00 |
| 63 A TPN C MCB | DHMXCTNZ063 | 3 N | ₹ 1 970.00 |



## FP MCB 'C' Curve

(In accordance with IS/IEC 60898-1) 415 V, 50 Hz, 6 kA
Suitable for Motor and other Inductive loads.

HSN Code - 8536

| Item Description | FP Cat. No. | Std. Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 40 A FP C MCB | DHMXCFPZ040 | 3 N | ₹ 2 229.00 |



## RCCB - 'DP'

**Residual Current Circuit Breakers/Earth Leakage Circuit Breakers (RCCBs/ELCBs) - 'AC' Type**
(In accordance with IS 12640-1 & IEC 61008-1) 240 V, 50 Hz
with 6 kA conditional short circuit capacity

HSN Code - 8536

| Item Description | Std. Packing (No. of Unit/s) | 30 mA Cat. No. | List Price in ₹ Per Unit | Std. Packing (No. of Unit/s) | 100 mA Cat. No. | List Price in ₹ Per Unit |
|---|---|---|---|---|---|---|
| 40 A DP RCCB | 6 N | DHRXCTDE030040 | ₹ 3013.00 | 6 N | DHRXCTDE100040 | ₹ 3 026.00 |
| 63 A DP RCCB | 6 N | DHRXCTDE030063 | ₹ 3920.00 | 6 N | DHRXCTDE100063 | ₹ 3 938.00 |



## RCCB - 'FP'

(In accordance with IS 12640-1 & IEC 61008-1) 415 V, 50 Hz
with 6 kA conditional short circuit capacity

HSN Code - 8536

| Item Description | Std. Packing (No. of Unit/s) | 30 mA Cat. No. | List Price in ₹ Per Unit | Std. Packing (No. of Unit/s) | 100 mA Cat. No. | List Price in ₹ Per Unit |
|---|---|---|---|---|---|---|
| 40 A FP RCCB | 3 N | DHRXCRFE030040 | ₹ 4094.00 | - | - | - |
| 63 A FP RCCB | 3 N | DHRXCRFE030063 | ₹ 4272.00 | 3 N | DHRXCRFE100063 | ₹ 4 506.00 |



## DISCONNECTOR/ISOLATOR DP

**ISOLATOR (Switching Devices)**
In accordance with IEC 60947-3 DP : 415 V

HSN Code - 8536

| Item Description | DP Cat. No. | Std. Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 40 A DP Isolator | DHMXIDPX040 | 6 N | ₹ 569.00 |
| 63 A DP Isolator | DHMXIDPX063 | 6 N | ₹ 698.00 |



## DISCONNECTOR/ISOLATOR FP

| Item Description | FP Cat. No. | Std. Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 40 A FP Isolator | DHMXIFPX040 | 3 N | ₹ 1 304.00 |
| 63 A FP Isolator | DHMXIFPX063 | 3 N | ₹ 1 393.00 |
| 100 A FP Isolator | DHMXIFPX100 | 3 N | ₹ 1 747.00 |



## TWO WAY CENTRE OFF CHANGEOVER SWITCHES

For Dual Electricity Supply Management
(In accordance with IS/IEC 60947-3)

HSN Code - 8536

| Item Description | DP Cat. No. | Std. Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| 25 A DP Changeover | DHMXODPX025 | 6 N | ₹ 1 039.00 |
| 40 A DP Changeover | DHMXODPX040 | 6 N | ₹ 1 628.00 |
| 63 A DP Changeover | DHMXODPX063 | 6 N | ₹ 2 019.00 |



## SPN DD DISTRIBUTION BOARDS

HSN Code - 8537

| No. of Ways | SPN Cat. No. | Std. Packing (No. of Unit/s) | I/C+O/G | List Price in ₹ Per Unit |
|---|---|---|---|---|
| SPN 4 Way DD DB | DRDPSHODOW04 | 8 N | 4 | ₹ 1 411.00 |
| SPN 6 Way DD DB | DRDPSHODOW06 | 6 N | 6 | ₹ 1 477.00 |
| SPN 8 Way DD DB | DRDPSHODOW08 | 6 N | 8 | ₹ 1 562.00 |
| SPN 12 Way DD DB | DRDPSHODOW12 | 4 N | 12 | ₹ 1 950.00 |
| SPN 16 Way DD DB | DRDPSHODOW16 | 4 N | 16 | ₹ 2 578.00 |



## TPN DD DISTRIBUTION BOARDS (FOR THREE PHASE OUTGOING)

Suitable for MCB / RCCB / Isolator as Incomer

HSN Code - 8537

| No. of Ways | TPN Cat. No. | Std. Packing (No. of Unit/s) | I/C+O/G | List Price in ₹ Per Unit |
|---|---|---|---|---|
| TPN 4 Way DD DB | DRDPTHODOW04 | 1 N | 4+12 | ₹ 3 567.00 |
| TPN 6 Way DD DB | DRDPTHODOW06 | 1 N | 8+18 | ₹ 4 371.00 |
| TPN 8 Way DD DB | DRDPTHODOW08 | 1 N | 8+24 | ₹ 5 415.00 |



## PHASE SELECTOR DB (FOR THREE PHASE OUTGOING)

HSN Code - 8537

| No. of Ways | SPN Cat. No. | Std. Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| SPN 4 Way DD DB | DRDSMHDOZ04040 | 1 N | ₹ 7 400.00 |
| SPN 6 Way DD DB | DRDSMHDOZ06063 | 1 N | ₹ 10 822.00 |

# REO FANS






# ENERGEX
## CEILING FAN

**33 W**
**AD : 220 m³/min**
**SPEED : 350 r/min**


MORE STARS MORE SAVING
ENERGY SAVINGS GUIDE

SLIM BLDC 5 STAR FAN WITH REMOTE

| Fan Speed | Speed 1 | Speed 2 | Speed 3 | Speed 4 | Speed 5 |
|---|---|---|---|---|---|
| Power Consumption (W) | 5 W | 10 W | 18 W | 22 W | 33 W |

# ENERGEX
# CEILING FAN





REO ENERGEX FANS

HSN Code - 84145120

| Model Name | Product Code | Item Description | List Price in ₹ Per Unit |
|---|---|---|---|
| Energex BLDC - 1200 mm | FRCXBE5CBR48 | 1200 mm FAN ENERGEX BLDC COCOA BROWN | ₹ 4 216.00 |
| Energex BLDC - 1200 mm | FRCXBE5WHT48 | 1200 mm FAN ENERGEX BLDC ELEGANT WHITE | ₹ 4 216.00 |
| Energex BLDC - 1200 mm | FRCXBE5MBL48 | 1200 mm FAN ENERGEX BLDC MATTE BLACK | ₹ 4 216.00 |
| Energex BLDC - 1200 mm | FRCXBE5STG48 | 1200 mm FAN ENERGEX BLDC STONE GREY | ₹ 4 216.00 |

## TECHNICAL SPECIFICATION:-

| | |
|---|---|
| Sweep | 1200 mm |
| Power Consumption | 33 W |
| Air Delivery | 220 $m^3$/min |
| Speed | 350 r/min |

## Features

- Modern slim & minimalistic design.
- Low noise operation.
- Multiple timer options- 2 hours, 4 hours, and 8 hours.
- RF Remote Control for all direction sensing.
- Reverse rotation for circulating warm air during winter

Sleek and Minimalistic Design

RF Remote For All Direction Sensing

Sleep Mode

Energy Efficient BLDC Motor

Upto 8 Hours Timer Setting

Mop Mode

Reverse Rotation

Breeze Mode Natural Air Flow



# KEY FEATURES

## LOW POWER CONSUMPTION (WATT)

REO's star-rated fans are engineered to deliver top performance with minimal power usage.







## SUPERIOR AIR DELIVERY

Designed with a high lift and optimal bend angle, REO fans ensure improved air circulation across the room.

## STRONG & DURABLE 100% COPPER MOTOR**

Equipped with a powerful copper motor, REO fans offer high efficiency, Longer life, and a consistent performance.







## HIGH SPEED

The robust motor ensures optimal RPM and smooth performance at rated voltage.

## DOUBLE BALL BEARING

High-quality bearings are designed for durability, quieter operation, and longer service life.




**On Selected Varient Only

# TEJAS ES
## CEILING FAN
HIGH SPEED



## REO TEJAS ES FANS

HSN Code - 84145120

| Model Name | Product Code | Item Description | List Price in ₹ Per Unit |
|---|---|---|---|
| Tejas ES - 1200 mm | FRCTJE1BRN48 | 1200 mm FAN TEJAS ES BROWN | ₹ 2 968.00 |
| Tejas ES - 1200 mm | FRCTJE1SMB48 | 1200 mm FAN TEJAS ES SMOKE BROWN | ₹ 2 968.00 |
| Tejas ES - 1200 mm | FRCTJE1WHT48 | 1200 mm FAN TEJAS ES WHITE | ₹ 2 968.00 |
| Tejas ES - 1200 mm | FRCTJE1BNC48 | 1200 mm FAN TEJAS ES BIANCO | ₹ 2 968.00 |
| Tejas ES - 1200 mm | FRCTJE1MBI48 | 1200 mm FAN TEJAS ES MATT BLUE | ₹ 2 968.00 |

## TECHNICAL SPECIFICATIONS

| Model Name | Star Rating | Sweep (mm) | Air Delivery ($m^3$/min) | Speed r/min (RPM) | Power (Watt) |
|---|---|---|---|---|---|
| Tejas | 1 | 1200 mm | 216 $m^3$/min | 370 r/min | 48 W |






ALUMINIUM BLADES FOR STRENGTH & PERFORMANCE










# UTSAV ES
## CEILING FAN

HIGH SPEED



## REO UTSAV ES FANS

HSN Code - 84145120

| Model Name | Product Code | Item Description | List Price in ₹ Per Unit |
|---|---|---|---|
| Utsav ES - 1200 mm | FRCUTE1BRN48 | 1200 mm FAN UTSAV ES BROWN | ₹ 2 698.00 |
| Utsav ES - 1200 mm | FRCUTE1SMB48 | 1200 mm FAN UTSAV ES SMOKE BROWN | ₹ 2 698.00 |
| Utsav ES - 1200 mm | FRCUTE1WHT48 | 1200 mm FAN UTSAV ES ELEGANT WHITE | ₹ 2 698.00 |
| Utsav ES - 1200 mm | FRCUTE1BNC48 | 1200 mm FAN UTSAV ES BIANCO | ₹ 2 698.00 |
| Utsav ES - 1200 mm | FRCUTE1MBI48 | 1200 mm FAN UTSAV ES MATT BLUE | ₹ 2 698.00 |
| Utsav ES - 900 mm | FRCUTE1BRN36 | 900 mm FAN UTSAV ES BROWN | ₹ 2 698.00 |
| Utsav ES - 900 mm | FRCUTE1SMB36 | 900 mm FAN UTSAV ES SMOKE BROWN | ₹ 2 698.00 |
| Utsav ES - 900 mm | FRCUTE1WHT36 | 900 mm FAN UTSAV ES ELEGANT WHITE | ₹ 2 698.00 |
| Utsav ES - 900 mm | FRCUTE1BNC36 | 900 mm FAN UTSAV ES BIANCO | ₹ 2 698.00 |

## REO UTSAV ES FANS

| Model Name | Product Code | Item Description | List Price in ₹ Per Unit |
|---|---|---|---|
| Utsav ES - 600 mm | FRCUTE1BRN24 | 600 mm FAN UTSAV ES BROWN | ₹ 2 668.00 |
| Utsav ES - 600 mm | FRCUTE1SBW24 | 600 mm FAN UTSAV ES SMOKE BROWN | ₹ 2 668.00 |
| Utsav ES - 600 mm | FRCUTE1WHT24 | 600 mm FAN UTSAV ES WHITE | ₹ 2 668.00 |
| Utsav ES - 600 mm | FRCUTE1BNC24 | 600 mm FAN UTSAV ES BIANCO | ₹ 2 668.00 |

## TECHNICAL SPECIFICATIONS

| Model Name | Star Rating | Sweep (mm) | Air Delivery ($m^3$/min) | Speed r/min (RPM) | Power (Watt) |
|---|---|---|---|---|---|
| Utsav | 1 | 1200 mm | 216 $m^3$/min | 370 r/min | 48 W |
| | 1 | 900 mm | 140 $m^3$/min | 430 r/min | 39 W |
| | 1 | 600 mm (4 Blade) | 112 $m^3$/min | 800 r/min | 57 W |













# VAAYU
## CEILING FAN



### REO VAAYU FANS

HSN Code - 84145120

| Model Name | Product Code | Item Description | List Price in ₹ Per Unit |
|---|---|---|---|
| Vaayu - 1200 mm | FRCVYE1BRN48 | 1200 mm FAN VAAYU BROWN | ₹ 2 376.00 |
| Vaayu - 1200 mm | FRCVYE1SMB48 | 1200 mm FAN VAAYU SMOKE BROWN | ₹ 2 376.00 |
| Vaayu - 1200 mm | FRCVYE1WHT48 | 1200 mm FAN VAAYU WHITE | ₹ 2 376.00 |
| Vaayu - 1200 mm | FRCVYE1BNC48 | 1200 mm FAN VAAYU BIANCO | ₹ 2 376.00 |
| Vaayu - 1200 mm | FRCVYE1MBI48 | 1200 mm FAN VAAYU MATT BLUE | ₹ 2 376.00 |
| Vaayu - 900 mm | FRCVYE1BRN36 | 900 mm FAN VAAYU BROWN | ₹ 2 376.00 |
| Vaayu - 900 mm | FRCVYE1SMB36 | 900 mm FAN VAAYU SMOKE BROWN | ₹ 2 376.00 |
| Vaayu - 900 mm | FRCVYE1WHT36 | 900 mm FAN VAAYU ELEGANT WHITE | ₹ 2 376.00 |
| Vaayu - 900 mm | FRCVYE1BNC36 | 900 mm FAN VAAYU BIANCO | ₹ 2 376.00 |
| Vaayu - 900 mm | FRCVYE1MBI36 | 900 mm FAN VAAYU MATT BLUE | ₹ 2 376.00 |

### TECHNICAL SPECIFICATIONS

| Model Name | Star Rating | Sweep (mm) | Air Delivery ($m^3$/min) | Speed r/min (RPM) | Power (Watt) |
|---|---|---|---|---|---|
| Vaayu | 1 | 1200 mm | 220 $m^3$/min | 370 r/min | 48 W |
| | 1 | 900 mm | 140 $m^3$/min | 430 r/min | 39 W |

### Features

- Ribbed blades for better strength and longevity.
- Double ball bearing for long life & durability.
- Aluminium bottom cover for better heat dissipation.



# FRESH AIR
# VENTILATION FAN



## REO FRESH AIR

HSN Code - 84145120


| Model Name | Product Code | Item Description | List Price in ₹ Per Unit |
|---|---|---|---|
| Fresh Air - 150 mm | FRVVENSOWH06 | 150 mm FRESH AIR DX WHITE | ₹ 1 674.00 |
| Fresh Air - 200 mm | FRVVENSOWH08 | 200 mm FRESH AIR DX WHITE | ₹ 1 789.00 |
| Fresh Air - 250 mm | FRVVENSOWH10 | 250 mm FRESH AIR DX WHITE | ₹ 1 945.00 |

Features
- Rust Proof Plastic Body.
- 100% Copper motor for Long life & Durability.
- Powerful Air Suction to keep Area Odor free.
- Auto Shutter to avoid foreign Particles.
- Low Noise operation.

## TECHNICAL SPECIFICATIONS

| Model Name | Sweep (mm) | Air Delivery ($m^3/h$) | Speed r/min (RPM) | Power (Watt) |
|---|---|---|---|---|
| Fresh Air | 150 mm | 280 $m^3/h$ | 1400 r/min | 35 W |
| | 200 mm | 520 $m^3/h$ | 1350 r/min | 35 W |
| | 250 mm | 750 $m^3/h$ | 1320 r/min | 35 W |

# WINDSOR
# VENTILATION FAN



## REO WINDSOR

HSN Code - 84145120

| Model Name | Product Code | Item Description | List Price in ₹ Per Unit |
|---|---|---|---|
| Windsor - 150 mm | FRVRFHSGRY06 | 150 mm WINDSOR | ₹ 1 997.00 |
| Windsor - 230 mm | FRVRFNSGRY09 | 230 mm WINDSOR | ₹ 2 007.00 |
| Windsor - 300 mm | FRVRFNSGRY12 | 300 mm WINDSOR | ₹ 2 350.00 |

Features
- High Suction Capacity.
- Low Noise Operation.
- Durable Long Lasting Powder Coating.

## TECHNICAL SPECIFICATIONS

| Model Name | Sweep (mm) | Air Delivery ($m^3/h$) | Speed r/min (RPM) | Power (Watt) |
|---|---|---|---|---|
| Windsor | 150 mm | 350 $m^3/h$ | 2800 r/min | 45 W |
| | 230 mm | 510 $m^3/h$ | 1400 r/min | 45 W |
| | 300 mm | 900 $m^3/h$ | 1400 r/min | 57 W |



# REO
# Lighting

Life Ko Bright Banao








**List Price** w.e.f. 14th Sep, 2026



## BATTEN: DELITE LED BATTENS

HSN Code: 94051100

| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| Delite LED 5 W CDL Batten | LREXBTP7IN1W005 | 30 N | ₹ 178.00 |
| Delite LED 10 W CDL Batten | LREXBTP7IN1W010 | 30 N | ₹ 186.00 |
| Delite LED 20 W CDL Batten | LREXBTP7IN1W020 | 30 N | ₹ 174.00 |
| Delite LED 25 W CDL Batten | LREXBTP7IN1W025 | 30 N | ₹ 250.00 |
| Delite LED 36 W CDL Batten | LREXBTP7IN1W036 | 20 N | ₹ 428.00 |

Slim square profile LED lighting fixture with polycarbonate extrusion, environment friendly, energy efficient pack.



## LED LAMPS: SPARK LED BULBS

HSN Code: 85395200

| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| Spark LED 0.5 W B22 White Bulb | LRLDBBEAML8R0X5 | 60 N | ₹ 39.00 |
| Spark LED 0.5 W B22 Red Bulb | LRLDBBEFMPNR0X5 | 60 N | ₹ 39.00 |
| Spark LED 0.5 W B22 Green Bulb | LRLDBBEFMONR0X5 | 60 N | ₹ 39.00 |
| Spark LED 0.5 W B22 Blue Bulb | LRLDBBEFMSNR0X5 | 60 N | ₹ 39.00 |
| Spark LED 0.5 W B22 Pink Bulb | LRLDBBEFMYNR0X5 | 60 N | ₹ 39.00 |
| Spark LED 0.5 W B22 Orange Bulb | LRLDBBEFMUNR0X5 | 60 N | ₹ 39.00 |
| Spark LED 0.5 W B22 Yellow Bulb | LRLDBBEFMBNR0X5 | 60 N | ₹ 39.00 |
| Spark LED 2.8 W B22 CDL Bulb | LRLDBBEAML8R2X8 | 50 N | ₹ 77.00 |
| Spark LED 5 W B22 1 Star CDL Bulb | LRLDBCEAML8R005 | 50 N | ₹ 61.00 |
| Spark LED 7 W B22 1 Star CDL Bulb | LRLDBCEAML8R007 | 50 N | ₹ 61.00 |
| Spark LED 9 W B22 1 Star CDL Bulb | LRLDBCEAML8R009 | 50 N | ₹ 62.00 |
| Spark LED 12 W B22 1 Star CDL Bulb | LRLDBCEAML8R012 | 30 N | ₹ 95.00 |
| Spark Inverter LED 9 W B22 CDL Bulb | LRLDBFEAML8R009 | 24 N | ₹ 364.00 |
| Spark LED 15 W B22 1 Star CDL Bulb | LRLDBCEAML8R015 | 30 N | ₹ 131.00 |

Lamps are equipped with f ire retardant housing and made with blow moulding which gives wider light.



## LED LAMPS: MAXO LED BULBS

HSN Code: 85395200

| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| Maxo LED 15 W B22 2 Star CDL H Bulb | LRLDBEEAML8R015 | 30 N | ₹ 212.00 |
| Maxo LED 20 W B22 2 Star CDL H Bulb | LRLDBEEAML8R020 | 30 N | ₹ 260.00 |
| Maxo LED 23 W B22 2 Star CDL H Bulb | LRLDBEEAML8R023 | 12 N | ₹ 313.00 |
| Maxo LED 26 W B22 2 Star CDL H Bulb | LRLDBEEAML8R026 | 6 N | ₹ 351.00 |
| Maxo LED 30 W B22 2 Star CDL H Bulb | LRLDBEEAML8R030 | 6 N | ₹ 417.00 |
| Maxo LED 40 W B22 2 Star CDL H Bulb | LRLDBEEAML8R040 | 6 N | ₹ 506.00 |
| Maxo LED 50 W B22 2 Star CDL H Bulb | LRLDBEEAML8R050 | 6 N | ₹ 617.00 |

Lamps are equipped with f ire retardant housing, it delivers high lumens even with its compact size.



## CEILING: FLARE SPOT LIGHTS

HSN Code: 94051100

| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| FLARE 2 W SPOT LIGHT WW | LREEBDPBUH1W002 | 50 N | ₹ 110.00 |
| FLARE 2 W SPOT LIGHT NDL | LREEBDPDUH1W002 | 50 N | ₹ 110.00 |
| FLARE 2 W SPOT LIGHT CDL | LREEBDPGUH1W002 | 50 N | ₹ 110.00 |
| FLARE 2 W SPOT LIGHT RED | LREEBDPAUH1W002 | 50 N | ₹ 110.00 |
| FLARE 2 W SPOT LIGHT GREEN | LREEBDPCUH1W002 | 50 N | ₹ 110.00 |
| FLARE 2 W SPOT LIGHT BLUE | LREEBDPEUH1W002 | 50 N | ₹ 110.00 |
| FLARE 2 W SPOT LIGHT ORANGE | LREEBDPNUH1W002 | 50 N | ₹ 110.00 |
| FLARE 2 W SPOT LIGHT PINK | LREEBDPPUH1W002 | 50 N | ₹ 110.00 |

Flare, bright & compact, recess mounted 2 W
LED spot light in polycarbonate housing with high brightness

Ceiling cutout ø 35 mm, height 19.5 mm.



## CEILING: POLO DOWN LIGHTERS

HSN Code: 94051100

| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| POLO LED 3 W WW JB | LREBBEP5UZ1W003 | 24 N | ₹ 108.00 |
| POLO LED 3 W NDL JB | LREBBEP6UZ1W003 | 24 N | ₹ 108.00 |
| POLO LED 3 W CDL JB | LREBBEP7UZ1W003 | 24 N | ₹ 108.00 |
| POLO LED 3 W RED JB | LREBBEPAUZ1W003 | 24 N | ₹ 108.00 |
| POLO LED 3 W GREEN JB | LREBBEPCUZ1W003 | 24 N | ₹ 108.00 |
| POLO LED 3 W BLUE JB | LREBBEPEUZ1W003 | 24 N | ₹ 108.00 |
| POLO LED 3 W PINK JB | LREBBEPHUZ1W003 | 24 N | ₹ 108.00 |
| POLO LED 3 W ORANGE JB | LREBBEPKUZ1W003 | 24 N | ₹ 108.00 |
| POLO LED 6 W WW JB | LREBBEP5UZ1W006 | 20 N | ₹ 137.00 |
| POLO LED 6 W NDL JB | LREBBEP6UZ1W006 | 20 N | ₹ 137.00 |
| POLO LED 6 W CDL JB | LREBBEP7UZ1W006 | 20 N | ₹ 137.00 |
| POLO LED 6 W RED JB | LREBBEPAUZ1W006 | 20 N | ₹ 137.00 |
| POLO LED 6 W GREEN JB | LREBBEPCUZ1W006 | 20 N | ₹ 137.00 |
| POLO LED 6 W BLUE JB | LREBBEPEUZ1W006 | 20 N | ₹ 137.00 |
| POLO LED 6 W PINK JB | LREBBEPHUZ1W006 | 20 N | ₹ 137.00 |
| POLO LED 6 W ORANGE JB | LREBBEPKUZ1W006 | 20 N | ₹ 137.00 |
| POLO LED 9 W WW JB | LREBBEP5UZ1W009 | 20 N | ₹ 189.00 |
| POLO LED 9 W NDL JB | LREBBEP6UZ1W009 | 20 N | ₹ 189.00 |
| POLO LED 9 W CDL JB | LREBBEP7UZ1W009 | 20 N | ₹ 189.00 |
| POLO LED 9 W RED JB | LREBBEPAUZ1W009 | 20 N | ₹ 189.00 |
| POLO LED 9 W GREEN JB | LREBBEPCUZ1W009 | 20 N | ₹ 189.00 |
| POLO LED 9 W BLUE JB | LREBBEPEUZ1W009 | 20 N | ₹ 189.00 |
| POLO LED 9 W PINK JB | LREBBEPHUZ1W009 | 20 N | ₹ 189.00 |
| POLO LED 9 W ORANGE JB | LREBBEPKUZ1W009 | 20 N | ₹ 189.00 |
| POLO LED D/L 5 W 9 IN 1 RD | LREOBEP5UZ1W005 | 20 N | ₹ 211.00 |

Polo, downlight suitable for installation in deep junction box, available in 3 W, 6 W, 9 W & 5 W 9 in 1

Ceiling cutout ø 55 mm, height 35 mm for 3 W Round.
Ceiling cutout ø 75 mm, height 47 mm for 6 W / 9 W Round.
Ceiling cutout ø 95 mm, height 46 mm for 5 W Round.

## CEILING: BLAZE LED PANELS

HSN Code: 94051100





| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| BLAZE LED 5 W WW RD PANEL | LREBBFP5UZ1W005 | 8 N | ₹ 290.00 |
| BLAZE LED 5 W NDL RD PANEL | LREBBFP6UZ1W005 | 8 N | ₹ 290.00 |
| BLAZE LED 5 W CDL RD PANEL | LREBBFP7UZ1W005 | 8 N | ₹ 290.00 |
| BLAZE LED 5 W WW SQ PANEL | LREBBGP5UZ1W005 | 8 N | ₹ 290.00 |
| BLAZE LED 5 W NDL SQ PANEL | LREBBGP6UZ1W005 | 8 N | ₹ 290.00 |
| BLAZE LED 5 W CDL SQ PANEL | LREBBGP7UZ1W005 | 8 N | ₹ 290.00 |
| BLAZE LED 10 W WW RD PANEL | LREBBFP5UZ1W010 | 8 N | ₹ 356.00 |
| BLAZE LED 10 W NDL RD PANEL | LREBBFP6UZ1W010 | 8 N | ₹ 356.00 |
| BLAZE LED 10 W CDL RD PANEL | LREBBFP7UZ1W010 | 8 N | ₹ 356.00 |
| BLAZE LED 10 W WW SQ PANEL | LREBBGP5UZ1W010 | 8 N | ₹ 356.00 |
| BLAZE LED 10 W NDL SQ PANEL | LREBBGP6UZ1W010 | 8 N | ₹ 356.00 |
| BLAZE LED 10 W CDL SQ PANEL | LREBBGP7UZ1W010 | 8 N | ₹ 356.00 |
| BLAZE LED 15 W WW RD PANEL | LREBBFP5UZ1W015 | 8 N | ₹ 496.00 |
| BLAZE LED 15 W NDL RD PANEL | LREBBFP6UZ1W015 | 8 N | ₹ 496.00 |
| BLAZE LED 15 W CDL RD PANEL | LREBBFP7UZ1W015 | 8 N | ₹ 496.00 |
| BLAZE LED 15 W WW SQ PANEL | LREBBGP5UZ1W015 | 8 N | ₹ 496.00 |
| BLAZE LED 15 W NDL SQ PANEL | LREBBGP6UZ1W015 | 8 N | ₹ 496.00 |
| BLAZE LED 15 W CDL SQ PANEL | LREBBGP7UZ1W015 | 8 N | ₹ 496.00 |
| BLAZE LED 20 W WW RD PANEL | LREBBFP5UZ1W020 | 8 N | ₹ 950.00 |
| BLAZE LED 20 W NDL RD PANEL | LREBBFP6UZ1W020 | 8 N | ₹ 950.00 |
| BLAZE LED 20 W CDL RD PANEL | LREBBFP7UZ1W020 | 8 N | ₹ 950.00 |
| BLAZE LED 20 W WW SQ PANEL | LREBBGP5UZ1W020 | 8 N | ₹ 950.00 |
| BLAZE LED 20 W NDL SQ PANEL | LREBBGP6UZ1W020 | 8 N | ₹ 950.00 |
| BLAZE LED 20 W CDL SQ PANEL | LREBBGP7UZ1W020 | 8 N | ₹ 950.00 |

Blaze, recessed mounted panel available in 5 W, 10 W, 15 W, 20 W

Ceiling cutout ø 70 mm, height 26.5 mm for 5 W. Ceiling cutout ø 103 mm, height 26.5 mm for 10 W. Ceiling cutout ø 150 mm, height 26.5 mm for 15 W. Ceiling cutout ø 198 mm, height 26.5 mm for 20 W.




## CEILING: BLAZE LED SURFACE PANELS

HSN Code: 94051100

| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| Blaze Surface LED 7 W WW RD Panel | LREABAP5UL1W006 | 10 N | ₹ 340.00 |
| Blaze Surface LED 7 W NDL RD Panel | LREABAP6UL1W006 | 10 N | ₹ 340.00 |
| Blaze Surface LED 7 W CDL RD Panel | LREABAP7UL1W006 | 10 N | ₹ 340.00 |
| Blaze Surface LED 12 W WW RD Panel | LREABAP5UL1W012 | 10 N | ₹ 467.00 |
| Blaze Surface LED 12 W NDL RD Panel | LREABAP6UL1W012 | 10 N | ₹ 467.00 |
| Blaze Surface LED 12 W CDL RD Panel | LREABAP7UL1W012 | 10 N | ₹ 467.00 |
| Blaze Surface LED 18 W WW RD Panel | LREABAP5UL1W018 | 10 N | ₹ 610.00 |
| Blaze Surface LED 18 W NDL RD Panel | LREABAP6UL1W018 | 10 N | ₹ 610.00 |
| Blaze Surface LED 18 W CDL RD Panel | LREABAP7UL1W018 | 10 N | ₹ 610.00 |

Blaze, surface panel
available in 7 W, 12 W, 18 W

Dia ø 85 mm, height 48 mm for 7 W. Dia ø 110 mm, height 48 mm for 12 W.
Dia ø 135 mm, height 48 mm for 18 W.



## ROPE & STRIPS: WAVE LED ROPE & STRIP

HSN Code: 94054200

| Item Name | Item Code | Std. / Master Packing (No. of Unit/s) | List Price in ₹ Per Unit |
|---|---|---|---|
| Wave LED STRIP 24 W 60D 12 V DC 3000 K R | LREHAKP5UN1W024 | 40 N | ₹ 490.00 |
| Wave LED STRIP 24 W 60D 12 V DC 4000 K R | LREHAKP6UN1W024 | 40 N | ₹ 490.00 |
| Wave LED STRIP 24 W 60D 12 V DC 6500 K R | LREHAKP7UN1W024 | 40 N | ₹ 490.00 |
| Wave LED STRIP 24 W 60D 12 V DC BLUE R | LREHAKPFUN1W024 | 40 N | ₹ 490.00 |
| WAVE CV DRIVERUPTO 24 W /12 V R | LSSLRW0001 | 60 N | ₹ 380.00 |
| Wave AC ROPE 60DSTRIP 3000 K IP65 50 M R | LREHDCP5TN6W325 | 2 N | ₹ 3 500.00 |
| Wave AC ROPE 60DSTRIP 4000 K IP65 50 M R | LREHDCP6TN6W325 | 2 N | ₹ 3 500.00 |
| Wave AC ROPE 60DSTRIP 6500 K IP65 50 M R | LREHDCP7TN6W325 | 2 N | ₹ 3 500.00 |
| Wave AC ROPE 60DSTRIP BLUE IP65 50 M R | LREHDCPFTN6W325 | 2 N | ₹ 3 500.00 |
| AC ROPE LIGHT ACCESSORIES R | LSSLRW0002 | 60 N | ₹ 210.00 |
| WAVE AC ROPE 96DSTRIP 3000 K IP65 50 M | LREHCXP5TD6W350 | 2 N | ₹ 4 793.00 |
| WAVE AC ROPE 96DSTRIP 4000 K IP65 50 M | LREHCXP6TD6W350 | 2 N | ₹ 4 793.00 |
| WAVE AC ROPE 96DSTRIP 6500 K IP65 50 M | LREHCXP7TD6W350 | 2 N | ₹ 4 793.00 |
| WAVE AC ROPE 96DSTRIP BLUE IP65 50 M | LREHCXPFTD6W350 | 2 N | ₹ 4 793.00 |
| WAVE AC ROPE 96DSTRIP PINK IP65 50 M | LREHCXPKTD6W350 | 2 N | ₹ 4 793.00 |
| AC ROPE LIGHT ACCESSORIES R 96D | LSSLRW0003 | 20 N | ₹ 219.00 |

REO brings you the range of high quality rope & strips, designed for bright & even illumination.

| Product Category | HSN Code | GST %age |
|---|---|---|
| All type of Switch including Key Tag, DND, MMR | 85365020 | 18% |
| All type of Socket, Shaver socket, USB Data Transmission socket, HDMI, VGA, RCA Socket | 85366910 | 18% |
| Fan Regulator | 84149030 | 18% |
| RJ 11, RJ 45, TV Socket | 85366990 | 18% |
| Foot lamp | 94054090 | 18% |
| Indicator Lamp, DND and MMR outdoor panel | 85318000 | 18% |
| USB Charger | 85044030 | 18% |
| Chime, Buzzer | 85311090 | 18% |

| Product Category | HSN Code | GST %age |
|---|---|---|
| Motor Starter | 85369010 | 18% |
| Mini MCB | 85362030 | 18% |
| Plates, GI Box, Surface Box | 85389000 | 18% |
| Holder | 85366110 | 18% |
| Plug Top | 85366910 | 18% |
| Door Bell | 85311090 | 18% |
| Ceiling Rose | 85389000 | 18% |
| Extension | 85371000 | 18% |

**Warranty**

Havells India Ltd. ("Company") hereby warrants these products, against manufacturing defects, commencing from the date of purchase invoice for the period as specified in the table below -:

| S. No. | Product | Warranty Period |
|---|---|---|
| 1 | Mechanical Modules - Switches, all type of sockets in white & PC White Cover plates. | 10 Year |
| 2 | Electronic Modules -Fan regulator, Dimmer, Telephone sockets, Computer sockets, USB Chargers, Data Socket (HDMI, VGA, HD15, USB Data) & Indicator switches, Mechanical Modules-Switches & all types of Sockets in painted colors. | 1 Year |
| 3 | Decorative plates (Glass, Metal and Wood), Painted Cover plates, PC plates with Chrome / Color finish & all modular SKUs with colour painted. | 1 Year |
| 4 | *Extension Board (Powerstrip, Spikeguard, Flexbox), Door bell, Water bell, Adaptor. | 6 Months |

All above warranty is applicable when the devices are used in Reo metal flush boxes. Otherwise the warranty period will be reduced by 50%.

**Warranty Terms and Conditions for products mentioned from S. No. 1 to 3**

- To avail Warranty services, customer can log in his requests with the customer care cell and must present original invoice and wherever possible original Warranty Certificate (duly signed and stamped by the Selling Dealer) to the Authorised Service Representative.
- Company will repair or replace the product at its discretion, if any manufacturing defect is found in the product.
- Warranty of repaired or replaced product shall thereafter continue only for unexpired period of Warranty and defective product shall be property of Company or its Authorized Service Partner during Warranty period.
- Company will not be liable for any delay or failure in performance resulting from causes beyond its control including non-availability of any part, labour problem, restrictions and regulations of the government, public movement, war and any other unavoidable/unforeseen circumstances including any force majeure event, specially vis-à-vis the import of supplies and raw material.
- It is clarified that the Company will not be responsible to the customer for any economic loss, commercial loss, consequential or resulting liability, damage to the property or any other harm or loss.
- In the event of any unforeseeable circumstance same product or product with similar design is not available, product will be replaced with an equivalent model available at that time.

**Warranty excludes or does not apply:**

- If the product is serviced or repaired by any person other than the Authorized Service Representative of the Company.
- If customer violates Warranty Terms and Conditions, instruction and installation guidelines, recommendations of Authorised Service Representative and/or operates the product otherwise than as per product specifications.
- If the serial number affixed on the product is damaged, erased or tampered with or if product is refurbished/modified.
- If the product is operated in conditions otherwise than normal conditions (e.g., abnormal voltage surge, extreme environmental conditions etc.).
- Any harm caused due to accident, negligence, improper maintenance, mishandling, tampering, incurred in transit by the customer or which can be attributed to the fault of the customer.
- Any harm resulting from any unforeseeable circumstances such as force majeure event etc.
- Any harm caused due to any defect in any electrical/civil installation(s), wiring or third party products.
- If Company's mounting boxes have not been used to mount the plates and accessories.

***For Warranty Terms and Conditions of Extension Board, Doorbell, Water Bell, and Adaptor, please visit our website www.reo.havells.com**

**Terms & Conditions:**

- All Prices are in Indian ₹ and Inclusive of GST.
- Warranty applicable as per REO warranty policy.
- Prices are subject to change without prior notice.
- All prices are subject to Havells general terms and conditions of business.
- Disputes if any are subject to Delhi jurisdiction only.
- This list price / price list supersedes all previous price lists.
- Every effort has been made to ensure accuracy in compilation of technical / commercial detail within this publication.
- Specification and performance data are constantly changing; current details should therefore be checked with the company.
- List Price in ₹ for quantity 1 N.
- Colour in images are for reference purpose only. Please see product for actual colour.

Conditions Apply

**Images/diagrams for illustrative purposes only.**

**Copyright subsists. Imitation of trade dress, graphics and color scheme of this document is a punishable offence.**

**Actual products may vary in colour, design, description and colour combination etc. Although every effort has been made to ensure accuracy in the compilation of the technical detail within this publication. Specifications & performance data are constantly changing. Current details should therefore be checked with Havells Group.**

# Notes

# Notes



MARVEL



ELEGANT BOLD



ELEGANT



BLISS




BLISS +



FLAIR



ACCESSORIES



WIRE



BCP-RANGE



FAN



LIGHTING

REO

Actual products may vary in colour, design, description and colour combination etc. Although every effort has been made to ensure accuracy in the compilation of the technical detail within this publication. Specifications & performance data are constantly changing.


## Havells India Ltd.

Corp Office: QRG Towers, 2D, Sector-126, Expressway, Noida-201304 (UP), Ph. +91-120-3331000,
Email: marketing@havells.com, reo.havells.com
Consumer Care No.: 08045 77 1313


Join us on Facebook at, www.facebook.com/havells, and share your ways to save the planet!


CIN - L31900DL1983PLC016304



Copyright Subsists. Imitation of trade dress, graphics and color scheme of this document is a punishable offence.



30012024/JULY/2026/V1