7 YEAR WARRANTY*
*on 10kA series



POLYCAB
SWITCHGEARS

Assurance of a safe life

MCB • RCCB • RCBO • DISTRIBUTION BOARD
ISOLATOR • ACCL • COS • MINI DP MCB

RETAILERS PRICE CIRCULAR–SWITCHGEAR

w.e.f. 21st July 2026 (Applicable for Pan India)

Category	Product	List Price (LP)	Policy Disc.(%)	RLP	RLP including 18% GST	Additional Retailer Scanning Points	Net RLP including 18% GST
6kA MCB Single Pole	SP B Curve 6 KA (6A - 32A)	214	55%	96	114	3	111
	SP C Curve 6 KA (6A - 32A)	214	55%	96	114	3	111
6kA MCB Multi Pole	SPN C Curve (6A - 32A)	714	55%	321	379	6	373
	DP C Curve (6A - 32A)	816	55%	367	433	6	427
	TP C Curve (6A - 32A)	1366	55%	615	725	9	716
	FP C Curve (32A)	1804	55%	812	958	12	946
	FP C Curve (40A)	2373	55%	1068	1260	12	1248
	FP C Curve (63A)	2600	55%	1170	1381	12	1369
10kA MCB Single Pole	SP B Curve (6A - 32A)	240	55%	108	127	6	121
	SP B Curve (40A)	495	55%	223	263	6	257
	SP C Curve (6A - 32A)	240	55%	108	127	6	121
	SP C Curve (40A)	507	55%	228	269	6	263
	SP C Curve (63A)	589	55%	265	313	6	307
10kA MCB Multi Pole	SPN C Curve (6A - 32A)	904	55%	407	480	12	468
	SPN C Curve (40A)	1245	55%	560	661	12	649
	SPN C Curve (63A)	1473	55%	663	782	12	770
	DP C Curve (6A - 32A)	935	55%	421	496	12	484
	DP C Curve (40A)	1378	55%	620	732	12	720
	DP C Curve (63A)	1523	55%	685	809	12	797
	TP C Curve (6A - 32A)	1541	55%	693	818	18	800
	TP C Curve (40A)	2134	55%	960	1133	18	1115
	TP C Curve (63A)	2361	55%	1062	1254	18	1236
	TPN C Curve (6A - 32A)	2035	55%	916	1081	24	1057
	TPN C Curve (40A)	2672	55%	1202	1419	24	1395
	TPN C Curve (63A)	2914	55%	1311	1547	24	1523
	FP C Curve (6A - 32A)	2045	55%	920	1086	24	1062
	FP C Curve (40A)	2761	55%	1242	1466	24	1442
	FP C Curve (63A)	3015	55%	1357	1601	24	1577
Higher Rating (HR) MCB	SP C Curve 80A	2210	55%	995	1174	-	1174
	SP C Curve 100A	2454	55%	1104	1303	-	1303
	SP C Curve 125A	2723	55%	1225	1446	-	1446
	DP C Curve 80A	5324	55%	2396	2827	-	2827
	DP C Curve 100A	5726	55%	2577	3041	-	3041
	DP C Curve 125A	6270	55%	2822	3329	-	3329
	TP C Curve 80A	7802	55%	3511	4143	-	4143
	TP C Curve 100A	8398	55%	3779	4459	-	4459
	TP C Curve 125A	9133	55%	4110	4850	-	4850
	FP C Curve 80A	10195	55%	4588	5414	-	5414
	FP C Curve 100A	10513	55%	4731	5582	-	5582
	FP C Curve 125A	11966	55%	5385	6354	-	6354
Isolator	40A DP Isolator	643	55%	289	341	12	329
	63A DP Isolator	789	55%	355	419	12	407
	40A TP Isolator	973	55%	438	517	18	499
	63A TP Isolator	1189	55%	535	631	18	613
	40A FP Isolator	1298	55%	584	689	24	665
	63A FP Isolator	1506	55%	678	800	24	776

RETAILERS PRICE CIRCULAR-SWITCHGEAR

(Applicable for Pan India)

POLYCAB
SWITCHGEARS

Category	Product	List Price (LP)	Policy Disc.(%)	RLP	RLP including 18% GST	Additional Retailer Scanning Points	Net RLP including 18% GST
RCCB (ELCB)	25A 30MA DP RCCB	3160	55%	1422	1678	25	1653
	40A 30MA DP RCCB	3502	55%	1576	1860	25	1835
	63A 30MA DP RCCB	4454	55%	2004	2365	25	2340
	25A 100MA DP RCCB	3270	55%	1472	1736	25	1711
	40A 100MA DP RCCB	3562	55%	1603	1891	25	1866
	63A 30MA FP RCCB	4698	55%	2114	2495	50	2445
RCBO (EL+MCB)	C40A SPN RCBO 30mA	5243	55%	2359	2784	-	2784
	C63A SPN RCBO 30mA	6291	55%	2831	3341	-	3341
	C32A TPN RCBO 30mA	6371	55%	2867	3383	-	3383
	C40A TPN RCBO 30mA	6454	55%	2904	3427	-	3427
POLYNEO Flush Door Design Distribution Board (IP42) SM Grey White (New)	04W SPN DB Double Door	2000	55%	900	1062	15	1047
	06W SPN DB Double Door	2335	55%	1051	1240	15	1225
	08W SPN DB Double Door	2552	55%	1148	1355	15	1340
	12W SPN DB Double Door	3104	55%	1397	1648	15	1633
	16W SPN DB Double Door	4067	55%	1830	2160	15	2145
	04W 4+12 TPN DB Double Door	4843	55%	2179	2572	20	2552
	04W 8+12 TPN DB Double Door	5091	55%	2291	2703	20	2683
	06W 8+18 TPN DB Double Door	6116	55%	2752	3248	20	3228
	08W 8+24 TPN DB Double Door	7699	55%	3465	4088	20	4068
	12W 8+36 TPN DB Double Door	11672	55%	5252	6198	20	6178
POLYNEO Surface (Flat) Door Design Distribution Board (IP42) SM Grey White (New)	04W SPN DB Double Door	2257	55%	1016	1198	15	1183
	06W SPN DB Double Door	2606	55%	1173	1384	15	1369
	08W SPN DB Double Door	2838	55%	1277	1507	15	1492
	12W SPN DB Double Door	3468	55%	1561	1842	15	1827
	16W SPN DB Double Door	4560	55%	2052	2421	15	2406
	04W 4+12 TPN DB Double Door	5298	55%	2384	2813	20	2793
	04W 8+12 TPN DB Double Door	5558	55%	2501	2951	20	2931
	06W 8+18 TPN DB Double Door	6711	55%	3020	3564	20	3544
	08W 8+24 TPN DB Double Door	8445	55%	3800	4484	20	4464
	12W 8+36 TPN DB Double Door	12856	55%	5785	6827	20	6807
POLYNEO Phase Selector Surface (Flat) Distribution Board (IP43) SM Grey White (New)	04W 8+12 TP&N MCBDB PH.SEL.40A DD	15002	55%	6751	7966	30	7936
	04W 8+12 TP&N MCBDB PH.SEL.63A DD	17258	55%	7766	9164	30	9134
	06W 8+18 TP&N MCBDB PH.SEL.40A DD	15302	55%	6886	8125	30	8095
	06W 8+18 TP&N MCBDB PH.SEL.63A DD	17281	55%	7776	9176	30	9146
	08W 8+24 TP&N MCBDB PH.SEL.40A DD	16904	55%	7607	8976	30	8946
	08W 8+24 TP&N MCBDB PH.SEL.63A DD	18341	55%	8253	9739	30	9709
Distribution Board (IP42) SM Grey White	04W SPN DB Double Door SM Grey White	1904	55%	857	1011	-	1011
	06W SPN DB Double Door SM Grey White	2206	55%	993	1171	-	1171
	08W SPN DB Double Door SM Grey White	2405	55%	1082	1277	-	1277
	12W SPN DB Double Door SM Grey White	2945	55%	1325	1564	-	1564
	16W SPN DB Double Door SM Grey White	3884	55%	1748	2062	-	2062
	04W 4+12 TPN DB Double Door SM Grey White	4635	55%	2086	2461	-	2461
	04W 8+12 TPN DB Double Door SM Grey White	4862	55%	2188	2582	-	2582
	06W 8+18 TPN DB Double Door SM Grey White	5877	55%	2645	3121	-	3121
	08W 8+24 TPN DB Double Door SM Grey White	7407	55%	3333	3933	-	3933
	12W 8+36 TPN DB Double Door SM Grey White	11308	55%	5089	6005	-	6005
Distribution Board (CLIQ)	08W SPN CLIQ Polycarbonate Transparent Cover DD DB	2227	55%	1002	1183	-	1183
	12W SPN CLIQ Polycarbonate Transparent Cover DD DB	2680	55%	1206	1423	-	1423
Decour Distribution Board	12W SPN Decour DB Double Door SM Grey White	3468	55%	1561	1842	-	1842
	16W SPN Decour DB Double Door SM Grey White	4573	55%	2058	2428	-	2428
	11W SPN Decour TBOX Transparent Cover Double Door DB	3873	55%	1743	2057	-	2057
ACCL(Automatic Changeover & Current Limiter)	SINGLE PHASE ACCL 30 / (0.5-30) A	3488	55%	1570	1852	-	1852
	RELAY BASED SINGLE PHASE ACCL 30/ (1-20) A (NEW)	1991	55%	896	1057	-	1057
MCB Changeover Switch	40 A DP MCB CHANGEOVER SWITCH	1796	55%	808	954	-	954
	63 A DP MCB CHANGEOVER SWITCH	2285	55%	1028	1213	-	1213
Mini MCB In Enclosure	DP C 3kA MINI MCB WITH ENCL	556	55%	250	295	-	295

RETAILERS PRICE CIRCULAR-SWITCHGEAR

(Applicable for Pan India)

POLYCAB
SWITCHGEARS

Category	Product	List Price (LP)	Policy Disc.(%)	RLP	RLP including 18% GST	Additional Retailer Scanning Points	Net RLP including 18% GST
MCCB Enclosure	MCCB Enclosure (63-125A Incomer)	2210	55%	995	1174	-	1174
MCCB DB	06W VTPN MCCB DB POLYCAB (63-125A Incomer)	13287	55%	5979	7055	-	7055
	08W VTPN MCCB DB POLYCAB (63-125A Incomer)	14281	55%	6426	7583	-	7583
Modular AC Box	3 Module with 20A Mini MCB & Plastic Surface Box	588	51%	288	340	-	340
	3 Module with 25A Mini MCB & Plastic Surface Box	599	51%	294	346	-	346
	4 Module with 20A Mini MCB, Indicator & Plastic urface Box	630	51%	309	364	-	364
	4 Module with 25A Mini MCB, Indicator & Plastic Surface Box	641	51%	314	371	-	371
	4 Module with 20A Mini MCB, Indicator & Metal Surface Box	803	51%	393	464	-	464
	4 Module with 25A Mini MCB, Indicator & Metal Surface Box	814	51%	399	471	-	471
Surge Protection Device (SPD)	AC 275V_1+1	1744	55%	785	926	-	926
	AC 275V_3+1	2932	55%	1319	1557	-	1557
	AC 320V_1+1	1744	55%	785	926	-	926
	AC 320V_3+1	2932	55%	1319	1557	-	1557
	DC 600V_1+1	1744	55%	785	926	-	926
	DC 1000V_2+1	2932	55%	1319	1557	-	1557
CONVENTIONAL PRODUCTS [CP] (New)							
KitKat Porcelain Fuse Carrier With Base (EXCEL)	16A 240V 50Hz (XL)	102	55%	46	54	-	54
	16A 415V 50Hz (XL)	178	55%	80	95	-	95
	32A 415V 50Hz (XL)	389	55%	175	207	-	207
	63A 415V 50Hz (XL)	641	55%	288	340	-	340
	100A 415V 50Hz (XL)	1121	55%	504	595	-	595
	200A 415V 50Hz (XL)	2339	55%	1053	1242	-	1242
	Busbar Link 300A 415V 50Hz (XL)	4157	55%	1871	2207	-	2207
	Busbar Link 500A 415V 50Hz (XL)	5366	55%	2415	2849	-	2849
KitKat Porcelain Fuse Carrier With Base (HC)	16A 240V 50Hz (SD/HC)	102	55%	46	54	-	54
	16A 415V 50Hz (SD/HC)	178	55%	80	95	-	95
	32A 415V 50Hz (SD/HC)	389	55%	175	207	-	207
	63A 415V 50Hz (SD/HC)	641	55%	288	340	-	340
	100A 415V 50Hz (SD/HC)	1444	55%	650	767	-	767
	Busbar Link 100A 415V 50Hz (SD/HC)	1534	55%	690	815	-	815
	Busbar Link 200A 415V 50Hz (SD/HC)	3183	55%	1432	1690	-	1690
Offload Changeover Switch with Side Handle in Enclosure	FP 32A 415V 50Hz AC22A	4701	55%	2115	2496	-	2496
	FP 63A 415V 50Hz AC22A	13646	55%	6141	7246	-	7246
	FP 100A 415V 50Hz AC22A	23655	55%	10645	12561	-	12561
	FP 200A 415V 50Hz AC22A	45491	55%	20471	24156	-	24156
	DP 32A 240V 50Hz AC22A	3206	55%	1443	1702	-	1702
Rewirable Switch Fuse Unit with Side Handle In Enclosure	SPN 16A 240V AC23A	1061	55%	477	563	-	563
	SPN 32A 240V AC23A	2426	55%	1092	1288	-	1288
	DP 16A 240V AC23A	1153	55%	519	612	-	612
	DP 32A 240V AC23A	2578	55%	1160	1369	-	1369
	TPN 32A 415V AC23A	3791	55%	1706	2013	-	2013
	TPN 63A 415V AC23A	9098	55%	4094	4831	-	4831
	TPN 100A 415V AC23A	16680	55%	7506	8857	-	8857
	TPN 200A 415V AC23A	27294	55%	12282	14493	-	14493
Busbar Chamber (Cu)	TPN 63A 415V 4Way	11624	55%	5231	6172	-	6172
	TPN 100A 415V 4Way	13943	55%	6274	7404	-	7404
	TPN 200A 415V 4Way	17448	55%	7852	9265	-	9265