

```
import numpy as np
import pandas as pd
from numpy import array
```

```
df = pd.read_csv("Iris.csv")
```

```
df.head()
```



	Id	SepalLengthCm	SepalWidthCm	PetalLengthCm	PetalWidthCm	Species
0	1	5.1	3.5	1.4	0.2	Iris-setosa
1	2	4.9	3.0	1.4	0.2	Iris-setosa
2	3	4.7	3.2	1.3	0.2	Iris-setosa

Next steps:

[Generate code with df](#)
[View recommended plots](#)
[New interactive sheet](#)

```
column = len(list(df))
column
```



6

```
df.info()
```



```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 150 entries, 0 to 149
Data columns (total 6 columns):
#   Column          Non-Null Count  Dtype
---  -
0   Id               150 non-null   int64
1   SepalLengthCm    150 non-null   float64
2   SepalWidthCm     150 non-null   float64
3   PetalLengthCm    150 non-null   float64
4   PetalWidthCm     150 non-null   float64
5   Species          150 non-null   object
dtypes: float64(4), int64(1), object(1)
memory usage: 7.2+ KB
```

```
np.unique(df["Species"])
array(['Iris-setosa', 'Iris-versicolor', 'Iris-virginica'], dtype=object)
```

```
array(['Iris-setosa', 'Iris-versicolor', 'Iris-virginica'], dtype=object)
```

```
df.describe()
```



	Id	SepalLengthCm	SepalWidthCm	PetalLengthCm	PetalWidthCm
<b>count</b>	150.000000	150.000000	150.000000	150.000000	150.000000
<b>mean</b>	75.500000	5.843333	3.054000	3.758667	1.198667
<b>std</b>	43.445368	0.828066	0.433594	1.764420	0.763161
<b>min</b>	1.000000	4.300000	2.000000	1.000000	0.100000
<b>25%</b>	38.250000	5.100000	2.800000	1.600000	0.300000
<b>50%</b>	75.500000	5.800000	3.000000	4.350000	1.300000
<b>75%</b>	112.750000	6.400000	3.300000	5.100000	1.800000
<b>max</b>	150.000000	7.900000	4.400000	6.900000	2.500000



```
import seaborn as sns
import matplotlib
import matplotlib.pyplot as plt
%matplotlib inline
```

```
fig, axes = plt.subplots(2, 2, figsize=(16, 8))
axes[0,0].set_title("Distribution of First Column")
axes[0,0].hist(df["SepalLengthCm"]);

axes[0,1].set_title("Distribution of Second Column")
axes[0,1].hist(df["SepalWidthCm"]);

axes[1,0].set_title("Distribution of Third Column")
axes[1,0].hist(df["PetalLengthCm"]);

axes[1,1].set_title("Distribution of Fourth Column")
axes[1,1].hist(df["PetalWidthCm"]);
```




```
data_to_plot = [df["SepalLengthCm"],df["SepalWidthCm"],df["PetalLengthCm"],df["PetalWidthCm"]]
sns.set_style("whitegrid")
```

```
# Creating a figure instance
fig = plt.figure(1, figsize=(12,8))

# Creating an axes instance
ax = fig.add_subplot(111)

# Creating the boxplot
bp = ax.boxplot(data_to_plot);
```



Start coding or [generate](#) with AI.