

SPI CONTROLLER - STATIC TIMING ANALYSIS

Detailed STA Report - All Process Corners (SS / TT / FF)

Project: SPI-Controller-RTL-to-GDSII

Technology: Sky130

Timing analysis corners: SS, TT, FF

This document contains the complete available STA report files generated by the OpenLane flow.

SS CORNER

rcx_max_sta.checks.rpt

report_checks -unconstrained

Fastest Corner

Startpoint: rst (input port clocked by clk)
Endpoint: _409_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.00	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
					rst (net)
			0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.04	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.04	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.06	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
			0.06	2.21	v _356_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.06	0.13	2.20	v _356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
			0.06	2.21	v _356_/A (sky130_fd_sc_hd__buf_4)
			0.06	2.35	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06	0.06	0.14	2.35	v _356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
1	0.00	0.07	0.01	2.36	v _358_/A (sky130_fd_sc_hd__inv_2)
			0.03	2.40	^ _358_/Y (sky130_fd_sc_hd__inv_2)
					003 (net)
			0.03	2.40	^ _409_/RESET_B (sky130_fd_sc_hd__dfrtp_4)
			2.40		data arrival time
1	0.02	0.06	10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
			0.04	10.04	^ clk (in)
					clk (net)
			0.06	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.05	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
			0.05	10.14	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.04	10.24	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
			0.04	10.24	^ _409_/CLK (sky130_fd_sc_hd__dfrtp_4)
					clock uncertainty
		0.00	9.99	clock reconvergence pessimism	
		0.13	10.12	library recovery time	
			10.12	data required time	

			10.12	data required time	
			-2.40	data arrival time	

			7.72	slack (MET)	

Startpoint: _436_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: cs (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

1	0.02	0.06	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
			0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.05	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)

4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	0.27	^ _436_/CLK (sky130_fd_sc_hd_dfstp_1)
		0.07	0.35	0.61	^ _436_/Q (sky130_fd_sc_hd_dfstp_1)
2	0.01				net13 (net)
		0.07	0.00	0.61	^ output13/A (sky130_fd_sc_hd_clkbuf_4)
		0.09	0.14	0.76	^ output13/X (sky130_fd_sc_hd_clkbuf_4)
1	0.04				cs (net)
		0.09	0.00	0.76	^ cs (out)
				0.76	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock network delay (propagated)
		-0.25	9.75		clock uncertainty
		0.00	9.75		clock reconvergence pessimism
		-2.00	7.75		output external delay
			7.75		data required time

				7.75	data required time
				-0.76	data arrival time

				6.99	slack (MET)

===== Slowest Corner =====

Startpoint: rst (input port clocked by clk)
Endpoint: _409_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd_buf_4)
10	0.05	0.14	0.37	2.58	v _355_/X (sky130_fd_sc_hd_buf_4)
					199 (net)
		0.14	0.00	2.58	v _356_/A (sky130_fd_sc_hd_buf_4)
10	0.06	0.15	0.39	2.97	v _356_/X (sky130_fd_sc_hd_buf_4)
					200 (net)
		0.15	0.01	2.98	v _358_/A (sky130_fd_sc_hd_inv_2)
		0.06	0.11	3.09	^ _358_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_003_ (net)
		0.06	0.00	3.09	^ _409_/RESET_B (sky130_fd_sc_hd_dfrtp_4)
				3.09	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
1	0.02	0.13	0.08	10.08	^ clk (in)
					clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.24	10.59	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.09	0.00	10.59	^ _409_/CLK (sky130_fd_sc_hd_dfrtp_4)
					clock uncertainty
			-0.25	10.34	
			0.00	10.34	clock reconvergence pessimism

0.46	10.80	library recovery time
	10.80	data required time

	10.80	data required time
	-3.09	data arrival time

	7.71	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _427_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.10	0.27	0.66	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
3	0.01	0.16	0.88	1.54	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
					clk_count[13] (net)
		0.16	0.00	1.54	v _205_/A (sky130_fd_sc_hd__or4_1)
1	0.00	0.21	1.34	2.88	v _205_/X (sky130_fd_sc_hd__or4_1)
					097 (net)
		0.21	0.00	2.88	v _209_/A (sky130_fd_sc_hd__nor4_1)
2	0.01	0.74	0.86	3.74	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
					101 (net)
		0.74	0.00	3.74	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.24	0.49	4.23	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
					net25 (net)
		0.24	0.00	4.23	^ _217_/C (sky130_fd_sc_hd__nand4_1)
3	0.01	0.34	0.43	4.66	v _217_/Y (sky130_fd_sc_hd__nand4_1)
					109 (net)
		0.34	0.00	4.66	v _218_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.16	0.51	5.17	v _218_/X (sky130_fd_sc_hd__buf_4)
					110 (net)
		0.16	0.01	5.17	v _291_/S (sky130_fd_sc_hd__mux2_1)
1	0.00	0.11	0.75	5.92	v _291_/X (sky130_fd_sc_hd__mux2_1)
					154 (net)
		0.11	0.00	5.92	v hold36/A (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00	0.11	1.21	7.13	v hold36/X (sky130_fd_sc_hd__dlygate4sd3_1)
					net61 (net)
		0.11	0.00	7.13	v _292_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.05	0.19	7.32	v _292_/X (sky130_fd_sc_hd__clkbuf_1)
					067 (net)
		0.05	0.00	7.32	v _427_/D (sky130_fd_sc_hd__dfrtp_1)
				7.32	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.25	10.59	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.09	0.00	10.60	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.35	clock uncertainty
		0.04		10.38	clock reconvergence pessimism

-0.26	10.12	library setup time
	10.12	data required time

	10.12	data required time
	-7.32	data arrival time

	2.79	slack (MET)

===== Typical Corner =====

Startpoint: rst (input port clocked by clk)
Endpoint: _409_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.31	v _356_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.22	2.53	v _356_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_200_ (net)
		0.08	0.01	2.53	v _358_/A (sky130_fd_sc_hd_inv_2)
		0.04	0.06	2.60	^ _358_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_003_ (net)
		0.04	0.00	2.60	^ _409_/RESET_B (sky130_fd_sc_hd_dfrtp_4)
				2.60	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04				clknet_2_2_leaf_clk (net)
		0.06	0.00	10.34	^ _409_/CLK (sky130_fd_sc_hd_dfrtp_4)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		0.22	10.32		library recovery time
				10.32	data required time

				10.32	data required time
				-2.60	data arrival time

				7.72	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _427_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

		0.00	0.00	clock clk (rise edge)
		0.00	0.00	clock source latency
		0.08	0.06	0.06 ^ clk (in)
1	0.02			clk (net)
		0.08	0.00	0.06 ^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22 ^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04			clknet_0_clk (net)
		0.06	0.00	0.22 ^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.38 ^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04			clknet_2_3_leaf_clk (net)
		0.06	0.00	0.38 ^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.08	0.43	0.81 v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01			clk_count[13] (net)
		0.08	0.00	0.81 v _205_/A (sky130_fd_sc_hd_or4_1)
		0.10	0.57	1.38 v _205_/X (sky130_fd_sc_hd_or4_1)
1	0.00			_097_ (net)
		0.10	0.00	1.38 v _209_/A (sky130_fd_sc_hd_nor4_1)
		0.43	0.47	1.85 ^ _209_/Y (sky130_fd_sc_hd_nor4_1)
2	0.01			_101_ (net)
		0.43	0.00	1.85 ^ max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.15	0.22	2.07 ^ max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01			net25 (net)
		0.15	0.00	2.07 ^ _217_/C (sky130_fd_sc_hd_nand4_1)
		0.14	0.17	2.25 v _217_/Y (sky130_fd_sc_hd_nand4_1)
3	0.01			_109_ (net)
		0.14	0.00	2.25 v _218_/A (sky130_fd_sc_hd_buf_4)
		0.09	0.25	2.50 v _218_/X (sky130_fd_sc_hd_buf_4)
10	0.07			_110_ (net)
		0.09	0.01	2.50 v _291_/S (sky130_fd_sc_hd_mux2_1)
		0.05	0.33	2.84 v _291_/X (sky130_fd_sc_hd_mux2_1)
1	0.00			_154_ (net)
		0.05	0.00	2.84 v hold36/A (sky130_fd_sc_hd_dlygate4sd3_1)
		0.06	0.58	3.42 v hold36/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00			net61 (net)
		0.06	0.00	3.42 v _292_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.10	3.52 v _292_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00			_067_ (net)
		0.03	0.00	3.52 v _427_/D (sky130_fd_sc_hd_dfrtp_1)
				data arrival time

		10.00	10.00	clock clk (rise edge)
		0.00	10.00	clock source latency
		0.08	0.05	10.05 ^ clk (in)
1	0.02			clk (net)
		0.08	0.00	10.05 ^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20 ^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04			clknet_0_clk (net)
		0.06	0.00	10.20 ^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.34 ^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04			clknet_2_1_leaf_clk (net)
		0.06	0.00	10.35 ^ _427_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.10	clock uncertainty
		0.02	10.12	clock reconvergence pessimism
		-0.10	10.01	library setup time
			10.01	data required time

			10.01	data required time
			-3.52	data arrival time

			6.49	slack (MET)

```

=====
report_checks --slack_max -0.01
=====
===== Fastest Corner =====

```

No paths found.

===== Slowest Corner =====

No paths found.

===== Typical Corner =====

No paths found.

=====

```
report_check_types -max_slew -max_cap -max_fanout -violators
```

=====

===== Fastest Corner =====

max fanout

Pin	Limit	Fanout	Slack

clkbuf_2_0__f_clk/X	10	14	-4 (VIOLATED)
clkbuf_2_1__f_clk/X	10	12	-2 (VIOLATED)
clkbuf_2_3__f_clk/X	10	12	-2 (VIOLATED)

===== Slowest Corner =====

max fanout

Pin	Limit	Fanout	Slack

clkbuf_2_0__f_clk/X	10	14	-4 (VIOLATED)
clkbuf_2_1__f_clk/X	10	12	-2 (VIOLATED)
clkbuf_2_3__f_clk/X	10	12	-2 (VIOLATED)

===== Typical Corner =====

max fanout

Pin	Limit	Fanout	Slack

clkbuf_2_0__f_clk/X	10	14	-4 (VIOLATED)
clkbuf_2_1__f_clk/X	10	12	-2 (VIOLATED)
clkbuf_2_3__f_clk/X	10	12	-2 (VIOLATED)

=====

```
report_parasitic_annotation -report_unannotated
```

=====

Found 0 unannotated drivers.
Found 0 partially unannotated drivers.

=====

```
max_slew_violation_count 0
max_fanout_violation_count 3
max_cap_violation_count 0
```

=====

=====

```
check_setup -verbose -unconstrained_endpoints -multiple_clock -no_clock -no_input_delay -loops -generated_clocks
```

=====

SS CORNER

rcx_max_sta.max.rpt

=====
report_checks -path_delay max (Setup)
=====
===== Fastest Corner =====

Startpoint: _436_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: cs (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	0.27	^ _436_/CLK (sky130_fd_sc_hd__dfstp_1)
		0.07	0.35	0.61	^ _436_/Q (sky130_fd_sc_hd__dfstp_1)
2	0.01				net13 (net)
		0.07	0.00	0.61	^ output13/A (sky130_fd_sc_hd__clkbuf_4)
		0.09	0.14	0.76	^ output13/X (sky130_fd_sc_hd__clkbuf_4)
1	0.04				cs (net)
		0.09	0.00	0.76	^ cs (out)
				0.76	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time
				-0.76	data arrival time

				6.99	slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: sclk (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.27	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.27	^ _435_/CLK (sky130_fd_sc_hd__dfrrtp_2)
		0.10	0.29	0.56	^ _435_/Q (sky130_fd_sc_hd__dfrrtp_2)
4	0.03				net24 (net)
		0.10	0.00	0.56	^ output24/A (sky130_fd_sc_hd__buf_2)
		0.13	0.16	0.72	^ output24/X (sky130_fd_sc_hd__buf_2)
1	0.03				sclk (net)

0.13	0.00	0.72 ^	sclk (out)
		0.72	data arrival time
	10.00	10.00	clock clk (rise edge)
	0.00	10.00	clock network delay (propagated)
	-0.25	9.75	clock uncertainty
	0.00	9.75	clock reconvergence pessimism
	-2.00	7.75	output external delay
		7.75	data required time

		7.75	data required time
		-0.72	data arrival time

		7.03	slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _450_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

		0.00	0.00	0.00	clock clk (rise edge)
		0.00	0.00	0.00	clock network delay (propagated)
		2.00	2.00	2.00	v input external delay
		0.00	2.00	2.00	v start (in)
1	0.00				start (net)
		0.00	0.00	2.00	v input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.06	0.09	2.09	v input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.06	0.00	2.09	v _237_/B (sky130_fd_sc_hd__nor2_4)
9	0.04	0.19	0.18	2.27	^ _237_/Y (sky130_fd_sc_hd__nor2_4)
					125 (net)
		0.19	0.00	2.27	^ _238_/B1 (sky130_fd_sc_hd__a21o_2)
8	0.04	0.15	0.16	2.43	^ _238_/X (sky130_fd_sc_hd__a21o_2)
					126 (net)
		0.15	0.00	2.44	^ _241_/A2 (sky130_fd_sc_hd__a22o_1)
		0.04	0.10	2.54	^ _241_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_090_ (net)
		0.04	0.00	2.54	^ hold10/A (sky130_fd_sc_hd__dlygate4sd3_1)
		0.04	0.39	2.93	^ hold10/X (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00				net35 (net)
		0.04	0.00	2.93	^ _450_/D (sky130_fd_sc_hd__dftrtp_1)
				2.93	data arrival time

		10.00	10.00	10.00	clock clk (rise edge)
		0.00	10.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.05	0.00	10.24	^ _450_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	9.99	9.99	clock uncertainty
		0.00	9.99	9.99	clock reconvergence pessimism
		-0.03	9.96	9.96	library setup time
				9.96	data required time

				9.96	data required time
				-2.93	data arrival time

				7.03	slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _449_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v start (in)
1	0.00				start (net)
		0.00	0.00	2.00	v input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.06	0.09	2.09	v input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.06	0.00	2.09	v _237_/B (sky130_fd_sc_hd__nor2_4)
9	0.04	0.19	0.18	2.27	^ _237_/Y (sky130_fd_sc_hd__nor2_4)
					125 (net)
		0.19	0.00	2.27	^ _238_/B1 (sky130_fd_sc_hd__a21o_2)
8	0.04	0.15	0.16	2.43	^ _238_/X (sky130_fd_sc_hd__a21o_2)
					126 (net)
		0.15	0.00	2.44	^ _242_/A2 (sky130_fd_sc_hd__a22o_1)
		0.04	0.10	2.54	^ _242_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_089_ (net)
		0.04	0.00	2.54	^ hold8/A (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00	0.04	0.39	2.92	^ hold8/X (sky130_fd_sc_hd__dlygate4sd3_1)
					net33 (net)
		0.04	0.00	2.92	^ _449_/D (sky130_fd_sc_hd__dfrtp_1)
				2.92	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.05	0.05	0.10	10.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.05	0.00	10.24	^ _449_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	9.99	clock uncertainty
			0.00	9.99	clock reconvergence pessimism
			-0.03	9.96	library setup time
				9.96	data required time

				9.96	data required time
				-2.92	data arrival time

				7.04	slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _447_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v start (in)
1	0.00				start (net)
		0.00	0.00	2.00	v input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.06	0.09	2.09	v input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.06	0.00	2.09	v _237_/B (sky130_fd_sc_hd__nor2_4)
		0.19	0.18	2.27	^ _237_/Y (sky130_fd_sc_hd__nor2_4)

9	0.04				_125_ (net)
		0.19	0.00	2.27	^ _238_/B1 (sky130_fd_sc_hd_a21o_2)
		0.15	0.16	2.43	^ _238_/X (sky130_fd_sc_hd_a21o_2)
8	0.04				_126_ (net)
		0.15	0.00	2.44	^ _244_/A2 (sky130_fd_sc_hd_a22o_1)
		0.03	0.09	2.53	^ _244_/X (sky130_fd_sc_hd_a22o_1)
1	0.00				_087_ (net)
		0.03	0.00	2.53	^ hold3/A (sky130_fd_sc_hd_dlygate4sd3_1)
		0.04	0.39	2.92	^ hold3/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00				net28 (net)
		0.04	0.00	2.92	^ _447_/D (sky130_fd_sc_hd_dfrtp_1)
				2.92	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.05	0.00	10.24	^ _447_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		9.99	clock uncertainty
		0.00		9.99	clock reconvergence pessimism
		-0.03		9.96	library setup time
				9.96	data required time

				9.96	data required time
				-2.92	data arrival time

				7.04	slack (MET)

Startpoint: _424_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: busy (output port clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	0.27	^ _424_/CLK (sky130_fd_sc_hd_dfrtp_2)
		0.09	0.28	0.54	^ _424_/Q (sky130_fd_sc_hd_dfrtp_2)
4	0.02				net12 (net)
		0.09	0.00	0.55	^ output12/A (sky130_fd_sc_hd_buf_2)
		0.13	0.16	0.70	^ output12/X (sky130_fd_sc_hd_buf_2)
1	0.03				busy (net)
		0.13	0.00	0.71	^ busy (out)
				0.71	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
		-0.25		9.75	clock uncertainty
		0.00		9.75	clock reconvergence pessimism
		-2.00		7.75	output external delay
				7.75	data required time

				7.75	data required time

-0.71 data arrival time

7.04 slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _451_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v start (in)
1	0.00				start (net)
		0.00	0.00	2.00	v input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.06	0.09	2.09	v input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.06	0.00	2.09	v _237_/B (sky130_fd_sc_hd__nor2_4)
9	0.04	0.19	0.18	2.27	^ _237_/Y (sky130_fd_sc_hd__nor2_4)
					125 (net)
		0.19	0.00	2.27	^ _238_/B1 (sky130_fd_sc_hd__a21o_2)
8	0.04	0.15	0.16	2.43	^ _238_/X (sky130_fd_sc_hd__a21o_2)
					126 (net)
		0.15	0.00	2.43	^ _240_/A2 (sky130_fd_sc_hd__a22o_1)
		0.03	0.09	2.53	^ _240_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_091_ (net)
		0.03	0.00	2.53	^ hold5/A (sky130_fd_sc_hd__dlygate4sd3_1)
		0.04	0.39	2.91	^ hold5/X (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00				net30 (net)
		0.04	0.00	2.91	^ _451_/D (sky130_fd_sc_hd__dfrtp_1)
				2.91	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.05	0.00	10.24	^ _451_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	9.99	clock uncertainty
			0.00	9.99	clock reconvergence pessimism
			-0.03	9.96	library setup time
				9.96	data required time
				9.96	data required time
				-2.91	data arrival time
				7.05	slack (MET)

Startpoint: _430_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[4] (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)

		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	0.16	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.27	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05					clknet_2_0__leaf_clk (net)
		0.05	0.00	0.27	^	_430_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.10	0.27	0.54	^	_430_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01					net20 (net)
		0.10	0.00	0.54	^	output20/A (sky130_fd_sc_hd__clkbuf_4)
		0.08	0.15	0.69	^	output20/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03					rx_data[4] (net)
		0.08	0.00	0.69	^	rx_data[4] (out)
				0.69		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock network delay (propagated)
		-0.25	9.75			clock uncertainty
		0.00	9.75			clock reconvergence pessimism
		-2.00	7.75			output external delay
			7.75			data required time

				7.75		data required time
				-0.69		data arrival time

				7.06		slack (MET)

Startpoint: _434_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: mosi (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.05	0.00	0.27	^ _434_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.06	0.27	0.54	v _434_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net15 (net)
		0.06	0.00	0.54	v output15/A (sky130_fd_sc_hd__clkbuf_4)
		0.06	0.14	0.68	v output15/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				mosi (net)
		0.06	0.00	0.68	v mosi (out)
				0.68	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock network delay (propagated)
		-0.25	9.75		clock uncertainty
		0.00	9.75		clock reconvergence pessimism
		-2.00	7.75		output external delay
			7.75		data required time

				7.75	data required time
				-0.68	data arrival time

				7.07	slack (MET)

Startpoint: _428_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[2] (output port clocked by clk)

Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.27	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
2	0.01	0.05	0.00	0.27	^ _428_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.05	0.27	0.54	v _428_/Q (sky130_fd_sc_hd__dfrtp_1)
					net18 (net)
1	0.03	0.05	0.00	0.54	v output18/A (sky130_fd_sc_hd__clkbuf_4)
		0.06	0.14	0.67	v output18/X (sky130_fd_sc_hd__clkbuf_4)
					rx_data[2] (net)
		0.06	0.00	0.68	v rx_data[2] (out)
				0.68	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time
				-0.68	data arrival time

				7.07	slack (MET)

Startpoint: _431_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[5] (output port clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.27	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
2	0.01	0.05	0.00	0.27	^ _431_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.04	0.26	0.53	v _431_/Q (sky130_fd_sc_hd__dfrtp_1)
					net21 (net)
1	0.03	0.04	0.00	0.53	v output21/A (sky130_fd_sc_hd__clkbuf_4)
		0.06	0.14	0.66	v output21/X (sky130_fd_sc_hd__clkbuf_4)
					rx_data[5] (net)
		0.06	0.00	0.67	v rx_data[5] (out)
				0.67	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay

				7.75	data required time

				7.75	data required time
				-0.67	data arrival time

				7.08	slack (MET)

Startpoint: _429_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[3] (output port clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.27	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05				clknet_2_0_leaf_clk (net)
		0.05	0.00	0.27	^ _429_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.05	0.26	0.53	v _429_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net19 (net)
		0.05	0.00	0.53	v output19/A (sky130_fd_sc_hd_clkbuf_4)
		0.06	0.13	0.66	v output19/X (sky130_fd_sc_hd_clkbuf_4)
1	0.03				rx_data[3] (net)
		0.06	0.00	0.67	v rx_data[3] (out)
				0.67	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time
				-0.67	data arrival time

				7.08	slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _453_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v start (in)
1	0.00				start (net)
		0.00	0.00	2.00	v input3/A (sky130_fd_sc_hd_buf_1)
		0.06	0.09	2.09	v input3/X (sky130_fd_sc_hd_buf_1)
2	0.02				net3 (net)
		0.06	0.00	2.09	v _204_/B (sky130_fd_sc_hd_or2_2)
		0.07	0.22	2.32	v _204_/X (sky130_fd_sc_hd_or2_2)
6	0.02				_096_ (net)
		0.07	0.00	2.32	v _222_/A (sky130_fd_sc_hd_and3_1)
		0.03	0.11	2.42	v _222_/X (sky130_fd_sc_hd_and3_1)
1	0.00				_113_ (net)

		0.03	0.00	2.42	v	_223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.08	0.14	2.57	v	_223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.05					_114_ (net)
		0.08	0.00	2.57	v	_229_/S (sky130_fd_sc_hd__mux2_1)
		0.04	0.20	2.77	v	_229_/X (sky130_fd_sc_hd__mux2_1)
1	0.00					_119_ (net)
		0.04	0.00	2.77	v	_230_/A (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.06	2.84	v	_230_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00					_093_ (net)
		0.02	0.00	2.84	v	_453_/D (sky130_fd_sc_hd__dfrtp_1)
				2.84		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.06	0.04	10.04	^	clk (in)
						clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.10	10.24	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_1__leaf_clk (net)
		0.05	0.00	10.24	^	_453_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		9.99		clock uncertainty
		0.00		9.99		clock reconvergence pessimism
		-0.07		9.92		library setup time
				9.92		data required time

				9.92		data required time
				-2.84		data arrival time

				7.09		slack (MET)

Startpoint: _432_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: rx_data[6] (output port clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.05	0.05	0.11	0.27	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.05	0.00	0.27	^ _432_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.04	0.26	0.53	v _432_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net22 (net)
		0.04	0.00	0.53	v output22/A (sky130_fd_sc_hd__clkbuf_4)
		0.06	0.13	0.66	v output22/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[6] (net)
		0.06	0.00	0.66	v rx_data[6] (out)
				0.66	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
		-0.25		9.75	clock uncertainty
		0.00		9.75	clock reconvergence pessimism
		-2.00		7.75	output external delay
				7.75	data required time

				7.75	data required time
				-0.66	data arrival time

7.09 slack (MET)

Startpoint: _427_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[1] (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.11		clknet_0_clk (net)
				0.16	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.26	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
2	0.01	0.05	0.00	0.27	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
				0.52	v _427_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.03	0.06	0.13		net17 (net)
				0.52	v output17/A (sky130_fd_sc_hd__clkbuf_4)
				0.66	v output17/X (sky130_fd_sc_hd__clkbuf_4)
					rx_data[1] (net)
			0.06	0.66	v rx_data[1] (out)
				0.66	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time
				-0.66	data arrival time

				7.09	slack (MET)

Startpoint: _433_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[7] (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.11		clknet_0_clk (net)
				0.16	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.26	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
2	0.01	0.05	0.00	0.27	^ _433_/CLK (sky130_fd_sc_hd__dfrtp_1)
				0.52	v _433_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.03	0.06	0.13		net23 (net)
				0.52	v output23/A (sky130_fd_sc_hd__clkbuf_4)
				0.66	v output23/X (sky130_fd_sc_hd__clkbuf_4)
					rx_data[7] (net)
			0.06	0.66	v rx_data[7] (out)
				0.66	data arrival time

10.00	10.00	clock clk (rise edge)
0.00	10.00	clock network delay (propagated)
-0.25	9.75	clock uncertainty
0.00	9.75	clock reconvergence pessimism
-2.00	7.75	output external delay
	7.75	data required time

7.75	data required time
-0.66	data arrival time

7.09	slack (MET)
------	-------------

Startpoint: start (input port clocked by clk)
 Endpoint: _442_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	start (in)
1	0.00				start (net)
		0.00	0.00	2.00 v	input3/A (sky130_fd_sc_hd_buf_1)
2	0.02	0.06	0.09	2.09 v	input3/X (sky130_fd_sc_hd_buf_1)
					net3 (net)
		0.06	0.00	2.09 v	_204_/B (sky130_fd_sc_hd_or2_2)
6	0.02	0.07	0.22	2.32 v	_204_/X (sky130_fd_sc_hd_or2_2)
					096 (net)
		0.07	0.00	2.32 v	_222_/A (sky130_fd_sc_hd_and3_1)
		0.03	0.11	2.42 v	_222_/X (sky130_fd_sc_hd_and3_1)
1	0.00				_113_ (net)
		0.03	0.00	2.42 v	_223_/A (sky130_fd_sc_hd_clkbuf_4)
		0.08	0.14	2.57 v	_223_/X (sky130_fd_sc_hd_clkbuf_4)
10	0.05				_114_ (net)
		0.08	0.00	2.57 v	_252_/S (sky130_fd_sc_hd_mux2_1)
		0.04	0.20	2.77 v	_252_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_131_ (net)
		0.04	0.00	2.77 v	_253_/A (sky130_fd_sc_hd_clkbuf_1)
		0.02	0.06	2.83 v	_253_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_082_ (net)
		0.02	0.00	2.84 v	_442_/D (sky130_fd_sc_hd_dfrtp_1)
				2.84	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04 ^	clk (in)
					clk (net)
		0.06	0.00	10.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14 ^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14 ^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.24 ^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.05	0.00	10.24 ^	_442_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		-0.07	9.93		library setup time
			9.93		data required time
			9.93		data required time
			-2.84		data arrival time
			7.09		slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _443_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.00	0.00	2.00 v	start (in)
					start (net)
			0.00	2.00 v	input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.06	0.09	2.09 v	input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
			0.06	2.09 v	_204_/B (sky130_fd_sc_hd__or2_2)
6	0.02	0.07	0.22	2.32 v	_204_/X (sky130_fd_sc_hd__or2_2)
					096 (net)
			0.07	2.32 v	_222_/A (sky130_fd_sc_hd__and3_1)
1	0.00	0.03	0.11	2.42 v	_222_/X (sky130_fd_sc_hd__and3_1)
					113 (net)
			0.03	2.42 v	_223_/A (sky130_fd_sc_hd__clkbuf_4)
10	0.05	0.08	0.14	2.57 v	_223_/X (sky130_fd_sc_hd__clkbuf_4)
					114 (net)
			0.08	2.57 v	_249_/S (sky130_fd_sc_hd__mux2_1)
1	0.00	0.04	0.20	2.77 v	_249_/X (sky130_fd_sc_hd__mux2_1)
					129 (net)
			0.04	2.77 v	_250_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.02	0.06	2.83 v	_250_/X (sky130_fd_sc_hd__clkbuf_1)
					083 (net)
			0.02	2.83 v	_443_/D (sky130_fd_sc_hd__dftrtp_1)
				2.83	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04 ^	clk (in)
					clk (net)
			0.06	10.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
			0.05	10.14 ^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.10	10.24 ^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
			0.05	10.24 ^	_443_/CLK (sky130_fd_sc_hd__dftrtp_1)
			-0.25	9.99	clock uncertainty
			0.00	9.99	clock reconvergence pessimism
			-0.07	9.92	library setup time
				9.92	data required time

				9.92	data required time
				-2.83	data arrival time

				7.09	slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _452_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.00	0.00	2.00 v	start (in)
					start (net)
			0.00	2.00 v	input3/A (sky130_fd_sc_hd__buf_1)

		0.06	0.09	2.09	v	input3/X (sky130_fd_sc_hd_buf_1)
2	0.02					net3 (net)
		0.06	0.00	2.09	v	_204_/B (sky130_fd_sc_hd_or2_2)
		0.07	0.22	2.32	v	_204_/X (sky130_fd_sc_hd_or2_2)
6	0.02					_096_ (net)
		0.07	0.00	2.32	v	_222_/A (sky130_fd_sc_hd_and3_1)
		0.03	0.11	2.42	v	_222_/X (sky130_fd_sc_hd_and3_1)
1	0.00					_113_ (net)
		0.03	0.00	2.42	v	_223_/A (sky130_fd_sc_hd_clkbuf_4)
		0.08	0.14	2.57	v	_223_/X (sky130_fd_sc_hd_clkbuf_4)
10	0.05					_114_ (net)
		0.08	0.00	2.57	v	_233_/S (sky130_fd_sc_hd_mux2_1)
		0.04	0.20	2.77	v	_233_/X (sky130_fd_sc_hd_mux2_1)
1	0.00					_122_ (net)
		0.04	0.00	2.77	v	_234_/A (sky130_fd_sc_hd_clkbuf_1)
		0.02	0.06	2.83	v	_234_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00					_092_ (net)
		0.02	0.00	2.83	v	_452_/D (sky130_fd_sc_hd_dfrtp_1)
				2.83		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.06	0.04	10.04	^	clk (in)
1	0.02					clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.24	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1_leaf_clk (net)
		0.05	0.00	10.24	^	_452_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.99			clock uncertainty
		0.00	9.99			clock reconvergence pessimism
		-0.07	9.92			library setup time
			9.92			data required time

				9.92		data required time
				-2.83		data arrival time

				7.09		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _440_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v start (in)
1	0.00				start (net)
		0.00	0.00	2.00	v input3/A (sky130_fd_sc_hd_buf_1)
		0.06	0.09	2.09	v input3/X (sky130_fd_sc_hd_buf_1)
2	0.02				net3 (net)
		0.06	0.00	2.09	v _204_/B (sky130_fd_sc_hd_or2_2)
		0.07	0.22	2.32	v _204_/X (sky130_fd_sc_hd_or2_2)
6	0.02				_096_ (net)
		0.07	0.00	2.32	v _222_/A (sky130_fd_sc_hd_and3_1)
		0.03	0.11	2.42	v _222_/X (sky130_fd_sc_hd_and3_1)
1	0.00				_113_ (net)
		0.03	0.00	2.42	v _223_/A (sky130_fd_sc_hd_clkbuf_4)
		0.08	0.14	2.57	v _223_/X (sky130_fd_sc_hd_clkbuf_4)
10	0.05				_114_ (net)
		0.08	0.00	2.57	v _258_/S (sky130_fd_sc_hd_mux2_1)
		0.04	0.20	2.77	v _258_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_135_ (net)

1	0.00	0.04	0.00	2.77	v	_259_/A (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.06	2.83	v	_259_/X (sky130_fd_sc_hd__clkbuf_1)
						080 (net)
		0.02	0.00	2.83	v	_440_/D (sky130_fd_sc_hd__dfrtp_1)
				2.83		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.06	0.04	10.04	^	clk (in)
						clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.10	10.24	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3_leaf_clk (net)
		0.05	0.00	10.24	^	_440_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	9.99		clock uncertainty
			0.00	9.99		clock reconvergence pessimism
			-0.07	9.93		library setup time
				9.93		data required time

				9.93		data required time
				-2.83		data arrival time

				7.09		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _438_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

1	0.00		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
2	0.02	0.00	0.00	2.00	v start (in)
					start (net)
		0.00	0.00	2.00	v input3/A (sky130_fd_sc_hd__buf_1)
6	0.02	0.06	0.09	2.09	v input3/X (sky130_fd_sc_hd__buf_1)
		0.07	0.22	2.32	v _204_/B (sky130_fd_sc_hd__or2_2)
					204/X (sky130_fd_sc_hd__or2_2)
1	0.00				_096_ (net)
		0.07	0.00	2.32	v _222_/A (sky130_fd_sc_hd__and3_1)
		0.03	0.11	2.42	v _222_/X (sky130_fd_sc_hd__and3_1)
10	0.05				_113_ (net)
		0.03	0.00	2.42	v _223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.08	0.14	2.57	v _223_/X (sky130_fd_sc_hd__clkbuf_4)
1	0.00				_114_ (net)
		0.08	0.00	2.57	v _264_/S (sky130_fd_sc_hd__mux2_1)
		0.04	0.20	2.77	v _264_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_139_ (net)
		0.04	0.00	2.77	v _265_/A (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.06	2.83	v _265_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_078_ (net)
		0.02	0.00	2.83	v _438_/D (sky130_fd_sc_hd__dfrtp_1)
				2.83	data arrival time
1	0.02		10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
4	0.04				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)

12	0.04	0.05	0.10	10.24	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3__leaf_clk (net)
		0.05	0.00	10.24	^	_438_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	9.99			clock uncertainty
		0.00	9.99			clock reconvergence pessimism
		-0.07	9.93			library setup time
				9.93		data required time
				9.93		data required time
				-2.83		data arrival time
				7.09		slack (MET)

Startpoint: _426_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[0] (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description	
1	0.02		0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
		0.06	0.04	0.04	^ clk (in)	
					clk (net)	
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
	4	0.04	0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
			0.05	0.00	0.16	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.05	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3__leaf_clk (net)
12	0.04	0.05	0.00	0.27	^ _426_/CLK (sky130_fd_sc_hd__dfrtp_1)	
		0.04	0.25	0.52	v _426_/Q (sky130_fd_sc_hd__dfrtp_1)	
					net16 (net)	
		0.04	0.00	0.52	v output16/A (sky130_fd_sc_hd__clkbuf_4)	
1	0.03	0.06	0.13	0.65	v output16/X (sky130_fd_sc_hd__clkbuf_4)	
					rx_data[0] (net)	
		0.06	0.00	0.66	v rx_data[0] (out)	
				0.66	data arrival time	
		10.00	10.00	clock clk (rise edge)		
		0.00	10.00	clock network delay (propagated)		
		-0.25	9.75	clock uncertainty		
		0.00	9.75	clock reconvergence pessimism		
		-2.00	7.75	output external delay		
			7.75	data required time		
			7.75	data required time		
			-0.66	data arrival time		
			7.09	slack (MET)		

Startpoint: start (input port clocked by clk)
Endpoint: _439_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
1	0.00		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v start (in)
					start (net)
		0.00	0.00	2.00	v input3/A (sky130_fd_sc_hd__buf_1)
		0.06	0.09	2.09	v input3/X (sky130_fd_sc_hd__buf_1)
		2	0.02		

		0.06	0.00	2.09	v	_204_/B (sky130_fd_sc_hd_or2_2)
		0.07	0.22	2.32	v	_204_/X (sky130_fd_sc_hd_or2_2)
6	0.02					_096_ (net)
		0.07	0.00	2.32	v	_222_/A (sky130_fd_sc_hd_and3_1)
		0.03	0.11	2.42	v	_222_/X (sky130_fd_sc_hd_and3_1)
1	0.00					_113_ (net)
		0.03	0.00	2.42	v	_223_/A (sky130_fd_sc_hd_clkbuf_4)
		0.08	0.14	2.57	v	_223_/X (sky130_fd_sc_hd_clkbuf_4)
10	0.05					_114_ (net)
		0.08	0.00	2.57	v	_261_/S (sky130_fd_sc_hd_mux2_1)
		0.04	0.20	2.77	v	_261_/X (sky130_fd_sc_hd_mux2_1)
1	0.00					_137_ (net)
		0.04	0.00	2.77	v	_262_/A (sky130_fd_sc_hd_clkbuf_1)
		0.02	0.06	2.83	v	_262_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00					_079_ (net)
		0.02	0.00	2.83	v	_439_/D (sky130_fd_sc_hd_dfrtp_1)
				2.83		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.06	0.04	10.04	^	clk (in)
						clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.24	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_3_leaf_clk (net)
		0.05	0.00	10.24	^	_439_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.99			clock uncertainty
		0.00	9.99			clock reconvergence pessimism
		-0.07	9.93			library setup time
			9.93			data required time

				9.93		data required time
				-2.83		data arrival time

				7.10		slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _437_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	input external delay
		0.00	0.00	2.00	v start (in)
1	0.00				start (net)
		0.00	0.00	2.00	v input3/A (sky130_fd_sc_hd_buf_1)
2	0.02	0.06	0.09	2.09	v input3/X (sky130_fd_sc_hd_buf_1)
					net3 (net)
		0.06	0.00	2.09	v _204_/B (sky130_fd_sc_hd_or2_2)
6	0.02	0.07	0.22	2.32	v _204_/X (sky130_fd_sc_hd_or2_2)
					096 (net)
		0.07	0.00	2.32	v _222_/A (sky130_fd_sc_hd_and3_1)
		0.03	0.11	2.42	v _222_/X (sky130_fd_sc_hd_and3_1)
1	0.00				_113_ (net)
		0.03	0.00	2.42	v _223_/A (sky130_fd_sc_hd_clkbuf_4)
		0.08	0.14	2.57	v _223_/X (sky130_fd_sc_hd_clkbuf_4)
10	0.05				_114_ (net)
		0.08	0.00	2.57	v _267_/S (sky130_fd_sc_hd_mux2_1)
		0.04	0.20	2.77	v _267_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_141_ (net)
		0.04	0.00	2.77	v _268_/A (sky130_fd_sc_hd_clkbuf_1)
		0.02	0.06	2.83	v _268_/X (sky130_fd_sc_hd_clkbuf_1)

1	0.00					_077_ (net)
		0.02	0.00	2.83	v	_437_/D (sky130_fd_sc_hd__dfrtp_1)
				2.83		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.06	0.04	10.04	^	clk (in)
1	0.02					clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.24	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.05	0.00	10.24	^	_437_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	9.99		clock uncertainty
			0.00	9.99		clock reconvergence pessimism
			-0.07	9.93		library setup time
				9.93		data required time

				9.93		data required time
				-2.83		data arrival time

				7.10		slack (MET)

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v start (in)
1	0.00				start (net)
		0.00	0.00	2.00	v input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.06	0.09	2.09	v input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.06	0.00	2.09	v _204_/B (sky130_fd_sc_hd__or2_2)
6	0.02	0.07	0.22	2.32	v _204_/X (sky130_fd_sc_hd__or2_2)
					096 (net)
		0.07	0.00	2.32	v _222_/A (sky130_fd_sc_hd__and3_1)
1	0.00	0.03	0.11	2.42	v _222_/X (sky130_fd_sc_hd__and3_1)
					113 (net)
		0.03	0.00	2.42	v _223_/A (sky130_fd_sc_hd__clkbuf_4)
10	0.05	0.08	0.14	2.57	v _223_/X (sky130_fd_sc_hd__clkbuf_4)
					114 (net)
		0.08	0.00	2.57	v _255_/S (sky130_fd_sc_hd__mux2_1)
1	0.00	0.04	0.20	2.77	v _255_/X (sky130_fd_sc_hd__mux2_1)
					133 (net)
		0.04	0.00	2.77	v _256_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.02	0.06	2.83	v _256_/X (sky130_fd_sc_hd__clkbuf_1)
					081 (net)
		0.02	0.00	2.83	v _441_/D (sky130_fd_sc_hd__dfrtp_1)
				2.83	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.10	10.24	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1_leaf_clk (net)

0.05	0.00	10.24	^	_441_/CLK (sky130_fd_sc_hd__dfrtp_1)
-0.25	9.99			clock uncertainty
0.00	9.99			clock reconvergence pessimism
-0.07	9.92			library setup time
	9.92			data required time

		9.92		data required time
		-2.83		data arrival time

		7.10		slack (MET)

Startpoint: _425_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: done (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	0.26	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.04	0.00	0.26	^ _425_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.03	0.24	0.51	v _425_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.00				net14 (net)
		0.03	0.00	0.51	v output14/A (sky130_fd_sc_hd__clkbuf_4)
		0.06	0.13	0.64	v output14/X (sky130_fd_sc_hd__clkbuf_4)
1	0.04				done (net)
		0.06	0.00	0.64	v done (out)
				0.64	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time
				-0.64	data arrival time

				7.11	slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _454_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v start (in)
1	0.00				start (net)
		0.00	0.00	2.00	v input3/A (sky130_fd_sc_hd__buf_1)
		0.06	0.09	2.09	v input3/X (sky130_fd_sc_hd__buf_1)
2	0.02				net3 (net)
		0.06	0.00	2.09	v _204_/B (sky130_fd_sc_hd__or2_2)
		0.07	0.22	2.32	v _204_/X (sky130_fd_sc_hd__or2_2)

6	0.02					_096_ (net)
		0.07	0.00	2.32	v	_222_/A (sky130_fd_sc_hd_and3_1)
		0.03	0.11	2.42	v	_222_/X (sky130_fd_sc_hd_and3_1)
1	0.00					_113_ (net)
		0.03	0.00	2.42	v	_223_/A (sky130_fd_sc_hd_clkbuf_4)
		0.08	0.14	2.57	v	_223_/X (sky130_fd_sc_hd_clkbuf_4)
10	0.05					_114_ (net)
		0.08	0.00	2.57	v	_226_/A2_N (sky130_fd_sc_hd_a2bb2o_1)
		0.03	0.17	2.74	^	_226_/X (sky130_fd_sc_hd_a2bb2o_1)
1	0.00					_094_ (net)
		0.03	0.00	2.74	^	_454_/D (sky130_fd_sc_hd_dfrtp_1)
				2.74		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.06	0.04	10.04	^	clk (in)
1	0.02					clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.24	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1_leaf_clk (net)
		0.05	0.00	10.24	^	_454_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		9.99		clock uncertainty
		0.00		9.99		clock reconvergence pessimism
		-0.03		9.96		library setup time
				9.96		data required time

				9.96		data required time
				-2.74		data arrival time

				7.22		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _434_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v start (in)
1	0.00				start (net)
		0.00	0.00	2.00	v input3/A (sky130_fd_sc_hd_buf_1)
		0.06	0.09	2.09	v input3/X (sky130_fd_sc_hd_buf_1)
2	0.02				net3 (net)
		0.06	0.00	2.09	v _204_/B (sky130_fd_sc_hd_or2_2)
		0.07	0.22	2.32	v _204_/X (sky130_fd_sc_hd_or2_2)
6	0.02				_096_ (net)
		0.07	0.00	2.32	v _212_/A (sky130_fd_sc_hd_nand2_1)
		0.07	0.08	2.40	^ _212_/Y (sky130_fd_sc_hd_nand2_1)
2	0.01				_104_ (net)
		0.07	0.00	2.40	^ _277_/S (sky130_fd_sc_hd_mux2_1)
		0.04	0.21	2.61	v _277_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_147_ (net)
		0.04	0.00	2.61	v _278_/A (sky130_fd_sc_hd_clkbuf_1)
		0.02	0.07	2.67	v _278_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_074_ (net)
		0.02	0.00	2.67	v _434_/D (sky130_fd_sc_hd_dfrtp_1)
				2.67	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)

		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.24	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1_leaf_clk (net)
		0.05	0.00	10.24	^	_434_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.99			clock uncertainty
		0.00	9.99			clock reconvergence pessimism
		-0.07	9.92			library setup time
			9.92			data required time

				9.92		data required time
				-2.67		data arrival time

				7.25		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _415_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
		0.02	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd_buf_1)
2	0.02		0.14	2.14	^ input3/X (sky130_fd_sc_hd_buf_1)
					net3 (net)
		0.15	0.00	2.15	^ _204_/B (sky130_fd_sc_hd_or2_2)
6	0.02		0.15	2.29	^ _204_/X (sky130_fd_sc_hd_or2_2)
					096 (net)
		0.10	0.00	2.29	^ _331_/A (sky130_fd_sc_hd_nand2_1)
2	0.01		0.05	2.35	v _331_/Y (sky130_fd_sc_hd_nand2_1)
					184 (net)
		0.05	0.00	2.35	v _332_/A1 (sky130_fd_sc_hd_mux2_1)
1	0.00		0.16	2.50	v _332_/X (sky130_fd_sc_hd_mux2_1)
					185 (net)
		0.04	0.00	2.50	v _333_/A (sky130_fd_sc_hd_clkbuf_1)
1	0.00		0.06	2.56	v _333_/X (sky130_fd_sc_hd_clkbuf_1)
					057 (net)
		0.02	0.00	2.56	v _415_/D (sky130_fd_sc_hd_dfrtp_1)
				2.56	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.09	10.24	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04				clknet_2_2_leaf_clk (net)
		0.04	0.00	10.24	^ _415_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		-0.07	9.92		library setup time
			9.92		data required time

				9.92	data required time
				-2.56	data arrival time

				7.36	slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _436_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.00	0.00	2.00 v	start (in)
					start (net)
			0.00	2.00 v	input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.06	0.09	2.09 v	input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
			0.06	2.09 v	_204_/B (sky130_fd_sc_hd__or2_2)
6	0.02	0.07	0.22	2.32 v	_204_/X (sky130_fd_sc_hd__or2_2)
					096 (net)
			0.07	2.32 v	_270_/A (sky130_fd_sc_hd__and2_1)
1	0.00	0.03	0.10	2.42 v	_270_/X (sky130_fd_sc_hd__and2_1)
					143 (net)
			0.03	2.42 v	_271_/A (sky130_fd_sc_hd__clkbuf_1)
2	0.01	0.03	0.07	2.49 v	_271_/X (sky130_fd_sc_hd__clkbuf_1)
					000 (net)
			0.03	2.49 v	_272_/B1_N (sky130_fd_sc_hd__a21bo_1)
1	0.00	0.03	0.11	2.60 ^	_272_/X (sky130_fd_sc_hd__a21bo_1)
					076 (net)
			0.03	2.60 ^	_436_/D (sky130_fd_sc_hd__dfstp_1)
				2.60	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04 ^	clk (in)
					clk (net)
			0.06	10.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
			0.05	10.14 ^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.10	10.24 ^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
			0.05	10.24 ^	_436_/CLK (sky130_fd_sc_hd__dfstp_1)
			-0.25	9.99	clock uncertainty
			0.00	9.99	clock reconvergence pessimism
			-0.03	9.96	library setup time
				9.96	data required time

				9.96	data required time
				-2.60	data arrival time

				7.36	slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 ^	input external delay
1	0.00	0.02	0.01	2.01 ^	start (in)
					start (net)
			0.02	2.01 ^	input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.15	0.14	2.14 ^	input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)

		0.15	0.00	2.15	^	_204_/B (sky130_fd_sc_hd__or2_2)
		0.10	0.15	2.29	^	_204_/X (sky130_fd_sc_hd__or2_2)
6	0.02					_096_ (net)
		0.10	0.00	2.30	^	_308_/A (sky130_fd_sc_hd__nand2_1)
		0.04	0.05	2.34	v	_308_/Y (sky130_fd_sc_hd__nand2_1)
2	0.01					_167_ (net)
		0.04	0.00	2.34	v	_309_/A1 (sky130_fd_sc_hd__mux2_1)
		0.04	0.16	2.50	v	_309_/X (sky130_fd_sc_hd__mux2_1)
1	0.00					_168_ (net)
		0.04	0.00	2.50	v	_310_/A (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.06	2.56	v	_310_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00					_063_ (net)
		0.02	0.00	2.56	v	_421_/D (sky130_fd_sc_hd__dfrtp_1)
				2.56		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.06	0.04	10.04	^	clk (in)
						clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.10	10.24	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3_leaf_clk (net)
		0.05	0.00	10.24	^	_421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	9.99			clock uncertainty
		0.00	9.99			clock reconvergence pessimism
		-0.07	9.93			library setup time
			9.93			data required time

				9.93		data required time
				-2.56		data arrival time

				7.36		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _413_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	input external delay
1	0.00	0.02	0.01	2.01	^ start (in)
					start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.15	0.14	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.15	0.00	2.15	^ _237_/B (sky130_fd_sc_hd__nor2_4)
9	0.04	0.06	0.06	2.20	v _237_/Y (sky130_fd_sc_hd__nor2_4)
					125 (net)
		0.07	0.01	2.21	v _338_/B1 (sky130_fd_sc_hd__a21o_1)
2	0.01	0.03	0.09	2.30	v _338_/X (sky130_fd_sc_hd__a21o_1)
					189 (net)
		0.03	0.00	2.30	v _339_/A1 (sky130_fd_sc_hd__mux2_1)
1	0.00	0.04	0.15	2.45	v _339_/X (sky130_fd_sc_hd__mux2_1)
					190 (net)
		0.04	0.00	2.45	v _340_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.02	0.06	2.52	v _340_/X (sky130_fd_sc_hd__clkbuf_1)
					055 (net)
		0.02	0.00	2.52	v _413_/D (sky130_fd_sc_hd__dfrtp_1)
				2.52	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency

		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.09	10.24	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04				clknet_2_2_leaf_clk (net)
		0.04	0.00	10.24	^ _413_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		-0.07	9.92		library setup time
			9.92		data required time

				9.92	data required time
				-2.52	data arrival time

				7.41	slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _419_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
1	0.00	0.02	0.01	2.01	^ start (in)
					start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd_buf_1)
2	0.02	0.15	0.14	2.14	^ input3/X (sky130_fd_sc_hd_buf_1)
					net3 (net)
		0.15	0.00	2.15	^ _237_/B (sky130_fd_sc_hd_nor2_4)
9	0.04	0.06	0.06	2.20	v _237_/Y (sky130_fd_sc_hd_nor2_4)
					125 (net)
		0.07	0.01	2.21	v _316_/B1 (sky130_fd_sc_hd_a21o_1)
2	0.01	0.03	0.09	2.30	v _316_/X (sky130_fd_sc_hd_a21o_1)
					173 (net)
		0.03	0.00	2.30	v _317_/A1 (sky130_fd_sc_hd_mux2_1)
1	0.00	0.04	0.15	2.45	v _317_/X (sky130_fd_sc_hd_mux2_1)
					174 (net)
		0.04	0.00	2.45	v _318_/A (sky130_fd_sc_hd_clkbuf_1)
1	0.00	0.02	0.06	2.51	v _318_/X (sky130_fd_sc_hd_clkbuf_1)
					061 (net)
		0.02	0.00	2.51	v _419_/D (sky130_fd_sc_hd_dfrtp_1)
				2.51	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.24	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.05	0.00	10.24	^ _419_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		-0.07	9.93		library setup time
			9.93		data required time

				9.93	data required time
				-2.51	data arrival time

7.41 slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _446_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.02	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
			0.01	2.01	^ start (in)
					start (net)
			0.02	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
			0.15	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
			0.15	2.15	^ _237_/B (sky130_fd_sc_hd__nor2_4)
			0.06	2.20	v _237_/Y (sky130_fd_sc_hd__nor2_4)
9	0.04			_125_ (net)	
		0.07	2.21	v _238_/B1 (sky130_fd_sc_hd__a21o_2)	
8	0.04	0.08	2.36	v _238_/X (sky130_fd_sc_hd__a21o_2)	
				126 (net)	
	0.00	0.08	2.36	v _245_/A2 (sky130_fd_sc_hd__a22o_1)	
		0.03	2.51	v _245_/X (sky130_fd_sc_hd__a22o_1)	
1	0.00			_086_ (net)	
		0.03	2.51	v _446_/D (sky130_fd_sc_hd__dftrtp_1)	
			2.51	data arrival time	

1	0.02		10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
					clk (net)
4	0.04	0.06	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.05	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
12	0.04				clknet_0_clk (net)
		0.05	10.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.05	10.24	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					clknet_2_1__leaf_clk (net)
		0.05	10.24	^ _446_/CLK (sky130_fd_sc_hd__dftrtp_1)	
			-0.25	9.99	clock uncertainty
		0.00	9.99	clock reconvergence pessimism	
		-0.07	9.92	library setup time	
			9.92	data required time	

				9.92	data required time
				-2.51	data arrival time

				7.41	slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _445_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
1	0.00	0.02	0.01	2.01	^ start (in)
					start (net)
				2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.15	0.14	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.15	0.00	2.15	^ _237_/B (sky130_fd_sc_hd__nor2_4)

9	0.04	0.06	0.06	2.20	v	_237_/Y (sky130_fd_sc_hd__nor2_4)
		0.07	0.00	2.21	v	_238_/B1 (sky130_fd_sc_hd__a21o_2)
		0.08	0.15	2.36	v	_238_/X (sky130_fd_sc_hd__a21o_2)
8	0.04					_126_ (net)
		0.08	0.00	2.36	v	_246_/A2 (sky130_fd_sc_hd__a22o_1)
1	0.00	0.03	0.14	2.51	v	_246_/X (sky130_fd_sc_hd__a22o_1)
						085 (net)
		0.03	0.00	2.51	v	_445_/D (sky130_fd_sc_hd__dfrrtp_1)
				2.51		data arrival time
1	0.02		10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.06	0.04	10.04	^	clk (in)
4	0.04					clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.24	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_1_leaf_clk (net)
		0.05	0.00	10.24	^	_445_/CLK (sky130_fd_sc_hd__dfrrtp_1)
		-0.25	9.99			clock uncertainty
		0.00	9.99			clock reconvergence pessimism
		-0.07	9.92			library setup time
				9.92		data required time

				9.92		data required time
				-2.51		data arrival time

				7.41		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _444_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
1	0.00	0.02	0.01	2.01	^ start (in)
					start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.15	0.14	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.15	0.00	2.15	^ _237_/B (sky130_fd_sc_hd__nor2_4)
9	0.04	0.06	0.06	2.20	v _237_/Y (sky130_fd_sc_hd__nor2_4)
					125 (net)
		0.07	0.00	2.21	v _238_/B1 (sky130_fd_sc_hd__a21o_2)
8	0.04	0.08	0.15	2.36	v _238_/X (sky130_fd_sc_hd__a21o_2)
					126 (net)
		0.08	0.00	2.36	v _247_/A2 (sky130_fd_sc_hd__a22o_1)
1	0.00	0.02	0.14	2.50	v _247_/X (sky130_fd_sc_hd__a22o_1)
					084 (net)
		0.02	0.00	2.50	v _444_/D (sky130_fd_sc_hd__dfrrtp_1)
				2.50	data arrival time
1	0.02		10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
4	0.04				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.24	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)

12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	10.24	^ _444_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	9.99	clock uncertainty
			0.00	9.99	clock reconvergence pessimism
			-0.07	9.92	library setup time
				9.92	data required time

				9.92	data required time
				-2.50	data arrival time

				7.42	slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _448_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
		0.02	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.15	0.14	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.15	0.00	2.15	^ _237_/B (sky130_fd_sc_hd__nor2_4)
9	0.04	0.06	0.06	2.20	v _237_/Y (sky130_fd_sc_hd__nor2_4)
					125 (net)
		0.07	0.00	2.21	v _238_/B1 (sky130_fd_sc_hd__a21o_2)
8	0.04	0.08	0.15	2.36	v _238_/X (sky130_fd_sc_hd__a21o_2)
					126 (net)
		0.08	0.00	2.36	v _243_/A2 (sky130_fd_sc_hd__a22o_1)
		0.03	0.14	2.50	v _243_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_088_ (net)
		0.03	0.00	2.50	v _448_/D (sky130_fd_sc_hd__dfrtp_1)
				2.50	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.05	0.05	0.10	10.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.05	0.00	10.24	^ _448_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	9.99	clock uncertainty
			0.00	9.99	clock reconvergence pessimism
			-0.07	9.93	library setup time
				9.93	data required time

				9.93	data required time
				-2.50	data arrival time

				7.42	slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _424_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
--------	-----	------	-------	------	-------------

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	v	input external delay
		0.00	0.00	2.00	v start (in)
1	0.00				start (net)
		0.00	0.00	2.00	v input3/A (sky130_fd_sc_hd__buf_1)
		0.06	0.09	2.09	v input3/X (sky130_fd_sc_hd__buf_1)
2	0.02				net3 (net)
		0.06	0.00	2.09	v _204_/B (sky130_fd_sc_hd__or2_2)
		0.07	0.22	2.32	v _204_/X (sky130_fd_sc_hd__or2_2)
6	0.02				_096_ (net)
		0.07	0.00	2.32	v _270_/A (sky130_fd_sc_hd__and2_1)
		0.03	0.10	2.42	v _270_/X (sky130_fd_sc_hd__and2_1)
1	0.00				_143_ (net)
		0.03	0.00	2.42	v _271_/A (sky130_fd_sc_hd__clkbuf_1)
		0.03	0.07	2.49	v _271_/X (sky130_fd_sc_hd__clkbuf_1)
2	0.01				_000_ (net)
		0.03	0.00	2.49	v _424_/D (sky130_fd_sc_hd__dfirtp_2)
				2.49	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.24	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	10.24	^ _424_/CLK (sky130_fd_sc_hd__dfirtp_2)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		-0.07	9.92		library setup time
			9.92		data required time

				9.92	data required time
				-2.49	data arrival time

				7.43	slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _455_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	^	input external delay
		0.02	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
		0.15	0.14	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
2	0.02				net3 (net)
		0.15	0.00	2.15	^ _204_/B (sky130_fd_sc_hd__or2_2)
		0.10	0.15	2.29	^ _204_/X (sky130_fd_sc_hd__or2_2)
6	0.02				_096_ (net)
		0.10	0.00	2.30	^ _212_/A (sky130_fd_sc_hd__nand2_1)
		0.05	0.06	2.35	v _212_/Y (sky130_fd_sc_hd__nand2_1)
2	0.01				_104_ (net)
		0.05	0.00	2.35	v _220_/A1 (sky130_fd_sc_hd__o21a_1)
		0.03	0.13	2.48	v _220_/X (sky130_fd_sc_hd__o21a_1)
1	0.00				_095_ (net)
		0.03	0.00	2.48	v _455_/D (sky130_fd_sc_hd__dfirtp_1)
				2.48	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.24	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.05	0.00	10.24	^ _455_/CLK (sky130_fd_sc_hd__dfrrtp_1)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		-0.07	9.92		library setup time
			9.92		data required time

				9.92	data required time
				-2.48	data arrival time

				7.44	slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _417_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
		0.02	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
		0.15	0.14	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
2	0.02				net3 (net)
		0.15	0.00	2.15	^ _237_/B (sky130_fd_sc_hd__nor2_4)
		0.06	0.06	2.20	v _237_/Y (sky130_fd_sc_hd__nor2_4)
9	0.04				_125_ (net)
		0.07	0.01	2.21	v _324_/B1 (sky130_fd_sc_hd__a21o_1)
		0.03	0.09	2.30	v _324_/X (sky130_fd_sc_hd__a21o_1)
2	0.01				_179_ (net)
		0.03	0.00	2.30	v _325_/B1 (sky130_fd_sc_hd__a2bb2o_1)
		0.03	0.17	2.47	v _325_/X (sky130_fd_sc_hd__a2bb2o_1)
1	0.00				_059_ (net)
		0.03	0.00	2.47	v _417_/D (sky130_fd_sc_hd__dfrrtp_1)
				2.47	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.09	10.24	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.04	0.00	10.24	^ _417_/CLK (sky130_fd_sc_hd__dfrrtp_1)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		-0.07	9.92		library setup time
			9.92		data required time

				9.92	data required time
				-2.47	data arrival time

7.45 slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _414_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
1	0.00	0.02	0.01	2.01	^ start (in)
					start (net)
2	0.02	0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
				2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
6	0.02	0.15	0.15		net3 (net)
				2.15	^ _204_/B (sky130_fd_sc_hd__or2_2)
				2.29	^ _204_/X (sky130_fd_sc_hd__or2_2)
					096 (net)
2	0.01	0.10	0.00	2.29	^ _331_/A (sky130_fd_sc_hd__nand2_1)
				2.35	v _331_/Y (sky130_fd_sc_hd__nand2_1)
1	0.00	0.05	0.05		_184_ (net)
				2.35	v _335_/A2 (sky130_fd_sc_hd__a21o_1)
				2.47	v _335_/X (sky130_fd_sc_hd__a21o_1)
					056 (net)
		0.02	0.00	2.47	v _414_/D (sky130_fd_sc_hd__dftrtp_1)
				2.47	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04	0.05	0.09		clknet_0_clk (net)
				10.14	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				10.24	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.04	0.00	10.24	^ _414_/CLK (sky130_fd_sc_hd__dftrtp_1)
				-0.25	clock uncertainty
			0.00	9.99	clock reconvergence pessimism
			-0.07	9.92	library setup time
				9.92	data required time

				9.92	data required time
				-2.47	data arrival time

				7.45	slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _420_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
1	0.00	0.02	0.01	2.01	^ start (in)
					start (net)
2	0.02	0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
				2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
		0.15	0.14		net3 (net)
				2.15	^ _204_/B (sky130_fd_sc_hd__or2_2)

6	0.02	0.10	0.15	2.29	^	_204_/X (sky130_fd_sc_hd__or2_2)
						096 (net)
2	0.01	0.10	0.00	2.30	^	_308_/A (sky130_fd_sc_hd__nand2_1)
		0.04	0.05	2.34	v	_308_/Y (sky130_fd_sc_hd__nand2_1)
1	0.00					_167_ (net)
		0.04	0.00	2.34	v	_312_/A2 (sky130_fd_sc_hd__a21o_1)
		0.02	0.12	2.46	v	_312_/X (sky130_fd_sc_hd__a21o_1)
						062 (net)
		0.02	0.00	2.46	v	_420_/D (sky130_fd_sc_hd__dftrtp_1)
				2.46		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.06	0.04	10.04	^	clk (in)
						clk (net)
4	0.04	0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.24	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3__leaf_clk (net)
		0.05	0.00	10.24	^	_420_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	9.99			clock uncertainty
		0.00	9.99			clock reconvergence pessimism
		-0.07	9.92			library setup time
				9.92		data required time
				9.92		data required time
				-2.46		data arrival time
				7.46		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _409_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v start (in)
1	0.00				start (net)
			0.00	2.00	v input3/A (sky130_fd_sc_hd__buf_1)
2	0.02		0.06	2.09	v input3/X (sky130_fd_sc_hd__buf_1)
			0.09		net3 (net)
6	0.02		0.06	2.09	v _204_/B (sky130_fd_sc_hd__or2_2)
			0.07	2.32	v _204_/X (sky130_fd_sc_hd__or2_2)
					096 (net)
			0.07	2.32	v _350_/B1 (sky130_fd_sc_hd__o211a_1)
1	0.00		0.03	2.42	v _350_/X (sky130_fd_sc_hd__o211a_1)
			0.10		_197_ (net)
			0.03	2.42	v _351_/B (sky130_fd_sc_hd__nor2_1)
			0.06	2.48	^ _351_/Y (sky130_fd_sc_hd__nor2_1)
1	0.00				_051_ (net)
			0.05	2.48	^ _409_/D (sky130_fd_sc_hd__dftrtp_4)
				2.48	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02		0.06	10.04	^ clk (in)
			0.04		clk (net)
4	0.04		0.06	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
			0.05	10.14	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.04	10.24	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)

10	0.04				clknet_2_2__leaf_clk (net)
		0.04	0.00	10.24	^ _409_/CLK (sky130_fd_sc_hd__dfrtp_4)
			-0.25	9.99	clock uncertainty
			0.00	9.99	clock reconvergence pessimism
			-0.04	9.95	library setup time
				9.95	data required time

				9.95	data required time
				-2.48	data arrival time

				7.47	slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _418_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
		0.02	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.15	0.14	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.15	0.00	2.15	^ _237_/B (sky130_fd_sc_hd__nor2_4)
9	0.04	0.06	0.06	2.20	v _237_/Y (sky130_fd_sc_hd__nor2_4)
					125 (net)
		0.07	0.01	2.21	v _316_/B1 (sky130_fd_sc_hd__a21o_1)
		0.03	0.09	2.30	v _316_/X (sky130_fd_sc_hd__a21o_1)
2	0.01				_173_ (net)
		0.03	0.00	2.30	v _320_/A (sky130_fd_sc_hd__and2_1)
		0.02	0.09	2.39	v _320_/X (sky130_fd_sc_hd__and2_1)
1	0.00				_176_ (net)
		0.02	0.00	2.39	v _321_/A (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.06	2.44	v _321_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_060_ (net)
		0.02	0.00	2.44	v _418_/D (sky130_fd_sc_hd__dfrtp_1)
				2.44	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.24	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	10.24	^ _418_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	9.99	clock uncertainty
			0.00	9.99	clock reconvergence pessimism
			-0.07	9.92	library setup time
				9.92	data required time

				9.92	data required time
				-2.44	data arrival time

				7.48	slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _408_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description		

1	0.00	0.02	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
			2.00	2.00	^ input external delay		
			0.01	2.01	^ start (in)		
					start (net)		
			0.02	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)		
			0.15	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)		
					net3 (net)		
			0.15	2.15	^ _237_/B (sky130_fd_sc_hd__nor2_4)		
			0.06	2.20	v _237_/Y (sky130_fd_sc_hd__nor2_4)		
9	0.04				_125_ (net)		
			0.06	2.20	v _352_/A1 (sky130_fd_sc_hd__mux2_1)		
1	0.00		0.04	2.37	v _352_/X (sky130_fd_sc_hd__mux2_1)		
					198 (net)		
1	0.00		0.04	2.37	v _353_/A (sky130_fd_sc_hd__clkbuf_1)		
			0.02	2.43	v _353_/X (sky130_fd_sc_hd__clkbuf_1)		
					050 (net)		
			0.02	2.43	v _408_/D (sky130_fd_sc_hd__dfrtp_4)		
				2.43	data arrival time		

1	0.02	0.06	10.00	10.00	clock clk (rise edge)		
			0.00	10.00	clock source latency		
			0.04	10.04	^ clk (in)		
					clk (net)		
			0.06	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)		
			0.05	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)		
					clknet_0_clk (net)		
			0.05	10.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)		
			0.05	10.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)		
					clknet_2_0__leaf_clk (net)		
14	0.05		0.05	10.24	^ _408_/CLK (sky130_fd_sc_hd__dfrtp_4)		
			-0.25	9.99	clock uncertainty		
			0.00	9.99	clock reconvergence pessimism		
			-0.07	9.93	library setup time		
				9.93	data required time		

				9.93	data required time		
				-2.43	data arrival time		

				7.50	slack (MET)		

Startpoint: start (input port clocked by clk)

Endpoint: _412_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.02	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
			0.01	2.01	^ start (in)
					start (net)
			0.02	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
			0.15	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
			0.15	2.15	^ _237_/B (sky130_fd_sc_hd__nor2_4)
			0.06	2.20	v _237_/Y (sky130_fd_sc_hd__nor2_4)
9	0.04				_125_ (net)
			0.07	2.21	v _338_/B1 (sky130_fd_sc_hd__a21o_1)
2	0.01		0.03	2.30	v _338_/X (sky130_fd_sc_hd__a21o_1)
					189 (net)
			0.03	2.30	v _342_/A2 (sky130_fd_sc_hd__a21o_1)
			0.02	2.41	v _342_/X (sky130_fd_sc_hd__a21o_1)

1	0.00				_054_ (net)
		0.02	0.00	2.41 v	_412_/D (sky130_fd_sc_hd__dfrtp_1)
				2.41	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04 ^	clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14 ^	clkbuf_2_2_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.09	10.24 ^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2_leaf_clk (net)
		0.04	0.00	10.24 ^	_412_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	9.99	clock uncertainty
			0.00	9.99	clock reconvergence pessimism
			-0.07	9.92	library setup time
				9.92	data required time
				9.92	data required time
				-2.41	data arrival time
				7.51	slack (MET)

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
1	0.00	0.02	0.01	2.01	^ start (in)
					start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.15	0.14	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.15	0.00	2.15	^ _237_/B (sky130_fd_sc_hd__nor2_4)
9	0.04	0.06	0.06	2.20	v _237_/Y (sky130_fd_sc_hd__nor2_4)
					125 (net)
		0.07	0.01	2.21	v _324_/B1 (sky130_fd_sc_hd__a21o_1)
2	0.01	0.03	0.09	2.30	v _324_/X (sky130_fd_sc_hd__a21o_1)
					179 (net)
		0.03	0.00	2.30	v _327_/A2 (sky130_fd_sc_hd__a21o_1)
		0.02	0.11	2.41	v _327_/X (sky130_fd_sc_hd__a21o_1)
1	0.00				_058_ (net)
		0.02	0.00	2.41	v _416_/D (sky130_fd_sc_hd__dfrrtp_1)
				2.41	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.09	10.24	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2_leaf_clk (net)
		0.04	0.00	10.24	^ _416_/CLK (sky130_fd_sc_hd__dfrrtp_1)
			-0.25	9.99	clock uncertainty
			0.00	9.99	clock reconvergence pessimism
			-0.07	9.92	library setup time
				9.92	data required time

9.92 data required time
-2.41 data arrival time

7.51 slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _423_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description		

1	0.00	0.02	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
		0.01	2.00	2.00	^ input external delay		
			2.01	2.01	^ start (in)		
		0.02	2.01	2.01	^ start (net)		
			2.14	2.14	^ input3/A (sky130_fd_sc_hd__buf_1)		
		0.15	2.14	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)		
			2.15	2.15	^ net3 (net)		
		0.06	2.15	2.15	^ _237_/B (sky130_fd_sc_hd__nor2_4)		
			2.20	2.20	v _237_/Y (sky130_fd_sc_hd__nor2_4)		
9	0.04	0.07	0.00	2.21	v _125_ (net)		
			0.04	0.00	2.21	v _303_/A2 (sky130_fd_sc_hd__o31a_1)	
		0.04	0.19	2.40	v _303_/X (sky130_fd_sc_hd__o31a_1)		
			0.04	0.00	2.40	v _065_ (net)	
		0.04	2.40	2.40	v _423_/D (sky130_fd_sc_hd__dftrtp_1)		
			2.40	2.40	data arrival time		
		1	0.02	0.06	10.00	10.00	clock clk (rise edge)
					0.00	10.00	clock source latency
				0.04	10.04	10.04	^ clk (in)
					10.04	10.04	^ clk (net)
0.06	10.04			10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)		
	0.05			0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
0.04	10.14			10.14	^ clknet_0_clk (net)		
	0.05			0.00	10.14	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
0.04	0.09			10.24	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)		
	10.24			10.24	^ clknet_2_2__leaf_clk (net)		
10	0.04	0.04	0.00	10.24	^ _423_/CLK (sky130_fd_sc_hd__dftrtp_1)		
			-0.25	9.99	clock uncertainty		
		0.00	9.99	9.99	clock reconvergence pessimism		
			-0.07	9.91	9.91	library setup time	
		9.91	9.91	9.91	data required time		

						9.91	data required time
						-2.40	data arrival time

						7.52	slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _411_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
1	0.00	0.02	0.01	2.01	^ start (in)
					start (net)
				2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.15	0.14	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
				2.15	^ _237_/B (sky130_fd_sc_hd__nor2_4)

9	0.04	0.06	0.06	2.20	v	_237_/Y (sky130_fd_sc_hd__nor2_4)
		0.06	0.00	2.20	v	_346_/A2 (sky130_fd_sc_hd__o31a_1)
1	0.00	0.04	0.19	2.39	v	_346_/X (sky130_fd_sc_hd__o31a_1)
		0.04	0.00	2.39	v	_411_/D (sky130_fd_sc_hd__dftrtp_1)
				2.39		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.06	0.04	10.04	^	clk (in)
		0.06	0.00	10.04	^	clk (net)
4	0.04	0.05	0.10	10.14	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05	0.05	0.00	10.14	^	clknet_0_clk (net)
		0.05	0.10	10.14	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				10.24	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.05	0.00	10.24	^	_411_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	9.99			clock uncertainty
		0.00	9.99			clock reconvergence pessimism
		-0.07	9.92			library setup time
			9.92			data required time

				9.92		data required time
				-2.39		data arrival time

				7.53		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _422_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
1	0.00	0.02	0.01	2.01	^ start (in)
					start (net)
2	0.02	0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
		0.15	0.14	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
9	0.04	0.15	0.00	2.15	^ _237_/B (sky130_fd_sc_hd__nor2_4)
		0.06	0.06	2.20	v _237_/Y (sky130_fd_sc_hd__nor2_4)
					125 (net)
1	0.00	0.07	0.00	2.21	v _305_/A1 (sky130_fd_sc_hd__o21a_1)
		0.03	0.13	2.34	v _305_/X (sky130_fd_sc_hd__o21a_1)
					064 (net)
		0.03	0.00	2.34	v _422_/D (sky130_fd_sc_hd__dftrtp_1)
				2.34	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
		0.06	0.00	10.04	^ clk (net)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04	0.05	0.00	10.14	^ clknet_0_clk (net)
		0.04	0.09	10.24	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				10.24	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.04	0.00	10.24	^ _422_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		-0.07	9.92		library setup time
			9.92		data required time

		9.92	data required time
		-2.34	data arrival time

		7.58	slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _410_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	start (in)
1	0.00				start (net)
		0.00	0.00	2.00 v	input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.06	0.09	2.09 v	input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.06	0.00	2.09 v	_237_/B (sky130_fd_sc_hd__nor2_4)
9	0.04	0.19	0.18	2.27 ^	_237_/Y (sky130_fd_sc_hd__nor2_4)
					125 (net)
		0.19	0.00	2.27 ^	_348_/B1 (sky130_fd_sc_hd__a32o_1)
		0.04	0.08	2.35 ^	_348_/X (sky130_fd_sc_hd__a32o_1)
1	0.00				_052_ (net)
		0.04	0.00	2.35 ^	_410_/D (sky130_fd_sc_hd__dftrtp_2)
				2.35	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04 ^	clk (in)
					clk (net)
		0.06	0.00	10.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14 ^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.05	0.05	0.10	10.24 ^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.05	0.00	10.24 ^	_410_/CLK (sky130_fd_sc_hd__dftrtp_2)
			-0.25	9.99	clock uncertainty
			0.00	9.99	clock reconvergence pessimism
			-0.04	9.96	library setup time
				9.96	data required time

				9.96	data required time
				-2.35	data arrival time

				7.61	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _409_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.07	2.07 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)

		0.04	0.00	2.07	v	_355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.13	2.20	v	_355_/X (sky130_fd_sc_hd__buf_4)
10	0.05					_199_ (net)
		0.06	0.00	2.21	v	_356_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.14	2.35	v	_356_/X (sky130_fd_sc_hd__buf_4)
10	0.06					_200_ (net)
		0.07	0.01	2.36	v	_358_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.05	2.40	^	_358_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_003_ (net)
		0.03	0.00	2.40	^	_409_/RESET_B (sky130_fd_sc_hd__dftrtp_4)
				2.40		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.06	0.04	10.04	^	clk (in)
						clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.09	10.24	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04					clknet_2_2__leaf_clk (net)
		0.04	0.00	10.24	^	_409_/CLK (sky130_fd_sc_hd__dftrtp_4)
		-0.25	9.99			clock uncertainty
		0.00	9.99			clock reconvergence pessimism
		0.13	10.12			library recovery time
			10.12			data required time

				10.12		data required time
				-2.40		data arrival time

				7.72		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _424_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.06	0.00	2.21	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
10	0.07	0.06	0.15	2.35	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
					201 (net)
		0.06	0.00	2.36	v _374_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.40	^ _374_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_018_ (net)
		0.03	0.00	2.40	^ _424_/RESET_B (sky130_fd_sc_hd__dftrtp_2)
				2.40	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)

12	0.04	0.05	0.10	10.24	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3_leaf_clk (net)
		0.05	0.00	10.24	^	_424_/CLK (sky130_fd_sc_hd__dfrtp_2)
			-0.25	9.99		clock uncertainty
			0.00	9.99		clock reconvergence pessimism
			0.14	10.13		library recovery time
				10.13		data required time

				10.13		data required time
				-2.40		data arrival time

		7.73		slack (MET)		

Startpoint: rst (input port clocked by clk)
Endpoint: _415_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description		
1	0.00		0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
		0.00	2.00	2.00	v input external delay		
			0.00	2.00	v rst (in)		
					rst (net)		
			0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)	
		3	0.01	0.04	0.07	2.07 v input2/X (sky130_fd_sc_hd__buf_1)	
						net2 (net)	
		10	0.05	0.04	0.00	2.07 v _355_/A (sky130_fd_sc_hd__buf_4)	
				0.06	0.13	2.20 v _355_/X (sky130_fd_sc_hd__buf_4)	
10	0.06	0.06	0.00	2.21 v _356_/A (sky130_fd_sc_hd__buf_4)			
		0.06	0.14	2.35 v _356_/X (sky130_fd_sc_hd__buf_4)			
1	0.00				_200_ (net)		
			0.07	0.01	2.36 v _364_/A (sky130_fd_sc_hd__inv_2)		
		0.03	0.05	2.40 ^ _364_/Y (sky130_fd_sc_hd__inv_2)			
					009 (net)		
		0.03	0.00	2.40 ^ _415_/RESET_B (sky130_fd_sc_hd__dfrtp_1)			
				2.40	data arrival time		
		1	0.02		10.00	10.00	clock clk (rise edge)
					0.00	10.00	clock source latency
				0.06	0.04	10.04	^ clk (in)
							clk (net)
0.06	0.00			10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)		
	0.05			0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
4	0.04					clknet_0_clk (net)	
				0.05	0.00	10.14	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.04			0.04	0.09	10.24 ^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
							clknet_2_2__leaf_clk (net)
10	0.04	0.04	0.00	10.24	^ _415_/CLK (sky130_fd_sc_hd__dfrtp_1)		
			-0.25	9.99	clock uncertainty		
		0.00	9.99	clock reconvergence pessimism			
		0.15	10.13	library recovery time			
			10.13	data required time			
				10.13	data required time		
				-2.40	data arrival time		
				7.73	slack (MET)		

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _427_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	0.27	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.06	0.27	0.54	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.06	0.00	0.54	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.06	0.33	0.87	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.06	0.00	0.87	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.30	0.31	1.18	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.30	0.00	1.18	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.11	0.12	1.30	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.11	0.00	1.30	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.08	0.09	1.39	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.08	0.00	1.39	v _218_/A (sky130_fd_sc_hd__buf_4)
		0.07	0.16	1.55	v _218_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_110_ (net)
		0.07	0.01	1.56	v _291_/S (sky130_fd_sc_hd__mux2_1)
		0.04	0.20	1.76	v _291_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_154_ (net)
		0.04	0.00	1.76	v hold36/A (sky130_fd_sc_hd__dlygate4sd3_1)
		0.04	0.38	2.14	v hold36/X (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00				net61 (net)
		0.04	0.00	2.14	v _292_/A (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.07	2.21	v _292_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_067_ (net)
		0.02	0.00	2.21	v _427_/D (sky130_fd_sc_hd__dfrtp_1)
				2.21	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.24	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.05	0.00	10.24	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	9.99		clock uncertainty
		0.01	10.01		clock reconvergence pessimism
		-0.07	9.94		library setup time
			9.94		data required time

				9.94	data required time
				-2.21	data arrival time

				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _416_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description	

1	0.00	0.00	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
		0.00	2.00	2.00	v input external delay	
			0.00	2.00	v rst (in)	
		0.00	0.00		rst (net)	
			0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)	
		3	0.01	0.04	0.07	2.07 v input2/X (sky130_fd_sc_hd__buf_1)
						net2 (net)
		10	0.05	0.04	0.00	2.07 v _355_/A (sky130_fd_sc_hd__buf_4)
				0.06	0.13	2.20 v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.06	0.06	0.00	2.21 v _356_/A (sky130_fd_sc_hd__buf_4)		
		0.06	0.14	2.35 v _356_/X (sky130_fd_sc_hd__buf_4)		
1	0.00	0.07	0.01	2.36 v _365_/A (sky130_fd_sc_hd__inv_2)		
			0.03	0.05	2.40 ^ _365_/Y (sky130_fd_sc_hd__inv_2)	
		0.03	0.00	2.40 ^ _010_ (net)		
					2.40 ^ _416_/RESET_B (sky130_fd_sc_hd__dftrtp_1)	

1	0.02	0.06	10.00	10.00	clock clk (rise edge)	
			0.00	10.00	clock source latency	
		0.06	0.04	10.04	^ clk (in)	
					clk (net)	
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
			0.05	0.10	10.14 ^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
		4	0.04			clknet_0_clk (net)
				0.05	0.00	10.14 ^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		10	0.04	0.04	0.09	10.24 ^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
10	0.04	0.04	0.00	10.24 ^ _416_/CLK (sky130_fd_sc_hd__dftrtp_1)		
			-0.25	9.99	clock uncertainty	
		0.00	9.99	clock reconvergence pessimism		
			0.15	10.14	library recovery time	

				10.14	data required time	
				-2.40	data arrival time	

				7.73	slack (MET)	

Startpoint: rst (input port clocked by clk)
 Endpoint: _417_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.00	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.04	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.05	0.00	0.00	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.06	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.06	0.00	0.00	2.21	v _356_/A (sky130_fd_sc_hd__buf_4)
			0.06	2.35	v _356_/X (sky130_fd_sc_hd__buf_4)
1	0.00	0.00	0.00	2.36	v _366_/A (sky130_fd_sc_hd__inv_2)
			0.03	2.40	^ _366_/Y (sky130_fd_sc_hd__inv_2)
			0.03	2.40	^ _417_/RESET_B (sky130_fd_sc_hd__dftrtp_1)

				2.40	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
	0.06	0.04	10.04	^	clk (in)
1	0.02				clk (net)
	0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
	0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
	0.05	0.00	10.14	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
	0.04	0.09	10.24	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
	0.04	0.00	10.24	^	_417_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		0.15	10.13		library recovery time
			10.13		data required time

			10.13		data required time
			-2.40		data arrival time

			7.73		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _408_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.21	v _356_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.14	2.35	v _356_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_200_ (net)
		0.07	0.01	2.35	v _357_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	2.40	^ _357_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_002_ (net)
		0.03	0.00	2.40	^ _408_/RESET_B (sky130_fd_sc_hd_dfrtp_4)
				2.40	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
	0.06	0.04	10.04	^	clk (in)
1	0.02				clk (net)
	0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
	0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
	0.05	0.00	10.14	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
	0.05	0.10	10.24	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)
14	0.05				_408_/CLK (sky130_fd_sc_hd_dfrtp_4)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		0.14	10.13		library recovery time
			10.13		data required time

			10.13		data required time
			-2.40		data arrival time

7.73 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _412_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
		0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd_buf_4)
10	0.05	0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd_buf_4)
					199 (net)
		0.06	0.00	2.21	v _356_/A (sky130_fd_sc_hd_buf_4)
10	0.06	0.06	0.14	2.35	v _356_/X (sky130_fd_sc_hd_buf_4)
					200 (net)
		0.07	0.01	2.36	v _361_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	2.40	^ _361_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_006_ (net)
		0.03	0.00	2.40	^ _412_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.40	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
10	0.04	0.04	0.09	10.24	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_2_leaf_clk (net)
		0.04	0.00	10.24	^ _412_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		0.15	10.14		library recovery time
			10.14		data required time

				10.14	data required time
				-2.40	data arrival time

				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _414_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)

		0.04	0.00	2.07	v	_355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.13	2.20	v	_355_/X (sky130_fd_sc_hd__buf_4)
10	0.05					_199_ (net)
		0.06	0.00	2.21	v	_356_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.14	2.35	v	_356_/X (sky130_fd_sc_hd__buf_4)
10	0.06					_200_ (net)
		0.07	0.01	2.36	v	_363_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.40	^	_363_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_008_ (net)
		0.03	0.00	2.40	^	_414_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.40		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.06	0.04	10.04	^	clk (in)
						clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.04	0.04	0.09	10.24	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
		0.04	0.00	10.24	^	_414_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	9.99			clock uncertainty
		0.00	9.99			clock reconvergence pessimism
		0.15	10.13			library recovery time
			10.13			data required time

				10.13		data required time
				-2.40		data arrival time

				7.73		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _413_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.06	0.00	2.21	v _356_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.06	0.14	2.35	v _356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
		0.07	0.01	2.36	v _362_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.05	2.40	^ _362_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_007_ (net)
		0.03	0.00	2.40	^ _413_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.40	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)

10	0.04	0.04	0.09	10.24	^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
		0.04	0.00	10.24	^	_413_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	9.99		clock uncertainty
			0.00	9.99		clock reconvergence pessimism
			0.15	10.14		library recovery time
				10.14		data required time

				10.14		data required time
				-2.40		data arrival time

				7.73		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _422_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	v	input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.06	0.00	2.21	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
10	0.07	0.06	0.15	2.35	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
					201 (net)
		0.06	0.00	2.36	v _372_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.40	^ _372_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_016_ (net)
		0.03	0.00	2.40	^ _422_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.40	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.04	0.04	0.09	10.24	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.04	0.00	10.24	^ _422_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	9.99	clock uncertainty
			0.00	9.99	clock reconvergence pessimism
			0.15	10.13	library recovery time
				10.13	data required time

				10.13	data required time
				-2.40	data arrival time

				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _425_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.00	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
					rst (net)
			0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.04	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.04	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.06	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05			_199_ (net)	
		0.06	2.21	v _367_/A (sky130_fd_sc_hd__clkbuf_8)	
10	0.07	0.06	2.35	v _367_/X (sky130_fd_sc_hd__clkbuf_8)	
				201 (net)	
		0.06	2.36	v _375_/A (sky130_fd_sc_hd__inv_2)	
		0.03	2.40	^ _375_/Y (sky130_fd_sc_hd__inv_2)	
1	0.00			_019_ (net)	
		0.03	2.40	^ _425_/RESET_B (sky130_fd_sc_hd__dfrtp_1)	
			2.40	data arrival time	

1	0.02		10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
					clk (net)
4	0.04	0.06	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.05	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
				clknet_0_clk (net)	
		0.05	10.14	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
10	0.04	0.04	10.24	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
				clknet_2_2__leaf_clk (net)	
		0.04	10.24	^ _425_/CLK (sky130_fd_sc_hd__dfrtp_1)	
			-0.25	9.99	clock uncertainty
			0.00	9.99	clock reconvergence pessimism
			0.15	10.14	library recovery time
				10.14	data required time

				10.14	data required time
				-2.40	data arrival time

				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _418_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.00	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.04	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.05	0.00	0.00	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.06	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.07	0.00	0.00	2.21	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
			0.06	2.35	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
1	0.00	0.00	0.01	2.36	v _368_/A (sky130_fd_sc_hd__inv_2)
			0.03	2.40	^ _368_/Y (sky130_fd_sc_hd__inv_2)
			0.03	2.40	^ _418_/RESET_B (sky130_fd_sc_hd__dfrtp_1)

				2.40	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
	0.06	0.04	10.04	^	clk (in)
1	0.02				clk (net)
	0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
	0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
	0.05	0.00	10.14	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
	0.05	0.10	10.24	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
	0.05	0.00	10.24	^	_418_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		0.15	10.14		library recovery time
			10.14		data required time

			10.14		data required time
			-2.40		data arrival time

			7.73		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _423_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.21	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.06	0.15	2.35	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.06	0.00	2.36	v _373_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.40	^ _373_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_017_ (net)
		0.03	0.00	2.40	^ _423_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.40	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
	0.06	0.04	10.04	^	clk (in)
1	0.02				clk (net)
	0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
	0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
	0.05	0.00	10.14	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
	0.04	0.09	10.24	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
	0.04	0.00	10.24	^	_423_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		0.15	10.13		library recovery time
			10.13		data required time

			10.13		data required time
			-2.40		data arrival time

7.73 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _426_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
		0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.21	v _367_/A (sky130_fd_sc_hd_clkbuf_8)
		0.06	0.15	2.35	v _367_/X (sky130_fd_sc_hd_clkbuf_8)
10	0.07				_201_ (net)
		0.07	0.01	2.36	v _376_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	2.40	^ _376_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_020_ (net)
		0.03	0.00	2.40	^ _426_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.40	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.24	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.05	0.00	10.24	^ _426_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	9.99	clock uncertainty
			0.00	9.99	clock reconvergence pessimism
			0.15	10.14	library recovery time
				10.14	data required time

				10.14	data required time
				-2.40	data arrival time

				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _421_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)

		0.04	0.00	2.07	v	_355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.13	2.20	v	_355_/X (sky130_fd_sc_hd__buf_4)
10	0.05					_199_ (net)
		0.06	0.00	2.21	v	_367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.06	0.15	2.35	v	_367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07					_201_ (net)
		0.07	0.01	2.36	v	_371_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.40	^	_371_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_015_ (net)
		0.03	0.00	2.40	^	_421_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.40		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.06	0.04	10.04	^	clk (in)
						clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.10	10.24	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3__leaf_clk (net)
		0.05	0.00	10.24	^	_421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	9.99			clock uncertainty
		0.00	9.99			clock reconvergence pessimism
		0.15	10.14			library recovery time
			10.14			data required time

				10.14		data required time
				-2.40		data arrival time

				7.73		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _410_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.06	0.00	2.21	v _356_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.06	0.14	2.35	v _356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
		0.06	0.00	2.35	v _359_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.40	^ _359_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_004_ (net)
		0.03	0.00	2.40	^ _410_/RESET_B (sky130_fd_sc_hd__dfrtp_2)
				2.40	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)

14	0.05	0.05	0.10	10.24	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.05	0.00	10.24	^	_410_/CLK (sky130_fd_sc_hd__dfrtp_2)
			-0.25	9.99		clock uncertainty
			0.00	9.99		clock reconvergence pessimism
			0.14	10.13		library recovery time
				10.13		data required time

				10.13		data required time
				-2.40		data arrival time

		7.73		slack (MET)		

Startpoint: rst (input port clocked by clk)
Endpoint: _419_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description		
1	0.00		0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
			2.00	v	input external delay		
			2.00	v	rst (in)		
					rst (net)		
			0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)	
		3	0.01	0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
							net2 (net)
		10	0.05	0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
				0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_199_ (net)		
		0.06	0.00	2.21	v _367_/A (sky130_fd_sc_hd__clkbuf_8)		
10	0.07	0.06	0.15	2.35	v _367_/X (sky130_fd_sc_hd__clkbuf_8)		
					201 (net)		
1	0.00	0.07	0.01	2.36	v _369_/A (sky130_fd_sc_hd__inv_2)		
		0.03	0.04	2.40	^ _369_/Y (sky130_fd_sc_hd__inv_2)		
1	0.00				_013_ (net)		
		0.03	0.00	2.40	^ _419_/RESET_B (sky130_fd_sc_hd__dfrtp_1)		
				2.40	data arrival time		
1	0.02		10.00	10.00	clock clk (rise edge)		
			0.00	10.00	clock source latency		
		0.06	0.04	10.04	^ clk (in)		
					clk (net)		
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)		
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)		
		4	0.04				clknet_0_clk (net)
				0.05	0.00	10.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		12	0.04	0.05	0.10	10.24	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
							clknet_2_3__leaf_clk (net)
12	0.04	0.05	0.00	10.24	^ _419_/CLK (sky130_fd_sc_hd__dfrtp_1)		
			-0.25	9.99	clock uncertainty		
			0.00	9.99	clock reconvergence pessimism		
			0.15	10.14	library recovery time		
				10.14	data required time		
				10.14	data required time		
				-2.40	data arrival time		
				7.73	slack (MET)		

Startpoint: rst (input port clocked by clk)
Endpoint: _420_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.00	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.04	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.05	0.00			net2 (net)
			0.04	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
10	0.07	0.06	0.00	2.21	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
			0.06	2.35	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
1	0.00	0.06	0.00	2.36	v _370_/A (sky130_fd_sc_hd__inv_2)
			0.03	2.40	^ _370_/Y (sky130_fd_sc_hd__inv_2)
1	0.00	0.03			_014_ (net)
			0.03	2.40	^ _420_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.40	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.05	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05			clknet_0_clk (net)
			0.05	10.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.10	10.24	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.05	0.00	10.24	^ _420_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	9.99	clock uncertainty
			0.00	9.99	clock reconvergence pessimism
			0.15	10.14	library recovery time
				10.14	data required time

				10.14	data required time
				-2.40	data arrival time

				7.74	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _427_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.00	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.04	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.05	0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.06	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.07	0.06	0.00	2.21	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
			0.06	2.35	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
1	0.00	0.06	0.00	2.36	v _377_/A (sky130_fd_sc_hd__inv_2)
			0.03	2.40	^ _377_/Y (sky130_fd_sc_hd__inv_2)
					021 (net)
		0.03	0.00	2.40	^ _427_/RESET_B (sky130_fd_sc_hd__dfrtp_1)

				2.40	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.24	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.05	0.00	10.24	^ _427_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		0.15	10.14		library recovery time
			10.14		data required time

			10.14		data required time
			-2.40		data arrival time

			7.74		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _411_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.21	v _356_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.14	2.35	v _356_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_200_ (net)
		0.07	0.01	2.35	v _360_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	2.40	^ _360_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_005_ (net)
		0.03	0.00	2.40	^ _411_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.40	data arrival time

		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.05	0.00	10.24	^ _411_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		0.15	10.14		library recovery time
			10.14		data required time

			10.14		data required time
			-2.40		data arrival time

7.74 slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _426_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.05	0.00	0.27	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.06	0.27	0.54	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[13] (net)
		0.06	0.00	0.54	v _205_/A (sky130_fd_sc_hd_or4_1)
		0.06	0.33	0.87	v _205_/X (sky130_fd_sc_hd_or4_1)
1	0.00				_097_ (net)
		0.06	0.00	0.87	v _209_/A (sky130_fd_sc_hd_nor4_1)
		0.30	0.31	1.18	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
2	0.01				_101_ (net)
		0.30	0.00	1.18	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.11	0.12	1.30	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01				net25 (net)
		0.11	0.00	1.30	^ _217_/C (sky130_fd_sc_hd_nand4_1)
		0.08	0.09	1.39	v _217_/Y (sky130_fd_sc_hd_nand4_1)
3	0.01				_109_ (net)
		0.08	0.00	1.39	v _218_/A (sky130_fd_sc_hd_buf_4)
		0.07	0.16	1.55	v _218_/X (sky130_fd_sc_hd_buf_4)
10	0.07				_110_ (net)
		0.07	0.00	1.56	v _293_/S (sky130_fd_sc_hd_mux2_1)
		0.04	0.20	1.75	v _293_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_155_ (net)
		0.04	0.00	1.75	v hold34/A (sky130_fd_sc_hd_dlygate4sd3_1)
		0.04	0.38	2.14	v hold34/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00				net59 (net)
		0.04	0.00	2.14	v _294_/A (sky130_fd_sc_hd_clkbuf_1)
		0.02	0.06	2.20	v _294_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_066_ (net)
		0.02	0.00	2.20	v _426_/D (sky130_fd_sc_hd_dfrtp_1)
				2.20	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.24	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.05	0.00	10.24	^ _426_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.99		clock uncertainty
		0.03	10.02		clock reconvergence pessimism
		-0.07	9.95		library setup time
			9.95		data required time
				9.95	data required time
				-2.20	data arrival time

7.75 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _436_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.07	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.07	0.14	2.21	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.07	0.01	2.22	v _387_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.05	2.27	^ _387_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_030_ (net)
		0.03	0.00	2.27	^ _436_/SET_B (sky130_fd_sc_hd__dfstp_1)
				2.27	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.24	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	10.24	^ _436_/CLK (sky130_fd_sc_hd__dfstp_1)
			-0.25	9.99	clock uncertainty
			0.00	9.99	clock reconvergence pessimism
			0.09	10.08	library recovery time
				10.08	data required time

				10.08	data required time
				-2.27	data arrival time

				7.81	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _435_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.07	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.07	0.14	2.21	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)

1	0.00	0.07	0.01	2.22	v	_386_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.05	2.26	^	_386_/Y (sky130_fd_sc_hd__inv_2)
						029 (net)
		0.03	0.00	2.27	^	_435_/RESET_B (sky130_fd_sc_hd__dfrtp_2)
				2.27		data arrival time

		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
1	0.02	0.06	0.04	10.04	^	clk (in)
						clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.05	0.05	0.10	10.24	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.05	0.00	10.24	^	_435_/CLK (sky130_fd_sc_hd__dfrtp_2)
		-0.25	9.99			clock uncertainty
		0.00	9.99			clock reconvergence pessimism
		0.14	10.13			library recovery time
			10.13			data required time

			10.13			data required time
			-2.27			data arrival time

			7.87			slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _433_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.07	v _378_/A (sky130_fd_sc_hd__buf_4)
10	0.07	0.07	0.14	2.21	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
		0.07	0.01	2.22	v _384_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.05	2.27	^ _384_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_027_ (net)
		0.03	0.00	2.27	^ _433_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.27	data arrival time

		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.10	10.24	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.05	0.00	10.24	^ _433_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		0.15	10.14		library recovery time
			10.14		data required time

			10.14		data required time

-2.27 data arrival time

7.87 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _437_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description	

1	0.00	0.00	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			2.00	2.00 v	input external delay	
			0.00	2.00 v	rst (in)	
					rst (net)	
			0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
			0.04	0.07	2.07 v	input2/X (sky130_fd_sc_hd__buf_1)
						net2 (net)
			0.04	0.00	2.07 v	_378_/A (sky130_fd_sc_hd__buf_4)
			0.07	0.14	2.21 v	_378_/X (sky130_fd_sc_hd__buf_4)
						202 (net)
			0.07	0.01	2.22 v	_388_/A (sky130_fd_sc_hd__inv_2)
10	0.07	0.03	0.05	2.27 ^	_388_/Y (sky130_fd_sc_hd__inv_2)	
					031 (net)	
		0.03	0.00	2.27 ^	_437_/RESET_B (sky130_fd_sc_hd__dfrtp_1)	
				2.27	data arrival time	

1	0.02	0.06	10.00	10.00	clock clk (rise edge)	
			0.00	10.00	clock source latency	
			0.04	10.04 ^	clk (in)	
					clk (net)	
4	0.04	0.06	0.00	10.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.05	0.10	10.14 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					clknet_0_clk (net)	
		0.05	0.00	10.14 ^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
12	0.04	0.05	0.10	10.24 ^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					clknet_2_3__leaf_clk (net)	
		0.05	0.00	10.24 ^	_437_/CLK (sky130_fd_sc_hd__dfrtp_1)	
		-0.25	9.99		clock uncertainty	
			0.00	9.99	clock reconvergence pessimism	
			0.15	10.14	library recovery time	
				10.14	data required time	

				10.14	data required time	
				-2.27	data arrival time	

				7.87	slack (MET)	

Startpoint: rst (input port clocked by clk)
Endpoint: _434_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.00	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
			0.00	2.00 v	rst (in)
3	0.01	0.00	0.00	2.00 v	rst (net)
			0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
			0.04	2.07 v	input2/X (sky130_fd_sc_hd__buf_1)
			0.00	2.07 v	net2 (net)
		0.07	0.00	2.07 v	_378_/A (sky130_fd_sc_hd__buf_4)
			0.14	2.21 v	_378_/X (sky130_fd_sc_hd__buf_4)

10	0.07				_202_ (net)
		0.07	0.00	2.22	v _385_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.05	2.27	^ _385_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_028_ (net)
		0.03	0.00	2.27	^ _434_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.27	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.24	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.05	0.00	10.24	^ _434_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		0.15	10.14		library recovery time
			10.14		data required time

			10.14		data required time
			-2.27		data arrival time

			7.87		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _429_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.07	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.07	0.14	2.21	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.07	0.00	2.22	v _380_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.05	2.27	^ _380_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_023_ (net)
		0.03	0.00	2.27	^ _429_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.27	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.05	0.00	10.24	^ _429_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		0.15	10.14		library recovery time
			10.14		data required time

10.14 data required time
-2.27 data arrival time

7.87 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _431_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.00	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
				2.07	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.07	0.04	0.07		net2 (net)
				2.07	v _378_/A (sky130_fd_sc_hd__buf_4)
1	0.00	0.07	0.14	2.21	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
1	0.00	0.07	0.00	2.22	v _382_/A (sky130_fd_sc_hd__inv_2)
				2.27	^ _382_/Y (sky130_fd_sc_hd__inv_2)
1	0.00	0.03	0.05		_025_ (net)
				2.27	^ _431_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
			0.03	2.27	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05	0.05	0.10		clknet_0_clk (net)
				10.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.05	0.05	0.10	10.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
			0.05	10.25	^ _431_/CLK (sky130_fd_sc_hd__dftrtp_1)
			-0.25	10.00	clock uncertainty
			0.00	10.00	clock reconvergence pessimism
			0.15	10.14	library recovery time
				10.14	data required time

				10.14	data required time
				-2.27	data arrival time

				7.88	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _430_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.00	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
				2.07	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.04	2.07	v _378_/A (sky130_fd_sc_hd__buf_4)

10	0.07	0.07	0.14	2.21	v	_378_/X (sky130_fd_sc_hd__buf_4)
						202 (net)
1	0.00	0.07	0.01	2.22	v	_381_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.05	2.27	^	_381_/Y (sky130_fd_sc_hd__inv_2)
						024 (net)
		0.03	0.00	2.27	^	_430_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.27		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.06	0.04	10.04	^	clk (in)
						clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.05	0.05	0.10	10.24	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.05	0.00	10.24	^	_430_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	9.99			clock uncertainty
		0.00	9.99			clock reconvergence pessimism
		0.15	10.14			library recovery time
			10.14			data required time

				10.14		data required time
				-2.27		data arrival time

				7.88		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _432_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.00	0.00	2.00	v rst (in)
					rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.07	v _378_/A (sky130_fd_sc_hd__buf_4)
10	0.07	0.07	0.14	2.21	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
		0.07	0.00	2.22	v _383_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.03	0.05	2.27	^ _383_/Y (sky130_fd_sc_hd__inv_2)
					026 (net)
		0.03	0.00	2.27	^ _432_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.27	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.05	0.05	0.10	10.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.05	0.00	10.25	^ _432_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.00		clock uncertainty
		0.00	10.00		clock reconvergence pessimism
		0.15	10.14		library recovery time
			10.14		data required time

		10.14	data required time
		-2.27	data arrival time

		7.88	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _428_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
			0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.07	2.07 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.07 v	_378_/A (sky130_fd_sc_hd__buf_4)
		0.07	0.14	2.21 v	_378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.07	0.00	2.22 v	_379_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.05	2.26 ^	_379_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_022_ (net)
		0.03	0.00	2.27 ^	_428_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.27	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04 ^	clk (in)
					clk (net)
		0.06	0.00	10.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14 ^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.24 ^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.05	0.00	10.24 ^	_428_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	9.99	clock uncertainty
			0.00	9.99	clock reconvergence pessimism
			0.15	10.14	library recovery time
				10.14	data required time

				10.14	data required time
				-2.27	data arrival time

				7.88	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _443_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
			0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.07	2.07 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)

		0.04	0.00	2.07	v	_389_/A (sky130_fd_sc_hd__buf_4)
		0.07	0.14	2.21	v	_389_/X (sky130_fd_sc_hd__buf_4)
10	0.06					_203_ (net)
		0.07	0.01	2.21	v	_395_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.26	^	_395_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_037_ (net)
		0.03	0.00	2.26	^	_443_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.26		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.06	0.04	10.04	^	clk (in)
						clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.10	10.24	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_1__leaf_clk (net)
		0.05	0.00	10.24	^	_443_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	9.99			clock uncertainty
		0.00	9.99			clock reconvergence pessimism
		0.15	10.14			library recovery time
			10.14			data required time

				10.14		data required time
				-2.26		data arrival time

				7.88		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _440_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.07	v _389_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.07	0.14	2.21	v _389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
		0.07	0.01	2.21	v _392_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.05	2.26	^ _392_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_034_ (net)
		0.03	0.00	2.26	^ _440_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.26	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.10	10.24	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.05	0.00	10.24	^ _440_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		0.15	10.14		library recovery time

			10.14	data required time

			10.14	data required time
			-2.26	data arrival time

			7.88	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _441_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01		0.04	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.07	v _389_/A (sky130_fd_sc_hd__buf_4)
10	0.06		0.07	2.21	v _389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
		0.07	0.01	2.21	v _393_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.26	^ _393_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_035_ (net)
		0.03	0.00	2.26	^ _441_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.26	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04		0.05	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04		0.05	10.24	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.05	0.00	10.24	^ _441_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	9.99	clock uncertainty
			0.00	9.99	clock reconvergence pessimism
			0.15	10.14	library recovery time
				10.14	data required time

				10.14	data required time
				-2.26	data arrival time

				7.88	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _444_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)

3	0.01				net2 (net)
		0.04	0.00	2.07	v _389_/A (sky130_fd_sc_hd__buf_4)
		0.07	0.14	2.21	v _389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
		0.07	0.01	2.21	v _396_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.05	2.26	^ _396_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_038_ (net)
		0.03	0.00	2.26	^ _444_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.26	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.24	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	10.24	^ _444_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		0.15	10.14		library recovery time
			10.14		data required time

			10.14		data required time
			-2.26		data arrival time

			7.88		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _438_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.07	v _389_/A (sky130_fd_sc_hd__buf_4)
		0.07	0.14	2.21	v _389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
		0.07	0.01	2.21	v _390_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.26	^ _390_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_032_ (net)
		0.03	0.00	2.26	^ _438_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.26	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.24	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	10.24	^ _438_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism

	0.15	10.14	library recovery time
		10.14	data required time

		10.14	data required time
		-2.26	data arrival time

		7.88	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _439_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.00	0.00	2.00 v	rst (in)
					rst (net)
			0.00	2.00 v	input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.04	0.07	2.07 v	input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
10	0.06	0.04	0.00	2.07 v	_389_/A (sky130_fd_sc_hd_buf_4)
			0.07	2.21 v	_389_/X (sky130_fd_sc_hd_buf_4)
					203 (net)
1	0.00	0.07	0.01	2.21 v	_391_/A (sky130_fd_sc_hd_inv_2)
			0.03	2.26 ^	_391_/Y (sky130_fd_sc_hd_inv_2)
					033 (net)
			0.03	2.26 ^	_439_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.26	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04 ^	clk (in)
					clk (net)
4	0.04	0.06	0.00	10.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
			0.05	10.14 ^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
12	0.04	0.05	0.00	10.14 ^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
			0.05	10.24 ^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
			0.05	10.24 ^	_439_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	9.99	clock uncertainty
			0.00	9.99	clock reconvergence pessimism
			0.15	10.14	library recovery time
				10.14	data required time

				10.14	data required time
				-2.26	data arrival time

				7.88	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _442_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.00	0.00	2.00 v	rst (in)
					rst (net)
			0.00	2.00 v	input2/A (sky130_fd_sc_hd_buf_1)

3	0.01	0.04	0.07	2.07	v	input2/X (sky130_fd_sc_hd_buf_1)
						net2 (net)
10	0.06	0.04	0.00	2.07	v	_389_/A (sky130_fd_sc_hd_buf_4)
		0.07	0.14	2.21	v	_389_/X (sky130_fd_sc_hd_buf_4)
1	0.00	0.07	0.01	2.21	v	_394_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	2.26	^	_394_/Y (sky130_fd_sc_hd_inv_2)
						036 (net)
		0.03	0.00	2.26	^	_442_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.26		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.06	0.04	10.04	^	clk (in)
						clk (net)
4	0.04	0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.05	0.00	10.14	^	clknet_0_clk (net)
		0.05	0.10	10.24	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_1_leaf_clk (net)
		0.05	0.00	10.24	^	_442_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.99			clock uncertainty
		0.00	9.99			clock reconvergence pessimism
		0.15	10.14			library recovery time
				10.14		data required time
				10.14		data required time
				-2.26		data arrival time
				7.88		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _445_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
10	0.06	0.04	0.00	2.07	v _389_/A (sky130_fd_sc_hd_buf_4)
		0.07	0.14	2.21	v _389_/X (sky130_fd_sc_hd_buf_4)
					203 (net)
		0.07	0.00	2.21	v _397_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.03	0.04	2.26	^ _397_/Y (sky130_fd_sc_hd_inv_2)
					039 (net)
		0.03	0.00	2.26	^ _445_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.26	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.05	0.00	10.14	^ clknet_0_clk (net)
		0.05	0.10	10.24	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
		0.05	0.00	10.24	^ _445_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.99		clock uncertainty

0.00 9.99 clock reconvergence pessimism
0.15 10.14 library recovery time
10.14 data required time

10.14 data required time
-2.26 data arrival time

7.88 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _447_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description	
1	0.00	0.00	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			2.00	2.00 v	input external delay	
			2.00	2.00 v	rst (in)	
					rst (net)	
			2.00	v	input2/A (sky130_fd_sc_hd_buf_1)	
			2.07	v	input2/X (sky130_fd_sc_hd_buf_1)	
					net2 (net)	
			2.07	v	_389_/A (sky130_fd_sc_hd_buf_4)	
			2.21	v	_389_/X (sky130_fd_sc_hd_buf_4)	
3	0.01	0.04	0.00	2.07	v	_389_/A (sky130_fd_sc_hd_buf_4)
				2.21	v	_389_/X (sky130_fd_sc_hd_buf_4)
10	0.06	0.07	0.14			_203_ (net)
				2.21	v	_399_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.03	0.05	2.26	^	_399_/Y (sky130_fd_sc_hd_inv_2)
						041 (net)
		0.03	0.00	2.26	^	_447_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.26		data arrival time
1	0.02	0.06	10.00	10.00	clock clk (rise edge)	
			0.00	10.00	clock source latency	
			0.04	10.04	^ clk (in)	
					clk (net)	
			10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)	
			10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)	
					clknet_0_clk (net)	
			10.14	^	clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)	
			10.24	^	clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)	
					clknet_2_0_leaf_clk (net)	
14	0.05	0.05	10.24	^	_447_/CLK (sky130_fd_sc_hd_dfrtp_1)	
			-0.25	9.99	clock uncertainty	
			0.00	9.99	clock reconvergence pessimism	
			0.15	10.14	library recovery time	
			10.14		data required time	
				10.14	data required time	
				-2.26	data arrival time	
				7.88	slack (MET)	

Startpoint: rst (input port clocked by clk)
Endpoint: _446_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
1	0.00	0.00	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
			0.00	2.00 v	rst (in)
					rst (net)

		0.00	0.00	2.00	v	input2/A (sky130_fd_sc_hd_buf_1)
		0.04	0.07	2.07	v	input2/X (sky130_fd_sc_hd_buf_1)
3	0.01					net2 (net)
		0.04	0.00	2.07	v	_389_/A (sky130_fd_sc_hd_buf_4)
10	0.06	0.07	0.14	2.21	v	_389_/X (sky130_fd_sc_hd_buf_4)
						203 (net)
		0.07	0.00	2.21	v	_398_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	2.25	^	_398_/Y (sky130_fd_sc_hd_inv_2)
1	0.00					_040_ (net)
		0.03	0.00	2.25	^	_446_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.25		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.06	0.04	10.04	^	clk (in)
						clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.05	0.10	10.24	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_1_leaf_clk (net)
		0.05	0.00	10.24	^	_446_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.99			clock uncertainty
		0.00	9.99			clock reconvergence pessimism
		0.15	10.14			library recovery time
			10.14			data required time

			10.14			data required time
			-2.25			data arrival time

			7.88			slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _450_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
		0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd_buf_4)
10	0.05	0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd_buf_4)
					199 (net)
		0.06	0.00	2.21	v _402_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.05	2.25	^ _402_/Y (sky130_fd_sc_hd_inv_2)
1	0.01				_044_ (net)
		0.03	0.00	2.26	^ _450_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.26	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.05	0.05	0.10	10.24	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)
		0.05	0.00	10.24	^ _450_/CLK (sky130_fd_sc_hd_dfrtp_1)

-0.25	9.99	clock uncertainty
0.00	9.99	clock reconvergence pessimism
0.15	10.14	library recovery time
	10.14	data required time

10.14	data required time
-2.26	data arrival time

7.88	slack (MET)
------	-------------

Startpoint: rst (input port clocked by clk)
Endpoint: _455_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01		0.04	2.07 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.07 v	_355_/A (sky130_fd_sc_hd__buf_4)
10	0.05		0.06	2.20 v	_355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.06	0.00	2.21 v	_407_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.25 ^	_407_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_049_ (net)
		0.03	0.00	2.25 ^	_455_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.25	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04 ^	clk (in)
					clk (net)
		0.06	0.00	10.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04		0.05	10.14 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14 ^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04		0.05	10.24 ^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1_leaf_clk (net)
		0.05	0.00	10.24 ^	_455_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		0.15	10.14		library recovery time
			10.14		data required time

				10.14	data required time
				-2.25	data arrival time

				7.89	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _454_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)

id	type	min	max	val	name
1	0.00	0.00	0.00	2.00	v rst (net)
		0.04	0.07	2.07	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01				v input2/X (sky130_fd_sc_hd__buf_1)
		0.04	0.00	2.07	v net2 (net)
		0.06	0.13	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05				v _355_/X (sky130_fd_sc_hd__buf_4)
		0.06	0.00	2.21	v _199_ (net)
		0.03	0.04	2.25	v _406_/A (sky130_fd_sc_hd__inv_2)
1	0.00				^ _406_/Y (sky130_fd_sc_hd__inv_2)
		0.03	0.00	2.25	^ _048_ (net)
				2.25	^ _454_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
					data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.24	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.05	0.00	10.24	^ _454_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		0.15	10.14		library recovery time
			10.14		data required time

			10.14		data required time
			-2.25		data arrival time

			7.89		slack (MET)

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.06	0.00	2.21	v _403_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.05	2.25	^ _403_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_045_ (net)
		0.03	0.00	2.25	^ _451_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.25	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.24	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0_leaf_clk (net)

0.05	0.00	10.24	^	_451_/CLK (sky130_fd_sc_hd__dfrtp_1)
	-0.25	9.99		clock uncertainty
	0.00	9.99		clock reconvergence pessimism
	0.15	10.14		library recovery time
		10.14		data required time

		10.14		data required time
		-2.25		data arrival time

		7.89		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _452_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.00	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
				2.07	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.05	0.04	0.07		net2 (net)
				2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
				2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
1	0.00	0.06	0.00	2.21	v _404_/A (sky130_fd_sc_hd__inv_2)
				2.25	^ _404_/Y (sky130_fd_sc_hd__inv_2)
					046 (net)
				2.25	^ _452_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
			2.25		data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.10		clknet_0_clk (net)
				10.14	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				10.24	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.05	0.00	10.24	^ _452_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	9.99	clock uncertainty
			0.00	9.99	clock reconvergence pessimism
			0.15	10.14	library recovery time
				10.14	data required time

				10.14	data required time
				-2.25	data arrival time

				7.89	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _449_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay

		0.00	0.00	2.00	v	rst (in)
1	0.00					rst (net)
		0.00	0.00	2.00	v	input2/A (sky130_fd_sc_hd_buf_1)
		0.04	0.07	2.07	v	input2/X (sky130_fd_sc_hd_buf_1)
3	0.01					net2 (net)
		0.04	0.00	2.07	v	_355_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.13	2.20	v	_355_/X (sky130_fd_sc_hd_buf_4)
10	0.05					_199_ (net)
		0.06	0.00	2.21	v	_401_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	2.25	^	_401_/Y (sky130_fd_sc_hd_inv_2)
1	0.00					_043_ (net)
		0.03	0.00	2.25	^	_449_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.25		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.06	0.04	10.04	^	clk (in)
1	0.02					clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.24	^	clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05					clknet_2_0_leaf_clk (net)
		0.05	0.00	10.24	^	_449_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.99			clock uncertainty
		0.00	9.99			clock reconvergence pessimism
		0.15	10.14			library recovery time
			10.14			data required time

			10.14			data required time
			-2.25			data arrival time

			7.89			slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _453_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.21	v _405_/A (sky130_fd_sc_hd_inv_2)
		0.02	0.04	2.25	^ _405_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_047_ (net)
		0.02	0.00	2.25	^ _453_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.25	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.24	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)

12	0.04				clknet_2_1__leaf_clk (net)
		0.05	0.00	10.24	^ _453_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	9.99	clock uncertainty
			0.00	9.99	clock reconvergence pessimism
			0.15	10.14	library recovery time
				10.14	data required time

				10.14	data required time
				-2.25	data arrival time

				7.89	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _448_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01		0.04	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.21	v _400_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.25	^ _400_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_042_ (net)
		0.03	0.00	2.25	^ _448_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.25	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02		0.06	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04		0.05	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.05	0.00	10.24	^ _448_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	9.99	clock uncertainty
			0.00	9.99	clock reconvergence pessimism
			0.15	10.14	library recovery time
				10.14	data required time

				10.14	data required time
				-2.25	data arrival time

				7.89	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _431_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency

		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.05	0.00	0.27	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.06	0.27	0.54	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[13] (net)
		0.06	0.00	0.54	v _205_/A (sky130_fd_sc_hd_or4_1)
		0.06	0.33	0.87	v _205_/X (sky130_fd_sc_hd_or4_1)
1	0.00				_097_ (net)
		0.06	0.00	0.87	v _209_/A (sky130_fd_sc_hd_nor4_1)
		0.30	0.31	1.18	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
2	0.01				_101_ (net)
		0.30	0.00	1.18	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.11	0.12	1.30	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01				net25 (net)
		0.11	0.00	1.30	^ _217_/C (sky130_fd_sc_hd_nand4_1)
		0.08	0.09	1.39	v _217_/Y (sky130_fd_sc_hd_nand4_1)
3	0.01				_109_ (net)
		0.08	0.00	1.39	v _218_/A (sky130_fd_sc_hd_buf_4)
		0.07	0.16	1.55	v _218_/X (sky130_fd_sc_hd_buf_4)
10	0.07				_110_ (net)
		0.07	0.01	1.56	v _283_/S (sky130_fd_sc_hd_mux2_1)
		0.04	0.20	1.76	v _283_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_150_ (net)
		0.04	0.00	1.76	v _284_/A (sky130_fd_sc_hd_clkbuf_1)
		0.02	0.06	1.82	v _284_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_071_ (net)
		0.02	0.00	1.82	v _431_/D (sky130_fd_sc_hd_dfrtp_1)
				1.82	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.24	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05				clknet_2_0_leaf_clk (net)
		0.05	0.00	10.25	^ _431_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.00		clock uncertainty
		0.01	10.01		clock reconvergence pessimism
		-0.07	9.94		library setup time
			9.94		data required time

			9.94		data required time
			-1.82		data arrival time

			8.12		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _432_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)

4	0.04	0.05	0.11	0.16	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.00	0.16	^	clknet_0_clk (net)
12	0.04	0.05	0.11	0.26	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.00	0.26	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
3	0.01	0.05	0.00	0.27	^	clknet_2_3_leaf_clk (net)
		0.06	0.27	0.54	v	_421_/CLK (sky130_fd_sc_hd_dfrtp_1)
1	0.00	0.06	0.00	0.54	v	_421_/Q (sky130_fd_sc_hd_dfrtp_1)
		0.06	0.33	0.87	v	clk_count[13] (net)
2	0.01	0.06	0.00	0.87	v	_205_/A (sky130_fd_sc_hd_or4_1)
		0.30	0.31	0.87	v	_205_/X (sky130_fd_sc_hd_or4_1)
3	0.01	0.06	0.00	0.87	v	_097_ (net)
		0.11	0.12	1.18	^	_209_/A (sky130_fd_sc_hd_nor4_1)
3	0.01	0.08	0.09	1.18	^	_209_/Y (sky130_fd_sc_hd_nor4_1)
		0.11	0.12	1.30	^	_101_ (net)
10	0.07	0.07	0.01	1.30	^	max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.04	0.20	1.30	^	max_cap25/X (sky130_fd_sc_hd_buf_1)
1	0.00	0.04	0.00	1.39	v	net25 (net)
		0.02	0.06	1.39	v	_217_/C (sky130_fd_sc_hd_nand4_1)
1	0.00	0.02	0.00	1.39	v	_217_/Y (sky130_fd_sc_hd_nand4_1)
		0.02	0.00	1.39	v	_109_ (net)
14	0.05	-0.25	10.00	1.55	v	_218_/A (sky130_fd_sc_hd_buf_4)
		-0.01	10.01	1.55	v	_218_/X (sky130_fd_sc_hd_buf_4)
		-0.07	9.94	1.56	v	_110_ (net)
			9.94	1.76	v	_281_/S (sky130_fd_sc_hd_mux2_1)
				1.76	v	_281_/X (sky130_fd_sc_hd_mux2_1)
				1.76	v	_149_ (net)
				1.82	v	_282_/A (sky130_fd_sc_hd_clkbuf_1)
				1.82	v	_282_/X (sky130_fd_sc_hd_clkbuf_1)
				1.82	v	_072_ (net)
				1.82	v	_432_/D (sky130_fd_sc_hd_dfrtp_1)
				1.82		data arrival time
				10.00		clock clk (rise edge)
				10.00		clock source latency
				10.04	^	clk (in)
				10.04	^	clk (net)
				10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
				10.14	^	clknet_0_clk (net)
				10.14	^	clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				10.24	^	clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
				10.24	^	clknet_2_0_leaf_clk (net)
				10.25	^	_432_/CLK (sky130_fd_sc_hd_dfrtp_1)
				10.00		clock uncertainty
				10.01		clock reconvergence pessimism
				9.94		library setup time
				9.94		data required time
				9.94		data required time
				-1.82		data arrival time
				8.12		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _433_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
1	0.02	0.06	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
4	0.04	0.05	0.04	0.04	^ clk (in)
			0.06	0.04	^ clk (net)
			0.06	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
			0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
			0.05	0.16	^ clknet_0_clk (net)
			0.00	0.16	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)

		0.05	0.11	0.26	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.05	0.00	0.27	^	_421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.06	0.27	0.54	v	_421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01					clk_count[13] (net)
		0.06	0.00	0.54	v	_205_/A (sky130_fd_sc_hd__or4_1)
		0.06	0.33	0.87	v	_205_/X (sky130_fd_sc_hd__or4_1)
1	0.00					_097_ (net)
		0.06	0.00	0.87	v	_209_/A (sky130_fd_sc_hd__nor4_1)
		0.30	0.31	1.18	^	_209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01					_101_ (net)
		0.30	0.00	1.18	^	max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.11	0.12	1.30	^	max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01					net25 (net)
		0.11	0.00	1.30	^	_217_/C (sky130_fd_sc_hd__nand4_1)
		0.08	0.09	1.39	v	_217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01					_109_ (net)
		0.08	0.00	1.39	v	_218_/A (sky130_fd_sc_hd__buf_4)
		0.07	0.16	1.55	v	_218_/X (sky130_fd_sc_hd__buf_4)
10	0.07					_110_ (net)
		0.07	0.01	1.56	v	_279_/S (sky130_fd_sc_hd__mux2_1)
		0.04	0.20	1.76	v	_279_/X (sky130_fd_sc_hd__mux2_1)
1	0.00					_148_ (net)
		0.04	0.00	1.76	v	_280_/A (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.06	1.82	v	_280_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00					_073_ (net)
		0.02	0.00	1.82	v	_433_/D (sky130_fd_sc_hd__dfrtp_1)
				1.82		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.06	0.04	10.04	^	clk (in)
1	0.02					clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.24	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.05	0.00	10.24	^	_433_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	9.99			clock uncertainty
		0.01	10.01			clock reconvergence pessimism
		-0.07	9.94			library setup time
			9.94			data required time

				9.94		data required time
				-1.82		data arrival time

				8.12		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _428_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	0.27	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)

3	0.01	0.06	0.27	0.54	v	_421_/Q (sky130_fd_sc_hd__dfrtp_1)
						clk_count[13] (net)
1	0.00	0.06	0.00	0.54	v	_205_/A (sky130_fd_sc_hd__or4_1)
		0.06	0.33	0.87	v	_205_/X (sky130_fd_sc_hd__or4_1)
2	0.01	0.06	0.00	0.87	v	_209_/A (sky130_fd_sc_hd__nor4_1)
		0.30	0.31	1.18	^	_209_/Y (sky130_fd_sc_hd__nor4_1)
3	0.01	0.30	0.00	1.18	^	_101_ (net)
		0.11	0.12	1.30	^	max_cap25/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.00	1.30	^	max_cap25/X (sky130_fd_sc_hd__buf_1)
		0.08	0.09	1.39	v	net25 (net)
3	0.01	0.08	0.00	1.39	v	_217_/C (sky130_fd_sc_hd__nand4_1)
		0.07	0.16	1.39	v	_217_/Y (sky130_fd_sc_hd__nand4_1)
10	0.07	0.07	0.01	1.39	v	_109_ (net)
		0.04	0.20	1.55	v	_218_/A (sky130_fd_sc_hd__buf_4)
1	0.00	0.07	0.01	1.55	v	_218_/X (sky130_fd_sc_hd__buf_4)
		0.04	0.00	1.56	v	_110_ (net)
1	0.00	0.04	0.00	1.56	v	_289_/S (sky130_fd_sc_hd__mux2_1)
		0.02	0.06	1.76	v	_289_/X (sky130_fd_sc_hd__mux2_1)
1	0.00	0.04	0.00	1.76	v	_153_ (net)
		0.02	0.06	1.76	v	_290_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.02	0.00	1.82	v	_290_/X (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.00	1.82	v	_068_ (net)
1	0.00	0.02	0.00	1.82	v	_428_/D (sky130_fd_sc_hd__dfrtp_1)
				1.82		data arrival time
1	0.02	10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
4	0.04	0.06	0.04	10.04	^	clk (in)
		0.06	0.00	10.04	^	clk (net)
14	0.05	0.05	0.10	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05	0.05	0.00	10.14	^	clknet_0_clk (net)
		0.05	0.10	10.14	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.05	0.05	0.10	10.24	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.00	10.24	^	clknet_2_0__leaf_clk (net)
14	0.05	0.05	0.00	10.24	^	clknet_2_0__leaf_clk (net)
		-0.25	9.99	10.24	^	_428_/CLK (sky130_fd_sc_hd__dfrtp_1)
14	0.05	-0.01	10.01			clock uncertainty
		-0.07	10.01			clock reconvergence pessimism
14	0.05		9.94			library setup time
			9.94			data required time
14	0.05		9.94			data required time
			-1.82			data arrival time
14	0.05		8.12			slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _429_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
1	0.02	0.06	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
4	0.04	0.05	0.04	0.04	^ clk (in)
			0.06	0.00	^ clk (net)
12	0.04	0.05	0.04	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.05	0.11	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
3	0.01	0.06	0.05	0.16	^ clknet_0_clk (net)
			0.05	0.00	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
3	0.01	0.06	0.05	0.11	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
			0.05	0.11	^ clknet_2_3__leaf_clk (net)
3	0.01	0.06	0.05	0.27	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.06	0.27	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01	0.06	0.06	0.54	clk_count[13] (net)
			0.06	0.00	v _205_/A (sky130_fd_sc_hd__or4_1)

1	0.00	0.06	0.33	0.87	v	_205_/X (sky130_fd_sc_hd__or4_1)
						097 (net)
2	0.01	0.06	0.00	0.87	v	_209_/A (sky130_fd_sc_hd__nor4_1)
		0.30	0.31	1.18	^	_209_/Y (sky130_fd_sc_hd__nor4_1)
3	0.01					_101_ (net)
		0.30	0.00	1.18	^	max_cap25/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.12	1.30	^	max_cap25/X (sky130_fd_sc_hd__buf_1)
						net25 (net)
3	0.01	0.11	0.00	1.30	^	_217_/C (sky130_fd_sc_hd__nand4_1)
		0.08	0.09	1.39	v	_217_/Y (sky130_fd_sc_hd__nand4_1)
10	0.07					_109_ (net)
		0.08	0.00	1.39	v	_218_/A (sky130_fd_sc_hd__buf_4)
1	0.00	0.07	0.16	1.55	v	_218_/X (sky130_fd_sc_hd__buf_4)
						110 (net)
1	0.00	0.07	0.01	1.56	v	_287_/S (sky130_fd_sc_hd__mux2_1)
		0.04	0.20	1.76	v	_287_/X (sky130_fd_sc_hd__mux2_1)
1	0.00					_152_ (net)
		0.04	0.00	1.76	v	_288_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.02	0.06	1.82	v	_288_/X (sky130_fd_sc_hd__clkbuf_1)
						069 (net)
		0.02	0.00	1.82	v	_429_/D (sky130_fd_sc_hd__dfirtp_1)
				1.82		data arrival time
1	0.02	10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
4	0.04	0.06	0.04	10.04	^	clk (in)
						clk (net)
14	0.05	0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.24	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.05	0.00	10.24	^	_429_/CLK (sky130_fd_sc_hd__dfirtp_1)
		-0.25	9.99			clock uncertainty
		0.01	10.01			clock reconvergence pessimism
		-0.07	9.94			library setup time
				9.94		data required time
				9.94		data required time
				-1.82		data arrival time
				8.13		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _430_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
4	0.04	0.06	0.04	0.04	^ clk (in)
					clk (net)
12	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
3	0.01				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
1	0.00	0.05	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.05	0.00	0.27	^ _421_/CLK (sky130_fd_sc_hd__dfirtp_1)
		0.06	0.27	0.54	v _421_/Q (sky130_fd_sc_hd__dfirtp_1)
					clk_count[13] (net)
		0.06	0.00	0.54	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.06	0.33	0.87	v _205_/X (sky130_fd_sc_hd__or4_1)
					097 (net)
		0.06	0.00	0.87	v _209_/A (sky130_fd_sc_hd__nor4_1)

		0.30	0.31	1.18	^	_209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01					_101_ (net)
		0.30	0.00	1.18	^	max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.11	0.12	1.30	^	max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01					net25 (net)
		0.11	0.00	1.30	^	_217_/C (sky130_fd_sc_hd__nand4_1)
		0.08	0.09	1.39	v	_217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01					_109_ (net)
		0.08	0.00	1.39	v	_218_/A (sky130_fd_sc_hd__buf_4)
		0.07	0.16	1.55	v	_218_/X (sky130_fd_sc_hd__buf_4)
10	0.07					_110_ (net)
		0.07	0.01	1.56	v	_285_/S (sky130_fd_sc_hd__mux2_1)
		0.04	0.20	1.76	v	_285_/X (sky130_fd_sc_hd__mux2_1)
1	0.00					_151_ (net)
		0.04	0.00	1.76	v	_286_/A (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.06	1.82	v	_286_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00					_070_ (net)
		0.02	0.00	1.82	v	_430_/D (sky130_fd_sc_hd__dfrtp_1)
				1.82		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
		0.06	0.04	10.04	^	clk (in)
1	0.02					clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.24	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05					clknet_2_0__leaf_clk (net)
		0.05	0.00	10.24	^	_430_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	9.99			clock uncertainty
		0.01	10.01			clock reconvergence pessimism
		-0.07	9.94			library setup time
			9.94			data required time

				9.94		data required time
				-1.82		data arrival time

				8.13		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _425_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	0.27	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.06	0.27	0.54	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.06	0.00	0.54	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.06	0.33	0.87	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.06	0.00	0.87	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.30	0.31	1.18	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.30	0.00	1.18	^ max_cap25/A (sky130_fd_sc_hd__buf_1)

		0.11	0.12	1.30	^	max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01					net25 (net)
		0.11	0.00	1.30	^	_217_/C (sky130_fd_sc_hd_nand4_1)
		0.08	0.09	1.39	v	_217_/Y (sky130_fd_sc_hd_nand4_1)
3	0.01					_109_ (net)
		0.08	0.00	1.39	v	_218_/A (sky130_fd_sc_hd_buf_4)
		0.07	0.16	1.55	v	_218_/X (sky130_fd_sc_hd_buf_4)
10	0.07					_110_ (net)
		0.07	0.00	1.56	v	_354_/A (sky130_fd_sc_hd_inv_2)
		0.02	0.04	1.60	^	_354_/Y (sky130_fd_sc_hd_inv_2)
1	0.00					_001_ (net)
		0.02	0.00	1.60	^	_425_/D (sky130_fd_sc_hd_dfrtp_1)
				1.60		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
		0.06	0.04	10.04	^	clk (in)
1	0.02					clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.09	10.24	^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04					clknet_2_2_leaf_clk (net)
		0.04	0.00	10.24	^	_425_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.99			clock uncertainty
		-0.01	10.00			clock reconvergence pessimism
		-0.03	9.97			library setup time
			9.97			data required time

				9.97		data required time
				-1.60		data arrival time

				8.37		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.05	0.00	0.27	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.06	0.27	0.54	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[13] (net)
		0.06	0.00	0.54	v _205_/A (sky130_fd_sc_hd_or4_1)
		0.06	0.33	0.87	v _205_/X (sky130_fd_sc_hd_or4_1)
1	0.00				_097_ (net)
		0.06	0.00	0.87	v _209_/A (sky130_fd_sc_hd_nor4_1)
		0.30	0.31	1.18	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
2	0.01				_101_ (net)
		0.30	0.00	1.18	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.11	0.12	1.30	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01				net25 (net)
		0.11	0.00	1.30	^ _273_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.03	1.32	v _273_/Y (sky130_fd_sc_hd_inv_2)
2	0.01				_144_ (net)
		0.03	0.00	1.32	v _274_/A2 (sky130_fd_sc_hd_a21oi_1)

1	0.00	0.08	0.10	1.43	^	_274_/Y (sky130_fd_sc_hd__a21oi_1) _075_ (net)
		0.08	0.00	1.43		
				1.43		
						data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
1	0.02	0.06	0.04	10.04	^	clk (in)
						clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14		clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				^	clknet_0_clk (net)
		0.05	0.00	10.14		clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.24	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
14	0.05	0.05	0.00	10.24	^	_435_/CLK (sky130_fd_sc_hd__dftrtp_2)
		-0.25	9.99			clock uncertainty
		0.01	10.01			clock reconvergence pessimism
		-0.04	9.97			library setup time
			9.97			data required time

				9.97		data required time
				-1.43		data arrival time

				8.54		slack (MET)

===== Slowest Corner =====

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _427_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
					clk (net)
4	0.04	0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.27	0.66	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
3	0.01	0.10	0.00	0.66	^ _421_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.16	0.88	1.54	v _421_/Q (sky130_fd_sc_hd__dftrtp_1)
1	0.00				clk_count[13] (net)
		0.16	0.00	1.54	v _205_/A (sky130_fd_sc_hd__or4_1)
2	0.01	0.21	1.34	2.88	v _205_/X (sky130_fd_sc_hd__or4_1)
					097 (net)
1	0.00	0.21	0.00	2.88	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.74	0.86	3.74	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
3	0.01				_101_ (net)
		0.74	0.00	3.74	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.24	0.49	4.23	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
					net25 (net)
3	0.01	0.24	0.00	4.23	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.34	0.43	4.66	v _217_/Y (sky130_fd_sc_hd__nand4_1)
10	0.06				_109_ (net)
		0.34	0.00	4.66	v _218_/A (sky130_fd_sc_hd__buf_4)
1	0.00	0.16	0.51	5.17	v _218_/X (sky130_fd_sc_hd__buf_4)
					110 (net)
1	0.00	0.16	0.01	5.17	v _291_/S (sky130_fd_sc_hd__mux2_1)
		0.11	0.75	5.92	v _291_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_154_ (net)
		0.11	0.00	5.92	v hold36/A (sky130_fd_sc_hd__dlygate4sd3_1)

		0.11	1.21	7.13	v	hold36/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00					net61 (net)
		0.11	0.00	7.13	v	_292_/A (sky130_fd_sc_hd_clkbuf_1)
		0.05	0.19	7.32	v	_292_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00					_067_ (net)
		0.05	0.00	7.32	v	_427_/D (sky130_fd_sc_hd_dfrtp_1)
				7.32		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
		0.13	0.08	10.08	^	clk (in)
1	0.02					clk (net)
		0.13	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.35	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	10.35	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.25	10.59	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1_leaf_clk (net)
		0.09	0.00	10.60	^	_427_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.35			clock uncertainty
		0.04	10.38			clock reconvergence pessimism
		-0.26	10.12			library setup time
			10.12			data required time

			10.12			data required time
			-7.32			data arrival time

			2.79			slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _426_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.27	0.66	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.10	0.00	0.66	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.16	0.88	1.54	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[13] (net)
		0.16	0.00	1.54	v _205_/A (sky130_fd_sc_hd_or4_1)
		0.21	1.34	2.88	v _205_/X (sky130_fd_sc_hd_or4_1)
1	0.00				_097_ (net)
		0.21	0.00	2.88	v _209_/A (sky130_fd_sc_hd_nor4_1)
		0.74	0.86	3.74	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
2	0.01				_101_ (net)
		0.74	0.00	3.74	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.24	0.49	4.23	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01				net25 (net)
		0.24	0.00	4.23	^ _217_/C (sky130_fd_sc_hd_nand4_1)
		0.34	0.43	4.66	v _217_/Y (sky130_fd_sc_hd_nand4_1)
3	0.01				_109_ (net)
		0.34	0.00	4.66	v _218_/A (sky130_fd_sc_hd_buf_4)
		0.16	0.51	5.17	v _218_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_110_ (net)
		0.16	0.00	5.17	v _293_/S (sky130_fd_sc_hd_mux2_1)
		0.10	0.75	5.92	v _293_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_155_ (net)
		0.10	0.00	5.92	v hold34/A (sky130_fd_sc_hd_dlygate4sd3_1)

		0.11	1.20	7.12	v	hold34/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00					net59 (net)
		0.11	0.00	7.12	v	_294_/A (sky130_fd_sc_hd_clkbuf_1)
		0.05	0.18	7.31	v	_294_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00					_066_ (net)
		0.05	0.00	7.31	v	_426_/D (sky130_fd_sc_hd_dfrtp_1)
				7.31		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
		0.13	0.08	10.08	^	clk (in)
1	0.02					clk (net)
		0.13	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.35	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	10.35	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	10.60	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_3_leaf_clk (net)
		0.10	0.00	10.60	^	_426_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.35			clock uncertainty
		0.06	10.41			clock reconvergence pessimism
		-0.26	10.15			library setup time
			10.15			data required time

			10.15			data required time
			-7.31			data arrival time

			2.84			slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _450_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.27	0.66	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.10	0.00	0.66	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.16	0.88	1.54	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[13] (net)
		0.16	0.00	1.54	v _205_/A (sky130_fd_sc_hd_or4_1)
		0.21	1.34	2.88	v _205_/X (sky130_fd_sc_hd_or4_1)
1	0.00				_097_ (net)
		0.21	0.00	2.88	v _209_/A (sky130_fd_sc_hd_nor4_1)
		0.74	0.86	3.74	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
2	0.01				_101_ (net)
		0.74	0.00	3.74	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.24	0.49	4.23	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01				net25 (net)
		0.24	0.00	4.23	^ _236_/B (sky130_fd_sc_hd_nand2_1)
		0.15	0.24	4.47	v _236_/Y (sky130_fd_sc_hd_nand2_1)
2	0.01				_124_ (net)
		0.15	0.00	4.47	v _238_/A2 (sky130_fd_sc_hd_a21o_2)
		0.20	0.58	5.06	v _238_/X (sky130_fd_sc_hd_a21o_2)
8	0.04				_126_ (net)
		0.20	0.00	5.06	v _241_/A2 (sky130_fd_sc_hd_a22o_1)
		0.07	0.49	5.55	v _241_/X (sky130_fd_sc_hd_a22o_1)
1	0.00				_090_ (net)
		0.07	0.00	5.55	v hold10/A (sky130_fd_sc_hd_dlygate4sd3_1)

1	0.00	0.11	1.18	6.73	v	hold10/X (sky130_fd_sc_hd_dlygate4sd3_1)
		0.11	0.00	6.73	v	net35 (net)
				6.73	v	_450_/D (sky130_fd_sc_hd_dfrtp_1)
				6.73		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
1	0.02	0.13	0.08	10.08	^	clk (in)
						clk (net)
		0.13	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.26	10.35	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.10	0.00	10.35	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.10	0.25	10.60	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.10	0.00	10.60	^	_450_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.35			clock uncertainty
		0.04	10.39			clock reconvergence pessimism
		-0.28	10.10			library setup time
			10.10			data required time

			10.10			data required time
			-6.73			data arrival time

			3.37			slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _449_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.09	0.09	^ clk (in)
					clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.10	0.27	0.66	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
3	0.01	0.16	0.88	1.54	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
					clk_count[13] (net)
		0.16	0.00	1.54	v _205_/A (sky130_fd_sc_hd_or4_1)
1	0.00	0.21	1.34	2.88	v _205_/X (sky130_fd_sc_hd_or4_1)
					097 (net)
		0.21	0.00	2.88	v _209_/A (sky130_fd_sc_hd_nor4_1)
2	0.01	0.74	0.86	3.74	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
					101 (net)
		0.74	0.00	3.74	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.24	0.49	4.23	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
					net25 (net)
		0.24	0.00	4.23	^ _236_/B (sky130_fd_sc_hd_nand2_1)
2	0.01	0.15	0.24	4.47	v _236_/Y (sky130_fd_sc_hd_nand2_1)
					124 (net)
		0.15	0.00	4.47	v _238_/A2 (sky130_fd_sc_hd_a21o_2)
8	0.04	0.20	0.58	5.06	v _238_/X (sky130_fd_sc_hd_a21o_2)
					126 (net)
		0.20	0.00	5.06	v _242_/A2 (sky130_fd_sc_hd_a22o_1)
1	0.00	0.07	0.49	5.55	v _242_/X (sky130_fd_sc_hd_a22o_1)
					089 (net)
		0.07	0.00	5.55	v hold8/A (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00	0.10	1.17	6.72	v hold8/X (sky130_fd_sc_hd_dlygate4sd3_1)
					net33 (net)
		0.10	0.00	6.72	v _449_/D (sky130_fd_sc_hd_dfrtp_1)

				6.72	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	10.60	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	10.60	^ _449_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.35		clock uncertainty
		0.04	10.39		clock reconvergence pessimism
		-0.28	10.11		library setup time
			10.11		data required time

			10.11		data required time
			-6.72		data arrival time

			3.39		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _447_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.27	0.66	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.16	0.88	1.54	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.16	0.00	1.54	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.21	1.34	2.88	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.21	0.00	2.88	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.74	0.86	3.74	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.74	0.00	3.74	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.24	0.49	4.23	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.24	0.00	4.23	^ _236_/B (sky130_fd_sc_hd__nand2_1)
		0.15	0.24	4.47	v _236_/Y (sky130_fd_sc_hd__nand2_1)
2	0.01				_124_ (net)
		0.15	0.00	4.47	v _238_/A2 (sky130_fd_sc_hd__a21o_2)
		0.20	0.58	5.06	v _238_/X (sky130_fd_sc_hd__a21o_2)
8	0.04				_126_ (net)
		0.20	0.00	5.06	v _244_/A2 (sky130_fd_sc_hd__a22o_1)
		0.06	0.47	5.53	v _244_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_087_ (net)
		0.06	0.00	5.53	v hold3/A (sky130_fd_sc_hd__dlygate4sd3_1)
		0.10	1.17	6.70	v hold3/X (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00				net28 (net)
		0.10	0.00	6.70	v _447_/D (sky130_fd_sc_hd__dfrtp_1)
				6.70	data arrival time
			10.00	10.00	clock clk (rise edge)

			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	10.60	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	10.60	^ _447_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.35		clock uncertainty
		0.04	10.39		clock reconvergence pessimism
		-0.28	10.11		library setup time
			10.11		data required time

				10.11	data required time
				-6.70	data arrival time

				3.41	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _451_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.27	0.66	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.16	0.88	1.54	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.16	0.00	1.54	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.21	1.34	2.88	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.21	0.00	2.88	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.74	0.86	3.74	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.74	0.00	3.74	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.24	0.49	4.23	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.24	0.00	4.23	^ _236_/B (sky130_fd_sc_hd__nand2_1)
		0.15	0.24	4.47	v _236_/Y (sky130_fd_sc_hd__nand2_1)
2	0.01				_124_ (net)
		0.15	0.00	4.47	v _238_/A2 (sky130_fd_sc_hd__a21o_2)
		0.20	0.58	5.06	v _238_/X (sky130_fd_sc_hd__a21o_2)
8	0.04				_126_ (net)
		0.20	0.00	5.06	v _240_/A2 (sky130_fd_sc_hd__a22o_1)
		0.06	0.47	5.53	v _240_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_091_ (net)
		0.06	0.00	5.53	v hold5/A (sky130_fd_sc_hd__dlygate4sd3_1)
		0.10	1.17	6.70	v hold5/X (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00				net30 (net)
		0.10	0.00	6.70	v _451_/D (sky130_fd_sc_hd__dfrtp_1)
				6.70	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)

		0.13	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.35	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	10.35	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	10.60	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04					clknet_2_0__leaf_clk (net)
		0.10	0.00	10.60	^	_451_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.35		clock uncertainty
		0.04		10.39		clock reconvergence pessimism
		-0.28		10.11		library setup time
				10.11		data required time

				10.11		data required time
				-6.70		data arrival time

				3.41		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _453_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.27	0.66	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.16	0.88	1.54	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.16	0.00	1.54	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.21	1.34	2.88	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.21	0.00	2.88	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.74	0.86	3.74	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.74	0.00	3.74	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.24	0.49	4.23	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.24	0.00	4.23	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.34	0.43	4.66	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.34	0.00	4.66	v _222_/C (sky130_fd_sc_hd__and3_1)
		0.07	0.51	5.17	v _222_/X (sky130_fd_sc_hd__and3_1)
1	0.00				_113_ (net)
		0.07	0.00	5.17	v _223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.18	0.37	5.55	v _223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.05				_114_ (net)
		0.18	0.00	5.55	v _229_/S (sky130_fd_sc_hd__mux2_1)
		0.11	0.77	6.32	v _229_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_119_ (net)
		0.11	0.00	6.32	v _230_/A (sky130_fd_sc_hd__clkbuf_1)
		0.05	0.19	6.51	v _230_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_093_ (net)
		0.05	0.00	6.51	v _453_/D (sky130_fd_sc_hd__dfrtp_1)
				6.51	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)

		0.13	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.35	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	10.35	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.25	10.59	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.09	0.00	10.60	^	_453_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.35		clock uncertainty
		0.04		10.38		clock reconvergence pessimism
		-0.26		10.12		library setup time
				10.12		data required time

				10.12		data required time
				-6.51		data arrival time

				3.61		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _442_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.27	0.66	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.16	0.88	1.54	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.16	0.00	1.54	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.21	1.34	2.88	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.21	0.00	2.88	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.74	0.86	3.74	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.74	0.00	3.74	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.24	0.49	4.23	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.24	0.00	4.23	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.34	0.43	4.66	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.34	0.00	4.66	v _222_/C (sky130_fd_sc_hd__and3_1)
		0.07	0.51	5.17	v _222_/X (sky130_fd_sc_hd__and3_1)
1	0.00				_113_ (net)
		0.07	0.00	5.17	v _223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.18	0.37	5.55	v _223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.05				_114_ (net)
		0.18	0.00	5.55	v _252_/S (sky130_fd_sc_hd__mux2_1)
		0.11	0.77	6.32	v _252_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_131_ (net)
		0.11	0.00	6.32	v _253_/A (sky130_fd_sc_hd__clkbuf_1)
		0.05	0.18	6.51	v _253_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_082_ (net)
		0.05	0.00	6.51	v _442_/D (sky130_fd_sc_hd__dfrtp_1)
				6.51	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)

		0.13	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.35	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	10.35	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.25	10.59	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.09	0.00	10.60	^	_442_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.35		clock uncertainty
		0.04		10.38		clock reconvergence pessimism
		-0.26		10.12		library setup time
				10.12		data required time

				10.12		data required time
				-6.51		data arrival time

				3.62		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _452_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.27	0.66	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.16	0.88	1.54	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.16	0.00	1.54	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.21	1.34	2.88	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.21	0.00	2.88	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.74	0.86	3.74	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.74	0.00	3.74	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.24	0.49	4.23	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.24	0.00	4.23	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.34	0.43	4.66	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.34	0.00	4.66	v _222_/C (sky130_fd_sc_hd__and3_1)
		0.07	0.51	5.17	v _222_/X (sky130_fd_sc_hd__and3_1)
1	0.00				_113_ (net)
		0.07	0.00	5.17	v _223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.18	0.37	5.55	v _223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.05				_114_ (net)
		0.18	0.00	5.55	v _233_/S (sky130_fd_sc_hd__mux2_1)
		0.11	0.77	6.32	v _233_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_122_ (net)
		0.11	0.00	6.32	v _234_/A (sky130_fd_sc_hd__clkbuf_1)
		0.05	0.18	6.50	v _234_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_092_ (net)
		0.05	0.00	6.50	v _452_/D (sky130_fd_sc_hd__dfrtp_1)
				6.50	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)

		0.13	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.35	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	10.35	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.25	10.59	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.09	0.00	10.60	^	_452_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.35		clock uncertainty
		0.04		10.38		clock reconvergence pessimism
		-0.26		10.12		library setup time
				10.12		data required time

				10.12		data required time
				-6.50		data arrival time

				3.62		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _443_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.27	0.66	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.16	0.88	1.54	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.16	0.00	1.54	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.21	1.34	2.88	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.21	0.00	2.88	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.74	0.86	3.74	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.74	0.00	3.74	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.24	0.49	4.23	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.24	0.00	4.23	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.34	0.43	4.66	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.34	0.00	4.66	v _222_/C (sky130_fd_sc_hd__and3_1)
		0.07	0.51	5.17	v _222_/X (sky130_fd_sc_hd__and3_1)
1	0.00				_113_ (net)
		0.07	0.00	5.17	v _223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.18	0.37	5.55	v _223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.05				_114_ (net)
		0.18	0.00	5.55	v _249_/S (sky130_fd_sc_hd__mux2_1)
		0.11	0.76	6.31	v _249_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_129_ (net)
		0.11	0.00	6.31	v _250_/A (sky130_fd_sc_hd__clkbuf_1)
		0.05	0.19	6.50	v _250_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_083_ (net)
		0.05	0.00	6.50	v _443_/D (sky130_fd_sc_hd__dfrtp_1)
				6.50	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)

		0.13	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.35	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	10.35	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.25	10.59	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.09	0.00	10.60	^	_443_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25		10.35		clock uncertainty
		0.04		10.38		clock reconvergence pessimism
		-0.26		10.12		library setup time
				10.12		data required time

				10.12		data required time
				-6.50		data arrival time

				3.62		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _441_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.27	0.66	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^ _421_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.16	0.88	1.54	v _421_/Q (sky130_fd_sc_hd__dftrtp_1)
3	0.01				clk_count[13] (net)
		0.16	0.00	1.54	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.21	1.34	2.88	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.21	0.00	2.88	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.74	0.86	3.74	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.74	0.00	3.74	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.24	0.49	4.23	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.24	0.00	4.23	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.34	0.43	4.66	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.34	0.00	4.66	v _222_/C (sky130_fd_sc_hd__and3_1)
		0.07	0.51	5.17	v _222_/X (sky130_fd_sc_hd__and3_1)
1	0.00				_113_ (net)
		0.07	0.00	5.17	v _223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.18	0.37	5.55	v _223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.05				_114_ (net)
		0.18	0.00	5.55	v _255_/S (sky130_fd_sc_hd__mux2_1)
		0.11	0.76	6.31	v _255_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_133_ (net)
		0.11	0.00	6.31	v _256_/A (sky130_fd_sc_hd__clkbuf_1)
		0.05	0.18	6.49	v _256_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_081_ (net)
		0.05	0.00	6.49	v _441_/D (sky130_fd_sc_hd__dftrtp_1)
				6.49	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)

		0.13	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.35	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	10.35	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.25	10.59	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.09	0.00	10.60	^	_441_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.35		clock uncertainty
		0.04		10.38		clock reconvergence pessimism
		-0.26		10.12		library setup time
				10.12		data required time

				10.12		data required time
				-6.49		data arrival time

				3.63		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _440_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.27	0.66	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.16	0.88	1.54	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.16	0.00	1.54	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.21	1.34	2.88	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.21	0.00	2.88	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.74	0.86	3.74	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.74	0.00	3.74	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.24	0.49	4.23	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.24	0.00	4.23	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.34	0.43	4.66	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.34	0.00	4.66	v _222_/C (sky130_fd_sc_hd__and3_1)
		0.07	0.51	5.17	v _222_/X (sky130_fd_sc_hd__and3_1)
1	0.00				_113_ (net)
		0.07	0.00	5.17	v _223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.18	0.37	5.55	v _223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.05				_114_ (net)
		0.18	0.00	5.55	v _258_/S (sky130_fd_sc_hd__mux2_1)
		0.11	0.76	6.31	v _258_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_135_ (net)
		0.11	0.00	6.31	v _259_/A (sky130_fd_sc_hd__clkbuf_1)
		0.05	0.19	6.50	v _259_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_080_ (net)
		0.05	0.00	6.50	v _440_/D (sky130_fd_sc_hd__dfrtp_1)
				6.50	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)

		0.13	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.35	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	10.35	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	10.60	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.10	0.00	10.60	^	_440_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.35		clock uncertainty
		0.06		10.41		clock reconvergence pessimism
		-0.26		10.15		library setup time
				10.15		data required time

				10.15		data required time
				-6.50		data arrival time

				3.65		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _438_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.27	0.66	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.16	0.88	1.54	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.16	0.00	1.54	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.21	1.34	2.88	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.21	0.00	2.88	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.74	0.86	3.74	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.74	0.00	3.74	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.24	0.49	4.23	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.24	0.00	4.23	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.34	0.43	4.66	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.34	0.00	4.66	v _222_/C (sky130_fd_sc_hd__and3_1)
		0.07	0.51	5.17	v _222_/X (sky130_fd_sc_hd__and3_1)
1	0.00				_113_ (net)
		0.07	0.00	5.17	v _223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.18	0.37	5.55	v _223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.05				_114_ (net)
		0.18	0.00	5.55	v _264_/S (sky130_fd_sc_hd__mux2_1)
		0.11	0.77	6.32	v _264_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_139_ (net)
		0.11	0.00	6.32	v _265_/A (sky130_fd_sc_hd__clkbuf_1)
		0.05	0.18	6.50	v _265_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_078_ (net)
		0.05	0.00	6.50	v _438_/D (sky130_fd_sc_hd__dfrtp_1)
				6.50	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)

		0.13	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.35	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	10.35	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	10.60	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.10	0.00	10.60	^	_438_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.35		clock uncertainty
		0.06		10.41		clock reconvergence pessimism
		-0.26		10.15		library setup time
				10.15		data required time

				10.15		data required time
				-6.50		data arrival time

				3.65		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _439_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.27	0.66	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.16	0.88	1.54	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.16	0.00	1.54	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.21	1.34	2.88	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.21	0.00	2.88	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.74	0.86	3.74	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.74	0.00	3.74	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.24	0.49	4.23	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.24	0.00	4.23	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.34	0.43	4.66	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.34	0.00	4.66	v _222_/C (sky130_fd_sc_hd__and3_1)
		0.07	0.51	5.17	v _222_/X (sky130_fd_sc_hd__and3_1)
1	0.00				_113_ (net)
		0.07	0.00	5.17	v _223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.18	0.37	5.55	v _223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.05				_114_ (net)
		0.18	0.00	5.55	v _261_/S (sky130_fd_sc_hd__mux2_1)
		0.11	0.77	6.31	v _261_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_137_ (net)
		0.11	0.00	6.31	v _262_/A (sky130_fd_sc_hd__clkbuf_1)
		0.04	0.18	6.50	v _262_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_079_ (net)
		0.04	0.00	6.50	v _439_/D (sky130_fd_sc_hd__dfrtp_1)
				6.50	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)

		0.13	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.35	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	10.35	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	10.60	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.10	0.00	10.60	^	_439_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.35		clock uncertainty
		0.06		10.41		clock reconvergence pessimism
		-0.26		10.15		library setup time
				10.15		data required time

				10.15		data required time
				-6.50		data arrival time

				3.66		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _437_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.27	0.66	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.16	0.88	1.54	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.16	0.00	1.54	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.21	1.34	2.88	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.21	0.00	2.88	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.74	0.86	3.74	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.74	0.00	3.74	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.24	0.49	4.23	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.24	0.00	4.23	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.34	0.43	4.66	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.34	0.00	4.66	v _222_/C (sky130_fd_sc_hd__and3_1)
		0.07	0.51	5.17	v _222_/X (sky130_fd_sc_hd__and3_1)
1	0.00				_113_ (net)
		0.07	0.00	5.17	v _223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.18	0.37	5.55	v _223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.05				_114_ (net)
		0.18	0.00	5.55	v _267_/S (sky130_fd_sc_hd__mux2_1)
		0.11	0.76	6.31	v _267_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_141_ (net)
		0.11	0.00	6.31	v _268_/A (sky130_fd_sc_hd__clkbuf_1)
		0.04	0.18	6.49	v _268_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_077_ (net)
		0.04	0.00	6.49	v _437_/D (sky130_fd_sc_hd__dfrtp_1)
				6.49	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)

		0.13	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.35	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	10.35	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	10.60	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.10	0.00	10.60	^	_437_/CLK (sky130_fd_sc_hd__dfrrtp_1)
		-0.25		10.35		clock uncertainty
		0.06		10.41		clock reconvergence pessimism
		-0.26		10.15		library setup time
				10.15		data required time

				10.15		data required time
				-6.49		data arrival time

				3.66		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _454_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.27	0.66	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^ _421_/CLK (sky130_fd_sc_hd__dfrrtp_1)
		0.16	0.88	1.54	v _421_/Q (sky130_fd_sc_hd__dfrrtp_1)
3	0.01				clk_count[13] (net)
		0.16	0.00	1.54	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.21	1.34	2.88	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.21	0.00	2.88	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.74	0.86	3.74	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.74	0.00	3.74	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.24	0.49	4.23	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.24	0.00	4.23	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.34	0.43	4.66	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.34	0.00	4.66	v _218_/A (sky130_fd_sc_hd__buf_4)
		0.16	0.51	5.17	v _218_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_110_ (net)
		0.16	0.00	5.17	v _219_/D (sky130_fd_sc_hd__and4_1)
		0.09	0.49	5.66	v _219_/X (sky130_fd_sc_hd__and4_1)
2	0.00				_111_ (net)
		0.09	0.00	5.66	v _226_/B1 (sky130_fd_sc_hd__a2bb2o_1)
		0.10	0.61	6.27	v _226_/X (sky130_fd_sc_hd__a2bb2o_1)
1	0.00				_094_ (net)
		0.10	0.00	6.27	v _454_/D (sky130_fd_sc_hd__dfrrtp_1)
				6.27	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)

		0.10	0.00	10.35	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.25	10.59	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.09	0.00	10.60	^	_454_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25		10.35		clock uncertainty
		0.04		10.38		clock reconvergence pessimism
		-0.28		10.10		library setup time
				10.10		data required time

				10.10		data required time
				-6.27		data arrival time

				3.83		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _432_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.27	0.66	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^ _421_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.16	0.88	1.54	v _421_/Q (sky130_fd_sc_hd__dftrtp_1)
3	0.01				clk_count[13] (net)
		0.16	0.00	1.54	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.21	1.34	2.88	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.21	0.00	2.88	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.74	0.86	3.74	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.74	0.00	3.74	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.24	0.49	4.23	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.24	0.00	4.23	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.34	0.43	4.66	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.34	0.00	4.66	v _218_/A (sky130_fd_sc_hd__buf_4)
		0.16	0.51	5.17	v _218_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_110_ (net)
		0.16	0.01	5.17	v _281_/S (sky130_fd_sc_hd__mux2_1)
		0.11	0.76	5.93	v _281_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_149_ (net)
		0.11	0.00	5.93	v _282_/A (sky130_fd_sc_hd__clkbuf_1)
		0.05	0.18	6.12	v _282_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_072_ (net)
		0.05	0.00	6.12	v _432_/D (sky130_fd_sc_hd__dftrtp_1)
				6.12	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	10.60	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)

0.10	0.00	10.60	^	_432_/CLK (sky130_fd_sc_hd__dfrtp_1)
-0.25	10.35			clock uncertainty
0.04	10.39			clock reconvergence pessimism
-0.26	10.13			library setup time
	10.13			data required time

		10.13		data required time
		-6.12		data arrival time

		4.02		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _431_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.10	0.27	0.66	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
3	0.01	0.16	0.88	1.54	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
					clk_count[13] (net)
		0.16	0.00	1.54	v _205_/A (sky130_fd_sc_hd__or4_1)
1	0.00	0.21	1.34	2.88	v _205_/X (sky130_fd_sc_hd__or4_1)
					097 (net)
		0.21	0.00	2.88	v _209_/A (sky130_fd_sc_hd__nor4_1)
2	0.01	0.74	0.86	3.74	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
					101 (net)
		0.74	0.00	3.74	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.24	0.49	4.23	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
					net25 (net)
		0.24	0.00	4.23	^ _217_/C (sky130_fd_sc_hd__nand4_1)
3	0.01	0.34	0.43	4.66	v _217_/Y (sky130_fd_sc_hd__nand4_1)
					109 (net)
		0.34	0.00	4.66	v _218_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.16	0.51	5.17	v _218_/X (sky130_fd_sc_hd__buf_4)
					110 (net)
		0.16	0.01	5.17	v _283_/S (sky130_fd_sc_hd__mux2_1)
1	0.00	0.11	0.76	5.93	v _283_/X (sky130_fd_sc_hd__mux2_1)
					150 (net)
		0.11	0.00	5.93	v _284_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.04	0.18	6.12	v _284_/X (sky130_fd_sc_hd__clkbuf_1)
					071 (net)
		0.04	0.00	6.12	v _431_/D (sky130_fd_sc_hd__dfrtp_1)
				6.12	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.25	10.60	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	10.60	^ _431_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.35		clock uncertainty
		0.04	10.39		clock reconvergence pessimism

-0.26	10.13	library setup time
	10.13	data required time

	10.13	data required time
	-6.12	data arrival time

	4.02	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _433_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.10	0.27	0.66	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
		0.10	0.00	0.66	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
3	0.01	0.16	0.88	1.54	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
					clk_count[13] (net)
		0.16	0.00	1.54	v _205_/A (sky130_fd_sc_hd_or4_1)
1	0.00	0.21	1.34	2.88	v _205_/X (sky130_fd_sc_hd_or4_1)
					097 (net)
		0.21	0.00	2.88	v _209_/A (sky130_fd_sc_hd_nor4_1)
2	0.01	0.74	0.86	3.74	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
					101 (net)
		0.74	0.00	3.74	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.24	0.49	4.23	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
					net25 (net)
		0.24	0.00	4.23	^ _217_/C (sky130_fd_sc_hd_nand4_1)
3	0.01	0.34	0.43	4.66	v _217_/Y (sky130_fd_sc_hd_nand4_1)
					109 (net)
		0.34	0.00	4.66	v _218_/A (sky130_fd_sc_hd_buf_4)
10	0.06	0.16	0.51	5.17	v _218_/X (sky130_fd_sc_hd_buf_4)
					110 (net)
		0.16	0.01	5.17	v _279_/S (sky130_fd_sc_hd_mux2_1)
1	0.00	0.10	0.75	5.92	v _279_/X (sky130_fd_sc_hd_mux2_1)
					148 (net)
		0.10	0.00	5.92	v _280_/A (sky130_fd_sc_hd_clkbuf_1)
1	0.00	0.05	0.18	6.10	v _280_/X (sky130_fd_sc_hd_clkbuf_1)
					073 (net)
		0.05	0.00	6.10	v _433_/D (sky130_fd_sc_hd_dfrtp_1)
				6.10	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.25	10.59	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
		0.09	0.00	10.60	^ _433_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	10.35	clock uncertainty
			0.04	10.38	clock reconvergence pessimism
			-0.26	10.12	library setup time
				10.12	data required time

10.12 data required time
-6.10 data arrival time

4.02 slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _428_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.10	0.27	0.66	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
3	0.01	0.16	0.88	1.54	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
					clk_count[13] (net)
		0.16	0.00	1.54	v _205_/A (sky130_fd_sc_hd__or4_1)
1	0.00	0.21	1.34	2.88	v _205_/X (sky130_fd_sc_hd__or4_1)
					097 (net)
		0.21	0.00	2.88	v _209_/A (sky130_fd_sc_hd__nor4_1)
2	0.01	0.74	0.86	3.74	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
					101 (net)
		0.74	0.00	3.74	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.24	0.49	4.23	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
					net25 (net)
		0.24	0.00	4.23	^ _217_/C (sky130_fd_sc_hd__nand4_1)
3	0.01	0.34	0.43	4.66	v _217_/Y (sky130_fd_sc_hd__nand4_1)
					109 (net)
		0.34	0.00	4.66	v _218_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.16	0.51	5.17	v _218_/X (sky130_fd_sc_hd__buf_4)
					110 (net)
		0.16	0.01	5.17	v _289_/S (sky130_fd_sc_hd__mux2_1)
1	0.00	0.11	0.76	5.93	v _289_/X (sky130_fd_sc_hd__mux2_1)
					153 (net)
		0.11	0.00	5.93	v _290_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.05	0.18	6.11	v _290_/X (sky130_fd_sc_hd__clkbuf_1)
					068 (net)
		0.05	0.00	6.11	v _428_/D (sky130_fd_sc_hd__dfrtp_1)
				6.11	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.25	10.60	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	10.60	^ _428_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.35	clock uncertainty
		0.04		10.39	clock reconvergence pessimism
		-0.26		10.13	library setup time
				10.13	data required time
				10.13	data required time
				-6.11	data arrival time

4.02 slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _430_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.10	0.27	0.66	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.16	0.88	1.54	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.16	0.00	1.54	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.21	1.34	2.88	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.21	0.00	2.88	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.74	0.86	3.74	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.74	0.00	3.74	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.24	0.49	4.23	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.24	0.00	4.23	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.34	0.43	4.66	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.34	0.00	4.66	v _218_/A (sky130_fd_sc_hd__buf_4)
		0.16	0.51	5.17	v _218_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_110_ (net)
		0.16	0.01	5.17	v _285_/S (sky130_fd_sc_hd__mux2_1)
		0.11	0.75	5.93	v _285_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_151_ (net)
		0.11	0.00	5.93	v _286_/A (sky130_fd_sc_hd__clkbuf_1)
		0.04	0.18	6.10	v _286_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_070_ (net)
		0.04	0.00	6.10	v _430_/D (sky130_fd_sc_hd__dfrtp_1)
				6.10	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	10.60	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	10.60	^ _430_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.35	clock uncertainty
		0.04		10.39	clock reconvergence pessimism
		-0.26		10.13	library setup time
				10.13	data required time

				10.13	data required time
				-6.10	data arrival time

				4.03	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _429_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.10	0.27	0.66	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
3	0.01	0.16	0.88	1.54	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
					clk_count[13] (net)
		0.16	0.00	1.54	v _205_/A (sky130_fd_sc_hd__or4_1)
1	0.00	0.21	1.34	2.88	v _205_/X (sky130_fd_sc_hd__or4_1)
					097 (net)
		0.21	0.00	2.88	v _209_/A (sky130_fd_sc_hd__nor4_1)
2	0.01	0.74	0.86	3.74	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
					101 (net)
		0.74	0.00	3.74	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.24	0.49	4.23	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
					net25 (net)
		0.24	0.00	4.23	^ _217_/C (sky130_fd_sc_hd__nand4_1)
3	0.01	0.34	0.43	4.66	v _217_/Y (sky130_fd_sc_hd__nand4_1)
					109 (net)
		0.34	0.00	4.66	v _218_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.16	0.51	5.17	v _218_/X (sky130_fd_sc_hd__buf_4)
					110 (net)
		0.16	0.01	5.17	v _287_/S (sky130_fd_sc_hd__mux2_1)
1	0.00	0.10	0.75	5.92	v _287_/X (sky130_fd_sc_hd__mux2_1)
					152 (net)
		0.10	0.00	5.92	v _288_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.04	0.18	6.10	v _288_/X (sky130_fd_sc_hd__clkbuf_1)
					069 (net)
		0.04	0.00	6.10	v _429_/D (sky130_fd_sc_hd__dfrtp_1)
				6.10	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.25	10.60	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	10.60	^ _429_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.35		clock uncertainty
		0.04	10.39		clock reconvergence pessimism
		-0.26	10.13		library setup time
			10.13		data required time

				10.13	data required time
				-6.10	data arrival time

				4.03	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _455_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk

Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.10	0.27	0.66	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.16	0.88	1.54	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.16	0.00	1.54	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.21	1.34	2.88	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.21	0.00	2.88	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.74	0.86	3.74	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.74	0.00	3.74	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.24	0.49	4.23	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.24	0.00	4.23	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.34	0.43	4.66	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.34	0.00	4.66	v _218_/A (sky130_fd_sc_hd__buf_4)
		0.16	0.51	5.17	v _218_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_110_ (net)
		0.16	0.00	5.17	v _219_/D (sky130_fd_sc_hd__and4_1)
		0.09	0.49	5.66	v _219_/X (sky130_fd_sc_hd__and4_1)
2	0.00				_111_ (net)
		0.09	0.00	5.66	v _220_/A2 (sky130_fd_sc_hd__o21a_1)
		0.07	0.33	5.99	v _220_/X (sky130_fd_sc_hd__o21a_1)
1	0.00				_095_ (net)
		0.07	0.00	5.99	v _455_/D (sky130_fd_sc_hd__dfrtp_1)
				5.99	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.25	10.59	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	10.60	^ _455_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.35	clock uncertainty
			0.04	10.38	clock reconvergence pessimism
			-0.27	10.11	library setup time
				10.11	data required time

				10.11	data required time
				-5.99	data arrival time

				4.12	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _446_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.27	0.66	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.10	0.00	0.66	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.16	0.88	1.54	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[13] (net)
		0.16	0.00	1.54	v _205_/A (sky130_fd_sc_hd_or4_1)
		0.21	1.34	2.88	v _205_/X (sky130_fd_sc_hd_or4_1)
1	0.00				_097_ (net)
		0.21	0.00	2.88	v _209_/A (sky130_fd_sc_hd_nor4_1)
		0.74	0.86	3.74	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
2	0.01				_101_ (net)
		0.74	0.00	3.74	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.24	0.49	4.23	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01				net25 (net)
		0.24	0.00	4.23	^ _236_/B (sky130_fd_sc_hd_nand2_1)
		0.15	0.24	4.47	v _236_/Y (sky130_fd_sc_hd_nand2_1)
2	0.01				_124_ (net)
		0.15	0.00	4.47	v _238_/A2 (sky130_fd_sc_hd_a21o_2)
		0.20	0.58	5.06	v _238_/X (sky130_fd_sc_hd_a21o_2)
8	0.04				_126_ (net)
		0.20	0.00	5.06	v _245_/A2 (sky130_fd_sc_hd_a22o_1)
		0.08	0.49	5.55	v _245_/X (sky130_fd_sc_hd_a22o_1)
1	0.00				_086_ (net)
		0.08	0.00	5.55	v _446_/D (sky130_fd_sc_hd_dfrtp_1)
				5.55	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.25	10.59	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.09	0.00	10.60	^ _446_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	10.35	clock uncertainty
			0.04	10.38	clock reconvergence pessimism
			-0.27	10.11	library setup time
				10.11	data required time

				10.11	data required time
				-5.55	data arrival time

				4.56	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _445_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)

		0.13	0.00	0.09	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	0.38	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.27	0.66	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_3_leaf_clk (net)
		0.10	0.00	0.66	^	_421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.16	0.88	1.54	v	_421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01					clk_count[13] (net)
		0.16	0.00	1.54	v	_205_/A (sky130_fd_sc_hd_or4_1)
		0.21	1.34	2.88	v	_205_/X (sky130_fd_sc_hd_or4_1)
1	0.00					_097_ (net)
		0.21	0.00	2.88	v	_209_/A (sky130_fd_sc_hd_nor4_1)
		0.74	0.86	3.74	^	_209_/Y (sky130_fd_sc_hd_nor4_1)
2	0.01					_101_ (net)
		0.74	0.00	3.74	^	max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.24	0.49	4.23	^	max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01					net25 (net)
		0.24	0.00	4.23	^	_236_/B (sky130_fd_sc_hd_nand2_1)
		0.15	0.24	4.47	v	_236_/Y (sky130_fd_sc_hd_nand2_1)
2	0.01					_124_ (net)
		0.15	0.00	4.47	v	_238_/A2 (sky130_fd_sc_hd_a21o_2)
		0.20	0.58	5.06	v	_238_/X (sky130_fd_sc_hd_a21o_2)
8	0.04					_126_ (net)
		0.20	0.00	5.06	v	_246_/A2 (sky130_fd_sc_hd_a22o_1)
		0.07	0.49	5.55	v	_246_/X (sky130_fd_sc_hd_a22o_1)
1	0.00					_085_ (net)
		0.07	0.00	5.55	v	_445_/D (sky130_fd_sc_hd_dfrtp_1)
				5.55		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.13	0.08	10.08	^	clk (in)
1	0.02					clk (net)
		0.13	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.35	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	10.35	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.25	10.59	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1_leaf_clk (net)
		0.09	0.00	10.60	^	_445_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.35		clock uncertainty
		0.04		10.38		clock reconvergence pessimism
		-0.27		10.11		library setup time
				10.11		data required time

				10.11		data required time
				-5.55		data arrival time

				4.56		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _448_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.09	0.09	^
					clk (in)
					clk (net)
		0.13	0.00	0.09	^
		0.10	0.29	0.38	^
4	0.04				clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
					clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^
		0.10	0.27	0.66	^
12	0.04				clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
					clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)

		0.10	0.00	0.66	^	_421_/CLK (sky130_fd_sc_hd__dfrrtp_1)
		0.16	0.88	1.54	v	_421_/Q (sky130_fd_sc_hd__dfrrtp_1)
3	0.01					clk_count[13] (net)
		0.16	0.00	1.54	v	_205_/A (sky130_fd_sc_hd__or4_1)
		0.21	1.34	2.88	v	_205_/X (sky130_fd_sc_hd__or4_1)
1	0.00					_097_ (net)
		0.21	0.00	2.88	v	_209_/A (sky130_fd_sc_hd__nor4_1)
		0.74	0.86	3.74	^	_209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01					_101_ (net)
		0.74	0.00	3.74	^	max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.24	0.49	4.23	^	max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01					net25 (net)
		0.24	0.00	4.23	^	_236_/B (sky130_fd_sc_hd__nand2_1)
		0.15	0.24	4.47	v	_236_/Y (sky130_fd_sc_hd__nand2_1)
2	0.01					_124_ (net)
		0.15	0.00	4.47	v	_238_/A2 (sky130_fd_sc_hd__a21o_2)
		0.20	0.58	5.06	v	_238_/X (sky130_fd_sc_hd__a21o_2)
8	0.04					_126_ (net)
		0.20	0.00	5.06	v	_243_/A2 (sky130_fd_sc_hd__a22o_1)
		0.07	0.48	5.54	v	_243_/X (sky130_fd_sc_hd__a22o_1)
1	0.00					_088_ (net)
		0.07	0.00	5.54	v	_448_/D (sky130_fd_sc_hd__dfrrtp_1)
				5.54		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.13	0.08	10.08	^	clk (in)
1	0.02					clk (net)
		0.13	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.35	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	10.35	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	10.60	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04					clknet_2_0__leaf_clk (net)
		0.10	0.00	10.60	^	_448_/CLK (sky130_fd_sc_hd__dfrrtp_1)
		-0.25		10.35		clock uncertainty
		0.04		10.39		clock reconvergence pessimism
		-0.27		10.12		library setup time
				10.12		data required time

				10.12		data required time
				-5.54		data arrival time

				4.58		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _444_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.09	0.09	^ clk (in)
					clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.27	0.66	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^ _421_/CLK (sky130_fd_sc_hd__dfrrtp_1)
		0.16	0.88	1.54	v _421_/Q (sky130_fd_sc_hd__dfrrtp_1)
3	0.01				clk_count[13] (net)
		0.16	0.00	1.54	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.21	1.34	2.88	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)

		0.21	0.00	2.88	v	_209_/A (sky130_fd_sc_hd__nor4_1)
		0.74	0.86	3.74	^	_209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01					_101_ (net)
		0.74	0.00	3.74	^	max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.24	0.49	4.23	^	max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01					net25 (net)
		0.24	0.00	4.23	^	_236_/B (sky130_fd_sc_hd__nand2_1)
		0.15	0.24	4.47	v	_236_/Y (sky130_fd_sc_hd__nand2_1)
2	0.01					_124_ (net)
		0.15	0.00	4.47	v	_238_/A2 (sky130_fd_sc_hd__a21o_2)
		0.20	0.58	5.06	v	_238_/X (sky130_fd_sc_hd__a21o_2)
8	0.04					_126_ (net)
		0.20	0.00	5.06	v	_247_/A2 (sky130_fd_sc_hd__a22o_1)
		0.07	0.48	5.54	v	_247_/X (sky130_fd_sc_hd__a22o_1)
1	0.00					_084_ (net)
		0.07	0.00	5.54	v	_444_/D (sky130_fd_sc_hd__dftrtp_1)
				5.54		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.13	0.08	10.08	^	clk (in)
						clk (net)
		0.13	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.35	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	10.35	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	10.60	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.10	0.00	10.60	^	_444_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25		10.35		clock uncertainty
		0.06		10.41		clock reconvergence pessimism
		-0.27		10.14		library setup time
				10.14		data required time

				10.14		data required time
				-5.54		data arrival time

				4.61		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _434_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.09	0.09	^ clk (in)
					clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.27	0.66	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^ _421_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.16	0.88	1.54	v _421_/Q (sky130_fd_sc_hd__dftrtp_1)
3	0.01				clk_count[13] (net)
		0.16	0.00	1.54	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.21	1.34	2.88	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.21	0.00	2.88	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.74	0.86	3.74	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.74	0.00	3.74	^ _211_/A2 (sky130_fd_sc_hd__a21o_1)
		0.20	0.56	4.30	^ _211_/X (sky130_fd_sc_hd__a21o_1)
4	0.01				_103_ (net)

		0.20	0.00	4.30	^	_212_/B (sky130_fd_sc_hd__nand2_1)
		0.15	0.22	4.52	v	_212_/Y (sky130_fd_sc_hd__nand2_1)
2	0.01					_104_ (net)
		0.15	0.00	4.53	v	_277_/S (sky130_fd_sc_hd__mux2_1)
1	0.00	0.13	0.78	5.31	v	_277_/X (sky130_fd_sc_hd__mux2_1)
						147 (net)
		0.13	0.00	5.31	v	_278_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.05	0.20	5.51	v	_278_/X (sky130_fd_sc_hd__clkbuf_1)
						074 (net)
		0.05	0.00	5.51	v	_434_/D (sky130_fd_sc_hd__dfrtp_1)
				5.51		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
1	0.02	0.13	0.08	10.08	^	clk (in)
						clk (net)
		0.13	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.35	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.10	0.00	10.35	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.25	10.59	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_1__leaf_clk (net)
		0.09	0.00	10.60	^	_434_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.35		clock uncertainty
		0.04		10.38		clock reconvergence pessimism
		-0.26		10.12		library setup time
				10.12		data required time

				10.12		data required time
				-5.51		data arrival time

				4.61		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _436_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

		0.00	0.00	0.00	clock clk (rise edge)
		0.00	0.00	0.00	clock source latency
1	0.02	0.13	0.09	0.09	^ clk (in)
					clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.10	0.27	0.66	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
3	0.01	0.16	0.88	1.54	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
					clk_count[13] (net)
		0.16	0.00	1.54	v _205_/A (sky130_fd_sc_hd__or4_1)
1	0.00	0.21	1.34	2.88	v _205_/X (sky130_fd_sc_hd__or4_1)
					097 (net)
		0.21	0.00	2.88	v _209_/A (sky130_fd_sc_hd__nor4_1)
2	0.01	0.74	0.86	3.74	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
					101 (net)
		0.74	0.00	3.74	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.24	0.49	4.23	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
					net25 (net)
		0.24	0.00	4.23	^ _217_/C (sky130_fd_sc_hd__nand4_1)
3	0.01	0.34	0.43	4.66	v _217_/Y (sky130_fd_sc_hd__nand4_1)
					109 (net)
		0.34	0.00	4.66	v _270_/B (sky130_fd_sc_hd__and2_1)
1	0.00	0.07	0.47	5.13	v _270_/X (sky130_fd_sc_hd__and2_1)
					143 (net)

		0.07	0.00	5.13	v	_271_/A (sky130_fd_sc_hd__clkbuf_1)
		0.07	0.19	5.32	v	_271_/X (sky130_fd_sc_hd__clkbuf_1)
2	0.01					_000_ (net)
		0.07	0.00	5.32	v	_272_/B1_N (sky130_fd_sc_hd__a21bo_1)
		0.07	0.36	5.67	^	_272_/X (sky130_fd_sc_hd__a21bo_1)
1	0.00					_076_ (net)
		0.07	0.00	5.67	^	_436_/D (sky130_fd_sc_hd__dfstp_1)
				5.67		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.13	0.08	10.08	^	clk (in)
						clk (net)
		0.13	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.35	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.10	0.00	10.35	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.10	0.25	10.60	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3__leaf_clk (net)
		0.10	0.00	10.60	^	_436_/CLK (sky130_fd_sc_hd__dfstp_1)
		-0.25		10.35		clock uncertainty
		0.06		10.41		clock reconvergence pessimism
		-0.12		10.30		library setup time
				10.30		data required time

				10.30		data required time
				-5.67		data arrival time

				4.62		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _424_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.09	0.09	^ clk (in)
					clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.10	0.27	0.66	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^ _421_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.16	0.88	1.54	v _421_/Q (sky130_fd_sc_hd__dftrtp_1)
3	0.01				clk_count[13] (net)
		0.16	0.00	1.54	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.21	1.34	2.88	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.21	0.00	2.88	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.74	0.86	3.74	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.74	0.00	3.74	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.24	0.49	4.23	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.24	0.00	4.23	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.34	0.43	4.66	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.34	0.00	4.66	v _270_/B (sky130_fd_sc_hd__and2_1)
		0.07	0.47	5.13	v _270_/X (sky130_fd_sc_hd__and2_1)
1	0.00				_143_ (net)
		0.07	0.00	5.13	v _271_/A (sky130_fd_sc_hd__clkbuf_1)
		0.07	0.19	5.32	v _271_/X (sky130_fd_sc_hd__clkbuf_1)
2	0.01				_000_ (net)

		0.07	0.00	5.32	v	_424_/D (sky130_fd_sc_hd_dfrtp_2)
				5.32		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.13	0.08	10.08	^	clk (in)
						clk (net)
		0.13	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.26	10.35	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.10	0.00	10.35	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.10	0.25	10.60	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_3_leaf_clk (net)
		0.10	0.00	10.60	^	_424_/CLK (sky130_fd_sc_hd_dfrtp_2)
		-0.25		10.35		clock uncertainty
		0.06		10.41		clock reconvergence pessimism
		-0.27		10.14		library setup time
				10.14		data required time

				10.14		data required time
				-5.32		data arrival time

				4.82		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _425_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.09	0.09	^ clk (in)
					clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.10	0.27	0.66	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
		0.10	0.00	0.66	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
3	0.01	0.16	0.88	1.54	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
					clk_count[13] (net)
		0.16	0.00	1.54	v _205_/A (sky130_fd_sc_hd_or4_1)
1	0.00	0.21	1.34	2.88	v _205_/X (sky130_fd_sc_hd_or4_1)
					097 (net)
		0.21	0.00	2.88	v _209_/A (sky130_fd_sc_hd_nor4_1)
2	0.01	0.74	0.86	3.74	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
					101 (net)
		0.74	0.00	3.74	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.24	0.49	4.23	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
					net25 (net)
		0.24	0.00	4.23	^ _217_/C (sky130_fd_sc_hd_nand4_1)
3	0.01	0.34	0.43	4.66	v _217_/Y (sky130_fd_sc_hd_nand4_1)
					109 (net)
		0.34	0.00	4.66	v _218_/A (sky130_fd_sc_hd_buf_4)
10	0.06	0.16	0.51	5.17	v _218_/X (sky130_fd_sc_hd_buf_4)
					110 (net)
		0.16	0.00	5.17	v _354_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.05	0.10	5.27	^ _354_/Y (sky130_fd_sc_hd_inv_2)
					001 (net)
		0.05	0.00	5.27	^ _425_/D (sky130_fd_sc_hd_dfrtp_1)
				5.27	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)

1	0.02				clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.59	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.09	0.00	10.59	^ _425_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.34	clock uncertainty
			0.04	10.38	clock reconvergence pessimism
			-0.12	10.25	library setup time
				10.25	data required time

				10.25	data required time
				-5.27	data arrival time

				4.98	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _410_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.27	0.66	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.16	0.88	1.54	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.16	0.00	1.54	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.21	1.34	2.88	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.21	0.00	2.88	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.74	0.86	3.74	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.74	0.00	3.74	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.24	0.49	4.23	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.24	0.00	4.23	^ _273_/A (sky130_fd_sc_hd__inv_2)
		0.07	0.13	4.37	v _273_/Y (sky130_fd_sc_hd__inv_2)
2	0.01				_144_ (net)
		0.07	0.00	4.37	v _348_/A1 (sky130_fd_sc_hd__a32o_1)
		0.07	0.41	4.78	v _348_/X (sky130_fd_sc_hd__a32o_1)
1	0.00				_052_ (net)
		0.07	0.00	4.78	v _410_/D (sky130_fd_sc_hd__dfrtp_2)
				4.78	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	10.60	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	10.60	^ _410_/CLK (sky130_fd_sc_hd__dfrtp_2)
			-0.25	10.35	clock uncertainty

0.04	10.39	clock reconvergence pessimism
-0.27	10.12	library setup time
	10.12	data required time

	10.12	data required time
	-4.78	data arrival time

	5.34	slack (MET)

Startpoint: _436_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: cs (output port clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description	

1	0.02	0.13	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
			0.09	0.09	^ clk (in)	
					clk (net)	
4	0.04	0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
12	0.04	0.10	0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.10	0.27	0.66	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3__leaf_clk (net)
			0.10	0.00	0.66	^ _436_/CLK (sky130_fd_sc_hd__dfstp_1)
2	0.01	0.14	1.19	1.85	^ _436_/Q (sky130_fd_sc_hd__dfstp_1)	
						net13 (net)
1	0.04	0.18	0.00	1.85	^ output13/A (sky130_fd_sc_hd__clkbuf_4)	
			0.38	2.23	^ output13/X (sky130_fd_sc_hd__clkbuf_4)	
						cs (net)
			0.18	0.00	2.24	^ cs (out)
				2.24	data arrival time	

			10.00	10.00	clock clk (rise edge)	
			0.00	10.00	clock network delay (propagated)	
			-0.25	9.75	clock uncertainty	
			0.00	9.75	clock reconvergence pessimism	
			-2.00	7.75	output external delay	
				7.75	data required time	

				7.75	data required time	
				-2.24	data arrival time	

				5.51	slack (MET)	

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.09	0.09	^ clk (in)
					clk (net)
4	0.04	0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.10	0.27		clknet_0_clk (net)
				0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.66	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^ _421_/CLK (sky130_fd_sc_hd__dftrtp_1)
				1.54	v _421_/Q (sky130_fd_sc_hd__dftrtp_1)
		0.16	0.88		

3	0.01	0.16	0.00	1.54	v	_205_/A (sky130_fd_sc_hd_or4_1)
		0.21	1.34	2.88	v	_205_/X (sky130_fd_sc_hd_or4_1)
1	0.00	0.21	0.00	2.88	v	_097_ (net)
		0.21	0.00	2.88	v	_209_/A (sky130_fd_sc_hd_nor4_1)
		0.74	0.86	3.74	^	_209_/Y (sky130_fd_sc_hd_nor4_1)
2	0.01	0.74	0.00	3.74	^	_101_ (net)
		0.24	0.49	4.23	^	max_cap25/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.24	0.00	4.23	^	max_cap25/X (sky130_fd_sc_hd_buf_1)
		0.07	0.13	4.37	v	net25 (net)
2	0.01	0.07	0.00	4.37	v	_273_/A (sky130_fd_sc_hd_inv_2)
		0.17	0.24	4.61	^	_273_/Y (sky130_fd_sc_hd_inv_2)
1	0.00	0.17	0.00	4.61	^	_144_ (net)
				4.37	v	_274_/A2 (sky130_fd_sc_hd_a21oi_1)
				4.61	^	_274_/Y (sky130_fd_sc_hd_a21oi_1)
				4.61	^	_075_ (net)
				4.61	^	_435_/D (sky130_fd_sc_hd_dfrtp_2)
				4.61		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
1	0.02	0.13	0.08	10.08	^	clk (in)
		0.13	0.00	10.08	^	clk (net)
		0.10	0.26	10.35	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.25	10.35	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.00	10.35	^	clknet_0_clk (net)
		0.10	0.25	10.60	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.10	0.00	10.60	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.00	10.60	^	clknet_2_0__leaf_clk (net)
		-0.25	10.35			_435_/CLK (sky130_fd_sc_hd_dfrtp_2)
		0.04	10.39			clock uncertainty
		-0.16	10.23			clock reconvergence pessimism
			10.23			library setup time
			10.23			data required time

				10.23		data required time
				-4.61		data arrival time

				5.62		slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: sclk (output port clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.09	0.09	^ clk (in)
		0.13	0.00	0.09	^ clk (net)
		0.10	0.29	0.38	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.28	0.66	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.00	0.38	^ clknet_0_clk (net)
		0.10	0.28	0.66	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.10	0.00	0.67	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
		0.17	0.98	1.65	^ clknet_2_0__leaf_clk (net)
		0.17	0.00	1.65	^ _435_/CLK (sky130_fd_sc_hd_dfrtp_2)
4	0.02	0.17	0.41	2.06	v _435_/Q (sky130_fd_sc_hd_dfrtp_2)
		0.17	0.00	2.06	v net24 (net)
		0.17	0.00	2.06	v output24/A (sky130_fd_sc_hd_buf_2)
1	0.03	0.17	0.00	2.06	v output24/X (sky130_fd_sc_hd_buf_2)
				2.06	v sclk (net)
				2.06	v sclk (out)
				2.06	data arrival time

		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock network delay (propagated)

-0.25	9.75	clock uncertainty
0.00	9.75	clock reconvergence pessimism
-2.00	7.75	output external delay
	7.75	data required time

7.75	data required time
-2.06	data arrival time

5.69	slack (MET)
------	-------------

Startpoint: _424_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: busy (output port clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09 ^	clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09 ^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.29	0.38 ^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38 ^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.27	0.66 ^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.10	0.00	0.66 ^	_424_/CLK (sky130_fd_sc_hd_dfrtp_2)
		0.16	0.97	1.63 v	_424_/Q (sky130_fd_sc_hd_dfrtp_2)
4	0.02				net12 (net)
		0.16	0.00	1.63 v	output12/A (sky130_fd_sc_hd_buf_2)
		0.16	0.40	2.03 v	output12/X (sky130_fd_sc_hd_buf_2)
1	0.03				busy (net)
		0.16	0.00	2.03 v	busy (out)
				2.03	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time
				7.75	data required time
				-2.03	data arrival time
				5.72	slack (MET)

Startpoint: _430_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[4] (output port clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09 ^	clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09 ^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38 ^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38 ^	clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.28	0.66 ^	clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.10	0.00	0.67 ^	_430_/CLK (sky130_fd_sc_hd_dfrtp_1)

2	0.01	0.16	0.89	1.56	v	_430_/Q (sky130_fd_sc_hd_dftrtp_1)
						net20 (net)
1	0.03	0.16	0.00	1.56	v	output20/A (sky130_fd_sc_hd_clkbuff_4)
		0.14	0.39	1.95	v	output20/X (sky130_fd_sc_hd_clkbuff_4)
						rx_data[4] (net)
		0.14	0.00	1.95	v	rx_data[4] (out)
				1.95		data arrival time

		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock network delay (propagated)
		-0.25	9.75			clock uncertainty
		0.00	9.75			clock reconvergence pessimism
		-2.00	7.75			output external delay
			7.75			data required time

			7.75			data required time
			-1.95			data arrival time

			5.80			slack (MET)

Startpoint: _434_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: mosi (output port clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.09	0.09	^ clk (in)
					clk (net)
4	0.04	0.13	0.00	0.09	^ clkbuff_0_clk/A (sky130_fd_sc_hd_clkbuff_16)
		0.10	0.29	0.38	^ clkbuff_0_clk/X (sky130_fd_sc_hd_clkbuff_16)
12	0.04	0.10	0.00	0.38	^ clknet_0_clk (net)
		0.09	0.27	0.66	^ clkbuff_2_1__f_clk/A (sky130_fd_sc_hd_clkbuff_16)
2	0.01	0.09	0.00	0.66	^ clkbuff_2_1__f_clk/X (sky130_fd_sc_hd_clkbuff_16)
		0.16	0.87	1.53	^ clknet_2_1__leaf_clk (net)
1	0.03	0.09	0.00	0.66	^ _434_/CLK (sky130_fd_sc_hd_dftrtp_1)
		0.16	0.87	1.53	v _434_/Q (sky130_fd_sc_hd_dftrtp_1)
					net15 (net)
1	0.03	0.16	0.00	1.53	v output15/A (sky130_fd_sc_hd_clkbuff_4)
		0.14	0.38	1.92	v output15/X (sky130_fd_sc_hd_clkbuff_4)
					mosi (net)
		0.14	0.00	1.92	v mosi (out)
				1.92	data arrival time

		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock network delay (propagated)
		-0.25	9.75		clock uncertainty
		0.00	9.75		clock reconvergence pessimism
		-2.00	7.75		output external delay
			7.75		data required time

			7.75		data required time
			-1.92		data arrival time

			5.83		slack (MET)

Startpoint: _408_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _419_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)

			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.10	0.28	0.66	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)
		0.10	0.00	0.67	^ _408_/CLK (sky130_fd_sc_hd_dfrtp_4)
8	0.03	0.19	0.97	1.64	^ _408_/Q (sky130_fd_sc_hd_dfrtp_4)
					clk_count[0] (net)
		0.19	0.00	1.64	^ _296_/D (sky130_fd_sc_hd_and4_2)
7	0.02	0.25	0.71	2.35	^ _296_/X (sky130_fd_sc_hd_and4_2)
					157 (net)
		0.25	0.00	2.35	^ _313_/C (sky130_fd_sc_hd_and4_1)
2	0.01	0.15	0.51	2.86	^ _313_/X (sky130_fd_sc_hd_and4_1)
					170 (net)
		0.15	0.00	2.86	^ _314_/B (sky130_fd_sc_hd_nand2_1)
2	0.01	0.13	0.18	3.04	v _314_/Y (sky130_fd_sc_hd_nand2_1)
					171 (net)
		0.13	0.00	3.04	v _316_/A2 (sky130_fd_sc_hd_a21o_1)
2	0.00	0.08	0.38	3.42	v _316_/X (sky130_fd_sc_hd_a21o_1)
					173 (net)
		0.08	0.00	3.42	v _317_/A1 (sky130_fd_sc_hd_mux2_1)
1	0.00	0.10	0.68	4.09	v _317_/X (sky130_fd_sc_hd_mux2_1)
					174 (net)
		0.10	0.00	4.09	v _318_/A (sky130_fd_sc_hd_clkbuf_1)
1	0.00	0.05	0.18	4.28	v _318_/X (sky130_fd_sc_hd_clkbuf_1)
					061 (net)
		0.05	0.00	4.28	v _419_/D (sky130_fd_sc_hd_dfrtp_1)
				4.28	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.13	0.08	10.08	^ clk (in)
					clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.10	0.25	10.60	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
		0.10	0.00	10.60	^ _419_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.35	clock uncertainty
		0.04		10.38	clock reconvergence pessimism
		-0.26		10.12	library setup time
				10.12	data required time

				10.12	data required time
				-4.28	data arrival time

				5.85	slack (MET)

Startpoint: _428_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: rx_data[2] (output port clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.09	0.09	^ clk (in)
					clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)

		0.10	0.00	0.38	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.28	0.66	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.67	^	_428_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.14	0.85	1.52	v	_428_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01					net18 (net)
		0.14	0.00	1.52	v	output18/A (sky130_fd_sc_hd__clkbuf_4)
		0.14	0.37	1.90	v	output18/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03					rx_data[2] (net)
		0.14	0.00	1.90	v	rx_data[2] (out)
				1.90		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock network delay (propagated)
		-0.25	9.75			clock uncertainty
		0.00	9.75			clock reconvergence pessimism
		-2.00	7.75			output external delay
			7.75			data required time

				7.75		data required time
				-1.90		data arrival time

				5.85		slack (MET)

Startpoint: _431_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[5] (output port clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.28	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.67	^ _431_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.12	0.84	1.50	v _431_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net21 (net)
		0.12	0.00	1.50	v output21/A (sky130_fd_sc_hd__clkbuf_4)
		0.14	0.37	1.87	v output21/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[5] (net)
		0.14	0.00	1.87	v rx_data[5] (out)
				1.87	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock network delay (propagated)
		-0.25	9.75		clock uncertainty
		0.00	9.75		clock reconvergence pessimism
		-2.00	7.75		output external delay
			7.75		data required time

				7.75	data required time
				-1.87	data arrival time

				5.88	slack (MET)

Startpoint: _429_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[3] (output port clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.28	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.67	^ _429_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.12	0.84	1.51	v _429_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net19 (net)
		0.12	0.00	1.51	v output19/A (sky130_fd_sc_hd__clkbuf_4)
		0.14	0.37	1.87	v output19/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[3] (net)
		0.14	0.00	1.87	v rx_data[3] (out)
				1.87	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time
				-1.87	data arrival time

				5.88	slack (MET)

Startpoint: _427_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[1] (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.66	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	0.66	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.12	0.83	1.49	v _427_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net17 (net)
		0.12	0.00	1.49	v output17/A (sky130_fd_sc_hd__clkbuf_4)
		0.14	0.37	1.86	v output17/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[1] (net)
		0.14	0.00	1.86	v rx_data[1] (out)
				1.86	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time

-1.86 data arrival time

5.89 slack (MET)

Startpoint: _433_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[7] (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
4	0.04				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.66	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
2	0.01				clknet_2_1__leaf_clk (net)
		0.09	0.00	0.66	^ _433_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.12	0.83	1.49	v _433_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.03				net23 (net)
		0.12	0.00	1.49	v output23/A (sky130_fd_sc_hd__clkbuf_4)
		0.14	0.37	1.86	v output23/X (sky130_fd_sc_hd__clkbuf_4)
		0.14	0.00	1.86	v rx_data[7] (out)
				1.86	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time
				-1.86	data arrival time

				5.89	slack (MET)

Startpoint: _432_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[6] (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
4	0.04				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.28	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
2	0.01				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.67	^ _432_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.11	0.83	1.50	v _432_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.03				net22 (net)
		0.11	0.00	1.50	v output22/A (sky130_fd_sc_hd__clkbuf_4)
		0.14	0.36	1.86	v output22/X (sky130_fd_sc_hd__clkbuf_4)
					rx_data[6] (net)
		0.14	0.00	1.86	v rx_data[6] (out)

	1.86	data arrival time
10.00	10.00	clock clk (rise edge)
0.00	10.00	clock network delay (propagated)
-0.25	9.75	clock uncertainty
0.00	9.75	clock reconvergence pessimism
-2.00	7.75	output external delay
	7.75	data required time

	7.75	data required time
	-1.86	data arrival time

	5.89	slack (MET)

Startpoint: _426_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[0] (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.10	0.27	0.66	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^ _426_/CLK (sky130_fd_sc_hd__dfrrtp_1)
2	0.01	0.11	0.82	1.48	v _426_/Q (sky130_fd_sc_hd__dfrrtp_1)
					net16 (net)
		0.11	0.00	1.48	v output16/A (sky130_fd_sc_hd__clkbuf_4)
		0.14	0.36	1.85	v output16/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[0] (net)
		0.14	0.00	1.85	v rx_data[0] (out)
				1.85	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time
				-1.85	data arrival time

				5.90	slack (MET)

Startpoint: _408_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _415_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)

		0.10	0.00	0.38	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.28	0.66	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.67	^	_408_/CLK (sky130_fd_sc_hd__dfrrtp_4)
		0.17	1.14	1.81	v	_408_/Q (sky130_fd_sc_hd__dfrrtp_4)
8	0.03					clk_count[0] (net)
		0.17	0.00	1.81	v	_296_/D (sky130_fd_sc_hd__and4_2)
		0.16	0.67	2.48	v	_296_/X (sky130_fd_sc_hd__and4_2)
7	0.02					_157_ (net)
		0.16	0.00	2.48	v	_328_/C (sky130_fd_sc_hd__and3_1)
		0.11	0.47	2.95	v	_328_/X (sky130_fd_sc_hd__and3_1)
3	0.01					_181_ (net)
		0.11	0.00	2.95	v	_329_/C (sky130_fd_sc_hd__and3_1)
		0.07	0.39	3.34	v	_329_/X (sky130_fd_sc_hd__and3_1)
1	0.00					_182_ (net)
		0.07	0.00	3.34	v	_332_/A0 (sky130_fd_sc_hd__mux2_1)
		0.11	0.65	3.99	v	_332_/X (sky130_fd_sc_hd__mux2_1)
1	0.00					_185_ (net)
		0.11	0.00	3.99	v	_333_/A (sky130_fd_sc_hd__clkbuf_1)
		0.05	0.18	4.17	v	_333_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00					_057_ (net)
		0.05	0.00	4.17	v	_415_/D (sky130_fd_sc_hd__dfrrtp_1)
				4.17		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.13	0.08	10.08	^	clk (in)
						clk (net)
		0.13	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.35	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	10.35	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.59	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04					clknet_2_2__leaf_clk (net)
		0.09	0.00	10.59	^	_415_/CLK (sky130_fd_sc_hd__dfrrtp_1)
			-0.25	10.34		clock uncertainty
			0.04	10.38		clock reconvergence pessimism
			-0.26	10.12		library setup time
				10.12		data required time

				10.12		data required time
				-4.17		data arrival time

				5.95		slack (MET)

Startpoint: _425_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: done (output port clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.09	0.09	^ clk (in)
					clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.09	0.00	0.65	^ _425_/CLK (sky130_fd_sc_hd__dfrrtp_1)
		0.09	0.79	1.45	v _425_/Q (sky130_fd_sc_hd__dfrrtp_1)
1	0.00				net14 (net)
		0.09	0.00	1.45	v output14/A (sky130_fd_sc_hd__clkbuf_4)
		0.14	0.35	1.80	v output14/X (sky130_fd_sc_hd__clkbuf_4)
1	0.04				done (net)

0.14	0.00	1.80 v	done (out)
		1.80	data arrival time
10.00	10.00		clock clk (rise edge)
0.00	10.00		clock network delay (propagated)
-0.25	9.75		clock uncertainty
0.00	9.75		clock reconvergence pessimism
-2.00	7.75		output external delay
	7.75		data required time

	7.75		data required time
	-1.80		data arrival time

	5.95		slack (MET)

Startpoint: _408_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description		

			0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock source latency		
1	0.02	0.13	0.09	0.09	^ clk (in)		
					clk (net)		
4	0.04	0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)		
				0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.00		clknet_0_clk (net)		
				0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.10	0.28	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
8	0.03	0.10	0.00		clknet_2_0__leaf_clk (net)		
				0.10	0.00	0.67	^ _408_/CLK (sky130_fd_sc_hd__dfrtp_4)
				0.17	1.14	1.81	v _408_/Q (sky130_fd_sc_hd__dfrtp_4)
7	0.02	0.17	0.00		clk_count[0] (net)		
				0.16	0.67	1.81	v _296_/D (sky130_fd_sc_hd__and4_2)
4	0.01	0.16	0.00		v _296_/X (sky130_fd_sc_hd__and4_2)		
							157 (net)
1	0.00	0.14	0.00	2.48	v _299_/A (sky130_fd_sc_hd__and3_1)		
				0.14	0.42	2.90	v _299_/X (sky130_fd_sc_hd__and3_1)
1	0.00	0.14	0.00		_160_ (net)		
				0.07	0.41	2.90	v _306_/C (sky130_fd_sc_hd__and3_1)
1	0.00	0.07	0.00	3.31	v _306_/X (sky130_fd_sc_hd__and3_1)		
							165 (net)
1	0.00	0.11	0.65	3.31	v _309_/A0 (sky130_fd_sc_hd__mux2_1)		
				0.11	0.65	3.97	v _309_/X (sky130_fd_sc_hd__mux2_1)
1	0.00	0.11	0.00		_168_ (net)		
				0.05	0.18	3.97	v _310_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.05	0.00	4.15	v _310_/X (sky130_fd_sc_hd__clkbuf_1)		
							063 (net)
		0.05	0.00	4.15	v _421_/D (sky130_fd_sc_hd__dfrtp_1)		
				4.15	data arrival time		

			10.00	10.00	clock clk (rise edge)		
			0.00	10.00	clock source latency		
1	0.02	0.13	0.08	10.08	^ clk (in)		
							clk (net)
4	0.04	0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)		
				0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.10	0.00		clknet_0_clk (net)		
				0.10	0.00	10.35	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.10	0.25	10.60	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.00		clknet_2_3__leaf_clk (net)		
				10.60	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)		
			-0.25	10.35	clock uncertainty		
			0.04	10.39	clock reconvergence pessimism		
			-0.26	10.12	library setup time		
				10.12	data required time		

		10.12	data required time
		-4.15	data arrival time

		5.98	slack (MET)

Startpoint: _408_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _423_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04		0.10	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04		0.10	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.67	^ _408_/CLK (sky130_fd_sc_hd_dfrtp_4)
8	0.03		0.17	1.81	v _408_/Q (sky130_fd_sc_hd_dfrtp_4)
					clk_count[0] (net)
		0.17	0.00	1.81	v _296_/D (sky130_fd_sc_hd_and4_2)
7	0.02		0.16	2.48	v _296_/X (sky130_fd_sc_hd_and4_2)
					157 (net)
		0.16	0.00	2.48	v _299_/A (sky130_fd_sc_hd_and3_1)
4	0.01		0.14	2.90	v _299_/X (sky130_fd_sc_hd_and3_1)
					160 (net)
		0.14	0.00	2.90	v _300_/C (sky130_fd_sc_hd_and3_1)
3	0.01		0.14	3.39	v _300_/X (sky130_fd_sc_hd_and3_1)
					161 (net)
		0.14	0.00	3.39	v _302_/A3 (sky130_fd_sc_hd_a31o_1)
1	0.00		0.07	3.83	v _302_/X (sky130_fd_sc_hd_a31o_1)
					163 (net)
		0.07	0.00	3.83	v _303_/B1 (sky130_fd_sc_hd_o31a_1)
1	0.00		0.09	4.03	v _303_/X (sky130_fd_sc_hd_o31a_1)
					065 (net)
		0.09	0.00	4.03	v _423_/D (sky130_fd_sc_hd_dfrtp_1)
				4.03	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04		0.10	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
10	0.04		0.09	10.59	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.09	0.00	10.59	^ _423_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.34	clock uncertainty
		0.04		10.38	clock reconvergence pessimism
		-0.28		10.10	library setup time
				10.10	data required time

				10.10	data required time
				-4.03	data arrival time

				6.06	slack (MET)

Startpoint: _408_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _422_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.10	0.28	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.67	^ _408_/CLK (sky130_fd_sc_hd_dfrtp_4)
8	0.03	0.17	1.14	1.81	v _408_/Q (sky130_fd_sc_hd_dfrtp_4)
					clk_count[0] (net)
		0.17	0.00	1.81	v _296_/D (sky130_fd_sc_hd_and4_2)
7	0.02	0.16	0.67	2.48	v _296_/X (sky130_fd_sc_hd_and4_2)
					157 (net)
		0.16	0.00	2.48	v _299_/A (sky130_fd_sc_hd_and3_1)
4	0.01	0.14	0.42	2.90	v _299_/X (sky130_fd_sc_hd_and3_1)
					160 (net)
		0.14	0.00	2.90	v _300_/C (sky130_fd_sc_hd_and3_1)
3	0.01	0.14	0.49	3.39	v _300_/X (sky130_fd_sc_hd_and3_1)
					161 (net)
		0.14	0.00	3.39	v _304_/A2 (sky130_fd_sc_hd_a21o_1)
1	0.00	0.07	0.37	3.76	v _304_/X (sky130_fd_sc_hd_a21o_1)
					164 (net)
		0.07	0.00	3.76	v _305_/B1 (sky130_fd_sc_hd_o21a_1)
1	0.00	0.07	0.20	3.96	v _305_/X (sky130_fd_sc_hd_o21a_1)
					064 (net)
		0.07	0.00	3.96	v _422_/D (sky130_fd_sc_hd_dfrtp_1)
				3.96	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
10	0.04	0.09	0.24	10.59	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.09	0.00	10.59	^ _422_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.34		clock uncertainty
		0.04	10.38		clock reconvergence pessimism
		-0.27	10.10		library setup time
			10.10		data required time

				10.10	data required time
				-3.96	data arrival time

				6.14	slack (MET)

Startpoint: _424_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _417_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)

1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.27	0.66	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.10	0.00	0.66	^ _424_/CLK (sky130_fd_sc_hd_dfrtp_2)
		0.16	0.97	1.63	v _424_/Q (sky130_fd_sc_hd_dfrtp_2)
4	0.02				net12 (net)
		0.16	0.00	1.63	v _213_/A (sky130_fd_sc_hd_buf_4)
		0.14	0.39	2.02	v _213_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_105_ (net)
		0.14	0.00	2.02	v _214_/A (sky130_fd_sc_hd_buf_2)
		0.20	0.42	2.44	v _214_/X (sky130_fd_sc_hd_buf_2)
10	0.04				_106_ (net)
		0.20	0.00	2.45	v _269_/A (sky130_fd_sc_hd_buf_2)
		0.18	0.44	2.88	v _269_/X (sky130_fd_sc_hd_buf_2)
10	0.04				_142_ (net)
		0.18	0.01	2.89	v _324_/A1 (sky130_fd_sc_hd_a21o_1)
		0.08	0.37	3.26	v _324_/X (sky130_fd_sc_hd_a21o_1)
2	0.01				_179_ (net)
		0.08	0.00	3.26	v _325_/B1 (sky130_fd_sc_hd_a2bb2o_1)
		0.09	0.60	3.87	v _325_/X (sky130_fd_sc_hd_a2bb2o_1)
1	0.00				_059_ (net)
		0.09	0.00	3.87	v _417_/D (sky130_fd_sc_hd_dfrtp_1)
				3.87	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.24	10.59	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04				clknet_2_2_leaf_clk (net)
		0.09	0.00	10.59	^ _417_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.34	clock uncertainty
		0.04		10.38	clock reconvergence pessimism
		-0.28		10.10	library setup time
				10.10	data required time

				10.10	data required time
				-3.87	data arrival time

				6.23	slack (MET)

Startpoint: _408_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _413_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.28	0.66	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.10	0.00	0.67	^ _408_/CLK (sky130_fd_sc_hd_dfrtp_4)
		0.19	0.97	1.64	^ _408_/Q (sky130_fd_sc_hd_dfrtp_4)

8	0.03	0.19	0.00	1.64	^	_296_/D (sky130_fd_sc_hd_and4_2)
		0.25	0.71	2.35	^	_296_/X (sky130_fd_sc_hd_and4_2)
7	0.02	0.25	0.00	2.35	^	_157_ (net)
		0.16	0.25	2.60	v	_336_/B (sky130_fd_sc_hd_nand2_1)
3	0.01					_336_/Y (sky130_fd_sc_hd_nand2_1)
		0.16	0.00	2.60	v	_187_ (net)
		0.08	0.40	3.00	v	_338_/A2 (sky130_fd_sc_hd_a21o_1)
2	0.01					_338_/X (sky130_fd_sc_hd_a21o_1)
		0.08	0.00	3.00	v	_189_ (net)
		0.11	0.68	3.68	v	_339_/A1 (sky130_fd_sc_hd_mux2_1)
1	0.00					_339_/X (sky130_fd_sc_hd_mux2_1)
		0.11	0.00	3.68	v	_190_ (net)
		0.05	0.19	3.86	v	_340_/A (sky130_fd_sc_hd_clkbuf_1)
1	0.00					_340_/X (sky130_fd_sc_hd_clkbuf_1)
		0.05	0.00	3.86	v	_055_ (net)
				3.86	v	_413_/D (sky130_fd_sc_hd_dfrtp_1)
						data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
1	0.02	0.13	0.08	10.08	^	clk (in)
						clk (net)
		0.13	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.26	10.35	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.10	0.00	10.35	^	clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.24	10.59	^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04					clknet_2_2_leaf_clk (net)
		0.09	0.00	10.59	^	_413_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.34		clock uncertainty
		0.04		10.38		clock reconvergence pessimism
		-0.26		10.11		library setup time
				10.11		data required time

				10.11		data required time
				-3.86		data arrival time

				6.25		slack (MET)

Startpoint: _408_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _418_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.09	0.09	^ clk (in)
					clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.28	0.66	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.10	0.00	0.67	^ _408_/CLK (sky130_fd_sc_hd_dfrtp_4)
		0.19	0.97	1.64	^ _408_/Q (sky130_fd_sc_hd_dfrtp_4)
8	0.03				clk_count[0] (net)
		0.19	0.00	1.64	^ _296_/D (sky130_fd_sc_hd_and4_2)
		0.25	0.71	2.35	^ _296_/X (sky130_fd_sc_hd_and4_2)
7	0.02				_157_ (net)
		0.25	0.00	2.35	^ _313_/C (sky130_fd_sc_hd_and4_1)
		0.15	0.51	2.86	^ _313_/X (sky130_fd_sc_hd_and4_1)
2	0.01				_170_ (net)
		0.15	0.00	2.86	^ _314_/B (sky130_fd_sc_hd_nand2_1)
		0.13	0.18	3.04	v _314_/Y (sky130_fd_sc_hd_nand2_1)

2	0.01					_171_ (net)
		0.13	0.00	3.04	v	_316_/A2 (sky130_fd_sc_hd_a21o_1)
		0.08	0.38	3.42	v	_316_/X (sky130_fd_sc_hd_a21o_1)
2	0.00					_173_ (net)
		0.08	0.00	3.42	v	_320_/A (sky130_fd_sc_hd_and2_1)
		0.07	0.29	3.71	v	_320_/X (sky130_fd_sc_hd_and2_1)
1	0.00					_176_ (net)
		0.07	0.00	3.71	v	_321_/A (sky130_fd_sc_hd_clkbuf_1)
		0.05	0.16	3.87	v	_321_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00					_060_ (net)
		0.05	0.00	3.87	v	_418_/D (sky130_fd_sc_hd_dfrtp_1)
				3.87		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.13	0.08	10.08	^	clk (in)
1	0.02					clk (net)
		0.13	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.35	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	10.35	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	10.60	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_3_leaf_clk (net)
		0.10	0.00	10.60	^	_418_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.35		clock uncertainty
		0.04		10.38		clock reconvergence pessimism
		-0.26		10.12		library setup time
				10.12		data required time

				10.12		data required time
				-3.87		data arrival time

				6.26		slack (MET)

Startpoint: _424_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _408_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.27	0.66	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.10	0.00	0.66	^ _424_/CLK (sky130_fd_sc_hd_dfrtp_2)
		0.16	0.97	1.63	v _424_/Q (sky130_fd_sc_hd_dfrtp_2)
4	0.02				net12 (net)
		0.16	0.00	1.63	v _213_/A (sky130_fd_sc_hd_buf_4)
		0.14	0.39	2.02	v _213_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_105_ (net)
		0.14	0.00	2.02	v _214_/A (sky130_fd_sc_hd_buf_2)
		0.20	0.42	2.44	v _214_/X (sky130_fd_sc_hd_buf_2)
10	0.04				_106_ (net)
		0.20	0.00	2.45	v _269_/A (sky130_fd_sc_hd_buf_2)
		0.18	0.44	2.88	v _269_/X (sky130_fd_sc_hd_buf_2)
10	0.04				_142_ (net)
		0.18	0.01	2.89	v _352_/A0 (sky130_fd_sc_hd_mux2_1)
		0.11	0.71	3.60	v _352_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_198_ (net)
		0.11	0.00	3.60	v _353_/A (sky130_fd_sc_hd_clkbuf_1)
		0.05	0.18	3.78	v _353_/X (sky130_fd_sc_hd_clkbuf_1)

1	0.00				_050_ (net)
		0.05	0.00	3.78 v	_408_/D (sky130_fd_sc_hd__dfrtp_4)
				3.78	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08 ^	clk (in)
1	0.02				clk (net)
		0.13	0.00	10.08 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.35 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.35 ^	clkbuf_2_0_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	10.60 ^	clkbuf_2_0_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.10	0.00	10.60 ^	_408_/CLK (sky130_fd_sc_hd__dfrtp_4)
			-0.25	10.35	clock uncertainty
			0.04	10.39	clock reconvergence pessimism
			-0.26	10.13	library setup time
				10.13	data required time
				10.13	data required time
				-3.78	data arrival time
				6.35	slack (MET)

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.10	0.28	0.66	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)
		0.10	0.00	0.67	^ _408_/CLK (sky130_fd_sc_hd_dfrtp_4)
8	0.03	0.17	1.14	1.81	v _408_/Q (sky130_fd_sc_hd_dfrtp_4)
					clk_count[0] (net)
		0.17	0.00	1.81	v _296_/D (sky130_fd_sc_hd_and4_2)
7	0.02	0.16	0.67	2.48	v _296_/X (sky130_fd_sc_hd_and4_2)
					157 (net)
		0.16	0.00	2.48	v _328_/C (sky130_fd_sc_hd_and3_1)
3	0.01	0.11	0.47	2.95	v _328_/X (sky130_fd_sc_hd_and3_1)
					181 (net)
		0.11	0.00	2.95	v _334_/C (sky130_fd_sc_hd_and3b_1)
1	0.00	0.07	0.39	3.34	v _334_/X (sky130_fd_sc_hd_and3b_1)
					186 (net)
		0.07	0.00	3.34	v _335_/B1 (sky130_fd_sc_hd_a21o_1)
1	0.00	0.06	0.28	3.62	v _335_/X (sky130_fd_sc_hd_a21o_1)
					056 (net)
		0.06	0.00	3.62	v _414_/D (sky130_fd_sc_hd_dfrtp_1)
				3.62	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)

10	0.04	0.09	0.24	10.59	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
		0.09	0.00	10.59	^	_414_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.34		clock uncertainty
			0.04	10.38		clock reconvergence pessimism
			-0.27	10.11		library setup time
				10.11		data required time

				10.11		data required time
		-3.62		data arrival time		

		6.49		slack (MET)		

Startpoint: _408_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _420_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
					clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.28	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
14	0.04	0.10	0.00	0.67	^ _408_/CLK (sky130_fd_sc_hd__dfrtp_4)
		0.17	1.14	1.81	v _408_/Q (sky130_fd_sc_hd__dfrtp_4)
8	0.03				clk_count[0] (net)
		0.17	0.00	1.81	v _296_/D (sky130_fd_sc_hd__and4_2)
7	0.02		0.16	0.67	2.48 v _296_/X (sky130_fd_sc_hd__and4_2)
					157 (net)
		0.16	0.00	2.48	v _299_/A (sky130_fd_sc_hd__and3_1)
		0.14	0.42	2.90	v _299_/X (sky130_fd_sc_hd__and3_1)
4	0.01				_160_ (net)
		0.14	0.00	2.90	v _311_/C (sky130_fd_sc_hd__and3b_1)
1	0.00		0.07	0.41	3.32 v _311_/X (sky130_fd_sc_hd__and3b_1)
					169 (net)
		0.07	0.00	3.32	v _312_/B1 (sky130_fd_sc_hd__a21o_1)
		0.06	0.28	3.60	v _312_/X (sky130_fd_sc_hd__a21o_1)
1	0.00				_062_ (net)
		0.06	0.00	3.60	v _420_/D (sky130_fd_sc_hd__dfrtp_1)
				3.60	data arrival time
1	0.02		10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
					clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	10.60	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
12	0.04	0.10	0.00	10.60	^ _420_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.35	clock uncertainty
		0.04	10.38	clock reconvergence pessimism	
		-0.26	10.12	library setup time	
			10.12	data required time	
			10.12	data required time	
			-3.60	data arrival time	
			6.52	slack (MET)	

Startpoint: _424_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _416_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.10	0.27	0.66	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^ _424_/CLK (sky130_fd_sc_hd__dfrtp_2)
4	0.02	0.16	0.97	1.63	v _424_/Q (sky130_fd_sc_hd__dfrtp_2)
					net12 (net)
		0.16	0.00	1.63	v _213_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.39	2.02	v _213_/X (sky130_fd_sc_hd__buf_4)
					105 (net)
		0.14	0.00	2.02	v _214_/A (sky130_fd_sc_hd__buf_2)
10	0.04	0.20	0.42	2.44	v _214_/X (sky130_fd_sc_hd__buf_2)
					106 (net)
		0.20	0.00	2.45	v _269_/A (sky130_fd_sc_hd__buf_2)
10	0.04	0.18	0.44	2.88	v _269_/X (sky130_fd_sc_hd__buf_2)
					142 (net)
		0.18	0.01	2.89	v _324_/A1 (sky130_fd_sc_hd__a21o_1)
2	0.01	0.08	0.37	3.26	v _324_/X (sky130_fd_sc_hd__a21o_1)
					179 (net)
		0.08	0.00	3.26	v _327_/A2 (sky130_fd_sc_hd__a21o_1)
		0.06	0.33	3.59	v _327_/X (sky130_fd_sc_hd__a21o_1)
1	0.00				_058_ (net)
		0.06	0.00	3.59	v _416_/D (sky130_fd_sc_hd__dfrtp_1)
				3.59	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.59	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.09	0.00	10.59	^ _416_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.34	clock uncertainty
		0.04		10.38	clock reconvergence pessimism
		-0.27		10.11	library setup time
				10.11	data required time

				10.11	data required time
				-3.59	data arrival time

				6.52	slack (MET)

Startpoint: _424_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _412_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
--------	-----	------	-------	------	-------------

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.27	0.66	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.10	0.00	0.66	^ _424_/CLK (sky130_fd_sc_hd_dfrtp_2)
		0.16	0.97	1.63	v _424_/Q (sky130_fd_sc_hd_dfrtp_2)
4	0.02				net12 (net)
		0.16	0.00	1.63	v _213_/A (sky130_fd_sc_hd_buf_4)
		0.14	0.39	2.02	v _213_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_105_ (net)
		0.14	0.00	2.02	v _214_/A (sky130_fd_sc_hd_buf_2)
		0.20	0.42	2.44	v _214_/X (sky130_fd_sc_hd_buf_2)
10	0.04				_106_ (net)
		0.20	0.00	2.45	v _269_/A (sky130_fd_sc_hd_buf_2)
		0.18	0.44	2.88	v _269_/X (sky130_fd_sc_hd_buf_2)
10	0.04				_142_ (net)
		0.18	0.01	2.89	v _341_/A (sky130_fd_sc_hd_and3_1)
		0.08	0.37	3.26	v _341_/X (sky130_fd_sc_hd_and3_1)
1	0.00				_191_ (net)
		0.08	0.00	3.26	v _342_/B1 (sky130_fd_sc_hd_a21o_1)
		0.06	0.28	3.54	v _342_/X (sky130_fd_sc_hd_a21o_1)
1	0.00				_054_ (net)
		0.06	0.00	3.55	v _412_/D (sky130_fd_sc_hd_dfrtp_1)
				3.55	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.24	10.59	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04				clknet_2_2_leaf_clk (net)
		0.09	0.00	10.59	^ _412_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.34		clock uncertainty
		0.04	10.38		clock reconvergence pessimism
		-0.27	10.11		library setup time
			10.11		data required time

			10.11		data required time
			-3.55		data arrival time

			6.57		slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _409_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v start (in)
1	0.00				start (net)
		0.02	0.00	2.01	v input3/A (sky130_fd_sc_hd_buf_1)
		0.18	0.25	2.26	v input3/X (sky130_fd_sc_hd_buf_1)
2	0.02				net3 (net)

		0.18	0.00	2.26	v	_204_/B (sky130_fd_sc_hd__or2_2)
		0.20	0.84	3.11	v	_204_/X (sky130_fd_sc_hd__or2_2)
6	0.02					_096_ (net)
		0.20	0.00	3.11	v	_350_/B1 (sky130_fd_sc_hd__o211a_1)
1	0.00	0.09	0.32	3.43	v	_350_/X (sky130_fd_sc_hd__o211a_1)
						197 (net)
		0.09	0.00	3.43	v	_351_/B (sky130_fd_sc_hd__nor2_1)
1	0.00	0.12	0.14	3.58	^	_351_/Y (sky130_fd_sc_hd__nor2_1)
						051 (net)
		0.12	0.00	3.58	^	_409_/D (sky130_fd_sc_hd__dftrtp_4)
				3.58		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.13	0.08	10.08	^	clk (in)
						clk (net)
		0.13	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.35	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.10	0.00	10.35	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.04	0.09	0.24	10.59	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
		0.09	0.00	10.59	^	_409_/CLK (sky130_fd_sc_hd__dftrtp_4)
		-0.25		10.34		clock uncertainty
		0.00		10.34		clock reconvergence pessimism
		-0.15		10.20		library setup time
				10.20		data required time

				10.20		data required time
				-3.58		data arrival time

				6.62		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _411_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	input external delay
1	0.00	0.03	0.02	2.02	^ start (in)
					start (net)
		0.03	0.00	2.02	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.32	0.33	2.34	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.32	0.00	2.34	^ _237_/B (sky130_fd_sc_hd__nor2_4)
9	0.04	0.12	0.21	2.56	v _237_/Y (sky130_fd_sc_hd__nor2_4)
					125 (net)
		0.12	0.00	2.56	v _346_/A2 (sky130_fd_sc_hd__o31a_1)
1	0.00	0.09	0.58	3.14	v _346_/X (sky130_fd_sc_hd__o31a_1)
					053 (net)
		0.09	0.00	3.14	v _411_/D (sky130_fd_sc_hd__dftrtp_1)
				3.14	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.13	0.08	10.08	^ clk (in)
					clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.25	10.60	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	10.60	^ _411_/CLK (sky130_fd_sc_hd__dftrtp_1)

-0.25	10.35	clock uncertainty
0.00	10.35	clock reconvergence pessimism
-0.28	10.08	library setup time
	10.08	data required time

10.08	data required time
-3.14	data arrival time

6.94	slack (MET)
------	-------------

Startpoint: rst (input port clocked by clk)
Endpoint: _409_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.02	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			2.01	2.01	v rst (in)
					rst (net)
			2.01	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
			2.20	2.20	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
			2.20	2.20	v _355_/A (sky130_fd_sc_hd_buf_4)
			2.58	2.58	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05	0.11	0.00		_199_ (net)
				2.58	v _356_/A (sky130_fd_sc_hd_buf_4)
10	0.06	0.15	0.39		_200_ (net)
				2.97	v _356_/X (sky130_fd_sc_hd_buf_4)
1	0.00	0.15	0.01	2.98	v _358_/A (sky130_fd_sc_hd_inv_2)
				3.09	^ _358_/Y (sky130_fd_sc_hd_inv_2)
1	0.00	0.06	0.00	3.09	^ _409_/RESET_B (sky130_fd_sc_hd_dfrtp_4)
				3.09	data arrival time

1	0.02	0.13	0.08	10.00	clock clk (rise edge)
				10.00	clock source latency
4	0.04	0.10	0.26	10.08	^ clk (in)
					clk (net)
10	0.04	0.09	0.24	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04	0.09	0.00		clknet_0_clk (net)
				10.35	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
10	0.04	0.09	0.00	10.59	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_2_leaf_clk (net)
10	0.04	0.09	0.00	10.59	^ _409_/CLK (sky130_fd_sc_hd_dfrtp_4)
			-0.25	10.34	clock uncertainty
			0.00	10.34	clock reconvergence pessimism
			0.46	10.80	library recovery time
				10.80	data required time

				10.80	data required time
				-3.09	data arrival time

				7.71	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _415_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)

			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.37	2.58	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.58	v _356_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.15	0.39	2.97	v _356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
		0.15	0.01	2.98	v _364_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.06	0.11	3.09	^ _364_/Y (sky130_fd_sc_hd__inv_2)
					009 (net)
		0.06	0.00	3.09	^ _415_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				3.09	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.13	0.08	10.08	^ clk (in)
					clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.04	0.09	0.24	10.59	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.09	0.00	10.59	^ _415_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25		10.34	clock uncertainty
		0.00		10.34	clock reconvergence pessimism
		0.47		10.81	library recovery time
				10.81	data required time

				10.81	data required time
				-3.09	data arrival time

				7.72	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _416_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.37	2.58	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.58	v _356_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.15	0.39	2.97	v _356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
		0.15	0.01	2.98	v _365_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.06	0.11	3.09	^ _365_/Y (sky130_fd_sc_hd__inv_2)
					010 (net)
		0.06	0.00	3.09	^ _416_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				3.09	data arrival time
			10.00	10.00	clock clk (rise edge)

			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.59	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.09	0.00	10.59	^ _416_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.34		clock uncertainty
		0.00	10.34		clock reconvergence pessimism
		0.47	10.82		library recovery time
			10.82		data required time

				10.82	data required time
				-3.09	data arrival time

				7.72	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _417_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.14	0.37	2.58	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.14	0.00	2.58	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.15	0.39	2.97	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)
		0.15	0.01	2.98	v _366_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.11	3.09	^ _366_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_011_ (net)
		0.06	0.00	3.09	^ _417_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				3.09	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.59	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.09	0.00	10.59	^ _417_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.34		clock uncertainty
		0.00	10.34		clock reconvergence pessimism
		0.47	10.82		library recovery time
			10.82		data required time

				10.82	data required time
				-3.09	data arrival time

				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _413_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.02	0.01	2.01 v	rst (in)
					rst (net)
			0.02	2.01 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.05	0.11	0.00	2.20 v	_355_/A (sky130_fd_sc_hd__buf_4)
			0.14	2.58 v	_355_/X (sky130_fd_sc_hd__buf_4)
10	0.06	0.14	0.00	2.58 v	_199_ (net)
			0.15	2.97 v	_356_/A (sky130_fd_sc_hd__buf_4)
1	0.00	0.06	0.01	2.98 v	_362_/A (sky130_fd_sc_hd__inv_2)
			0.11	3.09 ^	_362_/Y (sky130_fd_sc_hd__inv_2)
		0.06	0.00	3.09 ^	_007_ (net)
					413/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				3.09	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.13	0.08	10.08 ^	clk (in)
					clk (net)
4	0.04	0.13	0.00	10.08 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.10	10.35 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04	0.10	0.00	10.35 ^	clknet_0_clk (net)
			0.09	10.59 ^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
					clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
			0.09	10.59 ^	_413_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.34	clock uncertainty
			0.00	10.34	clock reconvergence pessimism
			0.47	10.82	library recovery time
				10.82	data required time

				10.82	data required time
				-3.09	data arrival time

				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _414_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.02	0.01	2.01 v	rst (in)
					rst (net)
			0.02	2.01 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.05	0.11	0.00	2.20 v	_355_/A (sky130_fd_sc_hd__buf_4)
			0.14	2.58 v	_355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)

		0.14	0.00	2.58	v	_356_/A (sky130_fd_sc_hd__buf_4)
		0.15	0.39	2.97	v	_356_/X (sky130_fd_sc_hd__buf_4)
10	0.06					_200_ (net)
		0.15	0.01	2.98	v	_363_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.11	3.09	^	_363_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_008_ (net)
		0.06	0.00	3.09	^	_414_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				3.09		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.13	0.08	10.08	^	clk (in)
						clk (net)
		0.13	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.35	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.10	0.00	10.35	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.04	0.09	0.24	10.59	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
		0.09	0.00	10.59	^	_414_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.34		clock uncertainty
		0.00		10.34		clock reconvergence pessimism
		0.47		10.81		library recovery time
				10.81		data required time

				10.81		data required time
				-3.09		data arrival time

				7.73		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _412_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.37	2.58	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.58	v _356_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.15	0.39	2.97	v _356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
		0.15	0.01	2.98	v _361_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.11	3.09	^ _361_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_006_ (net)
		0.06	0.00	3.09	^ _412_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				3.09	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.13	0.08	10.08	^ clk (in)
					clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.04	0.09	0.24	10.59	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.09	0.00	10.59	^ _412_/CLK (sky130_fd_sc_hd__dfrtp_1)

-0.25	10.34	clock uncertainty
0.00	10.34	clock reconvergence pessimism
0.47	10.82	library recovery time
	10.82	data required time

10.82	data required time
-3.09	data arrival time

7.73	slack (MET)
------	-------------

Startpoint: rst (input port clocked by clk)
Endpoint: _408_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description	
1	0.00		0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			2.00	2.00	v input external delay	
		0.02	0.01	2.01	v rst (in)	
						rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd_buf_1)	
				2.20	v input2/X (sky130_fd_sc_hd_buf_1)	
		0.11	0.19			net2 (net)
				2.20	v _355_/A (sky130_fd_sc_hd_buf_4)	
		0.14	0.37	2.58	v _355_/X (sky130_fd_sc_hd_buf_4)	
				199 (net)		
0.14	0.00	2.58	v _356_/A (sky130_fd_sc_hd_buf_4)			
		2.97	v _356_/X (sky130_fd_sc_hd_buf_4)			
0.15	0.39			_200_ (net)		
		2.98	v _357_/A (sky130_fd_sc_hd_inv_2)			
0.06	0.11	3.09	^ _357_/Y (sky130_fd_sc_hd_inv_2)			
				002 (net)		
0.06	0.00	3.09	^ _408_/RESET_B (sky130_fd_sc_hd_dfrtp_4)			
		3.09		data arrival time		
1	0.02		10.00	10.00	clock clk (rise edge)	
			0.00	10.00	clock source latency	
		0.13	0.08	10.08	^ clk (in)	
						clk (net)
0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)			
		10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)			
0.10	0.26			clknet_0_clk (net)		
		10.35	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)			
0.10	0.00	10.35	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)			
		10.60	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)			
0.10	0.25			clknet_2_0_leaf_clk (net)		
		10.60	^ _408_/CLK (sky130_fd_sc_hd_dfrtp_4)			
-0.25	10.35			clock uncertainty		
		0.00	10.35	clock reconvergence pessimism		
0.46	10.81			library recovery time		
		10.81		data required time		
			10.81		data required time	
			-3.09		data arrival time	
			7.73		slack (MET)	

			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.37	2.58	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.58	v _356_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.15	0.39	2.97	v _356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
		0.15	0.00	2.98	v _359_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.06	0.11	3.08	^ _359_/Y (sky130_fd_sc_hd__inv_2)
					004 (net)
		0.06	0.00	3.08	^ _410_/RESET_B (sky130_fd_sc_hd__dftrtp_2)
					data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.13	0.08	10.08	^ clk (in)
					clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.25	10.60	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	10.60	^ _410_/CLK (sky130_fd_sc_hd__dftrtp_2)
		-0.25		10.35	clock uncertainty
		0.00		10.35	clock reconvergence pessimism
		0.46		10.81	library recovery time
				10.81	data required time

				10.81	data required time
				-3.08	data arrival time

				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _424_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.37	2.58	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.58	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
10	0.07	0.15	0.38	2.96	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
					201 (net)
		0.15	0.00	2.97	v _374_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.11	3.07	^ _374_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_018_ (net)
		0.06	0.00	3.07	^ _424_/RESET_B (sky130_fd_sc_hd__dftrtp_2)
				3.07	data arrival time
			10.00	10.00	clock clk (rise edge)

			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	10.60	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.10	0.00	10.60	^ _424_/CLK (sky130_fd_sc_hd__dftrtp_2)
		-0.25	10.35		clock uncertainty
		0.00	10.35		clock reconvergence pessimism
		0.46	10.81		library recovery time
			10.81		data required time

			10.81		data required time
			-3.07		data arrival time

			7.73		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _422_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.14	0.37	2.58	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.14	0.00	2.58	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.15	0.38	2.96	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.15	0.00	2.97	v _372_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.10	3.07	^ _372_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_016_ (net)
		0.05	0.00	3.07	^ _422_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
			3.07		data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.59	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.09	0.00	10.59	^ _422_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.34		clock uncertainty
		0.00	10.34		clock reconvergence pessimism
		0.47	10.81		library recovery time
			10.81		data required time

			10.81		data required time
			-3.07		data arrival time

			7.74		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _425_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
				2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.05	0.11	0.37	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
				2.58	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.07	0.14	0.38		_199_ (net)
				2.58	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
10	0.07	0.15	0.38	2.96	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
					201 (net)
1	0.00	0.15	0.11	2.97	v _375_/A (sky130_fd_sc_hd__inv_2)
				3.07	^ _375_/Y (sky130_fd_sc_hd__inv_2)
					019 (net)
		0.06	0.00	3.07	^ _425_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				3.07	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.13	0.08	10.08	^ clk (in)
					clk (net)
4	0.04	0.13	0.26	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04	0.10	0.24		clknet_0_clk (net)
				10.35	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				10.59	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.00		clknet_2_2__leaf_clk (net)
		0.09	0.00	10.59	^ _425_/CLK (sky130_fd_sc_hd__dftrtp_1)
			-0.25	10.34	clock uncertainty
			0.00	10.34	clock reconvergence pessimism
			0.47	10.82	library recovery time
				10.82	data required time

				10.82	data required time
				-3.07	data arrival time

				7.74	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _423_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
				2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.05	0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
				0.14	0.37
					199 (net)

		0.14	0.00	2.58	v	_367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.15	0.38	2.96	v	_367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07					_201_ (net)
		0.15	0.00	2.97	v	_373_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.11	3.07	^	_373_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_017_ (net)
		0.06	0.00	3.07	^	_423_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				3.07		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.13	0.08	10.08	^	clk (in)
						clk (net)
		0.13	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.35	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.10	0.00	10.35	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.04	0.09	0.24	10.59	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
		0.09	0.00	10.59	^	_423_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.34		clock uncertainty
		0.00		10.34		clock reconvergence pessimism
		0.47		10.81		library recovery time
				10.81		data required time

				10.81		data required time
				-3.07		data arrival time

				7.74		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _427_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.37	2.58	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.58	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
10	0.07	0.15	0.38	2.96	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
					201 (net)
		0.15	0.00	2.97	v _377_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.11	3.07	^ _377_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_021_ (net)
		0.06	0.00	3.08	^ _427_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				3.08	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.13	0.08	10.08	^ clk (in)
					clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.25	10.59	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.09	0.00	10.60	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)

-0.25	10.35	clock uncertainty
0.00	10.35	clock reconvergence pessimism
0.47	10.82	library recovery time
	10.82	data required time

10.82	data required time
-3.08	data arrival time

7.75	slack (MET)
------	-------------

Startpoint: rst (input port clocked by clk)
Endpoint: _411_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd_buf_4)
10	0.05	0.14	0.37	2.58	v _355_/X (sky130_fd_sc_hd_buf_4)
					199 (net)
		0.14	0.00	2.58	v _356_/A (sky130_fd_sc_hd_buf_4)
10	0.06	0.15	0.39	2.97	v _356_/X (sky130_fd_sc_hd_buf_4)
					200 (net)
		0.15	0.01	2.98	v _360_/A (sky130_fd_sc_hd_inv_2)
		0.06	0.11	3.09	^ _360_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_005_ (net)
		0.06	0.00	3.09	^ _411_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				3.09	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.13	0.08	10.08	^ clk (in)
					clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	10.60	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	10.60	^ _411_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	10.35	clock uncertainty
			0.00	10.35	clock reconvergence pessimism
			0.48	10.83	library recovery time
				10.83	data required time
				10.83	data required time
				-3.09	data arrival time
				7.75	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _418_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)

			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.37	2.58	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.58	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
10	0.07	0.15	0.38	2.96	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
					201 (net)
		0.15	0.01	2.97	v _368_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.06	0.11	3.07	^ _368_/Y (sky130_fd_sc_hd__inv_2)
					012 (net)
		0.06	0.00	3.07	^ _418_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
					data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.13	0.08	10.08	^ clk (in)
					clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.10	0.25	10.60	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.10	0.00	10.60	^ _418_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25		10.35	clock uncertainty
		0.00		10.35	clock reconvergence pessimism
		0.48		10.82	library recovery time
				10.82	data required time

				10.82	data required time
				-3.07	data arrival time

				7.75	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _421_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.37	2.58	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.58	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
10	0.07	0.15	0.38	2.96	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
					201 (net)
		0.15	0.01	2.97	v _371_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.06	0.11	3.08	^ _371_/Y (sky130_fd_sc_hd__inv_2)
					015 (net)
		0.06	0.00	3.08	^ _421_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
					data arrival time
			10.00	10.00	clock clk (rise edge)

			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	10.60	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.10	0.00	10.60	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.35		clock uncertainty
		0.00	10.35		clock reconvergence pessimism
		0.48	10.83		library recovery time
			10.83		data required time

				10.83	data required time
				-3.08	data arrival time

				7.75	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _426_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
		0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.14	0.37	2.58	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.14	0.00	2.58	v _367_/A (sky130_fd_sc_hd_clkbuf_8)
		0.15	0.38	2.96	v _367_/X (sky130_fd_sc_hd_clkbuf_8)
10	0.07				_201_ (net)
		0.15	0.01	2.97	v _376_/A (sky130_fd_sc_hd_inv_2)
		0.06	0.11	3.08	^ _376_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_020_ (net)
		0.06	0.00	3.08	^ _426_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				3.08	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	10.60	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.10	0.00	10.60	^ _426_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.35		clock uncertainty
		0.00	10.35		clock reconvergence pessimism
		0.48	10.82		library recovery time
			10.82		data required time

				10.82	data required time
				-3.08	data arrival time

				7.75	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _419_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
				2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.02	0.11	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.05	0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
				2.58	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
10	0.07	0.14	0.00	2.58	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
				2.96	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
					201 (net)
1	0.00	0.15	0.01	2.97	v _369_/A (sky130_fd_sc_hd__inv_2)
				3.07	^ _369_/Y (sky130_fd_sc_hd__inv_2)
					013 (net)
		0.06	0.00	3.07	^ _419_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				3.07	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.13	0.08	10.08	^ clk (in)
					clk (net)
				10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
				10.35	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.10	0.25	10.60	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
				10.60	^ _419_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.35	clock uncertainty
			0.00	10.35	clock reconvergence pessimism
			0.48	10.82	library recovery time
				10.82	data required time

				10.82	data required time
				-3.07	data arrival time

				7.75	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _420_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
				2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.05	0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
				2.58	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)

		0.14	0.00	2.58	v	_367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.15	0.38	2.96	v	_367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07					_201_ (net)
		0.15	0.00	2.97	v	_370_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.11	3.07	^	_370_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_014_ (net)
		0.06	0.00	3.07	^	_420_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				3.07		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.13	0.08	10.08	^	clk (in)
						clk (net)
		0.13	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.35	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.10	0.00	10.35	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.10	0.25	10.60	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3__leaf_clk (net)
		0.10	0.00	10.60	^	_420_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25		10.35		clock uncertainty
		0.00		10.35		clock reconvergence pessimism
		0.48		10.82		library recovery time
				10.82		data required time

				10.82		data required time
				-3.07		data arrival time

				7.75		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _436_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _378_/A (sky130_fd_sc_hd__buf_4)
10	0.07	0.17	0.40	2.60	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
		0.17	0.01	2.61	v _387_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.12	2.73	^ _387_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_030_ (net)
		0.06	0.00	2.73	^ _436_/SET_B (sky130_fd_sc_hd__dfstp_1)
				2.73	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.13	0.08	10.08	^ clk (in)
					clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.10	0.25	10.60	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.10	0.00	10.60	^ _436_/CLK (sky130_fd_sc_hd__dfstp_1)
		-0.25		10.35	clock uncertainty
		0.00		10.35	clock reconvergence pessimism
		0.28		10.63	library recovery time

			10.63	data required time

			10.63	data required time
			-2.73	data arrival time

			7.90	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _433_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _378_/A (sky130_fd_sc_hd__buf_4)
10	0.07	0.17	0.40	2.60	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
		0.17	0.01	2.61	v _384_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.12	2.73	^ _384_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_027_ (net)
		0.06	0.00	2.73	^ _433_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.73	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.13	0.08	10.08	^ clk (in)
					clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.25	10.59	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.09	0.00	10.60	^ _433_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.35	clock uncertainty
			0.00	10.35	clock reconvergence pessimism
			0.47	10.82	library recovery time
				10.82	data required time

				10.82	data required time
				-2.73	data arrival time

				8.09	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _435_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)

3	0.01				net2 (net)
		0.11	0.00	2.20	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.17	0.40	2.60	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.17	0.01	2.61	v _386_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.11	2.72	^ _386_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_029_ (net)
		0.06	0.00	2.72	^ _435_/RESET_B (sky130_fd_sc_hd__dfrtp_2)
				2.72	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	10.60	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	10.60	^ _435_/CLK (sky130_fd_sc_hd__dfrtp_2)
		-0.25		10.35	clock uncertainty
		0.00		10.35	clock reconvergence pessimism
		0.46		10.81	library recovery time
				10.81	data required time

				10.81	data required time
				-2.72	data arrival time

				8.09	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _434_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.20	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.17	0.40	2.60	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.17	0.00	2.61	v _385_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.12	2.73	^ _385_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_028_ (net)
		0.06	0.00	2.73	^ _434_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.73	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.25	10.59	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	10.60	^ _434_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.35	clock uncertainty
		0.00		10.35	clock reconvergence pessimism

0.47	10.82	library recovery time
	10.82	data required time

	10.82	data required time
	-2.73	data arrival time

	8.09	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _437_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.02	0.01	2.01 v	rst (in)
					rst (net)
		0.02	0.00	2.01 v	input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.11	0.19	2.20 v	input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
		0.11	0.00	2.20 v	_378_/A (sky130_fd_sc_hd_buf_4)
10	0.07	0.17	0.40	2.60 v	_378_/X (sky130_fd_sc_hd_buf_4)
					202 (net)
		0.17	0.01	2.61 v	_388_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.06	0.12	2.73 ^	_388_/Y (sky130_fd_sc_hd_inv_2)
					031 (net)
		0.06	0.00	2.73 ^	_437_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.73	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.13	0.08	10.08 ^	clk (in)
					clk (net)
		0.13	0.00	10.08 ^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.26	10.35 ^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	10.35 ^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.10	0.25	10.60 ^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
		0.10	0.00	10.60 ^	_437_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	10.35	clock uncertainty
			0.00	10.35	clock reconvergence pessimism
			0.47	10.82	library recovery time
				10.82	data required time

				10.82	data required time
				-2.73	data arrival time

				8.10	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _429_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.02	0.01	2.01 v	rst (in)
					rst (net)
		0.02	0.00	2.01 v	input2/A (sky130_fd_sc_hd_buf_1)

3	0.01	0.11	0.19	2.20	v	input2/X (sky130_fd_sc_hd_buf_1)
						net2 (net)
10	0.07	0.11	0.00	2.20	v	_378_/A (sky130_fd_sc_hd_buf_4)
		0.17	0.40	2.60	v	_378_/X (sky130_fd_sc_hd_buf_4)
1	0.00					_202_ (net)
		0.17	0.00	2.61	v	_380_/A (sky130_fd_sc_hd_inv_2)
		0.07	0.12	2.73	^	_380_/Y (sky130_fd_sc_hd_inv_2)
						023 (net)
		0.07	0.00	2.73	^	_429_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.73		data arrival time
1	0.02		10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.13	0.08	10.08	^	clk (in)
						clk (net)
4	0.04	0.13	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.35	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04					clknet_0_clk (net)
		0.10	0.00	10.35	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	10.60	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.10	0.00	10.60	^	_429_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	10.35		clock uncertainty
	0.00	10.35		clock reconvergence pessimism		
		0.47	10.83		library recovery time	
			10.83		data required time	
				10.83		data required time
				-2.73		data arrival time
				8.10		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _431_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.00		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
3	0.01		2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
10	0.07				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
1	0.00	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
10	0.07	0.11	0.00	2.20	v _378_/A (sky130_fd_sc_hd_buf_4)
		0.17	0.40	2.60	v _378_/X (sky130_fd_sc_hd_buf_4)
1	0.00				_202_ (net)
		0.17	0.00	2.61	v _382_/A (sky130_fd_sc_hd_inv_2)
		0.06	0.12	2.73	^ _382_/Y (sky130_fd_sc_hd_inv_2)
					025 (net)
		0.06	0.00	2.73	^ _431_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.73	data arrival time
1	0.02		10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
					clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
14	0.04	0.10	0.00	10.35	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	10.60	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	10.60	^ _431_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	10.35	clock uncertainty

0.00	10.35	clock reconvergence pessimism
0.48	10.83	library recovery time
	10.83	data required time

10.83	data required time
-2.73	data arrival time

8.10	slack (MET)
------	-------------

Startpoint: rst (input port clocked by clk)
 Endpoint: _432_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
			0.01	2.01 v	rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01 v	input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.11	0.19	2.20 v	input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
		0.11	0.00	2.20 v	_378_/A (sky130_fd_sc_hd_buf_4)
		0.17	0.40	2.60 v	_378_/X (sky130_fd_sc_hd_buf_4)
10	0.07				_202_ (net)
		0.17	0.00	2.61 v	_383_/A (sky130_fd_sc_hd_inv_2)
		0.06	0.12	2.72 ^	_383_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_026_ (net)
		0.06	0.00	2.72 ^	_432_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.72	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.13	0.08	10.08 ^	clk (in)
					clk (net)
		0.13	0.00	10.08 ^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.26	10.35 ^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	10.35 ^	clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	10.60 ^	clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.10	0.00	10.60 ^	_432_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	10.35	clock uncertainty
			0.00	10.35	clock reconvergence pessimism
			0.48	10.83	library recovery time
				10.83	data required time

				10.83	data required time
				-2.72	data arrival time

				8.11	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _430_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.02	0.01	2.01 v	rst (in)
1	0.00				rst (net)

		0.02	0.00	2.01	v	input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.19	2.20	v	input2/X (sky130_fd_sc_hd__buf_1)
3	0.01					net2 (net)
		0.11	0.00	2.20	v	_378_/A (sky130_fd_sc_hd__buf_4)
10	0.07	0.17	0.40	2.60	v	_378_/X (sky130_fd_sc_hd__buf_4)
						202 (net)
		0.17	0.01	2.61	v	_381_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.11	2.72	^	_381_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_024_ (net)
		0.06	0.00	2.72	^	_430_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.72		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.13	0.08	10.08	^	clk (in)
						clk (net)
		0.13	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.35	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.10	0.00	10.35	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.25	10.60	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.10	0.00	10.60	^	_430_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25		10.35		clock uncertainty
		0.00		10.35		clock reconvergence pessimism
		0.48		10.83		library recovery time
				10.83		data required time

				10.83		data required time
				-2.72		data arrival time

				8.11		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _428_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _378_/A (sky130_fd_sc_hd__buf_4)
10	0.07	0.17	0.40	2.60	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
		0.17	0.01	2.61	v _379_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.11	2.72	^ _379_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_022_ (net)
		0.06	0.00	2.72	^ _428_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.72	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.13	0.08	10.08	^ clk (in)
					clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.25	10.60	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	10.60	^ _428_/CLK (sky130_fd_sc_hd__dftrtp_1)

-0.25	10.35	clock uncertainty
0.00	10.35	clock reconvergence pessimism
0.48	10.83	library recovery time
	10.83	data required time

10.83	data required time
-2.72	data arrival time

8.11	slack (MET)
------	-------------

Startpoint: rst (input port clocked by clk)
Endpoint: _443_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
3	0.01	0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
				2.20	v input2/X (sky130_fd_sc_hd_buf_1)
10	0.06	0.11	0.00		net2 (net)
				2.20	v _389_/A (sky130_fd_sc_hd_buf_4)
1	0.00	0.16	0.38	2.59	v _389_/X (sky130_fd_sc_hd_buf_4)
					203 (net)
1	0.00	0.16	0.01	2.59	v _395_/A (sky130_fd_sc_hd_inv_2)
				2.70	^ _395_/Y (sky130_fd_sc_hd_inv_2)
1	0.00	0.06	0.11		_037_ (net)
				2.70	^ _443_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
			0.06	0.00	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.13	0.08	10.08	^ clk (in)
					clk (net)
4	0.04	0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
			0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.10	0.00		clknet_0_clk (net)
			0.25	10.35	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.00	10.59	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
			0.09		clknet_2_1_leaf_clk (net)
				10.60	^ _443_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	10.35	clock uncertainty
			0.00	10.35	clock reconvergence pessimism
			0.48	10.82	library recovery time
				10.82	data required time

				10.82	data required time
				-2.70	data arrival time

				8.12	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _440_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)

id	type	min	max	val	unit	description
1	0.00	0.02	0.00	2.01	v	rst (net)
		0.11	0.19	2.20	v	input2/A (sky130_fd_sc_hd_buf_1)
3	0.01					input2/X (sky130_fd_sc_hd_buf_1)
		0.11	0.00	2.20	v	net2 (net)
		0.16	0.38	2.59	v	_389_/A (sky130_fd_sc_hd_buf_4)
10	0.06					_389_/X (sky130_fd_sc_hd_buf_4)
		0.16	0.01	2.59	v	_203_ (net)
		0.06	0.11	2.70	^	_392_/A (sky130_fd_sc_hd_inv_2)
1	0.00					_392_/Y (sky130_fd_sc_hd_inv_2)
		0.06	0.00	2.70	^	_034_ (net)
				2.70	^	_440_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
						data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
		0.13	0.08	10.08	^	clk (in)
1	0.02					clk (net)
		0.13	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.35	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	10.35	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	10.60	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_3_leaf_clk (net)
		0.10	0.00	10.60	^	_440_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.35		clock uncertainty
		0.00		10.35		clock reconvergence pessimism
		0.48		10.82		library recovery time
				10.82		data required time
				10.82		data required time
				-2.70		data arrival time
				8.12		slack (MET)

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _389_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.16	0.38	2.59	v _389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
		0.16	0.01	2.59	v _393_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.11	2.70	^ _393_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_035_ (net)
		0.06	0.00	2.70	^ _441_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.70	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.25	10.59	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)

0.09	0.00	10.60	^	_441_/CLK (sky130_fd_sc_hd__dfrtp_1)
	-0.25	10.35		clock uncertainty
	0.00	10.35		clock reconvergence pessimism
	0.48	10.82		library recovery time
		10.82		data required time

		10.82		data required time
		-2.70		data arrival time

		8.12		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _444_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
3	0.01	0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
				2.20	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.06	0.11	0.38		net2 (net)
				2.20	v _389_/A (sky130_fd_sc_hd__buf_4)
				2.59	v _389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
1	0.00	0.16	0.01	2.59	v _396_/A (sky130_fd_sc_hd__inv_2)
				2.70	^ _396_/Y (sky130_fd_sc_hd__inv_2)
					038 (net)
				2.70	^ _444_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.70	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.13	0.08	10.08	^ clk (in)
					clk (net)
4	0.04	0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.10	0.25		clknet_0_clk (net)
				10.35	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				10.60	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.10	0.00	10.60	^ _444_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.35	clock uncertainty
			0.00	10.35	clock reconvergence pessimism
			0.48	10.83	library recovery time
				10.83	data required time

				10.83	data required time
				-2.70	data arrival time

				8.12	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _445_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay

		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
		0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.20	v _389_/A (sky130_fd_sc_hd_buf_4)
		0.16	0.38	2.59	v _389_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_203_ (net)
		0.16	0.00	2.59	v _397_/A (sky130_fd_sc_hd_inv_2)
		0.06	0.11	2.70	^ _397_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_039_ (net)
		0.06	0.00	2.70	^ _445_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.70	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.25	10.59	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.09	0.00	10.60	^ _445_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.35	clock uncertainty
		0.00		10.35	clock reconvergence pessimism
		0.48		10.82	library recovery time
				10.82	data required time

				10.82	data required time
				-2.70	data arrival time

				8.12	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _442_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
		0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.20	v _389_/A (sky130_fd_sc_hd_buf_4)
		0.16	0.38	2.59	v _389_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_203_ (net)
		0.16	0.01	2.59	v _394_/A (sky130_fd_sc_hd_inv_2)
		0.06	0.11	2.70	^ _394_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_036_ (net)
		0.06	0.00	2.70	^ _442_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.70	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.25	10.59	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)

12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	10.60	^ _442_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.35	clock uncertainty
			0.00	10.35	clock reconvergence pessimism
			0.48	10.82	library recovery time
				10.82	data required time

				10.82	data required time
				-2.70	data arrival time

				8.12	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _439_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _389_/A (sky130_fd_sc_hd__buf_4)
		0.16	0.38	2.59	v _389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
		0.16	0.01	2.59	v _391_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.11	2.70	^ _391_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_033_ (net)
		0.06	0.00	2.70	^ _439_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.70	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	10.60	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.10	0.00	10.60	^ _439_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.35	clock uncertainty
			0.00	10.35	clock reconvergence pessimism
			0.48	10.83	library recovery time
				10.83	data required time

				10.83	data required time
				-2.70	data arrival time

				8.12	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _438_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)

			2.00	2.00	v	input external delay
		0.02	0.01	2.01	v	rst (in)
1	0.00					rst (net)
		0.02	0.00	2.01	v	input2/A (sky130_fd_sc_hd_buf_1)
		0.11	0.19	2.20	v	input2/X (sky130_fd_sc_hd_buf_1)
3	0.01					net2 (net)
		0.11	0.00	2.20	v	_389_/A (sky130_fd_sc_hd_buf_4)
		0.16	0.38	2.59	v	_389_/X (sky130_fd_sc_hd_buf_4)
10	0.06					_203_ (net)
		0.16	0.01	2.59	v	_390_/A (sky130_fd_sc_hd_inv_2)
		0.06	0.11	2.70	^	_390_/Y (sky130_fd_sc_hd_inv_2)
1	0.00					_032_ (net)
		0.06	0.00	2.70	^	_438_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.70		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.13	0.08	10.08	^	clk (in)
						clk (net)
		0.13	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.35	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	10.35	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	10.60	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_3_leaf_clk (net)
		0.10	0.00	10.60	^	_438_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	10.35		clock uncertainty
			0.00	10.35		clock reconvergence pessimism
			0.48	10.83		library recovery time
				10.83		data required time

				10.83		data required time
				-2.70		data arrival time

				8.12		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _447_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
		0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.20	v _389_/A (sky130_fd_sc_hd_buf_4)
		0.16	0.38	2.59	v _389_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_203_ (net)
		0.16	0.00	2.59	v _399_/A (sky130_fd_sc_hd_inv_2)
		0.06	0.12	2.70	^ _399_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_041_ (net)
		0.06	0.00	2.70	^ _447_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.70	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.13	0.08	10.08	^ clk (in)
					clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)

14	0.04	0.10	0.25	10.60	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.10	0.00	10.60	^	_447_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.35		clock uncertainty
			0.00	10.35		clock reconvergence pessimism
			0.48	10.83		library recovery time
				10.83		data required time

				10.83		data required time
				-2.70		data arrival time

		8.12		slack (MET)		

Startpoint: rst (input port clocked by clk)
Endpoint: _446_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description	
			0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			2.00	2.00	v input external delay	
1	0.00	0.02	0.01	2.01	v rst (in)	
					rst (net)	
3	0.01	0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)	
				0.11	0.19	2.20
10	0.06	0.11	0.00	2.20	v _389_/A (sky130_fd_sc_hd__buf_4)	
				0.16	0.38	2.59
1	0.00	0.16	0.00	2.59	v _398_/A (sky130_fd_sc_hd__inv_2)	
				0.06	0.11	2.70
1	0.00	0.06	0.00	2.70	^ _040_/RESET_B (sky130_fd_sc_hd__dfrtp_1)	
				2.70	data arrival time	
1	0.02	0.13	0.08	10.00	clock clk (rise edge)	
				0.00	10.00	clock source latency
4	0.04	0.10	0.26	10.08	^ clk (in)	
				10.35	^ clk (net)	
12	0.04	0.09	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
				0.10	0.00	10.35
12	0.04	0.09	0.00	10.35	^ clknet_0_clk (net)	
				0.09	0.25	10.59
12	0.04	0.09	0.00	10.59	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
				0.09	0.00	10.60
12	0.04	0.09	0.00	10.60	^ _446_/CLK (sky130_fd_sc_hd__dfrtp_1)	
				-0.25	10.35	clock uncertainty
12	0.04	0.09	0.00	10.35	clock reconvergence pessimism	
				0.48	10.82	library recovery time
12	0.04	0.09	0.00	10.82	data required time	
				-2.70	data arrival time	
					8.12	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _450_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)

			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.37	2.58	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.58	v _402_/A (sky130_fd_sc_hd__inv_2)
1	0.01	0.07	0.12	2.70	^ _402_/Y (sky130_fd_sc_hd__inv_2)
					044 (net)
		0.07	0.00	2.70	^ _450_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.70	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.13	0.08	10.08	^ clk (in)
					clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.25	10.60	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	10.60	^ _450_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.35	clock uncertainty
		0.00		10.35	clock reconvergence pessimism
		0.47		10.83	library recovery time
				10.83	data required time

				10.83	data required time
				-2.70	data arrival time

				8.13	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _454_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.37	2.58	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.58	v _406_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.10	2.68	^ _406_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_048_ (net)
		0.05	0.00	2.68	^ _454_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.68	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.13	0.08	10.08	^ clk (in)
					clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)

		0.10	0.00	10.35	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.25	10.59	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1_leaf_clk (net)
		0.09	0.00	10.60	^	_454_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	10.35		clock uncertainty
			0.00	10.35		clock reconvergence pessimism
			0.48	10.82		library recovery time
				10.82		data required time

				10.82		data required time
				-2.68		data arrival time

				8.14		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _455_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd_buf_4)
10	0.05	0.14	0.37	2.58	v _355_/X (sky130_fd_sc_hd_buf_4)
					199 (net)
		0.14	0.00	2.58	v _407_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.05	0.10	2.68	^ _407_/Y (sky130_fd_sc_hd_inv_2)
					049 (net)
		0.05	0.00	2.68	^ _455_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.68	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.13	0.08	10.08	^ clk (in)
					clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.25	10.59	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
		0.09	0.00	10.60	^ _455_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	10.35	clock uncertainty
			0.00	10.35	clock reconvergence pessimism
			0.48	10.82	library recovery time
				10.82	data required time

				10.82	data required time
				-2.68	data arrival time

				8.14	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _452_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
		0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.14	0.37	2.58	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.14	0.00	2.58	v _404_/A (sky130_fd_sc_hd_inv_2)
		0.05	0.10	2.68	^ _404_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_046_ (net)
		0.05	0.00	2.68	^ _452_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.68	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.25	10.59	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.09	0.00	10.60	^ _452_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.35	clock uncertainty
		0.00		10.35	clock reconvergence pessimism
		0.48		10.82	library recovery time
				10.82	data required time

				10.82	data required time
				-2.68	data arrival time

				8.14	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _451_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
		0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.14	0.37	2.58	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.14	0.00	2.58	v _403_/A (sky130_fd_sc_hd_inv_2)
		0.06	0.11	2.69	^ _403_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_045_ (net)
		0.06	0.00	2.69	^ _451_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.69	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)

4	0.04				clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	10.60	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	10.60	^ _451_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	10.35	clock uncertainty
			0.00	10.35	clock reconvergence pessimism
			0.48	10.83	library recovery time
				10.83	data required time

				10.83	data required time
				-2.69	data arrival time

				8.14	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _453_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.14	0.37	2.58	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.14	0.00	2.58	v _405_/A (sky130_fd_sc_hd_inv_2)
		0.05	0.10	2.68	^ _405_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_047_ (net)
		0.05	0.00	2.68	^ _453_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.68	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.13	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.25	10.59	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	10.60	^ _453_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	10.35	clock uncertainty
			0.00	10.35	clock reconvergence pessimism
			0.48	10.82	library recovery time
				10.82	data required time

				10.82	data required time
				-2.68	data arrival time

				8.14	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _449_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
--------	-----	------	-------	------	-------------

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.37	2.58	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.58	v _401_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.11	2.69	^ _401_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_043_ (net)
		0.06	0.00	2.69	^ _449_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.69	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.13	0.08	10.08	^ clk (in)
					clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	10.35	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.25	10.60	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	10.60	^ _449_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25		10.35	clock uncertainty
		0.00		10.35	clock reconvergence pessimism
		0.48		10.83	library recovery time
				10.83	data required time

				10.83	data required time
				-2.69	data arrival time

				8.14	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _448_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.37	2.58	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.58	v _400_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.10	2.68	^ _400_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_042_ (net)
		0.05	0.00	2.68	^ _448_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.68	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.13	0.08	10.08	^ clk (in)
					clk (net)
		0.13	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)

4	0.04	0.10	0.26	10.35	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
14	0.04	0.10	0.00	10.35	^	clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	10.60	^	clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_0_leaf_clk (net)
		0.10	0.00	10.60	^	_448_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.35		clock uncertainty
		0.00		10.35		clock reconvergence pessimism
		0.48		10.83		library recovery time
				10.83		data required time
				10.83		data required time
				-2.68		data arrival time
				8.15		slack (MET)

===== Typical Corner =====

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _427_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.00	0.22	^ clknet_0_clk (net)
		0.06	0.16	0.38	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
3	0.01	0.06	0.00	0.38	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
		0.08	0.43	0.81	^ clknet_2_3_leaf_clk (net)
1	0.00	0.08	0.00	0.81	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.10	0.57	0.81	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
1	0.00	0.08	0.00	0.81	clk_count[13] (net)
		0.10	0.57	1.38	v _205_/A (sky130_fd_sc_hd_or4_1)
2	0.01	0.10	0.00	1.38	v _205_/X (sky130_fd_sc_hd_or4_1)
		0.43	0.47	1.85	_097_ (net)
3	0.01	0.10	0.00	1.85	v _209_/A (sky130_fd_sc_hd_nor4_1)
		0.15	0.22	2.07	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
3	0.01	0.43	0.00	1.85	_101_ (net)
		0.15	0.22	2.07	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.15	0.00	2.07	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
		0.14	0.17	2.25	net25 (net)
3	0.01	0.15	0.00	2.07	^ _217_/C (sky130_fd_sc_hd_nand4_1)
		0.14	0.17	2.25	v _217_/Y (sky130_fd_sc_hd_nand4_1)
10	0.07	0.14	0.00	2.25	_109_ (net)
		0.09	0.25	2.50	v _218_/A (sky130_fd_sc_hd_buf_4)
1	0.00	0.09	0.01	2.50	v _218_/X (sky130_fd_sc_hd_buf_4)
		0.05	0.33	2.84	_110_ (net)
1	0.00	0.09	0.01	2.50	v _291_/S (sky130_fd_sc_hd_mux2_1)
		0.05	0.33	2.84	v _291_/X (sky130_fd_sc_hd_mux2_1)
1	0.00	0.05	0.00	2.84	_154_ (net)
		0.06	0.58	3.42	v hold36/A (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00	0.06	0.00	3.42	v hold36/X (sky130_fd_sc_hd_dlygate4sd3_1)
		0.03	0.10	3.52	net61 (net)
1	0.00	0.06	0.00	3.42	v _292_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.10	3.52	v _292_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00	0.03	0.00	3.52	_067_ (net)
				3.52	v _427_/D (sky130_fd_sc_hd_dfrtp_1)
				3.52	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency

		0.08	0.05	10.05	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.34	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1_leaf_clk (net)
		0.06	0.00	10.35	^	_427_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.10		clock uncertainty
		0.02		10.12		clock reconvergence pessimism
		-0.10		10.01		library setup time
				10.01		data required time

				10.01		data required time
				-3.52		data arrival time

				6.49		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _426_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.06	0.00	0.38	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.08	0.43	0.81	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[13] (net)
		0.08	0.00	0.81	v _205_/A (sky130_fd_sc_hd_or4_1)
		0.10	0.57	1.38	v _205_/X (sky130_fd_sc_hd_or4_1)
1	0.00				_097_ (net)
		0.10	0.00	1.38	v _209_/A (sky130_fd_sc_hd_nor4_1)
		0.43	0.47	1.85	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
2	0.01				_101_ (net)
		0.43	0.00	1.85	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.15	0.22	2.07	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01				net25 (net)
		0.15	0.00	2.07	^ _217_/C (sky130_fd_sc_hd_nand4_1)
		0.14	0.17	2.25	v _217_/Y (sky130_fd_sc_hd_nand4_1)
3	0.01				_109_ (net)
		0.14	0.00	2.25	v _218_/A (sky130_fd_sc_hd_buf_4)
		0.09	0.25	2.50	v _218_/X (sky130_fd_sc_hd_buf_4)
10	0.07				_110_ (net)
		0.09	0.00	2.50	v _293_/S (sky130_fd_sc_hd_mux2_1)
		0.05	0.33	2.83	v _293_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_155_ (net)
		0.05	0.00	2.83	v hold34/A (sky130_fd_sc_hd_dlygate4sd3_1)
		0.06	0.58	3.41	v hold34/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00				net59 (net)
		0.06	0.00	3.42	v _294_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.10	3.51	v _294_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_066_ (net)
		0.03	0.00	3.51	v _426_/D (sky130_fd_sc_hd_dfrtp_1)
				3.51	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency

		0.08	0.05	10.05	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.34	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_3_leaf_clk (net)
		0.06	0.00	10.35	^	_426_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.10		clock uncertainty
		0.04		10.13		clock reconvergence pessimism
		-0.10		10.03		library setup time
				10.03		data required time

				10.03		data required time
				-3.51		data arrival time

				6.52		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _450_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
		0.02	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd_buf_1)
		0.20	0.19	2.20	^ input3/X (sky130_fd_sc_hd_buf_1)
2	0.02				net3 (net)
		0.20	0.00	2.20	^ _237_/B (sky130_fd_sc_hd_nor2_4)
		0.08	0.10	2.31	v _237_/Y (sky130_fd_sc_hd_nor2_4)
9	0.04				_125_ (net)
		0.08	0.00	2.31	v _238_/B1 (sky130_fd_sc_hd_a21o_2)
		0.11	0.29	2.60	v _238_/X (sky130_fd_sc_hd_a21o_2)
8	0.04				_126_ (net)
		0.11	0.00	2.60	v _241_/A2 (sky130_fd_sc_hd_a22o_1)
		0.04	0.26	2.87	v _241_/X (sky130_fd_sc_hd_a22o_1)
1	0.00				_090_ (net)
		0.04	0.00	2.87	v hold10/A (sky130_fd_sc_hd_dlygate4sd3_1)
		0.06	0.58	3.44	v hold10/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00				net35 (net)
		0.06	0.00	3.44	v _450_/D (sky130_fd_sc_hd_dfrtp_1)
				3.44	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.35	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05				clknet_2_0_leaf_clk (net)
		0.06	0.00	10.35	^ _450_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.10	clock uncertainty
		0.00		10.10	clock reconvergence pessimism
		-0.11		9.98	library setup time
				9.98	data required time

				9.98	data required time
				-3.44	data arrival time

6.54 slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _449_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 ^	input external delay
1	0.00	0.02	0.01	2.01 ^	start (in)
					start (net)
		0.02	0.00	2.01 ^	input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.20	0.19	2.20 ^	input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.20	0.00	2.20 ^	_237_/B (sky130_fd_sc_hd__nor2_4)
9	0.04	0.08	0.10	2.31 v	_237_/Y (sky130_fd_sc_hd__nor2_4)
					125 (net)
		0.08	0.00	2.31 v	_238_/B1 (sky130_fd_sc_hd__a21o_2)
8	0.04	0.11	0.29	2.60 v	_238_/X (sky130_fd_sc_hd__a21o_2)
					126 (net)
		0.11	0.00	2.60 v	_242_/A2 (sky130_fd_sc_hd__a22o_1)
1	0.00	0.04	0.26	2.87 v	_242_/X (sky130_fd_sc_hd__a22o_1)
					089 (net)
		0.04	0.00	2.87 v	hold8/A (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00	0.05	0.57	3.44 v	hold8/X (sky130_fd_sc_hd__dlygate4sd3_1)
					net33 (net)
		0.05	0.00	3.44 v	_449_/D (sky130_fd_sc_hd__dfrtp_1)
				3.44	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05 ^	clk (in)
					clk (net)
		0.08	0.00	10.05 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20 ^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.05	0.06	0.14	10.35 ^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.06	0.00	10.35 ^	_449_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.10		clock uncertainty
		0.00	10.10		clock reconvergence pessimism
		-0.11	9.99		library setup time
			9.99		data required time

				9.99	data required time
				-3.44	data arrival time

				6.55	slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _447_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 ^	input external delay
1	0.00	0.02	0.01	2.01 ^	start (in)
					start (net)
		0.02	0.00	2.01 ^	input3/A (sky130_fd_sc_hd__buf_1)

		0.20	0.19	2.20	^ input3/X (sky130_fd_sc_hd__buf_1)
2	0.02				net3 (net)
		0.20	0.00	2.20	^ _237_/B (sky130_fd_sc_hd__nor2_4)
		0.08	0.10	2.31	v _237_/Y (sky130_fd_sc_hd__nor2_4)
9	0.04				_125_ (net)
		0.08	0.00	2.31	v _238_/B1 (sky130_fd_sc_hd__a21o_2)
		0.11	0.29	2.60	v _238_/X (sky130_fd_sc_hd__a21o_2)
8	0.04				_126_ (net)
		0.11	0.00	2.60	v _244_/A2 (sky130_fd_sc_hd__a22o_1)
		0.03	0.25	2.86	v _244_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_087_ (net)
		0.03	0.00	2.86	v hold3/A (sky130_fd_sc_hd__dlygate4sd3_1)
		0.05	0.57	3.42	v hold3/X (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00				net28 (net)
		0.05	0.00	3.42	v _447_/D (sky130_fd_sc_hd__dfrtp_1)
				3.42	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.35	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.06	0.00	10.35	^ _447_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.10		clock uncertainty
		0.00	10.10		clock reconvergence pessimism
		-0.11	9.99		library setup time
			9.99		data required time

			9.99		data required time
			-3.42		data arrival time

			6.56		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _451_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
		0.02	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
		0.20	0.19	2.20	^ input3/X (sky130_fd_sc_hd__buf_1)
2	0.02				net3 (net)
		0.20	0.00	2.20	^ _237_/B (sky130_fd_sc_hd__nor2_4)
		0.08	0.10	2.31	v _237_/Y (sky130_fd_sc_hd__nor2_4)
9	0.04				_125_ (net)
		0.08	0.00	2.31	v _238_/B1 (sky130_fd_sc_hd__a21o_2)
		0.11	0.29	2.60	v _238_/X (sky130_fd_sc_hd__a21o_2)
8	0.04				_126_ (net)
		0.11	0.00	2.60	v _240_/A2 (sky130_fd_sc_hd__a22o_1)
		0.03	0.25	2.85	v _240_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_091_ (net)
		0.03	0.00	2.85	v hold5/A (sky130_fd_sc_hd__dlygate4sd3_1)
		0.05	0.57	3.42	v hold5/X (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00				net30 (net)
		0.05	0.00	3.42	v _451_/D (sky130_fd_sc_hd__dfrtp_1)
				3.42	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.05	0.06	0.14	10.35	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.06	0.00	10.35	^ _451_/CLK (sky130_fd_sc_hd__dfstp_1)
		-0.25	10.10		clock uncertainty
		0.00	10.10		clock reconvergence pessimism
		-0.11	9.99		library setup time
			9.99		data required time

				9.99	data required time
				-3.42	data arrival time

				6.56	slack (MET)

Startpoint: _436_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: cs (output port clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.16	0.38	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^ _436_/CLK (sky130_fd_sc_hd__dfstp_1)
2	0.01	0.09	0.56	0.94	^ _436_/Q (sky130_fd_sc_hd__dfstp_1)
					net13 (net)
		0.09	0.00	0.94	^ output13/A (sky130_fd_sc_hd__clkbuf_4)
1	0.04	0.11	0.21	1.15	^ output13/X (sky130_fd_sc_hd__clkbuf_4)
					cs (net)
		0.11	0.00	1.16	^ cs (out)
				1.16	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time
				-1.16	data arrival time

				6.59	slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _453_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.01	0.00	2.00 v	start (in)
1	0.00				start (net)
		0.01	0.00	2.00 v	input3/A (sky130_fd_sc_hd_buf_1)
		0.09	0.13	2.14 v	input3/X (sky130_fd_sc_hd_buf_1)
2	0.02				net3 (net)
		0.09	0.00	2.14 v	_204_/B (sky130_fd_sc_hd_or2_2)
		0.10	0.37	2.51 v	_204_/X (sky130_fd_sc_hd_or2_2)
6	0.02				_096_ (net)
		0.10	0.00	2.51 v	_222_/A (sky130_fd_sc_hd_and3_1)
		0.04	0.17	2.68 v	_222_/X (sky130_fd_sc_hd_and3_1)
1	0.00				_113_ (net)
		0.04	0.00	2.68 v	_223_/A (sky130_fd_sc_hd_clkbuf_4)
		0.10	0.21	2.89 v	_223_/X (sky130_fd_sc_hd_clkbuf_4)
10	0.05				_114_ (net)
		0.10	0.00	2.89 v	_229_/S (sky130_fd_sc_hd_mux2_1)
		0.06	0.35	3.24 v	_229_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_119_ (net)
		0.06	0.00	3.24 v	_230_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.10	3.34 v	_230_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_093_ (net)
		0.03	0.00	3.34 v	_453_/D (sky130_fd_sc_hd_dfrtp_1)
				3.34	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05 ^	clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05 ^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20 ^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20 ^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.34 ^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.06	0.00	10.34 ^	_453_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		-0.10	9.99		library setup time
			9.99		data required time

				9.99	data required time
				-3.34	data arrival time

				6.65	slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _442_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.01	0.00	2.00 v	start (in)
1	0.00				start (net)
		0.01	0.00	2.00 v	input3/A (sky130_fd_sc_hd_buf_1)
		0.09	0.13	2.14 v	input3/X (sky130_fd_sc_hd_buf_1)
2	0.02				net3 (net)
		0.09	0.00	2.14 v	_204_/B (sky130_fd_sc_hd_or2_2)
		0.10	0.37	2.51 v	_204_/X (sky130_fd_sc_hd_or2_2)
6	0.02				_096_ (net)
		0.10	0.00	2.51 v	_222_/A (sky130_fd_sc_hd_and3_1)
		0.04	0.17	2.68 v	_222_/X (sky130_fd_sc_hd_and3_1)
1	0.00				_113_ (net)

		0.04	0.00	2.68	v	_223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.10	0.21	2.89	v	_223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.05					_114_ (net)
		0.10	0.00	2.89	v	_252_/S (sky130_fd_sc_hd__mux2_1)
		0.06	0.34	3.24	v	_252_/X (sky130_fd_sc_hd__mux2_1)
1	0.00					_131_ (net)
		0.06	0.00	3.24	v	_253_/A (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.10	3.33	v	_253_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00					_082_ (net)
		0.02	0.00	3.33	v	_442_/D (sky130_fd_sc_hd__dftrtp_1)
				3.33		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.08	0.05	10.05	^	clk (in)
						clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	10.34	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_1__leaf_clk (net)
		0.06	0.00	10.35	^	_442_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.10			clock uncertainty
		0.00	10.10			clock reconvergence pessimism
		-0.10	9.99			library setup time
			9.99			data required time

				9.99		data required time
				-3.33		data arrival time

				6.66		slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _443_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v start (in)
					start (net)
		0.01	0.00	2.00	v input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.09	0.13	2.14	v input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.09	0.00	2.14	v _204_/B (sky130_fd_sc_hd__or2_2)
6	0.02	0.10	0.37	2.51	v _204_/X (sky130_fd_sc_hd__or2_2)
					096 (net)
		0.10	0.00	2.51	v _222_/A (sky130_fd_sc_hd__and3_1)
		0.04	0.17	2.68	v _222_/X (sky130_fd_sc_hd__and3_1)
1	0.00				_113_ (net)
		0.04	0.00	2.68	v _223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.10	0.21	2.89	v _223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.05				_114_ (net)
		0.10	0.00	2.89	v _249_/S (sky130_fd_sc_hd__mux2_1)
		0.05	0.34	3.23	v _249_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_129_ (net)
		0.05	0.00	3.23	v _250_/A (sky130_fd_sc_hd__clkbuf_1)
		0.03	0.10	3.33	v _250_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_083_ (net)
		0.03	0.00	3.33	v _443_/D (sky130_fd_sc_hd__dftrtp_1)
				3.33	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency

		0.08	0.05	10.05	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.34	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1_leaf_clk (net)
		0.06	0.00	10.34	^	_443_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.09			clock uncertainty
		0.00	10.09			clock reconvergence pessimism
		-0.10	9.99			library setup time
			9.99			data required time

				9.99		data required time
				-3.33		data arrival time

				6.66		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _452_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v start (in)
1	0.00				start (net)
		0.01	0.00	2.00	v input3/A (sky130_fd_sc_hd_buf_1)
		0.09	0.13	2.14	v input3/X (sky130_fd_sc_hd_buf_1)
2	0.02				net3 (net)
		0.09	0.00	2.14	v _204_/B (sky130_fd_sc_hd_or2_2)
		0.10	0.37	2.51	v _204_/X (sky130_fd_sc_hd_or2_2)
6	0.02				_096_ (net)
		0.10	0.00	2.51	v _222_/A (sky130_fd_sc_hd_and3_1)
		0.04	0.17	2.68	v _222_/X (sky130_fd_sc_hd_and3_1)
1	0.00				_113_ (net)
		0.04	0.00	2.68	v _223_/A (sky130_fd_sc_hd_clkbuf_4)
		0.10	0.21	2.89	v _223_/X (sky130_fd_sc_hd_clkbuf_4)
10	0.05				_114_ (net)
		0.10	0.00	2.89	v _233_/S (sky130_fd_sc_hd_mux2_1)
		0.06	0.34	3.24	v _233_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_122_ (net)
		0.06	0.00	3.24	v _234_/A (sky130_fd_sc_hd_clkbuf_1)
		0.02	0.09	3.33	v _234_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_092_ (net)
		0.02	0.00	3.33	v _452_/D (sky130_fd_sc_hd_dfrtp_1)
				3.33	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^
1	0.02				clk (in)
					clk (net)
		0.08	0.00	10.05	^
		0.06	0.15	10.20	^
4	0.04				clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
					clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^
		0.06	0.14	10.34	^
12	0.04				clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
					clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
		0.06	0.00	10.34	^
		-0.25	10.09		_452_/CLK (sky130_fd_sc_hd_dfrtp_1)
					clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		-0.10	9.99		library setup time
			9.99		data required time

9.99 data required time
-3.33 data arrival time

6.66 slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _440_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description		

1	0.00		0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
		0.01	2.00	2.00 v	input external delay		
			0.00	2.00 v	start (in)		
		0.01	2.00 v		start (net)		
			0.09	2.14 v	input3/A (sky130_fd_sc_hd__buf_1)		
		2	0.02	0.13	2.14 v	input3/X (sky130_fd_sc_hd__buf_1)	
						net3 (net)	
		6	0.02	0.09	2.14 v	_204_/B (sky130_fd_sc_hd__or2_2)	
				0.10	2.51 v	_204_/X (sky130_fd_sc_hd__or2_2)	
1	0.00	0.10	0.00	2.51 v	_096_ (net)		
			0.04	2.51 v	_222_/A (sky130_fd_sc_hd__and3_1)		
		0.04	0.17	2.68 v	_222_/X (sky130_fd_sc_hd__and3_1)		
					113 (net)		
		10	0.05	0.04	2.68 v	_223_/A (sky130_fd_sc_hd__clkbuf_4)	
				0.10	2.89 v	_223_/X (sky130_fd_sc_hd__clkbuf_4)	
		1	0.00			_114_ (net)	
				0.10	2.89 v	_258_/S (sky130_fd_sc_hd__mux2_1)	
		1	0.00	0.05	3.23 v	_258_/X (sky130_fd_sc_hd__mux2_1)	
						135 (net)	
1	0.00	0.05	0.00	3.23 v	_259_/A (sky130_fd_sc_hd__clkbuf_1)		
			0.03	3.33 v	_259_/X (sky130_fd_sc_hd__clkbuf_1)		
		0.03			_080_ (net)		
			0.03	3.33 v	_440_/D (sky130_fd_sc_hd__dfrtp_1)		
						3.33	data arrival time
		1	0.02	0.08	10.00	10.00	clock clk (rise edge)
					0.00	10.00	clock source latency
				0.08	0.05	10.05 ^	clk (in)
				4	0.04	0.08	10.05 ^
0.06	10.20 ^					clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
12	0.04					clknet_0_clk (net)	
				0.06	10.20 ^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
0.06	0.14			10.34 ^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)		
						clknet_2_3__leaf_clk (net)	
				10.35 ^	_440_/CLK (sky130_fd_sc_hd__dfrtp_1)		
				-0.25	clock uncertainty		
				0.00	clock reconvergence pessimism		
				-0.10	library setup time		
				9.99	data required time		

				9.99	data required time		
				-3.33	data arrival time		

				6.66	slack (MET)		

Startpoint: start (input port clocked by clk)
Endpoint: _438_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.01	0.00	2.00 v	start (in)
1	0.00				start (net)
		0.01	0.00	2.00 v	input3/A (sky130_fd_sc_hd_buf_1)
		0.09	0.13	2.14 v	input3/X (sky130_fd_sc_hd_buf_1)
2	0.02				net3 (net)
		0.09	0.00	2.14 v	_204_/B (sky130_fd_sc_hd_or2_2)
		0.10	0.37	2.51 v	_204_/X (sky130_fd_sc_hd_or2_2)
6	0.02				_096_ (net)
		0.10	0.00	2.51 v	_222_/A (sky130_fd_sc_hd_and3_1)
		0.04	0.17	2.68 v	_222_/X (sky130_fd_sc_hd_and3_1)
1	0.00				_113_ (net)
		0.04	0.00	2.68 v	_223_/A (sky130_fd_sc_hd_clkbuf_4)
		0.10	0.21	2.89 v	_223_/X (sky130_fd_sc_hd_clkbuf_4)
10	0.05				_114_ (net)
		0.10	0.00	2.89 v	_264_/S (sky130_fd_sc_hd_mux2_1)
		0.06	0.34	3.24 v	_264_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_139_ (net)
		0.06	0.00	3.24 v	_265_/A (sky130_fd_sc_hd_clkbuf_1)
		0.02	0.09	3.33 v	_265_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_078_ (net)
		0.02	0.00	3.33 v	_438_/D (sky130_fd_sc_hd_dfrtp_1)
				3.33	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05 ^	clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05 ^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20 ^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20 ^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.34 ^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.06	0.00	10.35 ^	_438_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.10		clock uncertainty
		0.00	10.10		clock reconvergence pessimism
		-0.10	10.00		library setup time
			10.00		data required time

			10.00		data required time
			-3.33		data arrival time

			6.66		slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _439_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.01	0.00	2.00 v	start (in)
1	0.00				start (net)
		0.01	0.00	2.00 v	input3/A (sky130_fd_sc_hd_buf_1)
		0.09	0.13	2.14 v	input3/X (sky130_fd_sc_hd_buf_1)
2	0.02				net3 (net)
		0.09	0.00	2.14 v	_204_/B (sky130_fd_sc_hd_or2_2)
		0.10	0.37	2.51 v	_204_/X (sky130_fd_sc_hd_or2_2)
6	0.02				_096_ (net)
		0.10	0.00	2.51 v	_222_/A (sky130_fd_sc_hd_and3_1)
		0.04	0.17	2.68 v	_222_/X (sky130_fd_sc_hd_and3_1)
1	0.00				_113_ (net)

		0.04	0.00	2.68	v	_223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.10	0.21	2.89	v	_223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.05					_114_ (net)
		0.10	0.00	2.89	v	_261_/S (sky130_fd_sc_hd__mux2_1)
		0.05	0.34	3.24	v	_261_/X (sky130_fd_sc_hd__mux2_1)
1	0.00					_137_ (net)
		0.05	0.00	3.24	v	_262_/A (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.09	3.33	v	_262_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00					_079_ (net)
		0.02	0.00	3.33	v	_439_/D (sky130_fd_sc_hd__dftrtp_1)
				3.33		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.08	0.05	10.05	^	clk (in)
						clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	10.34	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3__leaf_clk (net)
		0.06	0.00	10.35	^	_439_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.10			clock uncertainty
		0.00	10.10			clock reconvergence pessimism
		-0.10	10.00			library setup time
			10.00			data required time

				10.00		data required time
				-3.33		data arrival time

				6.67		slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _437_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v start (in)
					start (net)
		0.01	0.00	2.00	v input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.09	0.13	2.14	v input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.09	0.00	2.14	v _204_/B (sky130_fd_sc_hd__or2_2)
6	0.02	0.10	0.37	2.51	v _204_/X (sky130_fd_sc_hd__or2_2)
					096 (net)
		0.10	0.00	2.51	v _222_/A (sky130_fd_sc_hd__and3_1)
		0.04	0.17	2.68	v _222_/X (sky130_fd_sc_hd__and3_1)
1	0.00				_113_ (net)
		0.04	0.00	2.68	v _223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.10	0.21	2.89	v _223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.05				_114_ (net)
		0.10	0.00	2.89	v _267_/S (sky130_fd_sc_hd__mux2_1)
		0.05	0.34	3.23	v _267_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_141_ (net)
		0.05	0.00	3.23	v _268_/A (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.09	3.33	v _268_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_077_ (net)
		0.02	0.00	3.33	v _437_/D (sky130_fd_sc_hd__dftrtp_1)
				3.33	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency

		0.08	0.05	10.05	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.34	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_3_leaf_clk (net)
		0.06	0.00	10.35	^	_437_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.10		clock uncertainty
		0.00		10.10		clock reconvergence pessimism
		-0.10		10.00		library setup time
				10.00		data required time

				10.00		data required time
				-3.33		data arrival time

				6.67		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _441_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v start (in)
1	0.00				start (net)
		0.01	0.00	2.00	v input3/A (sky130_fd_sc_hd_buf_1)
		0.09	0.13	2.14	v input3/X (sky130_fd_sc_hd_buf_1)
2	0.02				net3 (net)
		0.09	0.00	2.14	v _204_/B (sky130_fd_sc_hd_or2_2)
		0.10	0.37	2.51	v _204_/X (sky130_fd_sc_hd_or2_2)
6	0.02				_096_ (net)
		0.10	0.00	2.51	v _222_/A (sky130_fd_sc_hd_and3_1)
		0.04	0.17	2.68	v _222_/X (sky130_fd_sc_hd_and3_1)
1	0.00				_113_ (net)
		0.04	0.00	2.68	v _223_/A (sky130_fd_sc_hd_clkbuf_4)
		0.10	0.21	2.89	v _223_/X (sky130_fd_sc_hd_clkbuf_4)
10	0.05				_114_ (net)
		0.10	0.00	2.89	v _255_/S (sky130_fd_sc_hd_mux2_1)
		0.05	0.34	3.23	v _255_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_133_ (net)
		0.05	0.00	3.23	v _256_/A (sky130_fd_sc_hd_clkbuf_1)
		0.02	0.09	3.32	v _256_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_081_ (net)
		0.02	0.00	3.32	v _441_/D (sky130_fd_sc_hd_dfrtp_1)
				3.32	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^
1	0.02				clk (in)
					clk (net)
		0.08	0.00	10.05	^
		0.06	0.15	10.20	^
4	0.04				clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
					clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^
		0.06	0.14	10.34	^
12	0.04				clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
					clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
		0.06	0.00	10.34	^
		-0.25		10.09	
		0.00		10.09	
		-0.10		9.99	
				9.99	
				9.99	data required time

9.99 data required time
-3.32 data arrival time

6.67 slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: sclk (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05	0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.38	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.03	0.06	0.00	0.39	^ _435_/CLK (sky130_fd_sc_hd_dfrtp_2)
				0.83	^ _435_/Q (sky130_fd_sc_hd_dfrtp_2)
1	0.03	0.13	0.45	0.83	^ net24 (net)
				0.83	^ output24/A (sky130_fd_sc_hd_buf_2)
		0.17	0.24	1.07	^ output24/X (sky130_fd_sc_hd_buf_2)
					sclk (net)
		0.17	0.00	1.08	^ sclk (out)
				1.08	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time
				-1.08	data arrival time

				6.67	slack (MET)

Startpoint: _424_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: busy (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.38	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.02	0.06	0.00	0.38	^ clknet_2_3__leaf_clk (net)
				0.38	^ _424_/CLK (sky130_fd_sc_hd_dfrtp_2)
4	0.02	0.08	0.47	0.85	v _424_/Q (sky130_fd_sc_hd_dfrtp_2)
					net12 (net)
1	0.03	0.08	0.00	0.85	v output12/A (sky130_fd_sc_hd_buf_2)
				1.05	v output12/X (sky130_fd_sc_hd_buf_2)
			0.09	0.21	busy (net)

0.09	0.00	1.06 v	busy (out)
		1.06	data arrival time
10.00	10.00		clock clk (rise edge)
0.00	10.00		clock network delay (propagated)
-0.25	9.75		clock uncertainty
0.00	9.75		clock reconvergence pessimism
-2.00	7.75		output external delay
	7.75		data required time

		7.75	data required time
		-1.06	data arrival time

		6.69	slack (MET)

Startpoint: _430_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[4] (output port clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06 ^	clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22 ^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.05	0.06	0.16	0.38 ^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.06	0.00	0.39 ^	_430_/CLK (sky130_fd_sc_hd__dfrtp_1)
2	0.01	0.08	0.43	0.82 v	_430_/Q (sky130_fd_sc_hd__dfrtp_1)
					net20 (net)
		0.08	0.00	0.82 v	output20/A (sky130_fd_sc_hd__clkbuf_4)
1	0.03	0.08	0.21	1.03 v	output20/X (sky130_fd_sc_hd__clkbuf_4)
					rx_data[4] (net)
		0.08	0.00	1.03 v	rx_data[4] (out)
				1.03	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time
				-1.03	data arrival time

				6.72	slack (MET)

Startpoint: _434_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: mosi (output port clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06 ^	clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)

4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.38	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.06	0.00	0.38	^ _434_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.08	0.43	0.81	v _434_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net15 (net)
		0.08	0.00	0.81	v output15/A (sky130_fd_sc_hd_clkbuf_4)
		0.08	0.21	1.01	v output15/X (sky130_fd_sc_hd_clkbuf_4)
1	0.03				mosi (net)
		0.08	0.00	1.02	v mosi (out)
				1.02	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock network delay (propagated)
		-0.25	9.75		clock uncertainty
		0.00	9.75		clock reconvergence pessimism
		-2.00	7.75		output external delay
			7.75		data required time

				7.75	data required time
				-1.02	data arrival time

				6.73	slack (MET)

Startpoint: _428_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[2] (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05				clknet_2_0_leaf_clk (net)
		0.07	0.00	0.39	^ _428_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.07	0.42	0.80	v _428_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net18 (net)
		0.07	0.00	0.81	v output18/A (sky130_fd_sc_hd_clkbuf_4)
		0.08	0.20	1.01	v output18/X (sky130_fd_sc_hd_clkbuf_4)
1	0.03				rx_data[2] (net)
		0.08	0.00	1.01	v rx_data[2] (out)
				1.01	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock network delay (propagated)
		-0.25	9.75		clock uncertainty
		0.00	9.75		clock reconvergence pessimism
		-2.00	7.75		output external delay
			7.75		data required time

				7.75	data required time
				-1.01	data arrival time

				6.74	slack (MET)

Startpoint: _431_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[5] (output port clocked by clk)
Path Group: clk
Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
4	0.04				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
2	0.01				clknet_2_0__leaf_clk (net)
		0.07	0.00	0.39	^ _431_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.06	0.41	0.79	v _431_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.03				net21 (net)
		0.06	0.00	0.80	v output21/A (sky130_fd_sc_hd__clkbuf_4)
		0.08	0.20	1.00	v output21/X (sky130_fd_sc_hd__clkbuf_4)
					rx_data[5] (net)
		0.08	0.00	1.00	v rx_data[5] (out)
				1.00	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time
				-1.00	data arrival time

				6.75	slack (MET)

Startpoint: _429_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: rx_data[3] (output port clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
4	0.04				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
2	0.01				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.39	^ _429_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.06	0.41	0.79	v _429_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.03				net19 (net)
		0.06	0.00	0.79	v output19/A (sky130_fd_sc_hd__clkbuf_4)
		0.08	0.20	0.99	v output19/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[3] (net)
		0.08	0.00	1.00	v rx_data[3] (out)
				1.00	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

7.75 data required time
-1.00 data arrival time

6.75 slack (MET)

Startpoint: _427_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[1] (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.00	0.22	^ clknet_0_clk (net)
				0.38	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
2	0.01	0.06	0.00	0.38	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
				0.79	^ clknet_2_1__leaf_clk (net)
1	0.03	0.06	0.00	0.38	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
				0.79	v _427_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01	0.06	0.00	0.79	v net17 (net)
				0.79	v output17/A (sky130_fd_sc_hd__clkbuf_4)
1	0.03	0.08	0.20	0.99	v output17/X (sky130_fd_sc_hd__clkbuf_4)
				0.99	v rx_data[1] (net)
			0.08	0.00	rx_data[1] (out)
				0.99	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time
				-0.99	data arrival time

				6.76	slack (MET)

Startpoint: _432_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[6] (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05	0.06	0.00	0.22	^ clknet_0_clk (net)
				0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
2	0.01	0.06	0.00	0.38	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
				0.79	^ clknet_2_0__leaf_clk (net)
1	0.03	0.07	0.00	0.39	^ _432_/CLK (sky130_fd_sc_hd__dfrtp_1)
				0.79	v _432_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01	0.06	0.00	0.79	v net22 (net)
				0.79	v output22/A (sky130_fd_sc_hd__clkbuf_4)
1	0.03	0.08	0.20	0.99	v output22/X (sky130_fd_sc_hd__clkbuf_4)
					rx_data[6] (net)

0.08	0.00	0.99	v rx_data[6] (out)
		0.99	data arrival time
10.00	10.00		clock clk (rise edge)
0.00	10.00		clock network delay (propagated)
-0.25	9.75		clock uncertainty
0.00	9.75		clock reconvergence pessimism
-2.00	7.75		output external delay
	7.75		data required time

		7.75	data required time
		-0.99	data arrival time

		6.76	slack (MET)

Startpoint: _433_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[7] (output port clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.15	0.38	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.06	0.00	0.38	^ _433_/CLK (sky130_fd_sc_hd__dfrtp_1)
2	0.01	0.06	0.41	0.79	v _433_/Q (sky130_fd_sc_hd__dfrtp_1)
					net23 (net)
		0.06	0.00	0.79	v output23/A (sky130_fd_sc_hd__clkbuf_4)
1	0.03	0.08	0.20	0.99	v output23/X (sky130_fd_sc_hd__clkbuf_4)
					rx_data[7] (net)
		0.08	0.00	0.99	v rx_data[7] (out)
				0.99	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time
				-0.99	data arrival time

				6.76	slack (MET)

Startpoint: _426_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[0] (output port clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)

4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^ _426_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.06	0.40	0.78	v _426_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net16 (net)
		0.06	0.00	0.78	v output16/A (sky130_fd_sc_hd_clkbuf_4)
		0.08	0.20	0.98	v output16/X (sky130_fd_sc_hd_clkbuf_4)
1	0.03				rx_data[0] (net)
		0.08	0.00	0.98	v rx_data[0] (out)
				0.98	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock network delay (propagated)
		-0.25	9.75		clock uncertainty
		0.00	9.75		clock reconvergence pessimism
		-2.00	7.75		output external delay
			7.75		data required time

				7.75	data required time
				-0.98	data arrival time

				6.77	slack (MET)

Startpoint: _425_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: done (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.38	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.06	0.00	0.38	^ _425_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.04	0.38	0.76	v _425_/Q (sky130_fd_sc_hd_dfrtp_1)
1	0.00				net14 (net)
		0.04	0.00	0.76	v output14/A (sky130_fd_sc_hd_clkbuf_4)
		0.08	0.19	0.95	v output14/X (sky130_fd_sc_hd_clkbuf_4)
1	0.04				done (net)
		0.08	0.00	0.96	v done (out)
				0.96	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock network delay (propagated)
		-0.25	9.75		clock uncertainty
		0.00	9.75		clock reconvergence pessimism
		-2.00	7.75		output external delay
			7.75		data required time

				7.75	data required time
				-0.96	data arrival time

				6.79	slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _454_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description	

1	0.00	0.02	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			2.00	2.00	^ input external delay	
			0.01	2.01	^ start (in)	
					start (net)	
			0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
			0.20	0.19	2.20	^ input3/X (sky130_fd_sc_hd__buf_1)
						net3 (net)
			0.20	0.00	2.20	^ _204_/B (sky130_fd_sc_hd__or2_2)
			0.13	0.23	2.43	^ _204_/X (sky130_fd_sc_hd__or2_2)
6	0.02			_096_ (net)		
		0.13	0.00	2.43	^ _222_/A (sky130_fd_sc_hd__and3_1)	
1	0.00	0.05	0.17	2.60	^ _222_/X (sky130_fd_sc_hd__and3_1)	
					113 (net)	
10	0.05	0.05	0.00	2.60	^ _223_/A (sky130_fd_sc_hd__clkbuf_4)	
		0.16	0.23	2.83	^ _223_/X (sky130_fd_sc_hd__clkbuf_4)	
					114 (net)	
		0.16	0.00	2.83	^ _226_/A2_N (sky130_fd_sc_hd__a2bb2o_1)	
1	0.00	0.05	0.31	3.14	v _226_/X (sky130_fd_sc_hd__a2bb2o_1)	
					094 (net)	
		0.05	0.00	3.14	v _454_/D (sky130_fd_sc_hd__dfrtp_1)	
				3.14	data arrival time	

1	0.02	0.08	10.00	10.00	clock clk (rise edge)	
			0.00	10.00	clock source latency	
4	0.04		0.05	10.05	^ clk (in)	
					clk (net)	
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
12	0.04				clknet_0_clk (net)	
		0.06	0.00	10.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.06	0.14	10.34	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					clknet_2_1__leaf_clk (net)	
		0.06	0.00	10.34	^ _454_/CLK (sky130_fd_sc_hd__dfrtp_1)	
		-0.25	10.09		clock uncertainty	
		0.00	10.09		clock reconvergence pessimism	
		-0.11	9.98		library setup time	
			9.98		data required time	

				9.98	data required time	
				-3.14	data arrival time	

				6.85	slack (MET)	

Startpoint: start (input port clocked by clk)

Endpoint: _434_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.01	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v start (in)
			0.00	2.00	start (net)
				2.00	v input3/A (sky130_fd_sc_hd__buf_1)
			0.13	2.14	v input3/X (sky130_fd_sc_hd__buf_1)
			0.00	2.14	net3 (net)
				2.14	v _204_/B (sky130_fd_sc_hd__or2_2)
				2.51	v _204_/X (sky130_fd_sc_hd__or2_2)
6	0.02	0.10	0.37	2.51	v _096_ (net)
				2.51	v _212_/A (sky130_fd_sc_hd__nand2_1)
6	0.02	0.10	0.12	2.63	^ _212_/Y (sky130_fd_sc_hd__nand2_1)
				2.63	^ _212_/Y (sky130_fd_sc_hd__nand2_1)

2	0.01					_104_ (net)
		0.09	0.00	2.63	^	_277_/S (sky130_fd_sc_hd_mux2_1)
		0.06	0.35	2.98	v	_277_/X (sky130_fd_sc_hd_mux2_1)
1	0.00					_147_ (net)
		0.06	0.00	2.98	v	_278_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.10	3.09	v	_278_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00					_074_ (net)
		0.03	0.00	3.09	v	_434_/D (sky130_fd_sc_hd_dfrtp_1)
				3.09		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.08	0.05	10.05	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.34	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1_leaf_clk (net)
		0.06	0.00	10.34	^	_434_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.09		clock uncertainty
		0.00		10.09		clock reconvergence pessimism
		-0.10		9.99		library setup time
				9.99		data required time

				9.99		data required time
				-3.09		data arrival time

				6.90		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _415_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
			0.02	2.01	^ start (in)
1	0.00				start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd_buf_1)
		0.20	0.19	2.20	^ input3/X (sky130_fd_sc_hd_buf_1)
2	0.02				net3 (net)
		0.20	0.00	2.20	^ _204_/B (sky130_fd_sc_hd_or2_2)
		0.13	0.23	2.43	^ _204_/X (sky130_fd_sc_hd_or2_2)
6	0.02				_096_ (net)
		0.13	0.00	2.43	^ _331_/A (sky130_fd_sc_hd_nand2_1)
		0.07	0.10	2.53	v _331_/Y (sky130_fd_sc_hd_nand2_1)
2	0.01				_184_ (net)
		0.07	0.00	2.53	v _332_/A1 (sky130_fd_sc_hd_mux2_1)
		0.05	0.31	2.83	v _332_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_185_ (net)
		0.05	0.00	2.83	v _333_/A (sky130_fd_sc_hd_clkbuf_1)
		0.02	0.09	2.93	v _333_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_057_ (net)
		0.02	0.00	2.93	v _415_/D (sky130_fd_sc_hd_dfrtp_1)
				2.93	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)

		0.06	0.00	10.20	^	clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.34	^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04					clknet_2_2_leaf_clk (net)
		0.06	0.00	10.34	^	_415_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.09			clock uncertainty
		0.00	10.09			clock reconvergence pessimism
		-0.10	9.99			library setup time
			9.99			data required time

			9.99			data required time
			-2.93			data arrival time

			7.06			slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
		0.02	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd_buf_1)
2	0.02		0.19	2.20	^ input3/X (sky130_fd_sc_hd_buf_1)
					net3 (net)
		0.20	0.00	2.20	^ _204_/B (sky130_fd_sc_hd_or2_2)
6	0.02		0.23	2.43	^ _204_/X (sky130_fd_sc_hd_or2_2)
					096 (net)
		0.13	0.00	2.43	^ _308_/A (sky130_fd_sc_hd_nand2_1)
2	0.01		0.09	2.52	v _308_/Y (sky130_fd_sc_hd_nand2_1)
					167 (net)
		0.06	0.00	2.52	v _309_/A1 (sky130_fd_sc_hd_mux2_1)
1	0.00		0.30	2.83	v _309_/X (sky130_fd_sc_hd_mux2_1)
					168 (net)
		0.05	0.00	2.83	v _310_/A (sky130_fd_sc_hd_clkbuf_1)
1	0.00		0.09	2.92	v _310_/X (sky130_fd_sc_hd_clkbuf_1)
					063 (net)
		0.03	0.00	2.92	v _421_/D (sky130_fd_sc_hd_dfrtp_1)
				2.92	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.06	0.00	10.35	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.10		clock uncertainty
		0.00	10.10		clock reconvergence pessimism
		-0.10	9.99		library setup time
			9.99		data required time

			9.99		data required time
			-2.92		data arrival time

			7.07		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _432_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
3	0.01				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.08	0.43	0.81	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.00				clk_count[13] (net)
		0.08	0.00	0.81	v _205_/A (sky130_fd_sc_hd__or4_1)
2	0.01				v _205_/X (sky130_fd_sc_hd__or4_1)
		0.10	0.57	1.38	v _097_ (net)
3	0.01				v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.43	0.47	1.85	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
10	0.07				_101_ (net)
		0.43	0.00	1.85	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
3	0.01				^ max_cap25/X (sky130_fd_sc_hd__buf_1)
		0.15	0.22	2.07	^ net25 (net)
3	0.01				^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.14	0.17	2.25	v _217_/Y (sky130_fd_sc_hd__nand4_1)
1	0.00				_109_ (net)
		0.14	0.00	2.25	v _218_/A (sky130_fd_sc_hd__buf_4)
1	0.00				v _218_/X (sky130_fd_sc_hd__buf_4)
		0.09	0.25	2.50	v _110_ (net)
1	0.00				v _281_/S (sky130_fd_sc_hd__mux2_1)
		0.06	0.34	2.84	v _281_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_149_ (net)
		0.06	0.00	2.84	v _282_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00				v _282_/X (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.09	2.94	v _072_ (net)
					v _432_/D (sky130_fd_sc_hd__dfrtp_1)
		0.02	0.00	2.94	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.35	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.07	0.00	10.35	^ _432_/CLK (sky130_fd_sc_hd__dfrtp_1)
					clock uncertainty
		-0.25	10.10		clock reconvergence pessimism
		0.02	10.12		library setup time
		-0.10	10.02		data required time

				10.02	data required time
				-2.94	data arrival time

				7.08	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _431_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^ _421_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.08	0.43	0.81	v _421_/Q (sky130_fd_sc_hd__dftrtp_1)
3	0.01				clk_count[13] (net)
		0.08	0.00	0.81	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.10	0.57	1.38	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.10	0.00	1.38	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.43	0.47	1.85	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.43	0.00	1.85	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.15	0.22	2.07	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.15	0.00	2.07	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.14	0.17	2.25	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.14	0.00	2.25	v _218_/A (sky130_fd_sc_hd__buf_4)
		0.09	0.25	2.50	v _218_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_110_ (net)
		0.09	0.01	2.51	v _283_/S (sky130_fd_sc_hd__mux2_1)
		0.06	0.34	2.84	v _283_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_150_ (net)
		0.06	0.00	2.84	v _284_/A (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.09	2.94	v _284_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_071_ (net)
		0.02	0.00	2.94	v _431_/D (sky130_fd_sc_hd__dftrtp_1)
				2.94	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.35	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.07	0.00	10.35	^ _431_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25		10.10	clock uncertainty
		0.02		10.12	clock reconvergence pessimism
		-0.10		10.02	library setup time
				10.02	data required time

				10.02	data required time
				-2.94	data arrival time

				7.08	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _433_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
--------	-----	------	-------	------	-------------

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^ _421_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.08	0.43	0.81	v _421_/Q (sky130_fd_sc_hd__dftrtp_1)
3	0.01				clk_count[13] (net)
		0.08	0.00	0.81	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.10	0.57	1.38	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.10	0.00	1.38	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.43	0.47	1.85	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.43	0.00	1.85	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.15	0.22	2.07	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.15	0.00	2.07	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.14	0.17	2.25	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.14	0.00	2.25	v _218_/A (sky130_fd_sc_hd__buf_4)
		0.09	0.25	2.50	v _218_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_110_ (net)
		0.09	0.01	2.50	v _279_/S (sky130_fd_sc_hd__mux2_1)
		0.05	0.33	2.83	v _279_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_148_ (net)
		0.05	0.00	2.83	v _280_/A (sky130_fd_sc_hd__clkbuf_1)
		0.03	0.09	2.93	v _280_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_073_ (net)
		0.03	0.00	2.93	v _433_/D (sky130_fd_sc_hd__dftrtp_1)
				2.93	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.06	0.00	10.35	^ _433_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.10		clock uncertainty
		0.02	10.12		clock reconvergence pessimism
		-0.10	10.01		library setup time
			10.01		data required time

			10.01		data required time
			-2.93		data arrival time

			7.08		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _428_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
	0.08	0.06	0.06	^	clk (in)

1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.06	0.00	0.38	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.08	0.43	0.81	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[13] (net)
		0.08	0.00	0.81	v _205_/A (sky130_fd_sc_hd_or4_1)
		0.10	0.57	1.38	v _205_/X (sky130_fd_sc_hd_or4_1)
1	0.00				_097_ (net)
		0.10	0.00	1.38	v _209_/A (sky130_fd_sc_hd_nor4_1)
		0.43	0.47	1.85	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
2	0.01				_101_ (net)
		0.43	0.00	1.85	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.15	0.22	2.07	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01				net25 (net)
		0.15	0.00	2.07	^ _217_/C (sky130_fd_sc_hd_nand4_1)
		0.14	0.17	2.25	v _217_/Y (sky130_fd_sc_hd_nand4_1)
3	0.01				_109_ (net)
		0.14	0.00	2.25	v _218_/A (sky130_fd_sc_hd_buf_4)
		0.09	0.25	2.50	v _218_/X (sky130_fd_sc_hd_buf_4)
10	0.07				_110_ (net)
		0.09	0.01	2.51	v _289_/S (sky130_fd_sc_hd_mux2_1)
		0.05	0.34	2.84	v _289_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_153_ (net)
		0.05	0.00	2.84	v _290_/A (sky130_fd_sc_hd_clkbuf_1)
		0.02	0.09	2.93	v _290_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_068_ (net)
		0.02	0.00	2.94	v _428_/D (sky130_fd_sc_hd_dfrtp_1)
				2.94	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.35	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05				clknet_2_0_leaf_clk (net)
		0.07	0.00	10.35	^ _428_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.10	clock uncertainty
		0.02		10.12	clock reconvergence pessimism
		-0.10		10.02	library setup time
				10.02	data required time

				10.02	data required time
				-2.94	data arrival time

				7.09	slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _436_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v start (in)
1	0.00				start (net)
		0.01	0.00	2.00	v input3/A (sky130_fd_sc_hd_buf_1)

		0.09	0.13	2.14	v	input3/X (sky130_fd_sc_hd__buf_1)
2	0.02					net3 (net)
		0.09	0.00	2.14	v	_204_/B (sky130_fd_sc_hd__or2_2)
		0.10	0.37	2.51	v	_204_/X (sky130_fd_sc_hd__or2_2)
6	0.02					_096_ (net)
		0.10	0.00	2.51	v	_270_/A (sky130_fd_sc_hd__and2_1)
		0.03	0.17	2.68	v	_270_/X (sky130_fd_sc_hd__and2_1)
1	0.00					_143_ (net)
		0.03	0.00	2.68	v	_271_/A (sky130_fd_sc_hd__clkbuf_1)
		0.04	0.10	2.78	v	_271_/X (sky130_fd_sc_hd__clkbuf_1)
2	0.01					_000_ (net)
		0.04	0.00	2.78	v	_272_/B1_N (sky130_fd_sc_hd__a21bo_1)
		0.04	0.18	2.96	^	_272_/X (sky130_fd_sc_hd__a21bo_1)
1	0.00					_076_ (net)
		0.04	0.00	2.96	^	_436_/D (sky130_fd_sc_hd__dfstp_1)
				2.96		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.08	0.05	10.05	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.06	0.00	10.35	^	_436_/CLK (sky130_fd_sc_hd__dfstp_1)
		-0.25	10.10			clock uncertainty
		0.00	10.10			clock reconvergence pessimism
		-0.05	10.05			library setup time
			10.05			data required time

				10.05		data required time
				-2.96		data arrival time

				7.09		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _430_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^ _421_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.08	0.43	0.81	v _421_/Q (sky130_fd_sc_hd__dftrtp_1)
3	0.01				clk_count[13] (net)
		0.08	0.00	0.81	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.10	0.57	1.38	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.10	0.00	1.38	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.43	0.47	1.85	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.43	0.00	1.85	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.15	0.22	2.07	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.15	0.00	2.07	^ _217_/C (sky130_fd_sc_hd__nand4_1)

3	0.01	0.14	0.17	2.25	v	_217_/Y (sky130_fd_sc_hd__nand4_1)
						109 (net)
10	0.07	0.14	0.00	2.25	v	_218_/A (sky130_fd_sc_hd__buf_4)
		0.09	0.25	2.50	v	_218_/X (sky130_fd_sc_hd__buf_4)
1	0.00	0.09	0.01	2.50	v	_285_/S (sky130_fd_sc_hd__mux2_1)
		0.05	0.33	2.84	v	_285_/X (sky130_fd_sc_hd__mux2_1)
1	0.00	0.05	0.00	2.84	v	_286_/A (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.09	2.93	v	_286_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00					_070_ (net)
		0.02	0.00	2.93	v	_430_/D (sky130_fd_sc_hd__dfrtp_1)
				2.93		data arrival time
1	0.02		10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.08	0.05	10.05	^	clk (in)
						clk (net)
4	0.04	0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05					clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.05	0.06	0.14	10.35	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.06	0.00	10.35	^	_430_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.10		clock uncertainty
			0.02	10.12		clock reconvergence pessimism
			-0.10	10.02		library setup time
				10.02		data required time
				10.02		data required time
				-2.93		data arrival time
				7.09		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _429_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.16	0.38	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
3	0.01	0.06	0.00	0.38	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.08	0.43	0.81	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.00				clk_count[13] (net)
		0.08	0.00	0.81	v _205_/A (sky130_fd_sc_hd__or4_1)
1	0.00	0.10	0.57	1.38	v _205_/X (sky130_fd_sc_hd__or4_1)
					097 (net)
2	0.01	0.10	0.00	1.38	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.43	0.47	1.85	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
3	0.01				_101_ (net)
		0.43	0.00	1.85	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.15	0.22	2.07	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
					net25 (net)
3	0.01	0.15	0.00	2.07	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.14	0.17	2.25	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.14	0.00	2.25	v _218_/A (sky130_fd_sc_hd__buf_4)

10	0.07	0.09	0.25	2.50	v	_218_/X (sky130_fd_sc_hd__buf_4)
						110 (net)
1	0.00	0.09	0.01	2.51	v	_287_/S (sky130_fd_sc_hd__mux2_1)
		0.05	0.33	2.84	v	_287_/X (sky130_fd_sc_hd__mux2_1)
1	0.00					_152_ (net)
		0.05	0.00	2.84	v	_288_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.02	0.09	2.93	v	_288_/X (sky130_fd_sc_hd__clkbuf_1)
						069 (net)
		0.02	0.00	2.93	v	_429_/D (sky130_fd_sc_hd__dftrtp_1)
				2.93		data arrival time
1	0.02	10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
1	0.02	0.08	0.05	10.05	^	clk (in)
						clk (net)
4	0.04	0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05					clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.35	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.06	0.00	10.35	^	_429_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.10			clock uncertainty
		-0.02	10.12			clock reconvergence pessimism
		-0.10	10.02			library setup time
				10.02		data required time
				10.02		data required time
				-2.93		data arrival time
				7.09		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _455_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
3	0.01	0.06	0.00	0.38	^ _421_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.08	0.43	0.81	v _421_/Q (sky130_fd_sc_hd__dftrtp_1)
1	0.00				clk_count[13] (net)
		0.08	0.00	0.81	v _205_/A (sky130_fd_sc_hd__or4_1)
1	0.00	0.10	0.57	1.38	v _205_/X (sky130_fd_sc_hd__or4_1)
					097 (net)
2	0.01	0.10	0.00	1.38	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.43	0.47	1.85	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
3	0.01				_101_ (net)
		0.43	0.00	1.85	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.15	0.22	2.07	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
					net25 (net)
3	0.01	0.15	0.00	2.07	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.14	0.17	2.25	v _217_/Y (sky130_fd_sc_hd__nand4_1)
10	0.07				_109_ (net)
		0.14	0.00	2.25	v _218_/A (sky130_fd_sc_hd__buf_4)
		0.09	0.25	2.50	v _218_/X (sky130_fd_sc_hd__buf_4)
					110 (net)
		0.09	0.00	2.50	v _219_/D (sky130_fd_sc_hd__and4_1)

2	0.00	0.05	0.24	2.74	v	_219_/X (sky130_fd_sc_hd_and4_1)
						111 (net)
1	0.00	0.05	0.00	2.74	v	_220_/A2 (sky130_fd_sc_hd_o21a_1)
		0.04	0.17	2.91	v	_220_/X (sky130_fd_sc_hd_o21a_1)
						095 (net)
		0.04	0.00	2.91	v	_455_/D (sky130_fd_sc_hd_dfrtp_1)
				2.91		data arrival time
1	0.02		10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.08	0.05	10.05	^	clk (in)
						clk (net)
4	0.04	0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.34	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_1_leaf_clk (net)
		0.06	0.00	10.34	^	_455_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	10.09		clock uncertainty
			0.02	10.12		clock reconvergence pessimism
			-0.11	10.01		library setup time
				10.01		data required time
				10.01		data required time
				-2.91		data arrival time
				7.10		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _413_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
1	0.00	0.02	0.01	2.01	^ start (in)
					start (net)
2	0.02	0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd_buf_1)
		0.20	0.19	2.20	^ input3/X (sky130_fd_sc_hd_buf_1)
9	0.04	0.20	0.00	2.20	^ net3 (net)
		0.08	0.10	2.31	v _237_/B (sky130_fd_sc_hd_nor2_4)
2	0.01	0.08	0.01	2.31	v _237_/Y (sky130_fd_sc_hd_nor2_4)
		0.04	0.18	2.49	v _125_ (net)
1	0.00	0.04	0.00	2.49	v _338_/B1 (sky130_fd_sc_hd_a21o_1)
		0.05	0.30	2.79	v _338_/X (sky130_fd_sc_hd_a21o_1)
1	0.00	0.04	0.00	2.49	v _189_ (net)
		0.05	0.30	2.79	v _339_/A1 (sky130_fd_sc_hd_mux2_1)
1	0.00	0.05	0.00	2.79	v _339_/X (sky130_fd_sc_hd_mux2_1)
		0.03	0.10	2.89	v _190_ (net)
1	0.00	0.03	0.00	2.89	v _340_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.00	2.89	v _340_/X (sky130_fd_sc_hd_clkbuf_1)
				2.89	v _055_ (net)
				2.89	v _413_/D (sky130_fd_sc_hd_dfrtp_1)
				2.89	
					data arrival time
				10.00	clock clk (rise edge)
				0.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
				10.20	^ clknet_0_clk (net)
					clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				10.34	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)

10	0.04				clknet_2_2__leaf_clk (net)
		0.06	0.00	10.34	^ _413_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.09	clock uncertainty
			0.00	10.09	clock reconvergence pessimism
			-0.10	9.99	library setup time
				9.99	data required time

				9.99	data required time
				-2.89	data arrival time

				7.10	slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _419_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
		0.02	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.20	0.19	2.20	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.20	0.00	2.20	^ _237_/B (sky130_fd_sc_hd__nor2_4)
9	0.04	0.08	0.10	2.31	v _237_/Y (sky130_fd_sc_hd__nor2_4)
					125 (net)
		0.08	0.01	2.31	v _316_/B1 (sky130_fd_sc_hd__a21o_1)
		0.04	0.18	2.49	v _316_/X (sky130_fd_sc_hd__a21o_1)
2	0.01				_173_ (net)
		0.04	0.00	2.49	v _317_/A1 (sky130_fd_sc_hd__mux2_1)
		0.05	0.30	2.79	v _317_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_174_ (net)
		0.05	0.00	2.79	v _318_/A (sky130_fd_sc_hd__clkbuf_1)
		0.03	0.09	2.88	v _318_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_061_ (net)
		0.03	0.00	2.88	v _419_/D (sky130_fd_sc_hd__dfrtp_1)
				2.88	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	10.35	^ _419_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.10	clock uncertainty
			0.00	10.10	clock reconvergence pessimism
			-0.10	9.99	library setup time
				9.99	data required time

				9.99	data required time
				-2.88	data arrival time

				7.11	slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _446_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description		

1	0.00	0.02	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
			2.00	2.00	^ input external delay		
			0.01	2.01	^ start (in)		
					start (net)		
			0.02	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)		
			0.20	2.20	^ input3/X (sky130_fd_sc_hd__buf_1)		
					net3 (net)		
			0.20	2.20	^ _237_/B (sky130_fd_sc_hd__nor2_4)		
			0.08	2.31	v _237_/Y (sky130_fd_sc_hd__nor2_4)		
9	0.04	0.08			_125_ (net)		
			0.08	2.31	v _238_/B1 (sky130_fd_sc_hd__a21o_2)		
			0.11	2.60	v _238_/X (sky130_fd_sc_hd__a21o_2)		
8	0.04	0.11			_126_ (net)		
			0.11	2.60	v _245_/A2 (sky130_fd_sc_hd__a22o_1)		
			0.04	2.87	v _245_/X (sky130_fd_sc_hd__a22o_1)		
1	0.00	0.04			_086_ (net)		
				2.87	v _446_/D (sky130_fd_sc_hd__dftrtp_1)		
				2.87	data arrival time		

1	0.02	0.08	10.00	10.00	clock clk (rise edge)		
			0.00	10.00	clock source latency		
			0.05	10.05	^ clk (in)		
					clk (net)		
			0.08	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)		
			0.06	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)		
					clknet_0_clk (net)		
			0.06	10.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)		
			0.06	10.34	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)		
					clknet_2_1__leaf_clk (net)		
12	0.04	0.06			_446_/CLK (sky130_fd_sc_hd__dftrtp_1)		
			-0.25	10.10	clock uncertainty		
			0.00	10.10	clock reconvergence pessimism		
			-0.11	9.99	library setup time		
				9.99	data required time		

				9.99	data required time		
				-2.87	data arrival time		

				7.12	slack (MET)		

Startpoint: start (input port clocked by clk)

Endpoint: _445_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.02	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
			0.01	2.01	^ start (in)
					start (net)
			0.02	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
			0.20	2.20	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
			0.20	2.20	^ _237_/B (sky130_fd_sc_hd__nor2_4)
			0.08	2.31	v _237_/Y (sky130_fd_sc_hd__nor2_4)
9	0.04	0.08			_125_ (net)
			0.08	2.31	v _238_/B1 (sky130_fd_sc_hd__a21o_2)
			0.11	2.60	v _238_/X (sky130_fd_sc_hd__a21o_2)
8	0.04	0.11			_126_ (net)
			0.11	2.61	v _246_/A2 (sky130_fd_sc_hd__a22o_1)
			0.04	2.87	v _246_/X (sky130_fd_sc_hd__a22o_1)

1	0.00	0.04	0.00	2.87	v	_085_ (net)
				2.87	v	_445_/D (sky130_fd_sc_hd__dfrtp_1)
						data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.08	0.05	10.05	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_1_leaf_clk (net)
		0.06	0.00	10.35	^	_445_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.10		clock uncertainty
			0.00	10.10		clock reconvergence pessimism
			-0.11	9.99		library setup time
				9.99		data required time

				9.99		data required time
				-2.87		data arrival time

				7.12		slack (MET)

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
1	0.00	0.02	0.01	2.01	^ start (in)
					start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.20	0.19	2.20	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.20	0.00	2.20	^ _237_/B (sky130_fd_sc_hd__nor2_4)
9	0.04	0.08	0.10	2.31	v _237_/Y (sky130_fd_sc_hd__nor2_4)
					125 (net)
		0.08	0.00	2.31	v _238_/B1 (sky130_fd_sc_hd__a21o_2)
8	0.04	0.11	0.29	2.60	v _238_/X (sky130_fd_sc_hd__a21o_2)
					126 (net)
		0.11	0.00	2.61	v _247_/A2 (sky130_fd_sc_hd__a22o_1)
		0.04	0.26	2.86	v _247_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_084_ (net)
		0.04	0.00	2.86	v _444_/D (sky130_fd_sc_hd__dfrtp_1)
				2.86	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00		clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.06	0.00	10.35	^ _444_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.10	clock uncertainty
			0.00	10.10	clock reconvergence pessimism
			-0.11	9.99	library setup time
				9.99	data required time

9.99 data required time
-2.86 data arrival time

7.13 slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _448_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description	

1	0.00	0.02	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
		0.01	2.00	2.00	^ input external delay	
			2.01	2.01	^ start (in)	
		0.02	0.00	2.01	^ start (net)	
			0.20	0.19	2.20	^ input3/A (sky130_fd_sc_hd__buf_1)
		0.02	0.20	0.19	2.20	^ input3/X (sky130_fd_sc_hd__buf_1)
			0.20	0.00	2.20	^ net3 (net)
		0.08	0.10	2.20	^ _237_/B (sky130_fd_sc_hd__nor2_4)	
			0.10	2.31	v _237_/Y (sky130_fd_sc_hd__nor2_4)	
9	0.04	0.08	0.10	2.31	v _125_ (net)	
			0.00	2.31	v _238_/B1 (sky130_fd_sc_hd__a21o_2)	
		0.11	0.29	2.60	v _238_/X (sky130_fd_sc_hd__a21o_2)	
			0.29	2.60	v _126_ (net)	
8	0.04	0.11	0.00	2.60	v _243_/A2 (sky130_fd_sc_hd__a22o_1)	
			0.26	2.86	v _243_/X (sky130_fd_sc_hd__a22o_1)	
		0.04	0.26	2.86	v _088_ (net)	
			0.26	2.86	v _448_/D (sky130_fd_sc_hd__dftrtp_1)	
1	0.00	0.04	0.00	2.86	v data arrival time	
			2.86	2.86		
		0.04	0.00	2.86	v	
			2.86	2.86		

1	0.02	0.08	10.00	10.00	clock clk (rise edge)	
			0.00	10.00	clock source latency	
		0.05	10.05	10.05	^ clk (in)	
			10.05	10.05	^ clk (net)	
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
			0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
		0.04	0.06	0.15	10.20	^ clknet_0_clk (net)
				0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.35	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
			0.14	10.35	^ clknet_2_0__leaf_clk (net)	
14	0.05	0.06	0.00	10.35	^ _448_/CLK (sky130_fd_sc_hd__dftrtp_1)	
			-0.25	10.10	clock uncertainty	
		0.00	10.10	10.10	clock reconvergence pessimism	
			-0.11	9.99	9.99	library setup time
		9.99	9.99	9.99	data required time	
			9.99	9.99		

				9.99	data required time	
				-2.86	data arrival time	

				7.13	slack (MET)	

Startpoint: start (input port clocked by clk)
Endpoint: _424_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.01	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.01	0.00	2.00 v	start (in)
					start (net)
					input3/A (sky130_fd_sc_hd__buf_1)

		0.09	0.13	2.14	v	input3/X (sky130_fd_sc_hd_buf_1)
2	0.02					net3 (net)
		0.09	0.00	2.14	v	_204_/B (sky130_fd_sc_hd_or2_2)
		0.10	0.37	2.51	v	_204_/X (sky130_fd_sc_hd_or2_2)
6	0.02					_096_ (net)
		0.10	0.00	2.51	v	_270_/A (sky130_fd_sc_hd_and2_1)
		0.03	0.17	2.68	v	_270_/X (sky130_fd_sc_hd_and2_1)
1	0.00					_143_ (net)
		0.03	0.00	2.68	v	_271_/A (sky130_fd_sc_hd_clkbuf_1)
		0.04	0.10	2.78	v	_271_/X (sky130_fd_sc_hd_clkbuf_1)
2	0.01					_000_ (net)
		0.04	0.00	2.78	v	_424_/D (sky130_fd_sc_hd_dfrtp_2)
				2.78		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.08	0.05	10.05	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.34	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_3_leaf_clk (net)
		0.06	0.00	10.34	^	_424_/CLK (sky130_fd_sc_hd_dfrtp_2)
		-0.25	10.09			clock uncertainty
		0.00	10.09			clock reconvergence pessimism
		-0.11	9.99			library setup time
			9.99			data required time

				9.99		data required time
				-2.78		data arrival time

				7.21		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _417_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
		0.02	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd_buf_1)
		0.20	0.19	2.20	^ input3/X (sky130_fd_sc_hd_buf_1)
2	0.02				net3 (net)
		0.20	0.00	2.20	^ _237_/B (sky130_fd_sc_hd_nor2_4)
		0.08	0.10	2.31	v _237_/Y (sky130_fd_sc_hd_nor2_4)
9	0.04				_125_ (net)
		0.08	0.01	2.31	v _324_/B1 (sky130_fd_sc_hd_a21o_1)
		0.04	0.18	2.49	v _324_/X (sky130_fd_sc_hd_a21o_1)
2	0.01				_179_ (net)
		0.04	0.00	2.49	v _325_/B1 (sky130_fd_sc_hd_a2bb2o_1)
		0.05	0.28	2.77	v _325_/X (sky130_fd_sc_hd_a2bb2o_1)
1	0.00				_059_ (net)
		0.05	0.00	2.77	v _417_/D (sky130_fd_sc_hd_dfrtp_1)
				2.77	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)

4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04				clknet_2_2_leaf_clk (net)
		0.06	0.00	10.34	^ _417_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	10.09	clock uncertainty
			0.00	10.09	clock reconvergence pessimism
			-0.11	9.98	library setup time
				9.98	data required time

				9.98	data required time
				-2.77	data arrival time

				7.21	slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _409_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v start (in)
1	0.00				start (net)
		0.01	0.00	2.00	v input3/A (sky130_fd_sc_hd_buf_1)
		0.09	0.13	2.14	v input3/X (sky130_fd_sc_hd_buf_1)
2	0.02				net3 (net)
		0.09	0.00	2.14	v _204_/B (sky130_fd_sc_hd_or2_2)
		0.10	0.37	2.51	v _204_/X (sky130_fd_sc_hd_or2_2)
6	0.02				_096_ (net)
		0.10	0.00	2.51	v _350_/B1 (sky130_fd_sc_hd_o211a_1)
		0.05	0.16	2.68	v _350_/X (sky130_fd_sc_hd_o211a_1)
1	0.00				_197_ (net)
		0.05	0.00	2.68	v _351_/B (sky130_fd_sc_hd_nor2_1)
		0.07	0.08	2.76	^ _351_/Y (sky130_fd_sc_hd_nor2_1)
1	0.00				_051_ (net)
		0.07	0.00	2.76	^ _409_/D (sky130_fd_sc_hd_dfrtp_4)
				2.76	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04				clknet_2_2_leaf_clk (net)
		0.06	0.00	10.34	^ _409_/CLK (sky130_fd_sc_hd_dfrtp_4)
			-0.25	10.09	clock uncertainty
			0.00	10.09	clock reconvergence pessimism
			-0.07	10.02	library setup time
				10.02	data required time

				10.02	data required time
				-2.76	data arrival time

				7.26	slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _414_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description	

1	0.00	0.02	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			2.00	2.00	^ input external delay	
			0.01	2.01	^ start (in)	
					start (net)	
			0.02	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)	
			0.20	2.20	^ input3/X (sky130_fd_sc_hd__buf_1)	
					net3 (net)	
			0.20	2.20	^ _204_/B (sky130_fd_sc_hd__or2_2)	
			0.13	2.43	^ _204_/X (sky130_fd_sc_hd__or2_2)	
6	0.02			_096_ (net)		
		0.13	2.43	^ _331_/A (sky130_fd_sc_hd__nand2_1)		
2	0.01	0.07	2.53	v _331_/Y (sky130_fd_sc_hd__nand2_1)		
				184 (net)		
		0.07	2.53	v _335_/A2 (sky130_fd_sc_hd__a21o_1)		
		0.03	2.71	v _335_/X (sky130_fd_sc_hd__a21o_1)		
1	0.00			_056_ (net)		
		0.03	2.71	v _414_/D (sky130_fd_sc_hd__dfrtp_1)		
				2.71	data arrival time	

1	0.02	0.08	10.00	10.00	clock clk (rise edge)	
			0.00	10.00	clock source latency	
			0.05	10.05	^ clk (in)	
					clk (net)	
			0.08	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
			0.06	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					clknet_0_clk (net)	
			0.06	10.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
			0.06	10.34	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					clknet_2_2__leaf_clk (net)	
10	0.04	0.06	10.34	^ _414_/CLK (sky130_fd_sc_hd__dfrtp_1)		
		-0.25	10.09	clock uncertainty		
				10.09	clock reconvergence pessimism	
				9.99	library setup time	
				9.99	data required time	

				9.99	data required time	
				-2.71	data arrival time	

				7.27	slack (MET)	

Startpoint: start (input port clocked by clk)

Endpoint: _418_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.02	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
			0.01	2.01	^ start (in)
					start (net)
			0.02	2.01	^ input3/A (sky130_fd_sc_hd_buf_1)
			0.20	2.20	^ input3/X (sky130_fd_sc_hd_buf_1)
					net3 (net)
			0.20	2.20	^ _237_/B (sky130_fd_sc_hd_nor2_4)
			0.08	2.31	v _237_/Y (sky130_fd_sc_hd_nor2_4)
9	0.04				_125_ (net)
			0.08	2.31	v _316_/B1 (sky130_fd_sc_hd_a21o_1)
2	0.01		0.04	2.49	v _316_/X (sky130_fd_sc_hd_a21o_1)
					173 (net)
			0.04	2.49	v _320_/A (sky130_fd_sc_hd_and2_1)
			0.03	2.63	v _320_/X (sky130_fd_sc_hd_and2_1)

1	0.00				_176_ (net)
		0.03	0.00	2.63	v _321_/A (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.08	2.71	v _321_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_060_ (net)
		0.02	0.00	2.71	v _418_/D (sky130_fd_sc_hd__dfrtp_1)
				2.71	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	10.34	^ _418_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		-0.10	9.99		library setup time
			9.99		data required time

				9.99	data required time
				-2.71	data arrival time

				7.28	slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _408_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
		0.02	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
		0.20	0.19	2.20	^ input3/X (sky130_fd_sc_hd__buf_1)
2	0.02				net3 (net)
		0.20	0.00	2.20	^ _237_/B (sky130_fd_sc_hd__nor2_4)
		0.08	0.10	2.31	v _237_/Y (sky130_fd_sc_hd__nor2_4)
9	0.04				_125_ (net)
		0.08	0.00	2.31	v _352_/A1 (sky130_fd_sc_hd__mux2_1)
		0.06	0.31	2.62	v _352_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_198_ (net)
		0.06	0.00	2.62	v _353_/A (sky130_fd_sc_hd__clkbuf_1)
		0.03	0.09	2.72	v _353_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_050_ (net)
		0.03	0.00	2.72	v _408_/D (sky130_fd_sc_hd__dfrtp_4)
				2.72	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.35	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.07	0.00	10.35	^ _408_/CLK (sky130_fd_sc_hd__dfrtp_4)
		-0.25	10.10		clock uncertainty
		0.00	10.10		clock reconvergence pessimism

-0.10	10.00	library setup time
	10.00	data required time

	10.00	data required time
	-2.72	data arrival time

	7.28	slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _420_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
1	0.00	0.02	0.01	2.01	^ start (in)
					start (net)
2	0.02	0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
		0.20	0.19	2.20	^ input3/X (sky130_fd_sc_hd__buf_1)
6	0.02				net3 (net)
		0.20	0.00	2.20	^ _204_/B (sky130_fd_sc_hd__or2_2)
		0.13	0.23	2.43	^ _204_/X (sky130_fd_sc_hd__or2_2)
					096 (net)
2	0.01	0.13	0.00	2.43	^ _308_/A (sky130_fd_sc_hd__nand2_1)
		0.06	0.09	2.52	v _308_/Y (sky130_fd_sc_hd__nand2_1)
1	0.00				_167_ (net)
		0.06	0.00	2.52	v _312_/A2 (sky130_fd_sc_hd__a21o_1)
		0.03	0.18	2.71	v _312_/X (sky130_fd_sc_hd__a21o_1)
					062 (net)
		0.03	0.00	2.71	v _420_/D (sky130_fd_sc_hd__dftrtp_1)
				2.71	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.06	0.00	10.34	^ _420_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		-0.10	9.99		library setup time
			9.99		data required time

				9.99	data required time
				-2.71	data arrival time

				7.28	slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _416_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay

		0.02	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd_buf_1)
		0.20	0.19	2.20	^ input3/X (sky130_fd_sc_hd_buf_1)
2	0.02				net3 (net)
		0.20	0.00	2.20	^ _237_/B (sky130_fd_sc_hd_nor2_4)
		0.08	0.10	2.31	v _237_/Y (sky130_fd_sc_hd_nor2_4)
9	0.04				_125_ (net)
		0.08	0.01	2.31	v _324_/B1 (sky130_fd_sc_hd_a21o_1)
		0.04	0.18	2.49	v _324_/X (sky130_fd_sc_hd_a21o_1)
2	0.01				_179_ (net)
		0.04	0.00	2.49	v _327_/A2 (sky130_fd_sc_hd_a21o_1)
		0.03	0.18	2.67	v _327_/X (sky130_fd_sc_hd_a21o_1)
1	0.00				_058_ (net)
		0.03	0.00	2.67	v _416_/D (sky130_fd_sc_hd_dfrtp_1)
				2.67	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04				clknet_2_2_leaf_clk (net)
		0.06	0.00	10.34	^ _416_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		-0.11	9.99		library setup time
			9.99		data required time

			9.99		data required time
			-2.67		data arrival time

			7.32		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _412_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
		0.02	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd_buf_1)
		0.20	0.19	2.20	^ input3/X (sky130_fd_sc_hd_buf_1)
2	0.02				net3 (net)
		0.20	0.00	2.20	^ _237_/B (sky130_fd_sc_hd_nor2_4)
		0.08	0.10	2.31	v _237_/Y (sky130_fd_sc_hd_nor2_4)
9	0.04				_125_ (net)
		0.08	0.01	2.31	v _338_/B1 (sky130_fd_sc_hd_a21o_1)
		0.04	0.18	2.49	v _338_/X (sky130_fd_sc_hd_a21o_1)
2	0.01				_189_ (net)
		0.04	0.00	2.49	v _342_/A2 (sky130_fd_sc_hd_a21o_1)
		0.03	0.18	2.67	v _342_/X (sky130_fd_sc_hd_a21o_1)
1	0.00				_054_ (net)
		0.03	0.00	2.67	v _412_/D (sky130_fd_sc_hd_dfrtp_1)
				2.67	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)

1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.06	0.00	10.34	^ _412_/CLK (sky130_fd_sc_hd__dfrrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		-0.11	9.99		library setup time
			9.99		data required time

			9.99		data required time
			-2.67		data arrival time

			7.32		slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _423_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
		0.02	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
		0.20	0.19	2.20	^ input3/X (sky130_fd_sc_hd__buf_1)
2	0.02				net3 (net)
		0.20	0.00	2.20	^ _237_/B (sky130_fd_sc_hd__nor2_4)
		0.08	0.10	2.31	v _237_/Y (sky130_fd_sc_hd__nor2_4)
9	0.04				_125_ (net)
		0.08	0.00	2.31	v _303_/A2 (sky130_fd_sc_hd__o31a_1)
		0.05	0.30	2.61	v _303_/X (sky130_fd_sc_hd__o31a_1)
1	0.00				_065_ (net)
		0.05	0.00	2.61	v _423_/D (sky130_fd_sc_hd__dfrrtp_1)
				2.61	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.06	0.00	10.34	^ _423_/CLK (sky130_fd_sc_hd__dfrrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		-0.11	9.98		library setup time
			9.98		data required time

			9.98		data required time
			-2.61		data arrival time

			7.37		slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _411_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description		

1	0.00	0.02	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
			2.00	2.00	^ input external delay		
			0.01	2.01	^ start (in)		
					start (net)		
			0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)	
			0.20	0.19	2.20	^ input3/X (sky130_fd_sc_hd__buf_1)	
						net3 (net)	
			0.20	0.00	2.20	^ _237_/B (sky130_fd_sc_hd__nor2_4)	
			0.08	0.10	2.31	v _237_/Y (sky130_fd_sc_hd__nor2_4)	
9	0.04			_125_ (net)			
		0.08	0.00	2.31	v _346_/A2 (sky130_fd_sc_hd__o31a_1)		
		0.05	0.30	2.61	v _346_/X (sky130_fd_sc_hd__o31a_1)		
1	0.00	0.05			_053_ (net)		
			0.05	0.00	2.61	v _411_/D (sky130_fd_sc_hd__dftrtp_1)	
					2.61	data arrival time	

1	0.02	0.08	10.00	10.00	clock clk (rise edge)		
			0.00	10.00	clock source latency		
			0.05	10.05	^ clk (in)		
					clk (net)		
			0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
			0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
						clknet_0_clk (net)	
			0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
			0.06	0.14	10.35	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
						clknet_2_0__leaf_clk (net)	
14	0.05	0.07	0.00	10.35	^ _411_/CLK (sky130_fd_sc_hd__dftrtp_1)		
			-0.25	10.10	clock uncertainty		
			0.00	10.10	clock reconvergence pessimism		
			-0.11	9.99	library setup time		
				9.99	data required time		

				9.99	data required time		
				-2.61	data arrival time		

				7.38	slack (MET)		

Startpoint: start (input port clocked by clk)

Endpoint: _422_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.01	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v start (in)
					start (net)
			0.01	2.00	v input3/A (sky130_fd_sc_hd__buf_1)
			0.09	2.14	v input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
			0.09	2.14	v _237_/B (sky130_fd_sc_hd__nor2_4)
			0.26	2.39	^ _237_/Y (sky130_fd_sc_hd__nor2_4)
9	0.04	0.26			_125_ (net)
			0.01	2.39	^ _305_/A1 (sky130_fd_sc_hd__o21a_1)
			0.05	2.57	^ _305_/X (sky130_fd_sc_hd__o21a_1)
1	0.00	0.05			_064_ (net)
			0.05	2.57	^ _422_/D (sky130_fd_sc_hd__dftrtp_1)
				2.57	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency

		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04				clknet_2_2_leaf_clk (net)
		0.06	0.00	10.34	^ _422_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		-0.06	10.03		library setup time
			10.03		data required time

				10.03	data required time
				-2.57	data arrival time

				7.46	slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _410_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
1	0.00	0.02	0.01	2.01	^ start (in)
					start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd_buf_1)
2	0.02	0.20	0.19	2.20	^ input3/X (sky130_fd_sc_hd_buf_1)
					net3 (net)
		0.20	0.00	2.20	^ _237_/B (sky130_fd_sc_hd_nor2_4)
9	0.04	0.08	0.10	2.31	v _237_/Y (sky130_fd_sc_hd_nor2_4)
					125 (net)
		0.08	0.00	2.31	v _348_/B1 (sky130_fd_sc_hd_a32o_1)
1	0.00	0.04	0.22	2.53	v _348_/X (sky130_fd_sc_hd_a32o_1)
					052 (net)
		0.04	0.00	2.53	v _410_/D (sky130_fd_sc_hd_dfrtp_2)
				2.53	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.35	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05				clknet_2_0_leaf_clk (net)
		0.06	0.00	10.35	^ _410_/CLK (sky130_fd_sc_hd_dfrtp_2)
		-0.25	10.10		clock uncertainty
		0.00	10.10		clock reconvergence pessimism
		-0.11	9.99		library setup time
			9.99		data required time

				9.99	data required time
				-2.53	data arrival time

				7.46	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _425_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk

Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description			

			0.00	0.00	clock clk (rise edge)			
			0.00	0.00	clock source latency			
1	0.02	0.08	0.06	0.06	^ clk (in)			
					clk (net)			
4	0.04	0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)			
				0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)			
12	0.04	0.06	0.00	0.22	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)			
				0.38	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)			
3	0.01	0.06	0.00	0.38	^ clknet_2_3_leaf_clk (net)			
				0.81	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)			
1	0.00	0.08	0.43	0.81	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)			
					clk_count[13] (net)			
2	0.01	0.10	0.00	0.81	v _205_/A (sky130_fd_sc_hd_or4_1)			
				1.38	v _205_/X (sky130_fd_sc_hd_or4_1)			
1	0.00	0.10	0.00		_097_ (net)			
				1.38	v _209_/A (sky130_fd_sc_hd_nor4_1)			
2	0.01	0.43	0.47	1.85	^ _209_/Y (sky130_fd_sc_hd_nor4_1)			
					101 (net)			
3	0.01	0.15	0.22	1.85	^ max_cap25/A (sky130_fd_sc_hd_buf_1)			
				2.07	^ max_cap25/X (sky130_fd_sc_hd_buf_1)			
3	0.01	0.15	0.00		net25 (net)			
				2.07	^ _217_/C (sky130_fd_sc_hd_nand4_1)			
3	0.01	0.14	0.17	2.25	v _217_/Y (sky130_fd_sc_hd_nand4_1)			
					109 (net)			
10	0.07	0.14	0.00	2.25	v _218_/A (sky130_fd_sc_hd_buf_4)			
				2.50	v _218_/X (sky130_fd_sc_hd_buf_4)			
1	0.00	0.09	0.00		_110_ (net)			
				2.50	v _354_/A (sky130_fd_sc_hd_inv_2)			
1	0.00	0.03	0.06	2.56	^ _354_/Y (sky130_fd_sc_hd_inv_2)			
					001 (net)			
1	0.00	0.03	0.00	2.56	^ _425_/D (sky130_fd_sc_hd_dfrtp_1)			
				2.56	data arrival time			

			10.00	10.00	clock clk (rise edge)			
			0.00	10.00	clock source latency			
1	0.02	0.08	0.05	10.05	^ clk (in)			
					clk (net)			
4	0.04	0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)			
				10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)			
10	0.04	0.06	0.00	10.20	^ clknet_0_clk (net)			
				10.34	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)			
		0.06	0.00	10.34	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)			
					clknet_2_2_leaf_clk (net)			
10.34				^ _425_/CLK (sky130_fd_sc_hd_dfrtp_1)				
-0.25				clock uncertainty				
0.02				clock reconvergence pessimism				
-0.05				library setup time				
				data required time				

							10.06	data required time
							-2.56	data arrival time

				7.50	slack (MET)			

Startpoint: rst (input port clocked by clk)
Endpoint: _409_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)

			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.31	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.22	2.53	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)
		0.08	0.01	2.53	v _358_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.06	2.60	^ _358_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_003_ (net)
		0.04	0.00	2.60	^ _409_/RESET_B (sky130_fd_sc_hd__dfrtp_4)
				2.60	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.06	0.00	10.34	^ _409_/CLK (sky130_fd_sc_hd__dfrtp_4)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		0.22	10.32		library recovery time
			10.32		data required time

			10.32		data required time
			-2.60		data arrival time

			7.72		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _424_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.31	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.09	0.22	2.53	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.09	0.00	2.53	v _374_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.06	2.60	^ _374_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_018_ (net)
		0.04	0.00	2.60	^ _424_/RESET_B (sky130_fd_sc_hd__dfrtp_2)
				2.60	data arrival time
			10.00	10.00	clock clk (rise edge)

			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	10.34	^ _424_/CLK (sky130_fd_sc_hd__dftrtp_2)
			-0.25	10.09	clock uncertainty
			0.00	10.09	clock reconvergence pessimism
			0.23	10.32	library recovery time
				10.32	data required time

				10.32	data required time
				-2.60	data arrival time

				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _415_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.31	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.22	2.53	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)
		0.09	0.01	2.54	v _364_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.60	^ _364_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_009_ (net)
		0.03	0.00	2.60	^ _415_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.60	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.06	0.00	10.34	^ _415_/CLK (sky130_fd_sc_hd__dftrtp_1)
			-0.25	10.09	clock uncertainty
			0.00	10.09	clock reconvergence pessimism
			0.24	10.33	library recovery time
				10.33	data required time

				10.33	data required time
				-2.60	data arrival time

				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _416_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
			0.01	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.05	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
			0.08	2.31	v _356_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.08	0.22	2.53	v _356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
			0.09	2.54	v _365_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.03	0.06	2.60	^ _365_/Y (sky130_fd_sc_hd__inv_2)
					010 (net)
			0.03	2.60	^ _416_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.60	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
			0.08	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
			0.06	10.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.04	0.06	0.14	10.34	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
			0.06	10.34	^ _416_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.09	clock uncertainty
			0.00	10.09	clock reconvergence pessimism
			0.24	10.33	library recovery time
				10.33	data required time

				10.33	data required time
				-2.60	data arrival time

				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _417_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
			0.01	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.05	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)

		0.08	0.00	2.31	v	_356_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.22	2.53	v	_356_/X (sky130_fd_sc_hd__buf_4)
10	0.06					_200_ (net)
		0.09	0.01	2.54	v	_366_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.60	^	_366_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_011_ (net)
		0.03	0.00	2.60	^	_417_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.60		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.08	0.05	10.05	^	clk (in)
						clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.04	0.06	0.14	10.34	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
		0.06	0.00	10.34	^	_417_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.09			clock uncertainty
		0.00	10.09			clock reconvergence pessimism
		0.24	10.33			library recovery time
			10.33			data required time

				10.33		data required time
				-2.60		data arrival time

				7.73		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _412_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.08	0.00	2.31	v _356_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.08	0.22	2.53	v _356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
		0.09	0.01	2.54	v _361_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.60	^ _361_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_006_ (net)
		0.03	0.00	2.60	^ _412_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.60	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.04	0.06	0.14	10.34	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.06	0.00	10.34	^ _412_/CLK (sky130_fd_sc_hd__dfrtp_1)

-0.25	10.09	clock uncertainty
0.00	10.09	clock reconvergence pessimism
0.24	10.33	library recovery time
	10.33	data required time

10.33	data required time
-2.60	data arrival time

7.73	slack (MET)
------	-------------

Startpoint: rst (input port clocked by clk)
Endpoint: _413_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd_buf_4)
10	0.05	0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd_buf_4)
					199 (net)
		0.08	0.00	2.31	v _356_/A (sky130_fd_sc_hd_buf_4)
10	0.06	0.08	0.22	2.53	v _356_/X (sky130_fd_sc_hd_buf_4)
					200 (net)
		0.08	0.01	2.54	v _362_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.06	2.60	^ _362_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_007_ (net)
		0.03	0.00	2.60	^ _413_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.60	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04				clknet_2_2_leaf_clk (net)
		0.06	0.00	10.34	^ _413_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	10.09	clock uncertainty
			0.00	10.09	clock reconvergence pessimism
			0.24	10.33	library recovery time
				10.33	data required time

				10.33	data required time
				-2.60	data arrival time

				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _414_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)

			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.31	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.22	2.53	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)
		0.08	0.01	2.54	v _363_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.60	^ _363_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_008_ (net)
		0.03	0.00	2.60	^ _414_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.60	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.06	0.00	10.34	^ _414_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		0.24	10.33		library recovery time
			10.33		data required time

			10.33		data required time
			-2.60		data arrival time

			7.73		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _408_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.31	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.22	2.53	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)
		0.08	0.01	2.53	v _357_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.59	^ _357_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_002_ (net)
		0.03	0.00	2.59	^ _408_/RESET_B (sky130_fd_sc_hd__dfrtp_4)
				2.59	data arrival time
			10.00	10.00	clock clk (rise edge)

			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.35	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.07	0.00	10.35	^ _408_/CLK (sky130_fd_sc_hd__dftrtp_4)
		-0.25	10.10		clock uncertainty
		0.00	10.10		clock reconvergence pessimism
		0.23	10.33		library recovery time
			10.33		data required time

				10.33	data required time
				-2.59	data arrival time

				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _422_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.31	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.09	0.22	2.53	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.09	0.00	2.53	v _372_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.06	2.59	^ _372_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_016_ (net)
		0.04	0.00	2.59	^ _422_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.59	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.06	0.00	10.34	^ _422_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		0.24	10.33		library recovery time
			10.33		data required time

				10.33	data required time
				-2.59	data arrival time

				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _425_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
			0.01	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.05	0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.08	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
10	0.07	0.08	0.00	2.31	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
			0.09	2.53	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
					201 (net)
1	0.00	0.09	0.00	2.53	v _375_/A (sky130_fd_sc_hd__inv_2)
			0.04	2.60	^ _375_/Y (sky130_fd_sc_hd__inv_2)
					019 (net)
		0.04	0.00	2.60	^ _425_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.60	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
			0.08	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
			0.06	10.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.04	0.06	0.14	10.34	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
			0.06	10.34	^ _425_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.09	clock uncertainty
			0.00	10.09	clock reconvergence pessimism
			0.24	10.33	library recovery time
				10.33	data required time

				10.33	data required time
				-2.60	data arrival time

				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _423_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
			0.01	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.05	0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.08	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)

		0.08	0.00	2.31	v	_367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.09	0.22	2.53	v	_367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07					_201_ (net)
		0.09	0.00	2.53	v	_373_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.06	2.59	^	_373_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_017_ (net)
		0.04	0.00	2.59	^	_423_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.59		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.08	0.05	10.05	^	clk (in)
						clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.04	0.06	0.14	10.34	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
		0.06	0.00	10.34	^	_423_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.09			clock uncertainty
		0.00	10.09			clock reconvergence pessimism
		0.24	10.33			library recovery time
			10.33			data required time

				10.33		data required time
				-2.59		data arrival time

				7.73		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _410_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.08	0.00	2.31	v _356_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.08	0.22	2.53	v _356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
		0.08	0.00	2.53	v _359_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.59	^ _359_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_004_ (net)
		0.03	0.00	2.59	^ _410_/RESET_B (sky130_fd_sc_hd__dftrtp_2)
				2.59	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.35	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.06	0.00	10.35	^ _410_/CLK (sky130_fd_sc_hd__dftrtp_2)

-0.25	10.10	clock uncertainty
0.00	10.10	clock reconvergence pessimism
0.23	10.33	library recovery time
	10.33	data required time

10.33	data required time
-2.59	data arrival time

7.73	slack (MET)
------	-------------

Startpoint: rst (input port clocked by clk)
Endpoint: _418_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.31	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.09	0.22	2.53	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.09	0.01	2.53	v _368_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.06	2.60	^ _368_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_012_ (net)
		0.04	0.00	2.60	^ _418_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.60	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	10.34	^ _418_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		0.24	10.33		library recovery time
			10.33		data required time
				10.33	data required time
				-2.60	data arrival time
				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _427_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)

			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.31	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.09	0.22	2.53	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.09	0.00	2.53	v _377_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.07	2.60	^ _377_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_021_ (net)
		0.04	0.00	2.60	^ _427_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.60	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.06	0.00	10.35	^ _427_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25		10.10	clock uncertainty
		0.00		10.10	clock reconvergence pessimism
		0.24		10.33	library recovery time
				10.33	data required time

				10.33	data required time
				-2.60	data arrival time

				7.74	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _421_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.31	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.09	0.22	2.53	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.09	0.01	2.53	v _371_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.06	2.60	^ _371_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_015_ (net)
		0.04	0.00	2.60	^ _421_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.60	data arrival time
			10.00	10.00	clock clk (rise edge)

			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	10.35	^ _421_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.10		clock uncertainty
		0.00	10.10		clock reconvergence pessimism
		0.24	10.33		library recovery time
			10.33		data required time

				10.33	data required time
				-2.60	data arrival time

				7.74	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _426_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.31	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.09	0.22	2.53	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.09	0.01	2.53	v _376_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.06	2.60	^ _376_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_020_ (net)
		0.04	0.00	2.60	^ _426_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.60	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	10.35	^ _426_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.10		clock uncertainty
		0.00	10.10		clock reconvergence pessimism
		0.24	10.33		library recovery time
			10.33		data required time

				10.33	data required time
				-2.60	data arrival time

				7.74	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _419_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
			0.01	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.05	0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.08	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
10	0.07	0.08	0.00	2.31	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
			0.09	2.53	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
					201 (net)
1	0.00	0.09	0.01	2.53	v _369_/A (sky130_fd_sc_hd__inv_2)
			0.04	2.60	^ _369_/Y (sky130_fd_sc_hd__inv_2)
					013 (net)
		0.04	0.00	2.60	^ _419_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.60	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
			0.08	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
			0.06	10.20	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	10.34	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
			0.06	10.35	^ _419_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.10	clock uncertainty
			0.00	10.10	clock reconvergence pessimism
			0.24	10.33	library recovery time
				10.33	data required time

				10.33	data required time
				-2.60	data arrival time

				7.74	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _420_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
			0.01	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.05	0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.08	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)

		0.08	0.00	2.31	v	_367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.09	0.22	2.53	v	_367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07					_201_ (net)
		0.09	0.00	2.53	v	_370_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.06	2.60	^	_370_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_014_ (net)
		0.04	0.00	2.60	^	_420_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.60		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.08	0.05	10.05	^	clk (in)
						clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	10.34	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3__leaf_clk (net)
		0.06	0.00	10.34	^	_420_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.09			clock uncertainty
		0.00	10.09			clock reconvergence pessimism
		0.24	10.33			library recovery time
			10.33			data required time

				10.33		data required time
				-2.60		data arrival time

				7.74		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _411_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.08	0.00	2.31	v _356_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.08	0.22	2.53	v _356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
		0.08	0.01	2.53	v _360_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.59	^ _360_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_005_ (net)
		0.03	0.00	2.59	^ _411_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.59	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.05	0.06	0.14	10.35	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.07	0.00	10.35	^ _411_/CLK (sky130_fd_sc_hd__dftrtp_1)

-0.25	10.10	clock uncertainty
0.00	10.10	clock reconvergence pessimism
0.24	10.34	library recovery time
	10.34	data required time

10.34	data required time
-2.59	data arrival time

7.74	slack (MET)
------	-------------

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _435_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.06	0.00	0.38	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.08	0.43	0.81	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[13] (net)
		0.08	0.00	0.81	v _205_/A (sky130_fd_sc_hd_or4_1)
		0.10	0.57	1.38	v _205_/X (sky130_fd_sc_hd_or4_1)
1	0.00				_097_ (net)
		0.10	0.00	1.38	v _209_/A (sky130_fd_sc_hd_nor4_1)
		0.43	0.47	1.85	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
2	0.01				_101_ (net)
		0.43	0.00	1.85	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.15	0.22	2.07	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01				net25 (net)
		0.15	0.00	2.07	^ _273_/A (sky130_fd_sc_hd_inv_2)
		0.04	0.06	2.13	v _273_/Y (sky130_fd_sc_hd_inv_2)
2	0.01				_144_ (net)
		0.04	0.00	2.13	v _274_/A2 (sky130_fd_sc_hd_a21oi_1)
		0.11	0.15	2.28	^ _274_/Y (sky130_fd_sc_hd_a21oi_1)
1	0.00				_075_ (net)
		0.11	0.00	2.28	^ _435_/D (sky130_fd_sc_hd_dfrtp_2)
				2.28	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.35	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05				clknet_2_0_leaf_clk (net)
		0.06	0.00	10.35	^ _435_/CLK (sky130_fd_sc_hd_dfrtp_2)
			-0.25	10.10	clock uncertainty
			0.02	10.12	clock reconvergence pessimism
			-0.08	10.04	library setup time
				10.04	data required time

				10.04	data required time
				-2.28	data arrival time

				7.77	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _436_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
			0.01	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.07	0.05	0.00	2.11	v _378_/A (sky130_fd_sc_hd__buf_4)
			0.10	2.32	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
1	0.00	0.04	0.01	2.33	v _387_/A (sky130_fd_sc_hd__inv_2)
			0.07	2.40	^ _387_/Y (sky130_fd_sc_hd__inv_2)
					030 (net)
		0.04	0.00	2.40	^ _436_/SET_B (sky130_fd_sc_hd__dfstp_1)
				2.40	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
12	0.04	0.06	0.00	10.20	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.14	10.34	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.06	0.00	10.35	^ _436_/CLK (sky130_fd_sc_hd__dfstp_1)
			-0.25	10.10	clock uncertainty
			0.00	10.10	clock reconvergence pessimism
			0.14	10.24	library recovery time
				10.24	data required time

				10.24	data required time
				-2.40	data arrival time

				7.84	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _433_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
			0.01	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.07	0.05	0.00	2.11	v _378_/A (sky130_fd_sc_hd__buf_4)
			0.10	2.32	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
		0.04	0.01	2.33	v _384_/A (sky130_fd_sc_hd__inv_2)
			0.07	2.40	^ _384_/Y (sky130_fd_sc_hd__inv_2)

1	0.00					_027_ (net)
		0.04	0.00	2.40	^	_433_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.40		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.08	0.05	10.05	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.06	0.00	10.35	^	_433_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.10		clock uncertainty
			0.00	10.10		clock reconvergence pessimism
			0.24	10.33		library recovery time
				10.33		data required time

				10.33		data required time
				-2.40		data arrival time

				7.93		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _435_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.10	0.22	2.32	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.10	0.01	2.33	v _386_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.07	2.39	^ _386_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_029_ (net)
		0.04	0.00	2.39	^ _435_/RESET_B (sky130_fd_sc_hd__dfrtp_2)
				2.39	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.35	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.06	0.00	10.35	^ _435_/CLK (sky130_fd_sc_hd__dfrtp_2)
			-0.25	10.10	clock uncertainty
			0.00	10.10	clock reconvergence pessimism
			0.23	10.33	library recovery time
				10.33	data required time

				10.33	data required time
				-2.39	data arrival time

7.93 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _434_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
			0.01	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.05	2.11	v _378_/A (sky130_fd_sc_hd__buf_4)
10	0.07	0.10	0.22	2.32	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
			0.10	2.33	v _385_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.04	0.07	2.39	^ _385_/Y (sky130_fd_sc_hd__inv_2)
					028 (net)
			0.04	2.39	^ _434_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.39	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
			0.08	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
			0.06	10.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	10.34	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
			0.06	10.34	^ _434_/CLK (sky130_fd_sc_hd__dftrtp_1)
			-0.25	10.09	clock uncertainty
			0.00	10.09	clock reconvergence pessimism
			0.24	10.33	library recovery time
				10.33	data required time

				10.33	data required time
				-2.39	data arrival time

				7.94	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _437_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
			0.01	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.05	2.11	v _378_/A (sky130_fd_sc_hd__buf_4)
10	0.07	0.10	0.22	2.32	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
			0.10	2.33	v _388_/A (sky130_fd_sc_hd__inv_2)

1	0.00	0.04	0.07	2.40	^	_388_/Y (sky130_fd_sc_hd__inv_2)
		0.04	0.00	2.40	^	_031_ (net)
				2.40	^	_437_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.40		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
1	0.02	0.08	0.05	10.05	^	clk (in)
						clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	10.34	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3__leaf_clk (net)
		0.06	0.00	10.35	^	_437_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.10			clock uncertainty
		0.00	10.10			clock reconvergence pessimism
		0.24	10.33			library recovery time
			10.33			data required time

				10.33		data required time
				-2.40		data arrival time

				7.94		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _429_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.11	v _378_/A (sky130_fd_sc_hd__buf_4)
10	0.07	0.10	0.22	2.32	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
		0.10	0.00	2.33	v _380_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.04	0.07	2.40	^ _380_/Y (sky130_fd_sc_hd__inv_2)
					023 (net)
		0.04	0.00	2.40	^ _429_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.40	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.05	0.06	0.14	10.35	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.06	0.00	10.35	^ _429_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.10		clock uncertainty
		0.00	10.10		clock reconvergence pessimism
		0.24	10.34		library recovery time
			10.34		data required time

				10.34	data required time
				-2.40	data arrival time

7.94 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _431_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.11	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.10	0.22	2.32	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.10	0.00	2.33	v _382_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.07	2.39	^ _382_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_025_ (net)
		0.04	0.00	2.39	^ _431_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.39	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.35	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.07	0.00	10.35	^ _431_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.10	clock uncertainty
			0.00	10.10	clock reconvergence pessimism
			0.24	10.34	library recovery time
				10.34	data required time

				10.34	data required time
				-2.39	data arrival time

				7.94	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _432_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.10	0.22	2.32	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)

1	0.00	0.10	0.00	2.33	v	_383_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.07	2.39	^	_383_/Y (sky130_fd_sc_hd__inv_2)
						026 (net)
		0.04	0.00	2.39	^	_432_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.39		data arrival time

			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.08	0.05	10.05	^	clk (in)
						clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.05	0.06	0.14	10.35	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.07	0.00	10.35	^	_432_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.10			clock uncertainty
		0.00	10.10			clock reconvergence pessimism
		0.24	10.34			library recovery time
			10.34			data required time

				10.34		data required time
				-2.39		data arrival time

				7.94		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _430_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.11	v _378_/A (sky130_fd_sc_hd__buf_4)
10	0.07	0.10	0.22	2.32	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
		0.10	0.01	2.33	v _381_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.07	2.39	^ _381_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_024_ (net)
		0.04	0.00	2.39	^ _430_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.39	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.05	0.06	0.14	10.35	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.06	0.00	10.35	^ _430_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.10		clock uncertainty
		0.00	10.10		clock reconvergence pessimism
		0.24	10.34		library recovery time
			10.34		data required time

				10.34	data required time

-2.39 data arrival time

7.94 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _428_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description	

1	0.00	0.01	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			2.00	2.00	v input external delay	
			0.00	2.00	v rst (in)	
					rst (net)	
			0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
						net2 (net)
			0.05	0.00	2.11	v _378_/A (sky130_fd_sc_hd__buf_4)
			0.10	0.22	2.32	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07			_202_ (net)		
		0.10	0.00	2.33	v _379_/A (sky130_fd_sc_hd__inv_2)	
1	0.00	0.04	0.07	2.39	^ _379_/Y (sky130_fd_sc_hd__inv_2)	
					022 (net)	
		0.04	0.00	2.39	^ _428_/RESET_B (sky130_fd_sc_hd__dfrtp_1)	
				2.39	data arrival time	

			10.00	10.00	clock clk (rise edge)	
			0.00	10.00	clock source latency	
1	0.02	0.08	0.05	10.05	^ clk (in)	
						clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
				0.06	0.15	10.20
4	0.04				clknet_0_clk (net)	
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.06	0.14	10.35	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
14	0.05	0.07	0.00	10.35	^ _428_/CLK (sky130_fd_sc_hd__dfrtp_1)	
			-0.25	10.10	clock uncertainty	
			0.00	10.10	clock reconvergence pessimism	
			0.24	10.34	library recovery time	
				10.34	data required time	

				10.34	data required time	
				-2.39	data arrival time	

				7.94	slack (MET)	

Startpoint: rst (input port clocked by clk)
Endpoint: _443_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.01	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.05	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.09	0.00	2.11	v _389_/A (sky130_fd_sc_hd__buf_4)
			0.21	2.31	v _389_/X (sky130_fd_sc_hd__buf_4)

10	0.06				_203_ (net)
		0.09	0.01	2.32	v _395_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.38	^ _395_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_037_ (net)
		0.03	0.00	2.38	^ _443_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.38	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.06	0.00	10.34	^ _443_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		0.24	10.33		library recovery time
			10.33		data required time

				10.33	data required time
				-2.38	data arrival time

				7.95	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _440_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11	v _389_/A (sky130_fd_sc_hd__buf_4)
		0.09	0.21	2.31	v _389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
		0.09	0.01	2.32	v _392_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.06	2.38	^ _392_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_034_ (net)
		0.04	0.00	2.38	^ _440_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.38	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	10.35	^ _440_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.10		clock uncertainty
		0.00	10.10		clock reconvergence pessimism
		0.24	10.33		library recovery time
			10.33		data required time

10.33 data required time
-2.38 data arrival time

7.95 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _441_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description		

1	0.00	0.01	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
		0.01	2.00	2.00	v input external delay		
			0.00	2.00	v rst (in)		
		0.01			rst (net)		
			0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)	
		3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
							net2 (net)
		10	0.06	0.05	0.00	2.11	v _389_/A (sky130_fd_sc_hd__buf_4)
				0.09	0.21	2.31	v _389_/X (sky130_fd_sc_hd__buf_4)
1	0.00	0.03	0.01		_203_ (net)		
		0.09	0.03	2.32	v _393_/A (sky130_fd_sc_hd__inv_2)		
				2.38	^ _393_/Y (sky130_fd_sc_hd__inv_2)		
		0.03	0.06			_035_ (net)	
		0.03	0.00	2.38	^ _441_/RESET_B (sky130_fd_sc_hd__dfrtp_1)		
				2.38		data arrival time	

		1	0.02	0.08	10.00	10.00	clock clk (rise edge)
0.00	10.00				clock source latency		
0.08	0.05			10.05	^ clk (in)		
						clk (net)	
0.08	0.00			10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)		
	0.06			0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
4	0.04					clknet_0_clk (net)	
				0.06	0.00	10.20	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04			0.06	0.14	10.34	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
							clknet_2_1__leaf_clk (net)
1	0.04	0.06	0.00	10.34	^ _441_/CLK (sky130_fd_sc_hd__dfrtp_1)		
			-0.25	10.09	clock uncertainty		
		0.00	10.09	clock reconvergence pessimism			
			0.24	10.33	library recovery time		
		0.00	10.33	data required time			

						10.33	data required time
						-2.38	data arrival time

				7.95	slack (MET)		

Startpoint: rst (input port clocked by clk)
Endpoint: _444_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
			0.01	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.05	2.11	v _389_/A (sky130_fd_sc_hd__buf_4)

10	0.06	0.09	0.21	2.31	v _389_/X (sky130_fd_sc_hd_buf_4)
					203 (net)
1	0.00	0.09	0.01	2.32	v _396_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.06	2.38	^ _396_/Y (sky130_fd_sc_hd_inv_2)
					038 (net)
		0.03	0.00	2.38	^ _444_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.38	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.14	10.34	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
		0.06	0.00	10.35	^ _444_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.10		clock uncertainty
		0.00	10.10		clock reconvergence pessimism
		0.24	10.33		library recovery time
			10.33		data required time

				10.33	data required time
				-2.38	data arrival time

				7.95	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _438_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
		0.05	0.00	2.11	v _389_/A (sky130_fd_sc_hd_buf_4)
10	0.06	0.09	0.21	2.31	v _389_/X (sky130_fd_sc_hd_buf_4)
					203 (net)
		0.09	0.01	2.32	v _390_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.03	0.06	2.38	^ _390_/Y (sky130_fd_sc_hd_inv_2)
					032 (net)
		0.03	0.00	2.38	^ _438_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.38	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.14	10.34	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
		0.06	0.00	10.35	^ _438_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.10		clock uncertainty
		0.00	10.10		clock reconvergence pessimism
		0.24	10.33		library recovery time
			10.33		data required time

		10.33	data required time
		-2.38	data arrival time

		7.95	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _439_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.01	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.11 v	_389_/A (sky130_fd_sc_hd__buf_4)
		0.09	0.21	2.31 v	_389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
		0.09	0.01	2.32 v	_391_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.38 ^	_391_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_033_ (net)
		0.03	0.00	2.38 ^	_439_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.38	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05 ^	clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20 ^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34 ^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	10.35 ^	_439_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.10	clock uncertainty
			0.00	10.10	clock reconvergence pessimism
			0.24	10.33	library recovery time
				10.33	data required time

				10.33	data required time
				-2.38	data arrival time

				7.95	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _442_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.01	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11 v	input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)

		0.05	0.00	2.11	v	_389_/A (sky130_fd_sc_hd__buf_4)
		0.09	0.21	2.31	v	_389_/X (sky130_fd_sc_hd__buf_4)
10	0.06					_203_ (net)
		0.09	0.01	2.32	v	_394_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.38	^	_394_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_036_ (net)
		0.03	0.00	2.38	^	_442_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.38		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.08	0.05	10.05	^	clk (in)
						clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	10.34	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_1__leaf_clk (net)
		0.06	0.00	10.35	^	_442_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.10			clock uncertainty
		0.00	10.10			clock reconvergence pessimism
		0.24	10.33			library recovery time
			10.33			data required time

				10.33		data required time
				-2.38		data arrival time

				7.95		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _445_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.11	v _389_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.09	0.21	2.31	v _389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
		0.09	0.00	2.32	v _397_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.38	^ _397_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_039_ (net)
		0.03	0.00	2.38	^ _445_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.38	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	10.34	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.06	0.00	10.35	^ _445_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.10		clock uncertainty
		0.00	10.10		clock reconvergence pessimism
		0.24	10.33		library recovery time

				10.33	data required time

				10.33	data required time
				-2.38	data arrival time

				7.95	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _446_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
		0.05	0.00	2.11	v _389_/A (sky130_fd_sc_hd_buf_4)
10	0.06	0.09	0.21	2.31	v _389_/X (sky130_fd_sc_hd_buf_4)
					203 (net)
		0.09	0.00	2.32	v _398_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.06	2.38	^ _398_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_040_ (net)
		0.03	0.00	2.38	^ _446_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.38	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.14	10.34	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
		0.06	0.00	10.35	^ _446_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	10.10	clock uncertainty
			0.00	10.10	clock reconvergence pessimism
			0.24	10.33	library recovery time
				10.33	data required time

				10.33	data required time
				-2.38	data arrival time

				7.95	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _447_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd_buf_1)

3	0.01				net2 (net)
		0.05	0.00	2.11	v _389_/A (sky130_fd_sc_hd__buf_4)
		0.09	0.21	2.31	v _389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
		0.09	0.00	2.32	v _399_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.07	2.38	^ _399_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_041_ (net)
		0.04	0.00	2.38	^ _447_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.38	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.35	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.06	0.00	10.35	^ _447_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.10	clock uncertainty
		0.00		10.10	clock reconvergence pessimism
		0.24		10.34	library recovery time
				10.34	data required time

				10.34	data required time
				-2.38	data arrival time

				7.95	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _450_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.31	v _402_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.07	2.38	^ _402_/Y (sky130_fd_sc_hd__inv_2)
1	0.01				_044_ (net)
		0.04	0.00	2.38	^ _450_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.38	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.35	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.06	0.00	10.35	^ _450_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.10	clock uncertainty
		0.00		10.10	clock reconvergence pessimism

	0.24	10.34	library recovery time
		10.34	data required time

		10.34	data required time
		-2.38	data arrival time

		7.96	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _454_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.01	0.00	2.00 v	rst (in)
					rst (net)
			0.01	2.00 v	input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.05	0.10	2.11 v	input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
			0.05	2.11 v	_355_/A (sky130_fd_sc_hd_buf_4)
10	0.05	0.08	0.20	2.31 v	_355_/X (sky130_fd_sc_hd_buf_4)
					199 (net)
			0.08	2.31 v	_406_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.03	0.06	2.37 ^	_406_/Y (sky130_fd_sc_hd_inv_2)
					048 (net)
			0.03	2.37 ^	_454_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.37	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05 ^	clk (in)
					clk (net)
			0.08	10.05 ^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.15	10.20 ^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
			0.06	10.20 ^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.14	10.34 ^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
			0.06	10.34 ^	_454_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	10.09	clock uncertainty
			0.00	10.09	clock reconvergence pessimism
			0.24	10.33	library recovery time
				10.33	data required time

				10.33	data required time
				-2.37	data arrival time

				7.96	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _455_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.01	0.00	2.00 v	rst (in)
					rst (net)
			0.01	2.00 v	input2/A (sky130_fd_sc_hd_buf_1)

3	0.01	0.05	0.10	2.11	v	input2/X (sky130_fd_sc_hd_buf_1)
						net2 (net)
10	0.05	0.05	0.00	2.11	v	_355_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.20	2.31	v	_355_/X (sky130_fd_sc_hd_buf_4)
						199 (net)
1	0.00	0.08	0.00	2.31	v	_407_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.06	2.37	^	_407_/Y (sky130_fd_sc_hd_inv_2)
						049 (net)
		0.03	0.00	2.37	^	_455_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.37		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
1	0.02	0.08	0.05	10.05	^	clk (in)
						clk (net)
4	0.04	0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.00	10.20	^	clknet_0_clk (net)
		0.06	0.14	10.34	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_1_leaf_clk (net)
		0.06	0.00	10.34	^	_455_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.09			clock uncertainty
		0.00	10.09			clock reconvergence pessimism
		0.24	10.33			library recovery time
				10.33		data required time
				10.33		data required time
				-2.37		data arrival time
				7.96		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _452_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.01	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
10	0.05	0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd_buf_4)
					199 (net)
		0.08	0.00	2.31	v _404_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.03	0.06	2.37	^ _404_/Y (sky130_fd_sc_hd_inv_2)
					046 (net)
		0.03	0.00	2.37	^ _452_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.37	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.00	10.20	^ clknet_0_clk (net)
		0.06	0.14	10.34	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
		0.06	0.00	10.34	^ _452_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.09		clock uncertainty

0.00	10.09	clock reconvergence pessimism
0.24	10.33	library recovery time
	10.33	data required time

	10.33	data required time
	-2.37	data arrival time

	7.96	slack (MET)

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			2.00	2.00	v rst (in)
1	0.00	0.01			rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.08	0.00	2.31	v _403_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.04	0.06	2.38	^ _403_/Y (sky130_fd_sc_hd__inv_2)
					045 (net)
		0.04	0.00	2.38	^ _451_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.38	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.05	0.06	0.14	10.35	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0_leaf_clk (net)
		0.06	0.00	10.35	^ _451_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.10	clock uncertainty
			0.00	10.10	clock reconvergence pessimism
			0.24	10.34	library recovery time
				10.34	data required time
				10.34	data required time
				-2.38	data arrival time
				7.96	slack (MET)

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)

		0.01	0.00	2.00	v	input2/A (sky130_fd_sc_hd_buf_1)
		0.05	0.10	2.11	v	input2/X (sky130_fd_sc_hd_buf_1)
3	0.01					net2 (net)
		0.05	0.00	2.11	v	_355_/A (sky130_fd_sc_hd_buf_4)
10	0.05	0.08	0.20	2.31	v	_355_/X (sky130_fd_sc_hd_buf_4)
						199 (net)
		0.08	0.00	2.31	v	_401_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.04	0.06	2.38	^	_401_/Y (sky130_fd_sc_hd_inv_2)
						043 (net)
		0.04	0.00	2.38	^	_449_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.38		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.08	0.05	10.05	^	clk (in)
						clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.05	0.06	0.14	10.35	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.06	0.00	10.35	^	_449_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.10			clock uncertainty
		0.00	10.10			clock reconvergence pessimism
		0.24	10.34			library recovery time
			10.34			data required time

			10.34			data required time
			-2.38			data arrival time

			7.96			slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _453_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd_buf_4)
10	0.05	0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd_buf_4)
					199 (net)
		0.08	0.00	2.31	v _405_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.03	0.06	2.37	^ _405_/Y (sky130_fd_sc_hd_inv_2)
					047 (net)
		0.03	0.00	2.37	^ _453_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.37	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.14	10.34	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.06	0.00	10.34	^ _453_/CLK (sky130_fd_sc_hd_dfrtp_1)

-0.25	10.09	clock uncertainty
0.00	10.09	clock reconvergence pessimism
0.24	10.33	library recovery time
	10.33	data required time

10.33	data required time
-2.37	data arrival time

7.96	slack (MET)
------	-------------

Startpoint: rst (input port clocked by clk)
Endpoint: _448_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.08	0.00	2.31	v _400_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.37	^ _400_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_042_ (net)
		0.03	0.00	2.37	^ _448_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.37	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.05	0.06	0.14	10.35	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.06	0.00	10.35	^ _448_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.10		clock uncertainty
		0.00	10.10		clock reconvergence pessimism
		0.24	10.34		library recovery time
			10.34		data required time
				10.34	data required time
				-2.37	data arrival time
				7.96	slack (MET)

SS CORNER

rcx_max_sta.min.rpt

=====
report_checks -path_delay min (Hold)
=====
===== Fastest Corner =====

Startpoint: _415_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _415_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.09	0.24	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.04	0.00	0.24	^ _415_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.07	0.22	0.46	^ _415_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[7] (net)
		0.07	0.00	0.46	^ _332_/S (sky130_fd_sc_hd__mux2_1)
		0.03	0.08	0.54	^ _332_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_185_ (net)
		0.03	0.00	0.54	^ _333_/A (sky130_fd_sc_hd__clkbuf_1)
		0.03	0.05	0.59	^ _333_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_057_ (net)
		0.03	0.00	0.59	^ _415_/D (sky130_fd_sc_hd__dfrtp_1)
				0.59	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	0.26	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.04	0.00	0.26	^ _415_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			-0.02	0.49	clock reconvergence pessimism
			-0.02	0.47	library hold time
				0.47	data required time

				0.47	data required time

				-0.59	data arrival time

				0.12	slack (MET)

Startpoint: _449_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _431_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)

		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	0.14	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.24	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05					clknet_2_0__leaf_clk (net)
		0.05	0.00	0.24	^	_449_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.08	0.23	0.47	^	_449_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01					rx_shift[5] (net)
		0.08	0.00	0.47	^	_283_/A0 (sky130_fd_sc_hd_mux2_1)
		0.03	0.08	0.55	^	_283_/X (sky130_fd_sc_hd_mux2_1)
1	0.00					_150_ (net)
		0.03	0.00	0.55	^	_284_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.05	0.60	^	_284_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00					_071_ (net)
		0.03	0.00	0.60	^	_431_/D (sky130_fd_sc_hd_dfrtp_1)
				0.60		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.06	0.04	0.04	^	clk (in)
1	0.02					clk (net)
		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.16	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	0.16	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.27	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05					clknet_2_0__leaf_clk (net)
		0.05	0.00	0.27	^	_431_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.52		clock uncertainty
		-0.03	0.50			clock reconvergence pessimism
		-0.02	0.48			library hold time
			0.48			data required time

			0.48			data required time
			-0.60			data arrival time

			0.12			slack (MET)

Startpoint: _447_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _429_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^
1	0.02				clk (in)
		0.06	0.00	0.04	^
		0.05	0.10	0.14	^
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^
		0.05	0.10	0.24	^
14	0.05				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.24	^
		0.08	0.23	0.47	^
3	0.01				_447_/CLK (sky130_fd_sc_hd_dfrtp_1)
					447/Q (sky130_fd_sc_hd_dfrtp_1)
		0.08	0.00	0.47	^
		0.03	0.08	0.55	^
1	0.00				_287_/A0 (sky130_fd_sc_hd_mux2_1)
					287/X (sky130_fd_sc_hd_mux2_1)
					152 (net)
		0.03	0.00	0.55	^
		0.03	0.05	0.60	^
1	0.00				_288_/A (sky130_fd_sc_hd_clkbuf_1)
					288/X (sky130_fd_sc_hd_clkbuf_1)
					069 (net)
		0.03	0.00	0.60	^
				0.60	^
				0.60	_429_/D (sky130_fd_sc_hd_dfrtp_1)
				0.60	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.05	0.05	0.11	0.27	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.05	0.00	0.27	^ _429_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.52	clock uncertainty
			-0.03	0.49	clock reconvergence pessimism
			-0.02	0.47	library hold time
				0.47	data required time

				0.47	data required time
				-0.60	data arrival time

				0.12	slack (MET)

Startpoint: _428_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _428_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.05	0.05	0.10	0.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.05	0.00	0.24	^ _428_/CLK (sky130_fd_sc_hd_dfrtp_1)
2	0.01	0.08	0.23	0.47	^ _428_/Q (sky130_fd_sc_hd_dfrtp_1)
					net18 (net)
		0.08	0.00	0.47	^ _289_/A1 (sky130_fd_sc_hd_mux2_1)
1	0.00	0.03	0.08	0.55	^ _289_/X (sky130_fd_sc_hd_mux2_1)
					153 (net)
		0.03	0.00	0.55	^ _290_/A (sky130_fd_sc_hd_clkbuf_1)
1	0.00	0.03	0.05	0.60	^ _290_/X (sky130_fd_sc_hd_clkbuf_1)
					068 (net)
		0.03	0.00	0.60	^ _428_/D (sky130_fd_sc_hd_dfrtp_1)
				0.60	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.05	0.05	0.11	0.27	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.05	0.00	0.27	^ _428_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.52	clock uncertainty
			-0.03	0.50	clock reconvergence pessimism
			-0.02	0.48	library hold time
				0.48	data required time

				0.48	data required time
				-0.60	data arrival time

0.12 slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05				clknet_2_0_leaf_clk (net)
		0.05	0.00	0.24	^ _435_/CLK (sky130_fd_sc_hd_dfrtp_2)
		0.06	0.27	0.52	v _435_/Q (sky130_fd_sc_hd_dfrtp_2)
4	0.02				net24 (net)
		0.06	0.00	0.52	v _235_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	0.56	^ _235_/Y (sky130_fd_sc_hd_inv_2)
2	0.01				_123_ (net)
		0.03	0.00	0.56	^ _274_/A1 (sky130_fd_sc_hd_a21oi_1)
		0.03	0.03	0.59	v _274_/Y (sky130_fd_sc_hd_a21oi_1)
1	0.00				_075_ (net)
		0.03	0.00	0.59	v _435_/D (sky130_fd_sc_hd_dfrtp_2)
				0.59	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.27	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05				clknet_2_0_leaf_clk (net)
		0.05	0.00	0.27	^ _435_/CLK (sky130_fd_sc_hd_dfrtp_2)
			0.25	0.52	clock uncertainty
		-0.03	0.49		clock reconvergence pessimism
		-0.03	0.47		library hold time
			0.47		data required time

				0.47	data required time
				-0.59	data arrival time

0.13 slack (MET)					

Startpoint: _423_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _423_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)

4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.09	0.24	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04				clknet_2_2_leaf_clk (net)
		0.04	0.00	0.24	^ _423_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.05	0.24	0.48	v _423_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[15] (net)
		0.05	0.00	0.48	v _295_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	0.52	^ _295_/Y (sky130_fd_sc_hd_inv_2)
1	0.01				_156_ (net)
		0.03	0.00	0.52	^ _303_/A1 (sky130_fd_sc_hd_o31a_1)
		0.04	0.08	0.60	^ _303_/X (sky130_fd_sc_hd_o31a_1)
1	0.00				_065_ (net)
		0.04	0.00	0.60	^ _423_/D (sky130_fd_sc_hd_dfrtp_1)
				0.60	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	0.26	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04				clknet_2_2_leaf_clk (net)
		0.04	0.00	0.26	^ _423_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51	clock uncertainty
		-0.02	0.49		clock reconvergence pessimism
		-0.02	0.47		library hold time
			0.47		data required time

				0.47	data required time
				-0.60	data arrival time

				0.13	slack (MET)

Startpoint: _453_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _453_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.05	0.00	0.24	^ _453_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.08	0.23	0.47	^ _453_/Q (sky130_fd_sc_hd_dfrtp_1)
4	0.01				bit_count[1] (net)
		0.08	0.00	0.47	^ _229_/A0 (sky130_fd_sc_hd_mux2_1)
		0.03	0.08	0.56	^ _229_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_119_ (net)
		0.03	0.00	0.56	^ _230_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.05	0.61	^ _230_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_093_ (net)
		0.03	0.00	0.61	^ _453_/D (sky130_fd_sc_hd_dfrtp_1)
				0.61	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency

		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.05	0.00	0.27	^ _453_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.52	clock uncertainty
		-0.03	0.49		clock reconvergence pessimism
		-0.02	0.47		library hold time
			0.47		data required time

				0.47	data required time
				-0.61	data arrival time

				0.13	slack (MET)

Startpoint: _419_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _419_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.05	0.00	0.24	^ _419_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.09	0.23	0.48	^ _419_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[11] (net)
		0.09	0.00	0.48	^ _317_/S (sky130_fd_sc_hd_mux2_1)
		0.03	0.08	0.56	^ _317_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_174_ (net)
		0.03	0.00	0.56	^ _318_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.05	0.61	^ _318_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_061_ (net)
		0.03	0.00	0.61	^ _419_/D (sky130_fd_sc_hd_dfrtp_1)
				0.61	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.05	0.00	0.27	^ _419_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.52	clock uncertainty
		-0.03	0.49		clock reconvergence pessimism
		-0.02	0.47		library hold time
			0.47		data required time

				0.47	data required time
				-0.61	data arrival time

				0.14	slack (MET)

Startpoint: _411_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _411_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.10	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05	0.05	0.10	0.14	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.24	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)
4	0.02	0.05	0.11	0.24	^ _411_/CLK (sky130_fd_sc_hd_dfrtp_1)
				0.50	^ _411_/Q (sky130_fd_sc_hd_dfrtp_1)
					clk_count[3] (net)
1	0.00	0.03	0.06	0.50	^ _345_/B1 (sky130_fd_sc_hd_a41o_1)
				0.55	^ _345_/X (sky130_fd_sc_hd_a41o_1)
					194 (net)
1	0.00	0.04	0.06	0.55	^ _346_/B1 (sky130_fd_sc_hd_o31a_1)
				0.61	^ _346_/X (sky130_fd_sc_hd_o31a_1)
					053 (net)
				0.61	^ _411_/D (sky130_fd_sc_hd_dfrtp_1)
				0.61	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.11	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05	0.05	0.11	0.16	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.27	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)
				0.27	^ _411_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.52	clock uncertainty
			-0.03	0.50	clock reconvergence pessimism
			-0.02	0.48	library hold time
				0.48	data required time

				0.48	data required time
				-0.61	data arrival time

				0.14	slack (MET)

Startpoint: _409_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _409_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.10	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
				0.14	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)

		0.04	0.09	0.24	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04					clknet_2_2__leaf_clk (net)
		0.04	0.00	0.24	^	_409_/CLK (sky130_fd_sc_hd__dfrtp_4)
		0.07	0.27	0.51	^	_409_/Q (sky130_fd_sc_hd__dfrtp_4)
7	0.02					clk_count[1] (net)
		0.07	0.00	0.51	^	_350_/C1 (sky130_fd_sc_hd__o211a_1)
		0.04	0.08	0.58	^	_350_/X (sky130_fd_sc_hd__o211a_1)
1	0.00					_197_ (net)
		0.04	0.00	0.58	^	_351_/B (sky130_fd_sc_hd__nor2_1)
		0.02	0.02	0.60	v	_351_/Y (sky130_fd_sc_hd__nor2_1)
1	0.00					_051_ (net)
		0.02	0.00	0.60	v	_409_/D (sky130_fd_sc_hd__dfrtp_4)
				0.60		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.06	0.04	0.04	^	clk (in)
1	0.02					clk (net)
		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	0.16	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	0.26	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04					clknet_2_2__leaf_clk (net)
		0.04	0.00	0.26	^	_409_/CLK (sky130_fd_sc_hd__dfrtp_4)
			0.25	0.51		clock uncertainty
		-0.02	0.49			clock reconvergence pessimism
		-0.02	0.47			library hold time
			0.47			data required time

				0.47		data required time
				-0.60		data arrival time

				0.14		slack (MET)

Startpoint: _450_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _432_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.24	^ _450_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.09	0.24	0.48	^ _450_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				rx_shift[6] (net)
		0.09	0.00	0.48	^ _281_/A0 (sky130_fd_sc_hd__mux2_1)
		0.03	0.08	0.57	^ _281_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_149_ (net)
		0.03	0.00	0.57	^ _282_/A (sky130_fd_sc_hd__clkbuf_1)
		0.03	0.05	0.61	^ _282_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_072_ (net)
		0.03	0.00	0.61	^ _432_/D (sky130_fd_sc_hd__dfrtp_1)
				0.61	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)

		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.27	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.27	^ _432_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.52	clock uncertainty
		-0.03	0.50		clock reconvergence pessimism
		-0.02	0.48		library hold time
			0.48		data required time

				0.48	data required time
				-0.61	data arrival time

				0.14	slack (MET)

Startpoint: _430_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _430_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.24	^ _430_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.10	0.24	0.49	^ _430_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net20 (net)
		0.10	0.00	0.49	^ _285_/A1 (sky130_fd_sc_hd_mux2_1)
		0.03	0.08	0.57	^ _285_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_151_ (net)
		0.03	0.00	0.57	^ _286_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.05	0.62	^ _286_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_070_ (net)
		0.03	0.00	0.62	^ _430_/D (sky130_fd_sc_hd_dfrtp_1)
				0.62	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.27	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.27	^ _430_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.52	clock uncertainty
		-0.03	0.49		clock reconvergence pessimism
		-0.02	0.48		library hold time
			0.48		data required time

				0.48	data required time
				-0.62	data arrival time

				0.14	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.10	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.05	0.10		clknet_0_clk (net)
				0.14	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.24	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
3	0.01	0.05	0.24	0.24	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
				0.48	^ _421_/Q (sky130_fd_sc_hd_dfrtp_1)
1	0.00	0.09	0.09		clk_count[13] (net)
				0.48	^ _309_/S (sky130_fd_sc_hd_mux2_1)
1	0.00	0.03	0.05	0.57	^ _309_/X (sky130_fd_sc_hd_mux2_1)
					168 (net)
1	0.00	0.03	0.05	0.57	^ _310_/A (sky130_fd_sc_hd_clkbuf_1)
				0.62	^ _310_/X (sky130_fd_sc_hd_clkbuf_1)
					063 (net)
				0.62	^ _421_/D (sky130_fd_sc_hd_dfrtp_1)
				0.62	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.11	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.05	0.11		clknet_0_clk (net)
				0.16	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.26	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
		0.05	0.00	0.27	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
				0.52	clock uncertainty
			-0.03	0.49	clock reconvergence pessimism
			-0.02	0.47	library hold time
				0.47	data required time

				0.47	data required time
				-0.62	data arrival time

				0.14	slack (MET)

Startpoint: _452_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _452_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.10	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.05	0.10		clknet_0_clk (net)
				0.14	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.24	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)

		0.05	0.00	0.24	^	_452_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.10	0.24	0.48	^	_452_/Q (sky130_fd_sc_hd_dfrtp_1)
5	0.01					bit_count[0] (net)
		0.10	0.00	0.48	^	_233_/A0 (sky130_fd_sc_hd_mux2_1)
		0.03	0.09	0.57	^	_233_/X (sky130_fd_sc_hd_mux2_1)
1	0.00					_122_ (net)
		0.03	0.00	0.57	^	_234_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.05	0.62	^	_234_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00					_092_ (net)
		0.03	0.00	0.62	^	_452_/D (sky130_fd_sc_hd_dfrtp_1)
				0.62		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.06	0.04	0.04	^	clk (in)
						clk (net)
		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.05	0.11	0.16	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	0.16	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1_leaf_clk (net)
		0.05	0.00	0.27	^	_452_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.52		clock uncertainty
			-0.03	0.49		clock reconvergence pessimism
			-0.02	0.47		library hold time
				0.47		data required time

				0.47		data required time
				-0.62		data arrival time

				0.15		slack (MET)

Startpoint: _413_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _413_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.09	0.24	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04				clknet_2_2_leaf_clk (net)
		0.04	0.00	0.24	^ _413_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.10	0.24	0.48	^ _413_/Q (sky130_fd_sc_hd_dfrtp_1)
4	0.01				clk_count[5] (net)
		0.10	0.00	0.48	^ _339_/S (sky130_fd_sc_hd_mux2_1)
		0.03	0.09	0.57	^ _339_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_190_ (net)
		0.03	0.00	0.57	^ _340_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.05	0.62	^ _340_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_055_ (net)
		0.03	0.00	0.62	^ _413_/D (sky130_fd_sc_hd_dfrtp_1)
				0.62	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)

4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	0.26	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04				clknet_2_2_leaf_clk (net)
		0.04	0.00	0.26	^ _413_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51	clock uncertainty
			-0.02	0.49	clock reconvergence pessimism
			-0.02	0.47	library hold time
				0.47	data required time

				0.47	data required time
				-0.62	data arrival time

				0.15	slack (MET)

Startpoint: _434_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _434_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.05	0.00	0.24	^ _434_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.09	0.24	0.48	^ _434_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net15 (net)
		0.09	0.00	0.48	^ _277_/A1 (sky130_fd_sc_hd_mux2_1)
		0.04	0.09	0.57	^ _277_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_147_ (net)
		0.04	0.00	0.57	^ _278_/A (sky130_fd_sc_hd_clkbuf_1)
		0.04	0.05	0.62	^ _278_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_074_ (net)
		0.04	0.00	0.62	^ _434_/D (sky130_fd_sc_hd_dfrtp_1)
				0.62	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.05	0.00	0.27	^ _434_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.52	clock uncertainty
			-0.03	0.49	clock reconvergence pessimism
			-0.02	0.47	library hold time
				0.47	data required time

				0.47	data required time
				-0.62	data arrival time

				0.15	slack (MET)

Startpoint: _410_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _410_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
6	0.02				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.24	^ _410_/CLK (sky130_fd_sc_hd__dfrtp_2)
1	0.00	0.08	0.25	0.49	^ _410_/Q (sky130_fd_sc_hd__dfrtp_2)
					clk_count[2] (net)
1	0.00	0.08	0.00	0.49	^ _347_/B1 (sky130_fd_sc_hd__a21o_1)
		0.03	0.05	0.54	^ _347_/X (sky130_fd_sc_hd__a21o_1)
1	0.00				_195_ (net)
		0.03	0.00	0.54	^ _348_/A3 (sky130_fd_sc_hd__a32o_1)
1	0.00	0.03	0.08	0.63	^ _348_/X (sky130_fd_sc_hd__a32o_1)
					052 (net)
		0.03	0.00	0.63	^ _410_/D (sky130_fd_sc_hd__dfrtp_2)
				0.63	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.27	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.05	0.00	0.27	^ _410_/CLK (sky130_fd_sc_hd__dfrtp_2)
			0.25	0.52	clock uncertainty
		-0.03	0.49	0.48	clock reconvergence pessimism
		-0.02	0.48	0.48	library hold time
			0.48	0.48	data required time

				0.48	data required time
				-0.63	data arrival time

				0.15	slack (MET)

Startpoint: _453_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _454_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.05	0.00	0.24	^ _453_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.08	0.23	0.47	^ _453_/Q (sky130_fd_sc_hd__dfrtp_1)

4	0.01				bit_count[1] (net)
		0.08	0.00	0.47	^ _224_/A (sky130_fd_sc_hd__nand2_1)
		0.04	0.04	0.51	v _224_/Y (sky130_fd_sc_hd__nand2_1)
2	0.01				_115_ (net)
		0.04	0.00	0.51	v _225_/B (sky130_fd_sc_hd__nand2_1)
		0.03	0.04	0.55	^ _225_/Y (sky130_fd_sc_hd__nand2_1)
1	0.00				_116_ (net)
		0.03	0.00	0.56	^ _226_/B2 (sky130_fd_sc_hd__a2bb2o_1)
		0.03	0.07	0.62	^ _226_/X (sky130_fd_sc_hd__a2bb2o_1)
1	0.00				_094_ (net)
		0.03	0.00	0.62	^ _454_/D (sky130_fd_sc_hd__dfrrtp_1)
				0.62	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.05	0.00	0.27	^ _454_/CLK (sky130_fd_sc_hd__dfrrtp_1)
			0.25	0.52	clock uncertainty
		-0.03	0.49		clock reconvergence pessimism
		-0.02	0.47		library hold time
			0.47		data required time

			0.47		data required time
			-0.62		data arrival time

			0.15		slack (MET)

Startpoint: _440_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _441_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	0.24	^ _440_/CLK (sky130_fd_sc_hd__dfrrtp_1)
		0.04	0.20	0.44	^ _440_/Q (sky130_fd_sc_hd__dfrrtp_1)
2	0.01				tx_shift[3] (net)
		0.04	0.00	0.44	^ _254_/A1 (sky130_fd_sc_hd__mux2_1)
		0.03	0.08	0.52	^ _254_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_132_ (net)
		0.03	0.00	0.52	^ _255_/A1 (sky130_fd_sc_hd__mux2_1)
		0.03	0.07	0.59	^ _255_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_133_ (net)
		0.03	0.00	0.59	^ _256_/A (sky130_fd_sc_hd__clkbuf_1)
		0.03	0.05	0.64	^ _256_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_081_ (net)
		0.03	0.00	0.64	^ _441_/D (sky130_fd_sc_hd__dfrrtp_1)
				0.64	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency

		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.05	0.00	0.27	^ _441_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.52	clock uncertainty
		-0.01	0.50		clock reconvergence pessimism
		-0.02	0.48		library hold time
			0.48		data required time

				0.48	data required time
				-0.64	data arrival time

				0.15	slack (MET)

Startpoint: _422_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _422_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.09	0.24	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04				clknet_2_2_leaf_clk (net)
		0.04	0.00	0.24	^ _422_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.08	0.23	0.47	^ _422_/Q (sky130_fd_sc_hd_dfrtp_1)
4	0.01				clk_count[14] (net)
		0.08	0.00	0.47	^ _301_/A1 (sky130_fd_sc_hd_a21oi_1)
		0.04	0.05	0.51	v _301_/Y (sky130_fd_sc_hd_a21oi_1)
2	0.01				_162_ (net)
		0.04	0.00	0.52	v _305_/A2 (sky130_fd_sc_hd_o21a_1)
		0.02	0.10	0.62	v _305_/X (sky130_fd_sc_hd_o21a_1)
1	0.00				_064_ (net)
		0.02	0.00	0.62	v _422_/D (sky130_fd_sc_hd_dfrtp_1)
				0.62	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	0.26	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04				clknet_2_2_leaf_clk (net)
		0.04	0.00	0.26	^ _422_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51	clock uncertainty
		-0.02	0.49		clock reconvergence pessimism
		-0.03	0.46		library hold time
			0.46		data required time

				0.46	data required time
				-0.62	data arrival time

				0.16	slack (MET)

Startpoint: _437_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _438_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.10	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.10	0.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.24	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
2	0.01	0.05	0.20	0.24	^ _437_/CLK (sky130_fd_sc_hd__dfrtp_1)
				0.45	^ _437_/Q (sky130_fd_sc_hd__dfrtp_1)
					tx_shift[0] (net)
1	0.00	0.05	0.07	0.45	^ _263_/A1 (sky130_fd_sc_hd__mux2_1)
				0.52	^ _263_/X (sky130_fd_sc_hd__mux2_1)
					138 (net)
1	0.00	0.03	0.07	0.52	^ _264_/A1 (sky130_fd_sc_hd__mux2_1)
				0.59	^ _264_/X (sky130_fd_sc_hd__mux2_1)
					139 (net)
1	0.00	0.03	0.05	0.59	^ _265_/A (sky130_fd_sc_hd__clkbuf_1)
				0.63	^ _265_/X (sky130_fd_sc_hd__clkbuf_1)
					078 (net)
					^ _438_/D (sky130_fd_sc_hd__dfrtp_1)
				0.63	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.11	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.11	0.16	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
					^ _438_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.52	clock uncertainty
			-0.03	0.49	clock reconvergence pessimism
			-0.02	0.47	library hold time
				0.47	data required time

				0.47	data required time
				-0.63	data arrival time

				0.16	slack (MET)

Startpoint: _442_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _443_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
					^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)

		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.05	0.00	0.24	^ _442_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.05	0.20	0.44	^ _442_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				tx_shift[5] (net)
		0.05	0.00	0.45	^ _248_/A1 (sky130_fd_sc_hd_mux2_1)
		0.03	0.07	0.52	^ _248_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_128_ (net)
		0.03	0.00	0.52	^ _249_/A1 (sky130_fd_sc_hd_mux2_1)
		0.03	0.07	0.59	^ _249_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_129_ (net)
		0.03	0.00	0.59	^ _250_/A (sky130_fd_sc_hd_clkbuf_1)
		0.04	0.05	0.64	^ _250_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_083_ (net)
		0.04	0.00	0.64	^ _443_/D (sky130_fd_sc_hd_dfrtp_1)
				0.64	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.05	0.00	0.27	^ _443_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.52	clock uncertainty
		-0.03	0.49		clock reconvergence pessimism
		-0.02	0.47		library hold time
			0.47		data required time

				0.47	data required time
				-0.64	data arrival time

				0.17	slack (MET)

Startpoint: _438_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _439_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	0.24	^ _438_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.05	0.21	0.45	^ _438_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				tx_shift[1] (net)
		0.05	0.00	0.45	^ _260_/A1 (sky130_fd_sc_hd_mux2_1)
		0.03	0.08	0.52	^ _260_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_136_ (net)
		0.03	0.00	0.52	^ _261_/A1 (sky130_fd_sc_hd_mux2_1)
		0.03	0.07	0.59	^ _261_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_137_ (net)
		0.03	0.00	0.59	^ _262_/A (sky130_fd_sc_hd_clkbuf_1)

1	0.00	0.03	0.05	0.64	^	_262_/X (sky130_fd_sc_hd__clkbuf_1)
		0.03	0.00	0.64	^	_079_ (net)
				0.64	^	_439_/D (sky130_fd_sc_hd__dfrtp_1)
				0.64		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.06	0.04	0.04	^	clk (in)
						clk (net)
		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.16	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	0.16	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.11	0.26	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3__leaf_clk (net)
		0.05	0.00	0.27	^	_439_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.52		clock uncertainty
		-0.03		0.49		clock reconvergence pessimism
		-0.02		0.47		library hold time
				0.47		data required time

				0.47		data required time
				-0.64		data arrival time

				0.17		slack (MET)

Startpoint: _439_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _440_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.10	0.24	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.05	0.00	0.24	^ _439_/CLK (sky130_fd_sc_hd__dfrtp_1)
2	0.01	0.05	0.21	0.45	^ _439_/Q (sky130_fd_sc_hd__dfrtp_1)
					tx_shift[2] (net)
		0.05	0.00	0.45	^ _257_/A1 (sky130_fd_sc_hd__mux2_1)
1	0.00	0.03	0.08	0.53	^ _257_/X (sky130_fd_sc_hd__mux2_1)
					134 (net)
		0.03	0.00	0.53	^ _258_/A1 (sky130_fd_sc_hd__mux2_1)
1	0.00	0.03	0.07	0.60	^ _258_/X (sky130_fd_sc_hd__mux2_1)
					135 (net)
		0.03	0.00	0.60	^ _259_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.03	0.05	0.65	^ _259_/X (sky130_fd_sc_hd__clkbuf_1)
					080 (net)
		0.03	0.00	0.65	^ _440_/D (sky130_fd_sc_hd__dfrtp_1)
				0.65	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)

0.05	0.00	0.27	^	_440_/CLK (sky130_fd_sc_hd__dfrtp_1)
	0.25	0.52		clock uncertainty
-0.03	0.49			clock reconvergence pessimism
-0.02	0.47			library hold time
	0.47			data required time

		0.47		data required time
		-0.65		data arrival time

		0.18		slack (MET)

Startpoint: _441_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _442_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.05	0.00	0.24	^ _441_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.06	0.21	0.45	^ _441_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				tx_shift[4] (net)
		0.06	0.00	0.45	^ _251_/A1 (sky130_fd_sc_hd__mux2_1)
		0.03	0.07	0.53	^ _251_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_130_ (net)
		0.03	0.00	0.53	^ _252_/A1 (sky130_fd_sc_hd__mux2_1)
		0.03	0.07	0.60	^ _252_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_131_ (net)
		0.03	0.00	0.60	^ _253_/A (sky130_fd_sc_hd__clkbuf_1)
		0.03	0.05	0.65	^ _253_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_082_ (net)
		0.03	0.00	0.65	^ _442_/D (sky130_fd_sc_hd__dfrtp_1)
				0.65	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.05	0.00	0.27	^ _442_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.25	0.52		clock uncertainty
		-0.03	0.49		clock reconvergence pessimism
		-0.02	0.47		library hold time
			0.47		data required time

				0.47	data required time
				-0.65	data arrival time

				0.18	slack (MET)

Startpoint: _418_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _418_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk

Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description	

1	0.02	0.06	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
			0.04	0.04	^ clk (in)	
					clk (net)	
			0.04	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)	
4	0.04	0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)	
					clknet_0_clk (net)	
12	0.04	0.05	0.00	0.14	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)	
			0.10	0.24	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)	
4	0.01	0.09	0.24	0.24	^ clknet_2_3_leaf_clk (net)	
				0.48	0.48	^ _418_/CLK (sky130_fd_sc_hd_dftrtp_1)
						^ _418_/Q (sky130_fd_sc_hd_dftrtp_1)
						clk_count[10] (net)
				0.48	0.48	^ _319_/B1 (sky130_fd_sc_hd_a21o_1)
1	0.00	0.03	0.05	0.53	^ _319_/X (sky130_fd_sc_hd_a21o_1)	
						175 (net)
1	0.00	0.03	0.07	0.53	^ _320_/B (sky130_fd_sc_hd_and2_1)	
				0.60	0.60	^ _320_/X (sky130_fd_sc_hd_and2_1)
1	0.00	0.03	0.00	0.60	_176_ (net)	
				0.65	0.65	^ _321_/A (sky130_fd_sc_hd_clkbuf_1)
1	0.00	0.03	0.05	0.65	^ _321_/X (sky130_fd_sc_hd_clkbuf_1)	
						060 (net)
1	0.00	0.03	0.00	0.65	^ _418_/D (sky130_fd_sc_hd_dftrtp_1)	
				0.65	0.65	data arrival time

1	0.02	0.06	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
			0.04	0.04	^ clk (in)	
					clk (net)	
			0.04	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)	
4	0.04	0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)	
					clknet_0_clk (net)	
12	0.04	0.05	0.00	0.16	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)	
			0.11	0.26	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)	
12	0.04	0.05	0.00	0.27	^ clknet_2_3_leaf_clk (net)	
				0.52	0.52	^ _418_/CLK (sky130_fd_sc_hd_dftrtp_1)
				0.49	0.49	clock uncertainty
				0.47	0.47	clock reconvergence pessimism
				0.47	0.47	library hold time

				0.47	data required time	
				-0.65	data arrival time	

				0.18	slack (MET)	

Startpoint: _408_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _408_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
		4	0.04		clknet_0_clk (net)
			0.05	0.00	0.14
14	0.05	0.05	0.10	0.24	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)

		0.05	0.00	0.24	^	_408_/CLK (sky130_fd_sc_hd_dfrtp_4)
		0.08	0.28	0.52	^	_408_/Q (sky130_fd_sc_hd_dfrtp_4)
8	0.03					clk_count[0] (net)
		0.08	0.00	0.52	^	_352_/S (sky130_fd_sc_hd_mux2_1)
		0.03	0.08	0.61	^	_352_/X (sky130_fd_sc_hd_mux2_1)
1	0.00					_198_ (net)
		0.03	0.00	0.61	^	_353_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.05	0.66	^	_353_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00					_050_ (net)
		0.03	0.00	0.66	^	_408_/D (sky130_fd_sc_hd_dfrtp_4)
				0.66		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.06	0.04	0.04	^	clk (in)
						clk (net)
		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.05	0.11	0.16	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	0.16	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.05	0.05	0.11	0.27	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.05	0.00	0.27	^	_408_/CLK (sky130_fd_sc_hd_dfrtp_4)
			0.25	0.52		clock uncertainty
		-0.03		0.50		clock reconvergence pessimism
		-0.02		0.48		library hold time
				0.48		data required time

				0.48		data required time
				-0.66		data arrival time

				0.18		slack (MET)

Startpoint: _414_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _414_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
10	0.04	0.04	0.09	0.24	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.04	0.00	0.24	^ _414_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.12	0.25	0.49	^ _414_/Q (sky130_fd_sc_hd_dfrtp_1)
6	0.02				clk_count[6] (net)
		0.12	0.00	0.49	^ _334_/A_N (sky130_fd_sc_hd_and3b_1)
1	0.00	0.02	0.11	0.60	v _334_/X (sky130_fd_sc_hd_and3b_1)
					186 (net)
		0.02	0.00	0.60	v _335_/B1 (sky130_fd_sc_hd_a21o_1)
		0.02	0.06	0.66	v _335_/X (sky130_fd_sc_hd_a21o_1)
1	0.00				_056_ (net)
		0.02	0.00	0.66	v _414_/D (sky130_fd_sc_hd_dfrtp_1)
				0.66	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)

4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	0.26	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04				clknet_2_2_leaf_clk (net)
		0.04	0.00	0.26	^ _414_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51	clock uncertainty
			-0.02	0.49	clock reconvergence pessimism
			-0.03	0.46	library hold time
				0.46	data required time

				0.46	data required time
				-0.66	data arrival time

				0.20	slack (MET)

Startpoint: _420_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _420_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.05	0.00	0.24	^ _420_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.11	0.25	0.49	^ _420_/Q (sky130_fd_sc_hd_dfrtp_1)
6	0.02				clk_count[12] (net)
		0.11	0.00	0.49	^ _311_/A_N (sky130_fd_sc_hd_and3b_1)
		0.03	0.11	0.60	v _311_/X (sky130_fd_sc_hd_and3b_1)
1	0.00				_169_ (net)
		0.03	0.00	0.60	v _312_/B1 (sky130_fd_sc_hd_a21o_1)
		0.02	0.06	0.66	v _312_/X (sky130_fd_sc_hd_a21o_1)
1	0.00				_062_ (net)
		0.02	0.00	0.66	v _420_/D (sky130_fd_sc_hd_dfrtp_1)
				0.66	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.05	0.00	0.27	^ _420_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.52	clock uncertainty
			-0.03	0.49	clock reconvergence pessimism
			-0.03	0.46	library hold time
				0.46	data required time

				0.46	data required time
				-0.66	data arrival time

				0.20	slack (MET)

Startpoint: _417_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _417_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.09	0.24	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
5	0.01				clknet_2_2__leaf_clk (net)
		0.04	0.00	0.24	^ _417_/CLK (sky130_fd_sc_hd__dfrtp_1)
1	0.00	0.10	0.24	0.48	^ _417_/Q (sky130_fd_sc_hd__dfrtp_1)
					clk_count[9] (net)
1	0.00	0.10	0.00	0.48	^ _323_/A (sky130_fd_sc_hd__or2_1)
		0.03	0.07	0.55	^ _323_/X (sky130_fd_sc_hd__or2_1)
1	0.00				_178_ (net)
		0.03	0.00	0.55	^ _325_/A2_N (sky130_fd_sc_hd__a2bb2o_1)
1	0.00	0.03	0.11	0.66	v _325_/X (sky130_fd_sc_hd__a2bb2o_1)
					059 (net)
		0.03	0.00	0.66	v _417_/D (sky130_fd_sc_hd__dfrtp_1)
				0.66	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	0.26	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.04	0.00	0.26	^ _417_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
		-0.02	0.49		clock reconvergence pessimism
		-0.03	0.46		library hold time
			0.46		data required time

				0.46	data required time
				-0.66	data arrival time

				0.20	slack (MET)

Startpoint: _454_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _455_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.05	0.00	0.24	^ _454_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.03	0.22	0.46	v _454_/Q (sky130_fd_sc_hd__dfrtp_1)

2	0.00				bit_count[2] (net)
		0.03	0.00	0.46	v _215_/A (sky130_fd_sc_hd__nand3_1)
		0.05	0.05	0.52	^ _215_/Y (sky130_fd_sc_hd__nand3_1)
2	0.01				_107_ (net)
		0.05	0.00	0.52	^ _219_/C (sky130_fd_sc_hd__and4_1)
		0.05	0.11	0.63	^ _219_/X (sky130_fd_sc_hd__and4_1)
2	0.01				_111_ (net)
		0.05	0.00	0.63	^ _220_/A2 (sky130_fd_sc_hd__o21a_1)
		0.03	0.07	0.70	^ _220_/X (sky130_fd_sc_hd__o21a_1)
1	0.00				_095_ (net)
		0.03	0.00	0.70	^ _455_/D (sky130_fd_sc_hd__dftrtp_1)
				0.70	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.05	0.00	0.27	^ _455_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.52	clock uncertainty
		-0.03	0.49		clock reconvergence pessimism
		-0.02	0.47		library hold time
			0.47		data required time

				0.47	data required time
				-0.70	data arrival time

				0.23	slack (MET)

Startpoint: _455_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _424_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.05	0.00	0.24	^ _455_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.05	0.20	0.44	^ _455_/Q (sky130_fd_sc_hd__dftrtp_1)
2	0.01				bit_count[3] (net)
		0.05	0.00	0.44	^ _216_/A (sky130_fd_sc_hd__nor2_1)
		0.03	0.03	0.48	v _216_/Y (sky130_fd_sc_hd__nor2_1)
2	0.01				_108_ (net)
		0.03	0.00	0.48	v _217_/D (sky130_fd_sc_hd__nand4_1)
		0.09	0.09	0.57	^ _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.09	0.00	0.57	^ _270_/B (sky130_fd_sc_hd__and2_1)
		0.03	0.08	0.65	^ _270_/X (sky130_fd_sc_hd__and2_1)
1	0.00				_143_ (net)
		0.03	0.00	0.65	^ _271_/A (sky130_fd_sc_hd__clkbuf_1)
		0.06	0.07	0.71	^ _271_/X (sky130_fd_sc_hd__clkbuf_1)
2	0.01				_000_ (net)
		0.06	0.00	0.71	^ _424_/D (sky130_fd_sc_hd__dftrtp_2)
				0.71	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	0.27	^ _424_/CLK (sky130_fd_sc_hd__dfrtp_2)
			0.25	0.52	clock uncertainty
			-0.01	0.50	clock reconvergence pessimism
			-0.02	0.48	library hold time
				0.48	data required time

				0.48	data required time
				-0.71	data arrival time

				0.23	slack (MET)

Startpoint: _412_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _412_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.09	0.24	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.04	0.00	0.24	^ _412_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.06	0.25	0.49	v _412_/Q (sky130_fd_sc_hd__dfrtp_1)
5	0.01				clk_count[4] (net)
		0.06	0.00	0.49	v _336_/A (sky130_fd_sc_hd__nand2_1)
		0.07	0.08	0.56	^ _336_/Y (sky130_fd_sc_hd__nand2_1)
3	0.01				_187_ (net)
		0.07	0.00	0.56	^ _341_/C (sky130_fd_sc_hd__and3_1)
		0.04	0.10	0.66	^ _341_/X (sky130_fd_sc_hd__and3_1)
1	0.00				_191_ (net)
		0.04	0.00	0.66	^ _342_/B1 (sky130_fd_sc_hd__a21o_1)
		0.02	0.04	0.70	^ _342_/X (sky130_fd_sc_hd__a21o_1)
1	0.00				_054_ (net)
		0.02	0.00	0.71	^ _412_/D (sky130_fd_sc_hd__dfrtp_1)
				0.71	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	0.26	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.04	0.00	0.26	^ _412_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			-0.02	0.49	clock reconvergence pessimism
			-0.02	0.47	library hold time

	0.47	data required time

	0.47	data required time
	-0.71	data arrival time

	0.23	slack (MET)

Startpoint: _416_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _416_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.09	0.24	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.04	0.00	0.24	^ _416_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.07	0.25	0.49	v _416_/Q (sky130_fd_sc_hd__dfrtp_1)
5	0.02				clk_count[8] (net)
		0.07	0.00	0.50	v _322_/A (sky130_fd_sc_hd__nand3_1)
		0.07	0.08	0.57	^ _322_/Y (sky130_fd_sc_hd__nand3_1)
3	0.01				_177_ (net)
		0.07	0.00	0.58	^ _324_/A2 (sky130_fd_sc_hd__a21o_1)
		0.04	0.08	0.66	^ _324_/X (sky130_fd_sc_hd__a21o_1)
2	0.01				_179_ (net)
		0.04	0.00	0.66	^ _327_/A2 (sky130_fd_sc_hd__a21o_1)
		0.02	0.06	0.72	^ _327_/X (sky130_fd_sc_hd__a21o_1)
1	0.00				_058_ (net)
		0.02	0.00	0.72	^ _416_/D (sky130_fd_sc_hd__dfrtp_1)
				0.72	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	0.26	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.04	0.00	0.26	^ _416_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			-0.02	0.49	clock reconvergence pessimism
			-0.02	0.47	library hold time
				0.47	data required time

				0.47	data required time
				-0.72	data arrival time

				0.25	slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _444_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
--------	-----	------	-------	------	-------------

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04 ^	clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14 ^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.24 ^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.24 ^	_435_/CLK (sky130_fd_sc_hd__dfrtp_2)
		0.10	0.26	0.50 ^	_435_/Q (sky130_fd_sc_hd__dfrtp_2)
4	0.03				net24 (net)
		0.10	0.00	0.51 ^	_235_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.02	0.53 v	_235_/Y (sky130_fd_sc_hd__inv_2)
2	0.01				_123_ (net)
		0.03	0.00	0.53 v	_236_/A (sky130_fd_sc_hd__nand2_1)
		0.06	0.06	0.58 ^	_236_/Y (sky130_fd_sc_hd__nand2_1)
2	0.01				_124_ (net)
		0.06	0.00	0.59 ^	_239_/B (sky130_fd_sc_hd__nor2_2)
		0.06	0.06	0.65 v	_239_/Y (sky130_fd_sc_hd__nor2_2)
8	0.03				_127_ (net)
		0.06	0.00	0.65 v	_247_/B1 (sky130_fd_sc_hd__a22o_1)
		0.02	0.09	0.74 v	_247_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_084_ (net)
		0.02	0.00	0.74 v	_444_/D (sky130_fd_sc_hd__dfrtp_1)
				0.74	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04 ^	clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16 ^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26 ^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	0.27 ^	_444_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.52	clock uncertainty
		-0.01	0.50		clock reconvergence pessimism
		-0.03	0.48		library hold time
			0.48		data required time

			0.48		data required time
			-0.74		data arrival time

			0.26		slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _445_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04 ^	clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14 ^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.24 ^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.24 ^	_435_/CLK (sky130_fd_sc_hd__dfrtp_2)

4	0.03	0.10	0.26	0.50	^	_435_/Q (sky130_fd_sc_hd_dfrtp_2)
						net24 (net)
2	0.01	0.10	0.00	0.51	^	_235_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.02	0.53	v	_235_/Y (sky130_fd_sc_hd_inv_2)
2	0.01	0.03	0.00	0.53	v	_236_/A (sky130_fd_sc_hd_nand2_1)
		0.06	0.06	0.58	^	_236_/Y (sky130_fd_sc_hd_nand2_1)
8	0.03	0.06	0.00	0.59	^	_239_/B (sky130_fd_sc_hd_nor2_2)
		0.06	0.06	0.65	v	_239_/Y (sky130_fd_sc_hd_nor2_2)
1	0.00	0.06	0.00	0.65	v	_246_/B1 (sky130_fd_sc_hd_a22o_1)
		0.02	0.09	0.74	v	_246_/X (sky130_fd_sc_hd_a22o_1)
		0.02	0.00	0.74	v	_085_ (net)
				0.74	v	_445_/D (sky130_fd_sc_hd_dfrtp_1)
						data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.06	0.04	0.04	^	clk (in)
						clk (net)
4	0.04	0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.16	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.05	0.00	0.16	^	clknet_0_clk (net)
		0.05	0.11	0.26	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.26	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_1_leaf_clk (net)
		0.05	0.00	0.27	^	_445_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.52		clock uncertainty
		-0.01	0.50			clock reconvergence pessimism
		-0.03	0.47			library hold time
				0.47		data required time
				0.47		data required time
				-0.74		data arrival time
				0.27		slack (MET)

Startpoint: _455_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _425_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
2	0.01	0.05	0.00	0.24	^ _455_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.05	0.20	0.44	^ _455_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				bit_count[3] (net)
		0.05	0.00	0.44	^ _216_/A (sky130_fd_sc_hd_nor2_1)
3	0.01	0.03	0.03	0.48	v _216_/Y (sky130_fd_sc_hd_nor2_1)
					108 (net)
		0.03	0.00	0.48	v _217_/D (sky130_fd_sc_hd_nand4_1)
		0.09	0.09	0.57	^ _217_/Y (sky130_fd_sc_hd_nand4_1)
10	0.07				_109_ (net)
		0.09	0.00	0.57	^ _218_/A (sky130_fd_sc_hd_buf_4)
		0.15	0.16	0.72	^ _218_/X (sky130_fd_sc_hd_buf_4)
					110 (net)
		0.15	0.00	0.73	^ _354_/A (sky130_fd_sc_hd_inv_2)

1	0.00	0.03	0.01	0.74	v	_354_/Y (sky130_fd_sc_hd__inv_2)
		0.03	0.00	0.74	v	_425_/D (sky130_fd_sc_hd__dfrtp_1)
				0.74		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.06	0.04	0.04	^	clk (in)
						clk (net)
		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.16	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	0.16	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.04	0.04	0.10	0.26	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
		0.04	0.00	0.26	^	_425_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51		clock uncertainty
		-0.01	0.50			clock reconvergence pessimism
		-0.03	0.47			library hold time
			0.47			data required time

				0.47		data required time
				-0.74		data arrival time

				0.27		slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _446_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.05	0.05	0.10	0.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.05	0.00	0.24	^ _435_/CLK (sky130_fd_sc_hd__dfrtp_2)
4	0.03	0.10	0.26	0.50	^ _435_/Q (sky130_fd_sc_hd__dfrtp_2)
					net24 (net)
		0.10	0.00	0.51	^ _235_/A (sky130_fd_sc_hd__inv_2)
2	0.01	0.03	0.02	0.53	v _235_/Y (sky130_fd_sc_hd__inv_2)
					123 (net)
		0.03	0.00	0.53	v _236_/A (sky130_fd_sc_hd__nand2_1)
2	0.01	0.06	0.06	0.58	^ _236_/Y (sky130_fd_sc_hd__nand2_1)
					124 (net)
		0.06	0.00	0.59	^ _239_/B (sky130_fd_sc_hd__nor2_2)
8	0.03	0.06	0.06	0.65	v _239_/Y (sky130_fd_sc_hd__nor2_2)
					127 (net)
		0.06	0.00	0.65	v _245_/B1 (sky130_fd_sc_hd__a22o_1)
1	0.00	0.03	0.09	0.74	v _245_/X (sky130_fd_sc_hd__a22o_1)
					086 (net)
		0.03	0.00	0.74	v _446_/D (sky130_fd_sc_hd__dfrtp_1)
				0.74	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)

		0.05	0.00	0.16	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.05	0.00	0.27	^	_446_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.52		clock uncertainty
			-0.01	0.50		clock reconvergence pessimism
			-0.03	0.47		library hold time
				0.47		data required time

				0.47		data required time
				-0.74		data arrival time

				0.27		slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _448_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.24	^ _435_/CLK (sky130_fd_sc_hd__dfrtp_2)
		0.10	0.26	0.50	^ _435_/Q (sky130_fd_sc_hd__dfrtp_2)
4	0.03				net24 (net)
		0.10	0.00	0.51	^ _235_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.02	0.53	v _235_/Y (sky130_fd_sc_hd__inv_2)
2	0.01				_123_ (net)
		0.03	0.00	0.53	v _236_/A (sky130_fd_sc_hd__nand2_1)
		0.06	0.06	0.58	^ _236_/Y (sky130_fd_sc_hd__nand2_1)
2	0.01				_124_ (net)
		0.06	0.00	0.59	^ _239_/B (sky130_fd_sc_hd__nor2_2)
		0.06	0.06	0.65	v _239_/Y (sky130_fd_sc_hd__nor2_2)
8	0.03				_127_ (net)
		0.06	0.00	0.65	v _243_/B1 (sky130_fd_sc_hd__a22o_1)
		0.02	0.09	0.73	v _243_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_088_ (net)
		0.02	0.00	0.73	v _448_/D (sky130_fd_sc_hd__dfrtp_1)
				0.73	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.27	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.27	^ _448_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.52	clock uncertainty
			-0.03	0.49	clock reconvergence pessimism
			-0.03	0.47	library hold time
				0.47	data required time

				0.47	data required time
				-0.73	data arrival time

0.27 slack (MET)

Startpoint: _455_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _436_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.05	0.00	0.24	^ _455_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.05	0.20	0.44	^ _455_/Q (sky130_fd_sc_hd__dftrtp_1)
2	0.01				bit_count[3] (net)
		0.05	0.00	0.44	^ _216_/A (sky130_fd_sc_hd__nor2_1)
		0.03	0.03	0.48	v _216_/Y (sky130_fd_sc_hd__nor2_1)
2	0.01				_108_ (net)
		0.03	0.00	0.48	v _217_/D (sky130_fd_sc_hd__nand4_1)
		0.09	0.09	0.57	^ _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.09	0.00	0.57	^ _270_/B (sky130_fd_sc_hd__and2_1)
		0.03	0.08	0.65	^ _270_/X (sky130_fd_sc_hd__and2_1)
1	0.00				_143_ (net)
		0.03	0.00	0.65	^ _271_/A (sky130_fd_sc_hd__clkbuf_1)
		0.06	0.07	0.71	^ _271_/X (sky130_fd_sc_hd__clkbuf_1)
2	0.01				_000_ (net)
		0.06	0.00	0.71	^ _272_/B1_N (sky130_fd_sc_hd__a21bo_1)
		0.02	0.09	0.80	v _272_/X (sky130_fd_sc_hd__a21bo_1)
1	0.00				_076_ (net)
		0.02	0.00	0.80	v _436_/D (sky130_fd_sc_hd__dfstp_1)
				0.80	data arrival time

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.05	0.00	0.27	^ _436_/CLK (sky130_fd_sc_hd__dfstp_1)
			0.25	0.52	clock uncertainty
		-0.01	0.50		clock reconvergence pessimism
		-0.01	0.49		library hold time
				0.49	data required time

				0.49	data required time
				-0.80	data arrival time

				0.31	slack (MET)

Startpoint: _455_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _433_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.05	0.00	0.24	^ _455_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.05	0.20	0.44	^ _455_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				bit_count[3] (net)
		0.05	0.00	0.44	^ _216_/A (sky130_fd_sc_hd_nor2_1)
		0.03	0.03	0.48	v _216_/Y (sky130_fd_sc_hd_nor2_1)
2	0.01				_108_ (net)
		0.03	0.00	0.48	v _217_/D (sky130_fd_sc_hd_nand4_1)
		0.09	0.09	0.57	^ _217_/Y (sky130_fd_sc_hd_nand4_1)
3	0.01				_109_ (net)
		0.09	0.00	0.57	^ _218_/A (sky130_fd_sc_hd_buf_4)
		0.15	0.16	0.72	^ _218_/X (sky130_fd_sc_hd_buf_4)
10	0.07				_110_ (net)
		0.15	0.01	0.73	^ _279_/S (sky130_fd_sc_hd_mux2_1)
		0.03	0.09	0.82	^ _279_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_148_ (net)
		0.03	0.00	0.82	^ _280_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.05	0.87	^ _280_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_073_ (net)
		0.03	0.00	0.87	^ _433_/D (sky130_fd_sc_hd_dfrtp_1)
				0.87	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.05	0.00	0.27	^ _433_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.52	clock uncertainty
			-0.03	0.49	clock reconvergence pessimism
			-0.02	0.47	library hold time
				0.47	data required time

				0.47	data required time
				-0.87	data arrival time

				0.40	slack (MET)

Startpoint: _447_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _447_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)

		0.05	0.00	0.14	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.24	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05					clknet_2_0__leaf_clk (net)
		0.05	0.00	0.24	^	_447_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.08	0.23	0.47	^	_447_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01					rx_shift[3] (net)
		0.08	0.00	0.47	^	_244_/A1 (sky130_fd_sc_hd__a22o_1)
		0.03	0.07	0.55	^	_244_/X (sky130_fd_sc_hd__a22o_1)
1	0.00					_087_ (net)
		0.03	0.00	0.55	^	hold3/A (sky130_fd_sc_hd__dlygate4sd3_1)
		0.04	0.35	0.90	^	hold3/X (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00					net28 (net)
		0.04	0.00	0.90	^	_447_/D (sky130_fd_sc_hd__dfrtp_1)
				0.90		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.06	0.04	0.04	^	clk (in)
						clk (net)
		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.16	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	0.16	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.05	0.05	0.11	0.27	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.05	0.00	0.27	^	_447_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.52		clock uncertainty
		-0.03	0.49			clock reconvergence pessimism
		-0.02	0.47			library hold time
			0.47			data required time

				0.47		data required time
				-0.90		data arrival time

				0.42		slack (MET)

Startpoint: _449_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _449_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.05	0.05	0.10	0.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.05	0.00	0.24	^ _449_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.08	0.23	0.47	^ _449_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				rx_shift[5] (net)
		0.08	0.00	0.47	^ _242_/A1 (sky130_fd_sc_hd__a22o_1)
		0.03	0.08	0.55	^ _242_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_089_ (net)
		0.03	0.00	0.55	^ hold8/A (sky130_fd_sc_hd__dlygate4sd3_1)
		0.04	0.35	0.90	^ hold8/X (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00				net33 (net)
		0.04	0.00	0.90	^ _449_/D (sky130_fd_sc_hd__dfrtp_1)
				0.90	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)

1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.27	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.27	^ _449_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.52	clock uncertainty
			-0.03	0.49	clock reconvergence pessimism
			-0.02	0.47	library hold time
				0.47	data required time

				0.47	data required time
				-0.90	data arrival time

				0.43	slack (MET)

Startpoint: _450_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _451_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.24	^ _450_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.09	0.24	0.48	^ _450_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				rx_shift[6] (net)
		0.09	0.00	0.48	^ _240_/B2 (sky130_fd_sc_hd__a22o_1)
		0.03	0.07	0.55	^ _240_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_091_ (net)
		0.03	0.00	0.55	^ hold5/A (sky130_fd_sc_hd__dlygate4sd3_1)
		0.04	0.35	0.90	^ hold5/X (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00				net30 (net)
		0.04	0.00	0.90	^ _451_/D (sky130_fd_sc_hd__dfrtp_1)
				0.90	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.27	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.27	^ _451_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.52	clock uncertainty
			-0.03	0.49	clock reconvergence pessimism
			-0.02	0.47	library hold time
				0.47	data required time

				0.47	data required time
				-0.90	data arrival time

				0.43	slack (MET)

Startpoint: _437_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _437_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.10	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.10		clknet_0_clk (net)
				0.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.24	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
				0.24	^ _437_/CLK (sky130_fd_sc_hd__dfrtp_1)
				0.45	^ _437_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				tx_shift[0] (net)
				0.45	^ hold21/A (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00			0.80	^ hold21/X (sky130_fd_sc_hd__dlygate4sd3_1)
					net46 (net)
1	0.00			0.80	^ _267_/A0 (sky130_fd_sc_hd__mux2_1)
				0.87	^ _267_/X (sky130_fd_sc_hd__mux2_1)
					141 (net)
				0.87	^ _268_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00			0.92	^ _268_/X (sky130_fd_sc_hd__clkbuf_1)
					077 (net)
		0.03	0.00	0.92	^ _437_/D (sky130_fd_sc_hd__dfrtp_1)
				0.92	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.11	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.11		clknet_0_clk (net)
				0.16	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.05	0.00	0.27	^ _437_/CLK (sky130_fd_sc_hd__dfrtp_1)
				0.25	clock uncertainty
				-0.03	clock reconvergence pessimism
				-0.02	library hold time
				0.47	data required time
				0.47	data required time

				0.47	data required time
				-0.92	data arrival time

				0.45	slack (MET)

Startpoint: _450_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _450_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
				0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)

4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.24	^ _450_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.09	0.24	0.48	^ _450_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				rx_shift[6] (net)
		0.09	0.00	0.48	^ _241_/A1 (sky130_fd_sc_hd_a22o_1)
		0.03	0.08	0.57	^ _241_/X (sky130_fd_sc_hd_a22o_1)
1	0.00				_090_ (net)
		0.03	0.00	0.57	^ hold10/A (sky130_fd_sc_hd_dlygate4sd3_1)
		0.04	0.36	0.92	^ hold10/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00				net35 (net)
		0.04	0.00	0.92	^ _450_/D (sky130_fd_sc_hd_dfrtp_1)
				0.92	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.27	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.27	^ _450_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.52	clock uncertainty
		-0.03	0.49		clock reconvergence pessimism
		-0.02	0.47		library hold time
			0.47		data required time

				0.47	data required time
				-0.92	data arrival time

				0.45	slack (MET)

Startpoint: _444_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _426_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	0.24	^ _444_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.07	0.22	0.46	^ _444_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				rx_shift[0] (net)
		0.07	0.00	0.46	^ _293_/A0 (sky130_fd_sc_hd_mux2_1)
		0.03	0.07	0.54	^ _293_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_155_ (net)
		0.03	0.00	0.54	^ hold34/A (sky130_fd_sc_hd_dlygate4sd3_1)
		0.04	0.36	0.89	^ hold34/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00				net59 (net)
		0.04	0.00	0.89	^ _294_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.05	0.94	^ _294_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_066_ (net)
		0.03	0.00	0.94	^ _426_/D (sky130_fd_sc_hd_dfrtp_1)
				0.94	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.05	0.00	0.27	^ _426_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.52	clock uncertainty
		-0.03	0.49		clock reconvergence pessimism
		-0.02	0.47		library hold time
				0.47	data required time

				0.47	data required time
				-0.94	data arrival time

				0.47	slack (MET)

Startpoint: _427_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _427_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.10	0.24	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.05	0.00	0.24	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
2	0.01	0.07	0.22	0.46	^ _427_/Q (sky130_fd_sc_hd__dfrtp_1)
					net17 (net)
		0.07	0.00	0.46	^ _291_/A1 (sky130_fd_sc_hd__mux2_1)
1	0.00	0.03	0.08	0.54	^ _291_/X (sky130_fd_sc_hd__mux2_1)
					154 (net)
		0.03	0.00	0.54	^ hold36/A (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00	0.04	0.36	0.89	^ hold36/X (sky130_fd_sc_hd__dlygate4sd3_1)
					net61 (net)
		0.04	0.00	0.89	^ _292_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.04	0.05	0.95	^ _292_/X (sky130_fd_sc_hd__clkbuf_1)
					067 (net)
		0.04	0.00	0.95	^ _427_/D (sky130_fd_sc_hd__dfrtp_1)
				0.95	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.11	0.26	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.05	0.00	0.27	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.52	clock uncertainty
		-0.03	0.49		clock reconvergence pessimism
		-0.02	0.47		library hold time

	0.47	data required time

	0.47	data required time
	-0.95	data arrival time

	0.48	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _448_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.19	v _400_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.23	^ _400_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_042_ (net)
		0.03	0.00	2.23	^ _448_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.23	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.27	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.27	^ _448_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.52	clock uncertainty
			0.00	0.52	clock reconvergence pessimism
			0.20	0.72	library removal time
				0.72	data required time

				0.72	data required time
				-2.23	data arrival time

				1.51	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _449_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)

3	0.01				net2 (net)
		0.04	0.00	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.19	v _401_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.23	^ _401_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_043_ (net)
		0.03	0.00	2.23	^ _449_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.23	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.27	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.27	^ _449_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.52	clock uncertainty
			0.00	0.52	clock reconvergence pessimism
			0.20	0.72	library removal time
				0.72	data required time

				0.72	data required time
				-2.23	data arrival time

				1.51	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _451_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.19	v _403_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.23	^ _403_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_045_ (net)
		0.03	0.00	2.23	^ _451_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.23	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.27	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.27	^ _451_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.52	clock uncertainty
			0.00	0.52	clock reconvergence pessimism

	0.20	0.72	library removal time
		0.72	data required time

		0.72	data required time
		-2.23	data arrival time

		1.51	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _453_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.00	0.00	2.00 v	rst (in)
					rst (net)
			0.00	2.00 v	input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.04	0.06	2.06 v	input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
			0.04	2.06 v	_355_/A (sky130_fd_sc_hd_buf_4)
10	0.05	0.06	0.12	2.18 v	_355_/X (sky130_fd_sc_hd_buf_4)
					199 (net)
			0.06	2.19 v	_405_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.02	0.04	2.22 ^	_405_/Y (sky130_fd_sc_hd_inv_2)
					047 (net)
			0.02	2.22 ^	_453_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.22	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04 ^	clk (in)
					clk (net)
			0.06	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.05	0.11	0.16 ^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
			0.05	0.16 ^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.05	0.11	0.26 ^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
			0.05	0.27 ^	_453_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.52	clock uncertainty
			0.00	0.52	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.22	data arrival time

				1.51	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _452_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.00	0.00	2.00 v	rst (in)
					rst (net)
			0.00	2.00 v	input2/A (sky130_fd_sc_hd_buf_1)

3	0.01	0.04	0.06	2.06	v	input2/X (sky130_fd_sc_hd_buf_1)
						net2 (net)
10	0.05	0.04	0.00	2.06	v	_355_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.12	2.18	v	_355_/X (sky130_fd_sc_hd_buf_4)
1	0.00					_199_ (net)
		0.06	0.00	2.19	v	_404_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	2.22	^	_404_/Y (sky130_fd_sc_hd_inv_2)
						046 (net)
		0.03	0.00	2.23	^	_452_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.23		data arrival time
1	0.02		0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.06	0.04	0.04	^	clk (in)
						clk (net)
		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.05	0.11	0.16	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	0.16	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.05	0.11	0.26	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_1_leaf_clk (net)
		0.05	0.00	0.27	^	_452_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.52		clock uncertainty
			0.00	0.52		clock reconvergence pessimism
			0.20	0.71		library removal time
				0.71		data required time

				0.71		data required time
				-2.23		data arrival time

				1.51		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _454_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
10	0.05	0.04	0.00	2.06	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd_buf_4)
					199 (net)
		0.06	0.00	2.19	v _406_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.03	0.04	2.23	^ _406_/Y (sky130_fd_sc_hd_inv_2)
					048 (net)
		0.03	0.00	2.23	^ _454_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.23	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
		0.05	0.00	0.27	^ _454_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.52	clock uncertainty

0.00	0.52	clock reconvergence pessimism
0.20	0.71	library removal time
	0.71	data required time

		0.71	data required time
		-2.23	data arrival time
		1.51	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _455_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
			0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd_buf_1)
		0.04	0.06	2.06 v	input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06 v	_355_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.12	2.18 v	_355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.19 v	_407_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	2.23 ^	_407_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_049_ (net)
		0.03	0.00	2.23 ^	_455_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.23	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04 ^	clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.16 ^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16 ^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26 ^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.05	0.00	0.27 ^	_455_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.52	clock uncertainty
			0.00	0.52	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.23	data arrival time

				1.51	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _450_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)

		0.00	0.00	2.00	v	input2/A (sky130_fd_sc_hd_buf_1)
		0.04	0.06	2.06	v	input2/X (sky130_fd_sc_hd_buf_1)
3	0.01					net2 (net)
		0.04	0.00	2.06	v	_355_/A (sky130_fd_sc_hd_buf_4)
10	0.05	0.06	0.12	2.18	v	_355_/X (sky130_fd_sc_hd_buf_4)
						199 (net)
		0.06	0.00	2.19	v	_402_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	2.23	^	_402_/Y (sky130_fd_sc_hd_inv_2)
1	0.01					_044_ (net)
		0.03	0.00	2.23	^	_450_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.23		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.06	0.04	0.04	^	clk (in)
						clk (net)
		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.05	0.11	0.16	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	0.16	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.05	0.05	0.11	0.27	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.05	0.00	0.27	^	_450_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.52		clock uncertainty
			0.00	0.52		clock reconvergence pessimism
			0.20	0.72		library removal time
				0.72		data required time

				0.72		data required time
				-2.23		data arrival time

				1.51		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _447_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
		0.04	0.00	2.06	v _389_/A (sky130_fd_sc_hd_buf_4)
10	0.06	0.07	0.12	2.19	v _389_/X (sky130_fd_sc_hd_buf_4)
					203 (net)
		0.07	0.00	2.19	v _399_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	2.23	^ _399_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_041_ (net)
		0.03	0.00	2.23	^ _447_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.23	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.05	0.05	0.11	0.27	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.05	0.00	0.27	^ _447_/CLK (sky130_fd_sc_hd_dfrtp_1)

0.25	0.52	clock uncertainty
0.00	0.52	clock reconvergence pessimism
0.20	0.72	library removal time
	0.72	data required time

0.72	data required time
-2.23	data arrival time

1.51	slack (MET)
------	-------------

Startpoint: rst (input port clocked by clk)
Endpoint: _446_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.06	2.06 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.06 v	_389_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.07	0.12	2.19 v	_389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
		0.07	0.00	2.19 v	_398_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.23 ^	_398_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_040_ (net)
		0.03	0.00	2.23 ^	_446_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.23	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04 ^	clk (in)
					clk (net)
		0.06	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.16 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.16 ^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.11	0.26 ^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.05	0.00	0.27 ^	_446_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.52	clock uncertainty
			0.00	0.52	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.23	data arrival time

				1.52	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _445_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)

id	type	min	max	value	description
1	0.00	0.00	0.00	2.00	v rst (net)
		0.04	0.06	2.06	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01			2.06	v input2/X (sky130_fd_sc_hd_buf_1)
		0.04	0.00	2.06	v _389_/A (sky130_fd_sc_hd_buf_4)
10	0.06	0.07	0.12	2.19	v _389_/X (sky130_fd_sc_hd_buf_4)
		0.07	0.00	2.19	v _203_(net)
		0.03	0.04	2.23	v _397_/A (sky130_fd_sc_hd_inv_2)
1	0.00			2.23	^ _397_/Y (sky130_fd_sc_hd_inv_2)
		0.03	0.00	2.23	^ _039_(net)
				2.23	^ _445_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
					data arrival time
		0.00	0.00		clock clk (rise edge)
		0.00	0.00		clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.05	0.00	0.27	^ _445_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.52	clock uncertainty
			0.00	0.52	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.23	data arrival time

				1.52	slack (MET)

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			2.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
		0.04	0.00	2.06	v _389_/A (sky130_fd_sc_hd_buf_4)
10	0.06	0.07	0.12	2.19	v _389_/X (sky130_fd_sc_hd_buf_4)
					203 (net)
		0.07	0.01	2.19	v _394_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	2.23	^ _394_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_036_ (net)
		0.03	0.00	2.23	^ _442_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.23	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)

0.05	0.00	0.27	^	_442_/CLK (sky130_fd_sc_hd__dftrtp_1)
	0.25	0.52		clock uncertainty
	0.00	0.52		clock reconvergence pessimism
	0.20	0.71		library removal time
		0.71		data required time

		0.71		data required time
		-2.23		data arrival time

		1.52		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _439_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01		0.04	0.06	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.06	v _389_/A (sky130_fd_sc_hd__buf_4)
10	0.06		0.07	0.12	v _389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
		0.07	0.01	2.19	v _391_/A (sky130_fd_sc_hd__inv_2)
1	0.00		0.03	0.04	^ _391_/Y (sky130_fd_sc_hd__inv_2)
					033 (net)
		0.03	0.00	2.23	^ _439_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.23	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02		0.06	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04		0.05	0.11	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04		0.05	0.11	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.05	0.00	0.27	^ _439_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.52	clock uncertainty
			0.00	0.52	clock reconvergence pessimism
			0.20	0.72	library removal time
				0.72	data required time

				0.72	data required time
				-2.23	data arrival time

				1.52	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _438_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay

		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06	v _389_/A (sky130_fd_sc_hd_buf_4)
		0.07	0.12	2.19	v _389_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_203_ (net)
		0.07	0.01	2.19	v _390_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	2.23	^ _390_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_032_ (net)
		0.03	0.00	2.23	^ _438_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.23	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.05	0.00	0.27	^ _438_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.52	clock uncertainty
			0.00	0.52	clock reconvergence pessimism
			0.20	0.72	library removal time
				0.72	data required time

				0.72	data required time
				-2.23	data arrival time

				1.52	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _444_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06	v _389_/A (sky130_fd_sc_hd_buf_4)
		0.07	0.12	2.19	v _389_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_203_ (net)
		0.07	0.01	2.19	v _396_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	2.23	^ _396_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_038_ (net)
		0.03	0.00	2.23	^ _444_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.23	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)

12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	0.27	^ _444_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.52	clock uncertainty
			0.00	0.52	clock reconvergence pessimism
			0.20	0.72	library removal time
				0.72	data required time

				0.72	data required time
				-2.23	data arrival time

				1.52	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _440_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01		0.04	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.06	v _389_/A (sky130_fd_sc_hd__buf_4)
		0.07	0.12	2.19	v _389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
		0.07	0.01	2.19	v _392_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.23	^ _392_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_034_ (net)
		0.03	0.00	2.23	^ _440_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.23	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02		0.06	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04		0.05	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	0.27	^ _440_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.52	clock uncertainty
			0.00	0.52	clock reconvergence pessimism
			0.20	0.72	library removal time
				0.72	data required time

				0.72	data required time
				-2.23	data arrival time

				1.52	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _441_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)

			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06 v	input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06 v	_389_/A (sky130_fd_sc_hd__buf_4)
		0.07	0.12	2.19 v	_389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
		0.07	0.01	2.19 v	_393_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.23 ^	_393_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_035_ (net)
		0.03	0.00	2.23 ^	_441_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.23	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04 ^	clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16 ^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26 ^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.05	0.00	0.27 ^	_441_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.52	clock uncertainty
			0.00	0.52	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

			0.71		data required time
			-2.23		data arrival time

			1.52		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _443_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06 v	input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06 v	_389_/A (sky130_fd_sc_hd__buf_4)
		0.07	0.12	2.19 v	_389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
		0.07	0.01	2.19 v	_395_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.23 ^	_395_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_037_ (net)
		0.03	0.00	2.23 ^	_443_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.23	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04 ^	clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16 ^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)

12	0.04	0.05	0.11	0.26	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_1_leaf_clk (net)
		0.05	0.00	0.27	^	_443_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.52		clock uncertainty
			0.00	0.52		clock reconvergence pessimism
			0.20	0.71		library removal time
				0.71		data required time

				0.71		data required time
				-2.23		data arrival time

			1.52	slack (MET)		

Startpoint: rst (input port clocked by clk)
Endpoint: _428_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description		
1	0.00		0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
		0.00	2.00	2.00	v input external delay		
			0.00	2.00	v rst (in)		
					rst (net)		
			0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)	
		3	0.01	0.04	0.06	2.06 v input2/X (sky130_fd_sc_hd__buf_1)	
						net2 (net)	
		10	0.07	0.04	0.00	2.06 v _378_/A (sky130_fd_sc_hd__buf_4)	
				0.07	0.13	2.19 v _378_/X (sky130_fd_sc_hd__buf_4)	
1	0.00			_202_ (net)			
		0.07	0.00	2.20 v _379_/A (sky130_fd_sc_hd__inv_2)			
		0.03	0.04	2.24 ^ _379_/Y (sky130_fd_sc_hd__inv_2)			
				022 (net)			
1	0.00	0.03	0.00	2.24 ^	_428_/RESET_B (sky130_fd_sc_hd__dfrtp_1)		
				2.24	data arrival time		
			0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock source latency		
			0.06	0.04	0.04 ^	clk (in)	
						clk (net)	
		4	0.04	0.06	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.05	0.11	0.16 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
							clknet_0_clk (net)
				0.05	0.00	0.16 ^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.05	0.05	0.11	0.27 ^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)		
					clknet_2_0__leaf_clk (net)		
		0.05	0.00	0.27 ^	_428_/CLK (sky130_fd_sc_hd__dfrtp_1)		
				0.25	0.52	clock uncertainty	
			0.00	0.52	clock reconvergence pessimism		
			0.20	0.72	library removal time		
				0.72	data required time		
				0.72	data required time		
				-2.24	data arrival time		
				1.52	slack (MET)		

Startpoint: rst (input port clocked by clk)
Endpoint: _431_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)

			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.07	0.13	2.19	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.07	0.00	2.20	v _382_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.24	^ _382_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_025_ (net)
		0.03	0.00	2.24	^ _431_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.24	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.27	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.27	^ _431_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.52	clock uncertainty
			0.00	0.52	clock reconvergence pessimism
			0.20	0.72	library removal time
				0.72	data required time

				0.72	data required time
				-2.24	data arrival time

				1.52	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _432_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.07	0.13	2.19	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.07	0.00	2.20	v _383_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.24	^ _383_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_026_ (net)
		0.03	0.00	2.24	^ _432_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.24	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)

		0.05	0.00	0.16	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.27	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05					clknet_2_0__leaf_clk (net)
		0.05	0.00	0.27	^	_432_/CLK (sky130_fd_sc_hd__dfirtp_1)
			0.25	0.52		clock uncertainty
			0.00	0.52		clock reconvergence pessimism
			0.20	0.72		library removal time
				0.72		data required time

				0.72		data required time
				-2.24		data arrival time

				1.52		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _435_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01		0.04	0.06	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.06	v _378_/A (sky130_fd_sc_hd__buf_4)
10	0.07		0.07	0.13	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
		0.07	0.00	2.20	v _386_/A (sky130_fd_sc_hd__inv_2)
1	0.00		0.03	0.04	^ _386_/Y (sky130_fd_sc_hd__inv_2)
					029 (net)
		0.03	0.00	2.24	^ _435_/RESET_B (sky130_fd_sc_hd__dfirtp_2)
				2.24	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.27	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.27	^ _435_/CLK (sky130_fd_sc_hd__dfirtp_2)
			0.25	0.52	clock uncertainty
			0.00	0.52	clock reconvergence pessimism
			0.20	0.72	library removal time
				0.72	data required time

				0.72	data required time
				-2.24	data arrival time

				1.52	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _430_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd_buf_1)
		0.04	0.06	2.06 v	input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06 v	_378_/A (sky130_fd_sc_hd_buf_4)
		0.07	0.13	2.19 v	_378_/X (sky130_fd_sc_hd_buf_4)
10	0.07				_202_ (net)
		0.07	0.00	2.20 v	_381_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	2.24 ^	_381_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_024_ (net)
		0.03	0.00	2.24 ^	_430_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.24	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04 ^	clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.16 ^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16 ^	clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.27 ^	clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05				clknet_2_0_leaf_clk (net)
		0.05	0.00	0.27 ^	_430_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.52	clock uncertainty
			0.00	0.52	clock reconvergence pessimism
			0.20	0.72	library removal time
				0.72	data required time

				0.72	data required time
				-2.24	data arrival time

				1.52	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _429_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd_buf_1)
		0.04	0.06	2.06 v	input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06 v	_378_/A (sky130_fd_sc_hd_buf_4)
		0.07	0.13	2.19 v	_378_/X (sky130_fd_sc_hd_buf_4)
10	0.07				_202_ (net)
		0.07	0.00	2.20 v	_380_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	2.24 ^	_380_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_023_ (net)
		0.03	0.00	2.24 ^	_429_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.24	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04 ^	clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.16 ^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)

4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.27	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.27	^ _429_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.52	clock uncertainty
			0.00	0.52	clock reconvergence pessimism
			0.20	0.72	library removal time
				0.72	data required time

				0.72	data required time
				-2.24	data arrival time

				1.52	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _434_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.07	0.13	2.19	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.07	0.00	2.20	v _385_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.24	^ _385_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_028_ (net)
		0.03	0.00	2.24	^ _434_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.24	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.05	0.00	0.27	^ _434_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.52	clock uncertainty
			0.00	0.52	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.24	data arrival time

				1.53	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _437_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
--------	-----	------	-------	------	-------------

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06 v	input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06 v	_378_/A (sky130_fd_sc_hd__buf_4)
		0.07	0.13	2.19 v	_378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.07	0.01	2.20 v	_388_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.24 ^	_388_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_031_ (net)
		0.03	0.00	2.24 ^	_437_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.24	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04 ^	clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16 ^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26 ^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	0.27 ^	_437_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.52	clock uncertainty
			0.00	0.52	clock reconvergence pessimism
			0.20	0.72	library removal time
				0.72	data required time

				0.72	data required time
				-2.24	data arrival time

				1.53	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _433_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06 v	input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06 v	_378_/A (sky130_fd_sc_hd__buf_4)
		0.07	0.13	2.19 v	_378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.07	0.01	2.20 v	_384_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.24 ^	_384_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_027_ (net)
		0.03	0.00	2.24 ^	_433_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.24	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04 ^	clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)

4	0.04	0.05	0.11	0.16	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
12	0.04	0.05	0.00	0.16	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_1_leaf_clk (net)
		0.05	0.00	0.27	^	_433_/CLK (sky130_fd_sc_hd__dfstp_1)
			0.25	0.52		clock uncertainty
			0.00	0.52		clock reconvergence pessimism
			0.20	0.71		library removal time
				0.71	data required time	
				-2.24	data arrival time	
				1.53	slack (MET)	

Startpoint: rst (input port clocked by clk)
Endpoint: _436_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description			
1	0.00	0.00	0.00	0.00	clock clk (rise edge)			
			0.00	0.00	clock network delay (propagated)			
			2.00	2.00	v input external delay			
			0.00	2.00	v rst (in)			
					rst (net)			
			0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)		
			0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)		
			3	0.01			net2 (net)	
					0.04	0.00	2.06	v _378_/A (sky130_fd_sc_hd__buf_4)
			10	0.07	0.07	0.13	2.19	v _378_/X (sky130_fd_sc_hd__buf_4)
								202 (net)
			1	0.00	0.07	0.01	2.20	v _387_/A (sky130_fd_sc_hd__inv_2)
0.03	0.04	2.24			^ _387_/Y (sky130_fd_sc_hd__inv_2)			
1	0.00	0.03	0.00	2.24	^ _030_ (net)			
					2.24	^ _436_/SET_B (sky130_fd_sc_hd__dfstp_1)		
						data arrival time		
				0.00	0.00	clock clk (rise edge)		
				0.00	0.00	clock source latency		
			1	0.02	0.06	0.04	0.04	^ clk (in)
								clk (net)
			4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
					0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
			12	0.04				clknet_0_clk (net)
					0.05	0.00	0.16	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
					0.05	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)			
0.05	0.00	0.27			^ _436_/CLK (sky130_fd_sc_hd__dfstp_1)			
	0.25	0.52			clock uncertainty			
		0.00	0.52	clock reconvergence pessimism				
		0.10	0.62	library removal time				
			0.62	data required time				

					0.62 data required time			
					-2.24 data arrival time			

					1.63 slack (MET)			

Startpoint: rst (input port clocked by clk)
Endpoint: _408_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description		

1	0.00	0.00	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
		0.00	2.00	2.00	v input external delay		
			0.00	2.00	v rst (in)		
		0.00			rst (net)		
			0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)	
		3	0.01	0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
							net2 (net)
		10	0.05	0.04	0.00	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
				0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.06	0.06	0.00	2.19	v _356_/A (sky130_fd_sc_hd__buf_4)		
		0.06	0.13	2.32	v _356_/X (sky130_fd_sc_hd__buf_4)		
1	0.00	0.07	0.00	2.32	v _357_/A (sky130_fd_sc_hd__inv_2)		
		0.03	0.04	2.36	^ _357_/Y (sky130_fd_sc_hd__inv_2)		
1	0.00	0.03	0.00	2.36	^ _408_/RESET_B (sky130_fd_sc_hd__dfrtp_4)		
				2.36	data arrival time		

1	0.02	0.06	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock source latency		
4	0.04	0.06	0.04	0.04	^ clk (in)		
		0.05	0.11	0.16	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)		
14	0.05	0.05	0.00	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)		
		0.05	0.11	0.16	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)		
14	0.05	0.05	0.00	0.16	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)		
		0.05	0.11	0.27	^ clkbuf_2_0__leaf_clk (net)		
14	0.05	0.05	0.00	0.27	^ _408_/CLK (sky130_fd_sc_hd__dfrtp_4)		
		0.25	0.52	0.52	clock uncertainty		
14	0.05	0.00	0.52	0.52	clock reconvergence pessimism		
		0.20	0.72	0.72	library removal time		

				0.72	data required time		
				-2.36	data arrival time		

				1.64	slack (MET)		

Startpoint: rst (input port clocked by clk)
 Endpoint: _410_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.00	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.05	0.04	0.00	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.06	0.06	0.00	2.19	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.13	2.32	v _356_/X (sky130_fd_sc_hd__buf_4)
1	0.00	0.06	0.00	2.32	v _359_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.36	^ _359_/Y (sky130_fd_sc_hd__inv_2)
		0.03	0.00	2.36	^ _410_/RESET_B (sky130_fd_sc_hd__dfrtp_2)

				2.36	data arrival time
		0.00	0.00		clock clk (rise edge)
		0.00	0.00		clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.27	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05				clknet_2_0_leaf_clk (net)
		0.05	0.00	0.27	^ _410_/CLK (sky130_fd_sc_hd_dfrtp_2)
			0.25	0.52	clock uncertainty
			0.00	0.52	clock reconvergence pessimism
			0.20	0.72	library removal time
				0.72	data required time

				0.72	data required time
				-2.36	data arrival time

				1.64	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _411_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.19	v _356_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.13	2.32	v _356_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_200_ (net)
		0.07	0.00	2.32	v _360_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	2.36	^ _360_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_005_ (net)
		0.03	0.00	2.36	^ _411_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.36	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.27	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05				clknet_2_0_leaf_clk (net)
		0.05	0.00	0.27	^ _411_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.52	clock uncertainty
			0.00	0.52	clock reconvergence pessimism
			0.20	0.72	library removal time
				0.72	data required time

				0.72	data required time
				-2.36	data arrival time

1.64 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _427_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.19	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.06	0.13	2.32	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.06	0.00	2.32	v _377_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.36	^ _377_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_021_ (net)
		0.03	0.00	2.36	^ _427_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.36	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.05	0.00	0.27	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.52	clock uncertainty
			0.00	0.52	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.36	data arrival time

				1.65	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _424_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)

		0.04	0.00	2.06	v	_355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.18	v	_355_/X (sky130_fd_sc_hd__buf_4)
10	0.05					_199_ (net)
		0.06	0.00	2.19	v	_367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.06	0.13	2.32	v	_367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07					_201_ (net)
		0.06	0.00	2.32	v	_374_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.36	^	_374_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_018_ (net)
		0.03	0.00	2.36	^	_424_/RESET_B (sky130_fd_sc_hd__dfrtp_2)
				2.36		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.06	0.04	0.04	^	clk (in)
						clk (net)
		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.16	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	0.16	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.05	0.00	0.27	^	_424_/CLK (sky130_fd_sc_hd__dfrtp_2)
			0.25	0.52		clock uncertainty
			0.00	0.52		clock reconvergence pessimism
			0.20	0.71		library removal time
				0.71		data required time

				0.71		data required time
				-2.36		data arrival time

				1.65		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _420_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.06	0.00	2.19	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
10	0.07	0.06	0.13	2.32	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
					201 (net)
		0.06	0.00	2.32	v _370_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.36	^ _370_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_014_ (net)
		0.03	0.00	2.36	^ _420_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.36	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)

12	0.04	0.05	0.11	0.26	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3_leaf_clk (net)
		0.05	0.00	0.27	^	_420_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.52		clock uncertainty
			0.00	0.52		clock reconvergence pessimism
			0.20	0.71		library removal time
				0.71		data required time

				0.71		data required time
				-2.36		data arrival time

		1.65		slack (MET)		

Startpoint: rst (input port clocked by clk)
Endpoint: _421_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description		
1	0.00		0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
		0.00	2.00	2.00	v input external delay		
			0.00	2.00	v rst (in)		
		0.00			rst (net)		
			0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)		
		3	0.01	0.04	0.06	2.06 v input2/X (sky130_fd_sc_hd__buf_1)	
						net2 (net)	
		10	0.05	0.04	0.00	2.06 v _355_/A (sky130_fd_sc_hd__buf_4)	
				0.06	0.12	2.18 v _355_/X (sky130_fd_sc_hd__buf_4)	
10	0.07				_199_ (net)		
		0.06	0.00	2.19 v _367_/A (sky130_fd_sc_hd__clkbuf_8)			
		0.06	0.13	2.32 v _367_/X (sky130_fd_sc_hd__clkbuf_8)			
					201 (net)		
		1	0.00	0.07	0.01	2.32 v _371_/A (sky130_fd_sc_hd__inv_2)	
				0.03	0.04	2.37 ^ _371_/Y (sky130_fd_sc_hd__inv_2)	
		1	0.00				_015_ (net)
				0.03	0.00	2.37 ^ _421_/RESET_B (sky130_fd_sc_hd__dfrtp_1)	
						2.37	data arrival time
		1	0.02		0.00	0.00	clock clk (rise edge)
	0.00			0.00	clock source latency		
0.06	0.04			0.04	^ clk (in)		
						clk (net)	
4	0.04			0.06	0.00	0.04 ^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
				0.05	0.11	0.16 ^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
							clknet_0_clk (net)
				0.05	0.00	0.16 ^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
12	0.04			0.05	0.11	0.26 ^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
							clknet_2_3__leaf_clk (net)
				0.27	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)		
				0.25	clock uncertainty		
				0.00	clock reconvergence pessimism		
				0.20	library removal time		
				0.72	data required time		
				0.72	data required time		
				-2.37	data arrival time		
				1.65	slack (MET)		

Startpoint: rst (input port clocked by clk)
Endpoint: _419_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.00	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.05	0.04	0.00	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.07	0.06	0.00	2.19	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.06	0.13	2.32	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
1	0.00	0.07	0.01	2.32	v _369_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.36	^ _369_/Y (sky130_fd_sc_hd__inv_2)
					013 (net)
		0.03	0.00	2.36	^ _419_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.36	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.00	0.16	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
				0.27	^ _419_/CLK (sky130_fd_sc_hd__dftrtp_1)
				0.25	clock uncertainty
				0.00	clock reconvergence pessimism
				0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.36	data arrival time

				1.65	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _426_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.00	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.05	0.04	0.00	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.07	0.06	0.00	2.19	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.06	0.13	2.32	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
1	0.00	0.07	0.01	2.32	v _376_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.37	^ _376_/Y (sky130_fd_sc_hd__inv_2)
					020 (net)
		0.03	0.00	2.37	^ _426_/RESET_B (sky130_fd_sc_hd__dftrtp_1)

				2.37	data arrival time
		0.00	0.00		clock clk (rise edge)
		0.00	0.00		clock source latency
		0.06	0.04	0.04 ^	clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16 ^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26 ^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	0.27 ^	_426_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.52	clock uncertainty
			0.00	0.52	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.37	data arrival time

				1.65	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _418_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06 v	input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06 v	_355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.18 v	_355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.19 v	_367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.06	0.13	2.32 v	_367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.06	0.00	2.32 v	_368_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.36 ^	_368_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_012_ (net)
		0.03	0.00	2.36 ^	_418_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.36	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04 ^	clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16 ^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26 ^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	0.27 ^	_418_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.52	clock uncertainty
			0.00	0.52	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.36	data arrival time

1.65 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _423_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.06	2.06 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.06 v	_355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.18 v	_355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.19 v	_367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.06	0.13	2.32 v	_367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.06	0.00	2.32 v	_373_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.36 ^	_373_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_017_ (net)
		0.03	0.00	2.36 ^	_423_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.36	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04 ^	clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16 ^	clkbuf_2_2_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	0.26 ^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2_leaf_clk (net)
		0.04	0.00	0.26 ^	_423_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.36	data arrival time

				1.65	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _409_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06 v	input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)

		0.04	0.00	2.06	v	_355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.18	v	_355_/X (sky130_fd_sc_hd__buf_4)
10	0.05					_199_ (net)
		0.06	0.00	2.19	v	_356_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.13	2.32	v	_356_/X (sky130_fd_sc_hd__buf_4)
10	0.06					_200_ (net)
		0.07	0.01	2.32	v	_358_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.36	^	_358_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_003_ (net)
		0.03	0.00	2.36	^	_409_/RESET_B (sky130_fd_sc_hd__dfrtp_4)
				2.36		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.06	0.04	0.04	^	clk (in)
						clk (net)
		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.16	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	0.16	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	0.26	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04					clknet_2_2__leaf_clk (net)
		0.04	0.00	0.26	^	_409_/CLK (sky130_fd_sc_hd__dfrtp_4)
			0.25	0.51		clock uncertainty
			0.00	0.51		clock reconvergence pessimism
			0.20	0.71		library removal time
				0.71		data required time

				0.71		data required time
				-2.36		data arrival time

				1.65		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _425_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.19	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.06	0.13	2.32	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.06	0.00	2.32	v _375_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.36	^ _375_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_019_ (net)
		0.03	0.00	2.36	^ _425_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.36	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)

10	0.04	0.04	0.10	0.26	^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
		0.04	0.00	0.26	^	_425_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51		clock uncertainty
			0.00	0.51		clock reconvergence pessimism
			0.20	0.71		library removal time
				0.71		data required time

				0.71		data required time
				-2.36		data arrival time

		1.65		slack (MET)		

Startpoint: rst (input port clocked by clk)
Endpoint: _413_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description		
1	0.00	0.00	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
		0.00	2.00	2.00	v input external delay		
			0.00	2.00	v rst (in)		
		0.00			rst (net)		
			0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)	
		3	0.01	0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
							net2 (net)
		10	0.05	0.04	0.00	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
				0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_199_ (net)		
		0.06	0.00	2.19	v _356_/A (sky130_fd_sc_hd__buf_4)		
10	0.06	0.06	0.13	2.32	v _356_/X (sky130_fd_sc_hd__buf_4)		
					200 (net)		
1	0.00	0.07	0.01	2.32	v _362_/A (sky130_fd_sc_hd__inv_2)		
		0.03	0.04	2.36	^ _362_/Y (sky130_fd_sc_hd__inv_2)		
1	0.00				_007_ (net)		
		0.03	0.00	2.36	^ _413_/RESET_B (sky130_fd_sc_hd__dfrtp_1)		
1	0.02			2.36	data arrival time		
			0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock source latency		
		0.06	0.04	0.04	^ clk (in)		
					clk (net)		
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)		
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)		
					clknet_0_clk (net)		
		0.05	0.00	0.16	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd__clkbuf_16)		
		0.04	0.10	0.26	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)		
10	0.04				clknet_2_2__leaf_clk (net)		
		0.04	0.00	0.26	^ _413_/CLK (sky130_fd_sc_hd__dfrtp_1)		
			0.25	0.51	clock uncertainty		
			0.00	0.51	clock reconvergence pessimism		
			0.20	0.71	library removal time		
				0.71	data required time		
				0.71	data required time		
				-2.36	data arrival time		
				1.65	slack (MET)		

Startpoint: rst (input port clocked by clk)
Endpoint: _422_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.00	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
					rst (net)
			0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.04	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.04	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.06	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05			_199_ (net)	
		0.06	2.19	v _367_/A (sky130_fd_sc_hd__clkbuf_8)	
10	0.07	0.06	2.32	v _367_/X (sky130_fd_sc_hd__clkbuf_8)	
				201 (net)	
		0.06	2.32	v _372_/A (sky130_fd_sc_hd__inv_2)	
		0.03	2.36	^ _372_/Y (sky130_fd_sc_hd__inv_2)	
1	0.00			_016_ (net)	
		0.03	2.36	^ _422_/RESET_B (sky130_fd_sc_hd__dfrtp_1)	
			2.36	data arrival time	

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.05	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
10	0.04				clknet_0_clk (net)
		0.05	0.16	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.04	0.26	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					clknet_2_2__leaf_clk (net)
		0.04	0.26	^ _422_/CLK (sky130_fd_sc_hd__dfrtp_1)	
			0.25	0.51	clock uncertainty
		0.00	0.51	clock reconvergence pessimism	
			0.71	library removal time	
			0.71	data required time	

			0.71	data required time	
			-2.36	data arrival time	

			1.65	slack (MET)	

Startpoint: rst (input port clocked by clk)
 Endpoint: _414_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.00	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.04	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.05	0.00	0.00	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.06	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.06	0.00	0.00	2.19	v _356_/A (sky130_fd_sc_hd__buf_4)
			0.06	2.32	v _356_/X (sky130_fd_sc_hd__buf_4)
1	0.00	0.00	0.00	2.32	v _363_/A (sky130_fd_sc_hd__inv_2)
			0.03	2.36	^ _363_/Y (sky130_fd_sc_hd__inv_2)
			0.00		_008_ (net)
			0.03	2.36	^ _414_/RESET_B (sky130_fd_sc_hd__dfrtp_1)

				2.36	data arrival time
		0.00	0.00		clock clk (rise edge)
		0.00	0.00		clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	0.26	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.04	0.00	0.26	^ _414_/CLK (sky130_fd_sc_hd__dfrrtp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.36	data arrival time

				1.65	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _412_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.19	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.13	2.32	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)
		0.07	0.01	2.32	v _361_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.36	^ _361_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_006_ (net)
		0.03	0.00	2.37	^ _412_/RESET_B (sky130_fd_sc_hd__dfrrtp_1)
				2.37	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	0.26	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.04	0.00	0.26	^ _412_/CLK (sky130_fd_sc_hd__dfrrtp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.37	data arrival time

1.65 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _417_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.06	2.06 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.06 v	_355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.06	0.12	2.18 v	_355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.06	0.00	2.19 v	_356_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.06	0.13	2.32 v	_356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
		0.07	0.01	2.32 v	_366_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.37 ^	_366_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_011_ (net)
		0.03	0.00	2.37 ^	_417_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.37	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04 ^	clk (in)
					clk (net)
		0.06	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.16 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.16 ^	clkbuf_2_2_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.04	0.04	0.10	0.26 ^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2_leaf_clk (net)
		0.04	0.00	0.26 ^	_417_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.37	data arrival time

				1.65	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _416_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.06	2.06 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)

		0.04	0.00	2.06	v	_355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.18	v	_355_/X (sky130_fd_sc_hd__buf_4)
10	0.05					_199_ (net)
		0.06	0.00	2.19	v	_356_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.13	2.32	v	_356_/X (sky130_fd_sc_hd__buf_4)
10	0.06					_200_ (net)
		0.07	0.01	2.32	v	_365_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.37	^	_365_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_010_ (net)
		0.03	0.00	2.37	^	_416_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.37		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.06	0.04	0.04	^	clk (in)
						clk (net)
		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.16	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	0.16	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	0.26	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04					clknet_2_2__leaf_clk (net)
		0.04	0.00	0.26	^	_416_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51		clock uncertainty
			0.00	0.51		clock reconvergence pessimism
			0.20	0.71		library removal time
				0.71		data required time

				0.71		data required time
				-2.37		data arrival time

				1.65		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _415_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.19	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.13	2.32	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)
		0.07	0.01	2.32	v _364_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.37	^ _364_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_009_ (net)
		0.03	0.00	2.37	^ _415_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.37	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.16	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)

10	0.04	0.04	0.10	0.26	^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
		0.04	0.00	0.26	^	_415_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51		clock uncertainty
			0.00	0.51		clock reconvergence pessimism
			0.20	0.71		library removal time
				0.71		data required time
				0.71		data required time
				-2.37		data arrival time
				1.65		slack (MET)

Startpoint: _425_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: done (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.04	0.04	0.09	0.24	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
1	0.00	0.04	0.00	0.24	^ _425_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.04	0.20	0.44	^ _425_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.04				net14 (net)
		0.04	0.00	0.44	^ output14/A (sky130_fd_sc_hd__clkbuf_4)
1	0.04		0.12	0.56	^ output14/X (sky130_fd_sc_hd__clkbuf_4)
		0.09	0.00	0.56	^ done (net)
				0.56	done (out)
				0.56	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time
				-1.75	data required time
				-0.56	data arrival time
				2.31	slack (MET)

Startpoint: _426_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[0] (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd__clkbuf_16)

12	0.04	0.05	0.10	0.24	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.00	0.24	^	clknet_2_3__leaf_clk (net)
		0.06	0.21	0.45	^	_426_/CLK (sky130_fd_sc_hd__dfrtp_1)
2	0.01			0.45	^	_426_/Q (sky130_fd_sc_hd__dfrtp_1)
						net16 (net)
1	0.03	0.06	0.00	0.45	^	output16/A (sky130_fd_sc_hd__clkbuf_4)
		0.09	0.13	0.58	^	output16/X (sky130_fd_sc_hd__clkbuf_4)
						rx_data[0] (net)
		0.09	0.00	0.58	^	rx_data[0] (out)
				0.58		data arrival time
		0.00	0.00			clock clk (rise edge)
		0.00	0.00			clock network delay (propagated)
		0.25	0.25			clock uncertainty
		0.00	0.25			clock reconvergence pessimism
		-2.00	-1.75			output external delay
			-1.75			data required time

				-1.75		data required time
				-0.58		data arrival time

				2.33		slack (MET)

Startpoint: _436_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: cs (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
12	0.04	0.05	0.00	0.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
2	0.01	0.05	0.00	0.24	^ _436_/CLK (sky130_fd_sc_hd__dfstp_1)
		0.03	0.22	0.47	v _436_/Q (sky130_fd_sc_hd__dfstp_1)
					net13 (net)
1	0.04	0.03	0.00	0.47	v output13/A (sky130_fd_sc_hd__clkbuf_4)
		0.06	0.12	0.58	v output13/X (sky130_fd_sc_hd__clkbuf_4)
					cs (net)
		0.06	0.00	0.59	v cs (out)
				0.59	data arrival time
		0.00	0.00		clock clk (rise edge)
		0.00	0.00		clock network delay (propagated)
		0.25	0.25		clock uncertainty
		0.00	0.25		clock reconvergence pessimism
		-2.00	-1.75		output external delay
			-1.75		data required time

				-1.75	data required time
				-0.59	data arrival time

				2.34	slack (MET)

Startpoint: _432_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[6] (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.25	^ _432_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.06	0.21	0.46	^ _432_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net22 (net)
		0.06	0.00	0.46	^ output22/A (sky130_fd_sc_hd__clkbuf_4)
		0.08	0.13	0.59	^ output22/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[6] (net)
		0.08	0.00	0.59	^ rx_data[6] (out)
				0.59	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.59	data arrival time

				2.34	slack (MET)

Startpoint: _433_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[7] (output port clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.05	0.00	0.24	^ _433_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.06	0.22	0.46	^ _433_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net23 (net)
		0.06	0.00	0.46	^ output23/A (sky130_fd_sc_hd__clkbuf_4)
		0.08	0.13	0.59	^ output23/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[7] (net)
		0.09	0.00	0.59	^ rx_data[7] (out)
				0.59	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.59	data arrival time

2.34 slack (MET)

Startpoint: _427_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[1] (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
2	0.01				clknet_2_1__leaf_clk (net)
		0.05	0.00	0.24	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.07	0.22	0.46	^ _427_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.03				net17 (net)
		0.07	0.00	0.46	^ output17/A (sky130_fd_sc_hd__clkbuf_4)
		0.08	0.13	0.59	^ output17/X (sky130_fd_sc_hd__clkbuf_4)
		0.08	0.00	0.59	rx_data[1] (net)
				0.59	rx_data[1] (out)
					data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.59	data arrival time

				2.34	slack (MET)

Startpoint: _429_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[3] (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description	

			0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
1	0.02	0.06	0.04	0.04	^ clk (in)	
					clk (net)	
			0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)	
14	0.05		0.05	0.00	0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.05	0.10	0.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)	
			0.05	0.00	0.24	^ _429_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.07	0.22	0.46	^ _429_/Q (sky130_fd_sc_hd__dfrtp_1)
					net19 (net)	
			0.07	0.00	0.46	^ output19/A (sky130_fd_sc_hd__clkbuf_4)
			0.08	0.13	0.59	^ output19/X (sky130_fd_sc_hd__clkbuf_4)
					rx_data[3] (net)	
1	0.03		0.08	0.00	0.59	^ rx_data[3] (out)
					0.59	data arrival time

0.00	0.00	clock clk (rise edge)
0.00	0.00	clock network delay (propagated)
0.25	0.25	clock uncertainty
0.00	0.25	clock reconvergence pessimism
-2.00	-1.75	output external delay
	-1.75	data required time

-1.75	data required time
-0.59	data arrival time

2.34	slack (MET)
------	-------------

Startpoint: _431_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[5] (output port clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.10	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05	0.05	0.10		clknet_0_clk (net)
				0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
2	0.01	0.05	0.22	0.25	^ _431_/CLK (sky130_fd_sc_hd__dfrtp_1)
				0.46	^ _431_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.03	0.07	0.13		net21 (net)
				0.46	^ output21/A (sky130_fd_sc_hd__clkbuf_4)
				0.59	^ output21/X (sky130_fd_sc_hd__clkbuf_4)
					rx_data[5] (net)
		0.09	0.00	0.59	^ rx_data[5] (out)
				0.59	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.59	data arrival time

				2.34	slack (MET)

Startpoint: _428_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[2] (output port clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.10	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.00		clknet_0_clk (net)
				0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)

14	0.05	0.05	0.10	0.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.00	0.24	^ _428_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.08	0.23	0.47	^ _428_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net18 (net)
		0.08	0.00	0.47	^ output18/A (sky130_fd_sc_hd__clkbuf_4)
1	0.03	0.08	0.13	0.60	^ output18/X (sky130_fd_sc_hd__clkbuf_4)
					rx_data[2] (net)
		0.08	0.00	0.61	^ rx_data[2] (out)
				0.61	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
		-2.00	-1.75		output external delay
			-1.75		data required time

			-1.75		data required time
			-0.61		data arrival time

			2.36		slack (MET)

Startpoint: _434_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: mosi (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
2	0.01	0.05	0.00	0.24	^ _434_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.09	0.24	0.48	^ _434_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.03				net15 (net)
		0.09	0.00	0.48	^ output15/A (sky130_fd_sc_hd__clkbuf_4)
		0.08	0.14	0.61	^ output15/X (sky130_fd_sc_hd__clkbuf_4)
					mosi (net)
		0.08	0.00	0.61	^ mosi (out)
				0.61	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
		-2.00	-1.75		output external delay
			-1.75		data required time

			-1.75		data required time
			-0.61		data arrival time

			2.36		slack (MET)

Startpoint: _430_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[4] (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.24	^ _430_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.06	0.25	0.49	v _430_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net20 (net)
		0.06	0.00	0.50	v output20/A (sky130_fd_sc_hd__clkbuf_4)
		0.06	0.13	0.62	v output20/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[4] (net)
		0.06	0.00	0.63	v rx_data[4] (out)
				0.63	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.63	data arrival time

				2.38	slack (MET)

Startpoint: _424_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: busy (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	0.24	^ _424_/CLK (sky130_fd_sc_hd__dfrtp_2)
		0.06	0.27	0.51	v _424_/Q (sky130_fd_sc_hd__dfrtp_2)
4	0.02				net12 (net)
		0.06	0.00	0.51	v output12/A (sky130_fd_sc_hd__buf_2)
		0.06	0.12	0.63	v output12/X (sky130_fd_sc_hd__buf_2)
1	0.03				busy (net)
		0.06	0.00	0.63	v busy (out)
				0.63	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.63	data arrival time

2.38 slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: sclk (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)
4	0.02	0.05	0.00	0.24	^ _435_/CLK (sky130_fd_sc_hd_dfrtp_2)
		0.06	0.27	0.52	v _435_/Q (sky130_fd_sc_hd_dfrtp_2)
1	0.03				net24 (net)
		0.06	0.00	0.52	v output24/A (sky130_fd_sc_hd_buf_2)
		0.06	0.12	0.64	v output24/X (sky130_fd_sc_hd_buf_2)
					sclk (net)
		0.06	0.00	0.64	v sclk (out)
				0.64	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
		-2.00		-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.64	data arrival time

				2.39	slack (MET)

===== Slowest Corner =====

Startpoint: _415_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _415_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.08	0.08	^ clk (in)
					clk (net)
4	0.04	0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04				clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.24	0.59	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_2_leaf_clk (net)
3	0.01	0.09	0.00	0.59	^ _415_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.15	0.68	1.27	^ _415_/Q (sky130_fd_sc_hd_dfrtp_1)
					clk_count[7] (net)
		0.15	0.00	1.27	^ _332_/S (sky130_fd_sc_hd_mux2_1)
		0.07	0.26	1.53	^ _332_/X (sky130_fd_sc_hd_mux2_1)

1	0.00				_185_ (net)
		0.07	0.00	1.53	^ _333_/A (sky130_fd_sc_hd__clkbuf_1)
		0.06	0.14	1.66	^ _333_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_057_ (net)
		0.06	0.00	1.66	^ _415_/D (sky130_fd_sc_hd__dfrtp_1)
				1.66	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.09	0.00	0.65	^ _415_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.90	clock uncertainty
		-0.06	0.84		clock reconvergence pessimism
		-0.07	0.77		library hold time
				0.77	data required time

				0.77	data required time
				-1.66	data arrival time

				0.89	slack (MET)

Startpoint: _447_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _429_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	0.60	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.60	^ _447_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.17	0.70	1.30	^ _447_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				rx_shift[3] (net)
		0.17	0.00	1.30	^ _287_/A0 (sky130_fd_sc_hd__mux2_1)
		0.07	0.25	1.55	^ _287_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_152_ (net)
		0.07	0.00	1.55	^ _288_/A (sky130_fd_sc_hd__clkbuf_1)
		0.06	0.13	1.68	^ _288_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_069_ (net)
		0.06	0.00	1.68	^ _429_/D (sky130_fd_sc_hd__dfrtp_1)
				1.68	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.28	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.67	^ _429_/CLK (sky130_fd_sc_hd__dfrtp_1)

0.25	0.92	clock uncertainty
-0.06	0.85	clock reconvergence pessimism
-0.07	0.78	library hold time
	0.78	data required time

0.78	data required time
-1.68	data arrival time

0.90	slack (MET)
------	-------------

Startpoint: _449_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _431_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	0.60	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.60	^ _449_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.16	0.69	1.29	^ _449_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				rx_shift[5] (net)
		0.16	0.00	1.29	^ _283_/A0 (sky130_fd_sc_hd_mux2_1)
		0.07	0.25	1.55	^ _283_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_150_ (net)
		0.07	0.00	1.55	^ _284_/A (sky130_fd_sc_hd_clkbuf_1)
		0.06	0.14	1.68	^ _284_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_071_ (net)
		0.06	0.00	1.68	^ _431_/D (sky130_fd_sc_hd_dfrtp_1)
				1.68	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.28	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.67	^ _431_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.92	clock uncertainty
			-0.06	0.85	clock reconvergence pessimism
			-0.07	0.78	library hold time
				0.78	data required time

				0.78	data required time
				-1.68	data arrival time

				0.90	slack (MET)

Startpoint: _428_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _428_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
--------	-----	------	-------	------	-------------

		0.00	0.00	clock clk (rise edge)	
		0.00	0.00	clock source latency	
		0.13	0.08	0.08 ^ clk (in)	
1	0.02			clk (net)	
		0.13	0.00	0.08 ^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)	
		0.10	0.26	0.35 ^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)	
4	0.04			clknet_0_clk (net)	
		0.10	0.00	0.35 ^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)	
		0.10	0.25	0.60 ^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)	
14	0.04			clknet_2_0__leaf_clk (net)	
		0.10	0.00	0.60 ^ _428_/CLK (sky130_fd_sc_hd_dfrtp_1)	
		0.17	0.69	1.30 ^ _428_/Q (sky130_fd_sc_hd_dfrtp_1)	
2	0.01			net18 (net)	
		0.17	0.00	1.30 ^ _289_/A1 (sky130_fd_sc_hd_mux2_1)	
		0.07	0.26	1.56 ^ _289_/X (sky130_fd_sc_hd_mux2_1)	
1	0.00			_153_ (net)	
		0.07	0.00	1.56 ^ _290_/A (sky130_fd_sc_hd_clkbuf_1)	
		0.07	0.14	1.69 ^ _290_/X (sky130_fd_sc_hd_clkbuf_1)	
1	0.00			_068_ (net)	
		0.07	0.00	1.69 ^ _428_/D (sky130_fd_sc_hd_dfrtp_1)	
				1.69 data arrival time	

		0.00	0.00	clock clk (rise edge)	
		0.00	0.00	clock source latency	
		0.13	0.09	0.09 ^ clk (in)	
1	0.02			clk (net)	
		0.13	0.00	0.09 ^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)	
		0.10	0.29	0.38 ^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)	
4	0.04			clknet_0_clk (net)	
		0.10	0.00	0.38 ^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)	
		0.10	0.28	0.66 ^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)	
14	0.04			clknet_2_0__leaf_clk (net)	
		0.10	0.00	0.67 ^ _428_/CLK (sky130_fd_sc_hd_dfrtp_1)	
			0.25	0.92 clock uncertainty	
		-0.06	0.85	clock reconvergence pessimism	
		-0.07	0.78	library hold time	
			0.78	data required time	

			0.78	data required time	
			-1.69	data arrival time	

			0.91	slack (MET)	

Startpoint: _419_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _419_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.08	0.08 ^	clk (in)
1	0.02				clk (net)
		0.13	0.00	0.08 ^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	0.35 ^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.35 ^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	0.60 ^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.10	0.00	0.60 ^	_419_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.18	0.71	1.30 ^	_419_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[11] (net)
		0.18	0.00	1.30 ^	_317_/S (sky130_fd_sc_hd_mux2_1)
		0.07	0.27	1.57 ^	_317_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_174_ (net)
		0.07	0.00	1.57 ^	_318_/A (sky130_fd_sc_hd_clkbuf_1)

1	0.00	0.07	0.14	1.71	^	_318_/X (sky130_fd_sc_hd__clkbuf_1)
						061 (net)
		0.07	0.00	1.71	^	_419_/D (sky130_fd_sc_hd__dfrtp_1)
				1.71		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.13	0.09	0.09	^	clk (in)
						clk (net)
		0.13	0.00	0.09	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.10	0.00	0.38	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.10	0.27	0.66	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^	_419_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.91		clock uncertainty
		-0.06		0.85		clock reconvergence pessimism
		-0.07		0.78		library hold time
				0.78		data required time

				0.78		data required time
				-1.71		data arrival time

				0.93		slack (MET)

Startpoint: _453_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _453_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.08	0.08	^ clk (in)
					clk (net)
		0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.25	0.59	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.09	0.00	0.60	^ _453_/CLK (sky130_fd_sc_hd__dfrtp_1)
4	0.01	0.18	0.70	1.30	^ _453_/Q (sky130_fd_sc_hd__dfrtp_1)
					bit_count[1] (net)
		0.18	0.00	1.30	^ _229_/A0 (sky130_fd_sc_hd__mux2_1)
1	0.00	0.08	0.26	1.56	^ _229_/X (sky130_fd_sc_hd__mux2_1)
					119 (net)
		0.08	0.00	1.56	^ _230_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.07	0.14	1.71	^ _230_/X (sky130_fd_sc_hd__clkbuf_1)
					093 (net)
		0.07	0.00	1.71	^ _453_/D (sky130_fd_sc_hd__dfrtp_1)
				1.71	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.09	0.09	^ clk (in)
					clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.27	0.66	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.09	0.00	0.66	^ _453_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.91	clock uncertainty
		-0.06		0.85	clock reconvergence pessimism

-0.07	0.77	library hold time
	0.77	data required time

	0.77	data required time
	-1.71	data arrival time

	0.93	slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.10	0.25	0.60	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)
		0.10	0.00	0.60	^ _435_/CLK (sky130_fd_sc_hd_dfrtp_2)
4	0.03	0.22	0.80	1.40	^ _435_/Q (sky130_fd_sc_hd_dfrtp_2)
					net24 (net)
		0.22	0.00	1.40	^ _235_/A (sky130_fd_sc_hd_inv_2)
2	0.01	0.06	0.11	1.51	v _235_/Y (sky130_fd_sc_hd_inv_2)
					123 (net)
		0.06	0.00	1.51	v _274_/A1 (sky130_fd_sc_hd_a21oi_1)
1	0.00	0.15	0.19	1.70	^ _274_/Y (sky130_fd_sc_hd_a21oi_1)
					075 (net)
		0.15	0.00	1.70	^ _435_/D (sky130_fd_sc_hd_dfrtp_2)
				1.70	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.10	0.28	0.66	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)
		0.10	0.00	0.67	^ _435_/CLK (sky130_fd_sc_hd_dfrtp_2)
		0.25	0.92		clock uncertainty
		-0.06	0.85		clock reconvergence pessimism
		-0.09	0.76		library hold time
			0.76		data required time

				0.76	data required time
				-1.70	data arrival time

				0.94	slack (MET)

Startpoint: _423_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _423_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)

			0.00	0.00	clock source latency
		0.13	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	0.59	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.09	0.00	0.59	^ _423_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.14	0.77	1.36	v _423_/Q (sky130_fd_sc_hd__dftrtp_1)
3	0.01				clk_count[15] (net)
		0.14	0.00	1.36	v _295_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.10	1.46	^ _295_/Y (sky130_fd_sc_hd__inv_2)
1	0.01				_156_ (net)
		0.06	0.00	1.46	^ _303_/A1 (sky130_fd_sc_hd__o31a_1)
		0.09	0.25	1.71	^ _303_/X (sky130_fd_sc_hd__o31a_1)
1	0.00				_065_ (net)
		0.09	0.00	1.71	^ _423_/D (sky130_fd_sc_hd__dftrtp_1)
				1.71	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.09	0.00	0.65	^ _423_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.90	clock uncertainty
			-0.06	0.84	clock reconvergence pessimism
			-0.08	0.76	library hold time
				0.76	data required time

				0.76	data required time
				-1.71	data arrival time

				0.95	slack (MET)

Startpoint: _450_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _432_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	0.60	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.60	^ _450_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.20	0.72	1.33	^ _450_/Q (sky130_fd_sc_hd__dftrtp_1)
3	0.01				rx_shift[6] (net)
		0.20	0.00	1.33	^ _281_/A0 (sky130_fd_sc_hd__mux2_1)
		0.07	0.27	1.60	^ _281_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_149_ (net)
		0.07	0.00	1.60	^ _282_/A (sky130_fd_sc_hd__clkbuf_1)
		0.06	0.14	1.73	^ _282_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_072_ (net)

		0.06	0.00	1.73	^	_432_/D (sky130_fd_sc_hd_dfrtp_1)
				1.73		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.13	0.09	0.09	^	clk (in)
						clk (net)
		0.13	0.00	0.09	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.29	0.38	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.10	0.00	0.38	^	clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.10	0.28	0.66	^	clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_0_leaf_clk (net)
		0.10	0.00	0.67	^	_432_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.92		clock uncertainty
			-0.06	0.85		clock reconvergence pessimism
			-0.07	0.78		library hold time
				0.78		data required time

				0.78		data required time
				-1.73		data arrival time

				0.95		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.08	0.08	^ clk (in)
					clk (net)
		0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.10	0.25	0.60	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
		0.10	0.00	0.60	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
3	0.01	0.20	0.72	1.32	^ _421_/Q (sky130_fd_sc_hd_dfrtp_1)
					clk_count[13] (net)
		0.20	0.00	1.32	^ _309_/S (sky130_fd_sc_hd_mux2_1)
1	0.00	0.07	0.27	1.59	^ _309_/X (sky130_fd_sc_hd_mux2_1)
					168 (net)
		0.07	0.00	1.59	^ _310_/A (sky130_fd_sc_hd_clkbuf_1)
1	0.00	0.07	0.14	1.73	^ _310_/X (sky130_fd_sc_hd_clkbuf_1)
					063 (net)
		0.07	0.00	1.73	^ _421_/D (sky130_fd_sc_hd_dfrtp_1)
				1.73	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.09	0.09	^ clk (in)
					clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.10	0.27	0.66	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
		0.10	0.00	0.66	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.91	clock uncertainty
			-0.06	0.85	clock reconvergence pessimism
			-0.07	0.78	library hold time
				0.78	data required time

		0.78	data required time
		-1.73	data arrival time

		0.95	slack (MET)

Startpoint: _430_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _430_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	0.60	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.10	0.00	0.60	^ _430_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.21	0.73	1.33	^ _430_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net20 (net)
		0.21	0.00	1.33	^ _285_/A1 (sky130_fd_sc_hd_mux2_1)
		0.07	0.27	1.60	^ _285_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_151_ (net)
		0.07	0.00	1.60	^ _286_/A (sky130_fd_sc_hd_clkbuf_1)
		0.06	0.13	1.74	^ _286_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_070_ (net)
		0.06	0.00	1.74	^ _430_/D (sky130_fd_sc_hd_dfrtp_1)
				1.74	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.28	0.66	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.10	0.00	0.67	^ _430_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.92	clock uncertainty
			-0.06	0.85	clock reconvergence pessimism
			-0.07	0.78	library hold time
				0.78	data required time

				0.78	data required time
				-1.74	data arrival time

				0.95	slack (MET)

Startpoint: _413_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _413_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.08	0.08	^ clk (in)

1	0.02				clk (net)
		0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.24	0.59	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04				clknet_2_2_leaf_clk (net)
		0.09	0.00	0.59	^ _413_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.20	0.72	1.31	^ _413_/Q (sky130_fd_sc_hd_dfrtp_1)
4	0.01				clk_count[5] (net)
		0.20	0.00	1.31	^ _339_/S (sky130_fd_sc_hd_mux2_1)
		0.07	0.28	1.59	^ _339_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_190_ (net)
		0.07	0.00	1.59	^ _340_/A (sky130_fd_sc_hd_clkbuf_1)
		0.07	0.14	1.73	^ _340_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_055_ (net)
		0.07	0.00	1.73	^ _413_/D (sky130_fd_sc_hd_dfrtp_1)
				1.73	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04				clknet_2_2_leaf_clk (net)
		0.09	0.00	0.65	^ _413_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.90	clock uncertainty
		-0.06	0.84		clock reconvergence pessimism
		-0.07	0.77		library hold time
				0.77	data required time

				0.77	data required time
				-1.73	data arrival time

				0.96	slack (MET)

Startpoint: _452_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _452_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.25	0.59	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.09	0.00	0.60	^ _452_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.21	0.73	1.33	^ _452_/Q (sky130_fd_sc_hd_dfrtp_1)
5	0.01				bit_count[0] (net)
		0.21	0.00	1.33	^ _233_/A0 (sky130_fd_sc_hd_mux2_1)
		0.08	0.27	1.60	^ _233_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_122_ (net)
		0.08	0.00	1.60	^ _234_/A (sky130_fd_sc_hd_clkbuf_1)
		0.06	0.14	1.74	^ _234_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_092_ (net)
		0.06	0.00	1.74	^ _452_/D (sky130_fd_sc_hd_dfrtp_1)
				1.74	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.09	0.09	^ clk (in)
					clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.27	0.66	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
		0.09	0.00	0.66	^ _452_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.91	clock uncertainty
			-0.06	0.85	clock reconvergence pessimism
			-0.07	0.77	library hold time
				0.77	data required time

				0.77	data required time
				-1.74	data arrival time

				0.97	slack (MET)

Startpoint: _434_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _434_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.08	0.08	^ clk (in)
					clk (net)
		0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.25	0.59	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
		0.09	0.00	0.60	^ _434_/CLK (sky130_fd_sc_hd_dfrtp_1)
2	0.01	0.19	0.71	1.31	^ _434_/Q (sky130_fd_sc_hd_dfrtp_1)
					net15 (net)
		0.19	0.00	1.31	^ _277_/A1 (sky130_fd_sc_hd_mux2_1)
1	0.00	0.09	0.29	1.60	^ _277_/X (sky130_fd_sc_hd_mux2_1)
					147 (net)
		0.09	0.00	1.60	^ _278_/A (sky130_fd_sc_hd_clkbuf_1)
1	0.00	0.08	0.16	1.76	^ _278_/X (sky130_fd_sc_hd_clkbuf_1)
					074 (net)
		0.08	0.00	1.76	^ _434_/D (sky130_fd_sc_hd_dfrtp_1)
				1.76	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.09	0.09	^ clk (in)
					clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.27	0.66	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
		0.09	0.00	0.66	^ _434_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.91	clock uncertainty
			-0.06	0.85	clock reconvergence pessimism
			-0.08	0.77	library hold time
				0.77	data required time

				0.77	data required time

-1.76 data arrival time

0.99 slack (MET)

Startpoint: _411_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _411_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.08	0.08	^ clk (in)
4	0.04				clk (net)
		0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	0.60	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.01				clknet_2_0_leaf_clk (net)
		0.10	0.00	0.60	^ _411_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.17	0.81	1.42	v _411_/Q (sky130_fd_sc_hd_dfrtp_1)
1	0.00				clk_count[3] (net)
		0.17	0.00	1.42	v _343_/A (sky130_fd_sc_hd_inv_2)
		0.06	0.10	1.52	^ _343_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_192_ (net)
		0.06	0.00	1.52	^ _346_/A1 (sky130_fd_sc_hd_o31a_1)
		0.09	0.25	1.77	^ _346_/X (sky130_fd_sc_hd_o31a_1)
1	0.00				_053_ (net)
		0.09	0.00	1.77	^ _411_/D (sky130_fd_sc_hd_dfrtp_1)
				1.77	data arrival time

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
4	0.04				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.28	0.66	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)
		0.10	0.00	0.67	^ _411_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.25	0.92		clock uncertainty
				0.85	clock reconvergence pessimism
				0.78	library hold time
				0.78	data required time

				0.78	data required time
				-1.77	data arrival time

				0.99	slack (MET)

Startpoint: _453_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _454_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.08	0.08	^ clk (in)
					clk (net)
		0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)

4	0.04	0.10	0.26	0.35	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
12	0.04	0.10	0.00	0.35	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.25	0.59	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.01					clknet_2_1_leaf_clk (net)
		0.09	0.00	0.60	^	_453_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.18	0.70	1.30	^	_453_/Q (sky130_fd_sc_hd_dfrtp_1)
						bit_count[1] (net)
2	0.01	0.18	0.00	1.30	^	_224_/A (sky130_fd_sc_hd_nand2_1)
		0.11	0.16	1.46	v	_224_/Y (sky130_fd_sc_hd_nand2_1)
1	0.00					_115_ (net)
		0.11	0.00	1.46	v	_225_/B (sky130_fd_sc_hd_nand2_1)
		0.05	0.11	1.57	^	_225_/Y (sky130_fd_sc_hd_nand2_1)
1	0.00					_116_ (net)
		0.05	0.00	1.57	^	_226_/B2 (sky130_fd_sc_hd_a2bb2o_1)
		0.07	0.21	1.78	^	_226_/X (sky130_fd_sc_hd_a2bb2o_1)
1	0.00					_094_ (net)
		0.07	0.00	1.78	^	_454_/D (sky130_fd_sc_hd_dfrtp_1)
				1.78		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.13	0.09	0.09	^	clk (in)
						clk (net)
4	0.04	0.13	0.00	0.09	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_0_clk (net)
		0.10	0.00	0.38	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.66	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_1_leaf_clk (net)
		0.09	0.00	0.66	^	_454_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.91		clock uncertainty
			-0.06	0.85		clock reconvergence pessimism
			-0.07	0.77		library hold time
				0.77		data required time

			0.77			data required time
			-1.78			data arrival time

			1.00			slack (MET)

Startpoint: _408_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _409_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.08	0.08	^ clk (in)
					clk (net)
4	0.04	0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	0.60	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
8	0.03				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.60	^ _408_/CLK (sky130_fd_sc_hd_dfrtp_4)
8	0.03	0.19	0.88	1.48	^ _408_/Q (sky130_fd_sc_hd_dfrtp_4)
					clk_count[0] (net)
1	0.00	0.19	0.00	1.48	^ _349_/A1 (sky130_fd_sc_hd_a21oi_1)
		0.06	0.17	1.65	v _349_/Y (sky130_fd_sc_hd_a21oi_1)
1	0.00				_196_ (net)
		0.06	0.00	1.65	v _351_/A (sky130_fd_sc_hd_nor2_1)
1	0.00	0.12	0.14	1.79	^ _351_/Y (sky130_fd_sc_hd_nor2_1)
					051 (net)
1	0.00	0.12	0.00	1.79	^ _409_/D (sky130_fd_sc_hd_dfrtp_4)

				1.79	data arrival time
		0.00	0.00		clock clk (rise edge)
		0.00	0.00		clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.04	0.09	0.27	0.65	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.09	0.00	0.65	^ _409_/CLK (sky130_fd_sc_hd__dfrtp_4)
		0.25	0.90		clock uncertainty
		-0.04	0.87		clock reconvergence pessimism
		-0.09	0.78		library hold time
				0.78	data required time

				0.78	data required time
				-1.79	data arrival time

				1.01	slack (MET)

Startpoint: _440_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _441_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.10	0.25	0.60	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.10	0.00	0.60	^ _440_/CLK (sky130_fd_sc_hd__dfrtp_1)
2	0.00	0.10	0.64	1.24	^ _440_/Q (sky130_fd_sc_hd__dfrtp_1)
					tx_shift[3] (net)
		0.10	0.00	1.24	^ _254_/A1 (sky130_fd_sc_hd__mux2_1)
1	0.00	0.08	0.24	1.47	^ _254_/X (sky130_fd_sc_hd__mux2_1)
					132 (net)
		0.08	0.00	1.47	^ _255_/A1 (sky130_fd_sc_hd__mux2_1)
1	0.00	0.07	0.22	1.69	^ _255_/X (sky130_fd_sc_hd__mux2_1)
					133 (net)
		0.07	0.00	1.69	^ _256_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.06	0.14	1.83	^ _256_/X (sky130_fd_sc_hd__clkbuf_1)
					081 (net)
		0.06	0.00	1.83	^ _441_/D (sky130_fd_sc_hd__dfrtp_1)
				1.83	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.27	0.66	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.09	0.00	0.66	^ _441_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.25	0.91		clock uncertainty
		-0.04	0.87		clock reconvergence pessimism

-0.07	0.80	library hold time
	0.80	data required time

	0.80	data required time
	-1.83	data arrival time

	1.03	slack (MET)

Startpoint: _422_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _422_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
10	0.04	0.09	0.24	0.59	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_2_leaf_clk (net)
		0.09	0.00	0.59	^ _422_/CLK (sky130_fd_sc_hd_dfrtp_1)
4	0.01	0.17	0.69	1.28	^ _422_/Q (sky130_fd_sc_hd_dfrtp_1)
					clk_count[14] (net)
		0.17	0.00	1.29	^ _301_/A1 (sky130_fd_sc_hd_a21oi_1)
2	0.01	0.10	0.19	1.47	v _301_/Y (sky130_fd_sc_hd_a21oi_1)
					162 (net)
		0.10	0.00	1.47	v _305_/A2 (sky130_fd_sc_hd_o21a_1)
		0.06	0.31	1.78	v _305_/X (sky130_fd_sc_hd_o21a_1)
1	0.00				_064_ (net)
		0.06	0.00	1.78	v _422_/D (sky130_fd_sc_hd_dfrtp_1)
				1.78	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04				clknet_2_2_leaf_clk (net)
		0.09	0.00	0.65	^ _422_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.25	0.90		clock uncertainty
		-0.06	0.84		clock reconvergence pessimism
		-0.09	0.75		library hold time
			0.75		data required time

				0.75	data required time
				-1.78	data arrival time

				1.03	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _448_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)

			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.34	2.52	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.52	v _400_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.05	0.09	2.62	^ _400_/Y (sky130_fd_sc_hd__inv_2)
					042 (net)
		0.05	0.00	2.62	^ _448_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
					data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.09	0.09	^ clk (in)
					clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.28	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.67	^ _448_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.92	clock uncertainty
			0.00	0.92	clock reconvergence pessimism
			0.66	1.58	library removal time
				1.58	data required time

				1.58	data required time
				-2.62	data arrival time

				1.04	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _449_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.34	2.52	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.52	v _401_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.10	2.62	^ _401_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_043_ (net)
		0.06	0.00	2.62	^ _449_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.62	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.09	0.09	^ clk (in)
					clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)

		0.10	0.00	0.38	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.28	0.66	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.67	^	_449_/CLK (sky130_fd_sc_hd__dfrrtp_1)
			0.25	0.92		clock uncertainty
			0.00	0.92		clock reconvergence pessimism
			0.66	1.58		library removal time
				1.58		data required time

				1.58		data required time
				-2.62		data arrival time

				1.04		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _451_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01		0.11	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05		0.14	2.52	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.52	v _403_/A (sky130_fd_sc_hd__inv_2)
1	0.00		0.06	2.62	^ _403_/Y (sky130_fd_sc_hd__inv_2)
					045 (net)
		0.06	0.00	2.62	^ _451_/RESET_B (sky130_fd_sc_hd__dfrrtp_1)
				2.62	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04		0.10	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04		0.10	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.67	^ _451_/CLK (sky130_fd_sc_hd__dfrrtp_1)
			0.25	0.92	clock uncertainty
			0.00	0.92	clock reconvergence pessimism
			0.66	1.58	library removal time
				1.58	data required time

				1.58	data required time
				-2.62	data arrival time

				1.04	slack (MET)

Startpoint: _437_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _438_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	0.60	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.10	0.00	0.60	^ _437_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.10	0.64	1.24	^ _437_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.00				tx_shift[0] (net)
		0.10	0.00	1.24	^ _263_/A1 (sky130_fd_sc_hd__mux2_1)
		0.07	0.22	1.46	^ _263_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_138_ (net)
		0.07	0.00	1.46	^ _264_/A1 (sky130_fd_sc_hd__mux2_1)
		0.08	0.22	1.68	^ _264_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_139_ (net)
		0.08	0.00	1.68	^ _265_/A (sky130_fd_sc_hd__clkbuf_1)
		0.06	0.14	1.82	^ _265_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_078_ (net)
		0.06	0.00	1.82	^ _438_/D (sky130_fd_sc_hd__dfrtp_1)
				1.82	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.27	0.66	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^ _438_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.91	clock uncertainty
		-0.06	0.85		clock reconvergence pessimism
		-0.07	0.78		library hold time
			0.78		data required time

				0.78	data required time
				-1.82	data arrival time

				1.04	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _453_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.14	0.34	2.52	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.14	0.00	2.52	v _405_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.09	2.61	^ _405_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_047_ (net)
		0.05	0.00	2.61	^ _453_/RESET_B (sky130_fd_sc_hd__dfrtp_1)

				2.61	data arrival time
		0.00	0.00		clock clk (rise edge)
		0.00	0.00		clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.66	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	0.66	^ _453_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.91	clock uncertainty
			0.00	0.91	clock reconvergence pessimism
			0.66	1.57	library removal time
				1.57	data required time

				1.57	data required time
				-2.61	data arrival time

				1.05	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _452_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.14	0.34	2.52	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.14	0.00	2.52	v _404_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.09	2.62	^ _404_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_046_ (net)
		0.05	0.00	2.62	^ _452_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.62	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.66	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	0.66	^ _452_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.91	clock uncertainty
			0.00	0.91	clock reconvergence pessimism
			0.66	1.57	library removal time
				1.57	data required time

				1.57	data required time
				-2.62	data arrival time

				1.05	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _455_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description		

1	0.00		0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
		0.02	2.00	2.00	v input external delay		
			0.01	2.01	v rst (in)		
						rst (net)	
			0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)	
		3	0.01	0.11	0.18	2.18 v input2/X (sky130_fd_sc_hd__buf_1)	
							net2 (net)
		10	0.05	0.11	0.00	2.18 v _355_/A (sky130_fd_sc_hd__buf_4)	
				0.14	0.34	2.52 v _355_/X (sky130_fd_sc_hd__buf_4)	
1	0.00				_199_ (net)		
			0.14	0.00	2.52 v _407_/A (sky130_fd_sc_hd__inv_2)		
		0.05	0.09	2.62 ^ _407_/Y (sky130_fd_sc_hd__inv_2)			
						049 (net)	
			0.05	0.00	2.62 ^ _455_/RESET_B (sky130_fd_sc_hd__dftrtp_1)		
				2.62	data arrival time		
		1	0.02		0.00	0.00	clock clk (rise edge)
					0.00	0.00	clock source latency
				0.13	0.09	0.09	^ clk (in)
	0.13			0.00	0.09 ^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)		
	0.10			0.29	0.38 ^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)		
4	0.04					clknet_0_clk (net)	
				0.10	0.00	0.38 ^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
12	0.04			0.09	0.27	0.66 ^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
							clknet_2_1__leaf_clk (net)
		0.09	0.00	0.66	^ _455_/CLK (sky130_fd_sc_hd__dftrtp_1)		
			0.25	0.91	clock uncertainty		
			0.00	0.91	clock reconvergence pessimism		
			0.66	1.57	library removal time		
				1.57	data required time		

				1.57	data required time		
				-2.62	data arrival time		

				1.05	slack (MET)		

Startpoint: rst (input port clocked by clk)
 Endpoint: _454_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
				2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.05	0.11	0.00	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)
				2.52	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
1	0.00	0.14	0.00	2.52	v _406_/A (sky130_fd_sc_hd__inv_2)
				2.62	^ _406_/Y (sky130_fd_sc_hd__inv_2)
					048 (net)

		0.05	0.00	2.62	^	_454_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.62		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.13	0.09	0.09	^	clk (in)
						clk (net)
		0.13	0.00	0.09	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.29	0.38	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.10	0.00	0.38	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.27	0.66	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_1__leaf_clk (net)
		0.09	0.00	0.66	^	_454_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.91		clock uncertainty
			0.00	0.91		clock reconvergence pessimism
			0.66	1.57		library removal time
				1.57		data required time

				1.57		data required time
				-2.62		data arrival time

				1.05		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _450_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
		0.11	0.00	2.18	v _355_/A (sky130_fd_sc_hd_buf_4)
10	0.05	0.14	0.34	2.52	v _355_/X (sky130_fd_sc_hd_buf_4)
					199 (net)
		0.14	0.00	2.52	v _402_/A (sky130_fd_sc_hd_inv_2)
1	0.01	0.07	0.11	2.63	^ _402_/Y (sky130_fd_sc_hd_inv_2)
					044 (net)
		0.07	0.00	2.63	^ _450_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.63	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.09	0.09	^ clk (in)
					clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.10	0.28	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.67	^ _450_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.92	clock uncertainty
			0.00	0.92	clock reconvergence pessimism
			0.66	1.58	library removal time
				1.58	data required time

				1.58	data required time
				-2.63	data arrival time

				1.05	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _447_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
3	0.01	0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
				2.18	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.06	0.11	0.35		net2 (net)
				2.18	v _389_/A (sky130_fd_sc_hd__buf_4)
				2.53	v _389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
1	0.00	0.16	0.10	2.53	v _399_/A (sky130_fd_sc_hd__inv_2)
				2.64	^ _399_/Y (sky130_fd_sc_hd__inv_2)
					041 (net)
				2.64	^ _447_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.64	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.09	0.09	^ clk (in)
					clk (net)
4	0.04	0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.28		clknet_0_clk (net)
				0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
				0.67	^ _447_/CLK (sky130_fd_sc_hd__dfrtp_1)
				0.92	clock uncertainty
			0.00	0.92	clock reconvergence pessimism
			0.66	1.58	library removal time
				1.58	data required time

				1.58	data required time
				-2.64	data arrival time

				1.06	slack (MET)

Startpoint: _442_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _443_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.08	0.08	^ clk (in)
					clk (net)
4	0.04	0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.10	0.25		clknet_0_clk (net)
				0.35	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.59	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
2	0.01	0.09	0.64	0.60	^ _442_/CLK (sky130_fd_sc_hd__dfrtp_1)
				1.24	^ _442_/Q (sky130_fd_sc_hd__dfrtp_1)
					tx_shift[5] (net)

		0.10	0.00	1.24	^	_248_/A1 (sky130_fd_sc_hd_mux2_1)
		0.07	0.23	1.47	^	_248_/X (sky130_fd_sc_hd_mux2_1)
1	0.00					_128_ (net)
		0.07	0.00	1.47	^	_249_/A1 (sky130_fd_sc_hd_mux2_1)
		0.07	0.22	1.69	^	_249_/X (sky130_fd_sc_hd_mux2_1)
1	0.00					_129_ (net)
		0.07	0.00	1.69	^	_250_/A (sky130_fd_sc_hd_clkbuf_1)
		0.08	0.15	1.83	^	_250_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00					_083_ (net)
		0.08	0.00	1.83	^	_443_/D (sky130_fd_sc_hd_dfrtp_1)
				1.83		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.13	0.09	0.09	^	clk (in)
1	0.02					clk (net)
		0.13	0.00	0.09	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	0.38	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.66	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1_leaf_clk (net)
		0.09	0.00	0.66	^	_443_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.91		clock uncertainty
		-0.06		0.85		clock reconvergence pessimism
		-0.07		0.77		library hold time
				0.77		data required time

				0.77		data required time
				-1.83		data arrival time

				1.06		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _446_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
		0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.18	v _389_/A (sky130_fd_sc_hd_buf_4)
		0.16	0.35	2.53	v _389_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_203_ (net)
		0.16	0.00	2.53	v _398_/A (sky130_fd_sc_hd_inv_2)
		0.06	0.10	2.63	^ _398_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_040_ (net)
		0.06	0.00	2.63	^ _446_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.63	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.66	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.09	0.00	0.66	^ _446_/CLK (sky130_fd_sc_hd_dfrtp_1)

0.25	0.91	clock uncertainty
0.00	0.91	clock reconvergence pessimism
0.66	1.57	library removal time
	1.57	data required time

1.57	data required time
-2.63	data arrival time

1.06	slack (MET)
------	-------------

Startpoint: rst (input port clocked by clk)
Endpoint: _439_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
3	0.01	0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
				2.18	v input2/X (sky130_fd_sc_hd_buf_1)
10	0.06	0.11	0.00		net2 (net)
				2.18	v _389_/A (sky130_fd_sc_hd_buf_4)
1	0.00	0.16	0.35	2.53	v _389_/X (sky130_fd_sc_hd_buf_4)
					203 (net)
1	0.00	0.16	0.01	2.54	v _391_/A (sky130_fd_sc_hd_inv_2)
				2.63	^ _391_/Y (sky130_fd_sc_hd_inv_2)
1	0.00	0.06	0.10		_033_ (net)
				2.63	^ _439_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
			0.00	2.63	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.09	0.09	^ clk (in)
					clk (net)
4	0.04	0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.10	0.29		clknet_0_clk (net)
				0.38	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.10	0.00	0.66	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
			0.10	0.66	^ _439_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.91	clock uncertainty
			0.00	0.91	clock reconvergence pessimism
			0.66	1.57	library removal time
				1.57	data required time
				1.57	data required time
				-2.63	data arrival time
				1.06	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _438_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)

id	type	start	end	label
1	0.00	0.02	0.00	rst (net)
		0.11	0.18	input2/A (sky130_fd_sc_hd_buf_1)
3	0.01			input2/X (sky130_fd_sc_hd_buf_1)
		0.11	0.00	net2 (net)
		0.16	0.35	_389_/A (sky130_fd_sc_hd_buf_4)
10	0.06			_389_/X (sky130_fd_sc_hd_buf_4)
		0.16	0.01	_203_ (net)
		0.06	0.10	_390_/A (sky130_fd_sc_hd_inv_2)
1	0.00			_390_/Y (sky130_fd_sc_hd_inv_2)
		0.06	0.00	_032_ (net)
				438/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				data arrival time
		0.00	0.00	clock clk (rise edge)
		0.00	0.00	clock source latency
		0.13	0.09	clk (in)
1	0.02			clk (net)
		0.13	0.00	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04			clknet_0_clk (net)
		0.10	0.00	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.27	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04			clknet_2_3_leaf_clk (net)
		0.10	0.00	_438_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	clock uncertainty
			0.00	clock reconvergence pessimism
			0.66	library removal time
			1.57	data required time

			1.57	data required time
			-2.63	data arrival time

			1.06	slack (MET)

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
		0.11	0.00	2.18	v _389_/A (sky130_fd_sc_hd_buf_4)
10	0.06	0.16	0.35	2.53	v _389_/X (sky130_fd_sc_hd_buf_4)
					203 (net)
		0.16	0.01	2.54	v _396_/A (sky130_fd_sc_hd_inv_2)
		0.06	0.10	2.63	^ _396_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_038_ (net)
		0.06	0.00	2.63	^ _444_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.63	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.27	0.66	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)

0.10	0.00	0.66	^	_444_/CLK (sky130_fd_sc_hd__dfrtp_1)
	0.25	0.91		clock uncertainty
	0.00	0.91		clock reconvergence pessimism
	0.66	1.57		library removal time
		1.57		data required time

		1.57		data required time
		-2.63		data arrival time

		1.06		slack (MET)

Startpoint: _438_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _439_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.10	0.25	0.60	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.10	0.00	0.60	^ _438_/CLK (sky130_fd_sc_hd__dfrtp_1)
2	0.01	0.11	0.65	1.25	^ _438_/Q (sky130_fd_sc_hd__dfrtp_1)
					tx_shift[1] (net)
		0.11	0.00	1.25	^ _260_/A1 (sky130_fd_sc_hd__mux2_1)
1	0.00	0.07	0.24	1.48	^ _260_/X (sky130_fd_sc_hd__mux2_1)
					136 (net)
		0.07	0.00	1.48	^ _261_/A1 (sky130_fd_sc_hd__mux2_1)
1	0.00	0.07	0.22	1.70	^ _261_/X (sky130_fd_sc_hd__mux2_1)
					137 (net)
		0.07	0.00	1.70	^ _262_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.06	0.14	1.84	^ _262_/X (sky130_fd_sc_hd__clkbuf_1)
					079 (net)
		0.06	0.00	1.84	^ _439_/D (sky130_fd_sc_hd__dfrtp_1)
				1.84	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.10	0.27	0.66	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^ _439_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.25	0.91		clock uncertainty
		-0.06	0.85		clock reconvergence pessimism
		-0.07	0.78		library hold time
			0.78		data required time

				0.78	data required time
				-1.84	data arrival time

				1.06	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _445_ (removal check against rising-edge clock clk)
Path Group: asynchronous

Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description	

1	0.00	0.02	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			2.00	2.00	v input external delay	
			0.01	2.01	v rst (in)	
					rst (net)	
			0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
			0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
						net2 (net)
			0.11	0.00	2.18	v _389_/A (sky130_fd_sc_hd__buf_4)
			0.16	0.35	2.53	v _389_/X (sky130_fd_sc_hd__buf_4)
10	0.06			_203_ (net)		
		0.16	0.00	2.53	v _397_/A (sky130_fd_sc_hd__inv_2)	
1	0.00	0.06	0.10	2.63	^ _397_/Y (sky130_fd_sc_hd__inv_2)	
					039 (net)	
		0.06	0.00	2.63	^ _445_/RESET_B (sky130_fd_sc_hd__dftrtp_1)	
				2.63	data arrival time	

1	0.02		0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
		0.13	0.09	0.09	^ clk (in)	
					clk (net)	
4	0.04	0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					clknet_0_clk (net)	
12	0.04	0.10	0.00	0.38	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.09	0.27	0.66	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					clknet_2_1__leaf_clk (net)	
		0.09	0.00	0.66	^ _445_/CLK (sky130_fd_sc_hd__dftrtp_1)	
			0.25	0.91	clock uncertainty	
			0.00	0.91	clock reconvergence pessimism	
			0.66	1.57	library removal time	
				1.57	data required time	

				1.57	data required time	
				-2.63	data arrival time	

				1.06	slack (MET)	

Startpoint: rst (input port clocked by clk)
Endpoint: _440_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.02	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.01	2.01	v rst (in)
					rst (net)
				2.01	v input2/A (sky130_fd_sc_hd__buf_1)
				2.18	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
					v _389_/A (sky130_fd_sc_hd__buf_4)
					v _389_/X (sky130_fd_sc_hd__buf_4)
3	0.01	0.11	0.18	2.53	v _203_ (net)
10	0.06	0.16	0.35	2.64	^ _392_/Y (sky130_fd_sc_hd__inv_2)
1	0.00	0.06	0.10	2.64	^ _440_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
			0.00	0.00	clock clk (rise edge)

			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.27	0.66	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^ _440_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.91	clock uncertainty
			0.00	0.91	clock reconvergence pessimism
			0.66	1.57	library removal time
				1.57	data required time

				1.57	data required time
				-2.64	data arrival time

				1.06	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _442_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.18	v _389_/A (sky130_fd_sc_hd__buf_4)
		0.16	0.35	2.53	v _389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
		0.16	0.01	2.54	v _394_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.10	2.63	^ _394_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_036_ (net)
		0.06	0.00	2.63	^ _442_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.63	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.66	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	0.66	^ _442_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.91	clock uncertainty
			0.00	0.91	clock reconvergence pessimism
			0.66	1.57	library removal time
				1.57	data required time

				1.57	data required time
				-2.63	data arrival time

				1.06	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _441_ (removal check against rising-edge clock clk)

Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
			0.02	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.11	2.18	v _389_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.16	0.35	2.53	v _389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
			0.16	2.54	v _393_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.06	0.10	2.63	^ _393_/Y (sky130_fd_sc_hd__inv_2)
					035 (net)
			0.06	2.63	^ _441_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.63	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.09	0.09	^ clk (in)
					clk (net)
			0.13	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
			0.10	0.38	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.27	0.66	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
			0.09	0.66	^ _441_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.91	clock uncertainty
			0.00	0.91	clock reconvergence pessimism
			0.66	1.57	library removal time
				1.57	data required time

				1.57	data required time
				-2.63	data arrival time

				1.06	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _443_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
			0.02	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.11	2.18	v _389_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.16	0.35	2.53	v _389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
			0.16	2.54	v _395_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.06	0.10	2.63	^ _395_/Y (sky130_fd_sc_hd__inv_2)
					037 (net)
			0.06	2.63	^ _443_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.63	data arrival time

		0.00	0.00	clock clk (rise edge)
		0.00	0.00	clock source latency
1	0.02	0.13	0.09	0.09 ^ clk (in)
				clk (net)
		0.13	0.00	0.09 ^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38 ^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
				clknet_0_clk (net)
		0.10	0.00	0.38 ^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.27	0.66 ^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
				clknet_2_1__leaf_clk (net)
		0.09	0.00	0.66 ^ _443_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.91 clock uncertainty
			0.00	0.91 clock reconvergence pessimism
			0.66	1.57 library removal time
				1.57 data required time

			1.57	data required time
			-2.63	data arrival time

			1.06	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _428_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.02	0.01	2.01 v	rst (in)
					rst (net)
		0.02	0.00	2.01 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.18	2.18 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.18 v	_378_/A (sky130_fd_sc_hd__buf_4)
10	0.07	0.17	0.36	2.55 v	_378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
		0.17	0.00	2.55 v	_379_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.06	0.10	2.65 ^	_379_/Y (sky130_fd_sc_hd__inv_2)
					022 (net)
		0.06	0.00	2.65 ^	_428_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.65	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.09	0.09 ^	clk (in)
					clk (net)
		0.13	0.00	0.09 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38 ^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.28	0.66 ^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.67 ^	_428_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.92	clock uncertainty
			0.00	0.92	clock reconvergence pessimism
			0.66	1.58	library removal time
				1.58	data required time

				1.58	data required time
				-2.65	data arrival time

				1.07	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _435_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
3	0.01	0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
				2.18	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.07	0.11	0.00		net2 (net)
				2.18	v _378_/A (sky130_fd_sc_hd__buf_4)
1	0.00	0.17	0.36	2.55	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
1	0.00	0.17	0.00	2.55	v _386_/A (sky130_fd_sc_hd__inv_2)
				2.65	^ _386_/Y (sky130_fd_sc_hd__inv_2)
1	0.00	0.06	0.10		_029_ (net)
				2.65	^ _435_/RESET_B (sky130_fd_sc_hd__dftrtp_2)
			0.06	2.65	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.09	0.09	^ clk (in)
					clk (net)
4	0.04	0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.29		clknet_0_clk (net)
				0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.00	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
14	0.04	0.10	0.00	0.67	^ _435_/CLK (sky130_fd_sc_hd__dftrtp_2)
				0.25	clock uncertainty
			0.00	0.92	clock reconvergence pessimism
			0.66	1.58	library removal time
				1.58	data required time

				1.58	data required time
				-2.65	data arrival time

				1.07	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _430_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
3	0.01	0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
				2.18	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.07	0.11	0.00		net2 (net)
				2.18	v _378_/A (sky130_fd_sc_hd__buf_4)
10	0.07	0.17	0.36	2.55	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
1	0.00	0.17	0.00	2.55	v _381_/A (sky130_fd_sc_hd__inv_2)
				2.65	^ _381_/Y (sky130_fd_sc_hd__inv_2)
1	0.00	0.06	0.10		_024_ (net)
				2.65	^ _430_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
			0.06	2.65	data arrival time

		0.00	0.00	clock clk (rise edge)
		0.00	0.00	clock source latency
1	0.02	0.13	0.09	0.09 ^ clk (in)
				clk (net)
		0.13	0.00	0.09 ^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38 ^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
				clknet_0_clk (net)
		0.10	0.00	0.38 ^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.28	0.66 ^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.67 ^ _430_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.25	0.92	clock uncertainty
		0.00	0.92	clock reconvergence pessimism
		0.66	1.58	library removal time
			1.58	data required time

			1.58	data required time
			-2.65	data arrival time

			1.07	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _432_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.02	0.01	2.01 v	rst (in)
					rst (net)
		0.02	0.00	2.01 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.18	2.18 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.18 v	_378_/A (sky130_fd_sc_hd__buf_4)
10	0.07	0.17	0.36	2.55 v	_378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
		0.17	0.00	2.55 v	_383_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.06	0.10	2.66 ^	_383_/Y (sky130_fd_sc_hd__inv_2)
					026 (net)
		0.06	0.00	2.66 ^	_432_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.66	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.09	0.09 ^	clk (in)
					clk (net)
		0.13	0.00	0.09 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38 ^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.28	0.66 ^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.67 ^	_432_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.25	0.92		clock uncertainty
		0.00	0.92		clock reconvergence pessimism
		0.66	1.58		library removal time
			1.58		data required time

				1.58	data required time
				-2.66	data arrival time

				1.07	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _431_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
3	0.01	0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
				2.18	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.07	0.11	0.18		net2 (net)
				2.18	v _378_/A (sky130_fd_sc_hd__buf_4)
				2.55	v _378_/X (sky130_fd_sc_hd__buf_4)
1	0.00	0.17	0.36		_202_ (net)
				2.55	v _382_/A (sky130_fd_sc_hd__inv_2)
				2.66	^ _382_/Y (sky130_fd_sc_hd__inv_2)
1	0.00	0.06	0.11		_025_ (net)
				2.66	^ _431_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
			0.00	2.66	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.09	0.09	^ clk (in)
					clk (net)
4	0.04	0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.28		clknet_0_clk (net)
				0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.67	^ _431_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.92	clock uncertainty
			0.00	0.92	clock reconvergence pessimism
			0.66	1.58	library removal time
				1.58	data required time

				1.58	data required time
				-2.66	data arrival time

				1.08	slack (MET)

Startpoint: _418_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _418_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.08	0.08	^ clk (in)
					clk (net)
4	0.04	0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.10	0.25		clknet_0_clk (net)
				0.35	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.60	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.01	0.20	0.72		clknet_2_3__leaf_clk (net)
				0.60	^ _418_/CLK (sky130_fd_sc_hd__dfrtp_1)
				1.32	^ _418_/Q (sky130_fd_sc_hd__dfrtp_1)
					clk_count[10] (net)
		0.20	0.00	1.32	^ _319_/B1 (sky130_fd_sc_hd__a21o_1)
		0.06	0.19	1.50	^ _319_/X (sky130_fd_sc_hd__a21o_1)

1	0.00				_175_ (net)
		0.06	0.00	1.50	^ _320_/B (sky130_fd_sc_hd_and2_1)
		0.08	0.21	1.71	^ _320_/X (sky130_fd_sc_hd_and2_1)
1	0.00				_176_ (net)
		0.08	0.00	1.71	^ _321_/A (sky130_fd_sc_hd_clkbuf_1)
		0.06	0.14	1.85	^ _321_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_060_ (net)
		0.06	0.00	1.85	^ _418_/D (sky130_fd_sc_hd_dfrtp_1)
				1.85	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.27	0.66	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.10	0.00	0.66	^ _418_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.91	clock uncertainty
		-0.06	0.85		clock reconvergence pessimism
		-0.07	0.78		library hold time
			0.78		data required time

				0.78	data required time
				-1.85	data arrival time

				1.08	slack (MET)

Startpoint: _439_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _440_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	0.60	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.10	0.00	0.60	^ _439_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.12	0.65	1.25	^ _439_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				tx_shift[2] (net)
		0.12	0.00	1.25	^ _257_/A1 (sky130_fd_sc_hd_mux2_1)
		0.07	0.24	1.49	^ _257_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_134_ (net)
		0.07	0.00	1.49	^ _258_/A1 (sky130_fd_sc_hd_mux2_1)
		0.07	0.22	1.71	^ _258_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_135_ (net)
		0.07	0.00	1.71	^ _259_/A (sky130_fd_sc_hd_clkbuf_1)
		0.07	0.14	1.85	^ _259_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_080_ (net)
		0.07	0.00	1.85	^ _440_/D (sky130_fd_sc_hd_dfrtp_1)
				1.85	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)

4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
12	0.04	0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.27	0.66	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^ _440_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.91	clock uncertainty
			-0.06	0.85	clock reconvergence pessimism
			-0.07	0.78	library hold time
				0.78	data required time

				0.78	data required time
				-1.85	data arrival time

				1.08	slack (MET)

Startpoint: _441_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _442_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description	

1	0.02	0.13	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
			0.08	0.08	^ clk (in)	
4	0.04	0.13	0.10	0.08	clk (net)	
				0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.10	0.09	0.35	clknet_0_clk (net)	
				0.00	0.35	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.25	0.59	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
2	0.01	0.09	0.13	0.60	clknet_2_1__leaf_clk (net)	
				0.00	0.60	^ _441_/CLK (sky130_fd_sc_hd__dfrtp_1)
				0.66	1.26	^ _441_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.00	0.07	0.24	1.26	tx_shift[4] (net)	
				0.00	1.26	^ _251_/A1 (sky130_fd_sc_hd__mux2_1)
				0.22	1.49	^ _251_/X (sky130_fd_sc_hd__mux2_1)
1	0.00	0.08	0.22	1.49	_130_ (net)	
				0.00	1.49	^ _252_/A1 (sky130_fd_sc_hd__mux2_1)
				0.22	1.71	^ _252_/X (sky130_fd_sc_hd__mux2_1)
1	0.00	0.06	0.14	1.71	_131_ (net)	
				0.00	1.71	^ _253_/A (sky130_fd_sc_hd__clkbuf_1)
				0.14	1.85	^ _253_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.06	0.00	1.85	_082_ (net)	
				0.00	1.85	^ _442_/D (sky130_fd_sc_hd__dfrtp_1)
				0.00	1.85	data arrival time

1	0.02	0.13	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
			0.09	0.09	^ clk (in)	
4	0.04	0.13	0.10	0.09	clk (net)	
				0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.10	0.09	0.38	clknet_0_clk (net)	
				0.00	0.38	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.27	0.66	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.25	0.66	clknet_2_1__leaf_clk (net)	
				0.00	0.66	^ _442_/CLK (sky130_fd_sc_hd__dfrtp_1)
				0.91		clock uncertainty
			-0.06	0.85	clock reconvergence pessimism	
			-0.07	0.77	library hold time	
				0.77	data required time	

				0.77	data required time	
				-1.85	data arrival time	

				1.08	slack (MET)	

Startpoint: rst (input port clocked by clk)
 Endpoint: _429_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description		

1	0.00	0.02	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
		0.01	2.00	2.00	v input external delay		
			2.01	2.01	v rst (in)		
		0.02	0.00	2.01	v rst (net)		
			0.11	0.18	2.01	v input2/A (sky130_fd_sc_hd__buf_1)	
		3	0.01	0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)	
					net2 (net)		
		10	0.07	0.11	2.18	v _378_/A (sky130_fd_sc_hd__buf_4)	
					0.17	0.36	2.55
1	0.00	0.07	0.00	2.55	v _202_ (net)		
				2.55	v _380_/A (sky130_fd_sc_hd__inv_2)		
		0.07	0.11	2.66	^ _380_/Y (sky130_fd_sc_hd__inv_2)		
				2.66	^ _023_ (net)		
		0.07	0.00	2.66	^ _429_/RESET_B (sky130_fd_sc_hd__dftrtp_1)		
				2.66	data arrival time		
		1	0.02	0.13	0.00	0.00	clock clk (rise edge)
					0.00	0.00	clock source latency
				0.09	0.09	0.09	^ clk (in)
					0.13	0.00	0.09
4	0.04			0.10	0.38	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
					0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
14	0.04			0.10	0.38	^ clknet_0_clk (net)	
					0.10	0.00	0.38
14	0.04			0.10	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					0.66	^ clknet_2_0__leaf_clk (net)	
		0.10	0.67	^ _429_/CLK (sky130_fd_sc_hd__dftrtp_1)			
			0.25	0.92	clock uncertainty		
		0.00	0.92	clock reconvergence pessimism			
			0.66	1.58	library removal time		

				1.58	data required time		
				-2.66	data arrival time		

				1.08	slack (MET)		

Startpoint: rst (input port clocked by clk)
 Endpoint: _437_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
				2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.07	0.11	0.00	2.18	v _378_/A (sky130_fd_sc_hd__buf_4)
				2.55	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
		0.17	0.01	2.55	v _388_/A (sky130_fd_sc_hd__inv_2)
				2.66	^ _388_/Y (sky130_fd_sc_hd__inv_2)

1	0.00	0.06	0.00	2.66	^	_031_ (net)
				2.66		_437_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
						data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.13	0.09	0.09	^	clk (in)
1	0.02					clk (net)
		0.13	0.00	0.09	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	0.38	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.27	0.66	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^	_437_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.91		clock uncertainty
			0.00	0.91		clock reconvergence pessimism
			0.66	1.57		library removal time
				1.57		data required time

				1.57		data required time
				-2.66		data arrival time

				1.08		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _434_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.18	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.17	0.36	2.55	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.17	0.00	2.55	v _385_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.11	2.66	^ _385_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_028_ (net)
		0.06	0.00	2.66	^ _434_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.66	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.66	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	0.66	^ _434_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.91	clock uncertainty
			0.00	0.91	clock reconvergence pessimism
			0.66	1.57	library removal time
				1.57	data required time

				1.57	data required time
				-2.66	data arrival time

1.09 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _433_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.02	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.01	2.01	v rst (in)
					rst (net)
			0.02	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
			0.11	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.11	2.18	v _378_/A (sky130_fd_sc_hd__buf_4)
			0.17	2.55	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07			_202_ (net)	
		0.17	2.55	v _384_/A (sky130_fd_sc_hd__inv_2)	
1	0.00		0.11	2.66	^ _384_/Y (sky130_fd_sc_hd__inv_2)
		0.06			_027_ (net)
		0.06	0.00	2.66	^ _433_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.66	data arrival time

1	0.02	0.13	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
			0.09	0.09	^ clk (in)
					clk (net)
4	0.04		0.09	0.38	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.66	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.09	0.00	0.66	^ _433_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.25	0.91	clock uncertainty	
		0.00	0.91	clock reconvergence pessimism	
		0.66	1.57	library removal time	
			1.57	data required time	

				1.57	data required time
				-2.66	data arrival time

				1.09	slack (MET)

Startpoint: _410_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _410_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
			0.13	0.08	^ clk (in)
1	0.02				clk (net)
			0.13	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.10	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
			0.10	0.35	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.10	0.60	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
			0.10	0.60	^ _410_/CLK (sky130_fd_sc_hd__dftrtp_2)
			0.18	1.37	^ _410_/Q (sky130_fd_sc_hd__dftrtp_2)

6	0.02	0.18	0.00	1.37	^	clk_count[2] (net)
		0.06	0.18	1.55	^	_347_/B1 (sky130_fd_sc_hd_a21o_1)
1	0.00				^	_347_/X (sky130_fd_sc_hd_a21o_1)
		0.06	0.00	1.55	^	_195_ (net)
		0.09	0.32	1.87	^	_348_/A3 (sky130_fd_sc_hd_a32o_1)
1	0.00				^	_348_/X (sky130_fd_sc_hd_a32o_1)
		0.09	0.00	1.87	^	_052_ (net)
				1.87	^	_410_/D (sky130_fd_sc_hd_dfrtp_2)
				1.87		data arrival time
		0.00	0.00			clock clk (rise edge)
		0.00	0.00			clock source latency
1	0.02	0.13	0.09	0.09	^	clk (in)
						clk (net)
		0.13	0.00	0.09	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.29	0.38	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.10	0.00	0.38	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.10	0.28	0.66	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.10	0.00	0.67	^	_410_/CLK (sky130_fd_sc_hd_dfrtp_2)
			0.25	0.92		clock uncertainty
		-0.06	0.85			clock reconvergence pessimism
		-0.08	0.78			library hold time
			0.78			data required time

				0.78		data required time
				-1.87		data arrival time

				1.09		slack (MET)

Startpoint: _408_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _408_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.08	0.08	^ clk (in)
					clk (net)
		0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.10	0.25	0.60	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.60	^ _408_/CLK (sky130_fd_sc_hd_dfrtp_4)
8	0.03	0.19	0.88	1.48	^ _408_/Q (sky130_fd_sc_hd_dfrtp_4)
					clk_count[0] (net)
		0.19	0.00	1.48	^ _352_/S (sky130_fd_sc_hd_mux2_1)
1	0.00	0.07	0.28	1.76	^ _352_/X (sky130_fd_sc_hd_mux2_1)
					198 (net)
		0.07	0.00	1.76	^ _353_/A (sky130_fd_sc_hd_clkbuf_1)
1	0.00	0.07	0.14	1.90	^ _353_/X (sky130_fd_sc_hd_clkbuf_1)
					050 (net)
		0.07	0.00	1.90	^ _408_/D (sky130_fd_sc_hd_dfrtp_4)
				1.90	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.09	0.09	^ clk (in)
					clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)

14	0.04	0.10	0.28	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.67	^ _408_/CLK (sky130_fd_sc_hd__dftrtp_4)
			0.25	0.92	clock uncertainty
			-0.06	0.85	clock reconvergence pessimism
			-0.07	0.78	library hold time
				0.78	data required time

			0.78	data required time	
			-1.90	data arrival time	

			1.11	slack (MET)	

Startpoint: _455_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _424_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.08	0.08	^ clk (in)
					clk (net)
		0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.25	0.59	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
12	0.04	0.09	0.00	0.60	^ _455_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.11	0.64	1.24	^ _455_/Q (sky130_fd_sc_hd__dftrtp_1)
2	0.01				bit_count[3] (net)
		0.11	0.00	1.24	^ _216_/A (sky130_fd_sc_hd__nor2_1)
2	0.01	0.06	0.11	1.35	v _216_/Y (sky130_fd_sc_hd__nor2_1)
					108 (net)
3	0.01	0.06	0.00	1.35	v _217_/D (sky130_fd_sc_hd__nand4_1)
		0.18	0.19	1.54	^ _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.18	0.00	1.54	^ _270_/B (sky130_fd_sc_hd__and2_1)
1	0.00	0.08	0.25	1.79	^ _270_/X (sky130_fd_sc_hd__and2_1)
					143 (net)
1	0.00	0.08	0.00	1.79	^ _271_/A (sky130_fd_sc_hd__clkbuf_1)
		0.12	0.18	1.97	^ _271_/X (sky130_fd_sc_hd__clkbuf_1)
2	0.01				_000_ (net)
		0.12	0.00	1.97	^ _424_/D (sky130_fd_sc_hd__dftrtp_2)
1	0.02			1.97	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
					clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.27	0.66	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^ _424_/CLK (sky130_fd_sc_hd__dftrtp_2)
1	0.02		0.25	0.91	clock uncertainty
			-0.04	0.87	clock reconvergence pessimism
			-0.08	0.79	library hold time
				0.79	data required time

				0.79	data required time
				-1.97	data arrival time

				1.18	slack (MET)

Startpoint: _414_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _414_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.08	0.08	^ clk (in)
					clk (net)
4	0.04	0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04	0.10	0.00	0.35	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.59	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_2_leaf_clk (net)
6	0.02	0.09	0.00	0.59	^ _414_/CLK (sky130_fd_sc_hd_dfrtp_1)
				1.40	v _414_/Q (sky130_fd_sc_hd_dfrtp_1)
1	0.00	0.18	0.00		clk_count[6] (net)
				1.40	v _334_/A_N (sky130_fd_sc_hd_and3b_1)
1	0.00	0.09	0.44	1.84	^ _334_/X (sky130_fd_sc_hd_and3b_1)
					186 (net)
1	0.00	0.09	0.00	1.84	^ _335_/B1 (sky130_fd_sc_hd_a21o_1)
				1.98	^ _335_/X (sky130_fd_sc_hd_a21o_1)
1	0.00	0.05	0.00		_056_ (net)
				1.98	^ _414_/D (sky130_fd_sc_hd_dfrtp_1)
				1.98	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.09	0.09	^ clk (in)
					clk (net)
4	0.04	0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04	0.10	0.00	0.38	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.65	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_2_leaf_clk (net)
		0.09	0.00	0.65	^ _414_/CLK (sky130_fd_sc_hd_dfrtp_1)
				0.90	clock uncertainty
			-0.06	0.84	clock reconvergence pessimism
			-0.07	0.77	library hold time
				0.77	data required time

				0.77	data required time
				-1.98	data arrival time

				1.20	slack (MET)

Startpoint: _420_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _420_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.08	0.08	^ clk (in)
					clk (net)
4	0.04	0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
			0.10	0.00	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)

		0.10	0.25	0.60	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.10	0.00	0.60	^ _420_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.17	0.81	1.41	v _420_/Q (sky130_fd_sc_hd__dftrtp_1)
6	0.01				clk_count[12] (net)
		0.17	0.00	1.41	v _311_/A_N (sky130_fd_sc_hd__and3b_1)
		0.10	0.44	1.85	^ _311_/X (sky130_fd_sc_hd__and3b_1)
1	0.00				_169_ (net)
		0.10	0.00	1.85	^ _312_/B1 (sky130_fd_sc_hd__a21o_1)
		0.05	0.14	1.99	^ _312_/X (sky130_fd_sc_hd__a21o_1)
1	0.00				_062_ (net)
		0.05	0.00	1.99	^ _420_/D (sky130_fd_sc_hd__dftrtp_1)
				1.99	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.27	0.66	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^ _420_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.91	clock uncertainty
		-0.06	0.85		clock reconvergence pessimism
		-0.07	0.78		library hold time
			0.78		data required time

			0.78		data required time
			-1.99		data arrival time

			1.21		slack (MET)

Startpoint: _412_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _412_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	0.59	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.09	0.00	0.59	^ _412_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.16	0.80	1.39	v _412_/Q (sky130_fd_sc_hd__dftrtp_1)
5	0.01				clk_count[4] (net)
		0.16	0.00	1.39	v _336_/A (sky130_fd_sc_hd__nand2_1)
		0.15	0.19	1.58	^ _336_/Y (sky130_fd_sc_hd__nand2_1)
3	0.01				_187_ (net)
		0.15	0.00	1.58	^ _338_/A2 (sky130_fd_sc_hd__a21o_1)
		0.10	0.26	1.83	^ _338_/X (sky130_fd_sc_hd__a21o_1)
2	0.01				_189_ (net)
		0.10	0.00	1.84	^ _342_/A2 (sky130_fd_sc_hd__a21o_1)
		0.05	0.20	2.04	^ _342_/X (sky130_fd_sc_hd__a21o_1)
1	0.00				_054_ (net)
		0.05	0.00	2.04	^ _412_/D (sky130_fd_sc_hd__dftrtp_1)
				2.04	data arrival time
			0.00	0.00	clock clk (rise edge)

			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.09	0.00	0.65	^ _412_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.90	clock uncertainty
		-0.06	0.84		clock reconvergence pessimism
		-0.07	0.77		library hold time
				0.77	data required time

				0.77	data required time
				-2.04	data arrival time

				1.27	slack (MET)

Startpoint: _455_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _425_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.25	0.59	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	0.60	^ _455_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.11	0.64	1.24	^ _455_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				bit_count[3] (net)
		0.11	0.00	1.24	^ _216_/A (sky130_fd_sc_hd__nor2_1)
		0.06	0.11	1.35	v _216_/Y (sky130_fd_sc_hd__nor2_1)
2	0.01				_108_ (net)
		0.06	0.00	1.35	v _217_/D (sky130_fd_sc_hd__nand4_1)
		0.18	0.19	1.54	^ _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.18	0.00	1.54	^ _218_/A (sky130_fd_sc_hd__buf_4)
		0.30	0.40	1.94	^ _218_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_110_ (net)
		0.30	0.00	1.94	^ _354_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.10	2.05	v _354_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_001_ (net)
		0.06	0.00	2.05	v _425_/D (sky130_fd_sc_hd__dfrtp_1)
				2.05	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.09	0.00	0.65	^ _425_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.90	clock uncertainty
		-0.04	0.87		clock reconvergence pessimism

-0.09	0.78	library hold time
	0.78	data required time

	0.78	data required time
	-2.05	data arrival time

	1.27	slack (MET)

Startpoint: _416_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _416_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
10	0.04	0.09	0.24	0.59	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_2_leaf_clk (net)
		0.09	0.00	0.59	^ _416_/CLK (sky130_fd_sc_hd_dfrtp_1)
5	0.02	0.18	0.82	1.41	v _416_/Q (sky130_fd_sc_hd_dfrtp_1)
					clk_count[8] (net)
		0.18	0.00	1.41	v _322_/A (sky130_fd_sc_hd_nand3_1)
3	0.01	0.15	0.19	1.60	^ _322_/Y (sky130_fd_sc_hd_nand3_1)
					177 (net)
		0.15	0.00	1.60	^ _324_/A2 (sky130_fd_sc_hd_a21o_1)
2	0.01	0.10	0.26	1.86	^ _324_/X (sky130_fd_sc_hd_a21o_1)
					179 (net)
		0.10	0.00	1.86	^ _327_/A2 (sky130_fd_sc_hd_a21o_1)
		0.05	0.20	2.06	^ _327_/X (sky130_fd_sc_hd_a21o_1)
1	0.00				_058_ (net)
		0.05	0.00	2.06	^ _416_/D (sky130_fd_sc_hd_dfrtp_1)
				2.06	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
10	0.04	0.09	0.27	0.65	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_2_leaf_clk (net)
		0.09	0.00	0.65	^ _416_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.90	clock uncertainty
		-0.06	0.84		clock reconvergence pessimism
		-0.07	0.77		library hold time
				0.77	data required time

				0.77	data required time
				-2.06	data arrival time

				1.29	slack (MET)

Startpoint: _454_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _455_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.25	0.59	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	0.60	^ _454_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.09	0.73	1.32	v _454_/Q (sky130_fd_sc_hd__dftrtp_1)
2	0.00				bit_count[2] (net)
		0.09	0.00	1.32	v _215_/A (sky130_fd_sc_hd__nand3_1)
		0.11	0.13	1.45	^ _215_/Y (sky130_fd_sc_hd__nand3_1)
2	0.00				_107_ (net)
		0.11	0.00	1.45	^ _219_/C (sky130_fd_sc_hd__and4_1)
		0.13	0.40	1.86	^ _219_/X (sky130_fd_sc_hd__and4_1)
2	0.01				_111_ (net)
		0.13	0.00	1.86	^ _220_/A2 (sky130_fd_sc_hd__o21a_1)
		0.07	0.22	2.08	^ _220_/X (sky130_fd_sc_hd__o21a_1)
1	0.00				_095_ (net)
		0.07	0.00	2.08	^ _455_/D (sky130_fd_sc_hd__dftrtp_1)
				2.08	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.66	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	0.66	^ _455_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.25	0.91		clock uncertainty
		-0.06	0.85		clock reconvergence pessimism
		-0.07	0.77		library hold time
			0.77		data required time

				0.77	data required time
				-2.08	data arrival time

				1.30	slack (MET)

Startpoint: _416_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _417_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	0.59	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.09	0.00	0.59	^ _416_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.18	0.82	1.41	v _416_/Q (sky130_fd_sc_hd__dftrtp_1)
5	0.02				clk_count[8] (net)

		0.18	0.00	1.41	v	_322_/A (sky130_fd_sc_hd__nand3_1)
		0.15	0.19	1.60	^	_322_/Y (sky130_fd_sc_hd__nand3_1)
3	0.01					_177_ (net)
		0.15	0.00	1.60	^	_324_/A2 (sky130_fd_sc_hd__a21o_1)
2	0.01	0.10	0.26	1.86	^	_324_/X (sky130_fd_sc_hd__a21o_1)
						179 (net)
		0.10	0.00	1.86	^	_325_/B1 (sky130_fd_sc_hd__a2bb2o_1)
1	0.00	0.07	0.23	2.09	^	_325_/X (sky130_fd_sc_hd__a2bb2o_1)
						059 (net)
		0.07	0.00	2.09	^	_417_/D (sky130_fd_sc_hd__dfrrtp_1)
				2.09		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.13	0.09	0.09	^	clk (in)
						clk (net)
		0.13	0.00	0.09	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.10	0.00	0.38	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.04	0.09	0.27	0.65	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
		0.09	0.00	0.65	^	_417_/CLK (sky130_fd_sc_hd__dfrrtp_1)
			0.25	0.90		clock uncertainty
		-0.06	0.84			clock reconvergence pessimism
		-0.07	0.77			library hold time
				0.77		data required time

				0.77		data required time
				-2.09		data arrival time

				1.32		slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _444_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.08	0.08	^ clk (in)
					clk (net)
		0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.25	0.60	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.60	^ _435_/CLK (sky130_fd_sc_hd__dfrrtp_2)
4	0.03	0.22	0.80	1.40	^ _435_/Q (sky130_fd_sc_hd__dfrrtp_2)
					net24 (net)
		0.22	0.00	1.40	^ _235_/A (sky130_fd_sc_hd__inv_2)
2	0.01	0.06	0.11	1.51	v _235_/Y (sky130_fd_sc_hd__inv_2)
					123 (net)
		0.06	0.00	1.51	v _236_/A (sky130_fd_sc_hd__nand2_1)
2	0.01	0.14	0.13	1.64	^ _236_/Y (sky130_fd_sc_hd__nand2_1)
					124 (net)
		0.14	0.00	1.64	^ _239_/B (sky130_fd_sc_hd__nor2_2)
8	0.03	0.15	0.17	1.82	v _239_/Y (sky130_fd_sc_hd__nor2_2)
					127 (net)
		0.15	0.00	1.82	v _247_/B1 (sky130_fd_sc_hd__a22o_1)
1	0.00	0.06	0.33	2.15	v _247_/X (sky130_fd_sc_hd__a22o_1)
					084 (net)
		0.06	0.00	2.15	v _444_/D (sky130_fd_sc_hd__dfrrtp_1)
				2.15	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.09	0.09	^ clk (in)
					clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.10	0.27	0.66	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
		0.10	0.00	0.66	^ _444_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.91	clock uncertainty
			-0.04	0.88	clock reconvergence pessimism
			-0.09	0.79	library hold time
				0.79	data required time

				0.79	data required time
				-2.15	data arrival time

				1.37	slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _445_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.08	0.08	^ clk (in)
					clk (net)
		0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.10	0.25	0.60	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)
		0.10	0.00	0.60	^ _435_/CLK (sky130_fd_sc_hd_dfrtp_2)
4	0.03	0.22	0.80	1.40	^ _435_/Q (sky130_fd_sc_hd_dfrtp_2)
					net24 (net)
		0.22	0.00	1.40	^ _235_/A (sky130_fd_sc_hd_inv_2)
2	0.01	0.06	0.11	1.51	v _235_/Y (sky130_fd_sc_hd_inv_2)
					123 (net)
		0.06	0.00	1.51	v _236_/A (sky130_fd_sc_hd_nand2_1)
2	0.01	0.14	0.13	1.64	^ _236_/Y (sky130_fd_sc_hd_nand2_1)
					124 (net)
		0.14	0.00	1.64	^ _239_/B (sky130_fd_sc_hd_nor2_2)
8	0.03	0.15	0.17	1.82	v _239_/Y (sky130_fd_sc_hd_nor2_2)
					127 (net)
		0.15	0.00	1.82	v _246_/B1 (sky130_fd_sc_hd_a22o_1)
1	0.00	0.07	0.34	2.16	v _246_/X (sky130_fd_sc_hd_a22o_1)
					085 (net)
		0.07	0.00	2.16	v _445_/D (sky130_fd_sc_hd_dfrtp_1)
				2.16	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.09	0.09	^ clk (in)
					clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.27	0.66	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
		0.09	0.00	0.66	^ _445_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.91	clock uncertainty

-0.04 0.87 clock reconvergence pessimism
-0.09 0.78 library hold time
0.78 data required time

0.78 data required time
-2.16 data arrival time

1.38 slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _446_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.10	0.25	0.60	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.60	^ _435_/CLK (sky130_fd_sc_hd_dfrtp_2)
4	0.03	0.22	0.80	1.40	^ _435_/Q (sky130_fd_sc_hd_dfrtp_2)
					net24 (net)
		0.22	0.00	1.40	^ _235_/A (sky130_fd_sc_hd_inv_2)
2	0.01	0.06	0.11	1.51	v _235_/Y (sky130_fd_sc_hd_inv_2)
					123 (net)
		0.06	0.00	1.51	v _236_/A (sky130_fd_sc_hd_nand2_1)
2	0.01	0.14	0.13	1.64	^ _236_/Y (sky130_fd_sc_hd_nand2_1)
					124 (net)
		0.14	0.00	1.64	^ _239_/B (sky130_fd_sc_hd_nor2_2)
8	0.03	0.15	0.17	1.82	v _239_/Y (sky130_fd_sc_hd_nor2_2)
					127 (net)
		0.15	0.00	1.82	v _245_/B1 (sky130_fd_sc_hd_a22o_1)
1	0.00	0.07	0.34	2.17	v _245_/X (sky130_fd_sc_hd_a22o_1)
					086 (net)
		0.07	0.00	2.17	v _446_/D (sky130_fd_sc_hd_dfrtp_1)
				2.17	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.27	0.66	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.09	0.00	0.66	^ _446_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.25	0.91		clock uncertainty
		-0.04	0.87		clock reconvergence pessimism
		-0.09	0.78		library hold time
			0.78		data required time
				0.78	data required time
				-2.17	data arrival time
				1.39	slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _448_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.02	0.13	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
			0.08	0.08	^ clk (in)
					clk (net)
4	0.04	0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	0.60	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
4	0.03	0.10	0.00	0.60	^ _435_/CLK (sky130_fd_sc_hd__dfrtp_2)
		0.22	0.80	1.40	^ _435_/Q (sky130_fd_sc_hd__dfrtp_2)
2	0.01				net24 (net)
		0.22	0.00	1.40	^ _235_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.11	1.51	v _235_/Y (sky130_fd_sc_hd__inv_2)
					123 (net)
2	0.01	0.06	0.00	1.51	v _236_/A (sky130_fd_sc_hd__nand2_1)
		0.14	0.13	1.64	^ _236_/Y (sky130_fd_sc_hd__nand2_1)
8	0.03				_124_ (net)
		0.14	0.00	1.64	^ _239_/B (sky130_fd_sc_hd__nor2_2)
		0.15	0.17	1.82	v _239_/Y (sky130_fd_sc_hd__nor2_2)
					127 (net)
1	0.00	0.15	0.00	1.82	v _243_/B1 (sky130_fd_sc_hd__a22o_1)
		0.07	0.34	2.16	v _243_/X (sky130_fd_sc_hd__a22o_1)
					088 (net)
		0.07	0.00	2.16	v _448_/D (sky130_fd_sc_hd__dfrtp_1)
				2.16	data arrival time

1	0.02	0.13	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
			0.09	0.09	^ clk (in)
					clk (net)
4	0.04	0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.28	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
				0.67	^ _448_/CLK (sky130_fd_sc_hd__dfrtp_1)
				0.25	clock uncertainty
				-0.06	clock reconvergence pessimism
				-0.09	library hold time
				0.76	data required time

				0.76	data required time
				-2.16	data arrival time

				1.39	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _424_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)

3	0.01	0.11	0.18	2.18	v	input2/X (sky130_fd_sc_hd_buf_1)
		0.11	0.00	2.18	v	_355_/A (sky130_fd_sc_hd_buf_4)
10	0.05	0.14	0.34	2.52	v	_355_/X (sky130_fd_sc_hd_buf_4)
		0.14	0.00	2.52	v	_199_ (net)
10	0.07	0.15	0.35	2.87	v	_367_/A (sky130_fd_sc_hd_clkbuf_8)
		0.15	0.00	2.87	v	_367_/X (sky130_fd_sc_hd_clkbuf_8)
1	0.00	0.06	0.10	2.87	v	_201_ (net)
		0.06	0.00	2.87	v	_374_/A (sky130_fd_sc_hd_inv_2)
		0.06	0.00	2.97	^	_374_/Y (sky130_fd_sc_hd_inv_2)
		0.06	0.00	2.97	^	_018_ (net)
		0.06	0.00	2.97	^	_424_/RESET_B (sky130_fd_sc_hd_dfrtp_2)
				2.97		data arrival time
		0.00	0.00			clock clk (rise edge)
		0.00	0.00			clock source latency
1	0.02	0.13	0.09	0.09	^	clk (in)
		0.13	0.00	0.09	^	clk (net)
4	0.04	0.10	0.29	0.38	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.00	0.38	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.10	0.00	0.38	^	clknet_0_clk (net)
		0.10	0.27	0.66	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.00	0.66	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.00	0.66	^	clknet_2_3_leaf_clk (net)
		0.25	0.91			_424_/CLK (sky130_fd_sc_hd_dfrtp_2)
		0.00	0.91			clock uncertainty
		0.66	1.57			clock reconvergence pessimism
			1.57			library removal time
				1.57		data required time
				1.57		data required time
				-2.97		data arrival time
				1.40		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _420_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.02	2.01	v rst (in)
1	0.00				rst (net)
			0.02	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01		0.11	2.18	v input2/X (sky130_fd_sc_hd_buf_1)
			0.14	2.52	v _355_/A (sky130_fd_sc_hd_buf_4)
10	0.05		0.14	2.52	v _355_/X (sky130_fd_sc_hd_buf_4)
			0.14	2.52	v _199_ (net)
10	0.07		0.15	2.87	v _367_/A (sky130_fd_sc_hd_clkbuf_8)
			0.15	2.87	v _367_/X (sky130_fd_sc_hd_clkbuf_8)
1	0.00		0.06	2.87	v _201_ (net)
			0.06	2.87	v _370_/A (sky130_fd_sc_hd_inv_2)
			0.06	2.97	^ _370_/Y (sky130_fd_sc_hd_inv_2)
			0.06	2.97	^ _014_ (net)
			0.06	2.97	^ _420_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.97	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02		0.13	0.09	^ clk (in)
			0.13	0.09	^ clk (net)
			0.13	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
			0.10	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)

4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.27	0.66	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^ _420_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.91	clock uncertainty
			0.00	0.91	clock reconvergence pessimism
			0.66	1.57	library removal time
				1.57	data required time

				1.57	data required time
				-2.97	data arrival time

				1.40	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _408_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.14	0.34	2.52	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.14	0.00	2.52	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.15	0.36	2.88	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)
		0.15	0.00	2.89	v _357_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.10	2.98	^ _357_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_002_ (net)
		0.06	0.00	2.98	^ _408_/RESET_B (sky130_fd_sc_hd__dfrtp_4)
				2.98	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.28	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.67	^ _408_/CLK (sky130_fd_sc_hd__dfrtp_4)
			0.25	0.92	clock uncertainty
			0.00	0.92	clock reconvergence pessimism
			0.66	1.58	library removal time
				1.58	data required time

				1.58	data required time
				-2.98	data arrival time

				1.40	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _419_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description	

1	0.00	0.02	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			2.00	2.00	v input external delay	
			0.01	2.01	v rst (in)	
					rst (net)	
			0.02	2.01	v input2/A (sky130_fd_sc_hd__buf_1)	
			0.11	2.18	v input2/X (sky130_fd_sc_hd__buf_1)	
					net2 (net)	
			0.11	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)	
			0.14	2.52	v _355_/X (sky130_fd_sc_hd__buf_4)	
10	0.05			_199_ (net)		
10	0.07		0.14	2.52	v _367_/A (sky130_fd_sc_hd__clkbuf_8)	
			0.15	2.87	v _367_/X (sky130_fd_sc_hd__clkbuf_8)	
1	0.00				_201_ (net)	
			0.15	2.88	v _369_/A (sky130_fd_sc_hd__inv_2)	
			0.06	2.97	^ _369_/Y (sky130_fd_sc_hd__inv_2)	
					013 (net)	
			0.06	2.97	^ _419_/RESET_B (sky130_fd_sc_hd__dfrtp_1)	
				2.97	data arrival time	

1	0.02		0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
			0.13	0.09	^ clk (in)	
4	0.04				clk (net)	
			0.13	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
			0.10	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
12	0.04				clknet_0_clk (net)	
			0.10	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
			0.10	0.66	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					clknet_2_3__leaf_clk (net)	
			0.10	0.66	^ _419_/CLK (sky130_fd_sc_hd__dfrtp_1)	
				0.25	clock uncertainty	
				0.00	clock reconvergence pessimism	
				0.66	library removal time	
				1.57	data required time	

				1.57	data required time	
				-2.97	data arrival time	

				1.40	slack (MET)	

Startpoint: rst (input port clocked by clk)

Endpoint: _421_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.02	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.01	2.01	v rst (in)
					rst (net)
			0.02	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
			0.11	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.11	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.14	2.52	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
10	0.07		0.14	2.52	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
			0.15	2.87	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
1	0.00				_201_ (net)
			0.15	2.88	v _371_/A (sky130_fd_sc_hd__inv_2)
			0.06	2.97	^ _371_/Y (sky130_fd_sc_hd__inv_2)

1	0.00	0.06	0.00	2.97	^	_015_ (net)
				2.97	^	_421_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
						data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.13	0.09	0.09	^	clk (in)
1	0.02					clk (net)
		0.13	0.00	0.09	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	0.38	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.27	0.66	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^	_421_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.91		clock uncertainty
			0.00	0.91		clock reconvergence pessimism
			0.66	1.57		library removal time
				1.57		data required time

				1.57		data required time
				-2.97		data arrival time

				1.40		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _426_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.14	0.34	2.52	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.14	0.00	2.52	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.15	0.35	2.87	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.15	0.01	2.88	v _376_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.10	2.97	^ _376_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_020_ (net)
		0.06	0.00	2.97	^ _426_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.97	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.27	0.66	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^ _426_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.91	clock uncertainty
			0.00	0.91	clock reconvergence pessimism
			0.66	1.57	library removal time
				1.57	data required time

1.57 data required time
-2.97 data arrival time

1.40 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _410_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.02	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
			0.01	2.01 v	rst (in)
					rst (net)
			0.02	2.01 v	input2/A (sky130_fd_sc_hd__buf_1)
			0.11	2.18 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.11	2.18 v	_355_/A (sky130_fd_sc_hd__buf_4)
			0.14	2.52 v	_355_/X (sky130_fd_sc_hd__buf_4)
10	0.05			_199_ (net)	
10	0.06	0.14	2.52 v	_356_/A (sky130_fd_sc_hd__buf_4)	
		0.15	2.88 v	_356_/X (sky130_fd_sc_hd__buf_4)	
10	0.06	0.15	2.88 v	_359_/A (sky130_fd_sc_hd__inv_2)	
		0.06	2.98 ^	_359_/Y (sky130_fd_sc_hd__inv_2)	
1	0.00	0.15	2.88 v	_004_ (net)	
		0.06	2.98 ^	_410_/RESET_B (sky130_fd_sc_hd__dfrtp_2)	
		0.06	2.98	data arrival time	

1	0.02	0.13	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
			0.09	0.09 ^	clk (in)
					clk (net)
4	0.04	0.13	0.09 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.10	0.38 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
14	0.04				clknet_0_clk (net)
		0.10	0.38 ^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.10	0.66 ^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
				clknet_2_0__leaf_clk (net)	
		0.10	0.67 ^	_410_/CLK (sky130_fd_sc_hd__dfrtp_2)	
		0.25	0.92	clock uncertainty	
		0.00	0.92	clock reconvergence pessimism	
		0.66	1.58	library removal time	
			1.58	data required time	

			1.58	data required time	
			-2.98	data arrival time	

			1.40	slack (MET)	

Startpoint: rst (input port clocked by clk)
Endpoint: _418_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.02	0.01	2.01 v	rst (in)
					rst (net)
		0.02	0.00	2.01 v	input2/A (sky130_fd_sc_hd__buf_1)

3	0.01	0.11	0.18	2.18	v	input2/X (sky130_fd_sc_hd__buf_1)	
						net2 (net)	
		0.11	0.00	2.18	v	_355_/A (sky130_fd_sc_hd__buf_4)	
10	0.05	0.14	0.34	2.52	v	_355_/X (sky130_fd_sc_hd__buf_4)	
						199 (net)	
		0.14	0.00	2.52	v	_367_/A (sky130_fd_sc_hd__clkbuf_8)	
10	0.07	0.15	0.35	2.87	v	_367_/X (sky130_fd_sc_hd__clkbuf_8)	
						201 (net)	
		0.15	0.01	2.88	v	_368_/A (sky130_fd_sc_hd__inv_2)	
		0.06	0.10	2.97	^	_368_/Y (sky130_fd_sc_hd__inv_2)	
1	0.00					_012_ (net)	
		0.06	0.00	2.97	^	_418_/RESET_B (sky130_fd_sc_hd__dfrtp_1)	
				2.97		data arrival time	
			0.00	0.00		clock clk (rise edge)	
			0.00	0.00		clock source latency	
		0.13	0.09	0.09	^	clk (in)	
1	0.02					clk (net)	
		0.13	0.00	0.09	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.10	0.29	0.38	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
4	0.04					clknet_0_clk (net)	
		0.10	0.00	0.38	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.10	0.27	0.66	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
12	0.04					clknet_2_3_leaf_clk (net)	
		0.10	0.00	0.66	^	_418_/CLK (sky130_fd_sc_hd__dfrtp_1)	
			0.25	0.91		clock uncertainty	
			0.00	0.91		clock reconvergence pessimism	
			0.66	1.57		library removal time	
				1.57		data required time	
				1.57		data required time	
				-2.97		data arrival time	
				1.40		slack (MET)	

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.34	2.52	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.52	v _356_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.15	0.36	2.88	v _356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
		0.15	0.00	2.89	v _360_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.10	2.98	^ _360_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_005_ (net)
		0.06	0.00	2.98	^ _411_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.98	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.09	0.09	^ clk (in)
					clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)

4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.28	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.67	^ _411_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.92	clock uncertainty
			0.00	0.92	clock reconvergence pessimism
			0.66	1.58	library removal time
				1.58	data required time

				1.58	data required time
				-2.98	data arrival time

				1.40	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _427_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.14	0.34	2.52	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.14	0.00	2.52	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.15	0.35	2.87	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.15	0.00	2.87	v _377_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.10	2.97	^ _377_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_021_ (net)
		0.06	0.00	2.97	^ _427_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.97	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.66	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	0.66	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.91	clock uncertainty
			0.00	0.91	clock reconvergence pessimism
			0.66	1.57	library removal time
				1.57	data required time

				1.57	data required time
				-2.97	data arrival time

				1.40	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _423_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.02	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.01	2.01	v rst (in)
					rst (net)
			0.02	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
			0.11	2.18	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
			0.11	2.18	v _355_/A (sky130_fd_sc_hd_buf_4)
			0.14	2.52	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
10	0.07		0.14	2.52	v _367_/A (sky130_fd_sc_hd_clkbuf_8)
			0.15	2.87	v _367_/X (sky130_fd_sc_hd_clkbuf_8)
1	0.00				_201_ (net)
			0.15	2.87	v _373_/A (sky130_fd_sc_hd_inv_2)
			0.06	2.97	^ _373_/Y (sky130_fd_sc_hd_inv_2)
					017 (net)
		0.06	0.00	2.97	^ _423_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.97	data arrival time

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
4	0.04				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_2_leaf_clk (net)
		0.09	0.00	0.65	^ _423_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.90	clock uncertainty
			0.00	0.90	clock reconvergence pessimism
			0.66	1.56	library removal time
				1.56	data required time

				1.56	data required time
				-2.97	data arrival time

				1.41	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _425_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.02	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.01	2.01	v rst (in)
					rst (net)
			0.02	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
			0.11	2.18	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
			0.11	2.18	v _355_/A (sky130_fd_sc_hd_buf_4)
			0.14	2.52	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
10	0.07		0.14	2.52	v _367_/A (sky130_fd_sc_hd_clkbuf_8)
			0.15	2.87	v _367_/X (sky130_fd_sc_hd_clkbuf_8)
1	0.00				_201_ (net)
			0.15	2.88	v _375_/A (sky130_fd_sc_hd_inv_2)
		0.06	0.10	2.97	^ _375_/Y (sky130_fd_sc_hd_inv_2)

1	0.00	0.06	0.00	2.97	^	_019_ (net)
				2.97		_425_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
						data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.13	0.09	0.09	^	clk (in)
1	0.02					clk (net)
		0.13	0.00	0.09	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	0.38	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04					clknet_2_2__leaf_clk (net)
		0.09	0.00	0.65	^	_425_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.90		clock uncertainty
			0.00	0.90		clock reconvergence pessimism
			0.66	1.56		library removal time
				1.56		data required time

				1.56		data required time
				-2.97		data arrival time

				1.41		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _422_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.14	0.34	2.52	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.14	0.00	2.52	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.15	0.35	2.87	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.15	0.00	2.87	v _372_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.09	2.97	^ _372_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_016_ (net)
		0.05	0.00	2.97	^ _422_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.97	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.09	0.00	0.65	^ _422_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.90	clock uncertainty
			0.00	0.90	clock reconvergence pessimism
			0.66	1.56	library removal time
				1.56	data required time

1.56 data required time
-2.97 data arrival time

1.41 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _409_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description		

1	0.00	0.02	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
		0.01	2.00	2.00 v	input external delay		
			2.01 v	rst (in)			
		0.02	0.00	2.01 v	rst (net)		
			0.11	0.18	2.01 v	input2/A (sky130_fd_sc_hd__buf_1)	
		3	0.01	0.18	2.18 v	input2/X (sky130_fd_sc_hd__buf_1)	
						net2 (net)	
		10	0.05	0.11	2.18 v	_355_/A (sky130_fd_sc_hd__buf_4)	
				0.14	0.34	2.52 v	_355_/X (sky130_fd_sc_hd__buf_4)
10	0.06	0.14	0.00	2.52 v	_199_ (net)		
			0.15	0.36	2.52 v	_356_/A (sky130_fd_sc_hd__buf_4)	
		0.15	0.00	2.88 v	_356_/X (sky130_fd_sc_hd__buf_4)		
			0.06	0.01	2.89 v	_200_ (net)	
		1	0.00	0.06	2.98 v	_358_/A (sky130_fd_sc_hd__inv_2)	
				0.10	2.98 ^	_358_/Y (sky130_fd_sc_hd__inv_2)	
		0.06	0.00	2.98 ^	_003_ (net)		
			2.98	data arrival time			

		1	0.02	0.13	0.00	0.00	clock clk (rise edge)
0.00	0.00				clock source latency		
0.13	0.09			0.09 ^	clk (in)		
					clk (net)		
4	0.04			0.10	0.09 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
				0.29	0.38 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
10	0.04			0.10	0.38 ^	clknet_0_clk (net)	
				0.09	0.65 ^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
0.09	0.00			0.65 ^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)		
	0.27			0.90	clknet_2_2__leaf_clk (net)		
10	0.04	0.09	0.00	0.65 ^	_409_/CLK (sky130_fd_sc_hd__dfrtp_4)		
			0.25	0.90	clock uncertainty		
		0.00	0.90	clock reconvergence pessimism			
			0.66	1.56	library removal time		
						1.56	data required time
						1.56	data required time
						-2.98	data arrival time

						1.42	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _413_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.02	0.01	2.01 v	rst (in)
					rst (net)
		0.02	0.00	2.01 v	input2/A (sky130_fd_sc_hd_buf_1)

3	0.01	0.11	0.18	2.18	v	input2/X (sky130_fd_sc_hd_buf_1)
		0.11	0.00	2.18	v	_355_/A (sky130_fd_sc_hd_buf_4)
10	0.05	0.14	0.34	2.52	v	_355_/X (sky130_fd_sc_hd_buf_4)
		0.14	0.00	2.52	v	_199_ (net)
10	0.06	0.15	0.36	2.88	v	_356_/A (sky130_fd_sc_hd_buf_4)
		0.15	0.01	2.89	v	_362_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.06	0.10	2.99	^	_362_/Y (sky130_fd_sc_hd_inv_2)
		0.06	0.00	2.99	^	_007_ (net)
				2.99	^	_413_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.99		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.13	0.09	0.09	^	clk (in)
		0.13	0.00	0.09	^	clk (net)
4	0.04	0.10	0.29	0.38	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.00	0.38	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04	0.09	0.27	0.65	^	clknet_0_clk (net)
		0.09	0.00	0.65	^	clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.65	^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
				0.65	^	clknet_2_2_leaf_clk (net)
				0.65	^	_413_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.90		clock uncertainty
			0.00	0.90		clock reconvergence pessimism
			0.66	1.56		library removal time
				1.56		data required time
				1.56		data required time
				-2.99		data arrival time
				1.42		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _414_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
		0.02	0.00	2.01	v rst (net)
3	0.01	0.11	0.18	2.18	v input2/A (sky130_fd_sc_hd_buf_1)
		0.11	0.00	2.18	v input2/X (sky130_fd_sc_hd_buf_1)
10	0.05	0.14	0.34	2.52	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.14	0.00	2.52	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.06	0.15	0.36	2.88	v _356_/A (sky130_fd_sc_hd_buf_4)
		0.15	0.01	2.89	v _363_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.06	0.10	2.98	^ _363_/Y (sky130_fd_sc_hd_inv_2)
		0.06	0.00	2.98	^ _008_ (net)
				2.98	^ _414_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.98	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.09	0.09	^ clk (in)
		0.13	0.00	0.09	^ clk (net)
		0.10	0.29	0.38	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.00	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)

4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.09	0.00	0.65	^ _414_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.90	clock uncertainty
			0.00	0.90	clock reconvergence pessimism
			0.66	1.56	library removal time
				1.56	data required time

				1.56	data required time
				-2.98	data arrival time

				1.42	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _412_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
		0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.18	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.14	0.34	2.52	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.14	0.00	2.52	v _356_/A (sky130_fd_sc_hd_buf_4)
		0.15	0.36	2.88	v _356_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_200_ (net)
		0.15	0.01	2.89	v _361_/A (sky130_fd_sc_hd_inv_2)
		0.06	0.10	2.99	^ _361_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_006_ (net)
		0.06	0.00	2.99	^ _412_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.99	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.09	0.00	0.65	^ _412_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.90	clock uncertainty
			0.00	0.90	clock reconvergence pessimism
			0.66	1.56	library removal time
				1.56	data required time

				1.56	data required time
				-2.99	data arrival time

				1.42	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _417_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description		

1	0.00	0.02	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
			2.00	2.00	v input external delay		
			0.01	2.01	v rst (in)		
					rst (net)		
			0.02	2.01	v input2/A (sky130_fd_sc_hd__buf_1)		
			0.11	2.18	v input2/X (sky130_fd_sc_hd__buf_1)		
					net2 (net)		
			0.11	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)		
			0.14	2.52	v _355_/X (sky130_fd_sc_hd__buf_4)		
10	0.05			_199_ (net)			
10	0.06		0.14	2.52	v _356_/A (sky130_fd_sc_hd__buf_4)		
			0.15	2.88	v _356_/X (sky130_fd_sc_hd__buf_4)		
1	0.00				_200_ (net)		
			0.15	2.89	v _366_/A (sky130_fd_sc_hd__inv_2)		
			0.06	2.99	^ _366_/Y (sky130_fd_sc_hd__inv_2)		
					011 (net)		
1	0.00		0.06	2.99	^ _417_/RESET_B (sky130_fd_sc_hd__dfrtp_1)		
				2.99	data arrival time		

1	0.02	0.13	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock source latency		
			0.09	0.09	^ clk (in)		
					clk (net)		
			0.13	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)		
			0.10	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)		
					clknet_0_clk (net)		
			0.10	0.38	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)		
			0.09	0.65	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)		
					clknet_2_2__leaf_clk (net)		
10	0.04		0.09	0.65	^ _417_/CLK (sky130_fd_sc_hd__dfrtp_1)		
			0.25	0.90	clock uncertainty		
			0.00	0.90	clock reconvergence pessimism		
			0.66	1.56	library removal time		
				1.56	data required time		

				1.56	data required time		
				-2.99	data arrival time		

				1.42	slack (MET)		

Startpoint: rst (input port clocked by clk)

Endpoint: _416_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.02	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.01	2.01	v rst (in)
					rst (net)
			0.02	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
			0.11	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.11	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.14	2.52	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
10	0.06		0.14	2.52	v _356_/A (sky130_fd_sc_hd__buf_4)
			0.15	2.88	v _356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
			0.15	2.89	v _365_/A (sky130_fd_sc_hd__inv_2)
			0.06	2.99	^ _365_/Y (sky130_fd_sc_hd__inv_2)

1	0.00	0.06	0.00	2.99	^	_010_ (net)
				2.99	^	_416_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
						data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.13	0.09	0.09	^	clk (in)
1	0.02					clk (net)
		0.13	0.00	0.09	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	0.38	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04					clknet_2_2__leaf_clk (net)
		0.09	0.00	0.65	^	_416_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.90		clock uncertainty
			0.00	0.90		clock reconvergence pessimism
			0.66	1.56		library removal time
				1.56		data required time

				1.56		data required time
				-2.99		data arrival time

				1.42		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _415_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.14	0.34	2.52	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.14	0.00	2.52	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.15	0.36	2.88	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)
		0.15	0.01	2.89	v _364_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.10	2.99	^ _364_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_009_ (net)
		0.06	0.00	2.99	^ _415_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.99	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.09	0.00	0.65	^ _415_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.90	clock uncertainty
			0.00	0.90	clock reconvergence pessimism
			0.66	1.56	library removal time
				1.56	data required time

1.56 data required time
-2.99 data arrival time

1.42 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _436_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description		

1	0.00	0.02	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
		0.01	2.00	2.00	v input external delay		
			2.01	2.01	v rst (in)		
		0.02	0.00	2.01	v rst (net)		
			0.11	0.18	2.01 v input2/A (sky130_fd_sc_hd__buf_1)		
		3	0.01	0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)	
						net2 (net)	
		10	0.07	0.11	2.18	v _378_/A (sky130_fd_sc_hd__buf_4)	
				0.17	0.36	2.55 v _378_/X (sky130_fd_sc_hd__buf_4)	
1	0.00	0.17	0.01	2.55	v _202_ (net)		
			0.06	0.11	2.55 v _387_/A (sky130_fd_sc_hd__inv_2)		
		0.06	0.11	2.66	^ _387_/Y (sky130_fd_sc_hd__inv_2)		
					2.66	^ _030_ (net)	
		0.06	0.00	2.66	^ _436_/SET_B (sky130_fd_sc_hd__dfstp_1)		
					2.66	data arrival time	
		1	0.02	0.13	0.00	0.00	clock clk (rise edge)
					0.00	0.00	clock source latency
				0.09	0.09	0.09	^ clk (in)
4	0.04			0.13	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
				0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_0_clk (net)	
				0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.10	0.27	0.66	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
							clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^ _436_/CLK (sky130_fd_sc_hd__dfstp_1)		
			0.25	0.91	clock uncertainty		
			0.00	0.91	clock reconvergence pessimism		
			0.31	1.22	library removal time		
			1.22	data required time			

				1.22	data required time		
				-2.66	data arrival time		

				1.44	slack (MET)		

Startpoint: _455_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _436_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.02	0.13	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
			0.08	0.08	^ clk (in)
4	0.04	0.10	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
			0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
			0.10	0.35	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
			0.09	0.59	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)

12	0.04	0.09	0.00	0.60	^	clknet_2_1__leaf_clk (net)
		0.11	0.64	1.24	^	_455_/CLK (sky130_fd_sc_hd__dftrtp_1)
2	0.01					_455_/Q (sky130_fd_sc_hd__dftrtp_1)
		0.11	0.00	1.24	^	bit_count[3] (net)
		0.06	0.11	1.35	v	_216_/A (sky130_fd_sc_hd__nor2_1)
2	0.01					_216_/Y (sky130_fd_sc_hd__nor2_1)
		0.06	0.00	1.35	v	_108_ (net)
		0.18	0.19	1.54	^	_217_/D (sky130_fd_sc_hd__nand4_1)
3	0.01					_217_/Y (sky130_fd_sc_hd__nand4_1)
		0.18	0.00	1.54	^	_109_ (net)
		0.08	0.25	1.79	^	_270_/B (sky130_fd_sc_hd__and2_1)
1	0.00					_270_/X (sky130_fd_sc_hd__and2_1)
		0.08	0.00	1.79	^	_143_ (net)
		0.12	0.18	1.97	^	_271_/A (sky130_fd_sc_hd__clkbuf_1)
2	0.01					_271_/X (sky130_fd_sc_hd__clkbuf_1)
		0.12	0.00	1.97	^	_000_ (net)
		0.06	0.36	2.33	v	_272_/B1_N (sky130_fd_sc_hd__a21bo_1)
1	0.00					_272_/X (sky130_fd_sc_hd__a21bo_1)
		0.06	0.00	2.33	v	_076_ (net)
				2.33	v	_436_/D (sky130_fd_sc_hd__dfstp_1)
				2.33		data arrival time
		0.00	0.00			clock clk (rise edge)
		0.00	0.00			clock source latency
1	0.02	0.13	0.09	0.09	^	clk (in)
						clk (net)
		0.13	0.00	0.09	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.10	0.00	0.38	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.27	0.66	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^	_436_/CLK (sky130_fd_sc_hd__dfstp_1)
			0.25	0.91		clock uncertainty
		-0.04	0.88			clock reconvergence pessimism
		0.00	0.88			library hold time
			0.88			data required time

				0.88		data required time
				-2.33		data arrival time

				1.45		slack (MET)

Startpoint: _455_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _433_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.08	0.08	^ clk (in)
					clk (net)
		0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.25	0.59	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	0.60	^ _455_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.11	0.64	1.24	^ _455_/Q (sky130_fd_sc_hd__dftrtp_1)
2	0.01				bit_count[3] (net)
		0.11	0.00	1.24	^ _216_/A (sky130_fd_sc_hd__nor2_1)
		0.06	0.11	1.35	v _216_/Y (sky130_fd_sc_hd__nor2_1)
2	0.01				_108_ (net)
		0.06	0.00	1.35	v _217_/D (sky130_fd_sc_hd__nand4_1)
		0.18	0.19	1.54	^ _217_/Y (sky130_fd_sc_hd__nand4_1)

3	0.01				_109_ (net)
		0.18	0.00	1.54	^ _218_/A (sky130_fd_sc_hd__buf_4)
		0.30	0.40	1.94	^ _218_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_110_ (net)
		0.30	0.01	1.95	^ _279_/S (sky130_fd_sc_hd__mux2_1)
		0.07	0.30	2.25	^ _279_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_148_ (net)
		0.07	0.00	2.25	^ _280_/A (sky130_fd_sc_hd__clkbuf_1)
		0.07	0.14	2.39	^ _280_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_073_ (net)
		0.07	0.00	2.39	^ _433_/D (sky130_fd_sc_hd__dfrtp_1)
				2.39	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.66	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	0.66	^ _433_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.91	clock uncertainty
		-0.06	0.85		clock reconvergence pessimism
		-0.07	0.77		library hold time
				0.77	data required time

				0.77	data required time
				-2.39	data arrival time

				1.62	slack (MET)

Startpoint: _447_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _447_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	0.60	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.60	^ _447_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.17	0.70	1.30	^ _447_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				rx_shift[3] (net)
		0.17	0.00	1.30	^ _244_/A1 (sky130_fd_sc_hd__a22o_1)
		0.06	0.27	1.57	^ _244_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_087_ (net)
		0.06	0.00	1.57	^ hold3/A (sky130_fd_sc_hd__dlygate4sd3_1)
		0.09	0.98	2.55	^ hold3/X (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00				net28 (net)
		0.09	0.00	2.55	^ _447_/D (sky130_fd_sc_hd__dfrtp_1)
				2.55	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)

4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
14	0.04	0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.28	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.67	^ _447_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.92	clock uncertainty
			-0.06	0.85	clock reconvergence pessimism
			-0.08	0.78	library hold time
				0.78	data required time

				0.78	data required time
				-2.55	data arrival time

				1.78	slack (MET)

Startpoint: _449_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _449_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description	

		0.13	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
1	0.02		0.08	0.08	^ clk (in)	
					clk (net)	
4	0.04		0.13	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)	
			0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_0_clk (net)	
			0.10	0.00	0.35	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
			0.10	0.25	0.60	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_0__leaf_clk (net)
			0.10	0.00	0.60	^ _449_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.16	0.69	1.29	^ _449_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				rx_shift[5] (net)	
			0.16	1.29	^ _242_/A1 (sky130_fd_sc_hd_a22o_1)	
			0.08	0.29	1.58	^ _242_/X (sky130_fd_sc_hd_a22o_1)
1	0.00				_089_ (net)	
			0.08	1.58	^ hold8/A (sky130_fd_sc_hd_dlygate4sd3_1)	
			0.09	0.98	2.57	^ hold8/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00				net33 (net)	
		0.09	0.00	2.57	^ _449_/D (sky130_fd_sc_hd_dfrtp_1)	
				2.57	data arrival time	

		0.13	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
1	0.02		0.09	0.09	^ clk (in)	
					clk (net)	
4	0.04		0.13	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)	
			0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_0_clk (net)	
			0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
			0.10	0.28	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_0__leaf_clk (net)
			0.10	0.00	0.67	^ _449_/CLK (sky130_fd_sc_hd_dfrtp_1)
				0.25	0.92	clock uncertainty
			-0.06	0.85	clock reconvergence pessimism	
			-0.08	0.78	library hold time	
				0.78	data required time	

				0.78	data required time	
				-2.57	data arrival time	

				1.79	slack (MET)	

Startpoint: _450_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _451_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.10	0.25	0.60	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.60	^ _450_/CLK (sky130_fd_sc_hd_dfrtp_1)
3	0.01	0.20	0.72	1.33	^ _450_/Q (sky130_fd_sc_hd_dfrtp_1)
					rx_shift[6] (net)
		0.20	0.00	1.33	^ _240_/B2 (sky130_fd_sc_hd_a22o_1)
1	0.00	0.06	0.26	1.59	^ _240_/X (sky130_fd_sc_hd_a22o_1)
					001 (net)
		0.06	0.00	1.59	^ hold5/A (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00	0.09	0.98	2.57	^ hold5/X (sky130_fd_sc_hd_dlygate4sd3_1)
					net30 (net)
		0.09	0.00	2.57	^ _451_/D (sky130_fd_sc_hd_dfrtp_1)
				2.57	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.10	0.28	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.67	^ _451_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.92	clock uncertainty
		-0.06	0.85		clock reconvergence pessimism
		-0.08	0.78		library hold time
			0.78		data required time

				0.78	data required time
				-2.57	data arrival time

				1.79	slack (MET)

Startpoint: _437_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _437_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.10	0.25	0.60	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.10	0.00	0.60	^ _437_/CLK (sky130_fd_sc_hd_dfrtp_1)

2	0.00	0.10	0.64	1.24	^	_437_/Q (sky130_fd_sc_hd_dfrtp_1)
						tx_shift[0] (net)
1	0.00	0.10	0.00	1.24	^	hold21/A (sky130_fd_sc_hd_dlygate4sd3_1)
		0.10	1.00	2.24	^	hold21/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00	0.10	0.00	2.24	^	_267_/A0 (sky130_fd_sc_hd_mux2_1)
		0.07	0.22	2.46	^	_267_/X (sky130_fd_sc_hd_mux2_1)
1	0.00	0.07	0.00	2.46	^	_141_ (net)
		0.06	0.14	2.60	^	_268_/A (sky130_fd_sc_hd_clkbuf_1)
1	0.00	0.06	0.00	2.60	^	_268_/X (sky130_fd_sc_hd_clkbuf_1)
						077 (net)
		0.06	0.00	2.60	^	_437_/D (sky130_fd_sc_hd_dfrtp_1)
				2.60		data arrival time
		0.00	0.00			clock clk (rise edge)
		0.00	0.00			clock source latency
1	0.02	0.13	0.09	0.09	^	clk (in)
						clk (net)
4	0.04	0.13	0.00	0.09	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.10	0.00	0.38	^	clknet_0_clk (net)
		0.10	0.27	0.66	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
					^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_3_leaf_clk (net)
		0.10	0.00	0.66	^	_437_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.91		clock uncertainty
		-0.06		0.85		clock reconvergence pessimism
		-0.07		0.78		library hold time
				0.78		data required time
				0.78		data required time
				-2.60		data arrival time
				1.82		slack (MET)

Startpoint: _450_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _450_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.08	0.08	^ clk (in)
					clk (net)
4	0.04	0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.10	0.00	0.35	^ clknet_0_clk (net)
		0.10	0.25	0.60	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
					^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)
3	0.01	0.10	0.00	0.60	^ _450_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.20	0.72	1.33	^ _450_/Q (sky130_fd_sc_hd_dfrtp_1)
1	0.00	0.20	0.00	1.33	^ rx_shift[6] (net)
		0.08	0.30	1.63	^ _241_/A1 (sky130_fd_sc_hd_a22o_1)
1	0.00	0.08	0.00	1.63	^ _241_/X (sky130_fd_sc_hd_a22o_1)
					090 (net)
1	0.00	0.08	0.00	1.63	^ hold10/A (sky130_fd_sc_hd_dlygate4sd3_1)
		0.09	1.00	2.63	^ hold10/X (sky130_fd_sc_hd_dlygate4sd3_1)
					net35 (net)
		0.09	0.00	2.63	^ _450_/D (sky130_fd_sc_hd_dfrtp_1)
				2.63	data arrival time
		0.00	0.00		clock clk (rise edge)
		0.00	0.00		clock source latency
1	0.02	0.13	0.09	0.09	^ clk (in)
					clk (net)

		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.28	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.67	^ _450_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.92	clock uncertainty
			-0.06	0.85	clock reconvergence pessimism
			-0.08	0.77	library hold time
				0.77	data required time

				0.77	data required time
				-2.63	data arrival time

				1.85	slack (MET)

Startpoint: _444_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _426_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	0.60	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.10	0.00	0.60	^ _444_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.15	0.68	1.28	^ _444_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				rx_shift[0] (net)
		0.15	0.00	1.28	^ _293_/A0 (sky130_fd_sc_hd__mux2_1)
		0.07	0.24	1.51	^ _293_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_155_ (net)
		0.07	0.00	1.51	^ hold34/A (sky130_fd_sc_hd__dlygate4sd3_1)
		0.10	1.00	2.51	^ hold34/X (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00				net59 (net)
		0.10	0.00	2.51	^ _294_/A (sky130_fd_sc_hd__clkbuf_1)
		0.07	0.15	2.66	^ _294_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_066_ (net)
		0.07	0.00	2.66	^ _426_/D (sky130_fd_sc_hd__dfrtp_1)
				2.66	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.27	0.66	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.10	0.00	0.66	^ _426_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.91	clock uncertainty
			-0.06	0.85	clock reconvergence pessimism
			-0.07	0.78	library hold time
				0.78	data required time

				0.78	data required time
				-2.66	data arrival time

1.88 slack (MET)

Startpoint: _427_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _427_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.08	0.08	^ clk (in)
					clk (net)
4	0.04	0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.10	0.00	0.35	^ clknet_0_clk (net)
				0.59	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.25	0.59	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.09	0.00	0.60	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
				1.27	^ _427_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01	0.14	0.00		net17 (net)
				1.27	^ _291_/A1 (sky130_fd_sc_hd__mux2_1)
1	0.00	0.07	0.24	1.51	^ _291_/X (sky130_fd_sc_hd__mux2_1)
					154 (net)
		0.07	0.00	1.51	^ hold36/A (sky130_fd_sc_hd__dlygate4sd3_1)
				2.51	^ hold36/X (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00	0.10	1.00		net61 (net)
				2.51	^ _292_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.08	0.16	2.67	^ _292_/X (sky130_fd_sc_hd__clkbuf_1)
					067 (net)
		0.08	0.00	2.67	^ _427_/D (sky130_fd_sc_hd__dfrtp_1)
				2.67	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.09	0.09	^ clk (in)
					clk (net)
4	0.04	0.13	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.10	0.00	0.38	^ clknet_0_clk (net)
				0.66	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.66	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.09	0.00	0.66	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
				0.25	0.91
			-0.06	0.85	clock reconvergence pessimism
			-0.07	0.77	library hold time
				0.77	data required time

				0.77	data required time
				-2.67	data arrival time

				1.90	slack (MET)

Startpoint: _425_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: done (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.08	0.08	^ clk (in)
					clk (net)

		0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.24	0.59	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04				clknet_2_2_leaf_clk (net)
		0.09	0.00	0.59	^ _425_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.10	0.63	1.22	^ _425_/Q (sky130_fd_sc_hd_dfrtp_1)
1	0.00				net14 (net)
		0.10	0.00	1.22	^ output14/A (sky130_fd_sc_hd_clkbuf_4)
		0.18	0.33	1.55	^ output14/X (sky130_fd_sc_hd_clkbuf_4)
1	0.04				done (net)
		0.18	0.00	1.55	^ done (out)
				1.55	data arrival time
		0.00	0.00		clock clk (rise edge)
		0.00	0.00		clock network delay (propagated)
		0.25	0.25		clock uncertainty
		0.00	0.25		clock reconvergence pessimism
		-2.00	-1.75		output external delay
			-1.75		data required time

				-1.75	data required time
				-1.55	data arrival time

				3.30	slack (MET)

Startpoint: _426_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[0] (output port clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	0.60	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.10	0.00	0.60	^ _426_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.13	0.66	1.26	^ _426_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net16 (net)
		0.13	0.00	1.26	^ output16/A (sky130_fd_sc_hd_clkbuf_4)
		0.18	0.34	1.60	^ output16/X (sky130_fd_sc_hd_clkbuf_4)
1	0.03				rx_data[0] (net)
		0.18	0.00	1.60	^ rx_data[0] (out)
				1.60	data arrival time
		0.00	0.00		clock clk (rise edge)
		0.00	0.00		clock network delay (propagated)
		0.25	0.25		clock uncertainty
		0.00	0.25		clock reconvergence pessimism
		-2.00	-1.75		output external delay
			-1.75		data required time

				-1.75	data required time
				-1.60	data arrival time

				3.35	slack (MET)

Startpoint: _432_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[6] (output port clocked by clk)

Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.08	0.08	^ clk (in)
					clk (net)
4	0.04	0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	0.60	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
2	0.01	0.10	0.00	0.60	^ _432_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.13	0.67	1.27	^ _432_/Q (sky130_fd_sc_hd__dfrtp_1)
					net22 (net)
1	0.03	0.13	0.00	1.27	^ output22/A (sky130_fd_sc_hd__clkbuf_4)
		0.18	0.34	1.61	^ output22/X (sky130_fd_sc_hd__clkbuf_4)
					rx_data[6] (net)
		0.18	0.00	1.61	^ rx_data[6] (out)
				1.61	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-1.61	data arrival time

				3.36	slack (MET)

Startpoint: _433_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[7] (output port clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.08	0.08	^ clk (in)
					clk (net)
4	0.04	0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.25	0.59	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
2	0.01	0.09	0.00	0.60	^ _433_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.14	0.67	1.27	^ _433_/Q (sky130_fd_sc_hd__dfrtp_1)
					net23 (net)
1	0.03	0.14	0.00	1.27	^ output23/A (sky130_fd_sc_hd__clkbuf_4)
		0.18	0.34	1.61	^ output23/X (sky130_fd_sc_hd__clkbuf_4)
					rx_data[7] (net)
		0.18	0.00	1.61	^ rx_data[7] (out)
				1.61	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay

				-1.75	data required time

				-1.75	data required time
				-1.61	data arrival time

				3.36	slack (MET)

Startpoint: _427_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[1] (output port clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.25	0.59	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	0.60	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.14	0.67	1.27	^ _427_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net17 (net)
		0.14	0.00	1.27	^ output17/A (sky130_fd_sc_hd__clkbuf_4)
		0.18	0.34	1.62	^ output17/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[1] (net)
		0.18	0.00	1.62	^ rx_data[1] (out)
				1.62	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-1.62	data arrival time

				3.37	slack (MET)

Startpoint: _429_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[3] (output port clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	0.60	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.60	^ _429_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.15	0.68	1.28	^ _429_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net19 (net)
		0.15	0.00	1.28	^ output19/A (sky130_fd_sc_hd__clkbuf_4)

1	0.03	0.18	0.34	1.63	^ output19/X (sky130_fd_sc_hd__clkbuf_4)
					rx_data[3] (net)
		0.18	0.00	1.63	^ rx_data[3] (out)
				1.63	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

			-1.75	data required time	
			-1.63	data arrival time	

			3.38	slack (MET)	

Startpoint: _431_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[5] (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description	

1	0.02		0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
		0.13	0.08	0.08	^ clk (in)	
4	0.04				clk (net)	
		0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
14	0.04				clknet_0_clk (net)	
		0.10	0.00	0.35	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.10	0.25	0.60	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
2	0.01				clknet_2_0__leaf_clk (net)	
		0.10	0.00	0.60	^ _431_/CLK (sky130_fd_sc_hd__dfrrtp_1)	
		0.14	0.68	1.28	^ _431_/Q (sky130_fd_sc_hd__dfrrtp_1)	
1	0.03				net21 (net)	
		0.14	0.00	1.28	^ output21/A (sky130_fd_sc_hd__clkbuf_4)	
		0.18	0.35	1.63	^ output21/X (sky130_fd_sc_hd__clkbuf_4)	
					rx_data[5] (net)	
		0.18	0.00	1.63	^ rx_data[5] (out)	
				1.63	data arrival time	
			0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			0.25	0.25	clock uncertainty	
			0.00	0.25	clock reconvergence pessimism	
			-2.00	-1.75	output external delay	
				-1.75	data required time	

				-1.75	data required time	
				-1.63	data arrival time	

				3.38	slack (MET)	

Startpoint: _436_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: cs (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.08	0.08	^ clk (in)
					clk (net)

		0.13	0.00	0.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	0.35	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	0.35	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	0.60	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_3_leaf_clk (net)
		0.10	0.00	0.60	^	_436_/CLK (sky130_fd_sc_hd_dfstp_1)
		0.09	0.71	1.31	v	_436_/Q (sky130_fd_sc_hd_dfstp_1)
2	0.01					net13 (net)
		0.09	0.00	1.31	v	output13/A (sky130_fd_sc_hd_clkbuf_4)
		0.14	0.32	1.63	v	output13/X (sky130_fd_sc_hd_clkbuf_4)
1	0.04					cs (net)
		0.14	0.00	1.63	v	cs (out)
				1.63		data arrival time
		0.00	0.00			clock clk (rise edge)
		0.00	0.00			clock network delay (propagated)
		0.25	0.25			clock uncertainty
		0.00	0.25			clock reconvergence pessimism
		-2.00		-1.75		output external delay
				-1.75		data required time

				-1.75		data required time
				-1.63		data arrival time

				3.38		slack (MET)

Startpoint: _428_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[2] (output port clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	0.60	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.10	0.00	0.60	^ _428_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.17	0.69	1.30	^ _428_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net18 (net)
		0.17	0.00	1.30	^ output18/A (sky130_fd_sc_hd_clkbuf_4)
		0.18	0.35	1.65	^ output18/X (sky130_fd_sc_hd_clkbuf_4)
1	0.03				rx_data[2] (net)
		0.18	0.00	1.65	^ rx_data[2] (out)
				1.65	data arrival time
		0.00	0.00		clock clk (rise edge)
		0.00	0.00		clock network delay (propagated)
		0.25	0.25		clock uncertainty
		0.00	0.25		clock reconvergence pessimism
		-2.00		-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-1.65	data arrival time

				3.40	slack (MET)

Startpoint: _434_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: mosi (output port clocked by clk)

Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.13	0.08	0.08	^ clk (in)
					clk (net)
4	0.04	0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.25	0.59	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
2	0.01				clknet_2_1__leaf_clk (net)
		0.09	0.00	0.60	^ _434_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.19	0.71	1.31	^ _434_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.03				net15 (net)
		0.19	0.00	1.31	^ output15/A (sky130_fd_sc_hd__clkbuf_4)
		0.18	0.37	1.68	^ output15/X (sky130_fd_sc_hd__clkbuf_4)
		0.18	0.00	1.68	^ mosi (net)
				1.68	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-1.68	data arrival time

				3.43	slack (MET)

Startpoint: _430_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[4] (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description	

			0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
1	0.02	0.13	0.08	0.08	^ clk (in)	
					clk (net)	
4	0.04	0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
14	0.04				clknet_0_clk (net)	
		0.10	0.00	0.35	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.10	0.25	0.60	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
2	0.01				clknet_2_0__leaf_clk (net)	
		0.10	0.00	0.60	^ _430_/CLK (sky130_fd_sc_hd__dfrtp_1)	
		0.21	0.73	1.33	^ _430_/Q (sky130_fd_sc_hd__dfrtp_1)	
1	0.03				net20 (net)	
		0.21	0.00	1.33	^ output20/A (sky130_fd_sc_hd__clkbuf_4)	
		0.18	0.37	1.71	^ output20/X (sky130_fd_sc_hd__clkbuf_4)	
					rx_data[4] (net)	
		0.18	0.00	1.71	^ rx_data[4] (out)	
				1.71	data arrival time	

				0.00	clock clk (rise edge)	
				0.00	clock network delay (propagated)	
				0.25	clock uncertainty	
				0.00	clock reconvergence pessimism	
				-2.00	output external delay	
				-1.75	output external delay	

				-1.75	data required time

				-1.75	data required time
				-1.71	data arrival time

				3.46	slack (MET)

Startpoint: _424_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: busy (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	0.60	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.10	0.00	0.60	^ _424_/CLK (sky130_fd_sc_hd_dfrtp_2)
		0.20	0.78	1.38	^ _424_/Q (sky130_fd_sc_hd_dfrtp_2)
4	0.02				net12 (net)
		0.20	0.00	1.38	^ output12/A (sky130_fd_sc_hd_buf_2)
		0.27	0.38	1.76	^ output12/X (sky130_fd_sc_hd_buf_2)
1	0.03				busy (net)
		0.27	0.00	1.76	^ busy (out)
				1.76	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-1.76	data arrival time

				3.51	slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: sclk (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.13	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.13	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.35	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	0.60	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.10	0.00	0.60	^ _435_/CLK (sky130_fd_sc_hd_dfrtp_2)
		0.22	0.80	1.40	^ _435_/Q (sky130_fd_sc_hd_dfrtp_2)
4	0.03				net24 (net)
		0.22	0.00	1.40	^ output24/A (sky130_fd_sc_hd_buf_2)

1	0.03	0.27	0.39	1.79	^ output24/X (sky130_fd_sc_hd__buf_2)
					sclk (net)
		0.27	0.00	1.79	^ sclk (out)
				1.79	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
		-2.00		-1.75	output external delay
				-1.75	data required time

			-1.75	data required time	
			-1.79	data arrival time	

			3.54	slack (MET)	

===== Typical Corner =====

Startpoint: _415_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _415_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04		0.06	0.20	^ clknet_0_clk (net)
		0.06	0.14	0.34	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
3	0.01		0.06	0.34	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.34	0.69	^ clknet_2_2_leaf_clk (net)
1	0.00		0.06	0.69	^ _415_/CLK (sky130_fd_sc_hd__dfrtp_1)
					^ _415_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.00		0.09	0.69	^ clk_count[7] (net)
					^ _332_/S (sky130_fd_sc_hd__mux2_1)
1	0.00		0.04	0.82	^ _332_/X (sky130_fd_sc_hd__mux2_1)
					185 (net)
1	0.00		0.04	0.82	^ _333_/A (sky130_fd_sc_hd__clkbuf_1)
					^ _333_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00		0.04	0.89	^ _057_ (net)
					^ _415_/D (sky130_fd_sc_hd__dfrtp_1)
				0.89	data arrival time

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04		0.06	0.22	^ clknet_0_clk (net)
		0.06	0.15	0.38	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.06	0.38	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2_leaf_clk (net)
		0.06	0.00	0.38	^ _415_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63	clock uncertainty
		-0.04	0.59	0.59	clock reconvergence pessimism
		-0.03	0.56	0.56	library hold time
				0.56	data required time

				0.56	data required time
				-0.89	data arrival time

0.33 slack (MET)

Startpoint: _449_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _431_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05	0.06	0.15		clknet_0_clk (net)
				0.20	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.35	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)
3	0.01	0.06	0.00	0.35	^ _449_/CLK (sky130_fd_sc_hd_dfrtp_1)
				0.70	^ _449_/Q (sky130_fd_sc_hd_dfrtp_1)
1	0.00	0.10	0.35		rx_shift[5] (net)
				0.70	^ _283_/A0 (sky130_fd_sc_hd_mux2_1)
1	0.00	0.04	0.13	0.83	^ _283_/X (sky130_fd_sc_hd_mux2_1)
					150 (net)
1	0.00	0.04	0.00	0.83	^ _284_/A (sky130_fd_sc_hd_clkbuf_1)
				0.90	^ _284_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00	0.04	0.07		_071_ (net)
				0.90	^ _431_/D (sky130_fd_sc_hd_dfrtp_1)
				0.90	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05	0.06	0.16		clknet_0_clk (net)
				0.22	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.38	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)
				0.39	^ _431_/CLK (sky130_fd_sc_hd_dfrtp_1)
				0.25	clock uncertainty
			-0.04	0.60	clock reconvergence pessimism
			-0.03	0.57	library hold time
				0.57	data required time

				0.57	data required time
				-0.90	data arrival time

				0.33	slack (MET)

Startpoint: _447_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _429_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)

		0.06	0.00	0.20	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.35	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05					clknet_2_0__leaf_clk (net)
		0.06	0.00	0.35	^	_447_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.11	0.36	0.70	^	_447_/Q (sky130_fd_sc_hd__dftrtp_1)
3	0.01					rx_shift[3] (net)
		0.11	0.00	0.70	^	_287_/A0 (sky130_fd_sc_hd__mux2_1)
		0.04	0.13	0.83	^	_287_/X (sky130_fd_sc_hd__mux2_1)
1	0.00					_152_ (net)
		0.04	0.00	0.83	^	_288_/A (sky130_fd_sc_hd__clkbuf_1)
		0.04	0.07	0.90	^	_288_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00					_069_ (net)
		0.04	0.00	0.90	^	_429_/D (sky130_fd_sc_hd__dftrtp_1)
				0.90		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.08	0.06	0.06	^	clk (in)
						clk (net)
		0.08	0.00	0.06	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.05	0.06	0.16	0.38	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.06	0.00	0.39	^	_429_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	0.64			clock uncertainty
		-0.04	0.60			clock reconvergence pessimism
		-0.03	0.57			library hold time
			0.57			data required time

			0.57			data required time
			-0.90			data arrival time

			0.33			slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _435_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.05	0.06	0.14	0.35	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.06	0.00	0.35	^ _435_/CLK (sky130_fd_sc_hd__dftrtp_2)
4	0.02	0.09	0.43	0.78	v _435_/Q (sky130_fd_sc_hd__dftrtp_2)
					net24 (net)
		0.09	0.00	0.78	v _235_/A (sky130_fd_sc_hd__inv_2)
2	0.01	0.04	0.06	0.84	^ _235_/Y (sky130_fd_sc_hd__inv_2)
					123 (net)
		0.04	0.00	0.84	^ _274_/A1 (sky130_fd_sc_hd__a21oi_1)
1	0.00	0.04	0.05	0.90	v _274_/Y (sky130_fd_sc_hd__a21oi_1)
					075 (net)
		0.04	0.00	0.90	v _435_/D (sky130_fd_sc_hd__dftrtp_2)
				0.90	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)

1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.39	^ _435_/CLK (sky130_fd_sc_hd_dfrtp_2)
			0.25	0.64	clock uncertainty
			-0.04	0.60	clock reconvergence pessimism
			-0.04	0.56	library hold time
				0.56	data required time

				0.56	data required time
				-0.90	data arrival time

				0.33	slack (MET)

Startpoint: _428_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _428_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.35	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.07	0.00	0.35	^ _428_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.10	0.35	0.70	^ _428_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net18 (net)
		0.10	0.00	0.70	^ _289_/A1 (sky130_fd_sc_hd_mux2_1)
		0.04	0.13	0.83	^ _289_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_153_ (net)
		0.04	0.00	0.83	^ _290_/A (sky130_fd_sc_hd_clkbuf_1)
		0.04	0.07	0.91	^ _290_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_068_ (net)
		0.04	0.00	0.91	^ _428_/D (sky130_fd_sc_hd_dfrtp_1)
				0.91	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.07	0.00	0.39	^ _428_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.64	clock uncertainty
			-0.04	0.60	clock reconvergence pessimism
			-0.03	0.57	library hold time
				0.57	data required time

				0.57	data required time
				-0.91	data arrival time

				0.34	slack (MET)

Startpoint: _423_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _423_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04	0.06	0.15		clknet_0_clk (net)
				0.20	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.34	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_2_leaf_clk (net)
				0.34	^ _423_/CLK (sky130_fd_sc_hd_dfrtp_1)
				0.72	v _423_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[15] (net)
				0.72	v _295_/A (sky130_fd_sc_hd_inv_2)
1	0.01			0.77	^ _295_/Y (sky130_fd_sc_hd_inv_2)
					156 (net)
				0.77	^ _303_/A1 (sky130_fd_sc_hd_o31a_1)
				0.90	^ _303_/X (sky130_fd_sc_hd_o31a_1)
1	0.00				_065_ (net)
				0.90	^ _423_/D (sky130_fd_sc_hd_dfrtp_1)
				0.90	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04	0.06	0.16		clknet_0_clk (net)
				0.22	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.38	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_2_leaf_clk (net)
				0.38	^ _423_/CLK (sky130_fd_sc_hd_dfrtp_1)
				0.25	clock uncertainty
			-0.04	0.59	clock reconvergence pessimism
			-0.03	0.56	library hold time
				0.56	data required time

				0.56	data required time
				-0.90	data arrival time

				0.34	slack (MET)

Startpoint: _419_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _419_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
				0.20	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
			0.06	0.14	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)

12	0.04	0.06	0.00	0.35	^	clknet_2_3__leaf_clk (net)
		0.11	0.36	0.71	^	_419_/CLK (sky130_fd_sc_hd__dfrtp_1)
3	0.01				^	_419_/Q (sky130_fd_sc_hd__dfrtp_1)
		0.11	0.00	0.71	^	clk_count[11] (net)
		0.04	0.13	0.84	^	_317_/S (sky130_fd_sc_hd__mux2_1)
1	0.00				^	_317_/X (sky130_fd_sc_hd__mux2_1)
		0.04	0.00	0.84	^	_174_ (net)
		0.04	0.07	0.91	^	_318_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00				^	_318_/X (sky130_fd_sc_hd__clkbuf_1)
		0.04	0.00	0.91	^	_061_ (net)
				0.91	^	_419_/D (sky130_fd_sc_hd__dfrtp_1)
						data arrival time
		0.00	0.00			clock clk (rise edge)
		0.00	0.00			clock source latency
		0.08	0.06	0.06	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	0.06	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.38	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^	_419_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63		clock uncertainty
		-0.04	0.60			clock reconvergence pessimism
		-0.03	0.56			library hold time
			0.56			data required time

				0.56		data required time
				-0.91		data arrival time

				0.35		slack (MET)

Startpoint: _453_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _453_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.06	0.00	0.34	^ _453_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.11	0.36	0.70	^ _453_/Q (sky130_fd_sc_hd__dfrtp_1)
4	0.01				bit_count[1] (net)
		0.11	0.00	0.70	^ _229_/A0 (sky130_fd_sc_hd__mux2_1)
		0.05	0.14	0.84	^ _229_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_119_ (net)
		0.05	0.00	0.84	^ _230_/A (sky130_fd_sc_hd__clkbuf_1)
		0.04	0.08	0.92	^ _230_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_093_ (net)
		0.04	0.00	0.92	^ _453_/D (sky130_fd_sc_hd__dfrtp_1)
				0.92	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)

4	0.04	0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.00	0.22	^	clknet_0_clk (net)
12	0.04	0.06	0.15	0.38	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.38	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_1_leaf_clk (net)
		0.06	0.00	0.38	^	_453_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.63		clock uncertainty
			-0.04	0.60		clock reconvergence pessimism
			-0.03	0.56		library hold time
				0.56		data required time

				0.56		data required time
				-0.92		data arrival time

				0.35		slack (MET)

Startpoint: _411_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _411_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
4	0.04				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.35	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.01				clknet_2_0_leaf_clk (net)
		0.07	0.00	0.35	^ _411_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.09	0.40	0.75	v _411_/Q (sky130_fd_sc_hd_dfrtp_1)
1	0.00				clk_count[3] (net)
		0.09	0.00	0.75	v _343_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.05	0.80	^ _343_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_192_ (net)
		0.03	0.00	0.80	^ _346_/A1 (sky130_fd_sc_hd_o31a_1)
		0.05	0.12	0.92	^ _346_/X (sky130_fd_sc_hd_o31a_1)
1	0.00				_053_ (net)
		0.05	0.00	0.92	^ _411_/D (sky130_fd_sc_hd_dfrtp_1)
				0.92	data arrival time

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
4	0.04				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.01				clknet_2_0_leaf_clk (net)
		0.07	0.00	0.39	^ _411_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.64	clock uncertainty
1	0.00		-0.04	0.60	clock reconvergence pessimism
			-0.03	0.57	library hold time
				0.57	data required time

				0.57	data required time
				-0.92	data arrival time

				0.36	slack (MET)

Startpoint: _450_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _432_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.35	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.35	^ _450_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.13	0.37	0.72	^ _450_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				rx_shift[6] (net)
		0.13	0.00	0.72	^ _281_/A0 (sky130_fd_sc_hd_mux2_1)
		0.04	0.14	0.86	^ _281_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_149_ (net)
		0.04	0.00	0.86	^ _282_/A (sky130_fd_sc_hd_clkbuf_1)
		0.04	0.07	0.93	^ _282_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_072_ (net)
		0.04	0.00	0.93	^ _432_/D (sky130_fd_sc_hd_dfrtp_1)
				0.93	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.07	0.00	0.39	^ _432_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.64	clock uncertainty
			-0.04	0.60	clock reconvergence pessimism
			-0.03	0.57	library hold time
				0.57	data required time

				0.57	data required time
				-0.93	data arrival time

				0.36	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.35	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)

3	0.01	0.12	0.37	0.71	^	_421_/Q (sky130_fd_sc_hd_dfrtp_1)
						clk_count[13] (net)
1	0.00	0.12	0.00	0.71	^	_309_/S (sky130_fd_sc_hd_mux2_1)
		0.04	0.14	0.85	^	_309_/X (sky130_fd_sc_hd_mux2_1)
1	0.00					_168_ (net)
		0.04	0.00	0.85	^	_310_/A (sky130_fd_sc_hd_clkbuf_1)
1	0.00	0.04	0.07	0.93	^	_310_/X (sky130_fd_sc_hd_clkbuf_1)
						063 (net)
		0.04	0.00	0.93	^	_421_/D (sky130_fd_sc_hd_dfrtp_1)
				0.93		data arrival time
1	0.02		0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.08	0.06	0.06	^	clk (in)
						clk (net)
4	0.04	0.08	0.00	0.06	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.38	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_3_leaf_clk (net)
		0.06	0.00	0.38	^	_421_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.63		clock uncertainty
			-0.04	0.60		clock reconvergence pessimism
			-0.03	0.56		library hold time
				0.56		data required time

				0.56		data required time
				-0.93		data arrival time

				0.36		slack (MET)

Startpoint: _430_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _430_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
		0.08	0.00	0.05	^ clk (net)
4	0.04	0.06	0.15	0.20	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.00	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05	0.06	0.14	0.35	^ clknet_0_clk (net)
		0.06	0.00	0.35	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.35	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
				0.35	^ clknet_2_0_leaf_clk (net)
2	0.01	0.13	0.37	0.72	^ _430_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.04	0.14	0.86	^ _430_/Q (sky130_fd_sc_hd_dfrtp_1)
1	0.00	0.04	0.00	0.86	^ net20 (net)
		0.04	0.07	0.93	^ _285_/A1 (sky130_fd_sc_hd_mux2_1)
1	0.00	0.04	0.00	0.86	^ _285_/X (sky130_fd_sc_hd_mux2_1)
		0.04	0.00	0.93	^ _151_ (net)
				0.93	^ _286_/A (sky130_fd_sc_hd_clkbuf_1)
				0.93	^ _286_/X (sky130_fd_sc_hd_clkbuf_1)
				0.93	^ _070_ (net)
				0.93	^ _430_/D (sky130_fd_sc_hd_dfrtp_1)
				0.93	data arrival time
				0.93	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
		0.08	0.00	0.06	^ clk (net)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.00	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
				0.22	^ clknet_0_clk (net)

14	0.05	0.06	0.00	0.22	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.38	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.06	0.00	0.39	^	_430_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.64		clock uncertainty
			-0.04	0.60		clock reconvergence pessimism
			-0.03	0.57		library hold time
				0.57		data required time

				0.57		data required time
		-0.93		data arrival time		

				0.36	slack (MET)	

Startpoint: _413_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _413_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description	

1	0.02		0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
		0.08	0.05	0.05	^ clk (in)	
					clk (net)	
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
10	0.04				clknet_0_clk (net)	
		0.06	0.00	0.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.06	0.14	0.34	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					clknet_2_2__leaf_clk (net)	
4	0.01	0.06	0.00	0.34	^ _413_/CLK (sky130_fd_sc_hd__dfrtp_1)	
		0.13	0.37	0.71	^ _413_/Q (sky130_fd_sc_hd__dfrtp_1)	
1	0.00				clk_count[5] (net)	
		0.13	0.00	0.71	^ _339_/S (sky130_fd_sc_hd__mux2_1)	
1	0.00	0.04	0.14	0.85	^ _339_/X (sky130_fd_sc_hd__mux2_1)	
					190 (net)	
1	0.00	0.04	0.00	0.85	^ _340_/A (sky130_fd_sc_hd__clkbuf_1)	
		0.05	0.08	0.93	^ _340_/X (sky130_fd_sc_hd__clkbuf_1)	
					055 (net)	
		0.05	0.00	0.93	^ _413_/D (sky130_fd_sc_hd__dfrtp_1)	
		0.93 data arrival time				

1	0.02		0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
		0.08	0.06	0.06	^ clk (in)	
					clk (net)	
4	0.04	0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
10	0.04				clknet_0_clk (net)	
		0.06	0.00	0.22	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.06	0.15	0.38	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					clknet_2_2__leaf_clk (net)	
		0.06	0.00	0.38	^ _413_/CLK (sky130_fd_sc_hd__dfrtp_1)	
			0.25	0.63	clock uncertainty	
			-0.04	0.59	clock reconvergence pessimism	
			-0.03	0.56	library hold time	
0.56 data required time						

0.56 data required time						
-0.93 data arrival time						

0.37 slack (MET)						

Startpoint: _452_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _452_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk

Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description	

1	0.02	0.08	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
			0.05	0.05	^ clk (in)	
					clk (net)	
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)	
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)	
12	0.04	0.06			clknet_0_clk (net)	
			0.06	0.00	0.20	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
			0.06	0.14	0.34	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_1_leaf_clk (net)
5	0.01	0.06	0.00	0.34	^ _452_/CLK (sky130_fd_sc_hd_dfrtp_1)	
		0.13	0.37	0.72	^ _452_/Q (sky130_fd_sc_hd_dfrtp_1)	
1	0.00	0.13			bit_count[0] (net)	
			0.04	0.14	0.72	^ _233_/A0 (sky130_fd_sc_hd_mux2_1)
1	0.00	0.04			^ _233_/X (sky130_fd_sc_hd_mux2_1)	
					0.86	^ _122_ (net)
1	0.00	0.04			^ _234_/A (sky130_fd_sc_hd_clkbuf_1)	
					0.93	^ _234_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00	0.04			^ _092_ (net)	
					0.93	^ _452_/D (sky130_fd_sc_hd_dfrtp_1)
				0.93	data arrival time	

1	0.02	0.08	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
			0.06	0.06	0.06	^ clk (in)
						clk (net)
4	0.04	0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)	
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)	
12	0.04	0.06			clknet_0_clk (net)	
			0.06	0.00	0.22	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
			0.06	0.15	0.38	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_1_leaf_clk (net)
		0.06	0.00	0.38	^ _452_/CLK (sky130_fd_sc_hd_dfrtp_1)	
					clock uncertainty	
				-0.04	clock reconvergence pessimism	
				-0.03	library hold time	
				0.56	data required time	

				0.56	data required time	
				-0.93	data arrival time	

				0.37	slack (MET)	

Startpoint: _434_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _434_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
					clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
12	0.04	0.06	0.00	0.34	^ _434_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.12	0.36	0.71	^ _434_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net15 (net)

		0.12	0.00	0.71	^	_277_/A1 (sky130_fd_sc_hd_mux2_1)
		0.05	0.15	0.86	^	_277_/X (sky130_fd_sc_hd_mux2_1)
1	0.00					_147_ (net)
		0.05	0.00	0.86	^	_278_/A (sky130_fd_sc_hd_clkbuf_1)
		0.05	0.08	0.94	^	_278_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00					_074_ (net)
		0.05	0.00	0.94	^	_434_/D (sky130_fd_sc_hd_dfrtp_1)
				0.94		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.08	0.06	0.06	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	0.06	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.38	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1_leaf_clk (net)
		0.06	0.00	0.38	^	_434_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.63		clock uncertainty
			-0.04	0.59		clock reconvergence pessimism
			-0.03	0.56		library hold time
				0.56		data required time

				0.56		data required time
				-0.94		data arrival time

				0.38		slack (MET)

Startpoint: _408_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _409_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.35	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05				clknet_2_0_leaf_clk (net)
		0.07	0.00	0.35	^ _408_/CLK (sky130_fd_sc_hd_dfrtp_4)
		0.11	0.44	0.79	^ _408_/Q (sky130_fd_sc_hd_dfrtp_4)
8	0.03				clk_count[0] (net)
		0.11	0.00	0.79	^ _349_/A1 (sky130_fd_sc_hd_a21oi_1)
		0.03	0.08	0.86	v _349_/Y (sky130_fd_sc_hd_a21oi_1)
1	0.00				_196_ (net)
		0.03	0.00	0.86	v _351_/A (sky130_fd_sc_hd_nor2_1)
		0.07	0.08	0.95	^ _351_/Y (sky130_fd_sc_hd_nor2_1)
1	0.00				_051_ (net)
		0.07	0.00	0.95	^ _409_/D (sky130_fd_sc_hd_dfrtp_4)
				0.95	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.38	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)

10	0.04				clknet_2_2__leaf_clk (net)
		0.06	0.00	0.38	^ _409_/CLK (sky130_fd_sc_hd__dfrtp_4)
			0.25	0.63	clock uncertainty
			-0.02	0.61	clock reconvergence pessimism
			-0.04	0.57	library hold time
				0.57	data required time

				0.57	data required time
				-0.95	data arrival time

				0.38	slack (MET)

Startpoint: _453_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _454_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	0.34	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.06	0.00	0.34	^ _453_/CLK (sky130_fd_sc_hd__dfrtp_1)
4	0.01	0.11	0.36	0.70	^ _453_/Q (sky130_fd_sc_hd__dfrtp_1)
					bit_count[1] (net)
		0.11	0.00	0.70	^ _224_/A (sky130_fd_sc_hd__nand2_1)
2	0.01	0.05	0.07	0.78	v _224_/Y (sky130_fd_sc_hd__nand2_1)
					115 (net)
		0.05	0.00	0.78	v _225_/B (sky130_fd_sc_hd__nand2_1)
1	0.00	0.03	0.06	0.84	^ _225_/Y (sky130_fd_sc_hd__nand2_1)
					116 (net)
		0.03	0.00	0.84	^ _226_/B2 (sky130_fd_sc_hd__a2bb2o_1)
1	0.00	0.04	0.11	0.94	^ _226_/X (sky130_fd_sc_hd__a2bb2o_1)
					094 (net)
		0.04	0.00	0.94	^ _454_/D (sky130_fd_sc_hd__dfrtp_1)
				0.94	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.15	0.38	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.06	0.00	0.38	^ _454_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63	clock uncertainty
			-0.04	0.59	clock reconvergence pessimism
			-0.03	0.56	library hold time
				0.56	data required time

				0.56	data required time
				-0.94	data arrival time

				0.38	slack (MET)

Startpoint: _440_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _441_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description	

			0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
1	0.02	0.08	0.05	0.05	^ clk (in)	
					clk (net)	
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
12	0.04				clknet_0_clk (net)	
		0.06	0.00	0.20	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.06	0.14	0.34	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
2	0.00				clknet_2_3__leaf_clk (net)	
		0.06	0.00	0.35	^ _440_/CLK (sky130_fd_sc_hd__dftrtp_1)	
		0.06	0.32	0.66	^ _440_/Q (sky130_fd_sc_hd__dftrtp_1)	
1	0.00				tx_shift[3] (net)	
		0.06	0.00	0.67	^ _254_/A1 (sky130_fd_sc_hd__mux2_1)	
		0.05	0.12	0.79	^ _254_/X (sky130_fd_sc_hd__mux2_1)	
1	0.00				_132_ (net)	
		0.05	0.00	0.79	^ _255_/A1 (sky130_fd_sc_hd__mux2_1)	
		0.04	0.11	0.90	^ _255_/X (sky130_fd_sc_hd__mux2_1)	
1	0.00				_133_ (net)	
		0.04	0.00	0.90	^ _256_/A (sky130_fd_sc_hd__clkbuf_1)	
		0.04	0.07	0.97	^ _256_/X (sky130_fd_sc_hd__clkbuf_1)	
1	0.00				_081_ (net)	
		0.04	0.00	0.97	^ _441_/D (sky130_fd_sc_hd__dftrtp_1)	
				0.97	data arrival time	

			0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
1	0.02	0.08	0.06	0.06	^ clk (in)	
					clk (net)	
4	0.04	0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
12	0.04				clknet_0_clk (net)	
		0.06	0.00	0.22	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.06	0.15	0.38	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					clknet_2_1__leaf_clk (net)	
		0.06	0.00	0.38	^ _441_/CLK (sky130_fd_sc_hd__dftrtp_1)	
				0.25	clock uncertainty	
				-0.02	clock reconvergence pessimism	
				-0.03	library hold time	
				0.58	data required time	
				0.58	data required time	
				-0.97	data arrival time	

				0.58	data required time	
				-0.97	data arrival time	

				0.39	slack (MET)	

Startpoint: _422_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _422_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)

10	0.04				clknet_2_2__leaf_clk (net)
		0.06	0.00	0.34	^ _422_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.11	0.35	0.69	^ _422_/Q (sky130_fd_sc_hd__dfrtp_1)
4	0.01				clk_count[14] (net)
		0.11	0.00	0.69	^ _301_/A1 (sky130_fd_sc_hd__a21oi_1)
		0.06	0.09	0.78	v _301_/Y (sky130_fd_sc_hd__a21oi_1)
2	0.01				_162_ (net)
		0.06	0.00	0.78	v _305_/A2 (sky130_fd_sc_hd__o21a_1)
		0.03	0.16	0.94	v _305_/X (sky130_fd_sc_hd__o21a_1)
1	0.00				_064_ (net)
		0.03	0.00	0.94	v _422_/D (sky130_fd_sc_hd__dfrtp_1)
				0.94	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.38	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.06	0.00	0.38	^ _422_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63	clock uncertainty
		-0.04	0.59		clock reconvergence pessimism
		-0.04	0.55		library hold time
			0.55		data required time

			0.55		data required time
			-0.94		data arrival time

			0.39		slack (MET)

Startpoint: _437_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _438_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.35	^ _437_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.06	0.32	0.67	^ _437_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.00				tx_shift[0] (net)
		0.06	0.00	0.67	^ _263_/A1 (sky130_fd_sc_hd__mux2_1)
		0.04	0.11	0.78	^ _263_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_138_ (net)
		0.04	0.00	0.78	^ _264_/A1 (sky130_fd_sc_hd__mux2_1)
		0.04	0.11	0.89	^ _264_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_139_ (net)
		0.04	0.00	0.89	^ _265_/A (sky130_fd_sc_hd__clkbuf_1)
		0.04	0.07	0.96	^ _265_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_078_ (net)
		0.04	0.00	0.96	^ _438_/D (sky130_fd_sc_hd__dfrtp_1)
				0.96	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency

		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.06	0.00	0.38	^ _438_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.63	clock uncertainty
			-0.04	0.60	clock reconvergence pessimism
			-0.03	0.57	library hold time
				0.57	data required time

				0.57	data required time
				-0.96	data arrival time

				0.40	slack (MET)

Startpoint: _410_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _410_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.35	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05				clknet_2_0_leaf_clk (net)
		0.06	0.00	0.35	^ _410_/CLK (sky130_fd_sc_hd_dfrtp_2)
		0.11	0.39	0.74	^ _410_/Q (sky130_fd_sc_hd_dfrtp_2)
6	0.02				clk_count[2] (net)
		0.11	0.00	0.74	^ _347_/B1 (sky130_fd_sc_hd_a21o_1)
		0.04	0.09	0.83	^ _347_/X (sky130_fd_sc_hd_a21o_1)
1	0.00				_195_ (net)
		0.04	0.00	0.83	^ _348_/A3 (sky130_fd_sc_hd_a32o_1)
		0.05	0.15	0.98	^ _348_/X (sky130_fd_sc_hd_a32o_1)
1	0.00				_052_ (net)
		0.05	0.00	0.98	^ _410_/D (sky130_fd_sc_hd_dfrtp_2)
				0.98	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05				clknet_2_0_leaf_clk (net)
		0.06	0.00	0.39	^ _410_/CLK (sky130_fd_sc_hd_dfrtp_2)
			0.25	0.64	clock uncertainty
			-0.04	0.60	clock reconvergence pessimism
			-0.03	0.57	library hold time
				0.57	data required time

				0.57	data required time
				-0.98	data arrival time

				0.41	slack (MET)

Startpoint: _442_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _443_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
				0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
				0.20	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.14	0.34	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
				0.35	^ _442_/CLK (sky130_fd_sc_hd_dfrtp_1)
2	0.01	0.06	0.32	0.66	^ _442_/Q (sky130_fd_sc_hd_dfrtp_1)
					tx_shift[5] (net)
				0.67	^ _248_/A1 (sky130_fd_sc_hd_mux2_1)
1	0.00	0.04	0.12	0.78	^ _248_/X (sky130_fd_sc_hd_mux2_1)
					128 (net)
				0.78	^ _249_/A1 (sky130_fd_sc_hd_mux2_1)
1	0.00	0.04	0.11	0.89	^ _249_/X (sky130_fd_sc_hd_mux2_1)
					129 (net)
				0.89	^ _250_/A (sky130_fd_sc_hd_clkbuf_1)
1	0.00	0.05	0.08	0.97	^ _250_/X (sky130_fd_sc_hd_clkbuf_1)
					083 (net)
				0.97	^ _443_/D (sky130_fd_sc_hd_dfrtp_1)
				0.97	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
				0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
				0.22	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.15	0.38	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
				0.38	^ _443_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.63	clock uncertainty
			-0.04	0.60	clock reconvergence pessimism
			-0.03	0.56	library hold time
				0.56	data required time

				0.56	data required time
				-0.97	data arrival time

				0.41	slack (MET)

Startpoint: _438_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _439_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)

4	0.04	0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.00	0.20	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.14	0.34	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.00	0.35	^ _438_/CLK (sky130_fd_sc_hd_dfrtp_1)
2	0.01	0.07	0.32	0.67	^ _438_/Q (sky130_fd_sc_hd_dfrtp_1)
		0.07	0.00	0.67	^ _260_/A1 (sky130_fd_sc_hd_mux2_1)
1	0.00	0.04	0.12	0.79	^ _260_/X (sky130_fd_sc_hd_mux2_1)
		0.04	0.00	0.79	^ _261_/A1 (sky130_fd_sc_hd_mux2_1)
1	0.00	0.04	0.11	0.90	^ _261_/X (sky130_fd_sc_hd_mux2_1)
		0.04	0.00	0.90	^ _262_/A (sky130_fd_sc_hd_clkbuf_1)
1	0.00	0.04	0.07	0.97	^ _262_/X (sky130_fd_sc_hd_clkbuf_1)
		0.04	0.00	0.98	^ _439_/D (sky130_fd_sc_hd_dfrtp_1)
				0.98	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.00	0.22	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.16	0.38	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.00	0.38	^ _439_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.63	clock uncertainty
		-0.04	0.60		clock reconvergence pessimism
		-0.03	0.57		library hold time
			0.57		data required time
			0.57		data required time
			-0.98		data arrival time
			0.41		slack (MET)

Startpoint: _439_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _440_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
4	0.04	0.08	0.05	0.05	^ clk (in)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.00	0.20	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
2	0.01	0.06	0.14	0.34	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.00	0.35	^ _439_/CLK (sky130_fd_sc_hd_dfrtp_1)
1	0.00	0.07	0.33	0.67	^ _439_/Q (sky130_fd_sc_hd_dfrtp_1)
		0.07	0.00	0.67	^ _257_/A1 (sky130_fd_sc_hd_mux2_1)
1	0.00	0.04	0.12	0.80	^ _257_/X (sky130_fd_sc_hd_mux2_1)
		0.04	0.00	0.80	^ _258_/A1 (sky130_fd_sc_hd_mux2_1)
1	0.00	0.04	0.11	0.91	^ _258_/X (sky130_fd_sc_hd_mux2_1)
		0.04	0.00	0.91	^ _259_/A (sky130_fd_sc_hd_clkbuf_1)

1	0.00	0.05	0.08	0.98	^	_259_/X (sky130_fd_sc_hd__clkbuf_1)
						080 (net)
		0.05	0.00	0.98	^	_440_/D (sky130_fd_sc_hd__dfrtp_1)
				0.98		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.08	0.06	0.06	^	clk (in)
						clk (net)
		0.08	0.00	0.06	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.16	0.38	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^	_440_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63		clock uncertainty
		-0.04		0.60		clock reconvergence pessimism
		-0.03		0.56		library hold time
				0.56		data required time

				0.56		data required time
				-0.98		data arrival time

				0.42		slack (MET)

Startpoint: _441_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _442_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	0.34	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.06	0.00	0.34	^ _441_/CLK (sky130_fd_sc_hd__dfrtp_1)
2	0.01	0.08	0.33	0.68	^ _441_/Q (sky130_fd_sc_hd__dfrtp_1)
					tx_shift[4] (net)
		0.08	0.00	0.68	^ _251_/A1 (sky130_fd_sc_hd__mux2_1)
1	0.00	0.04	0.12	0.80	^ _251_/X (sky130_fd_sc_hd__mux2_1)
					130 (net)
		0.04	0.00	0.80	^ _252_/A1 (sky130_fd_sc_hd__mux2_1)
1	0.00	0.05	0.11	0.91	^ _252_/X (sky130_fd_sc_hd__mux2_1)
					131 (net)
		0.05	0.00	0.91	^ _253_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.04	0.07	0.98	^ _253_/X (sky130_fd_sc_hd__clkbuf_1)
					082 (net)
		0.04	0.00	0.98	^ _442_/D (sky130_fd_sc_hd__dfrtp_1)
				0.98	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.15	0.38	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)

0.06	0.00	0.38	^	_442_/CLK (sky130_fd_sc_hd__dfrtp_1)
	0.25	0.63		clock uncertainty
	-0.04	0.60		clock reconvergence pessimism
	-0.03	0.56		library hold time
		0.56		data required time

		0.56		data required time
		-0.98		data arrival time

		0.42		slack (MET)

Startpoint: _418_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _418_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.34	^ _418_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.12	0.37	0.71	^ _418_/Q (sky130_fd_sc_hd__dfrtp_1)
4	0.01				clk_count[10] (net)
		0.12	0.00	0.71	^ _319_/B1 (sky130_fd_sc_hd__a21o_1)
		0.04	0.10	0.81	^ _319_/X (sky130_fd_sc_hd__a21o_1)
1	0.00				_175_ (net)
		0.04	0.00	0.81	^ _320_/B (sky130_fd_sc_hd__and2_1)
		0.05	0.11	0.92	^ _320_/X (sky130_fd_sc_hd__and2_1)
1	0.00				_176_ (net)
		0.05	0.00	0.92	^ _321_/A (sky130_fd_sc_hd__clkbuf_1)
		0.04	0.07	0.99	^ _321_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_060_ (net)
		0.04	0.00	0.99	^ _418_/D (sky130_fd_sc_hd__dfrtp_1)
				0.99	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^ _418_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63	clock uncertainty
		-0.04		0.59	clock reconvergence pessimism
		-0.03		0.56	library hold time
				0.56	data required time

				0.56	data required time
				-0.99	data arrival time

				0.43	slack (MET)

Startpoint: _408_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _408_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk

Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description		

1	0.02	0.08	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock source latency		
			0.05	0.05	^ clk (in)		
					clk (net)		
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)		
			0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)		
14	0.05	0.06			clknet_0_clk (net)		
			0.06	0.00	0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
			0.14	0.35	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)		
					clknet_2_0__leaf_clk (net)		
8	0.03	0.07	0.00	0.35	^ _408_/CLK (sky130_fd_sc_hd__dfrtp_4)		
			0.44	0.79	^ _408_/Q (sky130_fd_sc_hd__dfrtp_4)		
1	0.00	0.11			clk_count[0] (net)		
			0.14	0.79	^ _352_/S (sky130_fd_sc_hd__mux2_1)		
1	0.00	0.04		0.93	^ _352_/X (sky130_fd_sc_hd__mux2_1)		
					198 (net)		
1	0.00	0.04		0.93	^ _353_/A (sky130_fd_sc_hd__clkbuf_1)		
				1.00	^ _353_/X (sky130_fd_sc_hd__clkbuf_1)		
1	0.00	0.04			_050_ (net)		
				1.00	^ _408_/D (sky130_fd_sc_hd__dfrtp_4)		
				1.00	data arrival time		

1	0.02	0.08	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock source latency		
			0.06	0.06	^ clk (in)		
					clk (net)		
4	0.04	0.06	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)		
			0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)		
14	0.05	0.06			clknet_0_clk (net)		
			0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
			0.16	0.38	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)		
					clknet_2_0__leaf_clk (net)		
		0.07	0.00	0.39	^ _408_/CLK (sky130_fd_sc_hd__dfrtp_4)		
					clock uncertainty		
			0.64	clock reconvergence pessimism			
			-0.04	library hold time			
			-0.03	data required time			

					0.57	data required time	
					-1.00	data arrival time	

					0.43	slack (MET)	

Startpoint: _414_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _414_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description		

1	0.02		0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock source latency		
		0.08	0.05	0.05	^ clk (in)		
						clk (net)	
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)		
			0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
		4	0.04			clknet_0_clk (net)	
				0.06	0.00	0.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		10	0.04	0.06	0.14	0.34	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
							clknet_2_2__leaf_clk (net)
6	0.02	0.06	0.00	0.34	^ _414_/CLK (sky130_fd_sc_hd__dfrtp_1)		
		0.09	0.40	0.74	v _414_/Q (sky130_fd_sc_hd__dfrtp_1)		
					clk_count[6] (net)		

		0.09	0.00	0.74	v	_334_/A_N (sky130_fd_sc_hd_and3b_1)
		0.05	0.21	0.95	^	_334_/X (sky130_fd_sc_hd_and3b_1)
1	0.00					_186_ (net)
		0.05	0.00	0.95	^	_335_/B1 (sky130_fd_sc_hd_a21o_1)
		0.03	0.07	1.02	^	_335_/X (sky130_fd_sc_hd_a21o_1)
1	0.00					_056_ (net)
		0.03	0.00	1.02	^	_414_/D (sky130_fd_sc_hd_dfrtp_1)
				1.02		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.08	0.06	0.06	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	0.06	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.38	^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04					clknet_2_2_leaf_clk (net)
		0.06	0.00	0.38	^	_414_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.63		clock uncertainty
			-0.04	0.59		clock reconvergence pessimism
			-0.03	0.56		library hold time
				0.56		data required time

				0.56		data required time
				-1.02		data arrival time

				0.46		slack (MET)

Startpoint: _420_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _420_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.06	0.00	0.34	^ _420_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.09	0.40	0.74	v _420_/Q (sky130_fd_sc_hd_dfrtp_1)
6	0.01				clk_count[12] (net)
		0.09	0.00	0.74	v _311_/A_N (sky130_fd_sc_hd_and3b_1)
		0.06	0.21	0.95	^ _311_/X (sky130_fd_sc_hd_and3b_1)
1	0.00				_169_ (net)
		0.06	0.00	0.95	^ _312_/B1 (sky130_fd_sc_hd_a21o_1)
		0.03	0.07	1.03	^ _312_/X (sky130_fd_sc_hd_a21o_1)
1	0.00				_062_ (net)
		0.03	0.00	1.03	^ _420_/D (sky130_fd_sc_hd_dfrtp_1)
				1.03	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)

12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^ _420_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.63	clock uncertainty
			-0.04	0.59	clock reconvergence pessimism
			-0.03	0.56	library hold time
				0.56	data required time

				0.56	data required time
				-1.03	data arrival time

				0.46	slack (MET)

Startpoint: _455_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _424_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	0.34	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.06	0.00	0.34	^ _455_/CLK (sky130_fd_sc_hd__dftrtp_1)
2	0.01	0.06	0.32	0.66	^ _455_/Q (sky130_fd_sc_hd__dftrtp_1)
					bit_count[3] (net)
		0.06	0.00	0.67	^ _216_/A (sky130_fd_sc_hd__nor2_1)
2	0.01	0.03	0.05	0.72	v _216_/Y (sky130_fd_sc_hd__nor2_1)
					108 (net)
		0.03	0.00	0.72	v _217_/D (sky130_fd_sc_hd__nand4_1)
3	0.01	0.11	0.12	0.84	^ _217_/Y (sky130_fd_sc_hd__nand4_1)
					109 (net)
		0.11	0.00	0.84	^ _270_/B (sky130_fd_sc_hd__and2_1)
1	0.00	0.05	0.13	0.97	^ _270_/X (sky130_fd_sc_hd__and2_1)
					143 (net)
		0.05	0.00	0.97	^ _271_/A (sky130_fd_sc_hd__clkbuf_1)
2	0.01	0.07	0.10	1.06	^ _271_/X (sky130_fd_sc_hd__clkbuf_1)
					000 (net)
		0.07	0.00	1.06	^ _424_/D (sky130_fd_sc_hd__dftrtp_2)
				1.06	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.16	0.38	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^ _424_/CLK (sky130_fd_sc_hd__dftrtp_2)
			0.25	0.63	clock uncertainty
			-0.02	0.61	clock reconvergence pessimism
			-0.04	0.57	library hold time
				0.57	data required time

				0.57	data required time
				-1.06	data arrival time

				0.49	slack (MET)

Startpoint: _412_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _412_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04	0.06	0.15		clknet_0_clk (net)
				0.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
5	0.01	0.06	0.00	0.34	^ _412_/CLK (sky130_fd_sc_hd__dftrtp_1)
				0.73	v _412_/Q (sky130_fd_sc_hd__dftrtp_1)
3	0.01	0.08	0.39		clk_count[4] (net)
				0.73	v _336_/A (sky130_fd_sc_hd__nand2_1)
		0.09	0.11	0.84	^ _336_/Y (sky130_fd_sc_hd__nand2_1)
					187 (net)
2	0.01	0.09	0.00	0.84	^ _338_/A2 (sky130_fd_sc_hd__a21o_1)
				0.97	^ _338_/X (sky130_fd_sc_hd__a21o_1)
		0.06	0.13		_189_ (net)
				0.97	^ _342_/A2 (sky130_fd_sc_hd__a21o_1)
1	0.00	0.06	0.10	1.07	^ _342_/X (sky130_fd_sc_hd__a21o_1)
					054 (net)
		0.03	0.00	1.07	^ _412_/D (sky130_fd_sc_hd__dftrtp_1)
				1.07	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04	0.06	0.16		clknet_0_clk (net)
				0.22	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.38	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.06	0.00	0.38	^ _412_/CLK (sky130_fd_sc_hd__dftrtp_1)
				0.25	clock uncertainty
			-0.04	0.59	clock reconvergence pessimism
				-0.03	0.56
				0.56	data required time

				0.56	data required time
				-1.07	data arrival time

				0.50	slack (MET)

Startpoint: _454_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _455_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)

4	0.04	0.06	0.00	0.20	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.34	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.00	0.34	^	clknet_2_1__leaf_clk (net)
		0.05	0.35	0.70	v	_454_/CLK (sky130_fd_sc_hd_dfrtp_1)
2	0.00	0.05	0.00	0.70	v	_454_/Q (sky130_fd_sc_hd_dfrtp_1)
		0.07	0.07	0.77	^	bit_count[2] (net)
		0.07	0.00	0.77	^	_215_/A (sky130_fd_sc_hd_nand3_1)
2	0.01	0.07	0.19	0.96	^	_215_/Y (sky130_fd_sc_hd_nand3_1)
		0.07	0.00	0.77	^	_107_ (net)
		0.07	0.19	0.96	^	_219_/C (sky130_fd_sc_hd_and4_1)
2	0.01	0.07	0.00	0.96	^	_219_/X (sky130_fd_sc_hd_and4_1)
		0.04	0.11	1.07	^	_111_ (net)
		0.04	0.00	1.07	^	_220_/A2 (sky130_fd_sc_hd_o21a_1)
1	0.00	0.04	0.00	1.07	^	_220_/X (sky130_fd_sc_hd_o21a_1)
				1.07	^	_095_ (net)
				1.07	^	_455_/D (sky130_fd_sc_hd_dfrtp_1)
						data arrival time
		0.00	0.00			clock clk (rise edge)
		0.00	0.00			clock source latency
1	0.02	0.08	0.06	0.06	^	clk (in)
		0.08	0.00	0.06	^	clk (net)
		0.06	0.16	0.22	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.15	0.38	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.00	0.22	^	clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.15	0.38	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.00	0.38	^	clknet_2_1__leaf_clk (net)
		0.25	0.63			_455_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.04	0.59			clock uncertainty
		-0.03	0.56			clock reconvergence pessimism
			0.56			library hold time
			0.56			data required time

			0.56			data required time
			-1.07			data arrival time

			0.51			slack (MET)

Startpoint: _416_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _416_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

		0.00	0.00	0.00	clock clk (rise edge)
		0.00	0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
		0.08	0.00	0.05	^ clk (net)
		0.06	0.15	0.20	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.14	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.00	0.20	^ clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
10	0.04	0.06	0.14	0.34	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.00	0.34	^ clknet_2_2__leaf_clk (net)
		0.10	0.40	0.74	^ _416_/CLK (sky130_fd_sc_hd_dfrtp_1)
5	0.02	0.10	0.00	0.74	v _416_/Q (sky130_fd_sc_hd_dfrtp_1)
		0.09	0.11	0.85	^ clk_count[8] (net)
		0.09	0.00	0.74	v _322_/A (sky130_fd_sc_hd_nand3_1)
3	0.01	0.09	0.13	0.85	^ _322_/Y (sky130_fd_sc_hd_nand3_1)
		0.06	0.00	0.85	^ _177_ (net)
		0.06	0.13	0.98	^ _324_/A2 (sky130_fd_sc_hd_a21o_1)
2	0.01	0.06	0.00	0.98	^ _324_/X (sky130_fd_sc_hd_a21o_1)
		0.03	0.10	1.08	^ _179_ (net)
				0.98	^ _327_/A2 (sky130_fd_sc_hd_a21o_1)
				1.08	^ _327_/X (sky130_fd_sc_hd_a21o_1)

1	0.00	0.03	0.00	1.08	^	_058_ (net)
				1.08		_416_/D (sky130_fd_sc_hd__dfrtp_1)
				1.08		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.08	0.06	0.06	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	0.06	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.38	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04					clknet_2_2__leaf_clk (net)
		0.06	0.00	0.38	^	_416_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63		clock uncertainty
		-0.04	0.59			clock reconvergence pessimism
		-0.03	0.56			library hold time
			0.56			data required time

				0.56		data required time
				-1.08		data arrival time

				0.52		slack (MET)

Startpoint: _417_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _417_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.06	0.00	0.34	^ _417_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.14	0.37	0.72	^ _417_/Q (sky130_fd_sc_hd__dfrtp_1)
5	0.01				clk_count[9] (net)
		0.14	0.00	0.72	^ _323_/A (sky130_fd_sc_hd__or2_1)
		0.03	0.11	0.82	^ _323_/X (sky130_fd_sc_hd__or2_1)
1	0.00				_178_ (net)
		0.03	0.00	0.82	^ _325_/A2_N (sky130_fd_sc_hd__a2bb2o_1)
		0.05	0.25	1.07	v _325_/X (sky130_fd_sc_hd__a2bb2o_1)
1	0.00				_059_ (net)
		0.05	0.00	1.07	v _417_/D (sky130_fd_sc_hd__dfrtp_1)
				1.07	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.38	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.06	0.00	0.38	^ _417_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63	clock uncertainty
		-0.04	0.59		clock reconvergence pessimism
		-0.04	0.55		library hold time

0.55	data required time

0.55	data required time
-1.07	data arrival time

0.53	slack (MET)

Startpoint: _455_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _425_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.14	0.34	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.06	0.00	0.34	^ _455_/CLK (sky130_fd_sc_hd_dfrtp_1)
2	0.01	0.06	0.32	0.66	^ _455_/Q (sky130_fd_sc_hd_dfrtp_1)
					bit_count[3] (net)
		0.06	0.00	0.67	^ _216_/A (sky130_fd_sc_hd_nor2_1)
2	0.01	0.03	0.05	0.72	v _216_/Y (sky130_fd_sc_hd_nor2_1)
					108 (net)
		0.03	0.00	0.72	v _217_/D (sky130_fd_sc_hd_nand4_1)
3	0.01	0.11	0.12	0.84	^ _217_/Y (sky130_fd_sc_hd_nand4_1)
					109 (net)
		0.11	0.00	0.84	^ _218_/A (sky130_fd_sc_hd_buf_4)
		0.19	0.23	1.07	^ _218_/X (sky130_fd_sc_hd_buf_4)
10	0.07				_110_ (net)
		0.19	0.00	1.07	^ _354_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	1.10	v _354_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_001_ (net)
		0.03	0.00	1.11	v _425_/D (sky130_fd_sc_hd_dfrtp_1)
				1.11	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.38	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.06	0.00	0.38	^ _425_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.63	clock uncertainty
			-0.02	0.61	clock reconvergence pessimism
			-0.04	0.57	library hold time
				0.57	data required time

				0.57	data required time
				-1.11	data arrival time

				0.54	slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _444_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
4	0.04				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.35	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.03				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.35	^ _435_/CLK (sky130_fd_sc_hd__dftrtp_2)
		0.13	0.40	0.75	^ _435_/Q (sky130_fd_sc_hd__dftrtp_2)
2	0.01				net24 (net)
		0.13	0.00	0.75	^ _235_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.05	0.80	v _235_/Y (sky130_fd_sc_hd__inv_2)
2	0.01				_123_ (net)
		0.03	0.00	0.80	v _236_/A (sky130_fd_sc_hd__nand2_1)
		0.09	0.08	0.88	^ _236_/Y (sky130_fd_sc_hd__nand2_1)
8	0.03				_124_ (net)
		0.09	0.00	0.88	^ _239_/B (sky130_fd_sc_hd__nor2_2)
		0.08	0.09	0.97	v _239_/Y (sky130_fd_sc_hd__nor2_2)
1	0.00				_127_ (net)
		0.08	0.00	0.98	v _247_/B1 (sky130_fd_sc_hd__a22o_1)
		0.04	0.17	1.15	v _247_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_084_ (net)
		0.04	0.00	1.15	v _444_/D (sky130_fd_sc_hd__dftrtp_1)
				1.15	data arrival time

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
4	0.04				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^ _444_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.63	clock uncertainty
			-0.02	0.61	clock reconvergence pessimism
			-0.04	0.57	library hold time
				0.57	data required time

				0.57	data required time
				-1.15	data arrival time

				0.58	slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _445_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05 ^	clk (in)
4	0.04				clk (net)
		0.08	0.00	0.05 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.20 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20 ^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)

		0.06	0.14	0.35	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05					clknet_2_0__leaf_clk (net)
		0.06	0.00	0.35	^	_435_/CLK (sky130_fd_sc_hd__dfrtp_2)
		0.13	0.40	0.75	^	_435_/Q (sky130_fd_sc_hd__dfrtp_2)
4	0.03					net24 (net)
		0.13	0.00	0.75	^	_235_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.05	0.80	v	_235_/Y (sky130_fd_sc_hd__inv_2)
2	0.01					_123_ (net)
		0.03	0.00	0.80	v	_236_/A (sky130_fd_sc_hd__nand2_1)
		0.09	0.08	0.88	^	_236_/Y (sky130_fd_sc_hd__nand2_1)
2	0.01					_124_ (net)
		0.09	0.00	0.88	^	_239_/B (sky130_fd_sc_hd__nor2_2)
		0.08	0.09	0.97	v	_239_/Y (sky130_fd_sc_hd__nor2_2)
8	0.03					_127_ (net)
		0.08	0.00	0.98	v	_246_/B1 (sky130_fd_sc_hd__a22o_1)
		0.04	0.18	1.16	v	_246_/X (sky130_fd_sc_hd__a22o_1)
1	0.00					_085_ (net)
		0.04	0.00	1.16	v	_445_/D (sky130_fd_sc_hd__dfrtp_1)
				1.16		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.08	0.06	0.06	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	0.06	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.38	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.06	0.00	0.38	^	_445_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63		clock uncertainty
		-0.02		0.61		clock reconvergence pessimism
		-0.04		0.57		library hold time
				0.57		data required time

				0.57		data required time
				-1.16		data arrival time

				0.59		slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _446_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.35	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.35	^ _435_/CLK (sky130_fd_sc_hd__dfrtp_2)
		0.13	0.40	0.75	^ _435_/Q (sky130_fd_sc_hd__dfrtp_2)
4	0.03				net24 (net)
		0.13	0.00	0.75	^ _235_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.05	0.80	v _235_/Y (sky130_fd_sc_hd__inv_2)
2	0.01				_123_ (net)
		0.03	0.00	0.80	v _236_/A (sky130_fd_sc_hd__nand2_1)
		0.09	0.08	0.88	^ _236_/Y (sky130_fd_sc_hd__nand2_1)
2	0.01				_124_ (net)
		0.09	0.00	0.88	^ _239_/B (sky130_fd_sc_hd__nor2_2)

8	0.03	0.08	0.09	0.97	v	_239_/Y (sky130_fd_sc_hd__nor2_2)
		0.08	0.00	0.98	v	_245_/B1 (sky130_fd_sc_hd__a22o_1)
1	0.00	0.04	0.18	1.16	v	_245_/X (sky130_fd_sc_hd__a22o_1)
		0.04	0.00	1.16	v	_086_ (net)
				1.16	v	_446_/D (sky130_fd_sc_hd__dftrtp_1)
				1.16		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.08	0.06	0.06	^	clk (in)
		0.08	0.00	0.06	^	clk (net)
4	0.04	0.06	0.16	0.22	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.38	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.00	0.22	^	clknet_0_clk (net)
		0.06	0.15	0.38	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.38	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_1__leaf_clk (net)
		0.06	0.00	0.38	^	_446_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.63		clock uncertainty
		-0.02		0.61		clock reconvergence pessimism
		-0.04		0.57		library hold time
				0.57		data required time

				0.57		data required time
				-1.16		data arrival time

				0.59		slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _448_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
		0.08	0.00	0.05	^ clk (net)
4	0.04	0.06	0.15	0.20	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.35	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05	0.06	0.00	0.20	^ clknet_0_clk (net)
		0.06	0.14	0.35	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.35	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.06	0.00	0.35	^ _435_/CLK (sky130_fd_sc_hd__dftrtp_2)
		0.13	0.40	0.75	^ _435_/Q (sky130_fd_sc_hd__dftrtp_2)
4	0.03				net24 (net)
		0.13	0.00	0.75	^ _235_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.05	0.80	v _235_/Y (sky130_fd_sc_hd__inv_2)
2	0.01				_123_ (net)
		0.03	0.00	0.80	v _236_/A (sky130_fd_sc_hd__nand2_1)
		0.09	0.08	0.88	^ _236_/Y (sky130_fd_sc_hd__nand2_1)
2	0.01				_124_ (net)
		0.09	0.00	0.88	^ _239_/B (sky130_fd_sc_hd__nor2_2)
		0.08	0.09	0.97	v _239_/Y (sky130_fd_sc_hd__nor2_2)
8	0.03				_127_ (net)
		0.08	0.00	0.97	v _243_/B1 (sky130_fd_sc_hd__a22o_1)
		0.04	0.18	1.15	v _243_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_088_ (net)
		0.04	0.00	1.15	v _448_/D (sky130_fd_sc_hd__dftrtp_1)
				1.15	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)

		0.08	0.00	0.06	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.38	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05					clknet_2_0__leaf_clk (net)
		0.06	0.00	0.39	^	_448_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.64		clock uncertainty
		-0.04	0.60			clock reconvergence pessimism
		-0.04	0.56			library hold time
			0.56			data required time

				0.56		data required time
				-1.15		data arrival time

				0.59		slack (MET)

Startpoint: _455_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _436_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.06	0.00	0.34	^ _455_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.06	0.32	0.66	^ _455_/Q (sky130_fd_sc_hd__dftrtp_1)
2	0.01				bit_count[3] (net)
		0.06	0.00	0.67	^ _216_/A (sky130_fd_sc_hd__nor2_1)
		0.03	0.05	0.72	v _216_/Y (sky130_fd_sc_hd__nor2_1)
2	0.01				_108_ (net)
		0.03	0.00	0.72	v _217_/D (sky130_fd_sc_hd__nand4_1)
		0.11	0.12	0.84	^ _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.11	0.00	0.84	^ _270_/B (sky130_fd_sc_hd__and2_1)
		0.05	0.13	0.97	^ _270_/X (sky130_fd_sc_hd__and2_1)
1	0.00				_143_ (net)
		0.05	0.00	0.97	^ _271_/A (sky130_fd_sc_hd__clkbuf_1)
		0.07	0.10	1.06	^ _271_/X (sky130_fd_sc_hd__clkbuf_1)
2	0.01				_000_ (net)
		0.07	0.00	1.06	^ _272_/B1_N (sky130_fd_sc_hd__a21bo_1)
		0.03	0.19	1.25	v _272_/X (sky130_fd_sc_hd__a21bo_1)
1	0.00				_076_ (net)
		0.03	0.00	1.25	v _436_/D (sky130_fd_sc_hd__dfstp_1)
				1.25	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^ _436_/CLK (sky130_fd_sc_hd__dfstp_1)
			0.25	0.63	clock uncertainty
		-0.02	0.61		clock reconvergence pessimism

-0.01	0.61	library hold time
	0.61	data required time

	0.61	data required time
	-1.25	data arrival time

	0.65	slack (MET)

Startpoint: _455_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _433_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.14	0.34	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
		0.06	0.00	0.34	^ _455_/CLK (sky130_fd_sc_hd_dfrtp_1)
2	0.01	0.06	0.32	0.66	^ _455_/Q (sky130_fd_sc_hd_dfrtp_1)
					bit_count[3] (net)
		0.06	0.00	0.67	^ _216_/A (sky130_fd_sc_hd_nor2_1)
2	0.01	0.03	0.05	0.72	v _216_/Y (sky130_fd_sc_hd_nor2_1)
					108 (net)
		0.03	0.00	0.72	v _217_/D (sky130_fd_sc_hd_nand4_1)
3	0.01	0.11	0.12	0.84	^ _217_/Y (sky130_fd_sc_hd_nand4_1)
					109 (net)
		0.11	0.00	0.84	^ _218_/A (sky130_fd_sc_hd_buf_4)
10	0.07	0.19	0.23	1.07	^ _218_/X (sky130_fd_sc_hd_buf_4)
					110 (net)
		0.19	0.01	1.07	^ _279_/S (sky130_fd_sc_hd_mux2_1)
1	0.00	0.04	0.15	1.22	^ _279_/X (sky130_fd_sc_hd_mux2_1)
					148 (net)
		0.04	0.00	1.22	^ _280_/A (sky130_fd_sc_hd_clkbuf_1)
1	0.00	0.04	0.07	1.30	^ _280_/X (sky130_fd_sc_hd_clkbuf_1)
					073 (net)
		0.04	0.00	1.30	^ _433_/D (sky130_fd_sc_hd_dfrtp_1)
				1.30	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.38	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.06	0.00	0.38	^ _433_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.63	clock uncertainty
		-0.04	0.60		clock reconvergence pessimism
		-0.03	0.56		library hold time
			0.56		data required time

				0.56	data required time
				-1.30	data arrival time

				0.73	slack (MET)

Startpoint: _447_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _447_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.35	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)
3	0.01	0.06	0.00	0.35	^ _447_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.11	0.36	0.70	^ _447_/Q (sky130_fd_sc_hd_dfrtp_1)
					rx_shift[3] (net)
1	0.00	0.11	0.00	0.70	^ _244_/A1 (sky130_fd_sc_hd_a22o_1)
		0.04	0.13	0.83	^ _244_/X (sky130_fd_sc_hd_a22o_1)
					087 (net)
1	0.00	0.04	0.00	0.83	^ hold3/A (sky130_fd_sc_hd_dlygate4sd3_1)
		0.05	0.50	1.34	^ hold3/X (sky130_fd_sc_hd_dlygate4sd3_1)
					net28 (net)
1	0.00	0.05	0.00	1.34	^ _447_/D (sky130_fd_sc_hd_dfrtp_1)
				1.34	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.06	0.00	0.39	^ _447_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.64	clock uncertainty
			-0.04	0.60	clock reconvergence pessimism
			-0.03	0.57	library hold time
				0.57	data required time

				0.57	data required time
				-1.34	data arrival time

				0.77	slack (MET)

Startpoint: _449_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _449_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
			0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05	0.06	0.00	0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
			0.14	0.35	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)

		0.06	0.00	0.35	^	_449_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.10	0.35	0.70	^	_449_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01					rx_shift[5] (net)
		0.10	0.00	0.70	^	_242_/A1 (sky130_fd_sc_hd_a22o_1)
		0.05	0.14	0.84	^	_242_/X (sky130_fd_sc_hd_a22o_1)
1	0.00					_089_ (net)
		0.05	0.00	0.84	^	hold8/A (sky130_fd_sc_hd_dlygate4sd3_1)
		0.05	0.51	1.34	^	hold8/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00					net33 (net)
		0.05	0.00	1.34	^	_449_/D (sky130_fd_sc_hd_dfrtp_1)
				1.34		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.08	0.06	0.06	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	0.06	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.38	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05					clknet_2_0__leaf_clk (net)
		0.06	0.00	0.39	^	_449_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.64		clock uncertainty
			-0.04	0.60		clock reconvergence pessimism
			-0.03	0.57		library hold time
				0.57		data required time

				0.57		data required time
				-1.34		data arrival time

				0.78		slack (MET)

Startpoint: _450_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _451_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.35	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.35	^ _450_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.13	0.37	0.72	^ _450_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				rx_shift[6] (net)
		0.13	0.00	0.72	^ _240_/B2 (sky130_fd_sc_hd_a22o_1)
		0.04	0.12	0.84	^ _240_/X (sky130_fd_sc_hd_a22o_1)
1	0.00				_091_ (net)
		0.04	0.00	0.84	^ hold5/A (sky130_fd_sc_hd_dlygate4sd3_1)
		0.05	0.50	1.35	^ hold5/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00				net30 (net)
		0.05	0.00	1.35	^ _451_/D (sky130_fd_sc_hd_dfrtp_1)
				1.35	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)

4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.39	^ _451_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.64	clock uncertainty
			-0.04	0.60	clock reconvergence pessimism
			-0.03	0.57	library hold time
				0.57	data required time

				0.57	data required time
				-1.35	data arrival time

				0.78	slack (MET)

Startpoint: _437_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _437_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.35	^ _437_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.06	0.32	0.67	^ _437_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.00				tx_shift[0] (net)
		0.06	0.00	0.67	^ hold21/A (sky130_fd_sc_hd_dlygate4sd3_1)
		0.06	0.52	1.18	^ hold21/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00				net46 (net)
		0.06	0.00	1.18	^ _267_/A0 (sky130_fd_sc_hd_mux2_1)
		0.04	0.11	1.29	^ _267_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_141_ (net)
		0.04	0.00	1.29	^ _268_/A (sky130_fd_sc_hd_clkbuf_1)
		0.04	0.07	1.36	^ _268_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_077_ (net)
		0.04	0.00	1.36	^ _437_/D (sky130_fd_sc_hd_dfrtp_1)
				1.36	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^ _437_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.63	clock uncertainty
			-0.04	0.60	clock reconvergence pessimism
			-0.03	0.57	library hold time
				0.57	data required time

				0.57	data required time
				-1.36	data arrival time

				0.80	slack (MET)

Startpoint: _450_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _450_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05	0.06	0.15		clknet_0_clk (net)
				0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.35	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)
3	0.01	0.06	0.00	0.35	^ _450_/CLK (sky130_fd_sc_hd_dfrtp_1)
				0.72	^ _450_/Q (sky130_fd_sc_hd_dfrtp_1)
1	0.00	0.13	0.37		rx_shift[6] (net)
				0.72	^ _241_/A1 (sky130_fd_sc_hd_a22o_1)
1	0.00	0.05	0.15	0.86	^ _241_/X (sky130_fd_sc_hd_a22o_1)
					090 (net)
1	0.00	0.05	0.00	0.87	^ hold10/A (sky130_fd_sc_hd_dlygate4sd3_1)
				1.38	^ hold10/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00	0.06	0.51		net35 (net)
				1.38	^ _450_/D (sky130_fd_sc_hd_dfrtp_1)
			0.06	1.38	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05	0.06	0.16		clknet_0_clk (net)
				0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.06	0.00	0.39	^ _450_/CLK (sky130_fd_sc_hd_dfrtp_1)
				0.25	clock uncertainty
			-0.04	0.60	clock reconvergence pessimism
			-0.03	0.56	library hold time
				0.56	data required time

				0.56	data required time
				-1.38	data arrival time

				0.81	slack (MET)

Startpoint: _444_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _426_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15		clknet_0_clk (net)
				0.20	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
			0.06	0.34	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd_clkbuf_16)

12	0.04	0.06	0.00	0.35	^	clknet_2_3__leaf_clk (net)
		0.09	0.34	0.69	^	_444_/CLK (sky130_fd_sc_hd__dfrtp_1)
2	0.01				^	_444_/Q (sky130_fd_sc_hd__dfrtp_1)
		0.09	0.00	0.69	^	rx_shift[0] (net)
		0.04	0.12	0.81	^	_293_/A0 (sky130_fd_sc_hd__mux2_1)
1	0.00				^	_293_/X (sky130_fd_sc_hd__mux2_1)
						155 (net)
		0.04	0.00	0.81	^	hold34/A (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00	0.06	0.51	1.32	^	hold34/X (sky130_fd_sc_hd__dlygate4sd3_1)
						net59 (net)
		0.06	0.00	1.32	^	_294_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.04	0.08	1.40	^	_294_/X (sky130_fd_sc_hd__clkbuf_1)
						066 (net)
		0.04	0.00	1.40	^	_426_/D (sky130_fd_sc_hd__dfrtp_1)
				1.40		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.08	0.06	0.06	^	clk (in)
						clk (net)
		0.08	0.00	0.06	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.38	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^	_426_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63		clock uncertainty
		-0.04	0.60			clock reconvergence pessimism
		-0.03	0.56			library hold time
			0.56			data required time

				0.56		data required time
				-1.40		data arrival time

				0.84		slack (MET)

Startpoint: _427_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _427_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.06	0.00	0.35	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.09	0.34	0.69	^ _427_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net17 (net)
		0.09	0.00	0.69	^ _291_/A1 (sky130_fd_sc_hd__mux2_1)
		0.04	0.12	0.81	^ _291_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_154_ (net)
		0.04	0.00	0.81	^ hold36/A (sky130_fd_sc_hd__dlygate4sd3_1)
		0.06	0.51	1.32	^ hold36/X (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00				net61 (net)
		0.06	0.00	1.32	^ _292_/A (sky130_fd_sc_hd__clkbuf_1)
		0.05	0.08	1.41	^ _292_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_067_ (net)
		0.05	0.00	1.41	^ _427_/D (sky130_fd_sc_hd__dfrtp_1)
				1.41	data arrival time

		0.00	0.00	clock clk (rise edge)
		0.00	0.00	clock source latency
	0.08	0.06	0.06	^ clk (in)
1	0.02			clk (net)
		0.08	0.00	0.06 ^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22 ^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04			clknet_0_clk (net)
		0.06	0.00	0.22 ^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.38 ^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04			clknet_2_1__leaf_clk (net)
		0.06	0.00	0.38 ^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	clock uncertainty
			-0.04	clock reconvergence pessimism
			-0.03	library hold time
			0.56	data required time

			0.56	data required time
			-1.41	data arrival time

			0.85	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _448_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.28	v _400_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.34	^ _400_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_042_ (net)
		0.03	0.00	2.34	^ _448_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.34	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
	0.02	0.08	0.06	0.06	^ clk (in)
1					clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.39	^ _448_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.64	clock uncertainty
			0.00	0.64	clock reconvergence pessimism
			0.32	0.96	library removal time
				0.96	data required time

				0.96	data required time
				-2.34	data arrival time

				1.38	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _449_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
				2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
				2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
				2.28	v _401_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.04	0.06	2.34	^ _401_/Y (sky130_fd_sc_hd__inv_2)
					043 (net)
				2.34	^ _449_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.34	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
				0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
				0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.05	0.06	0.16	0.38	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
				0.39	^ _449_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.64	clock uncertainty
			0.00	0.64	clock reconvergence pessimism
			0.32	0.96	library removal time
				0.96	data required time

				0.96	data required time
				-2.34	data arrival time

				1.38	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _451_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
				2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
				2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
				2.28	v _403_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.04	0.06	2.34	^ _403_/Y (sky130_fd_sc_hd__inv_2)
					045 (net)
				2.34	^ _451_/RESET_B (sky130_fd_sc_hd__dftrtp_1)

				2.34	data arrival time
		0.00	0.00		clock clk (rise edge)
		0.00	0.00		clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.39	^ _451_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.64	clock uncertainty
			0.00	0.64	clock reconvergence pessimism
			0.32	0.96	library removal time
				0.96	data required time

				0.96	data required time
				-2.34	data arrival time

				1.38	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _453_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.28	v _405_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.05	2.34	^ _405_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_047_ (net)
		0.03	0.00	2.34	^ _453_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.34	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.38	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.06	0.00	0.38	^ _453_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.34	data arrival time

				1.38	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _452_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
				2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.05	0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
				2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
1	0.00	0.08	0.00	2.28	v _404_/A (sky130_fd_sc_hd__inv_2)
				2.34	^ _404_/Y (sky130_fd_sc_hd__inv_2)
					046 (net)
		0.03	0.00	2.34	^ _452_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.34	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
12	0.04	0.06	0.00	0.22	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.38	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.06	0.00	0.38	^ _452_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.34	data arrival time

				1.38	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _450_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
				2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.05	0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
				2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
1	0.01	0.08	0.00	2.28	v _402_/A (sky130_fd_sc_hd__inv_2)
				2.34	^ _402_/Y (sky130_fd_sc_hd__inv_2)
					044 (net)

		0.04	0.00	2.34	^ _450_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.34	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.05	0.06	0.16	0.38	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.06	0.00	0.39	^ _450_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.64	clock uncertainty
			0.00	0.64	clock reconvergence pessimism
			0.32	0.96	library removal time
				0.96	data required time

				0.96	data required time
				-2.34	data arrival time

				1.38	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _454_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd_buf_4)
10	0.05	0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd_buf_4)
					199 (net)
		0.08	0.00	2.28	v _406_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.03	0.06	2.34	^ _406_/Y (sky130_fd_sc_hd_inv_2)
					048 (net)
		0.03	0.00	2.34	^ _454_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.34	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.15	0.38	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.06	0.00	0.38	^ _454_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.34	data arrival time

				1.38	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _455_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
			0.01	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.05	0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.08	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
1	0.00	0.08	0.00	2.28	v _407_/A (sky130_fd_sc_hd__inv_2)
			0.03	2.34	^ _407_/Y (sky130_fd_sc_hd__inv_2)
					049 (net)
		0.03	0.00	2.34	^ _455_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.34	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.06	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
12	0.04	0.06	0.00	0.22	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.06	0.38	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
			0.06	0.38	^ _455_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.34	data arrival time

				1.38	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _447_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
			0.01	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.06	0.05	0.00	2.10	v _389_/A (sky130_fd_sc_hd__buf_4)
			0.09	2.28	v _389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
		0.09	0.00	2.29	v _399_/A (sky130_fd_sc_hd__inv_2)
			0.04	2.35	^ _399_/Y (sky130_fd_sc_hd__inv_2)

1	0.00	0.04	0.00	2.35	^	_041_ (net)
				2.35	^	_447_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
						data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.08	0.06	0.06	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	0.06	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.38	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05					clknet_2_0__leaf_clk (net)
		0.06	0.00	0.39	^	_447_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.64		clock uncertainty
			0.00	0.64		clock reconvergence pessimism
			0.32	0.96		library removal time
				0.96		data required time

				0.96		data required time
				-2.35		data arrival time

				1.39		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _446_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _389_/A (sky130_fd_sc_hd__buf_4)
		0.09	0.19	2.28	v _389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
		0.09	0.00	2.29	v _398_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.34	^ _398_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_040_ (net)
		0.03	0.00	2.34	^ _446_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.34	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.38	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.06	0.00	0.38	^ _446_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.34	data arrival time

1.39 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _445_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.01	0.00	2.00 v	rst (in)
					rst (net)
				2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
				2.10 v	_389_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.09	0.19	2.28 v	_389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
				2.29 v	_397_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.03	0.06	2.34 ^	_397_/Y (sky130_fd_sc_hd__inv_2)
					039 (net)
				2.34 ^	_445_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
			2.34		data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06 ^	clk (in)
					clk (net)
				0.06 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
				0.22 ^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.15	0.38 ^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
				0.38 ^	_445_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.34	data arrival time

				1.39	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _439_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.01	0.00	2.00 v	rst (in)
					rst (net)
				2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
				2.10 v	_389_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.09	0.19	2.28 v	_389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
				2.29 v	_391_/A (sky130_fd_sc_hd__inv_2)

1	0.00	0.03	0.06	2.35	^	_391_/Y (sky130_fd_sc_hd__inv_2)
						033 (net)
		0.03	0.00	2.35	^	_439_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.35		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.08	0.06	0.06	^	clk (in)
						clk (net)
		0.08	0.00	0.06	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.16	0.38	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^	_439_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.63		clock uncertainty
			0.00	0.63		clock reconvergence pessimism
			0.32	0.96		library removal time
				0.96		data required time

				0.96		data required time
				-2.35		data arrival time

				1.39		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _438_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.10	v _389_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.09	0.19	2.28	v _389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
		0.09	0.01	2.29	v _390_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.03	0.06	2.35	^ _390_/Y (sky130_fd_sc_hd__inv_2)
					032 (net)
		0.03	0.00	2.35	^ _438_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.35	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.16	0.38	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^ _438_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.96	library removal time
				0.96	data required time

				0.96	data required time
				-2.35	data arrival time

1.39 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _442_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.10	v _389_/A (sky130_fd_sc_hd__buf_4)
		0.09	0.19	2.28	v _389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
		0.09	0.01	2.29	v _394_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.34	^ _394_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_036_ (net)
		0.03	0.00	2.34	^ _442_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.34	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.38	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.06	0.00	0.38	^ _442_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.34	data arrival time

				1.39	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _444_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _389_/A (sky130_fd_sc_hd__buf_4)
		0.09	0.19	2.28	v _389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)

1	0.00	0.09	0.01	2.29	v _396_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.35	^ _396_/Y (sky130_fd_sc_hd__inv_2)
					038 (net)
		0.03	0.00	2.35	^ _444_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.35	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.16	0.38	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^ _444_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.35	data arrival time

				1.39	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _440_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.10	v _389_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.09	0.19	2.28	v _389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
		0.09	0.01	2.29	v _392_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.06	2.35	^ _392_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_034_ (net)
		0.04	0.00	2.35	^ _440_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.35	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.16	0.38	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^ _440_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.96	library removal time
				0.96	data required time

				0.96	data required time

-2.35 data arrival time

1.39 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _441_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description	
1	0.00	0.01	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			2.00	2.00 v	input external delay	
			0.00	2.00 v	rst (in)	
					rst (net)	
			0.01	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
			0.05	0.09	2.10 v	input2/X (sky130_fd_sc_hd__buf_1)
						net2 (net)
			0.05	0.00	2.10 v	_389_/A (sky130_fd_sc_hd__buf_4)
			0.09	0.19	2.28 v	_389_/X (sky130_fd_sc_hd__buf_4)
10	0.06	0.09	0.01	2.29 v	_393_/A (sky130_fd_sc_hd__inv_2)	
			0.03	0.06	2.35 ^	_393_/Y (sky130_fd_sc_hd__inv_2)
1	0.00	0.03	0.00	2.35 ^	_441_/RESET_B (sky130_fd_sc_hd__dfrtp_1)	
					2.35	data arrival time
1	0.02	0.08	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
			0.08	0.06 ^	clk (in)	
					clk (net)	
4	0.04	0.06	0.00	0.06 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
			0.16	0.22 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
12	0.04	0.06			clknet_0_clk (net)	
			0.06	0.00	0.22 ^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.06	0.15	0.38 ^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_1_leaf_clk (net)
			0.06	0.00	0.38 ^	_441_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63		clock uncertainty
			0.00	0.63		clock reconvergence pessimism
			0.32	0.95		library removal time
			0.95	data required time		
				0.95	data required time	
				-2.35	data arrival time	
				1.39	slack (MET)	

Startpoint: rst (input port clocked by clk)
Endpoint: _443_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
1	0.00	0.01	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
			0.00	2.00 v	rst (in)
	3	0.01			rst (net)
			0.01	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
			0.05	2.10 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.05	2.10 v	_389_/A (sky130_fd_sc_hd__buf_4)
			0.09	2.28 v	_389_/X (sky130_fd_sc_hd__buf_4)

10	0.06				_203_ (net)
		0.09	0.01	2.29	v _395_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.35	^ _395_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_037_ (net)
		0.03	0.00	2.35	^ _443_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.35	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.38	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.06	0.00	0.38	^ _443_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.35	data arrival time

				1.39	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _428_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.10	0.19	2.29	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.10	0.00	2.30	v _379_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.06	2.36	^ _379_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_022_ (net)
		0.04	0.00	2.36	^ _428_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.36	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.07	0.00	0.39	^ _428_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.64	clock uncertainty
			0.00	0.64	clock reconvergence pessimism
			0.32	0.96	library removal time
				0.96	data required time

0.96 data required time
-2.36 data arrival time

1.40 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _435_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description		

1	0.00	0.01	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
		0.01	2.00	2.00 v	input external delay		
			0.00	2.00 v	rst (in)		
		0.01	0.00	2.00 v	rst (net)		
			0.05	0.09	2.10 v	input2/A (sky130_fd_sc_hd__buf_1)	
		3	0.01	0.05	0.00	2.10 v	input2/X (sky130_fd_sc_hd__buf_1)
				0.10	0.19	2.29 v	net2 (net)
		10	0.07	0.05	0.00	2.10 v	_378_/A (sky130_fd_sc_hd__buf_4)
				0.10	0.19	2.29 v	_378_/X (sky130_fd_sc_hd__buf_4)
1	0.00	0.04	0.10	0.00	2.30 v	_202_ (net)	
			0.04	0.06	2.36 v	_386_/A (sky130_fd_sc_hd__inv_2)	
		0.04	0.00	2.36 ^	_386_/Y (sky130_fd_sc_hd__inv_2)		
			0.04	0.00	2.36 ^	_029_ (net)	
		0.04	0.00	2.36 ^	_435_/RESET_B (sky130_fd_sc_hd__dfrtp_2)		
			0.00	2.36	data arrival time		
		1	0.02	0.08	0.00	0.00	clock clk (rise edge)
					0.00	0.00	clock source latency
				0.08	0.06	0.06 ^	clk (in)
					0.08	0.00	0.06 ^
4	0.04			0.06	0.16	0.22 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.06	0.16	0.22 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05			0.06	0.00	0.22 ^	clknet_0_clk (net)
				0.06	0.16	0.38 ^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.05			0.06	0.00	0.38 ^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					0.00	0.38 ^	clknet_2_0__leaf_clk (net)
		0.06	0.39	0.39 ^	_435_/CLK (sky130_fd_sc_hd__dfrtp_2)		
			0.25	0.64	clock uncertainty		
			0.00	0.64	clock reconvergence pessimism		
			0.32	0.96	library removal time		

				0.96	data required time		
				-2.36	data arrival time		

				1.40	slack (MET)		

Startpoint: rst (input port clocked by clk)
Endpoint: _432_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.01	0.00	2.00 v	rst (in)
		0.01	0.00	2.00 v	rst (net)
					input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10 v	input2/X (sky130_fd_sc_hd__buf_1)
		0.05	0.00	2.10 v	net2 (net)
					378/A (sky130_fd_sc_hd__buf_4)

10	0.07	0.10	0.19	2.29	v	_378_/X (sky130_fd_sc_hd_buf_4)
						202 (net)
1	0.00	0.10	0.00	2.30	v	_383_/A (sky130_fd_sc_hd_inv_2)
		0.04	0.06	2.36	^	_383_/Y (sky130_fd_sc_hd_inv_2)
						026 (net)
		0.04	0.00	2.36	^	_432_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.36		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.08	0.06	0.06	^	clk (in)
						clk (net)
		0.08	0.00	0.06	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.05	0.06	0.16	0.38	^	clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_0_leaf_clk (net)
		0.07	0.00	0.39	^	_432_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.64		clock uncertainty
			0.00	0.64		clock reconvergence pessimism
			0.32	0.96		library removal time
				0.96		data required time

				0.96		data required time
				-2.36		data arrival time

				1.40		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _431_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
		0.05	0.00	2.10	v _378_/A (sky130_fd_sc_hd_buf_4)
10	0.07	0.10	0.19	2.29	v _378_/X (sky130_fd_sc_hd_buf_4)
					202 (net)
		0.10	0.00	2.30	v _382_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.04	0.06	2.36	^ _382_/Y (sky130_fd_sc_hd_inv_2)
					025 (net)
		0.04	0.00	2.36	^ _431_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.36	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.05	0.06	0.16	0.38	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)
		0.07	0.00	0.39	^ _431_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.64	clock uncertainty
			0.00	0.64	clock reconvergence pessimism
			0.32	0.96	library removal time
				0.96	data required time

		0.96	data required time
		-2.36	data arrival time

		1.40	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _430_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.01	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.10 v	_378_/A (sky130_fd_sc_hd__buf_4)
		0.10	0.19	2.29 v	_378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.10	0.00	2.30 v	_381_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.06	2.36 ^	_381_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_024_ (net)
		0.04	0.00	2.36 ^	_430_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.36	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06 ^	clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22 ^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.38 ^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.39 ^	_430_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.64	clock uncertainty
			0.00	0.64	clock reconvergence pessimism
			0.32	0.96	library removal time
				0.96	data required time

				0.96	data required time
				-2.36	data arrival time

				1.40	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _429_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.01	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10 v	input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)

10	0.07	0.05	0.00	2.10	v	_378_/A (sky130_fd_sc_hd__buf_4)
		0.10	0.19	2.29	v	_378_/X (sky130_fd_sc_hd__buf_4)
1	0.00	0.10	0.00	2.29	v	_202_ (net)
		0.04	0.06	2.36	v	_380_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.00	2.36	^	_380_/Y (sky130_fd_sc_hd__inv_2)
				2.36	^	_023_ (net)
				2.36	^	_429_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.36		data arrival time
1	0.02	0.00	0.00	0.00		clock clk (rise edge)
		0.00	0.00	0.00		clock source latency
4	0.04	0.08	0.06	0.06	^	clk (in)
		0.08	0.00	0.06	^	clk (net)
14	0.05	0.06	0.16	0.22	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.00	0.22	^	clknet_0_clk (net)
		0.06	0.16	0.38	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.00	0.38	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.38	^	clknet_2_0__leaf_clk (net)
		0.06	0.00	0.39	^	_429_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.25	0.64			clock uncertainty
		0.00	0.64			clock reconvergence pessimism
		0.32	0.96			library removal time
				0.96		data required time
				0.96		data required time
				-2.36		data arrival time
				1.40		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _437_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
1	0.00		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
3	0.01	0.01	2.00	2.00	v input external delay
		0.05	0.09	2.00	v rst (in)
10	0.07	0.01	0.00	2.00	v rst (net)
		0.05	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
1	0.00	0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
		0.10	0.19	2.29	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.10	0.01	2.30	v _378_/X (sky130_fd_sc_hd__buf_4)
		0.04	0.06	2.36	v _202_ (net)
		0.04	0.00	2.36	v _388_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.00	2.36	v _388_/Y (sky130_fd_sc_hd__inv_2)
				2.36	^ _031_ (net)
				2.36	^ _437_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.36	data arrival time
1	0.02	0.00	0.00	0.00	clock clk (rise edge)
		0.00	0.00	0.00	clock source latency
4	0.04	0.08	0.06	0.06	^ clk (in)
		0.08	0.00	0.06	^ clk (net)
12	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.00	0.22	^ clknet_0_clk (net)
		0.06	0.16	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.00	0.38	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.38	^ clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^ _437_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.25	0.63		clock uncertainty
		0.00	0.63		clock reconvergence pessimism
		0.32	0.96		library removal time

	0.96	data required time

	0.96	data required time
	-2.36	data arrival time

	1.40	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _434_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.10	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.10	0.19	2.29	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.10	0.00	2.30	v _385_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.06	2.36	^ _385_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_028_ (net)
		0.04	0.00	2.36	^ _434_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.36	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.38	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.06	0.00	0.38	^ _434_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.36	data arrival time

				1.40	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _433_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)

3	0.01				net2 (net)
		0.05	0.00	2.10	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.10	0.19	2.29	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.10	0.01	2.30	v _384_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.06	2.36	^ _384_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_027_ (net)
		0.04	0.00	2.36	^ _433_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.36	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.38	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.06	0.00	0.38	^ _433_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.36	data arrival time

				1.41	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _436_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.10	0.19	2.29	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.10	0.01	2.30	v _387_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.06	2.36	^ _387_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_030_ (net)
		0.04	0.00	2.36	^ _436_/SET_B (sky130_fd_sc_hd__dfstp_1)
				2.36	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^ _436_/CLK (sky130_fd_sc_hd__dfstp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism

	0.16	0.79	library removal time
		0.79	data required time

		0.79	data required time
		-2.36	data arrival time

		1.57	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _410_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.01	0.00	2.00 v	rst (in)
					rst (net)
3	0.01	0.01	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10 v	input2/X (sky130_fd_sc_hd__buf_1)
10	0.05				net2 (net)
		0.05	0.00	2.10 v	_355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.18	2.28 v	_355_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_199_ (net)
		0.08	0.00	2.28 v	_356_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.48 v	_356_/X (sky130_fd_sc_hd__buf_4)
1	0.00				_200_ (net)
		0.08	0.00	2.48 v	_359_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.54 ^	_359_/Y (sky130_fd_sc_hd__inv_2)
		0.03	0.00	2.54 ^	_004_ (net)
				2.54 ^	_410_/RESET_B (sky130_fd_sc_hd__dfirtp_2)
				2.54	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06 ^	clk (in)
					clk (net)
4	0.04	0.08	0.00	0.06 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_0_clk (net)
		0.06	0.00	0.22 ^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.38 ^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.06	0.00	0.39 ^	_410_/CLK (sky130_fd_sc_hd__dfirtp_2)
			0.25	0.64	clock uncertainty
			0.00	0.64	clock reconvergence pessimism
			0.32	0.96	library removal time
				0.96	data required time

				0.96	data required time
				-2.54	data arrival time

				1.58	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _408_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay

		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.28	v _356_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.20	2.48	v _356_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_200_ (net)
		0.08	0.00	2.48	v _357_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.06	2.54	^ _357_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_002_ (net)
		0.03	0.00	2.54	^ _408_/RESET_B (sky130_fd_sc_hd_dfrtp_4)
				2.54	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.07	0.00	0.39	^ _408_/CLK (sky130_fd_sc_hd_dfrtp_4)
			0.25	0.64	clock uncertainty
			0.00	0.64	clock reconvergence pessimism
			0.32	0.96	library removal time
				0.96	data required time

				0.96	data required time
				-2.54	data arrival time

				1.58	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _411_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.28	v _356_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.20	2.48	v _356_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_200_ (net)
		0.08	0.00	2.48	v _360_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.06	2.54	^ _360_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_005_ (net)
		0.03	0.00	2.54	^ _411_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.54	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)

1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.07	0.00	0.39	^ _411_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.64	clock uncertainty
			0.00	0.64	clock reconvergence pessimism
			0.32	0.96	library removal time
				0.96	data required time

				0.96	data required time
				-2.54	data arrival time

				1.58	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _424_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.28	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.09	0.19	2.48	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.09	0.00	2.48	v _374_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.06	2.54	^ _374_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_018_ (net)
		0.04	0.00	2.54	^ _424_/RESET_B (sky130_fd_sc_hd__dfrtp_2)
				2.54	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^ _424_/CLK (sky130_fd_sc_hd__dfrtp_2)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.54	data arrival time

				1.59	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _420_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.05	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.05	0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.08	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.07	0.08	0.00	2.28	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
			0.09	2.48	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
1	0.00	0.09	0.00	2.48	v _370_/A (sky130_fd_sc_hd__inv_2)
			0.04	2.54	^ _370_/Y (sky130_fd_sc_hd__inv_2)
		0.04	0.00	2.54	^ _014_ (net)
				2.54	^ _420_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.54	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.16	0.38	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
				0.38	^ _420_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.54	data arrival time

				1.59	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _427_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.05	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.05	0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.08	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05	0.08	0.00	2.28	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
			0.09	2.48	v _367_/X (sky130_fd_sc_hd__clkbuf_8)

10	0.07				_201_ (net)
		0.09	0.00	2.48	v _377_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.06	2.54	^ _377_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_021_ (net)
		0.04	0.00	2.54	^ _427_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.54	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.38	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.06	0.00	0.38	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.54	data arrival time

				1.59	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _421_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.28	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.09	0.19	2.48	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.09	0.01	2.48	v _371_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.06	2.54	^ _371_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_015_ (net)
		0.04	0.00	2.54	^ _421_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.54	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism

	0.32	0.95	library removal time
		0.95	data required time

		0.95	data required time
		-2.54	data arrival time

		1.59	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _419_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.01	0.00	2.00 v	rst (in)
					rst (net)
			0.01	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.05	2.10 v	_355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.08	0.18	2.28 v	_355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
			0.08	2.28 v	_367_/A (sky130_fd_sc_hd__clkbuf_8)
10	0.07	0.09	0.19	2.48 v	_367_/X (sky130_fd_sc_hd__clkbuf_8)
					201 (net)
			0.09	2.48 v	_369_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.04	0.06	2.54 ^	_369_/Y (sky130_fd_sc_hd__inv_2)
					013 (net)
			0.04	2.54 ^	_419_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.54	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06 ^	clk (in)
					clk (net)
			0.08	0.06 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
			0.06	0.22 ^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.16	0.38 ^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
			0.06	0.38 ^	_419_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.54	data arrival time

				1.59	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _426_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay

		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.28	v _367_/A (sky130_fd_sc_hd_clkbuf_8)
		0.09	0.19	2.48	v _367_/X (sky130_fd_sc_hd_clkbuf_8)
10	0.07				_201_ (net)
		0.09	0.01	2.48	v _376_/A (sky130_fd_sc_hd_inv_2)
		0.04	0.06	2.54	^ _376_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_020_ (net)
		0.04	0.00	2.54	^ _426_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.54	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.06	0.00	0.38	^ _426_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.54	data arrival time

				1.59	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _418_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.28	v _367_/A (sky130_fd_sc_hd_clkbuf_8)
		0.09	0.19	2.48	v _367_/X (sky130_fd_sc_hd_clkbuf_8)
10	0.07				_201_ (net)
		0.09	0.00	2.48	v _368_/A (sky130_fd_sc_hd_inv_2)
		0.04	0.06	2.54	^ _368_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_012_ (net)
		0.04	0.00	2.54	^ _418_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.54	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)

1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^ _418_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.54	data arrival time

				1.59	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _423_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.28	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.09	0.19	2.48	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.09	0.00	2.48	v _373_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.06	2.54	^ _373_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_017_ (net)
		0.04	0.00	2.54	^ _423_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.54	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.38	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.06	0.00	0.38	^ _423_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.54	data arrival time

				1.59	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _425_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.05	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.05	0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.08	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.07	0.08	0.00	2.28	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
			0.09	2.48	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
1	0.00	0.09	0.00	2.48	v _375_/A (sky130_fd_sc_hd__inv_2)
			0.04	2.54	^ _375_/Y (sky130_fd_sc_hd__inv_2)
		0.04	0.00	2.54	^ _019_ (net)
					^ _425_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.54	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04	0.06	0.00	0.22	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.15	0.38	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
					^ _425_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.54	data arrival time

				1.59	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _422_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.05	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.05	0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.08	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05	0.08	0.00	2.28	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
			0.09	2.48	v _367_/X (sky130_fd_sc_hd__clkbuf_8)

10	0.07				_201_ (net)
		0.09	0.00	2.48	v _372_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.06	2.54	^ _372_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_016_ (net)
		0.04	0.00	2.54	^ _422_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.54	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.38	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.06	0.00	0.38	^ _422_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.54	data arrival time

				1.59	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _409_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.28	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.48	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)
		0.08	0.01	2.48	v _358_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.06	2.54	^ _358_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_003_ (net)
		0.04	0.00	2.54	^ _409_/RESET_B (sky130_fd_sc_hd__dfrtp_4)
				2.54	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.38	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.06	0.00	0.38	^ _409_/CLK (sky130_fd_sc_hd__dfrtp_4)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism

	0.32	0.95	library removal time
		0.95	data required time

		0.95	data required time
		-2.54	data arrival time

		1.59	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _413_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.01	0.00	2.00 v	rst (in)
					rst (net)
			0.01	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.05	2.10 v	_355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.08	0.18	2.28 v	_355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
			0.08	2.28 v	_356_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.08	0.20	2.48 v	_356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
			0.08	2.48 v	_362_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.03	0.06	2.54 ^	_362_/Y (sky130_fd_sc_hd__inv_2)
					007 (net)
			0.03	2.54 ^	_413_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.54	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06 ^	clk (in)
					clk (net)
			0.08	0.06 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
			0.06	0.22 ^	clkbuf_2_2_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.04	0.06	0.15	0.38 ^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2_leaf_clk (net)
			0.06	0.38 ^	_413_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.54	data arrival time

				1.59	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _414_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay

		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.28	v _356_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.20	2.48	v _356_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_200_ (net)
		0.08	0.01	2.48	v _363_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.06	2.54	^ _363_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_008_ (net)
		0.03	0.00	2.54	^ _414_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.54	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.38	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04				clknet_2_2_leaf_clk (net)
		0.06	0.00	0.38	^ _414_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.54	data arrival time

				1.59	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _412_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.28	v _356_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.20	2.48	v _356_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_200_ (net)
		0.09	0.01	2.49	v _361_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.06	2.54	^ _361_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_006_ (net)
		0.03	0.00	2.54	^ _412_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.54	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)

1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.38	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.06	0.00	0.38	^ _412_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.54	data arrival time

				1.59	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _417_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.28	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.48	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)
		0.09	0.01	2.49	v _366_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.54	^ _366_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_011_ (net)
		0.03	0.00	2.54	^ _417_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.54	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.38	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.06	0.00	0.38	^ _417_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.54	data arrival time

				1.59	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _416_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.05	0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.06	0.08	0.00	2.28	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.48	v _356_/X (sky130_fd_sc_hd__buf_4)
1	0.00	0.09	0.01	2.49	v _365_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.54	^ _365_/Y (sky130_fd_sc_hd__inv_2)
		0.03	0.00	2.54	^ _010_ (net)
				2.54	^ _416_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.54	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04	0.06	0.00	0.22	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.38	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
				0.38	^ _416_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.54	data arrival time

				1.59	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _415_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.05	0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05	0.08	0.00	2.28	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.48	v _356_/X (sky130_fd_sc_hd__buf_4)

10	0.06				_200_ (net)
		0.09	0.01	2.49	v _364_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.54	^ _364_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_009_ (net)
		0.03	0.00	2.54	^ _415_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.54	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.38	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.06	0.00	0.38	^ _415_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.54	data arrival time

				1.59	slack (MET)

Startpoint: _425_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: done (output port clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.06	0.00	0.34	^ _425_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.06	0.31	0.65	^ _425_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.00				net14 (net)
		0.06	0.00	0.65	^ output14/A (sky130_fd_sc_hd__clkbuf_4)
		0.12	0.18	0.84	^ output14/X (sky130_fd_sc_hd__clkbuf_4)
1	0.04				done (net)
		0.12	0.00	0.84	^ done (out)
				0.84	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.84	data arrival time

				2.59	slack (MET)

Startpoint: _426_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: rx_data[0] (output port clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.35	^ _426_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.08	0.33	0.68	^ _426_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net16 (net)
		0.08	0.00	0.68	^ output16/A (sky130_fd_sc_hd__clkbuf_4)
		0.11	0.19	0.87	^ output16/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[0] (net)
		0.11	0.00	0.87	^ rx_data[0] (out)
				0.87	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.87	data arrival time

				2.62	slack (MET)

Startpoint: _432_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[6] (output port clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.35	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.07	0.00	0.35	^ _432_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.08	0.34	0.69	^ _432_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net22 (net)
		0.08	0.00	0.69	^ output22/A (sky130_fd_sc_hd__clkbuf_4)
		0.11	0.19	0.87	^ output22/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[6] (net)
		0.11	0.00	0.88	^ rx_data[6] (out)
				0.88	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism

-2.00	-1.75	output external delay
	-1.75	data required time

	-1.75	data required time
	-0.88	data arrival time

	2.63	slack (MET)

Startpoint: _433_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[7] (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.06	0.00	0.35	^ _433_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.09	0.34	0.68	^ _433_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net23 (net)
		0.09	0.00	0.68	^ output23/A (sky130_fd_sc_hd_clkbuf_4)
		0.11	0.19	0.88	^ output23/X (sky130_fd_sc_hd_clkbuf_4)
1	0.03				rx_data[7] (net)
		0.11	0.00	0.88	^ rx_data[7] (out)
				0.88	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.88	data arrival time

				2.63	slack (MET)

Startpoint: _427_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[1] (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.06	0.00	0.35	^ _427_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.09	0.34	0.69	^ _427_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net17 (net)

1	0.03	0.09	0.00	0.69	^ output17/A (sky130_fd_sc_hd__clkbuf_4)	
		0.11	0.19	0.88	^ output17/X (sky130_fd_sc_hd__clkbuf_4)	
		0.11	0.00	0.88	rx_data[1] (net)	
					rx_data[1] (out)	
					data arrival time	
		-----		0.00	0.00	clock clk (rise edge)
				0.00	0.00	clock network delay (propagated)
				0.25	0.25	clock uncertainty
				0.00	0.25	clock reconvergence pessimism
				-2.00	-1.75	output external delay
-1.75				data required time		
-1.75				data required time		
-0.88				data arrival time		
2.63				slack (MET)		

Startpoint: _436_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: cs (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

1	0.02	0.08	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
			0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
			0.06	0.20	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.00	0.34	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
			0.06	0.35	^ _436_/CLK (sky130_fd_sc_hd__dfstp_1)
			0.05	0.70	v _436_/Q (sky130_fd_sc_hd__dfstp_1)
2	0.01	0.05	0.00		net13 (net)
			0.05	0.70	v output13/A (sky130_fd_sc_hd__clkbuf_4)
			0.08	0.88	v output13/X (sky130_fd_sc_hd__clkbuf_4)
					cs (net)
1	0.04	0.08	0.00	0.88	v cs (out)
				0.88	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.88	data arrival time

				2.63	slack (MET)

Startpoint: _429_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[3] (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

	0.08	0.05	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
			0.05	0.05	^ clk (in)

1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.35	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.35	^ _429_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.09	0.34	0.69	^ _429_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net19 (net)
		0.09	0.00	0.69	^ output19/A (sky130_fd_sc_hd__clkbuf_4)
		0.11	0.19	0.88	^ output19/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[3] (net)
		0.11	0.00	0.88	^ rx_data[3] (out)
				0.88	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.88	data arrival time

				2.63	slack (MET)

Startpoint: _431_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[5] (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.35	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.07	0.00	0.35	^ _431_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.09	0.34	0.69	^ _431_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net21 (net)
		0.09	0.00	0.69	^ output21/A (sky130_fd_sc_hd__clkbuf_4)
		0.11	0.19	0.88	^ output21/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[5] (net)
		0.11	0.00	0.88	^ rx_data[5] (out)
				0.88	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.88	data arrival time

				2.63	slack (MET)

Startpoint: _428_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: rx_data[2] (output port clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.35	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.05				clknet_2_0__leaf_clk (net)
		0.07	0.00	0.35	^ _428_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.10	0.35	0.70	^ _428_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net18 (net)
		0.10	0.00	0.70	^ output18/A (sky130_fd_sc_hd__clkbuf_4)
		0.11	0.20	0.90	^ output18/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[2] (net)
		0.11	0.00	0.90	^ rx_data[2] (out)
				0.90	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.90	data arrival time

				2.65	slack (MET)

Startpoint: _434_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: mosi (output port clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.06	0.00	0.34	^ _434_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.12	0.36	0.71	^ _434_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net15 (net)
		0.12	0.00	0.71	^ output15/A (sky130_fd_sc_hd__clkbuf_4)
		0.11	0.20	0.91	^ output15/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				mosi (net)
		0.11	0.00	0.91	^ mosi (out)
				0.91	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism

-2.00	-1.75	output external delay
	-1.75	data required time

	-1.75	data required time
	-0.91	data arrival time

	2.66	slack (MET)

Startpoint: _430_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[4] (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.05	0.06	0.14	0.35	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.06	0.00	0.35	^ _430_/CLK (sky130_fd_sc_hd__dfrtp_1)
2	0.01	0.13	0.37	0.72	^ _430_/Q (sky130_fd_sc_hd__dfrtp_1)
					net20 (net)
		0.13	0.00	0.72	^ output20/A (sky130_fd_sc_hd__clkbuf_4)
		0.11	0.21	0.93	^ output20/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[4] (net)
		0.11	0.00	0.93	^ rx_data[4] (out)
				0.93	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.93	data arrival time

				2.68	slack (MET)

Startpoint: _424_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: busy (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	0.34	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.06	0.00	0.34	^ _424_/CLK (sky130_fd_sc_hd__dfrtp_2)
4	0.02	0.12	0.39	0.74	^ _424_/Q (sky130_fd_sc_hd__dfrtp_2)
					net12 (net)

1	0.03	0.12	0.00	0.74 ^	output12/A (sky130_fd_sc_hd__buf_2)
		0.17	0.21	0.95 ^	output12/X (sky130_fd_sc_hd__buf_2)
					busy (net)
		0.17	0.00	0.95 ^	busy (out)
				0.95	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
		-1.75	data required time		

		-1.75	data required time		
		-0.95	data arrival time		

		2.70	slack (MET)		

Fanout	Cap	Slew	Delay	Time	Description	
1	0.02	0.08	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
			0.05	0.05	^ clk (in)	
					clk (net)	
	4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
			0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
	14	0.05				clknet_0_clk (net)
			0.06	0.00	0.20	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
			0.06	0.14	0.35	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_0_leaf_clk (net)
4	0.02	0.06	0.00	0.35	^ _435_/CLK (sky130_fd_sc_hd_dfrtp_2)	
		0.09	0.43	0.78	v _435_/Q (sky130_fd_sc_hd_dfrtp_2)	
					net24 (net)	
		0.09	0.00	0.78	v output24/A (sky130_fd_sc_hd_buf_2)	
1	0.03	0.09	0.19	0.97	v output24/X (sky130_fd_sc_hd_buf_2)	
					sclk (net)	
		0.09	0.00	0.97	v sclk (out)	
				0.97	data arrival time	
			0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			0.25	0.25	clock uncertainty	
			0.00	0.25	clock reconvergence pessimism	
			-2.00	-1.75	output external delay	
				-1.75	data required time	
				-1.75	data required time	
				-0.97	data arrival time	
				2.72	slack (MET)	

SS CORNER

rcx_max_sta.power.rpt

report_power					
Fastest Corner					
Group	Internal Power	Switching Power	Leakage Power	Total Power (Watts)	
Sequential	3.11e-04	8.95e-05	2.29e-07	4.00e-04	37.2%
Combinational	3.82e-04	2.94e-04	3.24e-09	6.76e-04	62.8%
Macro	0.00e+00	0.00e+00	0.00e+00	0.00e+00	0.0%
Pad	0.00e+00	0.00e+00	0.00e+00	0.00e+00	0.0%
Total	6.93e-04	3.83e-04	2.32e-07	1.08e-03	100.0%
	64.4%	35.6%	0.0%		
Slowest Corner					
Group	Internal Power	Switching Power	Leakage Power	Total Power (Watts)	
Sequential	2.09e-04	5.80e-05	9.13e-07	2.68e-04	36.5%
Combinational	2.73e-04	1.92e-04	1.43e-06	4.67e-04	63.5%
Macro	0.00e+00	0.00e+00	0.00e+00	0.00e+00	0.0%
Pad	0.00e+00	0.00e+00	0.00e+00	0.00e+00	0.0%
Total	4.82e-04	2.50e-04	2.34e-06	7.34e-04	100.0%
	65.7%	34.0%	0.3%		
Typical Corner					
Group	Internal Power	Switching Power	Leakage Power	Total Power (Watts)	
Sequential	2.69e-04	7.46e-05	2.29e-07	3.44e-04	37.1%
Combinational	3.37e-04	2.47e-04	1.78e-09	5.84e-04	62.9%
Macro	0.00e+00	0.00e+00	0.00e+00	0.00e+00	0.0%
Pad	0.00e+00	0.00e+00	0.00e+00	0.00e+00	0.0%
Total	6.07e-04	3.22e-04	2.30e-07	9.28e-04	100.0%
	65.3%	34.6%	0.0%		

SS CORNER

rcx_max_sta.skew.rpt

=====		
report_clock_skew		
=====		
Clock clk		
Latency	CRPR	Skew
408/CLK ^		
0.67		
422/CLK ^		
0.59	-0.04	0.04

SS CORNER

rcx_max_sta.summary.rpt

```
=====
report_tns
=====
tns 0.00

=====
report_wns
=====
wns 0.00

=====
report_worst_slack -max (Setup)
=====
worst slack 2.79

=====
report_worst_slack -min (Hold)
=====
worst slack 0.12
```

TT CORNER

rcx_nom_sta.checks.rpt

=====
report_checks -unconstrained
=====
===== Fastest Corner =====

Startpoint: rst (input port clocked by clk)
Endpoint: _409_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description	

1	0.00	0.00	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			2.00	2.00 v	input external delay	
			0.00	2.00 v	rst (in)	
					rst (net)	
			0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)	
			0.04	2.07 v	input2/X (sky130_fd_sc_hd__buf_1)	
					net2 (net)	
			0.04	2.07 v	_355_/A (sky130_fd_sc_hd__buf_4)	
			0.06	2.20 v	_355_/X (sky130_fd_sc_hd__buf_4)	
10	0.05			_199_ (net)		
10	0.06	0.06	0.00	2.20 v	_356_/A (sky130_fd_sc_hd__buf_4)	
			0.14	2.35 v	_356_/X (sky130_fd_sc_hd__buf_4)	
10	0.06	0.06			_200_ (net)	
			0.00	2.35 v	_358_/A (sky130_fd_sc_hd__inv_2)	
1	0.00	0.03	0.04	2.40 ^	_358_/Y (sky130_fd_sc_hd__inv_2)	
					003 (net)	
1	0.00	0.03	0.00	2.40 ^	_409_/RESET_B (sky130_fd_sc_hd__dftrtp_4)	
				2.40	data arrival time	

1	0.02	0.06	10.00	10.00	clock clk (rise edge)	
			0.00	10.00	clock source latency	
			0.04	10.04 ^	clk (in)	
					clk (net)	
4	0.04	0.06	0.00	10.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
			0.10	10.14 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
10	0.04	0.04			clknet_0_clk (net)	
			0.05	0.00	10.14 ^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.04	0.09	10.23 ^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
			0.04	0.00	10.23 ^	_409_/CLK (sky130_fd_sc_hd__dftrtp_4)
				-0.25	9.98	clock uncertainty
10	0.04	0.00		9.98	clock reconvergence pessimism	
				0.13	10.12	library recovery time
					10.12	data required time

				10.12	data required time	
				-2.40	data arrival time	

				7.72	slack (MET)	

Startpoint: _436_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: cs (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

1	0.02	0.06	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
			0.04	0.04 ^	clk (in)
			0.00		clk (net)
		0.05	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.11	0.15 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)

4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	0.26	^ _436_/CLK (sky130_fd_sc_hd_dfstp_1)
		0.06	0.34	0.61	^ _436_/Q (sky130_fd_sc_hd_dfstp_1)
2	0.01				net13 (net)
		0.06	0.00	0.61	^ output13/A (sky130_fd_sc_hd_clkbuf_4)
		0.09	0.14	0.75	^ output13/X (sky130_fd_sc_hd_clkbuf_4)
1	0.03				cs (net)
		0.09	0.00	0.75	^ cs (out)
				0.75	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock network delay (propagated)
		-0.25	9.75		clock uncertainty
		0.00	9.75		clock reconvergence pessimism
		-2.00	7.75		output external delay
			7.75		data required time

				7.75	data required time
				-0.75	data arrival time

				7.00	slack (MET)

===== Slowest Corner =====

Startpoint: rst (input port clocked by clk)
Endpoint: _409_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
		0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.14	0.37	2.57	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.14	0.00	2.57	v _356_/A (sky130_fd_sc_hd_buf_4)
		0.15	0.39	2.97	v _356_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_200_ (net)
		0.15	0.00	2.97	v _358_/A (sky130_fd_sc_hd_inv_2)
		0.06	0.11	3.08	^ _358_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_003_ (net)
		0.06	0.00	3.08	^ _409_/RESET_B (sky130_fd_sc_hd_dfrtp_4)
				3.08	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.08	0.24	10.58	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.09	0.00	10.58	^ _409_/CLK (sky130_fd_sc_hd_dfrtp_4)
			-0.25	10.33	clock uncertainty
			0.00	10.33	clock reconvergence pessimism

0.46	10.79	library recovery time
	10.79	data required time

	10.79	data required time
	-3.08	data arrival time

	7.71	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _427_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.27	0.65	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.09	0.00	0.65	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
3	0.01	0.15	0.87	1.52	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
					clk_count[13] (net)
		0.15	0.00	1.52	v _205_/A (sky130_fd_sc_hd__or4_1)
1	0.00	0.20	1.34	2.86	v _205_/X (sky130_fd_sc_hd__or4_1)
					097 (net)
		0.20	0.00	2.86	v _209_/A (sky130_fd_sc_hd__nor4_1)
2	0.01	0.72	0.84	3.70	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
					101 (net)
		0.72	0.00	3.70	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.24	0.49	4.18	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
					net25 (net)
		0.24	0.00	4.18	^ _217_/C (sky130_fd_sc_hd__nand4_1)
3	0.01	0.33	0.42	4.60	v _217_/Y (sky130_fd_sc_hd__nand4_1)
					109 (net)
		0.33	0.00	4.60	v _218_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.16	0.50	5.10	v _218_/X (sky130_fd_sc_hd__buf_4)
					110 (net)
		0.16	0.00	5.10	v _291_/S (sky130_fd_sc_hd__mux2_1)
1	0.00	0.10	0.75	5.85	v _291_/X (sky130_fd_sc_hd__mux2_1)
					154 (net)
		0.10	0.00	5.85	v hold36/A (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00	0.11	1.21	7.05	v hold36/X (sky130_fd_sc_hd__dlygate4sd3_1)
					net61 (net)
		0.11	0.00	7.05	v _292_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.05	0.19	7.24	v _292_/X (sky130_fd_sc_hd__clkbuf_1)
					067 (net)
		0.05	0.00	7.24	v _427_/D (sky130_fd_sc_hd__dfrtp_1)
				7.24	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.24	10.59	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.09	0.00	10.59	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.34	clock uncertainty
		0.04		10.37	clock reconvergence pessimism

	-0.26	10.11	library setup time
		10.11	data required time

		10.11	data required time
		-7.24	data arrival time

		2.87	slack (MET)

===== Typical Corner =====

Startpoint: rst (input port clocked by clk)
Endpoint: _409_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.31	v _356_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.22	2.53	v _356_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_200_ (net)
		0.08	0.00	2.53	v _358_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.06	2.59	^ _358_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_003_ (net)
		0.03	0.00	2.59	^ _409_/RESET_B (sky130_fd_sc_hd_dfrtp_4)
				2.59	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.14	10.34	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.05	0.00	10.34	^ _409_/CLK (sky130_fd_sc_hd_dfrtp_4)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		0.22	10.31		library recovery time
			10.31		data required time

				10.31	data required time
				-2.59	data arrival time

				7.72	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _427_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

		0.00	0.00	clock clk (rise edge)
		0.00	0.00	clock source latency
		0.08	0.06	0.06 ^ clk (in)
1	0.02			clk (net)
		0.08	0.00	0.06 ^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22 ^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04			clknet_0_clk (net)
		0.06	0.00	0.22 ^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.37 ^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04			clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38 ^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.08	0.42	0.80 v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01			clk_count[13] (net)
		0.08	0.00	0.80 v _205_/A (sky130_fd_sc_hd_or4_1)
		0.09	0.57	1.37 v _205_/X (sky130_fd_sc_hd_or4_1)
1	0.00			_097_ (net)
		0.09	0.00	1.37 v _209_/A (sky130_fd_sc_hd_nor4_1)
		0.42	0.46	1.83 ^ _209_/Y (sky130_fd_sc_hd_nor4_1)
2	0.01			_101_ (net)
		0.42	0.00	1.83 ^ max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.15	0.22	2.05 ^ max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01			net25 (net)
		0.15	0.00	2.05 ^ _217_/C (sky130_fd_sc_hd_nand4_1)
		0.13	0.17	2.22 v _217_/Y (sky130_fd_sc_hd_nand4_1)
3	0.01			_109_ (net)
		0.13	0.00	2.22 v _218_/A (sky130_fd_sc_hd_buf_4)
		0.09	0.25	2.46 v _218_/X (sky130_fd_sc_hd_buf_4)
10	0.06			_110_ (net)
		0.09	0.00	2.47 v _291_/S (sky130_fd_sc_hd_mux2_1)
		0.05	0.33	2.80 v _291_/X (sky130_fd_sc_hd_mux2_1)
1	0.00			_154_ (net)
		0.05	0.00	2.80 v hold36/A (sky130_fd_sc_hd_dlygate4sd3_1)
		0.06	0.58	3.38 v hold36/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00			net61 (net)
		0.06	0.00	3.38 v _292_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.10	3.48 v _292_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00			_067_ (net)
		0.03	0.00	3.48 v _427_/D (sky130_fd_sc_hd_dfrtp_1)
				3.48 data arrival time

		10.00	10.00	clock clk (rise edge)
		0.00	10.00	clock source latency
		0.08	0.05	10.05 ^ clk (in)
1	0.02			clk (net)
		0.08	0.00	10.05 ^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20 ^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04			clknet_0_clk (net)
		0.06	0.00	10.20 ^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.34 ^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04			clknet_2_1__leaf_clk (net)
		0.06	0.00	10.34 ^ _427_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.09	clock uncertainty
		0.02	10.11	clock reconvergence pessimism
		-0.10	10.01	library setup time
			10.01	data required time

			10.01	data required time
			-3.48	data arrival time

			6.53	slack (MET)

```

=====
report_checks --slack_max -0.01
=====
===== Fastest Corner =====

```

No paths found.

===== Slowest Corner =====

No paths found.

===== Typical Corner =====

No paths found.

=====

report_check_types -max_slew -max_cap -max_fanout -violators

=====

===== Fastest Corner =====

max fanout

Pin	Limit	Fanout	Slack
-----	-----	-----	-----
clkbuf_2_0__f_clk/X	10	14	-4 (VIOLATED)
clkbuf_2_1__f_clk/X	10	12	-2 (VIOLATED)
clkbuf_2_3__f_clk/X	10	12	-2 (VIOLATED)

===== Slowest Corner =====

max fanout

Pin	Limit	Fanout	Slack
-----	-----	-----	-----
clkbuf_2_0__f_clk/X	10	14	-4 (VIOLATED)
clkbuf_2_1__f_clk/X	10	12	-2 (VIOLATED)
clkbuf_2_3__f_clk/X	10	12	-2 (VIOLATED)

===== Typical Corner =====

max fanout

Pin	Limit	Fanout	Slack
-----	-----	-----	-----
clkbuf_2_0__f_clk/X	10	14	-4 (VIOLATED)
clkbuf_2_1__f_clk/X	10	12	-2 (VIOLATED)
clkbuf_2_3__f_clk/X	10	12	-2 (VIOLATED)

=====

report_parasitic_annotation -report_unannotated

=====

Found 0 unannotated drivers.

Found 0 partially unannotated drivers.

=====

max slew violation count 0

max fanout violation count 3

max cap violation count 0

=====

=====

check_setup -verbose -unconstrained_endpoints -multiple_clock -no_clock -no_input_delay -loops -generated_clocks

=====

TT CORNER

rcx_nom_sta.max.rpt

=====
report_checks -path_delay max (Setup)
=====
===== Fastest Corner =====

Startpoint: _436_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: cs (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	0.26	^ _436_/CLK (sky130_fd_sc_hd__dfstp_1)
		0.06	0.34	0.61	^ _436_/Q (sky130_fd_sc_hd__dfstp_1)
2	0.01				net13 (net)
		0.06	0.00	0.61	^ output13/A (sky130_fd_sc_hd__clkbuf_4)
		0.09	0.14	0.75	^ output13/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				cs (net)
		0.09	0.00	0.75	^ cs (out)
				0.75	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time
				-0.75	data arrival time

				7.00	slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: sclk (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^ _435_/CLK (sky130_fd_sc_hd__dfrrtp_2)
		0.09	0.28	0.55	^ _435_/Q (sky130_fd_sc_hd__dfrrtp_2)
4	0.02				net24 (net)
		0.09	0.00	0.55	^ output24/A (sky130_fd_sc_hd__buf_2)
		0.13	0.16	0.71	^ output24/X (sky130_fd_sc_hd__buf_2)
1	0.03				sclk (net)

0.13	0.00	0.71	^	sclk (out)
		0.71		data arrival time
	10.00	10.00		clock clk (rise edge)
	0.00	10.00		clock network delay (propagated)
	-0.25	9.75		clock uncertainty
	0.00	9.75		clock reconvergence pessimism
	-2.00	7.75		output external delay
		7.75		data required time

		7.75		data required time
		-0.71		data arrival time

		7.04		slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _450_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

		0.00	0.00	0.00	clock clk (rise edge)
		0.00	0.00	0.00	clock network delay (propagated)
		2.00	2.00	2.00	v input external delay
		0.00	2.00	2.00	v start (in)
1	0.00				start (net)
		0.00	0.00	2.00	v input3/A (sky130_fd_sc_hd__buf_1)
2	0.01	0.06	0.09	2.09	v input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.06	0.00	2.09	v _237_/B (sky130_fd_sc_hd__nor2_4)
9	0.04	0.18	0.17	2.26	^ _237_/Y (sky130_fd_sc_hd__nor2_4)
					125 (net)
		0.18	0.00	2.26	^ _238_/B1 (sky130_fd_sc_hd__a21o_2)
8	0.04	0.14	0.16	2.42	^ _238_/X (sky130_fd_sc_hd__a21o_2)
					126 (net)
		0.14	0.00	2.42	^ _241_/A2 (sky130_fd_sc_hd__a22o_1)
1	0.00	0.04	0.10	2.52	^ _241_/X (sky130_fd_sc_hd__a22o_1)
					090 (net)
		0.04	0.00	2.52	^ hold10/A (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00	0.04	0.39	2.91	^ hold10/X (sky130_fd_sc_hd__dlygate4sd3_1)
					net35 (net)
		0.04	0.00	2.91	^ _450_/D (sky130_fd_sc_hd__dftrtp_1)
				2.91	data arrival time

		10.00	10.00	10.00	clock clk (rise edge)
		0.00	10.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.05	0.10	10.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.05	0.00	10.24	^ _450_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	9.99	9.99	clock uncertainty
		0.00	9.99	9.99	clock reconvergence pessimism
		-0.03	9.96	9.96	library setup time
				9.96	data required time

				9.96	data required time
				-2.91	data arrival time

				7.04	slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _449_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v start (in)
1	0.00				start (net)
		0.00	0.00	2.00	v input3/A (sky130_fd_sc_hd__buf_1)
2	0.01	0.06	0.09	2.09	v input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.06	0.00	2.09	v _237_/B (sky130_fd_sc_hd__nor2_4)
9	0.04	0.18	0.17	2.26	^ _237_/Y (sky130_fd_sc_hd__nor2_4)
					125 (net)
		0.18	0.00	2.26	^ _238_/B1 (sky130_fd_sc_hd__a21o_2)
8	0.04	0.14	0.16	2.42	^ _238_/X (sky130_fd_sc_hd__a21o_2)
					126 (net)
		0.14	0.00	2.42	^ _242_/A2 (sky130_fd_sc_hd__a22o_1)
1	0.00	0.04	0.10	2.52	^ _242_/X (sky130_fd_sc_hd__a22o_1)
					089 (net)
		0.04	0.00	2.52	^ hold8/A (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00	0.04	0.39	2.91	^ hold8/X (sky130_fd_sc_hd__dlygate4sd3_1)
					net33 (net)
		0.04	0.00	2.91	^ _449_/D (sky130_fd_sc_hd__dfrtp_1)
				2.91	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.05	0.10	10.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.05	0.00	10.24	^ _449_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		-0.03	9.96		library setup time
			9.96		data required time

				9.96	data required time
				-2.91	data arrival time

				7.05	slack (MET)

Startpoint: _424_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: busy (output port clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)

		0.05	0.00	0.26	^	_424_/CLK (sky130_fd_sc_hd_dfrtp_2)
		0.09	0.28	0.54	^	_424_/Q (sky130_fd_sc_hd_dfrtp_2)
4	0.02					net12 (net)
		0.09	0.00	0.54	^	output12/A (sky130_fd_sc_hd_buf_2)
		0.13	0.16	0.70	^	output12/X (sky130_fd_sc_hd_buf_2)
1	0.03					busy (net)
		0.13	0.00	0.70	^	busy (out)
				0.70		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock network delay (propagated)
		-0.25	9.75			clock uncertainty
		0.00	9.75			clock reconvergence pessimism
		-2.00	7.75			output external delay
				7.75		data required time

				7.75		data required time
				-0.70		data arrival time

				7.05		slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _447_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v start (in)
1	0.00				start (net)
		0.00	0.00	2.00	v input3/A (sky130_fd_sc_hd_buf_1)
		0.06	0.09	2.09	v input3/X (sky130_fd_sc_hd_buf_1)
2	0.01				net3 (net)
		0.06	0.00	2.09	v _237_/B (sky130_fd_sc_hd_nor2_4)
		0.18	0.17	2.26	^ _237_/Y (sky130_fd_sc_hd_nor2_4)
9	0.04				_125_ (net)
		0.18	0.00	2.26	^ _238_/B1 (sky130_fd_sc_hd_a21o_2)
		0.14	0.16	2.42	^ _238_/X (sky130_fd_sc_hd_a21o_2)
8	0.04				_126_ (net)
		0.14	0.00	2.42	^ _244_/A2 (sky130_fd_sc_hd_a22o_1)
		0.03	0.09	2.51	^ _244_/X (sky130_fd_sc_hd_a22o_1)
1	0.00				_087_ (net)
		0.03	0.00	2.51	^ hold3/A (sky130_fd_sc_hd_dlygate4sd3_1)
		0.04	0.39	2.90	^ hold3/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00				net28 (net)
		0.04	0.00	2.90	^ _447_/D (sky130_fd_sc_hd_dfrtp_1)
				2.90	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	10.24	^ _447_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		-0.03	9.96		library setup time
				9.96	data required time

				9.96	data required time

-2.90 data arrival time

7.05 slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _451_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v start (in)
1	0.00				start (net)
		0.00	0.00	2.00	v input3/A (sky130_fd_sc_hd__buf_1)
2	0.01	0.06	0.09	2.09	v input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.06	0.00	2.09	v _237_/B (sky130_fd_sc_hd__nor2_4)
9	0.04	0.18	0.17	2.26	^ _237_/Y (sky130_fd_sc_hd__nor2_4)
					125 (net)
		0.18	0.00	2.26	^ _238_/B1 (sky130_fd_sc_hd__a21o_2)
8	0.04	0.14	0.16	2.42	^ _238_/X (sky130_fd_sc_hd__a21o_2)
					126 (net)
		0.14	0.00	2.42	^ _240_/A2 (sky130_fd_sc_hd__a22o_1)
		0.03	0.09	2.51	^ _240_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_091_ (net)
		0.03	0.00	2.51	^ hold5/A (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00	0.04	0.39	2.90	^ hold5/X (sky130_fd_sc_hd__dlygate4sd3_1)
					net30 (net)
		0.04	0.00	2.90	^ _451_/D (sky130_fd_sc_hd__dfrtp_1)
				2.90	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.05	0.10	10.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.05	0.00	10.24	^ _451_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	9.99	clock uncertainty
			0.00	9.99	clock reconvergence pessimism
			-0.03	9.96	library setup time
				9.96	data required time
				9.96	data required time
				-2.90	data arrival time
				7.06	slack (MET)

Startpoint: _430_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[4] (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)

		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	0.15	^	clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	^	clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04					clknet_2_0_leaf_clk (net)
		0.05	0.00	0.26	^	_430_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.09	0.27	0.53	^	_430_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01					net20 (net)
		0.09	0.00	0.53	^	output20/A (sky130_fd_sc_hd_clkbuf_4)
		0.08	0.15	0.68	^	output20/X (sky130_fd_sc_hd_clkbuf_4)
1	0.03					rx_data[4] (net)
		0.08	0.00	0.68	^	rx_data[4] (out)
				0.68		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock network delay (propagated)
		-0.25	9.75			clock uncertainty
		0.00	9.75			clock reconvergence pessimism
		-2.00	7.75			output external delay
				7.75		data required time

				7.75		data required time
				-0.68		data arrival time

				7.07		slack (MET)

Startpoint: _434_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: mosi (output port clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.11	0.26	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.04	0.00	0.26	^ _434_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.05	0.27	0.53	v _434_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net15 (net)
		0.05	0.00	0.53	v output15/A (sky130_fd_sc_hd_clkbuf_4)
		0.06	0.14	0.67	v output15/X (sky130_fd_sc_hd_clkbuf_4)
1	0.03				mosi (net)
		0.06	0.00	0.67	v mosi (out)
				0.67	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock network delay (propagated)
		-0.25	9.75		clock uncertainty
		0.00	9.75		clock reconvergence pessimism
		-2.00	7.75		output external delay
				7.75	data required time

				7.75	data required time
				-0.67	data arrival time

				7.08	slack (MET)

Startpoint: _428_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[2] (output port clocked by clk)

Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
2	0.01	0.05	0.00	0.27	^ _428_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.05	0.26	0.53	v _428_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.03				net18 (net)
		0.05	0.00	0.53	v output18/A (sky130_fd_sc_hd__clkbuf_4)
		0.06	0.14	0.67	v output18/X (sky130_fd_sc_hd__clkbuf_4)
					rx_data[2] (net)
		0.06	0.00	0.67	v rx_data[2] (out)
				0.67	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time
				-0.67	data arrival time

				7.08	slack (MET)

Startpoint: _431_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[5] (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
2	0.01	0.05	0.00	0.27	^ _431_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.04	0.26	0.52	v _431_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.03				net21 (net)
		0.04	0.00	0.52	v output21/A (sky130_fd_sc_hd__clkbuf_4)
		0.06	0.13	0.66	v output21/X (sky130_fd_sc_hd__clkbuf_4)
					rx_data[5] (net)
		0.06	0.00	0.66	v rx_data[5] (out)
				0.66	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay

				7.75	data required time

				7.75	data required time
				-0.66	data arrival time

				7.09	slack (MET)

Startpoint: _429_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[3] (output port clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.05	0.11	0.15	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.15	clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.05	0.00	0.26	_429_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.04	0.26	0.52	_429_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net19 (net)
		0.04	0.00	0.52	output19/A (sky130_fd_sc_hd_clkbuf_4)
		0.06	0.13	0.66	output19/X (sky130_fd_sc_hd_clkbuf_4)
1	0.03				rx_data[3] (net)
		0.06	0.00	0.66	rx_data[3] (out)
				0.66	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time
				-0.66	data arrival time

				7.09	slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _453_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	input external delay
		0.00	0.00	2.00	start (in)
1	0.00				start (net)
		0.00	0.00	2.00	input3/A (sky130_fd_sc_hd_buf_1)
		0.06	0.09	2.09	input3/X (sky130_fd_sc_hd_buf_1)
2	0.01				net3 (net)
		0.06	0.00	2.09	_204_/B (sky130_fd_sc_hd_or2_2)
		0.07	0.22	2.31	_204_/X (sky130_fd_sc_hd_or2_2)
6	0.02				_096_ (net)
		0.07	0.00	2.31	_222_/A (sky130_fd_sc_hd_and3_1)
		0.03	0.11	2.42	_222_/X (sky130_fd_sc_hd_and3_1)
1	0.00				_113_ (net)

		0.03	0.00	2.42	v	_223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.07	0.14	2.56	v	_223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.05					_114_ (net)
		0.07	0.00	2.56	v	_229_/S (sky130_fd_sc_hd__mux2_1)
		0.04	0.20	2.76	v	_229_/X (sky130_fd_sc_hd__mux2_1)
1	0.00					_119_ (net)
		0.04	0.00	2.76	v	_230_/A (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.06	2.83	v	_230_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00					_093_ (net)
		0.02	0.00	2.83	v	_453_/D (sky130_fd_sc_hd__dftrtp_1)
				2.83		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.06	0.04	10.04	^	clk (in)
						clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.04	0.10	10.24	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_1__leaf_clk (net)
		0.04	0.00	10.24	^	_453_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	9.99			clock uncertainty
		0.00	9.99			clock reconvergence pessimism
		-0.07	9.92			library setup time
			9.92			data required time

			9.92			data required time
			-2.83			data arrival time

			7.09			slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _442_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00		input external delay
		0.00	0.00	2.00	v start (in)
1	0.00				start (net)
		0.00	0.00	2.00	v input3/A (sky130_fd_sc_hd__buf_1)
2	0.01	0.06	0.09	2.09	v input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.06	0.00	2.09	v _204_/B (sky130_fd_sc_hd__or2_2)
6	0.02	0.07	0.22	2.31	v _204_/X (sky130_fd_sc_hd__or2_2)
					096 (net)
		0.07	0.00	2.31	v _222_/A (sky130_fd_sc_hd__and3_1)
1	0.00	0.03	0.11	2.42	v _222_/X (sky130_fd_sc_hd__and3_1)
					113 (net)
		0.03	0.00	2.42	v _223_/A (sky130_fd_sc_hd__clkbuf_4)
10	0.05	0.07	0.14	2.56	v _223_/X (sky130_fd_sc_hd__clkbuf_4)
					114 (net)
		0.07	0.00	2.56	v _252_/S (sky130_fd_sc_hd__mux2_1)
1	0.00	0.04	0.20	2.76	v _252_/X (sky130_fd_sc_hd__mux2_1)
					131 (net)
		0.04	0.00	2.76	v _253_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.02	0.06	2.82	v _253_/X (sky130_fd_sc_hd__clkbuf_1)
					082 (net)
		0.02	0.00	2.83	v _442_/D (sky130_fd_sc_hd__dftrtp_1)
				2.83	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency

		0.06	0.04	10.04	^	clk (in)
1	0.02					clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	10.24	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1_leaf_clk (net)
		0.04	0.00	10.24	^	_442_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.99			clock uncertainty
		0.00	9.99			clock reconvergence pessimism
		-0.07	9.92			library setup time
			9.92			data required time

				9.92		data required time
				-2.83		data arrival time

				7.10		slack (MET)

Startpoint: _427_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[1] (output port clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.11	0.26	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.04	0.00	0.26	^ _427_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.04	0.26	0.52	v _427_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net17 (net)
		0.04	0.00	0.52	v output17/A (sky130_fd_sc_hd_clkbuf_4)
		0.06	0.14	0.65	v output17/X (sky130_fd_sc_hd_clkbuf_4)
1	0.03				rx_data[1] (net)
		0.06	0.00	0.65	v rx_data[1] (out)
				0.65	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time
				-0.65	data arrival time

				7.10	slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _443_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)

			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	start (in)
1	0.00				start (net)
		0.00	0.00	2.00 v	input3/A (sky130_fd_sc_hd__buf_1)
		0.06	0.09	2.09 v	input3/X (sky130_fd_sc_hd__buf_1)
2	0.01				net3 (net)
		0.06	0.00	2.09 v	_204_/B (sky130_fd_sc_hd__or2_2)
		0.07	0.22	2.31 v	_204_/X (sky130_fd_sc_hd__or2_2)
6	0.02				_096_ (net)
		0.07	0.00	2.31 v	_222_/A (sky130_fd_sc_hd__and3_1)
		0.03	0.11	2.42 v	_222_/X (sky130_fd_sc_hd__and3_1)
1	0.00				_113_ (net)
		0.03	0.00	2.42 v	_223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.07	0.14	2.56 v	_223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.05				_114_ (net)
		0.07	0.00	2.56 v	_249_/S (sky130_fd_sc_hd__mux2_1)
		0.04	0.20	2.76 v	_249_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_129_ (net)
		0.04	0.00	2.76 v	_250_/A (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.06	2.82 v	_250_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_083_ (net)
		0.02	0.00	2.82 v	_443_/D (sky130_fd_sc_hd__dfrtp_1)
				2.82	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04 ^	clk (in)
					clk (net)
		0.06	0.00	10.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14 ^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	10.24 ^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.04	0.00	10.24 ^	_443_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		-0.07	9.92		library setup time
			9.92		data required time

			9.92		data required time
			-2.82		data arrival time

			7.10		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _452_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	start (in)
1	0.00				start (net)
		0.00	0.00	2.00 v	input3/A (sky130_fd_sc_hd__buf_1)
		0.06	0.09	2.09 v	input3/X (sky130_fd_sc_hd__buf_1)
2	0.01				net3 (net)
		0.06	0.00	2.09 v	_204_/B (sky130_fd_sc_hd__or2_2)
		0.07	0.22	2.31 v	_204_/X (sky130_fd_sc_hd__or2_2)
6	0.02				_096_ (net)
		0.07	0.00	2.31 v	_222_/A (sky130_fd_sc_hd__and3_1)
		0.03	0.11	2.42 v	_222_/X (sky130_fd_sc_hd__and3_1)
1	0.00				_113_ (net)
		0.03	0.00	2.42 v	_223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.07	0.14	2.56 v	_223_/X (sky130_fd_sc_hd__clkbuf_4)

10	0.05				_114_ (net)
		0.07	0.00	2.56	v _233_/S (sky130_fd_sc_hd_mux2_1)
		0.04	0.20	2.76	v _233_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_122_ (net)
		0.04	0.00	2.76	v _234_/A (sky130_fd_sc_hd_clkbuf_1)
		0.02	0.06	2.82	v _234_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_092_ (net)
		0.02	0.00	2.82	v _452_/D (sky130_fd_sc_hd_dfrtp_1)
				2.82	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	10.24	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.04	0.00	10.24	^ _452_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		-0.07	9.92		library setup time
			9.92		data required time

				9.92	data required time
				-2.82	data arrival time

				7.10	slack (MET)

Startpoint: _432_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: rx_data[6] (output port clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.27	^ _432_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.04	0.25	0.52	v _432_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net22 (net)
		0.04	0.00	0.52	v output22/A (sky130_fd_sc_hd_clkbuf_4)
		0.06	0.13	0.65	v output22/X (sky130_fd_sc_hd_clkbuf_4)
1	0.03				rx_data[6] (net)
		0.06	0.00	0.65	v rx_data[6] (out)
				0.65	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
		-0.25	9.75		clock uncertainty
		0.00	9.75		clock reconvergence pessimism
		-2.00	7.75		output external delay
			7.75		data required time

				7.75	data required time
				-0.65	data arrival time

				7.10	slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _440_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.00	0.00	2.00	v start (in)
					start (net)
			0.00	2.00	v input3/A (sky130_fd_sc_hd__buf_1)
2	0.01	0.06	0.09	2.09	v input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
			0.06	2.09	v _204_/B (sky130_fd_sc_hd__or2_2)
6	0.02	0.07	0.22	2.31	v _204_/X (sky130_fd_sc_hd__or2_2)
					096 (net)
			0.07	2.31	v _222_/A (sky130_fd_sc_hd__and3_1)
1	0.00	0.03	0.11	2.42	v _222_/X (sky130_fd_sc_hd__and3_1)
					113 (net)
			0.03	2.42	v _223_/A (sky130_fd_sc_hd__clkbuf_4)
10	0.05	0.07	0.14	2.56	v _223_/X (sky130_fd_sc_hd__clkbuf_4)
					114 (net)
			0.07	2.56	v _258_/S (sky130_fd_sc_hd__mux2_1)
1	0.00	0.04	0.20	2.76	v _258_/X (sky130_fd_sc_hd__mux2_1)
					135 (net)
			0.04	2.76	v _259_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.02	0.06	2.82	v _259_/X (sky130_fd_sc_hd__clkbuf_1)
					080 (net)
			0.02	2.82	v _440_/D (sky130_fd_sc_hd__dftrtp_1)
				2.82	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
			0.06	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
			0.05	10.14	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.10	10.24	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3_leaf_clk (net)
			0.05	10.24	^ _440_/CLK (sky130_fd_sc_hd__dftrtp_1)
			-0.25	9.99	clock uncertainty
			0.00	9.99	clock reconvergence pessimism
			-0.07	9.92	library setup time
				9.92	data required time

				9.92	data required time
				-2.82	data arrival time

				7.10	slack (MET)

Startpoint: _433_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[7] (output port clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)

		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	0.15	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.11	0.26	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.04	0.00	0.26	^	_433_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.04	0.25	0.52	v	_433_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01					net23 (net)
		0.04	0.00	0.52	v	output23/A (sky130_fd_sc_hd__clkbuf_4)
		0.06	0.13	0.65	v	output23/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03					rx_data[7] (net)
		0.06	0.00	0.65	v	rx_data[7] (out)
				0.65		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock network delay (propagated)
		-0.25	9.75			clock uncertainty
		0.00	9.75			clock reconvergence pessimism
		-2.00	7.75			output external delay
			7.75			data required time

				7.75		data required time
				-0.65		data arrival time

				7.10		slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _438_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v start (in)
1	0.00				start (net)
		0.00	0.00	2.00	v input3/A (sky130_fd_sc_hd__buf_1)
		0.06	0.09	2.09	v input3/X (sky130_fd_sc_hd__buf_1)
2	0.01				net3 (net)
		0.06	0.00	2.09	v _204_/B (sky130_fd_sc_hd__or2_2)
		0.07	0.22	2.31	v _204_/X (sky130_fd_sc_hd__or2_2)
6	0.02				_096_ (net)
		0.07	0.00	2.31	v _222_/A (sky130_fd_sc_hd__and3_1)
		0.03	0.11	2.42	v _222_/X (sky130_fd_sc_hd__and3_1)
1	0.00				_113_ (net)
		0.03	0.00	2.42	v _223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.07	0.14	2.56	v _223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.05				_114_ (net)
		0.07	0.00	2.56	v _264_/S (sky130_fd_sc_hd__mux2_1)
		0.04	0.20	2.76	v _264_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_139_ (net)
		0.04	0.00	2.76	v _265_/A (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.06	2.82	v _265_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_078_ (net)
		0.02	0.00	2.82	v _438_/D (sky130_fd_sc_hd__dfrtp_1)
				2.82	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
		0.06	0.04	10.04	^
1	0.02				clk (in)
		0.06	0.00	10.04	^
		0.05	0.10	10.14	^
4	0.04				clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
					clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^
					clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)

12	0.04	0.05	0.10	10.24	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3_leaf_clk (net)
		0.05	0.00	10.24	^	_438_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	9.99			clock uncertainty
		0.00	9.99			clock reconvergence pessimism
		-0.07	9.92			library setup time
			9.92			data required time

				9.92		data required time
		-2.82		data arrival time		

		7.10		slack (MET)		

Startpoint: start (input port clocked by clk)

Endpoint: _439_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description		
1	0.00	0.00	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
		0.00	2.00	2.00	v input external delay		
			0.00	2.00	v start (in)		
		0.00			start (net)		
			0.00	0.00	2.00	v input3/A (sky130_fd_sc_hd__buf_1)	
		2	0.01	0.06	0.09	2.09	v input3/X (sky130_fd_sc_hd__buf_1)
							net3 (net)
		6	0.02	0.06	0.00	2.09	v _204_/B (sky130_fd_sc_hd__or2_2)
				0.07	0.22	2.31	v _204_/X (sky130_fd_sc_hd__or2_2)
1	0.00	0.07	0.00		_096_ (net)		
				2.31	v _222_/A (sky130_fd_sc_hd__and3_1)		
		0.03	0.11	2.42	v _222_/X (sky130_fd_sc_hd__and3_1)		
						113 (net)	
		0.03	0.00	2.42	v _223_/A (sky130_fd_sc_hd__clkbuf_4)		
				2.56	v _223_/X (sky130_fd_sc_hd__clkbuf_4)		
		10	0.05			_114_ (net)	
				0.07	0.00	2.56	v _261_/S (sky130_fd_sc_hd__mux2_1)
		1	0.00	0.04	0.20	2.76	v _261_/X (sky130_fd_sc_hd__mux2_1)
							137 (net)
1	0.00	0.04	0.00	2.76	v _262_/A (sky130_fd_sc_hd__clkbuf_1)		
				0.02	0.06	2.82	v _262_/X (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.00			_079_ (net)	
				2.82	v _439_/D (sky130_fd_sc_hd__dfrtp_1)		
				2.82	data arrival time		
		1	0.02	0.06	10.00	10.00	clock clk (rise edge)
					0.00	10.00	clock source latency
				0.06	0.04	10.04	^ clk (in)
				0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
0.05	0.10					10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)	
				0.05	0.00	10.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04			0.05	0.10	10.24	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
							clknet_2_3__leaf_clk (net)
		0.05	0.00	10.24	^ _439_/CLK (sky130_fd_sc_hd__dfrtp_1)		
				-0.25	9.99	clock uncertainty	
		0.00	9.99		clock reconvergence pessimism		
				-0.07	9.92	library setup time	
			9.92	data required time			
						9.92	data required time
				-2.82	data arrival time		
				7.10	slack (MET)		

Startpoint: start (input port clocked by clk)
 Endpoint: _441_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.00	0.00	2.00 v	start (in)
					start (net)
			0.00	2.00 v	input3/A (sky130_fd_sc_hd__buf_1)
2	0.01	0.06	0.09	2.09 v	input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
			0.06	2.09 v	_204_/B (sky130_fd_sc_hd__or2_2)
6	0.02	0.07	0.22	2.31 v	_204_/X (sky130_fd_sc_hd__or2_2)
					096 (net)
			0.07	2.31 v	_222_/A (sky130_fd_sc_hd__and3_1)
1	0.00	0.03	0.11	2.42 v	_222_/X (sky130_fd_sc_hd__and3_1)
					113 (net)
			0.03	2.42 v	_223_/A (sky130_fd_sc_hd__clkbuf_4)
10	0.05	0.07	0.14	2.56 v	_223_/X (sky130_fd_sc_hd__clkbuf_4)
					114 (net)
			0.07	2.56 v	_255_/S (sky130_fd_sc_hd__mux2_1)
1	0.00	0.04	0.20	2.76 v	_255_/X (sky130_fd_sc_hd__mux2_1)
					133 (net)
			0.04	2.76 v	_256_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.02	0.06	2.82 v	_256_/X (sky130_fd_sc_hd__clkbuf_1)
					081 (net)
			0.02	2.82 v	_441_/D (sky130_fd_sc_hd__dftrtp_1)
				2.82	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04 ^	clk (in)
					clk (net)
			0.06	10.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
			0.05	10.14 ^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.04	0.10	10.24 ^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
			0.04	10.24 ^	_441_/CLK (sky130_fd_sc_hd__dftrtp_1)
			-0.25	9.99	clock uncertainty
			0.00	9.99	clock reconvergence pessimism
			-0.07	9.92	library setup time
				9.92	data required time

				9.92	data required time
				-2.82	data arrival time

				7.10	slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _437_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.00	0.00	2.00 v	start (in)
					start (net)
			0.00	2.00 v	input3/A (sky130_fd_sc_hd__buf_1)

		0.06	0.09	2.09	v	input3/X (sky130_fd_sc_hd__buf_1)
2	0.01					net3 (net)
		0.06	0.00	2.09	v	_204_/B (sky130_fd_sc_hd__or2_2)
		0.07	0.22	2.31	v	_204_/X (sky130_fd_sc_hd__or2_2)
6	0.02					_096_ (net)
		0.07	0.00	2.31	v	_222_/A (sky130_fd_sc_hd__and3_1)
		0.03	0.11	2.42	v	_222_/X (sky130_fd_sc_hd__and3_1)
1	0.00					_113_ (net)
		0.03	0.00	2.42	v	_223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.07	0.14	2.56	v	_223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.05					_114_ (net)
		0.07	0.00	2.56	v	_267_/S (sky130_fd_sc_hd__mux2_1)
		0.04	0.20	2.76	v	_267_/X (sky130_fd_sc_hd__mux2_1)
1	0.00					_141_ (net)
		0.04	0.00	2.76	v	_268_/A (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.06	2.82	v	_268_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00					_077_ (net)
		0.02	0.00	2.82	v	_437_/D (sky130_fd_sc_hd__dfrtp_1)
				2.82		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.06	0.04	10.04	^	clk (in)
1	0.02					clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.24	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.05	0.00	10.24	^	_437_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	9.99			clock uncertainty
		0.00	9.99			clock reconvergence pessimism
		-0.07	9.92			library setup time
			9.92			data required time
				9.92		data required time
				-2.82		data arrival time
				7.10		slack (MET)

Startpoint: _426_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: rx_data[0] (output port clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	0.26	^ _426_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.04	0.25	0.51	v _426_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net16 (net)
		0.04	0.00	0.51	v output16/A (sky130_fd_sc_hd__clkbuf_4)
		0.06	0.13	0.65	v output16/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[0] (net)
		0.06	0.00	0.65	v rx_data[0] (out)
				0.65	data arrival time
			10.00	10.00	clock clk (rise edge)

0.00	10.00	clock network delay (propagated)
-0.25	9.75	clock uncertainty
0.00	9.75	clock reconvergence pessimism
-2.00	7.75	output external delay
	7.75	data required time

7.75	data required time
-0.65	data arrival time

7.10	slack (MET)
------	-------------

Startpoint: _425_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: done (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04	0.05	0.00	0.15	^ clknet_0_clk (net)
				0.26	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
1	0.00	0.04	0.10	0.26	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
1	0.00	0.04	0.00	0.26	^ _425_/CLK (sky130_fd_sc_hd__dftrtp_1)
				0.50	v _425_/Q (sky130_fd_sc_hd__dftrtp_1)
1	0.04	0.03	0.00	0.50	v output14/A (sky130_fd_sc_hd__clkbuf_4)
				0.63	v output14/X (sky130_fd_sc_hd__clkbuf_4)
1	0.04	0.06	0.13	0.63	v done (net)
				0.63	v done (out)
			0.06	0.00	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time
				-0.63	data arrival time

				7.12	slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _454_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
1	0.00	0.00	0.00	2.00	v input external delay
				2.00	v start (in)
2	0.01	0.00	0.00	2.00	v start (net)
				2.09	v input3/A (sky130_fd_sc_hd__buf_1)
2	0.01	0.06	0.09	2.09	v input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
2	0.01	0.06	0.00	2.09	v _204_/B (sky130_fd_sc_hd__or2_2)
				2.31	v _204_/X (sky130_fd_sc_hd__or2_2)

6	0.02								_096_ (net)
		0.07	0.00	2.31	v	_222_/A	(sky130_fd_sc_hd_and3_1)		
		0.03	0.11	2.42	v	_222_/X	(sky130_fd_sc_hd_and3_1)		
1	0.00					_113_	(net)		
		0.03	0.00	2.42	v	_223_/A	(sky130_fd_sc_hd_clkbuf_4)		
		0.07	0.14	2.56	v	_223_/X	(sky130_fd_sc_hd_clkbuf_4)		
10	0.05					_114_	(net)		
		0.07	0.00	2.56	v	_226_/A2_N	(sky130_fd_sc_hd_a2bb2o_1)		
		0.03	0.17	2.73	^	_226_/X	(sky130_fd_sc_hd_a2bb2o_1)		
1	0.00					_094_	(net)		
		0.03	0.00	2.73	^	_454_/D	(sky130_fd_sc_hd_dfrtp_1)		
				2.73			data arrival time		
			10.00	10.00			clock clk (rise edge)		
			0.00	10.00			clock source latency		
		0.06	0.04	10.04	^		clk (in)		
1	0.02						clk (net)		
		0.06	0.00	10.04	^	clkbuf_0_clk/A	(sky130_fd_sc_hd_clkbuf_16)		
		0.05	0.10	10.14	^	clkbuf_0_clk/X	(sky130_fd_sc_hd_clkbuf_16)		
4	0.04						clknet_0_clk (net)		
		0.05	0.00	10.14	^	clkbuf_2_1_f_clk/A	(sky130_fd_sc_hd_clkbuf_16)		
		0.04	0.10	10.24	^	clkbuf_2_1_f_clk/X	(sky130_fd_sc_hd_clkbuf_16)		
12	0.04						clknet_2_1_leaf_clk (net)		
		0.04	0.00	10.24	^	_454_/CLK	(sky130_fd_sc_hd_dfrtp_1)		
		-0.25		9.99			clock uncertainty		
		0.00		9.99			clock reconvergence pessimism		
		-0.03		9.95			library setup time		
				9.95			data required time		

				9.95			data required time		
				-2.73			data arrival time		

				7.23			slack (MET)		

Startpoint: start (input port clocked by clk)

Endpoint: _434_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v start (in)
1	0.00				start (net)
		0.00	0.00	2.00	v input3/A (sky130_fd_sc_hd_buf_1)
		0.06	0.09	2.09	v input3/X (sky130_fd_sc_hd_buf_1)
2	0.01				net3 (net)
		0.06	0.00	2.09	v _204_/B (sky130_fd_sc_hd_or2_2)
		0.07	0.22	2.31	v _204_/X (sky130_fd_sc_hd_or2_2)
6	0.02				_096_ (net)
		0.07	0.00	2.31	v _212_/A (sky130_fd_sc_hd_nand2_1)
		0.07	0.08	2.39	^ _212_/Y (sky130_fd_sc_hd_nand2_1)
2	0.01				_104_ (net)
		0.07	0.00	2.39	^ _277_/S (sky130_fd_sc_hd_mux2_1)
		0.04	0.20	2.60	v _277_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_147_ (net)
		0.04	0.00	2.60	v _278_/A (sky130_fd_sc_hd_clkbuf_1)
		0.02	0.07	2.67	v _278_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_074_ (net)
		0.02	0.00	2.67	v _434_/D (sky130_fd_sc_hd_dfrtp_1)
				2.67	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)

		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	10.24	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1_leaf_clk (net)
		0.04	0.00	10.24	^	_434_/CLK (sky130_fd_sc_hd_dfstp_1)
		-0.25	9.99			clock uncertainty
		0.00	9.99			clock reconvergence pessimism
		-0.07	9.92			library setup time
			9.92			data required time

				9.92		data required time
				-2.67		data arrival time

				7.25		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _436_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v start (in)
1	0.00				start (net)
		0.00	0.00	2.00	v input3/A (sky130_fd_sc_hd_buf_1)
2	0.01		0.06	2.09	v input3/X (sky130_fd_sc_hd_buf_1)
					net3 (net)
		0.06	0.00	2.09	v _204_/B (sky130_fd_sc_hd_or2_2)
6	0.02		0.07	2.31	v _204_/X (sky130_fd_sc_hd_or2_2)
					096 (net)
		0.07	0.00	2.31	v _270_/A (sky130_fd_sc_hd_and2_1)
1	0.00		0.03	2.42	v _270_/X (sky130_fd_sc_hd_and2_1)
					143 (net)
		0.03	0.00	2.42	v _271_/A (sky130_fd_sc_hd_clkbuf_1)
2	0.01		0.03	2.48	v _271_/X (sky130_fd_sc_hd_clkbuf_1)
					000 (net)
		0.03	0.00	2.48	v _272_/B1_N (sky130_fd_sc_hd_a21bo_1)
1	0.00		0.03	2.59	^ _272_/X (sky130_fd_sc_hd_a21bo_1)
					076 (net)
		0.03	0.00	2.59	^ _436_/D (sky130_fd_sc_hd_dfstp_1)
				2.59	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.24	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.05	0.00	10.24	^ _436_/CLK (sky130_fd_sc_hd_dfstp_1)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		-0.03	9.96		library setup time
			9.96		data required time

				9.96	data required time
				-2.59	data arrival time

				7.36	slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _415_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
1	0.00	0.01	0.01	2.01	^ start (in)
					start (net)
				2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.15	0.13	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
6	0.02	0.15	0.15	2.14	^ _204_/B (sky130_fd_sc_hd__or2_2)
				2.29	^ _204_/X (sky130_fd_sc_hd__or2_2)
					096 (net)
2	0.01	0.09	0.05	2.29	^ _331_/A (sky130_fd_sc_hd__nand2_1)
				2.34	v _331_/Y (sky130_fd_sc_hd__nand2_1)
					184 (net)
1	0.00	0.05	0.16	2.34	v _332_/A1 (sky130_fd_sc_hd__mux2_1)
				2.49	v _332_/X (sky130_fd_sc_hd__mux2_1)
					185 (net)
1	0.00	0.04	0.06	2.49	v _333_/A (sky130_fd_sc_hd__clkbuf_1)
				2.55	v _333_/X (sky130_fd_sc_hd__clkbuf_1)
					057 (net)
		0.02	0.00	2.55	v _415_/D (sky130_fd_sc_hd__dftrtp_1)
				2.55	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
				10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
				10.14	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.04	0.05	0.09	10.23	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2_leaf_clk (net)
				10.23	^ _415_/CLK (sky130_fd_sc_hd__dftrtp_1)
			-0.25	9.98	clock uncertainty
			0.00	9.98	clock reconvergence pessimism
			-0.07	9.92	library setup time
				9.92	data required time

				9.92	data required time
				-2.55	data arrival time

				7.36	slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
1	0.00	0.01	0.01	2.01	^ start (in)
					start (net)
				2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.15	0.13	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)

		0.15	0.00	2.14	^	_204_/B (sky130_fd_sc_hd__or2_2)
		0.09	0.15	2.29	^	_204_/X (sky130_fd_sc_hd__or2_2)
6	0.02					_096_ (net)
		0.09	0.00	2.29	^	_308_/A (sky130_fd_sc_hd__nand2_1)
		0.04	0.05	2.34	v	_308_/Y (sky130_fd_sc_hd__nand2_1)
2	0.01					_167_ (net)
		0.04	0.00	2.34	v	_309_/A1 (sky130_fd_sc_hd__mux2_1)
		0.04	0.16	2.49	v	_309_/X (sky130_fd_sc_hd__mux2_1)
1	0.00					_168_ (net)
		0.04	0.00	2.49	v	_310_/A (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.06	2.55	v	_310_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00					_063_ (net)
		0.02	0.00	2.55	v	_421_/D (sky130_fd_sc_hd__dfrtp_1)
				2.55		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.06	0.04	10.04	^	clk (in)
						clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.10	10.24	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3_leaf_clk (net)
		0.05	0.00	10.24	^	_421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	9.99			clock uncertainty
		0.00	9.99			clock reconvergence pessimism
		-0.07	9.92			library setup time
			9.92			data required time

				9.92		data required time
				-2.55		data arrival time

				7.37		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _413_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	input external delay
1	0.00	0.01	0.01	2.01	^ start (in)
					start (net)
		0.01	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.15	0.13	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.15	0.00	2.14	^ _237_/B (sky130_fd_sc_hd__nor2_4)
9	0.04	0.06	0.06	2.20	v _237_/Y (sky130_fd_sc_hd__nor2_4)
					125 (net)
		0.06	0.00	2.20	v _338_/B1 (sky130_fd_sc_hd__a21o_1)
2	0.01	0.03	0.09	2.29	v _338_/X (sky130_fd_sc_hd__a21o_1)
					189 (net)
		0.03	0.00	2.29	v _339_/A1 (sky130_fd_sc_hd__mux2_1)
1	0.00	0.04	0.15	2.44	v _339_/X (sky130_fd_sc_hd__mux2_1)
					190 (net)
		0.04	0.00	2.44	v _340_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.02	0.06	2.51	v _340_/X (sky130_fd_sc_hd__clkbuf_1)
					055 (net)
		0.02	0.00	2.51	v _413_/D (sky130_fd_sc_hd__dfrtp_1)
				2.51	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency

		0.06	0.04	10.04	^	clk (in)
1	0.02					clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.09	10.23	^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04					clknet_2_2_leaf_clk (net)
		0.04	0.00	10.23	^	_413_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.98			clock uncertainty
		0.00	9.98			clock reconvergence pessimism
		-0.07	9.92			library setup time
			9.92			data required time

				9.92		data required time
				-2.51		data arrival time

				7.41		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _419_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
		0.01	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.01	0.00	2.01	^ input3/A (sky130_fd_sc_hd_buf_1)
		0.15	0.13	2.14	^ input3/X (sky130_fd_sc_hd_buf_1)
2	0.02				net3 (net)
		0.15	0.00	2.14	^ _237_/B (sky130_fd_sc_hd_nor2_4)
		0.06	0.06	2.20	v _237_/Y (sky130_fd_sc_hd_nor2_4)
9	0.04				_125_ (net)
		0.06	0.00	2.20	v _316_/B1 (sky130_fd_sc_hd_a21o_1)
		0.03	0.09	2.29	v _316_/X (sky130_fd_sc_hd_a21o_1)
2	0.01				_173_ (net)
		0.03	0.00	2.29	v _317_/A1 (sky130_fd_sc_hd_mux2_1)
		0.04	0.15	2.44	v _317_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_174_ (net)
		0.04	0.00	2.44	v _318_/A (sky130_fd_sc_hd_clkbuf_1)
		0.02	0.06	2.50	v _318_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_061_ (net)
		0.02	0.00	2.50	v _419_/D (sky130_fd_sc_hd_dfrtp_1)
				2.50	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.24	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.05	0.00	10.24	^ _419_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		-0.07	9.92		library setup time
			9.92		data required time

				9.92	data required time
				-2.50	data arrival time

7.42 slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _446_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
1	0.00	0.01	0.01	2.01	^ start (in)
					start (net)
				2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.15	0.13	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
				2.14	^ _237_/B (sky130_fd_sc_hd__nor2_4)
9	0.04	0.06	0.06	2.20	v _237_/Y (sky130_fd_sc_hd__nor2_4)
					125 (net)
				2.20	v _238_/B1 (sky130_fd_sc_hd__a21o_2)
8	0.04	0.08	0.15	2.35	v _238_/X (sky130_fd_sc_hd__a21o_2)
					126 (net)
				2.35	v _245_/A2 (sky130_fd_sc_hd__a22o_1)
1	0.00	0.03	0.14	2.49	v _245_/X (sky130_fd_sc_hd__a22o_1)
					086 (net)
				2.49	v _446_/D (sky130_fd_sc_hd__dftrtp_1)
				2.49	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
				10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
				10.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.10	10.24	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
				10.24	^ _446_/CLK (sky130_fd_sc_hd__dftrtp_1)
			-0.25	9.99	clock uncertainty
			0.00	9.99	clock reconvergence pessimism
			-0.07	9.92	library setup time
				9.92	data required time

				9.92	data required time
				-2.49	data arrival time

				7.42	slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _445_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
1	0.00	0.01	0.01	2.01	^ start (in)
					start (net)
				2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.15	0.13	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
				2.14	^ _237_/B (sky130_fd_sc_hd__nor2_4)

		0.06	0.06	2.20	v	_237_/Y (sky130_fd_sc_hd__nor2_4)
9	0.04					_125_ (net)
		0.06	0.00	2.20	v	_238_/B1 (sky130_fd_sc_hd__a21o_2)
		0.08	0.15	2.35	v	_238_/X (sky130_fd_sc_hd__a21o_2)
8	0.04					_126_ (net)
		0.08	0.00	2.35	v	_246_/A2 (sky130_fd_sc_hd__a22o_1)
		0.03	0.14	2.49	v	_246_/X (sky130_fd_sc_hd__a22o_1)
1	0.00					_085_ (net)
		0.03	0.00	2.49	v	_445_/D (sky130_fd_sc_hd__dftrtp_1)
				2.49		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.06	0.04	10.04	^	clk (in)
1	0.02					clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	10.24	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.04	0.00	10.24	^	_445_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	9.99			clock uncertainty
		0.00	9.99			clock reconvergence pessimism
		-0.07	9.92			library setup time
			9.92			data required time

				9.92		data required time
				-2.49		data arrival time

				7.42		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _444_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
		0.01	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.01	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
		0.15	0.13	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
2	0.02				net3 (net)
		0.15	0.00	2.14	^ _237_/B (sky130_fd_sc_hd__nor2_4)
		0.06	0.06	2.20	v _237_/Y (sky130_fd_sc_hd__nor2_4)
9	0.04				_125_ (net)
		0.06	0.00	2.20	v _238_/B1 (sky130_fd_sc_hd__a21o_2)
		0.08	0.15	2.35	v _238_/X (sky130_fd_sc_hd__a21o_2)
8	0.04				_126_ (net)
		0.08	0.00	2.35	v _247_/A2 (sky130_fd_sc_hd__a22o_1)
		0.02	0.14	2.49	v _247_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_084_ (net)
		0.02	0.00	2.49	v _444_/D (sky130_fd_sc_hd__dftrtp_1)
				2.49	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.24	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)

12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	10.24	^ _444_/CLK (sky130_fd_sc_hd__dftrtp_1)
			-0.25	9.99	clock uncertainty
			0.00	9.99	clock reconvergence pessimism
			-0.07	9.92	library setup time
				9.92	data required time

				9.92	data required time
				-2.49	data arrival time

				7.43	slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _448_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
		0.01	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.01	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.15	0.13	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.15	0.00	2.14	^ _237_/B (sky130_fd_sc_hd__nor2_4)
9	0.04	0.06	0.06	2.20	v _237_/Y (sky130_fd_sc_hd__nor2_4)
					125 (net)
		0.06	0.00	2.20	v _238_/B1 (sky130_fd_sc_hd__a21o_2)
8	0.04	0.08	0.15	2.35	v _238_/X (sky130_fd_sc_hd__a21o_2)
					126 (net)
		0.08	0.00	2.35	v _243_/A2 (sky130_fd_sc_hd__a22o_1)
1	0.00	0.03	0.14	2.49	v _243_/X (sky130_fd_sc_hd__a22o_1)
					088 (net)
		0.03	0.00	2.49	v _448_/D (sky130_fd_sc_hd__dftrtp_1)
				2.49	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.05	0.10	10.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.05	0.00	10.24	^ _448_/CLK (sky130_fd_sc_hd__dftrtp_1)
			-0.25	9.99	clock uncertainty
			0.00	9.99	clock reconvergence pessimism
			-0.07	9.92	library setup time
				9.92	data required time

				9.92	data required time
				-2.49	data arrival time

				7.43	slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _424_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
--------	-----	------	-------	------	-------------

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	v	input external delay
		0.00	0.00	2.00	v start (in)
1	0.00				start (net)
		0.00	0.00	2.00	v input3/A (sky130_fd_sc_hd__buf_1)
2	0.01	0.06	0.09	2.09	v input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.06	0.00	2.09	v _204_/B (sky130_fd_sc_hd__or2_2)
6	0.02	0.07	0.22	2.31	v _204_/X (sky130_fd_sc_hd__or2_2)
					096 (net)
		0.07	0.00	2.31	v _270_/A (sky130_fd_sc_hd__and2_1)
1	0.00	0.03	0.10	2.42	v _270_/X (sky130_fd_sc_hd__and2_1)
					143 (net)
		0.03	0.00	2.42	v _271_/A (sky130_fd_sc_hd__clkbuf_1)
2	0.01	0.03	0.07	2.48	v _271_/X (sky130_fd_sc_hd__clkbuf_1)
					000 (net)
		0.03	0.00	2.48	v _424_/D (sky130_fd_sc_hd__dfirtp_2)
				2.48	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.10	10.24	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.05	0.00	10.24	^ _424_/CLK (sky130_fd_sc_hd__dfirtp_2)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		-0.07	9.92		library setup time
			9.92		data required time

				9.92	data required time
				-2.48	data arrival time

				7.43	slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _455_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	^	input external delay
		0.01	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.01	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.15	0.13	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.15	0.00	2.14	^ _204_/B (sky130_fd_sc_hd__or2_2)
6	0.02	0.09	0.15	2.29	^ _204_/X (sky130_fd_sc_hd__or2_2)
					096 (net)
		0.09	0.00	2.29	^ _212_/A (sky130_fd_sc_hd__nand2_1)
2	0.01	0.05	0.05	2.34	v _212_/Y (sky130_fd_sc_hd__nand2_1)
					104 (net)
		0.05	0.00	2.34	v _220_/A1 (sky130_fd_sc_hd__o21a_1)
1	0.00	0.03	0.13	2.47	v _220_/X (sky130_fd_sc_hd__o21a_1)
					095 (net)
		0.03	0.00	2.47	v _455_/D (sky130_fd_sc_hd__dfirtp_1)
				2.47	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	10.24	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.04	0.00	10.24	^ _455_/CLK (sky130_fd_sc_hd__dfrrtp_1)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		-0.07	9.92		library setup time
			9.92		data required time

			9.92		data required time
			-2.47		data arrival time

			7.45		slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _417_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
		0.01	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.01	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
		0.15	0.13	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
2	0.02				net3 (net)
		0.15	0.00	2.14	^ _237_/B (sky130_fd_sc_hd__nor2_4)
		0.06	0.06	2.20	v _237_/Y (sky130_fd_sc_hd__nor2_4)
9	0.04				_125_ (net)
		0.06	0.00	2.20	v _324_/B1 (sky130_fd_sc_hd__a21o_1)
		0.03	0.09	2.29	v _324_/X (sky130_fd_sc_hd__a21o_1)
2	0.01				_179_ (net)
		0.03	0.00	2.29	v _325_/B1 (sky130_fd_sc_hd__a2bb2o_1)
		0.03	0.17	2.46	v _325_/X (sky130_fd_sc_hd__a2bb2o_1)
1	0.00				_059_ (net)
		0.03	0.00	2.46	v _417_/D (sky130_fd_sc_hd__dfrrtp_1)
				2.46	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.09	10.23	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.04	0.00	10.23	^ _417_/CLK (sky130_fd_sc_hd__dfrrtp_1)
		-0.25	9.98		clock uncertainty
		0.00	9.98		clock reconvergence pessimism
		-0.07	9.91		library setup time
			9.91		data required time

			9.91		data required time
			-2.46		data arrival time

7.45 slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _414_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
1	0.00	0.01	0.01	2.01	^ start (in)
					start (net)
		0.01	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.15	0.13	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.15	0.00	2.14	^ _204_/B (sky130_fd_sc_hd__or2_2)
6	0.02	0.09	0.15	2.29	^ _204_/X (sky130_fd_sc_hd__or2_2)
					096 (net)
		0.09	0.00	2.29	^ _331_/A (sky130_fd_sc_hd__nand2_1)
2	0.01	0.05	0.05	2.34	v _331_/Y (sky130_fd_sc_hd__nand2_1)
					184 (net)
		0.05	0.00	2.34	v _335_/A2 (sky130_fd_sc_hd__a21o_1)
1	0.00	0.02	0.12	2.46	v _335_/X (sky130_fd_sc_hd__a21o_1)
					056 (net)
		0.02	0.00	2.46	v _414_/D (sky130_fd_sc_hd__dftrtp_1)
				2.46	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.04	0.04	0.09	10.23	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.04	0.00	10.23	^ _414_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	9.98		clock uncertainty
		0.00	9.98		clock reconvergence pessimism
		-0.07	9.92		library setup time
			9.92		data required time

				9.92	data required time
				-2.46	data arrival time

				7.46	slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _420_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
1	0.00	0.01	0.01	2.01	^ start (in)
					start (net)
		0.01	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.15	0.13	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.15	0.00	2.14	^ _204_/B (sky130_fd_sc_hd__or2_2)

6	0.02	0.09	0.15	2.29	^	_204_/X (sky130_fd_sc_hd__or2_2)
						096 (net)
		0.09	0.00	2.29	^	_308_/A (sky130_fd_sc_hd__nand2_1)
		0.04	0.05	2.34	v	_308_/Y (sky130_fd_sc_hd__nand2_1)
2	0.01					_167_ (net)
		0.04	0.00	2.34	v	_312_/A2 (sky130_fd_sc_hd__a21o_1)
		0.02	0.12	2.45	v	_312_/X (sky130_fd_sc_hd__a21o_1)
						062 (net)
1	0.00	0.02	0.00	2.45	v	_420_/D (sky130_fd_sc_hd__dftrtp_1)
				2.45		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.06	0.04	10.04	^	clk (in)
						clk (net)
1	0.02	0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.24	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3__leaf_clk (net)
12	0.04	0.05	0.00	10.24	^	_420_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	9.99			clock uncertainty
		0.00	9.99			clock reconvergence pessimism
		-0.07	9.92			library setup time
				9.92		data required time
				9.92		data required time
				-2.45		data arrival time
				7.46		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _409_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description	
1	0.00	0.00	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			2.00	2.00	v input external delay	
			0.00	2.00	v start (in)	
					start (net)	
			0.00	0.00	2.00	v input3/A (sky130_fd_sc_hd__buf_1)
			0.06	0.09	2.09	v input3/X (sky130_fd_sc_hd__buf_1)
						net3 (net)
			0.06	0.00	2.09	v _204_/B (sky130_fd_sc_hd__or2_2)
			0.07	0.22	2.31	v _204_/X (sky130_fd_sc_hd__or2_2)
6	0.02			_096_ (net)		
		0.07	0.00	2.31	v _350_/B1 (sky130_fd_sc_hd__o211a_1)	
1	0.00		0.03	2.41	v _350_/X (sky130_fd_sc_hd__o211a_1)	
					197 (net)	
			0.03	2.41	v _351_/B (sky130_fd_sc_hd__nor2_1)	
			0.05	0.06	2.47	^ _351_/Y (sky130_fd_sc_hd__nor2_1)
1	0.00				_051_ (net)	
		0.05	0.00	2.47	^ _409_/D (sky130_fd_sc_hd__dftrtp_4)	
				2.47	data arrival time	
1	0.02	0.06	10.00	10.00	clock clk (rise edge)	
			0.00	10.00	clock source latency	
			0.04	10.04	^ clk (in)	
						clk (net)
			0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
			0.05	0.00	10.14	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.04	0.09	10.23	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)

10	0.04				clknet_2_2__leaf_clk (net)
		0.04	0.00	10.23	^ _409_/CLK (sky130_fd_sc_hd__dfrtp_4)
			-0.25	9.98	clock uncertainty
			0.00	9.98	clock reconvergence pessimism
			-0.04	9.94	library setup time
				9.94	data required time

				9.94	data required time
				-2.47	data arrival time

				7.48	slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _418_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
			0.01	2.01	^ start (in)
1	0.00				start (net)
		0.01	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.15	0.13	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.15	0.00	2.14	^ _237_/B (sky130_fd_sc_hd__nor2_4)
9	0.04	0.06	0.06	2.20	v _237_/Y (sky130_fd_sc_hd__nor2_4)
					125 (net)
		0.06	0.00	2.20	v _316_/B1 (sky130_fd_sc_hd__a21o_1)
		0.03	0.09	2.29	v _316_/X (sky130_fd_sc_hd__a21o_1)
2	0.01				_173_ (net)
		0.03	0.00	2.29	v _320_/A (sky130_fd_sc_hd__and2_1)
		0.02	0.09	2.38	v _320_/X (sky130_fd_sc_hd__and2_1)
1	0.00				_176_ (net)
		0.02	0.00	2.38	v _321_/A (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.06	2.43	v _321_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_060_ (net)
		0.02	0.00	2.43	v _418_/D (sky130_fd_sc_hd__dfrtp_1)
				2.43	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.10	10.24	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.05	0.00	10.24	^ _418_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	9.99	clock uncertainty
			0.00	9.99	clock reconvergence pessimism
			-0.07	9.92	library setup time
				9.92	data required time

				9.92	data required time
				-2.43	data arrival time

				7.49	slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _408_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description	

1	0.00	0.01	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			2.00	2.00	^ input external delay	
			0.01	2.01	^ start (in)	
			0.01	2.01	start (net)	
			0.15	2.14	^ input3/A (sky130_fd_sc_hd__buf_1)	
			0.13	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)	
			0.15	2.14	net3 (net)	
			0.06	2.20	^ _237_/B (sky130_fd_sc_hd__nor2_4)	
			0.06	2.20	v _237_/Y (sky130_fd_sc_hd__nor2_4)	
9	0.04	0.06	0.00	2.20	_125_ (net)	
			0.06	2.20	v _352_/A1 (sky130_fd_sc_hd__mux2_1)	
1	0.00	0.04	0.16	2.36	v _352_/X (sky130_fd_sc_hd__mux2_1)	
			0.04	2.36	_198_ (net)	
1	0.00	0.02	0.06	2.42	v _353_/A (sky130_fd_sc_hd__clkbuf_1)	
			0.06	2.42	v _353_/X (sky130_fd_sc_hd__clkbuf_1)	
1	0.00	0.02	0.00	2.42	_050_ (net)	
			0.00	2.42	v _408_/D (sky130_fd_sc_hd__dfrtp_4)	
				2.42	data arrival time	

1	0.02	0.06	10.00	10.00	clock clk (rise edge)	
			0.00	10.00	clock source latency	
			0.04	10.04	^ clk (in)	
			0.06	10.04	clk (net)	
			0.06	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
			0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
			0.05	10.14	clknet_0_clk (net)	
			0.05	10.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
			0.10	10.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
			0.05	10.24	clknet_2_0__leaf_clk (net)	
14	0.04	0.05	0.00	10.24	^ _408_/CLK (sky130_fd_sc_hd__dfrtp_4)	
			-0.25	9.99	clock uncertainty	
				0.00	9.99	clock reconvergence pessimism
				0.00	9.92	library setup time
				0.00	9.92	data required time

				9.92	data required time	
				-2.42	data arrival time	

				7.50	slack (MET)	

Startpoint: start (input port clocked by clk)

Endpoint: _412_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.01	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
			0.01	2.01	^ start (in)
			0.01	2.01	start (net)
			0.15	2.14	^ input3/A (sky130_fd_sc_hd__buf_1)
			0.13	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
			0.15	2.14	net3 (net)
			0.06	2.20	^ _237_/B (sky130_fd_sc_hd__nor2_4)
			0.06	2.20	v _237_/Y (sky130_fd_sc_hd__nor2_4)
9	0.04	0.06	0.00	2.20	_125_ (net)
			0.00	2.20	v _338_/B1 (sky130_fd_sc_hd__a21o_1)
2	0.01	0.03	0.09	2.29	v _338_/X (sky130_fd_sc_hd__a21o_1)
			0.03	2.29	_189_ (net)
2	0.01	0.02	0.11	2.40	v _342_/A2 (sky130_fd_sc_hd__a21o_1)
			0.02	2.40	v _342_/X (sky130_fd_sc_hd__a21o_1)

1	0.00				v	_054_ (net)
		0.02	0.00	2.40	v	_412_/D (sky130_fd_sc_hd__dfrtp_1)
				2.40		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.06	0.04	10.04	^	clk (in)
1	0.02					clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_2_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.09	10.23	^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04					clknet_2_2_leaf_clk (net)
		0.04	0.00	10.23	^	_412_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	9.98		clock uncertainty
			0.00	9.98		clock reconvergence pessimism
			-0.07	9.92		library setup time
				9.92		data required time

				9.92		data required time
				-2.40		data arrival time

				7.51		slack (MET)

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
1	0.00	0.01	0.01	2.01	^ start (in)
					start (net)
		0.01	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.15	0.13	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.15	0.00	2.14	^ _237_/B (sky130_fd_sc_hd__nor2_4)
9	0.04	0.06	0.06	2.20	v _237_/Y (sky130_fd_sc_hd__nor2_4)
					125 (net)
		0.06	0.00	2.20	v _324_/B1 (sky130_fd_sc_hd__a21o_1)
2	0.01	0.03	0.09	2.29	v _324_/X (sky130_fd_sc_hd__a21o_1)
					179 (net)
		0.03	0.00	2.29	v _327_/A2 (sky130_fd_sc_hd__a21o_1)
1	0.00	0.02	0.11	2.40	v _327_/X (sky130_fd_sc_hd__a21o_1)
					058 (net)
		0.02	0.00	2.40	v _416_/D (sky130_fd_sc_hd__dfrtp_1)
				2.40	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.04	0.04	0.09	10.23	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.04	0.00	10.23	^ _416_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	9.98	clock uncertainty
			0.00	9.98	clock reconvergence pessimism
			-0.07	9.92	library setup time
				9.92	data required time

9.92 data required time
-2.40 data arrival time

7.51 slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _423_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.01	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
			0.01	2.01	^ start (in)
					start (net)
			0.01	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
			0.15	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
			0.15	2.14	^ _237_/B (sky130_fd_sc_hd__nor2_4)
			0.06	2.20	v _237_/Y (sky130_fd_sc_hd__nor2_4)
9	0.04				_125_ (net)
			0.06	2.20	v _303_/A2 (sky130_fd_sc_hd__o31a_1)
1	0.00	0.04	0.06	2.39	v _303_/X (sky130_fd_sc_hd__o31a_1)
					065 (net)
			0.04	2.39	v _423_/D (sky130_fd_sc_hd__dftrtp_1)
			2.39	data arrival time	

1	0.02	0.06	10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
			0.04	10.04	^ clk (in)
					clk (net)
4	0.04		0.06	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.05	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_0_clk (net)
			0.05	10.14	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.04	10.23	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
			0.04	10.23	^ _423_/CLK (sky130_fd_sc_hd__dftrtp_1)
			-0.25	9.98	clock uncertainty
		0.00	9.98	clock reconvergence pessimism	
		-0.07	9.91	library setup time	
			9.91	data required time	

				9.91	data required time
				-2.39	data arrival time

				7.52	slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _411_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
1	0.00	0.01	0.01	2.01	^ start (in)
					start (net)
			0.01	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02		0.13	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
			0.15	2.14	^ _237_/B (sky130_fd_sc_hd__nor2_4)

9	0.04	0.06	0.06	2.20	v	_237_/Y (sky130_fd_sc_hd__nor2_4)
						125 (net)
1	0.00	0.06	0.00	2.20	v	_346_/A2 (sky130_fd_sc_hd__o31a_1)
		0.04	0.19	2.39	v	_346_/X (sky130_fd_sc_hd__o31a_1)
						053 (net)
		0.04	0.00	2.39	v	_411_/D (sky130_fd_sc_hd__dftrtp_1)
				2.39		data arrival time
1	0.02		10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.06	0.04	10.04	^	clk (in)
						clk (net)
4	0.04	0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04					clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.24	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.05	0.00	10.24	^	_411_/CLK (sky130_fd_sc_hd__dftrtp_1)
			-0.25	9.99		clock uncertainty
	0.00	9.99		clock reconvergence pessimism		
		-0.07		9.92		library setup time
				9.92		data required time
				9.92		data required time
				-2.39		data arrival time
				7.53		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _422_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
1	0.00	0.01	0.01	2.01	^ start (in)
					start (net)
			0.01	0.00	2.01 ^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02		0.15	0.13	2.14 ^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
			0.15	0.00	2.14 ^ _237_/B (sky130_fd_sc_hd__nor2_4)
9	0.04		0.06	0.06	2.20 v _237_/Y (sky130_fd_sc_hd__nor2_4)
					125 (net)
			0.06	0.00	2.20 v _305_/A1 (sky130_fd_sc_hd__o21a_1)
1	0.00		0.03	0.13	2.33 v _305_/X (sky130_fd_sc_hd__o21a_1)
					064 (net)
			0.03	0.00	2.33 v _422_/D (sky130_fd_sc_hd__dftrtp_1)
				2.33	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
			0.06	0.00	10.04 ^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04		0.05	0.10	10.14 ^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
			0.05	0.00	10.14 ^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.04		0.04	0.09	10.23 ^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
			0.04	0.00	10.23 ^ _422_/CLK (sky130_fd_sc_hd__dftrtp_1)
			-0.25	9.98	clock uncertainty
			0.00	9.98	clock reconvergence pessimism
			-0.07	9.91	library setup time
				9.91	data required time

9.91	data required time
-2.33	data arrival time

7.58	slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _410_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	start (in)
1	0.00				start (net)
		0.00	0.00	2.00 v	input3/A (sky130_fd_sc_hd__buf_1)
2	0.01	0.06	0.09	2.09 v	input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.06	0.00	2.09 v	_237_/B (sky130_fd_sc_hd__nor2_4)
9	0.04	0.18	0.17	2.26 ^	_237_/Y (sky130_fd_sc_hd__nor2_4)
					125 (net)
		0.18	0.00	2.26 ^	_348_/B1 (sky130_fd_sc_hd__a32o_1)
		0.04	0.08	2.34 ^	_348_/X (sky130_fd_sc_hd__a32o_1)
1	0.00				_052_ (net)
		0.04	0.00	2.34 ^	_410_/D (sky130_fd_sc_hd__dftrtp_2)
				2.34	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04 ^	clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14 ^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.24 ^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	10.24 ^	_410_/CLK (sky130_fd_sc_hd__dftrtp_2)
			-0.25	9.99	clock uncertainty
			0.00	9.99	clock reconvergence pessimism
			-0.04	9.95	library setup time
				9.95	data required time

				9.95	data required time
				-2.34	data arrival time

				7.62	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _409_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.07	2.07 v	input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)

		0.04	0.00	2.07	v	_355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.13	2.20	v	_355_/X (sky130_fd_sc_hd__buf_4)
10	0.05					_199_ (net)
		0.06	0.00	2.20	v	_356_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.14	2.35	v	_356_/X (sky130_fd_sc_hd__buf_4)
10	0.06					_200_ (net)
		0.06	0.00	2.35	v	_358_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.40	^	_358_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_003_ (net)
		0.03	0.00	2.40	^	_409_/RESET_B (sky130_fd_sc_hd__dftrtp_4)
				2.40		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.06	0.04	10.04	^	clk (in)
						clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.04	0.04	0.09	10.23	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
		0.04	0.00	10.23	^	_409_/CLK (sky130_fd_sc_hd__dftrtp_4)
		-0.25	9.98			clock uncertainty
		0.00	9.98			clock reconvergence pessimism
		0.13	10.12			library recovery time
			10.12			data required time

				10.12		data required time
				-2.40		data arrival time

				7.72		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _424_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00		0.00	2.00	v rst (in)
					rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.06	0.00	2.20	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
10	0.07	0.06	0.14	2.35	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
					201 (net)
		0.06	0.00	2.35	v _374_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.03	0.04	2.40	^ _374_/Y (sky130_fd_sc_hd__inv_2)
					018 (net)
		0.03	0.00	2.40	^ _424_/RESET_B (sky130_fd_sc_hd__dftrtp_2)
				2.40	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)

12	0.04	0.05	0.10	10.24	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_3_leaf_clk (net)
		0.05	0.00	10.24	^	_424_/CLK (sky130_fd_sc_hd_dfrtp_2)
			-0.25	9.99		clock uncertainty
			0.00	9.99		clock reconvergence pessimism
			0.14	10.12		library recovery time
				10.12		data required time

				10.12		data required time
				-2.40		data arrival time

		7.73		slack (MET)		

Startpoint: rst (input port clocked by clk)
Endpoint: _408_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description	
1	0.00		0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
		0.00	2.00	2.00	v input external delay	
			0.00	2.00	v rst (in)	
		0.00			rst (net)	
			0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)	
		3	0.01	0.04	0.07	2.07 v input2/X (sky130_fd_sc_hd__buf_1)
						net2 (net)
		10	0.05	0.04	0.00	2.07 v _355_/A (sky130_fd_sc_hd__buf_4)
				0.06	0.13	2.20 v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.06	0.06	0.00	2.20 v _356_/A (sky130_fd_sc_hd__buf_4)		
		0.06	0.14	2.35 v _356_/X (sky130_fd_sc_hd__buf_4)		
1	0.00			_200_ (net)		
		0.06	0.00	2.35 v _357_/A (sky130_fd_sc_hd__inv_2)		
1	0.00	0.03	0.04	2.39 ^ _357_/Y (sky130_fd_sc_hd__inv_2)		
				002 (net)		
1	0.00	0.03	0.00	2.39 ^ _408_/RESET_B (sky130_fd_sc_hd__dfrtp_4)		
				2.39 data arrival time		
1	0.02		10.00	10.00	clock clk (rise edge)	
			0.00	10.00	clock source latency	
		0.06	0.04	10.04	^ clk (in)	
					clk (net)	
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
			0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
		4	0.04			clknet_0_clk (net)
				0.05	0.00	10.14
		14	0.04	0.05	0.10	10.24 ^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
14	0.04	0.05	0.00	10.24 ^ _408_/CLK (sky130_fd_sc_hd__dfrtp_4)		
			-0.25	9.99	clock uncertainty	
			0.00	9.99	clock reconvergence pessimism	
			0.14	10.13	library recovery time	
				10.13	data required time	
				10.13 data required time		
				-2.39 data arrival time		
				7.73 slack (MET)		

Startpoint: rst (input port clocked by clk)
Endpoint: _415_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description		

1	0.00	0.00	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
		0.00	2.00	2.00	v input external delay		
			0.00	2.00	v rst (in)		
		0.00			rst (net)		
			0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)	
		3	0.01	0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
							net2 (net)
		10	0.05	0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
				0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.06	0.06	0.00	2.20	v _356_/A (sky130_fd_sc_hd__buf_4)		
			0.06	0.14	2.35	v _356_/X (sky130_fd_sc_hd__buf_4)	
1	0.00	0.06	0.00	2.35	v _364_/A (sky130_fd_sc_hd__inv_2)		
			0.03	0.04	2.40	^ _364_/Y (sky130_fd_sc_hd__inv_2)	
		0.03	0.00	2.40	^ _415_/RESET_B (sky130_fd_sc_hd__dfrtp_1)		
					2.40	data arrival time	

1	0.02	0.06	10.00	10.00	clock clk (rise edge)		
			0.00	10.00	clock source latency		
4	0.04	0.05	0.04	10.04	^ clk (in)		
						clk (net)	
		0.05	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)		
			0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)		
10	0.04	0.04	0.00	10.14	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)		
			0.09	10.23	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)		
		0.04			clknet_2_2__leaf_clk (net)		
			0.00	10.23	^ _415_/CLK (sky130_fd_sc_hd__dfrtp_1)		
			-0.25	9.98	clock uncertainty		
			0.00	9.98	clock reconvergence pessimism		
			0.15	10.13	library recovery time		
				10.13	data required time		

				10.13	data required time		
				-2.40	data arrival time		

				7.73	slack (MET)		

Startpoint: rst (input port clocked by clk)
 Endpoint: _416_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.00	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.04	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.05	0.00	0.00	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.06	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.06	0.00	0.00	2.20	v _356_/A (sky130_fd_sc_hd__buf_4)
			0.06	2.35	v _356_/X (sky130_fd_sc_hd__buf_4)
1	0.00	0.00	0.00	2.35	v _365_/A (sky130_fd_sc_hd__inv_2)
			0.03	2.40	^ _365_/Y (sky130_fd_sc_hd__inv_2)
			0.03	2.40	^ _416_/RESET_B (sky130_fd_sc_hd__dfrtp_1)

				2.40	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.09	10.23	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04				clknet_2_2_leaf_clk (net)
		0.04	0.00	10.23	^ _416_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.98		clock uncertainty
		0.00	9.98		clock reconvergence pessimism
		0.15	10.13		library recovery time
			10.13		data required time

			10.13		data required time
			-2.40		data arrival time

			7.73		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _417_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.20	v _356_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.14	2.35	v _356_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_200_ (net)
		0.06	0.00	2.35	v _366_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	2.40	^ _366_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_011_ (net)
		0.03	0.00	2.40	^ _417_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.40	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.09	10.23	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04				clknet_2_2_leaf_clk (net)
		0.04	0.00	10.23	^ _417_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.98		clock uncertainty
		0.00	9.98		clock reconvergence pessimism
		0.15	10.13		library recovery time
			10.13		data required time

			10.13		data required time
			-2.40		data arrival time

7.73 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _413_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.00	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
			0.00	2.00 v	rst (in)
3	0.01	0.00	0.00	2.00 v	rst (net)
			0.04	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
			0.07	2.07 v	input2/X (sky130_fd_sc_hd__buf_1)
			0.04	2.07 v	net2 (net)
10	0.05	0.06	0.00	2.07 v	_355_/A (sky130_fd_sc_hd__buf_4)
			0.13	2.20 v	_355_/X (sky130_fd_sc_hd__buf_4)
			0.06	2.20 v	_199_ (net)
			0.06	2.20 v	_356_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.06	0.00	2.35 v	_356_/X (sky130_fd_sc_hd__buf_4)
			0.14	2.35 v	_200_ (net)
			0.06	2.35 v	_362_/A (sky130_fd_sc_hd__inv_2)
			0.03	2.40 ^	_362_/Y (sky130_fd_sc_hd__inv_2)
1	0.00	0.03	0.00	2.40 ^	_007_ (net)
			0.00	2.40 ^	_413_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
			0.00	2.40	data arrival time
			0.00	2.40	
1	0.02	0.06	10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
			0.04	10.04 ^	clk (in)
			0.00	10.04 ^	clk (net)
4	0.04	0.05	0.00	10.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.10	10.14 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
			0.05	10.14 ^	clknet_0_clk (net)
			0.00	10.14 ^	clkbuf_2_2_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.04	0.04	0.09	10.23 ^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
			0.00	10.23 ^	clknet_2_2_leaf_clk (net)
			0.04	10.23 ^	_413_/CLK (sky130_fd_sc_hd__dftrtp_1)
			-0.25	9.98	clock uncertainty
			0.00	9.98	clock reconvergence pessimism
			0.15	10.13	library recovery time
			0.15	10.13	data required time

			10.13	10.13	data required time
			-2.40	-2.40	data arrival time

			7.73	7.73	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _412_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.00	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
			0.00	2.00 v	rst (in)
3	0.01	0.00	0.00	2.00 v	rst (net)
			0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
			0.04	2.07 v	input2/X (sky130_fd_sc_hd__buf_1)
			0.07	2.07 v	net2 (net)

		0.04	0.00	2.07	v	_355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.13	2.20	v	_355_/X (sky130_fd_sc_hd__buf_4)
10	0.05					_199_ (net)
		0.06	0.00	2.20	v	_356_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.14	2.35	v	_356_/X (sky130_fd_sc_hd__buf_4)
10	0.06					_200_ (net)
		0.06	0.00	2.35	v	_361_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.40	^	_361_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_006_ (net)
		0.03	0.00	2.40	^	_412_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.40		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.06	0.04	10.04	^	clk (in)
						clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.04	0.04	0.09	10.23	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
		0.04	0.00	10.23	^	_412_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	9.98			clock uncertainty
		0.00	9.98			clock reconvergence pessimism
		0.15	10.13			library recovery time
			10.13			data required time

			10.13			data required time
			-2.40			data arrival time

			7.73			slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _410_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00		0.00	2.00	v rst (in)
					rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.06	0.00	2.20	v _356_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.06	0.14	2.35	v _356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
		0.06	0.00	2.35	v _359_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.39	^ _359_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_004_ (net)
		0.03	0.00	2.39	^ _410_/RESET_B (sky130_fd_sc_hd__dfrtp_2)
				2.39	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)

14	0.04	0.05	0.10	10.24	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.05	0.00	10.24	^	_410_/CLK (sky130_fd_sc_hd__dfrtp_2)
			-0.25	9.99		clock uncertainty
			0.00	9.99		clock reconvergence pessimism
			0.14	10.13		library recovery time
				10.13		data required time

				10.13		data required time
				-2.39		data arrival time

			7.73	slack (MET)		

Startpoint: rst (input port clocked by clk)
Endpoint: _414_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description	
1	0.00	0.00	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			2.00	2.00	v input external delay	
			0.00	2.00	v rst (in)	
					rst (net)	
			0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
						net2 (net)
			0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05			_199_ (net)		
		0.06	0.00	2.20	v _356_/A (sky130_fd_sc_hd__buf_4)	
10	0.06	0.06	0.14	2.35	v _356_/X (sky130_fd_sc_hd__buf_4)	
					200 (net)	
10	0.06					
		0.06	0.00	2.35	v _363_/A (sky130_fd_sc_hd__inv_2)	
1	0.00	0.03	0.04	2.40	^ _363_/Y (sky130_fd_sc_hd__inv_2)	
					008 (net)	
1	0.00	0.03	0.00	2.40	^ _414_/RESET_B (sky130_fd_sc_hd__dfrtp_1)	
				2.40	data arrival time	
1	0.02	0.06	10.00	10.00	clock clk (rise edge)	
			0.00	10.00	clock source latency	
			0.04	10.04	^ clk (in)	
					clk (net)	
			0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
			0.05	0.00	10.14	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.04	0.09	10.23	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
10	0.04	0.04	0.00	10.23	^ _414_/CLK (sky130_fd_sc_hd__dfrtp_1)	
			-0.25	9.98	clock uncertainty	
			0.00	9.98	clock reconvergence pessimism	
			0.15	10.13	library recovery time	
				10.13	data required time	
				10.13	data required time	
				-2.40	data arrival time	
				7.73	slack (MET)	

Startpoint: rst (input port clocked by clk)
Endpoint: _425_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.00	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
					rst (net)
			0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.04	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.04	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.06	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05			_199_ (net)	
		0.06	2.20	v _367_/A (sky130_fd_sc_hd__clkbuf_8)	
10	0.07	0.06	2.35	v _367_/X (sky130_fd_sc_hd__clkbuf_8)	
				201 (net)	
		0.06	2.35	v _375_/A (sky130_fd_sc_hd__inv_2)	
		0.03	2.40	^ _375_/Y (sky130_fd_sc_hd__inv_2)	
1	0.00			_019_ (net)	
		0.03	2.40	^ _425_/RESET_B (sky130_fd_sc_hd__dfrtp_1)	
			2.40	data arrival time	

1	0.02		10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
					clk (net)
4	0.04	0.06	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.05	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
				clknet_0_clk (net)	
		0.05	10.14	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
10	0.04	0.04	10.23	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
				clknet_2_2__leaf_clk (net)	
		0.04	10.23	^ _425_/CLK (sky130_fd_sc_hd__dfrtp_1)	
		-0.25	9.98	clock uncertainty	
		0.00	9.98	clock reconvergence pessimism	
		0.15	10.13	library recovery time	
			10.13	data required time	

			10.13	data required time	
			-2.40	data arrival time	

			7.73	slack (MET)	

Startpoint: rst (input port clocked by clk)

Endpoint: _422_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.00	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.04	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.05	0.00	0.00	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.06	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.07	0.00	0.00	2.20	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
			0.06	2.35	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
1	0.00	0.00	0.00	2.35	v _372_/A (sky130_fd_sc_hd__inv_2)
			0.03	2.39	^ _372_/Y (sky130_fd_sc_hd__inv_2)
			0.00		_016_ (net)
			0.03	2.39	^ _422_/RESET_B (sky130_fd_sc_hd__dfrtp_1)

				2.39	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.09	10.23	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04				clknet_2_2_leaf_clk (net)
		0.04	0.00	10.23	^ _422_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.98		clock uncertainty
		0.00	9.98		clock reconvergence pessimism
		0.15	10.13		library recovery time
			10.13		data required time

			10.13		data required time
			-2.39		data arrival time

			7.74		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _423_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.20	v _367_/A (sky130_fd_sc_hd_clkbuf_8)
		0.06	0.14	2.35	v _367_/X (sky130_fd_sc_hd_clkbuf_8)
10	0.07				_201_ (net)
		0.06	0.00	2.35	v _373_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	2.39	^ _373_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_017_ (net)
		0.03	0.00	2.39	^ _423_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
			2.39		data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.09	10.23	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04				clknet_2_2_leaf_clk (net)
		0.04	0.00	10.23	^ _423_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.98		clock uncertainty
		0.00	9.98		clock reconvergence pessimism
		0.15	10.13		library recovery time
			10.13		data required time

			10.13		data required time
			-2.39		data arrival time

7.74 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _418_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.20	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.06	0.14	2.35	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.06	0.00	2.35	v _368_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.40	^ _368_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_012_ (net)
		0.03	0.00	2.40	^ _418_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.40	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.24	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	10.24	^ _418_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	9.99	clock uncertainty
			0.00	9.99	clock reconvergence pessimism
			0.15	10.13	library recovery time
				10.13	data required time

				10.13	data required time
				-2.40	data arrival time

				7.74	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _427_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)

		0.04	0.00	2.07	v	_355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.13	2.20	v	_355_/X (sky130_fd_sc_hd__buf_4)
10	0.05					_199_ (net)
		0.06	0.00	2.20	v	_367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.06	0.14	2.35	v	_367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07					_201_ (net)
		0.06	0.00	2.35	v	_377_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.40	^	_377_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_021_ (net)
		0.03	0.00	2.40	^	_427_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.40		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.06	0.04	10.04	^	clk (in)
						clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.04	0.10	10.24	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_1__leaf_clk (net)
		0.04	0.00	10.24	^	_427_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	9.99			clock uncertainty
		0.00	9.99			clock reconvergence pessimism
		0.15	10.13			library recovery time
			10.13			data required time

				10.13		data required time
				-2.40		data arrival time

				7.74		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _419_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.06	0.00	2.20	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
10	0.07	0.06	0.14	2.35	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
					201 (net)
		0.06	0.00	2.35	v _369_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.40	^ _369_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_013_ (net)
		0.03	0.00	2.40	^ _419_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.40	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)

12	0.04	0.05	0.10	10.24	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_3_leaf_clk (net)
		0.05	0.00	10.24	^	_419_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	9.99		clock uncertainty
			0.00	9.99		clock reconvergence pessimism
			0.15	10.13		library recovery time
				10.13		data required time

				10.13		data required time
				-2.40		data arrival time

		7.74		slack (MET)		

Startpoint: rst (input port clocked by clk)

Endpoint: _426_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description	
1	0.00		0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
		0.00	2.00	2.00	v input external delay	
			0.00	2.00	v rst (in)	
					rst (net)	
			0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		3	0.01	0.04	0.07	2.07 v input2/X (sky130_fd_sc_hd__buf_1)
		10	0.05	0.04	0.00	2.07 v _355_/A (sky130_fd_sc_hd__buf_4)
				0.06	0.13	2.20 v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_199_ (net)	
		0.06	0.00	2.20	v _367_/A (sky130_fd_sc_hd__clkbuf_8)	
		0.06	0.14	2.35	v _367_/X (sky130_fd_sc_hd__clkbuf_8)	
					201 (net)	
1	0.00	0.06	0.00	2.35	v _376_/A (sky130_fd_sc_hd__inv_2)	
		0.03	0.04	2.40	^ _376_/Y (sky130_fd_sc_hd__inv_2)	
					020 (net)	
		0.03	0.00	2.40	^ _426_/RESET_B (sky130_fd_sc_hd__dfrtp_1)	
				2.40	data arrival time	
1	0.02		10.00	10.00	clock clk (rise edge)	
			0.00	10.00	clock source latency	
		0.06	0.04	10.04	^ clk (in)	
					clk (net)	
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
4	0.04				clknet_0_clk (net)	
		0.05	0.00	10.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
12	0.04	0.05	0.10	10.24	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					clknet_2_3__leaf_clk (net)	
		0.05	0.00	10.24	^ _426_/CLK (sky130_fd_sc_hd__dfrtp_1)	
			-0.25	9.99	clock uncertainty	
				0.00	9.99	clock reconvergence pessimism
				0.15	10.13	library recovery time
				10.13	data required time	
				10.13	data required time	
				-2.40	data arrival time	
				7.74	slack (MET)	

Startpoint: rst (input port clocked by clk)

Endpoint: _421_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.00	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
					rst (net)
			0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.04	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.04	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.06	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05			_199_ (net)	
		0.06	2.20	v _367_/A (sky130_fd_sc_hd__clkbuf_8)	
10	0.07	0.06	2.35	v _367_/X (sky130_fd_sc_hd__clkbuf_8)	
				201 (net)	
		0.06	2.35	v _371_/A (sky130_fd_sc_hd__inv_2)	
		0.03	2.40	^ _371_/Y (sky130_fd_sc_hd__inv_2)	
1	0.00			_015_ (net)	
		0.03	2.40	^ _421_/RESET_B (sky130_fd_sc_hd__dfrtp_1)	
			2.40	data arrival time	

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.24	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
12	0.04	0.05	0.00	10.24	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	9.99	clock uncertainty
			0.00	9.99	clock reconvergence pessimism
			0.15	10.13	library recovery time
				10.13	data required time

				10.13	data required time
				-2.40	data arrival time

				7.74	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _420_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.00	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.04	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.05	0.00	0.04	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.06	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.07	0.00	0.06	2.20	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
			0.06	2.35	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
1	0.00	0.00	0.06	2.35	v _370_/A (sky130_fd_sc_hd__inv_2)
			0.03	2.40	^ _370_/Y (sky130_fd_sc_hd__inv_2)
			0.03	2.40	^ _420_/RESET_B (sky130_fd_sc_hd__dfrtp_1)

				2.40	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
	0.06	0.04	10.04	^	clk (in)
1	0.02				clk (net)
	0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
	0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
	0.05	0.00	10.14	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
	0.05	0.10	10.24	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
	0.05	0.00	10.24	^	_420_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		0.15	10.13		library recovery time
			10.13		data required time

			10.13		data required time
			-2.40		data arrival time

			7.74		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _411_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.20	v _356_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.14	2.35	v _356_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_200_ (net)
		0.06	0.00	2.35	v _360_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	2.39	^ _360_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_005_ (net)
		0.03	0.00	2.39	^ _411_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.39	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
	0.06	0.04	10.04	^	clk (in)
1	0.02				clk (net)
	0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
	0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
	0.05	0.00	10.14	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
	0.05	0.10	10.24	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
	0.05	0.00	10.24	^	_411_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		0.15	10.14		library recovery time
			10.14		data required time

			10.14		data required time
			-2.39		data arrival time

7.74 slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _427_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.05	0.00	0.26	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.06	0.27	0.53	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[13] (net)
		0.06	0.00	0.53	v _205_/A (sky130_fd_sc_hd_or4_1)
		0.06	0.32	0.86	v _205_/X (sky130_fd_sc_hd_or4_1)
1	0.00				_097_ (net)
		0.06	0.00	0.86	v _209_/A (sky130_fd_sc_hd_nor4_1)
		0.29	0.30	1.16	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
2	0.01				_101_ (net)
		0.29	0.00	1.16	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.11	0.12	1.28	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01				net25 (net)
		0.11	0.00	1.28	^ _217_/C (sky130_fd_sc_hd_nand4_1)
		0.08	0.09	1.37	v _217_/Y (sky130_fd_sc_hd_nand4_1)
3	0.01				_109_ (net)
		0.08	0.00	1.37	v _218_/A (sky130_fd_sc_hd_buf_4)
		0.07	0.16	1.53	v _218_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_110_ (net)
		0.07	0.00	1.53	v _291_/S (sky130_fd_sc_hd_mux2_1)
		0.04	0.20	1.73	v _291_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_154_ (net)
		0.04	0.00	1.73	v hold36/A (sky130_fd_sc_hd_dlygate4sd3_1)
		0.04	0.38	2.12	v hold36/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00				net61 (net)
		0.04	0.00	2.12	v _292_/A (sky130_fd_sc_hd_clkbuf_1)
		0.02	0.07	2.18	v _292_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_067_ (net)
		0.02	0.00	2.18	v _427_/D (sky130_fd_sc_hd_dfrtp_1)
				2.18	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	10.24	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.04	0.00	10.24	^ _427_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.99		clock uncertainty
		0.01	10.00		clock reconvergence pessimism
		-0.07	9.93		library setup time
			9.93		data required time
				9.93	data required time
				-2.18	data arrival time

7.75 slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _426_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description		
1	0.02		0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock source latency		
		0.06	0.04	0.04	^ clk (in)		
					clk (net)		
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)		
					0.05	0.11	0.15
		4	0.04			clknet_0_clk (net)	
				0.05	0.00	0.15	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		12	0.04	0.05	0.11	0.26	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
							clknet_2_3_leaf_clk (net)
3	0.01	0.05	0.00	0.26	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)		
		0.06	0.27	0.53	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)		
1	0.00				clk_count[13] (net)		
		0.06	0.00	0.53	v _205_/A (sky130_fd_sc_hd_or4_1)		
1	0.00	0.06	0.32	0.86	v _205_/X (sky130_fd_sc_hd_or4_1)		
					097 (net)		
2	0.01	0.06	0.00	0.86	v _209_/A (sky130_fd_sc_hd_nor4_1)		
		0.29	0.30	1.16	^ _209_/Y (sky130_fd_sc_hd_nor4_1)		
3	0.01				_101_ (net)		
		0.29	0.00	1.16	^ max_cap25/A (sky130_fd_sc_hd_buf_1)		
3	0.01	0.11	0.12	1.28	^ max_cap25/X (sky130_fd_sc_hd_buf_1)		
					net25 (net)		
3	0.01	0.11	0.00	1.28	^ _217_/C (sky130_fd_sc_hd_nand4_1)		
		0.08	0.09	1.37	v _217_/Y (sky130_fd_sc_hd_nand4_1)		
10	0.06				_109_ (net)		
		0.08	0.00	1.37	v _218_/A (sky130_fd_sc_hd_buf_4)		
10	0.06	0.07	0.16	1.53	v _218_/X (sky130_fd_sc_hd_buf_4)		
					110 (net)		
1	0.00	0.07	0.00	1.53	v _293_/S (sky130_fd_sc_hd_mux2_1)		
		0.04	0.20	1.73	v _293_/X (sky130_fd_sc_hd_mux2_1)		
1	0.00				_155_ (net)		
		0.04	0.00	1.73	v hold34/A (sky130_fd_sc_hd_dlygate4sd3_1)		
1	0.00	0.04	0.38	2.11	v hold34/X (sky130_fd_sc_hd_dlygate4sd3_1)		
					net59 (net)		
1	0.00	0.04	0.00	2.11	v _294_/A (sky130_fd_sc_hd_clkbuf_1)		
		0.02	0.06	2.17	v _294_/X (sky130_fd_sc_hd_clkbuf_1)		
1	0.00				_066_ (net)		
		0.02	0.00	2.17	v _426_/D (sky130_fd_sc_hd_dfrtp_1)		
					2.17 data arrival time		
1	0.02		10.00	10.00	clock clk (rise edge)		
			0.00	10.00	clock source latency		
		0.06	0.04	10.04	^ clk (in)		
					clk (net)		
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)		
					0.05	0.10	10.14
		4	0.04			clknet_0_clk (net)	
				0.05	0.00	10.14	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		12	0.04	0.05	0.10	10.24	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
							clknet_2_3_leaf_clk (net)
		0.05	0.00	10.24	^ _426_/CLK (sky130_fd_sc_hd_dfrtp_1)		
						clock uncertainty	
			-0.25 9.99				
			0.02 10.01				
			-0.07 9.95				
			9.95				
			9.95				
			9.95				
					data required time		
					data arrival time		

7.77 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _436_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.07	2.07 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.07 v	_378_/A (sky130_fd_sc_hd__buf_4)
10	0.07	0.07	0.14	2.21 v	_378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
		0.07	0.00	2.22 v	_387_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.05	2.26 ^	_387_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_030_ (net)
		0.03	0.00	2.26 ^	_436_/SET_B (sky130_fd_sc_hd__dfstp_1)
				2.26	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04 ^	clk (in)
					clk (net)
		0.06	0.00	10.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14 ^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.10	10.24 ^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.05	0.00	10.24 ^	_436_/CLK (sky130_fd_sc_hd__dfstp_1)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		0.09	10.07		library recovery time
				10.07	data required time

				10.07	data required time
				-2.26	data arrival time

				7.81	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _435_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.07	2.07 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.07 v	_378_/A (sky130_fd_sc_hd__buf_4)
10	0.07	0.07	0.14	2.21 v	_378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)

		0.07	0.00	2.22	v	_386_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.26	^	_386_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_029_ (net)
		0.03	0.00	2.26	^	_435_/RESET_B (sky130_fd_sc_hd__dfrtp_2)
				2.26		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.06	0.04	10.04	^	clk (in)
						clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.05	0.10	10.24	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.05	0.00	10.24	^	_435_/CLK (sky130_fd_sc_hd__dfrtp_2)
		-0.25	9.99			clock uncertainty
		0.00	9.99			clock reconvergence pessimism
		0.14	10.13			library recovery time
			10.13			data required time

				10.13		data required time
				-2.26		data arrival time

				7.87		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _433_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.07	v _378_/A (sky130_fd_sc_hd__buf_4)
10	0.07	0.07	0.14	2.21	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
		0.07	0.00	2.22	v _384_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.05	2.26	^ _384_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_027_ (net)
		0.03	0.00	2.26	^ _433_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.26	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.04	0.10	10.24	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.04	0.00	10.24	^ _433_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		0.15	10.13		library recovery time
			10.13		data required time

				10.13	data required time

-2.26 data arrival time

7.87 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _434_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description	
1	0.00	0.00	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			2.00	2.00	v input external delay	
			0.00	2.00	v rst (in)	
					rst (net)	
			0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)	
			0.04	0.00	2.07	v _378_/A (sky130_fd_sc_hd__buf_4)
			0.07	0.14	2.21	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07			_202_ (net)		
		0.07	0.00	2.22	v _385_/A (sky130_fd_sc_hd__inv_2)	
1	0.00	0.03	0.05	2.26	^ _385_/Y (sky130_fd_sc_hd__inv_2)	
				028 (net)		
		0.03	0.00	2.26	^ _434_/RESET_B (sky130_fd_sc_hd__dfrtp_1)	
				2.26	data arrival time	
			10.00	10.00	clock clk (rise edge)	
			0.00	10.00	clock source latency	
1	0.02	0.06	0.04	10.04	^ clk (in)	
					clk (net)	
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
4	0.04				clknet_0_clk (net)	
		0.05	0.00	10.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.04	0.10	10.24	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					clknet_2_1__leaf_clk (net)	
12	0.04	0.04	0.00	10.24	^ _434_/CLK (sky130_fd_sc_hd__dfrtp_1)	
			-0.25	9.99	clock uncertainty	
			0.00	9.99	clock reconvergence pessimism	
			0.15	10.13	library recovery time	
				10.13	data required time	
				10.13	data required time	
				-2.26	data arrival time	
				7.87	slack (MET)	

Startpoint: rst (input port clocked by clk)
Endpoint: _437_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
1	0.00	0.00	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
3	0.01	0.00	0.00	2.00	v rst (net)
			0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.04	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
			0.00	2.07	v net2 (net)
		0.07	0.00	2.07	v _378_/A (sky130_fd_sc_hd__buf_4)
			0.14	2.21	v _378_/X (sky130_fd_sc_hd__buf_4)

10	0.07					_202_ (net)
		0.07	0.00	2.22	v	_388_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.05	2.26	^	_388_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_031_ (net)
		0.03	0.00	2.26	^	_437_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.26		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.06	0.04	10.04	^	clk (in)
1	0.02					clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.24	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.05	0.00	10.24	^	_437_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	9.99			clock uncertainty
		0.00	9.99			clock reconvergence pessimism
		0.15	10.13			library recovery time
			10.13			data required time

				10.13		data required time
				-2.26		data arrival time

				7.87		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _429_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.07	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.07	0.14	2.21	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.07	0.00	2.22	v _380_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.05	2.26	^ _380_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_023_ (net)
		0.03	0.00	2.26	^ _429_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.26	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	10.24	^ _429_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		0.15	10.14		library recovery time
			10.14		data required time

10.14 data required time
-2.26 data arrival time

7.87 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _431_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description	

1	0.00	0.00	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			2.00	2.00 v	input external delay	
			0.00	2.00 v	rst (in)	
3	0.01	0.00	0.00	2.00 v	rst (net)	
			0.04	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)	
			0.07	2.07 v	input2/X (sky130_fd_sc_hd__buf_1)	
			0.04	2.07 v	net2 (net)	
10	0.07	0.00	0.07	2.07 v	_378_/A (sky130_fd_sc_hd__buf_4)	
			0.07	2.21 v	_378_/X (sky130_fd_sc_hd__buf_4)	
			0.14	2.21 v	_202_ (net)	
			0.07	2.22 v	_382_/A (sky130_fd_sc_hd__inv_2)	
1	0.00	0.00	0.03	2.26 ^	_382_/Y (sky130_fd_sc_hd__inv_2)	
			0.05	2.26 ^	_025_ (net)	
			0.03	2.26 ^	_431_/RESET_B (sky130_fd_sc_hd__dfrtp_1)	
			0.00	2.26	data arrival time	

1	0.02	0.06	10.00	10.00	clock clk (rise edge)	
			0.00	10.00	clock source latency	
			0.04	10.04 ^	clk (in)	
			0.06	10.04 ^	clk (net)	
4	0.04	0.05	0.00	10.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
			0.10	10.14 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
			0.05	10.14 ^	clknet_0_clk (net)	
			0.00	10.14 ^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
14	0.04	0.05	0.10	10.24 ^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
			0.10	10.24 ^	clknet_2_0__leaf_clk (net)	
			0.05	10.24 ^	_431_/CLK (sky130_fd_sc_hd__dfrtp_1)	
			-0.25	9.99	clock uncertainty	

				0.00	9.99	clock reconvergence pessimism
				0.15	10.14	library recovery time
				10.14	10.14	data required time

				10.14	10.14	data required time
				-2.26	-2.26	data arrival time

				7.87	7.87	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _432_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.00	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
			0.00	2.00 v	rst (in)
3	0.01	0.00	0.00	2.00 v	rst (net)
			0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
			0.04	2.07 v	input2/X (sky130_fd_sc_hd__buf_1)
			0.07	2.07 v	net2 (net)
		0.04	0.00	2.07 v	_378_/A (sky130_fd_sc_hd__buf_4)

10	0.07	0.07	0.14	2.21	v	_378_/X (sky130_fd_sc_hd_buf_4)
		0.07	0.00	2.22	v	_383_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.05	2.26	^	_383_/Y (sky130_fd_sc_hd_inv_2)
1	0.00					_026_ (net)
		0.03	0.00	2.26	^	_432_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.26		data arrival time
1	0.02		10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.06	0.04	10.04	^	clk (in)
4	0.04					clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04					clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.24	^	clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_0_leaf_clk (net)
		0.05	0.00	10.24	^	_432_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.99			clock uncertainty
		0.00	9.99			clock reconvergence pessimism
		0.15	10.14			library recovery time
				10.14		data required time

				10.14		data required time
				-2.26		data arrival time

				7.88		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _430_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.00	0.00	2.00	v rst (in)
					rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
		0.04	0.00	2.07	v _378_/A (sky130_fd_sc_hd_buf_4)
10	0.07	0.07	0.14	2.21	v _378_/X (sky130_fd_sc_hd_buf_4)
					202 (net)
		0.07	0.00	2.22	v _381_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.03	0.04	2.26	^ _381_/Y (sky130_fd_sc_hd_inv_2)
					024 (net)
		0.03	0.00	2.26	^ _430_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.26	data arrival time
1	0.02		10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
4	0.04				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.24	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)
		0.05	0.00	10.24	^ _430_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		0.15	10.14		library recovery time
				10.14	data required time

		10.14	data required time
		-2.26	data arrival time

		7.88	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _428_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
			0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.07	2.07 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.07 v	_378_/A (sky130_fd_sc_hd__buf_4)
		0.07	0.14	2.21 v	_378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.07	0.00	2.22 v	_379_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.26 ^	_379_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_022_ (net)
		0.03	0.00	2.26 ^	_428_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.26	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04 ^	clk (in)
					clk (net)
		0.06	0.00	10.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14 ^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.24 ^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	10.24 ^	_428_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	9.99	clock uncertainty
			0.00	9.99	clock reconvergence pessimism
			0.15	10.14	library recovery time
				10.14	data required time

				10.14	data required time
				-2.26	data arrival time

				7.88	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _443_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.07	2.07 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)

		0.04	0.00	2.07	v	_389_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.14	2.21	v	_389_/X (sky130_fd_sc_hd__buf_4)
10	0.06					_203_ (net)
		0.06	0.00	2.21	v	_395_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.25	^	_395_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_037_ (net)
		0.03	0.00	2.25	^	_443_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.25		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.06	0.04	10.04	^	clk (in)
						clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.04	0.10	10.24	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_1__leaf_clk (net)
		0.04	0.00	10.24	^	_443_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	9.99			clock uncertainty
		0.00	9.99			clock reconvergence pessimism
		0.15	10.13			library recovery time
			10.13			data required time

				10.13		data required time
				-2.25		data arrival time

				7.88		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _440_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.07	v _389_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.06	0.14	2.21	v _389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
		0.06	0.00	2.21	v _392_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.26	^ _392_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_034_ (net)
		0.03	0.00	2.26	^ _440_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.26	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.10	10.24	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.05	0.00	10.24	^ _440_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		0.15	10.13		library recovery time

			10.13	data required time

			10.13	data required time
			-2.26	data arrival time

			7.88	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _441_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01		0.04	2.07	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
		0.04	0.00	2.07	v _389_/A (sky130_fd_sc_hd_buf_4)
10	0.06		0.06	2.21	v _389_/X (sky130_fd_sc_hd_buf_4)
					203 (net)
		0.06	0.00	2.21	v _393_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	2.25	^ _393_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_035_ (net)
		0.03	0.00	2.25	^ _441_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.25	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04		0.05	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04		0.04	10.24	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
		0.04	0.00	10.24	^ _441_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	9.99	clock uncertainty
			0.00	9.99	clock reconvergence pessimism
			0.15	10.13	library recovery time
				10.13	data required time

				10.13	data required time
				-2.25	data arrival time

				7.88	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _444_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd_buf_1)

3	0.01				net2 (net)
		0.04	0.00	2.07	v _389_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.14	2.21	v _389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
		0.06	0.00	2.21	v _396_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.25	^ _396_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_038_ (net)
		0.03	0.00	2.25	^ _444_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.25	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.24	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	10.24	^ _444_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		0.15	10.13		library recovery time
			10.13		data required time

				10.13	data required time
				-2.25	data arrival time

				7.88	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _439_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.07	v _389_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.14	2.21	v _389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
		0.06	0.00	2.21	v _391_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.25	^ _391_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_033_ (net)
		0.03	0.00	2.25	^ _439_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.25	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.24	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	10.24	^ _439_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism

	0.15	10.13	library recovery time
		10.13	data required time

		10.13	data required time
		-2.25	data arrival time

		7.88	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _438_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.00	0.00	2.00	v rst (in)
					rst (net)
			0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
			0.04	2.07	v _389_/A (sky130_fd_sc_hd_buf_4)
10	0.06	0.06	0.14	2.21	v _389_/X (sky130_fd_sc_hd_buf_4)
					203 (net)
			0.06	2.21	v _390_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.03	0.04	2.25	^ _390_/Y (sky130_fd_sc_hd_inv_2)
					032 (net)
			0.03	2.25	^ _438_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.25	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
			0.06	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
			0.05	10.14	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.05	0.10	10.24	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
			0.05	10.24	^ _438_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	9.99	clock uncertainty
			0.00	9.99	clock reconvergence pessimism
			0.15	10.13	library recovery time
				10.13	data required time

				10.13	data required time
				-2.25	data arrival time

				7.88	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _442_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.00	0.00	2.00	v rst (in)
					rst (net)
			0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)

3	0.01	0.04	0.07	2.07	v	input2/X (sky130_fd_sc_hd_buf_1)
						net2 (net)
10	0.06	0.04	0.00	2.07	v	_389_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.14	2.21	v	_389_/X (sky130_fd_sc_hd_buf_4)
1	0.00					_203_ (net)
		0.06	0.00	2.21	v	_394_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	2.25	^	_394_/Y (sky130_fd_sc_hd_inv_2)
						036 (net)
		0.03	0.00	2.25	^	_442_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.25		data arrival time
1	0.02		10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.06	0.04	10.04	^	clk (in)
						clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.04	0.10	10.24	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_1_leaf_clk (net)
		0.04	0.00	10.24	^	_442_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.99			clock uncertainty
		0.00	9.99			clock reconvergence pessimism
		0.15	10.13			library recovery time
				10.13		data required time
				10.13		data required time
				-2.25		data arrival time
				7.88		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _445_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
10	0.06	0.04	0.00	2.07	v _389_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.14	2.21	v _389_/X (sky130_fd_sc_hd_buf_4)
					203 (net)
		0.06	0.00	2.21	v _397_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.03	0.04	2.25	^ _397_/Y (sky130_fd_sc_hd_inv_2)
					039 (net)
		0.03	0.00	2.25	^ _445_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.25	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	10.24	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
		0.04	0.00	10.24	^ _445_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.99		clock uncertainty

0.00	9.99	clock reconvergence pessimism
0.15	10.13	library recovery time
	10.13	data required time

	10.13	data required time
	-2.25	data arrival time
	7.88	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _447_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
			0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd_buf_1)
		0.04	0.07	2.07 v	input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.07 v	_389_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.14	2.21 v	_389_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_203_ (net)
		0.06	0.00	2.21 v	_399_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.05	2.25 ^	_399_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_041_ (net)
		0.03	0.00	2.25 ^	_447_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.25	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04 ^	clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14 ^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14 ^	clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.24 ^	clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.05	0.00	10.24 ^	_447_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	9.99	clock uncertainty
			0.00	9.99	clock reconvergence pessimism
			0.15	10.14	library recovery time
				10.14	data required time
				10.14	data required time
				-2.25	data arrival time
				7.88	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _446_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)

		0.00	0.00	2.00	v	input2/A (sky130_fd_sc_hd_buf_1)
		0.04	0.07	2.07	v	input2/X (sky130_fd_sc_hd_buf_1)
3	0.01					net2 (net)
		0.04	0.00	2.07	v	_389_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.14	2.21	v	_389_/X (sky130_fd_sc_hd_buf_4)
10	0.06					_203_ (net)
		0.06	0.00	2.21	v	_398_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	2.25	^	_398_/Y (sky130_fd_sc_hd_inv_2)
1	0.00					_040_ (net)
		0.03	0.00	2.25	^	_446_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.25		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.06	0.04	10.04	^	clk (in)
						clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	10.24	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1_leaf_clk (net)
		0.04	0.00	10.24	^	_446_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.99			clock uncertainty
		0.00	9.99			clock reconvergence pessimism
		0.15	10.13			library recovery time
			10.13			data required time

				10.13		data required time
				-2.25		data arrival time

				7.88		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _450_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.20	v _402_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.05	2.25	^ _402_/Y (sky130_fd_sc_hd_inv_2)
1	0.01				_044_ (net)
		0.03	0.00	2.25	^ _450_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.25	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.24	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.05	0.00	10.24	^ _450_/CLK (sky130_fd_sc_hd_dfrtp_1)

-0.25	9.99	clock uncertainty
0.00	9.99	clock reconvergence pessimism
0.15	10.14	library recovery time
	10.14	data required time

10.14	data required time
-2.25	data arrival time

7.88	slack (MET)
------	-------------

Startpoint: rst (input port clocked by clk)
Endpoint: _454_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01		0.04	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05		0.06	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.06	0.00	2.20	v _406_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.25	^ _406_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_048_ (net)
		0.03	0.00	2.25	^ _454_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.25	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04		0.05	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04		0.04	10.24	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.04	0.00	10.24	^ _454_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		0.15	10.13		library recovery time
			10.13		data required time

				10.13	data required time
				-2.25	data arrival time

				7.89	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _455_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)

id	type	min	max	val	name
1	0.00	0.00	0.00	2.00	v rst (net)
		0.04	0.07	2.07	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01			2.07	v input2/X (sky130_fd_sc_hd_buf_1)
		0.04	0.00	2.07	v net2 (net)
		0.06	0.13	2.20	v _355_/A (sky130_fd_sc_hd_buf_4)
10	0.05			2.20	v _355_/X (sky130_fd_sc_hd_buf_4)
		0.06	0.00	2.20	v _199_ (net)
		0.02	0.04	2.25	v _407_/A (sky130_fd_sc_hd_inv_2)
1	0.00			2.25	^ _407_/Y (sky130_fd_sc_hd_inv_2)
		0.02	0.00	2.25	^ _049_ (net)
				2.25	^ _455_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
					data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	10.24	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.04	0.00	10.24	^ _455_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		0.15	10.13		library recovery time
			10.13		data required time
			-2.25		data arrival time
			7.89		slack (MET)

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.06	0.00	2.20	v _404_/A (sky130_fd_sc_hd__inv_2)
		0.02	0.04	2.25	^ _404_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_046_ (net)
		0.02	0.00	2.25	^ _452_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.25	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	10.24	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)

0.04	0.00	10.24	^	_452_/CLK (sky130_fd_sc_hd__dfrtp_1)
	-0.25	9.99		clock uncertainty
	0.00	9.99		clock reconvergence pessimism
	0.15	10.13		library recovery time
		10.13		data required time

		10.13		data required time
		-2.25		data arrival time

		7.89		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _451_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.00	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
				2.07	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.05	0.04	0.07		net2 (net)
				2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
				2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
1	0.00	0.06	0.00	2.20	v _403_/A (sky130_fd_sc_hd__inv_2)
				2.25	^ _403_/Y (sky130_fd_sc_hd__inv_2)
					045 (net)
				2.25	^ _451_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
			0.03	0.00	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.05	0.10		clknet_0_clk (net)
				10.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				10.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
			0.05	10.24	^ _451_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	9.99	clock uncertainty
			0.00	9.99	clock reconvergence pessimism
			0.15	10.14	library recovery time
				10.14	data required time

				10.14	data required time
				-2.25	data arrival time

				7.89	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _453_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay

		0.00	0.00	2.00	v	rst (in)
1	0.00					rst (net)
		0.00	0.00	2.00	v	input2/A (sky130_fd_sc_hd_buf_1)
		0.04	0.07	2.07	v	input2/X (sky130_fd_sc_hd_buf_1)
3	0.01					net2 (net)
		0.04	0.00	2.07	v	_355_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.13	2.20	v	_355_/X (sky130_fd_sc_hd_buf_4)
10	0.05					_199_ (net)
		0.06	0.00	2.20	v	_405_/A (sky130_fd_sc_hd_inv_2)
		0.02	0.04	2.25	^	_405_/Y (sky130_fd_sc_hd_inv_2)
1	0.00					_047_ (net)
		0.02	0.00	2.25	^	_453_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.25		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
		0.06	0.04	10.04	^	clk (in)
1	0.02					clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	10.24	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1_leaf_clk (net)
		0.04	0.00	10.24	^	_453_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.99			clock uncertainty
		0.00	9.99			clock reconvergence pessimism
		0.15	10.13			library recovery time
			10.13			data required time

				10.13		data required time
				-2.25		data arrival time

				7.89		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _449_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.20	v _401_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	2.25	^ _401_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_043_ (net)
		0.03	0.00	2.25	^ _449_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.25	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.24	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)

14	0.04	0.05	0.00	10.24	^	clknet_2_0__leaf_clk (net)
			-0.25	9.99		_449_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.00	9.99		clock uncertainty
			0.15	10.14		clock reconvergence pessimism
				10.14		library recovery time
				10.14		data required time

				10.14		data required time
				-2.25		data arrival time

				7.89		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _448_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.20	v _400_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.25	^ _400_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_042_ (net)
		0.03	0.00	2.25	^ _448_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.25	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	10.24	^ _448_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	9.99	clock uncertainty
			0.00	9.99	clock reconvergence pessimism
			0.15	10.14	library recovery time
				10.14	data required time

				10.14	data required time
				-2.25	data arrival time

				7.89	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _433_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency

		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.05	0.00	0.26	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.06	0.27	0.53	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[13] (net)
		0.06	0.00	0.53	v _205_/A (sky130_fd_sc_hd_or4_1)
		0.06	0.32	0.86	v _205_/X (sky130_fd_sc_hd_or4_1)
1	0.00				_097_ (net)
		0.06	0.00	0.86	v _209_/A (sky130_fd_sc_hd_nor4_1)
		0.29	0.30	1.16	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
2	0.01				_101_ (net)
		0.29	0.00	1.16	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.11	0.12	1.28	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01				net25 (net)
		0.11	0.00	1.28	^ _217_/C (sky130_fd_sc_hd_nand4_1)
		0.08	0.09	1.37	v _217_/Y (sky130_fd_sc_hd_nand4_1)
3	0.01				_109_ (net)
		0.08	0.00	1.37	v _218_/A (sky130_fd_sc_hd_buf_4)
		0.07	0.16	1.53	v _218_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_110_ (net)
		0.07	0.00	1.53	v _279_/S (sky130_fd_sc_hd_mux2_1)
		0.04	0.20	1.73	v _279_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_148_ (net)
		0.04	0.00	1.73	v _280_/A (sky130_fd_sc_hd_clkbuf_1)
		0.02	0.06	1.79	v _280_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_073_ (net)
		0.02	0.00	1.79	v _433_/D (sky130_fd_sc_hd_dfrtp_1)
				1.79	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	10.24	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.04	0.00	10.24	^ _433_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.99		clock uncertainty
		0.01	10.00		clock reconvergence pessimism
		-0.07	9.93		library setup time
			9.93		data required time

			9.93		data required time
			-1.79		data arrival time

			8.14		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _432_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)

4	0.04	0.05	0.11	0.15	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
12	0.04	0.05	0.00	0.15	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
3	0.01					clknet_2_3_leaf_clk (net)
		0.05	0.00	0.26	^	_421_/CLK (sky130_fd_sc_hd_dfrtp_1)
1	0.00	0.06	0.27	0.53	v	_421_/Q (sky130_fd_sc_hd_dfrtp_1)
						clk_count[13] (net)
2	0.01	0.06	0.00	0.53	v	_205_/A (sky130_fd_sc_hd_or4_1)
		0.06	0.32	0.86	v	_205_/X (sky130_fd_sc_hd_or4_1)
3	0.01					_097_ (net)
		0.06	0.00	0.86	v	_209_/A (sky130_fd_sc_hd_nor4_1)
10	0.06	0.29	0.30	1.16	^	_209_/Y (sky130_fd_sc_hd_nor4_1)
						101 (net)
3	0.01	0.29	0.00	1.16	^	max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.11	0.12	1.28	^	max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01					net25 (net)
		0.11	0.00	1.28	^	_217_/C (sky130_fd_sc_hd_nand4_1)
3	0.01	0.08	0.09	1.37	v	_217_/Y (sky130_fd_sc_hd_nand4_1)
						109 (net)
10	0.06	0.08	0.00	1.37	v	_218_/A (sky130_fd_sc_hd_buf_4)
		0.07	0.16	1.53	v	_218_/X (sky130_fd_sc_hd_buf_4)
1	0.00					_110_ (net)
		0.07	0.00	1.54	v	_281_/S (sky130_fd_sc_hd_mux2_1)
1	0.00	0.04	0.20	1.73	v	_281_/X (sky130_fd_sc_hd_mux2_1)
						149 (net)
1	0.00	0.04	0.00	1.73	v	_282_/A (sky130_fd_sc_hd_clkbuf_1)
		0.02	0.06	1.80	v	_282_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00					_072_ (net)
		0.02	0.00	1.80	v	_432_/D (sky130_fd_sc_hd_dfrtp_1)
				1.80		data arrival time
				10.00	10.00	clock clk (rise edge)
				0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^	clk (in)
						clk (net)
4	0.04	0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04					clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.24	^	clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_0_leaf_clk (net)
		0.05	0.00	10.24	^	_432_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.99			clock uncertainty
				0.01	10.00	clock reconvergence pessimism
				-0.07	9.94	library setup time
					9.94	data required time
				9.94		data required time
				-1.80		data arrival time
				8.14		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _431_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
4	0.04	0.06	0.04	0.04	^ clk (in)
		0.06	0.00	0.04	^ clk (net)
		0.05	0.11	0.15	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.00	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.00	0.15	^ clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)

		0.05	0.11	0.26	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.05	0.00	0.26	^	_421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.06	0.27	0.53	v	_421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01					clk_count[13] (net)
		0.06	0.00	0.53	v	_205_/A (sky130_fd_sc_hd__or4_1)
		0.06	0.32	0.86	v	_205_/X (sky130_fd_sc_hd__or4_1)
1	0.00					_097_ (net)
		0.06	0.00	0.86	v	_209_/A (sky130_fd_sc_hd__nor4_1)
		0.29	0.30	1.16	^	_209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01					_101_ (net)
		0.29	0.00	1.16	^	max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.11	0.12	1.28	^	max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01					net25 (net)
		0.11	0.00	1.28	^	_217_/C (sky130_fd_sc_hd__nand4_1)
		0.08	0.09	1.37	v	_217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01					_109_ (net)
		0.08	0.00	1.37	v	_218_/A (sky130_fd_sc_hd__buf_4)
		0.07	0.16	1.53	v	_218_/X (sky130_fd_sc_hd__buf_4)
10	0.06					_110_ (net)
		0.07	0.00	1.54	v	_283_/S (sky130_fd_sc_hd__mux2_1)
		0.04	0.20	1.73	v	_283_/X (sky130_fd_sc_hd__mux2_1)
1	0.00					_150_ (net)
		0.04	0.00	1.74	v	_284_/A (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.06	1.80	v	_284_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00					_071_ (net)
		0.02	0.00	1.80	v	_431_/D (sky130_fd_sc_hd__dfrtp_1)
				1.80		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.06	0.04	10.04	^	clk (in)
1	0.02					clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.24	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04					clknet_2_0__leaf_clk (net)
		0.05	0.00	10.24	^	_431_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	9.99			clock uncertainty
		0.01	10.00			clock reconvergence pessimism
		-0.07	9.94			library setup time
			9.94			data required time

				9.94		data required time
				-1.80		data arrival time

				8.14		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _428_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	0.26	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)

3	0.01	0.06	0.27	0.53	v	_421_/Q (sky130_fd_sc_hd__dftrtp_1)
						clk_count[13] (net)
1	0.00	0.06	0.00	0.53	v	_205_/A (sky130_fd_sc_hd__or4_1)
		0.06	0.32	0.86	v	_205_/X (sky130_fd_sc_hd__or4_1)
2	0.01					_097_ (net)
		0.06	0.00	0.86	v	_209_/A (sky130_fd_sc_hd__nor4_1)
3	0.01	0.29	0.30	1.16	^	_209_/Y (sky130_fd_sc_hd__nor4_1)
						101 (net)
3	0.01	0.29	0.00	1.16	^	max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.11	0.12	1.28	^	max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01					net25 (net)
		0.11	0.00	1.28	^	_217_/C (sky130_fd_sc_hd__nand4_1)
3	0.01	0.08	0.09	1.37	v	_217_/Y (sky130_fd_sc_hd__nand4_1)
						109 (net)
10	0.06	0.08	0.00	1.37	v	_218_/A (sky130_fd_sc_hd__buf_4)
		0.07	0.16	1.53	v	_218_/X (sky130_fd_sc_hd__buf_4)
1	0.00					_110_ (net)
		0.07	0.00	1.54	v	_289_/S (sky130_fd_sc_hd__mux2_1)
1	0.00	0.04	0.20	1.73	v	_289_/X (sky130_fd_sc_hd__mux2_1)
						153 (net)
1	0.00	0.04	0.00	1.73	v	_290_/A (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.06	1.79	v	_290_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00					_068_ (net)
		0.02	0.00	1.79	v	_428_/D (sky130_fd_sc_hd__dftrtp_1)
				1.79		data arrival time
1	0.02		10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
4	0.04	0.06	0.04	10.04	^	clk (in)
						clk (net)
14	0.04	0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.24	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.05	0.00	10.24	^	_428_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	9.99			clock uncertainty
		0.01	10.00			clock reconvergence pessimism
		-0.07	9.94			library setup time
			9.94			data required time

			9.94			data required time
			-1.79			data arrival time

			8.14			slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _430_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
12	0.04	0.05	0.00	0.15	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
3	0.01	0.05	0.00	0.26	^ _421_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.06	0.27	0.53	v _421_/Q (sky130_fd_sc_hd__dftrtp_1)
		0.06	0.00	0.53	v _205_/A (sky130_fd_sc_hd__or4_1)

1	0.00	0.06	0.32	0.86	v	_205_/X (sky130_fd_sc_hd__or4_1)
						097 (net)
2	0.01	0.06	0.00	0.86	v	_209_/A (sky130_fd_sc_hd__nor4_1)
		0.29	0.30	1.16	^	_209_/Y (sky130_fd_sc_hd__nor4_1)
3	0.01					_101_ (net)
		0.29	0.00	1.16	^	max_cap25/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.12	1.28	^	max_cap25/X (sky130_fd_sc_hd__buf_1)
						net25 (net)
3	0.01	0.11	0.00	1.28	^	_217_/C (sky130_fd_sc_hd__nand4_1)
		0.08	0.09	1.37	v	_217_/Y (sky130_fd_sc_hd__nand4_1)
10	0.06					_109_ (net)
		0.08	0.00	1.37	v	_218_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.07	0.16	1.53	v	_218_/X (sky130_fd_sc_hd__buf_4)
						110 (net)
1	0.00	0.07	0.00	1.54	v	_285_/S (sky130_fd_sc_hd__mux2_1)
		0.04	0.20	1.73	v	_285_/X (sky130_fd_sc_hd__mux2_1)
1	0.00					_151_ (net)
		0.04	0.00	1.73	v	_286_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.02	0.06	1.79	v	_286_/X (sky130_fd_sc_hd__clkbuf_1)
						070 (net)
		0.02	0.00	1.79	v	_430_/D (sky130_fd_sc_hd__dftrtp_1)
				1.79		data arrival time
1	0.02		10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.06	0.04	10.04	^	clk (in)
						clk (net)
4	0.04	0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04					clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.24	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.05	0.00	10.24	^	_430_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	9.99			clock uncertainty
		-0.01	10.00			clock reconvergence pessimism
		-0.07	9.94			library setup time
				9.94		data required time
				9.94		data required time
				-1.79		data arrival time
				8.15		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _429_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
3	0.01	0.05	0.00	0.26	^ _421_/CLK (sky130_fd_sc_hd__dfrrtp_1)
		0.06	0.27	0.53	v _421_/Q (sky130_fd_sc_hd__dfrrtp_1)
1	0.00				clk_count[13] (net)
		0.06	0.00	0.53	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.06	0.32	0.86	v _205_/X (sky130_fd_sc_hd__or4_1)
					097 (net)
		0.06	0.00	0.86	v _209_/A (sky130_fd_sc_hd__nor4_1)

		0.29	0.30	1.16	^	_209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01					_101_ (net)
		0.29	0.00	1.16	^	max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.11	0.12	1.28	^	max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01					net25 (net)
		0.11	0.00	1.28	^	_217_/C (sky130_fd_sc_hd__nand4_1)
		0.08	0.09	1.37	v	_217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01					_109_ (net)
		0.08	0.00	1.37	v	_218_/A (sky130_fd_sc_hd__buf_4)
		0.07	0.16	1.53	v	_218_/X (sky130_fd_sc_hd__buf_4)
10	0.06					_110_ (net)
		0.07	0.00	1.54	v	_287_/S (sky130_fd_sc_hd__mux2_1)
		0.04	0.20	1.73	v	_287_/X (sky130_fd_sc_hd__mux2_1)
1	0.00					_152_ (net)
		0.04	0.00	1.73	v	_288_/A (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.06	1.79	v	_288_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00					_069_ (net)
		0.02	0.00	1.79	v	_429_/D (sky130_fd_sc_hd__dftrtp_1)
				1.79		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
		0.06	0.04	10.04	^	clk (in)
1	0.02					clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.24	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04					clknet_2_0__leaf_clk (net)
		0.05	0.00	10.24	^	_429_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	9.99			clock uncertainty
		-0.01	10.00			clock reconvergence pessimism
		-0.07	9.94			library setup time
			9.94			data required time

				9.94		data required time
				-1.79		data arrival time

				8.15		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _425_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	0.26	^ _421_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.06	0.27	0.53	v _421_/Q (sky130_fd_sc_hd__dftrtp_1)
3	0.01				clk_count[13] (net)
		0.06	0.00	0.53	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.06	0.32	0.86	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.06	0.00	0.86	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.29	0.30	1.16	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.29	0.00	1.16	^ max_cap25/A (sky130_fd_sc_hd__buf_1)

		0.11	0.12	1.28	^	max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01					net25 (net)
		0.11	0.00	1.28	^	_217_/C (sky130_fd_sc_hd_nand4_1)
		0.08	0.09	1.37	v	_217_/Y (sky130_fd_sc_hd_nand4_1)
3	0.01					_109_ (net)
		0.08	0.00	1.37	v	_218_/A (sky130_fd_sc_hd_buf_4)
		0.07	0.16	1.53	v	_218_/X (sky130_fd_sc_hd_buf_4)
10	0.06					_110_ (net)
		0.07	0.00	1.53	v	_354_/A (sky130_fd_sc_hd_inv_2)
		0.02	0.04	1.57	^	_354_/Y (sky130_fd_sc_hd_inv_2)
1	0.00					_001_ (net)
		0.02	0.00	1.57	^	_425_/D (sky130_fd_sc_hd_dfrtp_1)
				1.57		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
		0.06	0.04	10.04	^	clk (in)
1	0.02					clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.09	10.23	^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04					clknet_2_2_leaf_clk (net)
		0.04	0.00	10.23	^	_425_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.98			clock uncertainty
		-0.01	10.00			clock reconvergence pessimism
		-0.03	9.97			library setup time
			9.97			data required time

				9.97		data required time
				-1.57		data arrival time

				8.39		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.05	0.00	0.26	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.06	0.27	0.53	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[13] (net)
		0.06	0.00	0.53	v _205_/A (sky130_fd_sc_hd_or4_1)
		0.06	0.32	0.86	v _205_/X (sky130_fd_sc_hd_or4_1)
1	0.00				_097_ (net)
		0.06	0.00	0.86	v _209_/A (sky130_fd_sc_hd_nor4_1)
		0.29	0.30	1.16	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
2	0.01				_101_ (net)
		0.29	0.00	1.16	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.11	0.12	1.28	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01				net25 (net)
		0.11	0.00	1.28	^ _273_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.02	1.31	v _273_/Y (sky130_fd_sc_hd_inv_2)
2	0.01				_144_ (net)
		0.03	0.00	1.31	v _274_/A2 (sky130_fd_sc_hd_a21oi_1)

1	0.00	0.08	0.10	1.41	^	_274_/Y (sky130_fd_sc_hd__a21oi_1)
						075 (net)
		0.08	0.00	1.41	^	_435_/D (sky130_fd_sc_hd__dfrrtp_2)
				1.41		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.06	0.04	10.04	^	clk (in)
						clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.05	0.10	10.24	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.05	0.00	10.24	^	_435_/CLK (sky130_fd_sc_hd__dfrrtp_2)
		-0.25	9.99			clock uncertainty
		0.01	10.00			clock reconvergence pessimism
		-0.04	9.96			library setup time
			9.96			data required time

				9.96		data required time
				-1.41		data arrival time

				8.56		slack (MET)

===== Slowest Corner =====

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _427_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.09	0.09	^ clk (in)
					clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.27	0.65	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.09	0.00	0.65	^ _421_/CLK (sky130_fd_sc_hd__dfrrtp_1)
3	0.01	0.15	0.87	1.52	v _421_/Q (sky130_fd_sc_hd__dfrrtp_1)
					clk_count[13] (net)
		0.15	0.00	1.52	v _205_/A (sky130_fd_sc_hd__or4_1)
1	0.00	0.20	1.34	2.86	v _205_/X (sky130_fd_sc_hd__or4_1)
					097 (net)
		0.20	0.00	2.86	v _209_/A (sky130_fd_sc_hd__nor4_1)
2	0.01	0.72	0.84	3.70	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
					101 (net)
		0.72	0.00	3.70	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.24	0.49	4.18	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
					net25 (net)
		0.24	0.00	4.18	^ _217_/C (sky130_fd_sc_hd__nand4_1)
3	0.01	0.33	0.42	4.60	v _217_/Y (sky130_fd_sc_hd__nand4_1)
					109 (net)
		0.33	0.00	4.60	v _218_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.16	0.50	5.10	v _218_/X (sky130_fd_sc_hd__buf_4)
					110 (net)
		0.16	0.00	5.10	v _291_/S (sky130_fd_sc_hd__mux2_1)
1	0.00	0.10	0.75	5.85	v _291_/X (sky130_fd_sc_hd__mux2_1)
					154 (net)
		0.10	0.00	5.85	v hold36/A (sky130_fd_sc_hd__dlygate4sd3_1)

		0.11	1.21	7.05	v	hold36/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00					net61 (net)
		0.11	0.00	7.05	v	_292_/A (sky130_fd_sc_hd_clkbuf_1)
		0.05	0.19	7.24	v	_292_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00					_067_ (net)
		0.05	0.00	7.24	v	_427_/D (sky130_fd_sc_hd_dfrtp_1)
				7.24		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
		0.12	0.08	10.08	^	clk (in)
1	0.02					clk (net)
		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	10.34	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.24	10.59	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1_leaf_clk (net)
		0.09	0.00	10.59	^	_427_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.34			clock uncertainty
		0.04	10.37			clock reconvergence pessimism
		-0.26	10.11			library setup time
			10.11			data required time

				10.11		data required time
				-7.24		data arrival time

				2.87		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _426_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.09	0.00	0.65	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.15	0.87	1.52	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[13] (net)
		0.15	0.00	1.52	v _205_/A (sky130_fd_sc_hd_or4_1)
		0.20	1.34	2.86	v _205_/X (sky130_fd_sc_hd_or4_1)
1	0.00				_097_ (net)
		0.20	0.00	2.86	v _209_/A (sky130_fd_sc_hd_nor4_1)
		0.72	0.84	3.70	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
2	0.01				_101_ (net)
		0.72	0.00	3.70	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.24	0.49	4.18	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01				net25 (net)
		0.24	0.00	4.18	^ _217_/C (sky130_fd_sc_hd_nand4_1)
		0.33	0.42	4.60	v _217_/Y (sky130_fd_sc_hd_nand4_1)
3	0.01				_109_ (net)
		0.33	0.00	4.60	v _218_/A (sky130_fd_sc_hd_buf_4)
		0.16	0.50	5.10	v _218_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_110_ (net)
		0.16	0.00	5.10	v _293_/S (sky130_fd_sc_hd_mux2_1)
		0.10	0.75	5.84	v _293_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_155_ (net)
		0.10	0.00	5.84	v hold34/A (sky130_fd_sc_hd_dlygate4sd3_1)

		0.11	1.20	7.05	v	hold34/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00					net59 (net)
		0.11	0.00	7.05	v	_294_/A (sky130_fd_sc_hd_clkbuf_1)
		0.05	0.18	7.23	v	_294_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00					_066_ (net)
		0.05	0.00	7.23	v	_426_/D (sky130_fd_sc_hd_dfrtp_1)
				7.23		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
		0.12	0.08	10.08	^	clk (in)
1	0.02					clk (net)
		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	10.34	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.25	10.59	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_3_leaf_clk (net)
		0.09	0.00	10.59	^	_426_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.34			clock uncertainty
		0.06	10.40			clock reconvergence pessimism
		-0.26	10.14			library setup time
			10.14			data required time

				10.14		data required time
				-7.23		data arrival time

				2.91		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _450_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.09	0.00	0.65	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.15	0.87	1.52	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[13] (net)
		0.15	0.00	1.52	v _205_/A (sky130_fd_sc_hd_or4_1)
		0.20	1.34	2.86	v _205_/X (sky130_fd_sc_hd_or4_1)
1	0.00				_097_ (net)
		0.20	0.00	2.86	v _209_/A (sky130_fd_sc_hd_nor4_1)
		0.72	0.84	3.70	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
2	0.01				_101_ (net)
		0.72	0.00	3.70	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.24	0.49	4.18	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01				net25 (net)
		0.24	0.00	4.18	^ _236_/B (sky130_fd_sc_hd_nand2_1)
		0.15	0.24	4.42	v _236_/Y (sky130_fd_sc_hd_nand2_1)
2	0.01				_124_ (net)
		0.15	0.00	4.42	v _238_/A2 (sky130_fd_sc_hd_a21o_2)
		0.19	0.58	5.00	v _238_/X (sky130_fd_sc_hd_a21o_2)
8	0.04				_126_ (net)
		0.19	0.00	5.00	v _241_/A2 (sky130_fd_sc_hd_a22o_1)
		0.07	0.48	5.48	v _241_/X (sky130_fd_sc_hd_a22o_1)
1	0.00				_090_ (net)
		0.07	0.00	5.48	v hold10/A (sky130_fd_sc_hd_dlygate4sd3_1)

1	0.00	0.11	1.18	6.66	v	hold10/X (sky130_fd_sc_hd__dlygate4sd3_1)
		0.11	0.00	6.66	v	net35 (net)
				6.66	v	_450_/D (sky130_fd_sc_hd__dfrtp_1)
				6.66		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
1	0.02	0.12	0.08	10.08	^	clk (in)
						clk (net)
		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.10	0.00	10.34	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.25	10.59	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.10	0.00	10.59	^	_450_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.34			clock uncertainty
		0.04	10.38			clock reconvergence pessimism
		-0.28	10.10			library setup time
			10.10			data required time

			10.10			data required time
			-6.66			data arrival time

			3.43			slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _449_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.09	0.09	^ clk (in)
					clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.27	0.65	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.09	0.00	0.65	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
3	0.01	0.15	0.87	1.52	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
					clk_count[13] (net)
		0.15	0.00	1.52	v _205_/A (sky130_fd_sc_hd__or4_1)
1	0.00	0.20	1.34	2.86	v _205_/X (sky130_fd_sc_hd__or4_1)
					097 (net)
		0.20	0.00	2.86	v _209_/A (sky130_fd_sc_hd__nor4_1)
2	0.01	0.72	0.84	3.70	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
					101 (net)
		0.72	0.00	3.70	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.24	0.49	4.18	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
					net25 (net)
		0.24	0.00	4.18	^ _236_/B (sky130_fd_sc_hd__nand2_1)
2	0.01	0.15	0.24	4.42	v _236_/Y (sky130_fd_sc_hd__nand2_1)
					124 (net)
		0.15	0.00	4.42	v _238_/A2 (sky130_fd_sc_hd__a21o_2)
8	0.04	0.19	0.58	5.00	v _238_/X (sky130_fd_sc_hd__a21o_2)
					126 (net)
		0.19	0.00	5.00	v _242_/A2 (sky130_fd_sc_hd__a22o_1)
1	0.00	0.07	0.48	5.48	v _242_/X (sky130_fd_sc_hd__a22o_1)
					089 (net)
		0.07	0.00	5.48	v hold8/A (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00	0.10	1.17	6.65	v hold8/X (sky130_fd_sc_hd__dlygate4sd3_1)
					net33 (net)
		0.10	0.00	6.65	v _449_/D (sky130_fd_sc_hd__dfrtp_1)

				6.65	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	10.59	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	10.59	^ _449_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.34		clock uncertainty
		0.04	10.38		clock reconvergence pessimism
		-0.28	10.10		library setup time
			10.10		data required time

			10.10		data required time
			-6.65		data arrival time

			3.45		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _447_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.65	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.15	0.87	1.52	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.15	0.00	1.52	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.20	1.34	2.86	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.20	0.00	2.86	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.72	0.84	3.70	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.72	0.00	3.70	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.24	0.49	4.18	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.24	0.00	4.18	^ _236_/B (sky130_fd_sc_hd__nand2_1)
		0.15	0.24	4.42	v _236_/Y (sky130_fd_sc_hd__nand2_1)
2	0.01				_124_ (net)
		0.15	0.00	4.42	v _238_/A2 (sky130_fd_sc_hd__a21o_2)
		0.19	0.58	5.00	v _238_/X (sky130_fd_sc_hd__a21o_2)
8	0.04				_126_ (net)
		0.19	0.00	5.00	v _244_/A2 (sky130_fd_sc_hd__a22o_1)
		0.06	0.47	5.46	v _244_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_087_ (net)
		0.06	0.00	5.46	v hold3/A (sky130_fd_sc_hd__dlygate4sd3_1)
		0.10	1.17	6.63	v hold3/X (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00				net28 (net)
		0.10	0.00	6.63	v _447_/D (sky130_fd_sc_hd__dfrtp_1)
				6.63	data arrival time
			10.00	10.00	clock clk (rise edge)

			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	10.59	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	10.59	^ _447_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.34		clock uncertainty
		0.04	10.38		clock reconvergence pessimism
		-0.28	10.10		library setup time
			10.10		data required time

			10.10		data required time
			-6.63		data arrival time

			3.46		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _451_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.65	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.15	0.87	1.52	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.15	0.00	1.52	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.20	1.34	2.86	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.20	0.00	2.86	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.72	0.84	3.70	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.72	0.00	3.70	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.24	0.49	4.18	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.24	0.00	4.18	^ _236_/B (sky130_fd_sc_hd__nand2_1)
		0.15	0.24	4.42	v _236_/Y (sky130_fd_sc_hd__nand2_1)
2	0.01				_124_ (net)
		0.15	0.00	4.42	v _238_/A2 (sky130_fd_sc_hd__a21o_2)
		0.19	0.58	5.00	v _238_/X (sky130_fd_sc_hd__a21o_2)
8	0.04				_126_ (net)
		0.19	0.00	5.00	v _240_/A2 (sky130_fd_sc_hd__a22o_1)
		0.06	0.47	5.46	v _240_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_091_ (net)
		0.06	0.00	5.46	v hold5/A (sky130_fd_sc_hd__dlygate4sd3_1)
		0.10	1.17	6.63	v hold5/X (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00				net30 (net)
		0.10	0.00	6.63	v _451_/D (sky130_fd_sc_hd__dfrtp_1)
				6.63	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)

		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	10.34	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	10.59	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04					clknet_2_0__leaf_clk (net)
		0.10	0.00	10.59	^	_451_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.34		clock uncertainty
		0.04		10.38		clock reconvergence pessimism
		-0.28		10.10		library setup time
				10.10		data required time

				10.10		data required time
				-6.63		data arrival time

				3.47		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _453_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.65	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.15	0.87	1.52	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.15	0.00	1.52	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.20	1.34	2.86	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.20	0.00	2.86	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.72	0.84	3.70	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.72	0.00	3.70	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.24	0.49	4.18	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.24	0.00	4.18	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.33	0.42	4.60	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.33	0.00	4.60	v _222_/C (sky130_fd_sc_hd__and3_1)
		0.07	0.51	5.11	v _222_/X (sky130_fd_sc_hd__and3_1)
1	0.00				_113_ (net)
		0.07	0.00	5.11	v _223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.17	0.37	5.48	v _223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.04				_114_ (net)
		0.17	0.00	5.48	v _229_/S (sky130_fd_sc_hd__mux2_1)
		0.11	0.77	6.25	v _229_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_119_ (net)
		0.11	0.00	6.25	v _230_/A (sky130_fd_sc_hd__clkbuf_1)
		0.05	0.19	6.43	v _230_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_093_ (net)
		0.05	0.00	6.43	v _453_/D (sky130_fd_sc_hd__dfrtp_1)
				6.43	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)

		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	10.34	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.59	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.09	0.00	10.59	^	_453_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.34		clock uncertainty
		0.04		10.37		clock reconvergence pessimism
		-0.26		10.11		library setup time
				10.11		data required time

				10.11		data required time
				-6.43		data arrival time

				3.68		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _442_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.65	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.15	0.87	1.52	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.15	0.00	1.52	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.20	1.34	2.86	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.20	0.00	2.86	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.72	0.84	3.70	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.72	0.00	3.70	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.24	0.49	4.18	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.24	0.00	4.18	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.33	0.42	4.60	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.33	0.00	4.60	v _222_/C (sky130_fd_sc_hd__and3_1)
		0.07	0.51	5.11	v _222_/X (sky130_fd_sc_hd__and3_1)
1	0.00				_113_ (net)
		0.07	0.00	5.11	v _223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.17	0.37	5.48	v _223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.04				_114_ (net)
		0.17	0.00	5.48	v _252_/S (sky130_fd_sc_hd__mux2_1)
		0.11	0.77	6.25	v _252_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_131_ (net)
		0.11	0.00	6.25	v _253_/A (sky130_fd_sc_hd__clkbuf_1)
		0.05	0.18	6.43	v _253_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_082_ (net)
		0.05	0.00	6.43	v _442_/D (sky130_fd_sc_hd__dfrtp_1)
				6.43	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)

		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	10.34	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.59	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.09	0.00	10.59	^	_442_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.34		clock uncertainty
		0.04		10.37		clock reconvergence pessimism
		-0.26		10.11		library setup time
				10.11		data required time

				10.11		data required time
				-6.43		data arrival time

				3.68		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _452_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.65	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.15	0.87	1.52	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.15	0.00	1.52	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.20	1.34	2.86	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.20	0.00	2.86	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.72	0.84	3.70	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.72	0.00	3.70	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.24	0.49	4.18	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.24	0.00	4.18	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.33	0.42	4.60	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.33	0.00	4.60	v _222_/C (sky130_fd_sc_hd__and3_1)
		0.07	0.51	5.11	v _222_/X (sky130_fd_sc_hd__and3_1)
1	0.00				_113_ (net)
		0.07	0.00	5.11	v _223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.17	0.37	5.48	v _223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.04				_114_ (net)
		0.17	0.00	5.48	v _233_/S (sky130_fd_sc_hd__mux2_1)
		0.11	0.77	6.24	v _233_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_122_ (net)
		0.11	0.00	6.24	v _234_/A (sky130_fd_sc_hd__clkbuf_1)
		0.05	0.18	6.42	v _234_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_092_ (net)
		0.05	0.00	6.42	v _452_/D (sky130_fd_sc_hd__dfrtp_1)
				6.42	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)

		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	10.34	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.59	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.09	0.00	10.59	^	_452_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.34		clock uncertainty
		0.04		10.37		clock reconvergence pessimism
		-0.26		10.11		library setup time
				10.11		data required time

				10.11		data required time
				-6.42		data arrival time

				3.69		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _443_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.65	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.15	0.87	1.52	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.15	0.00	1.52	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.20	1.34	2.86	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.20	0.00	2.86	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.72	0.84	3.70	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.72	0.00	3.70	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.24	0.49	4.18	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.24	0.00	4.18	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.33	0.42	4.60	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.33	0.00	4.60	v _222_/C (sky130_fd_sc_hd__and3_1)
		0.07	0.51	5.11	v _222_/X (sky130_fd_sc_hd__and3_1)
1	0.00				_113_ (net)
		0.07	0.00	5.11	v _223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.17	0.37	5.48	v _223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.04				_114_ (net)
		0.17	0.00	5.48	v _249_/S (sky130_fd_sc_hd__mux2_1)
		0.11	0.76	6.24	v _249_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_129_ (net)
		0.11	0.00	6.24	v _250_/A (sky130_fd_sc_hd__clkbuf_1)
		0.05	0.19	6.42	v _250_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_083_ (net)
		0.05	0.00	6.42	v _443_/D (sky130_fd_sc_hd__dfrtp_1)
				6.42	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)

		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	10.34	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.59	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.09	0.00	10.59	^	_443_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.34		clock uncertainty
		0.04		10.37		clock reconvergence pessimism
		-0.26		10.11		library setup time
				10.11		data required time

				10.11		data required time
				-6.42		data arrival time

				3.69		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _441_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.65	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.15	0.87	1.52	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.15	0.00	1.52	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.20	1.34	2.86	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.20	0.00	2.86	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.72	0.84	3.70	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.72	0.00	3.70	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.24	0.49	4.18	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.24	0.00	4.18	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.33	0.42	4.60	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.33	0.00	4.60	v _222_/C (sky130_fd_sc_hd__and3_1)
		0.07	0.51	5.11	v _222_/X (sky130_fd_sc_hd__and3_1)
1	0.00				_113_ (net)
		0.07	0.00	5.11	v _223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.17	0.37	5.48	v _223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.04				_114_ (net)
		0.17	0.00	5.48	v _255_/S (sky130_fd_sc_hd__mux2_1)
		0.11	0.76	6.23	v _255_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_133_ (net)
		0.11	0.00	6.23	v _256_/A (sky130_fd_sc_hd__clkbuf_1)
		0.04	0.18	6.41	v _256_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_081_ (net)
		0.04	0.00	6.41	v _441_/D (sky130_fd_sc_hd__dfrtp_1)
				6.41	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)

		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	10.34	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.59	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.09	0.00	10.59	^	_441_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.34		clock uncertainty
		0.04		10.37		clock reconvergence pessimism
		-0.26		10.11		library setup time
				10.11		data required time

				10.11		data required time
				-6.41		data arrival time

				3.70		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _440_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.65	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.15	0.87	1.52	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.15	0.00	1.52	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.20	1.34	2.86	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.20	0.00	2.86	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.72	0.84	3.70	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.72	0.00	3.70	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.24	0.49	4.18	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.24	0.00	4.18	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.33	0.42	4.60	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.33	0.00	4.60	v _222_/C (sky130_fd_sc_hd__and3_1)
		0.07	0.51	5.11	v _222_/X (sky130_fd_sc_hd__and3_1)
1	0.00				_113_ (net)
		0.07	0.00	5.11	v _223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.17	0.37	5.48	v _223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.04				_114_ (net)
		0.17	0.00	5.48	v _258_/S (sky130_fd_sc_hd__mux2_1)
		0.11	0.76	6.24	v _258_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_135_ (net)
		0.11	0.00	6.24	v _259_/A (sky130_fd_sc_hd__clkbuf_1)
		0.05	0.19	6.42	v _259_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_080_ (net)
		0.05	0.00	6.42	v _440_/D (sky130_fd_sc_hd__dfrtp_1)
				6.42	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)

		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	10.34	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.25	10.59	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.09	0.00	10.59	^	_440_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.34		clock uncertainty
		0.06		10.40		clock reconvergence pessimism
		-0.26		10.14		library setup time
				10.14		data required time

				10.14		data required time
				-6.42		data arrival time

				3.72		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _438_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.65	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.15	0.87	1.52	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.15	0.00	1.52	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.20	1.34	2.86	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.20	0.00	2.86	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.72	0.84	3.70	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.72	0.00	3.70	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.24	0.49	4.18	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.24	0.00	4.18	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.33	0.42	4.60	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.33	0.00	4.60	v _222_/C (sky130_fd_sc_hd__and3_1)
		0.07	0.51	5.11	v _222_/X (sky130_fd_sc_hd__and3_1)
1	0.00				_113_ (net)
		0.07	0.00	5.11	v _223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.17	0.37	5.48	v _223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.04				_114_ (net)
		0.17	0.00	5.48	v _264_/S (sky130_fd_sc_hd__mux2_1)
		0.11	0.77	6.24	v _264_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_139_ (net)
		0.11	0.00	6.24	v _265_/A (sky130_fd_sc_hd__clkbuf_1)
		0.04	0.18	6.42	v _265_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_078_ (net)
		0.04	0.00	6.42	v _438_/D (sky130_fd_sc_hd__dfrtp_1)
				6.42	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)

		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	10.34	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.25	10.59	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.09	0.00	10.59	^	_438_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.34		clock uncertainty
		0.06		10.40		clock reconvergence pessimism
		-0.26		10.14		library setup time
				10.14		data required time

				10.14		data required time
				-6.42		data arrival time

				3.72		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _439_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.65	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.15	0.87	1.52	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.15	0.00	1.52	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.20	1.34	2.86	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.20	0.00	2.86	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.72	0.84	3.70	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.72	0.00	3.70	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.24	0.49	4.18	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.24	0.00	4.18	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.33	0.42	4.60	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.33	0.00	4.60	v _222_/C (sky130_fd_sc_hd__and3_1)
		0.07	0.51	5.11	v _222_/X (sky130_fd_sc_hd__and3_1)
1	0.00				_113_ (net)
		0.07	0.00	5.11	v _223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.17	0.37	5.48	v _223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.04				_114_ (net)
		0.17	0.00	5.48	v _261_/S (sky130_fd_sc_hd__mux2_1)
		0.11	0.76	6.24	v _261_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_137_ (net)
		0.11	0.00	6.24	v _262_/A (sky130_fd_sc_hd__clkbuf_1)
		0.04	0.18	6.42	v _262_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_079_ (net)
		0.04	0.00	6.42	v _439_/D (sky130_fd_sc_hd__dfrtp_1)
				6.42	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)

		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	10.34	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.25	10.59	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.09	0.00	10.59	^	_439_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.34		clock uncertainty
		0.06		10.40		clock reconvergence pessimism
		-0.26		10.14		library setup time
				10.14		data required time

				10.14		data required time
				-6.42		data arrival time

				3.72		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _437_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.65	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.15	0.87	1.52	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.15	0.00	1.52	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.20	1.34	2.86	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.20	0.00	2.86	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.72	0.84	3.70	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.72	0.00	3.70	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.24	0.49	4.18	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.24	0.00	4.18	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.33	0.42	4.60	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.33	0.00	4.60	v _222_/C (sky130_fd_sc_hd__and3_1)
		0.07	0.51	5.11	v _222_/X (sky130_fd_sc_hd__and3_1)
1	0.00				_113_ (net)
		0.07	0.00	5.11	v _223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.17	0.37	5.48	v _223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.04				_114_ (net)
		0.17	0.00	5.48	v _267_/S (sky130_fd_sc_hd__mux2_1)
		0.11	0.76	6.24	v _267_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_141_ (net)
		0.11	0.00	6.24	v _268_/A (sky130_fd_sc_hd__clkbuf_1)
		0.04	0.18	6.42	v _268_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_077_ (net)
		0.04	0.00	6.42	v _437_/D (sky130_fd_sc_hd__dfrtp_1)
				6.42	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)

		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	10.34	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.25	10.59	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.09	0.00	10.59	^	_437_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.34		clock uncertainty
		0.06		10.40		clock reconvergence pessimism
		-0.26		10.14		library setup time
				10.14		data required time

				10.14		data required time
				-6.42		data arrival time

				3.73		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _454_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.65	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.15	0.87	1.52	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.15	0.00	1.52	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.20	1.34	2.86	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.20	0.00	2.86	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.72	0.84	3.70	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.72	0.00	3.70	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.24	0.49	4.18	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.24	0.00	4.18	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.33	0.42	4.60	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.33	0.00	4.60	v _218_/A (sky130_fd_sc_hd__buf_4)
		0.16	0.50	5.10	v _218_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_110_ (net)
		0.16	0.00	5.10	v _219_/D (sky130_fd_sc_hd__and4_1)
		0.09	0.48	5.58	v _219_/X (sky130_fd_sc_hd__and4_1)
2	0.00				_111_ (net)
		0.09	0.00	5.58	v _226_/B1 (sky130_fd_sc_hd__a2bb2o_1)
		0.10	0.61	6.19	v _226_/X (sky130_fd_sc_hd__a2bb2o_1)
1	0.00				_094_ (net)
		0.10	0.00	6.19	v _454_/D (sky130_fd_sc_hd__dfrtp_1)
				6.19	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)

		0.10	0.00	10.34	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.59	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.09	0.00	10.59	^	_454_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25		10.34		clock uncertainty
		0.04		10.37		clock reconvergence pessimism
		-0.28		10.09		library setup time
				10.09		data required time

				10.09		data required time
				-6.19		data arrival time

				3.90		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _432_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.65	^ _421_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.15	0.87	1.52	v _421_/Q (sky130_fd_sc_hd__dftrtp_1)
3	0.01				clk_count[13] (net)
		0.15	0.00	1.52	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.20	1.34	2.86	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.20	0.00	2.86	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.72	0.84	3.70	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.72	0.00	3.70	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.24	0.49	4.18	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.24	0.00	4.18	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.33	0.42	4.60	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.33	0.00	4.60	v _218_/A (sky130_fd_sc_hd__buf_4)
		0.16	0.50	5.10	v _218_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_110_ (net)
		0.16	0.00	5.10	v _281_/S (sky130_fd_sc_hd__mux2_1)
		0.11	0.76	5.86	v _281_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_149_ (net)
		0.11	0.00	5.86	v _282_/A (sky130_fd_sc_hd__clkbuf_1)
		0.04	0.18	6.04	v _282_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_072_ (net)
		0.04	0.00	6.04	v _432_/D (sky130_fd_sc_hd__dftrtp_1)
				6.04	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	10.59	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)

0.10	0.00	10.60	^	_432_/CLK (sky130_fd_sc_hd__dfrtp_1)
-0.25		10.35		clock uncertainty
0.04		10.38		clock reconvergence pessimism
-0.26		10.12		library setup time
		10.12		data required time

		10.12		data required time
		-6.04		data arrival time

		4.08		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _433_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.27	0.65	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.09	0.00	0.65	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
3	0.01	0.15	0.87	1.52	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
					clk_count[13] (net)
		0.15	0.00	1.52	v _205_/A (sky130_fd_sc_hd__or4_1)
1	0.00	0.20	1.34	2.86	v _205_/X (sky130_fd_sc_hd__or4_1)
					097 (net)
		0.20	0.00	2.86	v _209_/A (sky130_fd_sc_hd__nor4_1)
2	0.01	0.72	0.84	3.70	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
					101 (net)
		0.72	0.00	3.70	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.24	0.49	4.18	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
					net25 (net)
		0.24	0.00	4.18	^ _217_/C (sky130_fd_sc_hd__nand4_1)
3	0.01	0.33	0.42	4.60	v _217_/Y (sky130_fd_sc_hd__nand4_1)
					109 (net)
		0.33	0.00	4.60	v _218_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.16	0.50	5.10	v _218_/X (sky130_fd_sc_hd__buf_4)
					110 (net)
		0.16	0.00	5.10	v _279_/S (sky130_fd_sc_hd__mux2_1)
1	0.00	0.10	0.75	5.84	v _279_/X (sky130_fd_sc_hd__mux2_1)
					148 (net)
		0.10	0.00	5.84	v _280_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.05	0.18	6.03	v _280_/X (sky130_fd_sc_hd__clkbuf_1)
					073 (net)
		0.05	0.00	6.03	v _433_/D (sky130_fd_sc_hd__dfrtp_1)
				6.03	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.24	10.59	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.09	0.00	10.59	^ _433_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.34	clock uncertainty
		0.04		10.37	clock reconvergence pessimism

-0.26	10.11	library setup time
	10.11	data required time

	10.11	data required time
	-6.03	data arrival time

	4.09	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _431_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.27	0.65	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
		0.09	0.00	0.65	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
3	0.01	0.15	0.87	1.52	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
					clk_count[13] (net)
		0.15	0.00	1.52	v _205_/A (sky130_fd_sc_hd_or4_1)
1	0.00	0.20	1.34	2.86	v _205_/X (sky130_fd_sc_hd_or4_1)
					097 (net)
		0.20	0.00	2.86	v _209_/A (sky130_fd_sc_hd_nor4_1)
2	0.01	0.72	0.84	3.70	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
					101 (net)
		0.72	0.00	3.70	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.24	0.49	4.18	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
					net25 (net)
		0.24	0.00	4.18	^ _217_/C (sky130_fd_sc_hd_nand4_1)
3	0.01	0.33	0.42	4.60	v _217_/Y (sky130_fd_sc_hd_nand4_1)
					109 (net)
		0.33	0.00	4.60	v _218_/A (sky130_fd_sc_hd_buf_4)
10	0.06	0.16	0.50	5.10	v _218_/X (sky130_fd_sc_hd_buf_4)
					110 (net)
		0.16	0.00	5.10	v _283_/S (sky130_fd_sc_hd_mux2_1)
1	0.00	0.11	0.76	5.86	v _283_/X (sky130_fd_sc_hd_mux2_1)
					150 (net)
		0.11	0.00	5.86	v _284_/A (sky130_fd_sc_hd_clkbuf_1)
1	0.00	0.04	0.18	6.04	v _284_/X (sky130_fd_sc_hd_clkbuf_1)
					071 (net)
		0.04	0.00	6.04	v _431_/D (sky130_fd_sc_hd_dfrtp_1)
				6.04	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	10.59	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.10	0.00	10.60	^ _431_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.35	clock uncertainty
		0.04		10.38	clock reconvergence pessimism
		-0.26		10.12	library setup time
				10.12	data required time

10.12 data required time
-6.04 data arrival time

4.09 slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _428_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.65	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.15	0.87	1.52	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.15	0.00	1.52	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.20	1.34	2.86	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.20	0.00	2.86	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.72	0.84	3.70	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.72	0.00	3.70	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.24	0.49	4.18	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.24	0.00	4.18	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.33	0.42	4.60	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.33	0.00	4.60	v _218_/A (sky130_fd_sc_hd__buf_4)
		0.16	0.50	5.10	v _218_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_110_ (net)
		0.16	0.00	5.10	v _289_/S (sky130_fd_sc_hd__mux2_1)
		0.11	0.75	5.85	v _289_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_153_ (net)
		0.11	0.00	5.85	v _290_/A (sky130_fd_sc_hd__clkbuf_1)
		0.05	0.18	6.04	v _290_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_068_ (net)
		0.05	0.00	6.04	v _428_/D (sky130_fd_sc_hd__dfrtp_1)
				6.04	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	10.59	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	10.60	^ _428_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.35	clock uncertainty
		0.04		10.38	clock reconvergence pessimism
		-0.26		10.12	library setup time
				10.12	data required time
				10.12	data required time
				-6.04	data arrival time

4.09 slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _430_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.27	0.65	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.09	0.00	0.65	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
3	0.01	0.15	0.87	1.52	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
					clk_count[13] (net)
		0.15	0.00	1.52	v _205_/A (sky130_fd_sc_hd__or4_1)
1	0.00	0.20	1.34	2.86	v _205_/X (sky130_fd_sc_hd__or4_1)
					097 (net)
		0.20	0.00	2.86	v _209_/A (sky130_fd_sc_hd__nor4_1)
2	0.01	0.72	0.84	3.70	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
					101 (net)
		0.72	0.00	3.70	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.24	0.49	4.18	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
					net25 (net)
		0.24	0.00	4.18	^ _217_/C (sky130_fd_sc_hd__nand4_1)
3	0.01	0.33	0.42	4.60	v _217_/Y (sky130_fd_sc_hd__nand4_1)
					109 (net)
		0.33	0.00	4.60	v _218_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.16	0.50	5.10	v _218_/X (sky130_fd_sc_hd__buf_4)
					110 (net)
		0.16	0.00	5.10	v _285_/S (sky130_fd_sc_hd__mux2_1)
1	0.00	0.11	0.75	5.85	v _285_/X (sky130_fd_sc_hd__mux2_1)
					151 (net)
		0.11	0.00	5.85	v _286_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.04	0.18	6.03	v _286_/X (sky130_fd_sc_hd__clkbuf_1)
					070 (net)
		0.04	0.00	6.03	v _430_/D (sky130_fd_sc_hd__dfrtp_1)
				6.03	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	10.59	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	10.60	^ _430_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.35	clock uncertainty
			0.04	10.38	clock reconvergence pessimism
			-0.26	10.12	library setup time
				10.12	data required time

				10.12	data required time
				-6.03	data arrival time

				4.09	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _429_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.27	0.65	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.09	0.00	0.65	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
3	0.01	0.15	0.87	1.52	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
					clk_count[13] (net)
		0.15	0.00	1.52	v _205_/A (sky130_fd_sc_hd__or4_1)
1	0.00	0.20	1.34	2.86	v _205_/X (sky130_fd_sc_hd__or4_1)
					097 (net)
		0.20	0.00	2.86	v _209_/A (sky130_fd_sc_hd__nor4_1)
2	0.01	0.72	0.84	3.70	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
					101 (net)
		0.72	0.00	3.70	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.24	0.49	4.18	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
					net25 (net)
		0.24	0.00	4.18	^ _217_/C (sky130_fd_sc_hd__nand4_1)
3	0.01	0.33	0.42	4.60	v _217_/Y (sky130_fd_sc_hd__nand4_1)
					109 (net)
		0.33	0.00	4.60	v _218_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.16	0.50	5.10	v _218_/X (sky130_fd_sc_hd__buf_4)
					110 (net)
		0.16	0.00	5.10	v _287_/S (sky130_fd_sc_hd__mux2_1)
1	0.00	0.10	0.75	5.85	v _287_/X (sky130_fd_sc_hd__mux2_1)
					152 (net)
		0.10	0.00	5.85	v _288_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.04	0.18	6.02	v _288_/X (sky130_fd_sc_hd__clkbuf_1)
					069 (net)
		0.04	0.00	6.02	v _429_/D (sky130_fd_sc_hd__dfrtp_1)
				6.02	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.25	10.59	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	10.59	^ _429_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.34	clock uncertainty
		0.04		10.38	clock reconvergence pessimism
		-0.26		10.12	library setup time
				10.12	data required time

				10.12	data required time
				-6.02	data arrival time

				4.10	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _455_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk

Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.27	0.65	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.09	0.00	0.65	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
3	0.01	0.15	0.87	1.52	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
					clk_count[13] (net)
		0.15	0.00	1.52	v _205_/A (sky130_fd_sc_hd__or4_1)
1	0.00	0.20	1.34	2.86	v _205_/X (sky130_fd_sc_hd__or4_1)
					097 (net)
		0.20	0.00	2.86	v _209_/A (sky130_fd_sc_hd__nor4_1)
2	0.01	0.72	0.84	3.70	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
					101 (net)
		0.72	0.00	3.70	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.24	0.49	4.18	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
					net25 (net)
		0.24	0.00	4.18	^ _217_/C (sky130_fd_sc_hd__nand4_1)
3	0.01	0.33	0.42	4.60	v _217_/Y (sky130_fd_sc_hd__nand4_1)
					109 (net)
		0.33	0.00	4.60	v _218_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.16	0.50	5.10	v _218_/X (sky130_fd_sc_hd__buf_4)
					110 (net)
		0.16	0.00	5.10	v _219_/D (sky130_fd_sc_hd__and4_1)
2	0.00	0.09	0.48	5.58	v _219_/X (sky130_fd_sc_hd__and4_1)
					111 (net)
		0.09	0.00	5.58	v _220_/A2 (sky130_fd_sc_hd__o21a_1)
1	0.00	0.07	0.33	5.91	v _220_/X (sky130_fd_sc_hd__o21a_1)
					095 (net)
		0.07	0.00	5.91	v _455_/D (sky130_fd_sc_hd__dfrtp_1)
				5.91	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.24	10.59	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.09	0.00	10.59	^ _455_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.34	clock uncertainty
		0.04		10.37	clock reconvergence pessimism
		-0.27		10.10	library setup time
				10.10	data required time

				10.10	data required time
				-5.91	data arrival time

				4.19	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _446_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.09	0.00	0.65	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.15	0.87	1.52	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[13] (net)
		0.15	0.00	1.52	v _205_/A (sky130_fd_sc_hd_or4_1)
		0.20	1.34	2.86	v _205_/X (sky130_fd_sc_hd_or4_1)
1	0.00				_097_ (net)
		0.20	0.00	2.86	v _209_/A (sky130_fd_sc_hd_nor4_1)
		0.72	0.84	3.70	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
2	0.01				_101_ (net)
		0.72	0.00	3.70	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.24	0.49	4.18	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01				net25 (net)
		0.24	0.00	4.18	^ _236_/B (sky130_fd_sc_hd_nand2_1)
		0.15	0.24	4.42	v _236_/Y (sky130_fd_sc_hd_nand2_1)
2	0.01				_124_ (net)
		0.15	0.00	4.42	v _238_/A2 (sky130_fd_sc_hd_a21o_2)
		0.19	0.58	5.00	v _238_/X (sky130_fd_sc_hd_a21o_2)
8	0.04				_126_ (net)
		0.19	0.00	5.00	v _245_/A2 (sky130_fd_sc_hd_a22o_1)
		0.07	0.49	5.48	v _245_/X (sky130_fd_sc_hd_a22o_1)
1	0.00				_086_ (net)
		0.07	0.00	5.49	v _446_/D (sky130_fd_sc_hd_dfrtp_1)
				5.49	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.24	10.59	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.09	0.00	10.59	^ _446_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.34	clock uncertainty
		0.04		10.37	clock reconvergence pessimism
		-0.27		10.10	library setup time
				10.10	data required time

				10.10	data required time
				-5.49	data arrival time

				4.62	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _445_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)

		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.09	0.00	0.65	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.15	0.87	1.52	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[13] (net)
		0.15	0.00	1.52	v _205_/A (sky130_fd_sc_hd_or4_1)
		0.20	1.34	2.86	v _205_/X (sky130_fd_sc_hd_or4_1)
1	0.00				_097_ (net)
		0.20	0.00	2.86	v _209_/A (sky130_fd_sc_hd_nor4_1)
		0.72	0.84	3.70	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
2	0.01				_101_ (net)
		0.72	0.00	3.70	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.24	0.49	4.18	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01				net25 (net)
		0.24	0.00	4.18	^ _236_/B (sky130_fd_sc_hd_nand2_1)
		0.15	0.24	4.42	v _236_/Y (sky130_fd_sc_hd_nand2_1)
2	0.01				_124_ (net)
		0.15	0.00	4.42	v _238_/A2 (sky130_fd_sc_hd_a21o_2)
		0.19	0.58	5.00	v _238_/X (sky130_fd_sc_hd_a21o_2)
8	0.04				_126_ (net)
		0.19	0.00	5.00	v _246_/A2 (sky130_fd_sc_hd_a22o_1)
		0.07	0.48	5.48	v _246_/X (sky130_fd_sc_hd_a22o_1)
1	0.00				_085_ (net)
		0.07	0.00	5.48	v _445_/D (sky130_fd_sc_hd_dfrtp_1)
				5.48	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08	^ clk (in)
					clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.24	10.59	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.09	0.00	10.59	^ _445_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	10.34	clock uncertainty
			0.04	10.37	clock reconvergence pessimism
			-0.27	10.10	library setup time
				10.10	data required time

				10.10	data required time
				-5.48	data arrival time

				4.62	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _448_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.09	0.09	^ clk (in)
					clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)

		0.09	0.00	0.65	^	_421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.15	0.87	1.52	v	_421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01					clk_count[13] (net)
		0.15	0.00	1.52	v	_205_/A (sky130_fd_sc_hd_or4_1)
		0.20	1.34	2.86	v	_205_/X (sky130_fd_sc_hd_or4_1)
1	0.00					_097_ (net)
		0.20	0.00	2.86	v	_209_/A (sky130_fd_sc_hd_nor4_1)
		0.72	0.84	3.70	^	_209_/Y (sky130_fd_sc_hd_nor4_1)
2	0.01					_101_ (net)
		0.72	0.00	3.70	^	max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.24	0.49	4.18	^	max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01					net25 (net)
		0.24	0.00	4.18	^	_236_/B (sky130_fd_sc_hd_nand2_1)
		0.15	0.24	4.42	v	_236_/Y (sky130_fd_sc_hd_nand2_1)
2	0.01					_124_ (net)
		0.15	0.00	4.42	v	_238_/A2 (sky130_fd_sc_hd_a21o_2)
		0.19	0.58	5.00	v	_238_/X (sky130_fd_sc_hd_a21o_2)
8	0.04					_126_ (net)
		0.19	0.00	5.00	v	_243_/A2 (sky130_fd_sc_hd_a22o_1)
		0.07	0.48	5.47	v	_243_/X (sky130_fd_sc_hd_a22o_1)
1	0.00					_088_ (net)
		0.07	0.00	5.48	v	_448_/D (sky130_fd_sc_hd_dfrtp_1)
				5.48		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
1	0.02	0.12	0.08	10.08	^	clk (in)
						clk (net)
		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	10.34	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	10.59	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04					clknet_2_0__leaf_clk (net)
		0.10	0.00	10.59	^	_448_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.34		clock uncertainty
		0.04		10.38		clock reconvergence pessimism
		-0.27		10.11		library setup time
				10.11		data required time

				10.11		data required time
				-5.48		data arrival time

				4.64		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _444_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

		0.00	0.00	0.00	clock clk (rise edge)
		0.00	0.00	0.00	clock source latency
1	0.02	0.12	0.09	0.09	^ clk (in)
					clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.65	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.15	0.87	1.52	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[13] (net)
		0.15	0.00	1.52	v _205_/A (sky130_fd_sc_hd_or4_1)
		0.20	1.34	2.86	v _205_/X (sky130_fd_sc_hd_or4_1)
1	0.00				_097_ (net)

		0.20	0.00	2.86	v	_209_/A (sky130_fd_sc_hd__nor4_1)
		0.72	0.84	3.70	^	_209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01					_101_ (net)
		0.72	0.00	3.70	^	max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.24	0.49	4.18	^	max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01					net25 (net)
		0.24	0.00	4.18	^	_236_/B (sky130_fd_sc_hd__nand2_1)
		0.15	0.24	4.42	v	_236_/Y (sky130_fd_sc_hd__nand2_1)
2	0.01					_124_ (net)
		0.15	0.00	4.42	v	_238_/A2 (sky130_fd_sc_hd__a21o_2)
		0.19	0.58	5.00	v	_238_/X (sky130_fd_sc_hd__a21o_2)
8	0.04					_126_ (net)
		0.19	0.00	5.00	v	_247_/A2 (sky130_fd_sc_hd__a22o_1)
		0.07	0.47	5.47	v	_247_/X (sky130_fd_sc_hd__a22o_1)
1	0.00					_084_ (net)
		0.07	0.00	5.47	v	_444_/D (sky130_fd_sc_hd__dftrtp_1)
				5.47		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.12	0.08	10.08	^	clk (in)
						clk (net)
		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	10.34	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.25	10.59	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.09	0.00	10.59	^	_444_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25		10.34		clock uncertainty
		0.06		10.40		clock reconvergence pessimism
		-0.27		10.13		library setup time
				10.13		data required time

				10.13		data required time
				-5.47		data arrival time

				4.66		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _434_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.09	0.09	^ clk (in)
					clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.65	^ _421_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.15	0.87	1.52	v _421_/Q (sky130_fd_sc_hd__dftrtp_1)
3	0.01				clk_count[13] (net)
		0.15	0.00	1.52	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.20	1.34	2.86	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.20	0.00	2.86	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.72	0.84	3.70	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.72	0.00	3.70	^ _211_/A2 (sky130_fd_sc_hd__a21o_1)
		0.19	0.55	4.25	^ _211_/X (sky130_fd_sc_hd__a21o_1)
4	0.01				_103_ (net)

		0.19	0.00	4.25	^	_212_/B (sky130_fd_sc_hd__nand2_1)
		0.14	0.22	4.47	v	_212_/Y (sky130_fd_sc_hd__nand2_1)
2	0.01					_104_ (net)
		0.14	0.00	4.47	v	_277_/S (sky130_fd_sc_hd__mux2_1)
1	0.00	0.12	0.78	5.24	v	_277_/X (sky130_fd_sc_hd__mux2_1)
						147 (net)
		0.12	0.00	5.24	v	_278_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.05	0.20	5.44	v	_278_/X (sky130_fd_sc_hd__clkbuf_1)
						074 (net)
		0.05	0.00	5.44	v	_434_/D (sky130_fd_sc_hd__dfrtp_1)
				5.44		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
1	0.02	0.12	0.08	10.08	^	clk (in)
						clk (net)
		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.10	0.00	10.34	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.24	10.59	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_1__leaf_clk (net)
		0.09	0.00	10.59	^	_434_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.34		clock uncertainty
		0.04		10.37		clock reconvergence pessimism
		-0.26		10.11		library setup time
				10.11		data required time

				10.11		data required time
				-5.44		data arrival time

				4.67		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _436_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.09	0.09	^ clk (in)
					clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.27	0.65	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.09	0.00	0.65	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
3	0.01	0.15	0.87	1.52	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
					clk_count[13] (net)
		0.15	0.00	1.52	v _205_/A (sky130_fd_sc_hd__or4_1)
1	0.00	0.20	1.34	2.86	v _205_/X (sky130_fd_sc_hd__or4_1)
					097 (net)
		0.20	0.00	2.86	v _209_/A (sky130_fd_sc_hd__nor4_1)
2	0.01	0.72	0.84	3.70	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
					101 (net)
		0.72	0.00	3.70	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.24	0.49	4.18	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
					net25 (net)
		0.24	0.00	4.18	^ _217_/C (sky130_fd_sc_hd__nand4_1)
3	0.01	0.33	0.42	4.60	v _217_/Y (sky130_fd_sc_hd__nand4_1)
					109 (net)
		0.33	0.00	4.60	v _270_/B (sky130_fd_sc_hd__and2_1)
1	0.00	0.07	0.46	5.06	v _270_/X (sky130_fd_sc_hd__and2_1)
					143 (net)

		0.07	0.00	5.06	v	_271_/A (sky130_fd_sc_hd__clkbuf_1)
		0.07	0.19	5.25	v	_271_/X (sky130_fd_sc_hd__clkbuf_1)
2	0.01					_000_ (net)
		0.07	0.00	5.25	v	_272_/B1_N (sky130_fd_sc_hd__a21bo_1)
		0.07	0.35	5.60	^	_272_/X (sky130_fd_sc_hd__a21bo_1)
1	0.00					_076_ (net)
		0.07	0.00	5.60	^	_436_/D (sky130_fd_sc_hd__dfstp_1)
				5.60		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.12	0.08	10.08	^	clk (in)
						clk (net)
		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.10	0.00	10.34	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.25	10.59	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3__leaf_clk (net)
		0.09	0.00	10.59	^	_436_/CLK (sky130_fd_sc_hd__dfstp_1)
		-0.25		10.34		clock uncertainty
		0.06		10.40		clock reconvergence pessimism
		-0.12		10.29		library setup time
				10.29		data required time

				10.29		data required time
				-5.60		data arrival time

				4.68		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _424_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.09	0.09	^ clk (in)
					clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.27	0.65	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.09	0.00	0.65	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
3	0.01	0.15	0.87	1.52	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
					clk_count[13] (net)
		0.15	0.00	1.52	v _205_/A (sky130_fd_sc_hd__or4_1)
1	0.00	0.20	1.34	2.86	v _205_/X (sky130_fd_sc_hd__or4_1)
					097 (net)
		0.20	0.00	2.86	v _209_/A (sky130_fd_sc_hd__nor4_1)
2	0.01	0.72	0.84	3.70	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
					101 (net)
		0.72	0.00	3.70	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.24	0.49	4.18	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
					net25 (net)
		0.24	0.00	4.18	^ _217_/C (sky130_fd_sc_hd__nand4_1)
3	0.01	0.33	0.42	4.60	v _217_/Y (sky130_fd_sc_hd__nand4_1)
					109 (net)
		0.33	0.00	4.60	v _270_/B (sky130_fd_sc_hd__and2_1)
1	0.00	0.07	0.46	5.06	v _270_/X (sky130_fd_sc_hd__and2_1)
					143 (net)
		0.07	0.00	5.06	v _271_/A (sky130_fd_sc_hd__clkbuf_1)
2	0.01	0.07	0.19	5.25	v _271_/X (sky130_fd_sc_hd__clkbuf_1)
					000 (net)

		0.07	0.00	5.25	v	_424_/D (sky130_fd_sc_hd_dfrtp_2)
				5.25		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.12	0.08	10.08	^	clk (in)
						clk (net)
		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.10	0.00	10.34	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.25	10.59	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_3_leaf_clk (net)
		0.09	0.00	10.59	^	_424_/CLK (sky130_fd_sc_hd_dfrtp_2)
		-0.25		10.34		clock uncertainty
		0.06		10.40		clock reconvergence pessimism
		-0.27		10.13		library setup time
				10.13		data required time

				10.13		data required time
				-5.25		data arrival time

				4.88		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _425_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.09	0.09	^ clk (in)
					clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.27	0.65	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
		0.09	0.00	0.65	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
3	0.01	0.15	0.87	1.52	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
					clk_count[13] (net)
		0.15	0.00	1.52	v _205_/A (sky130_fd_sc_hd_or4_1)
1	0.00	0.20	1.34	2.86	v _205_/X (sky130_fd_sc_hd_or4_1)
					097 (net)
		0.20	0.00	2.86	v _209_/A (sky130_fd_sc_hd_nor4_1)
2	0.01	0.72	0.84	3.70	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
					101 (net)
		0.72	0.00	3.70	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.24	0.49	4.18	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
					net25 (net)
		0.24	0.00	4.18	^ _217_/C (sky130_fd_sc_hd_nand4_1)
3	0.01	0.33	0.42	4.60	v _217_/Y (sky130_fd_sc_hd_nand4_1)
					109 (net)
		0.33	0.00	4.60	v _218_/A (sky130_fd_sc_hd_buf_4)
10	0.06	0.16	0.50	5.10	v _218_/X (sky130_fd_sc_hd_buf_4)
					110 (net)
		0.16	0.00	5.10	v _354_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.05	0.10	5.19	^ _354_/Y (sky130_fd_sc_hd_inv_2)
					001 (net)
		0.05	0.00	5.19	^ _425_/D (sky130_fd_sc_hd_dfrtp_1)
				5.19	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)

1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.08	0.24	10.58	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.09	0.00	10.58	^ _425_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.33	clock uncertainty
		0.04		10.37	clock reconvergence pessimism
		-0.13		10.24	library setup time
				10.24	data required time

				10.24	data required time
				-5.19	data arrival time

				5.05	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _410_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.65	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.15	0.87	1.52	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.15	0.00	1.52	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.20	1.34	2.86	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.20	0.00	2.86	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.72	0.84	3.70	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.72	0.00	3.70	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.24	0.49	4.18	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.24	0.00	4.18	^ _273_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.13	4.31	v _273_/Y (sky130_fd_sc_hd__inv_2)
2	0.01				_144_ (net)
		0.06	0.00	4.32	v _348_/A1 (sky130_fd_sc_hd__a32o_1)
		0.07	0.41	4.72	v _348_/X (sky130_fd_sc_hd__a32o_1)
1	0.00				_052_ (net)
		0.07	0.00	4.72	v _410_/D (sky130_fd_sc_hd__dfrtp_2)
				4.72	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	10.59	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	10.59	^ _410_/CLK (sky130_fd_sc_hd__dfrtp_2)
		-0.25		10.34	clock uncertainty

0.04	10.38	clock reconvergence pessimism
-0.27	10.11	library setup time
	10.11	data required time

	10.11	data required time
	-4.72	data arrival time

	5.39	slack (MET)

Startpoint: _436_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: cs (output port clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
					clk (net)
4	0.04	0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
2	0.01	0.09	0.00	0.65	^ _436_/CLK (sky130_fd_sc_hd__dfstp_1)
		0.14	1.18	1.84	^ _436_/Q (sky130_fd_sc_hd__dfstp_1)
					net13 (net)
		0.14	0.00	1.84	^ output13/A (sky130_fd_sc_hd__clkbuf_4)
1	0.03	0.18	0.38	2.22	^ output13/X (sky130_fd_sc_hd__clkbuf_4)
					cs (net)
		0.18	0.00	2.22	^ cs (out)
			2.22	data arrival time	

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time
				-2.22	data arrival time

				5.53	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.09	0.09	^ clk (in)
					clk (net)
4	0.04	0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.09	0.00	0.65	^ _421_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.15	0.87	1.52	v _421_/Q (sky130_fd_sc_hd__dftrtp_1)

3	0.01	0.15	0.00	1.52	v	_205_/A (sky130_fd_sc_hd_or4_1)
		0.20	1.34	2.86	v	_205_/X (sky130_fd_sc_hd_or4_1)
1	0.00					_097_ (net)
		0.20	0.00	2.86	v	_209_/A (sky130_fd_sc_hd_nor4_1)
		0.72	0.84	3.70	^	_209_/Y (sky130_fd_sc_hd_nor4_1)
2	0.01					_101_ (net)
		0.72	0.00	3.70	^	max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.24	0.49	4.18	^	max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01					net25 (net)
		0.24	0.00	4.18	^	_273_/A (sky130_fd_sc_hd_inv_2)
		0.06	0.13	4.31	v	_273_/Y (sky130_fd_sc_hd_inv_2)
2	0.01					_144_ (net)
		0.06	0.00	4.32	v	_274_/A2 (sky130_fd_sc_hd_a21oi_1)
		0.17	0.24	4.55	^	_274_/Y (sky130_fd_sc_hd_a21oi_1)
1	0.00					_075_ (net)
		0.17	0.00	4.55	^	_435_/D (sky130_fd_sc_hd_dfrtp_2)
				4.55		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
		0.12	0.08	10.08	^	clk (in)
1	0.02					clk (net)
		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	10.34	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	10.59	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04					clknet_2_0__leaf_clk (net)
		0.10	0.00	10.60	^	_435_/CLK (sky130_fd_sc_hd_dfrtp_2)
		-0.25		10.35		clock uncertainty
		0.04		10.38		clock reconvergence pessimism
		-0.16		10.22		library setup time
				10.22		data required time

				10.22		data required time
				-4.55		data arrival time

				5.67		slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: sclk (output port clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.28	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.66	^ _435_/CLK (sky130_fd_sc_hd_dfrtp_2)
		0.16	0.97	1.63	v _435_/Q (sky130_fd_sc_hd_dfrtp_2)
4	0.02				net24 (net)
		0.16	0.00	1.63	v output24/A (sky130_fd_sc_hd_buf_2)
		0.16	0.41	2.04	v output24/X (sky130_fd_sc_hd_buf_2)
1	0.03				sclk (net)
		0.16	0.00	2.04	v sclk (out)
				2.04	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock network delay (propagated)

-0.25	9.75	clock uncertainty
0.00	9.75	clock reconvergence pessimism
-2.00	7.75	output external delay
	7.75	data required time

7.75	data required time
-2.04	data arrival time

5.71	slack (MET)
------	-------------

Startpoint: _424_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: busy (output port clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.09	0.00	0.65	^ _424_/CLK (sky130_fd_sc_hd_dfrtp_2)
		0.15	0.96	1.61	v _424_/Q (sky130_fd_sc_hd_dfrtp_2)
4	0.02				net12 (net)
		0.15	0.00	1.61	v output12/A (sky130_fd_sc_hd_buf_2)
		0.16	0.40	2.02	v output12/X (sky130_fd_sc_hd_buf_2)
1	0.03				busy (net)
		0.16	0.00	2.02	v busy (out)
				2.02	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time
				-2.02	data arrival time

				5.73	slack (MET)

Startpoint: _430_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[4] (output port clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.28	0.66	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.10	0.00	0.66	^ _430_/CLK (sky130_fd_sc_hd_dfrtp_1)

2	0.01	0.16	0.88	1.54	v _430_/Q (sky130_fd_sc_hd_dfrtp_1)
					net20 (net)
1	0.03	0.16	0.00	1.54	v output20/A (sky130_fd_sc_hd_clkbuff_4)
		0.14	0.39	1.93	v output20/X (sky130_fd_sc_hd_clkbuff_4)
					rx_data[4] (net)
		0.14	0.00	1.93	v rx_data[4] (out)
				1.93	data arrival time

		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock network delay (propagated)
		-0.25	9.75		clock uncertainty
		0.00	9.75		clock reconvergence pessimism
		-2.00	7.75		output external delay
			7.75		data required time

			7.75		data required time
			-1.93		data arrival time

			5.82		slack (MET)

Startpoint: _434_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: mosi (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.09	0.09	^ clk (in)
					clk (net)
4	0.04	0.12	0.00	0.09	^ clkbuff_0_clk/A (sky130_fd_sc_hd_clkbuff_16)
		0.10	0.29	0.38	^ clkbuff_0_clk/X (sky130_fd_sc_hd_clkbuff_16)
12	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuff_2_1__f_clk/A (sky130_fd_sc_hd_clkbuff_16)
		0.09	0.27	0.65	^ clkbuff_2_1__f_clk/X (sky130_fd_sc_hd_clkbuff_16)
					clknet_2_1__leaf_clk (net)
2	0.01	0.09	0.00	0.65	^ _434_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.15	0.86	1.51	v _434_/Q (sky130_fd_sc_hd_dfrtp_1)
					net15 (net)
1	0.03	0.15	0.00	1.51	v output15/A (sky130_fd_sc_hd_clkbuff_4)
		0.14	0.38	1.90	v output15/X (sky130_fd_sc_hd_clkbuff_4)
					mosi (net)
		0.14	0.00	1.90	v mosi (out)
				1.90	data arrival time

		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock network delay (propagated)
		-0.25	9.75		clock uncertainty
		0.00	9.75		clock reconvergence pessimism
		-2.00	7.75		output external delay
			7.75		data required time

			7.75		data required time
			-1.90		data arrival time

			5.85		slack (MET)

Startpoint: _428_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[2] (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)

			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.28	0.66	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.66	^ _428_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.13	0.85	1.51	v _428_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net18 (net)
		0.13	0.00	1.51	v output18/A (sky130_fd_sc_hd_clkbuf_4)
		0.14	0.37	1.88	v output18/X (sky130_fd_sc_hd_clkbuf_4)
1	0.03				rx_data[2] (net)
		0.14	0.00	1.88	v rx_data[2] (out)
				1.88	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock network delay (propagated)
		-0.25	9.75		clock uncertainty
		0.00	9.75		clock reconvergence pessimism
		-2.00	7.75		output external delay
			7.75		data required time

				7.75	data required time
				-1.88	data arrival time

				5.87	slack (MET)

Startpoint: _408_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _419_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.28	0.66	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.66	^ _408_/CLK (sky130_fd_sc_hd_dfrtp_4)
		0.19	0.97	1.62	^ _408_/Q (sky130_fd_sc_hd_dfrtp_4)
8	0.03				clk_count[0] (net)
		0.19	0.00	1.62	^ _296_/D (sky130_fd_sc_hd_and4_2)
		0.24	0.70	2.32	^ _296_/X (sky130_fd_sc_hd_and4_2)
7	0.02				_157_ (net)
		0.24	0.00	2.32	^ _313_/C (sky130_fd_sc_hd_and4_1)
		0.14	0.51	2.83	^ _313_/X (sky130_fd_sc_hd_and4_1)
2	0.01				_170_ (net)
		0.14	0.00	2.83	^ _314_/B (sky130_fd_sc_hd_nand2_1)
		0.12	0.18	3.01	v _314_/Y (sky130_fd_sc_hd_nand2_1)
2	0.01				_171_ (net)
		0.12	0.00	3.01	v _316_/A2 (sky130_fd_sc_hd_a21o_1)
		0.08	0.37	3.39	v _316_/X (sky130_fd_sc_hd_a21o_1)
2	0.00				_173_ (net)
		0.08	0.00	3.39	v _317_/A1 (sky130_fd_sc_hd_mux2_1)
		0.10	0.67	4.06	v _317_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_174_ (net)
		0.10	0.00	4.06	v _318_/A (sky130_fd_sc_hd_clkbuf_1)
		0.05	0.18	4.24	v _318_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_061_ (net)

		0.05	0.00	4.24	v	_419_/D (sky130_fd_sc_hd_dfrtp_1)
				4.24		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.12	0.08	10.08	^	clk (in)
						clk (net)
		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.10	0.00	10.34	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.25	10.59	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_3__leaf_clk (net)
		0.09	0.00	10.59	^	_419_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.34		clock uncertainty
		0.04		10.38		clock reconvergence pessimism
		-0.26		10.12		library setup time
				10.12		data required time

				10.12		data required time
				-4.24		data arrival time

				5.87		slack (MET)

Startpoint: _431_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[5] (output port clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.09	0.09	^ clk (in)
					clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.10	0.28	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.66	^ _431_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.12	0.83	1.49	v _431_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net21 (net)
		0.12	0.00	1.49	v output21/A (sky130_fd_sc_hd_clkbuf_4)
1	0.03	0.14	0.37	1.86	v output21/X (sky130_fd_sc_hd_clkbuf_4)
					rx_data[5] (net)
		0.14	0.00	1.86	v rx_data[5] (out)
				1.86	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
		-0.25		9.75	clock uncertainty
		0.00		9.75	clock reconvergence pessimism
		-2.00		7.75	output external delay
				7.75	data required time

				7.75	data required time
				-1.86	data arrival time

				5.89	slack (MET)

Startpoint: _429_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[3] (output port clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.28	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.66	^ _429_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.12	0.83	1.49	v _429_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net19 (net)
		0.12	0.00	1.49	v output19/A (sky130_fd_sc_hd__clkbuf_4)
		0.14	0.36	1.86	v output19/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[3] (net)
		0.14	0.00	1.86	v rx_data[3] (out)
				1.86	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time
				-1.86	data arrival time

				5.89	slack (MET)

Startpoint: _427_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[1] (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	0.65	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.12	0.83	1.48	v _427_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net17 (net)
		0.12	0.00	1.48	v output17/A (sky130_fd_sc_hd__clkbuf_4)
		0.14	0.37	1.85	v output17/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[1] (net)
		0.14	0.00	1.85	v rx_data[1] (out)
				1.85	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time

-1.85 data arrival time

5.90 slack (MET)

Startpoint: _432_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[6] (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
					clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.10	0.28	0.66	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)
2	0.01	0.10	0.00	0.66	^ _432_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.11	0.82	1.48	v _432_/Q (sky130_fd_sc_hd_dfrtp_1)
					net22 (net)
1	0.03	0.11	0.00	1.48	v output22/A (sky130_fd_sc_hd_clkbuf_4)
		0.14	0.36	1.84	v output22/X (sky130_fd_sc_hd_clkbuf_4)
					rx_data[6] (net)
		0.14	0.00	1.84	v rx_data[6] (out)
				1.84	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time
				-1.84	data arrival time

				5.91	slack (MET)

Startpoint: _433_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[7] (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
4	0.04				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
2	0.01				clknet_2_1_leaf_clk (net)
		0.09	0.00	0.65	^ _433_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.11	0.83	1.48	v _433_/Q (sky130_fd_sc_hd_dfrtp_1)
1	0.03				net23 (net)
		0.11	0.00	1.48	v output23/A (sky130_fd_sc_hd_clkbuf_4)
		0.14	0.36	1.84	v output23/X (sky130_fd_sc_hd_clkbuf_4)
					rx_data[7] (net)
		0.14	0.00	1.84	v rx_data[7] (out)

		1.84	data arrival time
10.00	10.00		clock clk (rise edge)
0.00	10.00		clock network delay (propagated)
-0.25	9.75		clock uncertainty
0.00	9.75		clock reconvergence pessimism
-2.00	7.75		output external delay
	7.75		data required time

	7.75		data required time
	-1.84		data arrival time

	5.91		slack (MET)

Startpoint: _426_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[0] (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.27	0.65	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.09	0.00	0.65	^ _426_/CLK (sky130_fd_sc_hd__dfrrtp_1)
2	0.01	0.11	0.82	1.47	v _426_/Q (sky130_fd_sc_hd__dfrrtp_1)
					net16 (net)
		0.11	0.00	1.47	v output16/A (sky130_fd_sc_hd__clkbuf_4)
		0.14	0.36	1.83	v output16/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[0] (net)
		0.14	0.00	1.83	v rx_data[0] (out)
				1.83	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time
				-1.83	data arrival time

				5.92	slack (MET)

Startpoint: _425_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: done (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)

		0.10	0.00	0.38	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.08	0.26	0.64	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03					clknet_2_2__leaf_clk (net)
		0.09	0.00	0.64	^	_425_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.09	0.79	1.43	v	_425_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.00					net14 (net)
		0.09	0.00	1.43	v	output14/A (sky130_fd_sc_hd__clkbuf_4)
		0.14	0.35	1.78	v	output14/X (sky130_fd_sc_hd__clkbuf_4)
1	0.04					done (net)
		0.14	0.00	1.78	v	done (out)
				1.78		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock network delay (propagated)
		-0.25	9.75			clock uncertainty
		0.00	9.75			clock reconvergence pessimism
		-2.00	7.75			output external delay
				7.75		data required time

				7.75		data required time
				-1.78		data arrival time

				5.97		slack (MET)

Startpoint: _408_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _415_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.28	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.66	^ _408_/CLK (sky130_fd_sc_hd__dfrtp_4)
		0.17	1.14	1.79	v _408_/Q (sky130_fd_sc_hd__dfrtp_4)
8	0.03				clk_count[0] (net)
		0.17	0.00	1.80	v _296_/D (sky130_fd_sc_hd__and4_2)
		0.15	0.67	2.46	v _296_/X (sky130_fd_sc_hd__and4_2)
7	0.02				_157_ (net)
		0.15	0.00	2.46	v _328_/C (sky130_fd_sc_hd__and3_1)
		0.11	0.46	2.93	v _328_/X (sky130_fd_sc_hd__and3_1)
3	0.01				_181_ (net)
		0.11	0.00	2.93	v _329_/C (sky130_fd_sc_hd__and3_1)
		0.06	0.38	3.31	v _329_/X (sky130_fd_sc_hd__and3_1)
1	0.00				_182_ (net)
		0.06	0.00	3.31	v _332_/A0 (sky130_fd_sc_hd__mux2_1)
		0.11	0.65	3.96	v _332_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_185_ (net)
		0.11	0.00	3.96	v _333_/A (sky130_fd_sc_hd__clkbuf_1)
		0.04	0.18	4.14	v _333_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_057_ (net)
		0.04	0.00	4.14	v _415_/D (sky130_fd_sc_hd__dfrtp_1)
				4.14	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)

4	0.04				clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.08	0.24	10.58	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.09	0.00	10.58	^ _415_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.33		clock uncertainty
		0.04	10.37		clock reconvergence pessimism
		-0.26	10.11		library setup time
			10.11		data required time

				10.11	data required time
				-4.14	data arrival time

				5.97	slack (MET)

Startpoint: _408_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.28	0.66	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.10	0.00	0.66	^ _408_/CLK (sky130_fd_sc_hd_dfrtp_4)
		0.17	1.14	1.79	v _408_/Q (sky130_fd_sc_hd_dfrtp_4)
8	0.03				clk_count[0] (net)
		0.17	0.00	1.80	v _296_/D (sky130_fd_sc_hd_and4_2)
		0.15	0.67	2.46	v _296_/X (sky130_fd_sc_hd_and4_2)
7	0.02				_157_ (net)
		0.15	0.00	2.46	v _299_/A (sky130_fd_sc_hd_and3_1)
		0.13	0.42	2.88	v _299_/X (sky130_fd_sc_hd_and3_1)
4	0.01				_160_ (net)
		0.13	0.00	2.88	v _306_/C (sky130_fd_sc_hd_and3_1)
		0.07	0.40	3.28	v _306_/X (sky130_fd_sc_hd_and3_1)
1	0.00				_165_ (net)
		0.07	0.00	3.28	v _309_/A0 (sky130_fd_sc_hd_mux2_1)
		0.11	0.65	3.94	v _309_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_168_ (net)
		0.11	0.00	3.94	v _310_/A (sky130_fd_sc_hd_clkbuf_1)
		0.05	0.18	4.12	v _310_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_063_ (net)
		0.05	0.00	4.12	v _421_/D (sky130_fd_sc_hd_dfrtp_1)
				4.12	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.25	10.59	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.09	0.00	10.59	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.34		clock uncertainty
		0.04	10.38		clock reconvergence pessimism
		-0.26	10.12		library setup time
			10.12		data required time

		10.12	data required time
		-4.12	data arrival time

		6.00	slack (MET)

Startpoint: _408_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _423_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04		0.10	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04		0.10	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.66	^ _408_/CLK (sky130_fd_sc_hd_dfrtp_4)
8	0.03		0.17	1.79	v _408_/Q (sky130_fd_sc_hd_dfrtp_4)
					clk_count[0] (net)
		0.17	0.00	1.80	v _296_/D (sky130_fd_sc_hd_and4_2)
7	0.02		0.15	2.46	v _296_/X (sky130_fd_sc_hd_and4_2)
					157 (net)
		0.15	0.00	2.46	v _299_/A (sky130_fd_sc_hd_and3_1)
4	0.01		0.13	2.88	v _299_/X (sky130_fd_sc_hd_and3_1)
					160 (net)
		0.13	0.00	2.88	v _300_/C (sky130_fd_sc_hd_and3_1)
3	0.01		0.13	3.36	v _300_/X (sky130_fd_sc_hd_and3_1)
					161 (net)
		0.13	0.00	3.36	v _302_/A3 (sky130_fd_sc_hd_a31o_1)
1	0.00		0.07	3.80	v _302_/X (sky130_fd_sc_hd_a31o_1)
					163 (net)
		0.07	0.00	3.80	v _303_/B1 (sky130_fd_sc_hd_o31a_1)
1	0.00		0.09	4.00	v _303_/X (sky130_fd_sc_hd_o31a_1)
					065 (net)
		0.09	0.00	4.00	v _423_/D (sky130_fd_sc_hd_dfrtp_1)
				4.00	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04		0.10	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
10	0.03		0.08	10.58	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.09	0.00	10.58	^ _423_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.33	clock uncertainty
		0.04		10.37	clock reconvergence pessimism
		-0.28		10.09	library setup time
				10.09	data required time

				10.09	data required time
				-4.00	data arrival time

				6.09	slack (MET)

Startpoint: _408_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _422_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.10	0.28	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.66	^ _408_/CLK (sky130_fd_sc_hd_dfrtp_4)
8	0.03	0.17	1.14	1.79	v _408_/Q (sky130_fd_sc_hd_dfrtp_4)
					clk_count[0] (net)
		0.17	0.00	1.80	v _296_/D (sky130_fd_sc_hd_and4_2)
7	0.02	0.15	0.67	2.46	v _296_/X (sky130_fd_sc_hd_and4_2)
					157 (net)
		0.15	0.00	2.46	v _299_/A (sky130_fd_sc_hd_and3_1)
4	0.01	0.13	0.42	2.88	v _299_/X (sky130_fd_sc_hd_and3_1)
					160 (net)
		0.13	0.00	2.88	v _300_/C (sky130_fd_sc_hd_and3_1)
3	0.01	0.13	0.48	3.36	v _300_/X (sky130_fd_sc_hd_and3_1)
					161 (net)
		0.13	0.00	3.36	v _304_/A2 (sky130_fd_sc_hd_a21o_1)
1	0.00	0.07	0.37	3.73	v _304_/X (sky130_fd_sc_hd_a21o_1)
					164 (net)
		0.07	0.00	3.73	v _305_/B1 (sky130_fd_sc_hd_o21a_1)
1	0.00	0.07	0.20	3.93	v _305_/X (sky130_fd_sc_hd_o21a_1)
					064 (net)
		0.07	0.00	3.93	v _422_/D (sky130_fd_sc_hd_dfrtp_1)
				3.93	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
10	0.03	0.08	0.24	10.58	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.09	0.00	10.58	^ _422_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.33		clock uncertainty
		0.04	10.37		clock reconvergence pessimism
		-0.27	10.10		library setup time
			10.10		data required time

				10.10	data required time
				-3.93	data arrival time

				6.17	slack (MET)

Startpoint: _424_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _417_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)

1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.09	0.00	0.65	^ _424_/CLK (sky130_fd_sc_hd_dfrtp_2)
		0.15	0.96	1.61	v _424_/Q (sky130_fd_sc_hd_dfrtp_2)
4	0.02				net12 (net)
		0.15	0.00	1.61	v _213_/A (sky130_fd_sc_hd_buf_4)
		0.13	0.39	2.00	v _213_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_105_ (net)
		0.13	0.00	2.00	v _214_/A (sky130_fd_sc_hd_buf_2)
		0.19	0.41	2.42	v _214_/X (sky130_fd_sc_hd_buf_2)
10	0.04				_106_ (net)
		0.19	0.00	2.42	v _269_/A (sky130_fd_sc_hd_buf_2)
		0.18	0.43	2.85	v _269_/X (sky130_fd_sc_hd_buf_2)
10	0.04				_142_ (net)
		0.18	0.00	2.85	v _324_/A1 (sky130_fd_sc_hd_a21o_1)
		0.08	0.37	3.22	v _324_/X (sky130_fd_sc_hd_a21o_1)
2	0.01				_179_ (net)
		0.08	0.00	3.22	v _325_/B1 (sky130_fd_sc_hd_a2bb2o_1)
		0.09	0.60	3.82	v _325_/X (sky130_fd_sc_hd_a2bb2o_1)
1	0.00				_059_ (net)
		0.09	0.00	3.82	v _417_/D (sky130_fd_sc_hd_dfrtp_1)
				3.82	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.08	0.24	10.58	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.09	0.00	10.58	^ _417_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.33	clock uncertainty
		0.04		10.37	clock reconvergence pessimism
		-0.28		10.09	library setup time
				10.09	data required time

				10.09	data required time
				-3.82	data arrival time

				6.26	slack (MET)

Startpoint: _408_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _413_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.28	0.66	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.10	0.00	0.66	^ _408_/CLK (sky130_fd_sc_hd_dfrtp_4)
		0.19	0.97	1.62	^ _408_/Q (sky130_fd_sc_hd_dfrtp_4)

8	0.03	0.19	0.00	1.62	^	_296_/D (sky130_fd_sc_hd_and4_2)
		0.24	0.70	2.32	^	_296_/X (sky130_fd_sc_hd_and4_2)
7	0.02					_157_ (net)
		0.24	0.00	2.32	^	_336_/B (sky130_fd_sc_hd_nand2_1)
		0.16	0.25	2.57	v	_336_/Y (sky130_fd_sc_hd_nand2_1)
3	0.01					_187_ (net)
		0.16	0.00	2.57	v	_338_/A2 (sky130_fd_sc_hd_a21o_1)
		0.08	0.39	2.97	v	_338_/X (sky130_fd_sc_hd_a21o_1)
2	0.01					_189_ (net)
		0.08	0.00	2.97	v	_339_/A1 (sky130_fd_sc_hd_mux2_1)
		0.11	0.68	3.64	v	_339_/X (sky130_fd_sc_hd_mux2_1)
1	0.00					_190_ (net)
		0.11	0.00	3.64	v	_340_/A (sky130_fd_sc_hd_clkbuf_1)
		0.05	0.18	3.83	v	_340_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00					_055_ (net)
		0.05	0.00	3.83	v	_413_/D (sky130_fd_sc_hd_dfrtp_1)
				3.83		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
		0.12	0.08	10.08	^	clk (in)
1	0.02					clk (net)
		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	10.34	^	clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.08	0.24	10.58	^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03					clknet_2_2_leaf_clk (net)
		0.09	0.00	10.58	^	_413_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.33		clock uncertainty
		0.04		10.37		clock reconvergence pessimism
		-0.26		10.10		library setup time
				10.10		data required time

				10.10		data required time
				-3.83		data arrival time

				6.27		slack (MET)

Startpoint: _408_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _418_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.28	0.66	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.10	0.00	0.66	^ _408_/CLK (sky130_fd_sc_hd_dfrtp_4)
		0.19	0.97	1.62	^ _408_/Q (sky130_fd_sc_hd_dfrtp_4)
8	0.03				clk_count[0] (net)
		0.19	0.00	1.62	^ _296_/D (sky130_fd_sc_hd_and4_2)
		0.24	0.70	2.32	^ _296_/X (sky130_fd_sc_hd_and4_2)
7	0.02				_157_ (net)
		0.24	0.00	2.32	^ _313_/C (sky130_fd_sc_hd_and4_1)
		0.14	0.51	2.83	^ _313_/X (sky130_fd_sc_hd_and4_1)
2	0.01				_170_ (net)
		0.14	0.00	2.83	^ _314_/B (sky130_fd_sc_hd_nand2_1)
		0.12	0.18	3.01	v _314_/Y (sky130_fd_sc_hd_nand2_1)

2	0.01				_171_ (net)
		0.12	0.00	3.01	v _316_/A2 (sky130_fd_sc_hd_a21o_1)
		0.08	0.37	3.39	v _316_/X (sky130_fd_sc_hd_a21o_1)
2	0.00				_173_ (net)
		0.08	0.00	3.39	v _320_/A (sky130_fd_sc_hd_and2_1)
		0.07	0.29	3.67	v _320_/X (sky130_fd_sc_hd_and2_1)
1	0.00				_176_ (net)
		0.07	0.00	3.67	v _321_/A (sky130_fd_sc_hd_clkbuf_1)
		0.04	0.16	3.83	v _321_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_060_ (net)
		0.04	0.00	3.83	v _418_/D (sky130_fd_sc_hd_dfrtp_1)
				3.83	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.25	10.59	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.09	0.00	10.59	^ _418_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.34	clock uncertainty
		0.04		10.38	clock reconvergence pessimism
		-0.26		10.12	library setup time
				10.12	data required time

				10.12	data required time
				-3.83	data arrival time

				6.28	slack (MET)

Startpoint: _424_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _408_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.09	0.00	0.65	^ _424_/CLK (sky130_fd_sc_hd_dfrtp_2)
		0.15	0.96	1.61	v _424_/Q (sky130_fd_sc_hd_dfrtp_2)
4	0.02				net12 (net)
		0.15	0.00	1.61	v _213_/A (sky130_fd_sc_hd_buf_4)
		0.13	0.39	2.00	v _213_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_105_ (net)
		0.13	0.00	2.00	v _214_/A (sky130_fd_sc_hd_buf_2)
		0.19	0.41	2.42	v _214_/X (sky130_fd_sc_hd_buf_2)
10	0.04				_106_ (net)
		0.19	0.00	2.42	v _269_/A (sky130_fd_sc_hd_buf_2)
		0.18	0.43	2.85	v _269_/X (sky130_fd_sc_hd_buf_2)
10	0.04				_142_ (net)
		0.18	0.00	2.85	v _352_/A0 (sky130_fd_sc_hd_mux2_1)
		0.11	0.70	3.55	v _352_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_198_ (net)
		0.11	0.00	3.55	v _353_/A (sky130_fd_sc_hd_clkbuf_1)
		0.05	0.18	3.74	v _353_/X (sky130_fd_sc_hd_clkbuf_1)

1	0.00				_050_ (net)
		0.05	0.00	3.74 v	_408_/D (sky130_fd_sc_hd__dfrtp_4)
				3.74	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08 ^	clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.34 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.34 ^	clkbuf_2_0_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	10.59 ^	clkbuf_2_0_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.10	0.00	10.60 ^	_408_/CLK (sky130_fd_sc_hd__dfrtp_4)
		-0.25		10.35	clock uncertainty
		0.04		10.38	clock reconvergence pessimism
		-0.26		10.12	library setup time
				10.12	data required time
				10.12	data required time
				-3.74	data arrival time
				6.39	slack (MET)

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.10	0.28	0.66	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)
		0.10	0.00	0.66	^ _408_/CLK (sky130_fd_sc_hd_dfrtp_4)
8	0.03	0.17	1.14	1.79	v _408_/Q (sky130_fd_sc_hd_dfrtp_4)
					clk_count[0] (net)
		0.17	0.00	1.80	v _296_/D (sky130_fd_sc_hd_and4_2)
7	0.02	0.15	0.67	2.46	v _296_/X (sky130_fd_sc_hd_and4_2)
					157 (net)
		0.15	0.00	2.46	v _328_/C (sky130_fd_sc_hd_and3_1)
3	0.01	0.11	0.46	2.93	v _328_/X (sky130_fd_sc_hd_and3_1)
					181 (net)
		0.11	0.00	2.93	v _334_/C (sky130_fd_sc_hd_and3b_1)
1	0.00	0.07	0.39	3.32	v _334_/X (sky130_fd_sc_hd_and3b_1)
					186 (net)
		0.07	0.00	3.32	v _335_/B1 (sky130_fd_sc_hd_a21o_1)
1	0.00	0.05	0.28	3.60	v _335_/X (sky130_fd_sc_hd_a21o_1)
					056 (net)
		0.05	0.00	3.60	v _414_/D (sky130_fd_sc_hd_dfrtp_1)
				3.60	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)

10	0.03	0.08	0.24	10.58	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
		0.09	0.00	10.58	^	_414_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.33		clock uncertainty
		0.04		10.37		clock reconvergence pessimism
		-0.27		10.10		library setup time
				10.10		data required time

				10.10		data required time
		-3.60		data arrival time		

		6.50		slack (MET)		

Startpoint: _408_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _420_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description	
1	0.02		0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
		0.12	0.09	0.09	^ clk (in)	
					clk (net)	
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					clknet_0_clk (net)	
		0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.10	0.28	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					clknet_2_0__leaf_clk (net)	
14	0.04	0.10	0.00	0.66	^ _408_/CLK (sky130_fd_sc_hd__dfrtp_4)	
		0.17	1.14	1.79	v _408_/Q (sky130_fd_sc_hd__dfrtp_4)	
8	0.03				clk_count[0] (net)	
		0.17	0.00	1.80	v _296_/D (sky130_fd_sc_hd__and4_2)	
7	0.02		0.15	0.67	2.46	v _296_/X (sky130_fd_sc_hd__and4_2)
						157 (net)
4	0.01	0.15	0.00	2.46	v _299_/A (sky130_fd_sc_hd__and3_1)	
		0.13	0.42	2.88	v _299_/X (sky130_fd_sc_hd__and3_1)	
					160 (net)	
1	0.00	0.13	0.00	2.88	v _311_/C (sky130_fd_sc_hd__and3b_1)	
		0.07	0.41	3.29	v _311_/X (sky130_fd_sc_hd__and3b_1)	
					169 (net)	
1	0.00	0.07	0.00	3.29	v _312_/B1 (sky130_fd_sc_hd__a21o_1)	
		0.06	0.28	3.57	v _312_/X (sky130_fd_sc_hd__a21o_1)	
					062 (net)	
1	0.00	0.06	0.00	3.57	v _420_/D (sky130_fd_sc_hd__dfrtp_1)	
				3.57		data arrival time
1	0.02		10.00	10.00	clock clk (rise edge)	
			0.00	10.00	clock source latency	
		0.12	0.08	10.08	^ clk (in)	
					clk (net)	
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					clknet_0_clk (net)	
		0.10	0.00	10.34	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.09	0.25	10.59	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					clknet_2_3__leaf_clk (net)	
12	0.04	0.09	0.00	10.59	^ _420_/CLK (sky130_fd_sc_hd__dfrtp_1)	
		-0.25	10.34		clock uncertainty	
		0.04	10.38		clock reconvergence pessimism	
		-0.26	10.11		library setup time	
			10.11		data required time	
				10.11	data required time	
				-3.57	data arrival time	
				6.54	slack (MET)	

Startpoint: _424_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _416_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description		

1	0.02	0.12	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock source latency		
			0.09	0.09	^ clk (in)		
					clk (net)		
4	0.04	0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)		
			0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
12	0.04	0.10	0.00	0.38	^ clknet_0_clk (net)		
				0.09	0.27	0.65	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
							^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
							clknet_2_3__leaf_clk (net)
4	0.02	0.09	0.00	0.65	^ _424_/CLK (sky130_fd_sc_hd__dfrtp_2)		
			0.15	0.96	1.61	v _424_/Q (sky130_fd_sc_hd__dfrtp_2)	
10	0.05	0.15	0.00		net12 (net)		
				0.13	0.39	1.61	v _213_/A (sky130_fd_sc_hd__buf_4)
						2.00	v _213_/X (sky130_fd_sc_hd__buf_4)
							105 (net)
10	0.04	0.13	0.00	2.00	v _214_/A (sky130_fd_sc_hd__buf_2)		
				0.19	0.41	2.42	v _214_/X (sky130_fd_sc_hd__buf_2)
10	0.04	0.19	0.00		_106_ (net)		
						2.42	v _269_/A (sky130_fd_sc_hd__buf_2)
						2.85	v _269_/X (sky130_fd_sc_hd__buf_2)
							142 (net)
2	0.01	0.18	0.00	2.85	v _324_/A1 (sky130_fd_sc_hd__a21o_1)		
				0.08	0.37	3.22	v _324_/X (sky130_fd_sc_hd__a21o_1)
1	0.00	0.08	0.00		_179_ (net)		
						3.22	v _327_/A2 (sky130_fd_sc_hd__a21o_1)
						3.55	v _327_/X (sky130_fd_sc_hd__a21o_1)
							058 (net)
1	0.00	0.05	0.00	3.55	v _416_/D (sky130_fd_sc_hd__dfrtp_1)		
						3.55	data arrival time
1	0.02	0.12	10.00	10.00	clock clk (rise edge)		
			0.00	10.00	clock source latency		
			0.08	10.08	^ clk (in)		
					clk (net)		
4	0.04	0.10	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)		
			0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)		
10	0.03	0.10	0.00		clknet_0_clk (net)		
				0.08	0.24	10.34	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
						10.58	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
							clknet_2_2__leaf_clk (net)
10	0.03	0.09	0.00	10.58	^ _416_/CLK (sky130_fd_sc_hd__dfrtp_1)		
				-0.25	10.33	clock uncertainty	
				0.04	10.37	clock reconvergence pessimism	
				-0.27	10.10	library setup time	
			10.10	data required time			

				10.10	data required time		
				-3.55	data arrival time		

				6.56	slack (MET)		

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.09	0.00	0.65	^ _424_/CLK (sky130_fd_sc_hd_dfrtp_2)
		0.15	0.96	1.61	v _424_/Q (sky130_fd_sc_hd_dfrtp_2)
4	0.02				net12 (net)
		0.15	0.00	1.61	v _213_/A (sky130_fd_sc_hd_buf_4)
		0.13	0.39	2.00	v _213_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_105_ (net)
		0.13	0.00	2.00	v _214_/A (sky130_fd_sc_hd_buf_2)
		0.19	0.41	2.42	v _214_/X (sky130_fd_sc_hd_buf_2)
10	0.04				_106_ (net)
		0.19	0.00	2.42	v _269_/A (sky130_fd_sc_hd_buf_2)
		0.18	0.43	2.85	v _269_/X (sky130_fd_sc_hd_buf_2)
10	0.04				_142_ (net)
		0.18	0.00	2.85	v _341_/A (sky130_fd_sc_hd_and3_1)
		0.08	0.37	3.22	v _341_/X (sky130_fd_sc_hd_and3_1)
1	0.00				_191_ (net)
		0.08	0.00	3.22	v _342_/B1 (sky130_fd_sc_hd_a21o_1)
		0.05	0.28	3.50	v _342_/X (sky130_fd_sc_hd_a21o_1)
1	0.00				_054_ (net)
		0.05	0.00	3.50	v _412_/D (sky130_fd_sc_hd_dfrtp_1)
				3.50	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.08	0.24	10.58	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.09	0.00	10.58	^ _412_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.33		clock uncertainty
		0.04	10.37		clock reconvergence pessimism
		-0.27	10.10		library setup time
			10.10		data required time

			10.10		data required time
			-3.50		data arrival time

			6.60		slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _409_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v start (in)
1	0.00				start (net)
		0.02	0.00	2.01	v input3/A (sky130_fd_sc_hd_buf_1)
		0.18	0.25	2.26	v input3/X (sky130_fd_sc_hd_buf_1)
2	0.01				net3 (net)

		0.18	0.00	2.26	v	_204_/B (sky130_fd_sc_hd__or2_2)
		0.20	0.84	3.10	v	_204_/X (sky130_fd_sc_hd__or2_2)
6	0.02					_096_ (net)
		0.20	0.00	3.10	v	_350_/B1 (sky130_fd_sc_hd__o211a_1)
1	0.00	0.09	0.32	3.42	v	_350_/X (sky130_fd_sc_hd__o211a_1)
						197 (net)
		0.09	0.00	3.42	v	_351_/B (sky130_fd_sc_hd__nor2_1)
1	0.00	0.12	0.14	3.56	^	_351_/Y (sky130_fd_sc_hd__nor2_1)
						051 (net)
		0.12	0.00	3.56	^	_409_/D (sky130_fd_sc_hd__dftrtp_4)
				3.56		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.12	0.08	10.08	^	clk (in)
						clk (net)
		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.10	0.00	10.34	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.08	0.24	10.58	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
		0.09	0.00	10.58	^	_409_/CLK (sky130_fd_sc_hd__dftrtp_4)
		-0.25		10.33		clock uncertainty
		0.00		10.33		clock reconvergence pessimism
		-0.15		10.19		library setup time
				10.19		data required time

				10.19		data required time
				-3.56		data arrival time

				6.63		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _411_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	input external delay
1	0.00	0.03	0.02	2.02	^ start (in)
					start (net)
		0.03	0.00	2.02	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.31	0.32	2.34	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.31	0.00	2.34	^ _237_/B (sky130_fd_sc_hd__nor2_4)
9	0.04	0.12	0.21	2.55	v _237_/Y (sky130_fd_sc_hd__nor2_4)
					125 (net)
		0.12	0.00	2.55	v _346_/A2 (sky130_fd_sc_hd__o31a_1)
1	0.00	0.09	0.57	3.12	v _346_/X (sky130_fd_sc_hd__o31a_1)
					053 (net)
		0.09	0.00	3.12	v _411_/D (sky130_fd_sc_hd__dftrtp_1)
				3.12	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08	^ clk (in)
					clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.25	10.59	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	10.60	^ _411_/CLK (sky130_fd_sc_hd__dftrtp_1)

-0.25	10.35	clock uncertainty
0.00	10.35	clock reconvergence pessimism
-0.28	10.07	library setup time
	10.07	data required time

10.07	data required time
-3.12	data arrival time

6.95	slack (MET)
------	-------------

Startpoint: rst (input port clocked by clk)
Endpoint: _409_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.00		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
				2.20	v input2/X (sky130_fd_sc_hd_buf_1)
		0.11	0.19		net2 (net)
				2.20	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.14	0.37	2.57	v _355_/X (sky130_fd_sc_hd_buf_4)
	199 (net)				
10	0.05	2.57	v _356_/A (sky130_fd_sc_hd_buf_4)		
		2.97	v _356_/X (sky130_fd_sc_hd_buf_4)		
10	0.06		_200_ (net)		
		2.97	v _358_/A (sky130_fd_sc_hd_inv_2)		
1	0.00	0.06	0.11	3.08	^ _358_/Y (sky130_fd_sc_hd_inv_2)
					003 (net)
1	0.00	0.06	0.00	3.08	^ _409_/RESET_B (sky130_fd_sc_hd_dfrtp_4)
				3.08	data arrival time

1	0.02		10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
4	0.04	0.12	0.08	10.08	^ clk (in)
					clk (net)
10	0.03	0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.10	0.26
10	0.03	0.10	0.00	10.34	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.08	0.24
10	0.03	0.09	0.00	10.58	^ clknet_2_2_leaf_clk (net)
			-0.25	10.33	clock uncertainty
			0.00	10.33	clock reconvergence pessimism
			0.46	10.79	library recovery time
				10.79	data required time

				10.79	data required time
				-3.08	data arrival time

				7.71	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _415_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)

			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.37	2.57	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.57	v _356_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.15	0.39	2.97	v _356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
		0.15	0.00	2.97	v _364_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.06	0.11	3.08	^ _364_/Y (sky130_fd_sc_hd__inv_2)
					009 (net)
		0.06	0.00	3.08	^ _415_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
					data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08	^ clk (in)
					clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.08	0.24	10.58	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.09	0.00	10.58	^ _415_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25		10.33	clock uncertainty
		0.00		10.33	clock reconvergence pessimism
		0.47		10.81	library recovery time
				10.81	data required time

				10.81	data required time
				-3.08	data arrival time

				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _416_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.37	2.57	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.57	v _356_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.15	0.39	2.97	v _356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
		0.15	0.00	2.97	v _365_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.05	0.11	3.08	^ _365_/Y (sky130_fd_sc_hd__inv_2)
					010 (net)
		0.05	0.00	3.08	^ _416_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
					data arrival time
			10.00	10.00	clock clk (rise edge)

			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.08	0.24	10.58	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.09	0.00	10.58	^ _416_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.33		clock uncertainty
		0.00	10.33		clock reconvergence pessimism
		0.47	10.81		library recovery time
			10.81		data required time

				10.81	data required time
				-3.08	data arrival time

				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _417_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.14	0.37	2.57	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.14	0.00	2.57	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.15	0.39	2.97	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)
		0.15	0.00	2.97	v _366_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.10	3.08	^ _366_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_011_ (net)
		0.05	0.00	3.08	^ _417_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				3.08	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.08	0.24	10.58	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.09	0.00	10.58	^ _417_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.33		clock uncertainty
		0.00	10.33		clock reconvergence pessimism
		0.47	10.81		library recovery time
			10.81		data required time

				10.81	data required time
				-3.08	data arrival time

				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _413_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.02	0.01	2.01 v	rst (in)
					rst (net)
				2.01 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.05	0.11	0.37	2.20 v	_355_/A (sky130_fd_sc_hd__buf_4)
				2.57 v	_355_/X (sky130_fd_sc_hd__buf_4)
10	0.06	0.14	0.39		_199_ (net)
				2.57 v	_356_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.15	0.39	2.97 v	_356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
1	0.00	0.15	0.11	2.97 v	_362_/A (sky130_fd_sc_hd__inv_2)
				3.08 ^	_362_/Y (sky130_fd_sc_hd__inv_2)
1	0.00	0.06	0.11		_007_ (net)
				3.08 ^	_413_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
			0.06	3.08	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08 ^	clk (in)
					clk (net)
				10.08 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.34 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
10	0.03	0.10	0.24	10.34 ^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				10.58 ^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
			0.09	10.58 ^	clknet_2_2__leaf_clk (net)
					413/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.33	clock uncertainty
			0.00	10.33	clock reconvergence pessimism
			0.47	10.81	library recovery time
				10.81	data required time

				10.81	data required time
				-3.08	data arrival time

				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _414_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.02	0.01	2.01 v	rst (in)
					rst (net)
				2.01 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.05	0.11	0.37	2.20 v	_355_/A (sky130_fd_sc_hd__buf_4)
				2.57 v	_355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)

		0.14	0.00	2.57	v	_356_/A (sky130_fd_sc_hd__buf_4)
		0.15	0.39	2.97	v	_356_/X (sky130_fd_sc_hd__buf_4)
10	0.06					_200_ (net)
		0.15	0.00	2.97	v	_363_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.11	3.08	^	_363_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_008_ (net)
		0.05	0.00	3.08	^	_414_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				3.08		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.12	0.08	10.08	^	clk (in)
						clk (net)
		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.10	0.00	10.34	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.08	0.24	10.58	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
		0.09	0.00	10.58	^	_414_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.33		clock uncertainty
		0.00		10.33		clock reconvergence pessimism
		0.47		10.81		library recovery time
				10.81		data required time

				10.81		data required time
				-3.08		data arrival time

				7.73		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _412_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.37	2.57	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.57	v _356_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.15	0.39	2.97	v _356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
		0.15	0.00	2.97	v _361_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.10	3.08	^ _361_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_006_ (net)
		0.05	0.00	3.08	^ _412_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				3.08	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08	^ clk (in)
					clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.08	0.24	10.58	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.09	0.00	10.58	^ _412_/CLK (sky130_fd_sc_hd__dfrtp_1)

-0.25	10.33	clock uncertainty
0.00	10.33	clock reconvergence pessimism
0.47	10.81	library recovery time
	10.81	data required time

10.81	data required time
-3.08	data arrival time

7.73	slack (MET)
------	-------------

Startpoint: rst (input port clocked by clk)
Endpoint: _408_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description		
1	0.00		0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
		0.02	2.00	2.00	v input external delay		
			2.01	2.01	v rst (in)		
		0.01			rst (net)		
			2.01	2.01	v input2/A (sky130_fd_sc_hd_buf_1)		
		3	0.01	0.02	0.00	2.20	v input2/X (sky130_fd_sc_hd_buf_1)
				0.11	0.19		net2 (net)
		10	0.05	0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd_buf_4)
				0.14	0.37	2.57	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.06	0.14	0.00	2.57	v _356_/A (sky130_fd_sc_hd_buf_4)		
		0.15	0.39	2.97	v _356_/X (sky130_fd_sc_hd_buf_4)		
1	0.00				_200_ (net)		
			2.97	2.97	v _357_/A (sky130_fd_sc_hd_inv_2)		
		0.05	0.10	3.07	^ _357_/Y (sky130_fd_sc_hd_inv_2)		
						002 (net)	
		0.05	0.00	3.07	^ _408_/RESET_B (sky130_fd_sc_hd_dfrtp_4)		
					3.07	data arrival time	
		1	0.02		10.00	10.00	clock clk (rise edge)
					0.00	10.00	clock source latency
		4	0.04	0.12	0.08	10.08	^ clk (in)
					clk (net)		
14	0.04	0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)		
		0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)		
14	0.04				clknet_0_clk (net)		
		0.10	0.00	10.34	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)		
14	0.04	0.10	0.25	10.59	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)		
					clknet_2_0__leaf_clk (net)		
14	0.04	0.10	0.00	10.60	^ _408_/CLK (sky130_fd_sc_hd_dfrtp_4)		
			-0.25	10.35	clock uncertainty		
14	0.04		0.00	10.35	clock reconvergence pessimism		
			0.46	10.81	library recovery time		
14	0.04			10.81	data required time		
14	0.04			10.81	data required time		
				-3.07	data arrival time		
14	0.04			7.73	slack (MET)		

Startpoint: rst (input port clocked by clk)
Endpoint: _410_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)

			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.37	2.57	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.57	v _356_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.15	0.39	2.97	v _356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
		0.15	0.00	2.97	v _359_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.05	0.11	3.07	^ _359_/Y (sky130_fd_sc_hd__inv_2)
					004 (net)
		0.05	0.00	3.07	^ _410_/RESET_B (sky130_fd_sc_hd__dftrtp_2)
					data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08	^ clk (in)
					clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.25	10.59	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	10.59	^ _410_/CLK (sky130_fd_sc_hd__dftrtp_2)
		-0.25		10.34	clock uncertainty
		0.00		10.34	clock reconvergence pessimism
		0.46		10.81	library recovery time
				10.81	data required time

				10.81	data required time
				-3.07	data arrival time

				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _424_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.37	2.57	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.57	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
10	0.07	0.14	0.38	2.95	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
					201 (net)
		0.14	0.00	2.96	v _374_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.10	3.06	^ _374_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_018_ (net)
		0.05	0.00	3.06	^ _424_/RESET_B (sky130_fd_sc_hd__dftrtp_2)
				3.06	data arrival time
			10.00	10.00	clock clk (rise edge)

			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.25	10.59	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.09	0.00	10.59	^ _424_/CLK (sky130_fd_sc_hd_dfrtp_2)
			-0.25	10.34	clock uncertainty
			0.00	10.34	clock reconvergence pessimism
			0.46	10.80	library recovery time
				10.80	data required time

				10.80	data required time
				-3.06	data arrival time

				7.74	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _425_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
		0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.14	0.37	2.57	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.14	0.00	2.57	v _367_/A (sky130_fd_sc_hd_clkbuf_8)
		0.14	0.38	2.95	v _367_/X (sky130_fd_sc_hd_clkbuf_8)
10	0.07				_201_ (net)
		0.14	0.00	2.96	v _375_/A (sky130_fd_sc_hd_inv_2)
		0.05	0.10	3.06	^ _375_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_019_ (net)
		0.05	0.00	3.06	^ _425_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				3.06	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.08	0.24	10.58	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.09	0.00	10.58	^ _425_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	10.33	clock uncertainty
			0.00	10.33	clock reconvergence pessimism
			0.47	10.81	library recovery time
				10.81	data required time

				10.81	data required time
				-3.06	data arrival time

				7.74	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _423_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.02	0.01	2.01 v	rst (in)
					rst (net)
			0.02	2.01 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.05	0.11	0.00	2.20 v	_355_/A (sky130_fd_sc_hd__buf_4)
			0.14	2.57 v	_355_/X (sky130_fd_sc_hd__buf_4)
10	0.07	0.14	0.00	2.57 v	_199_ (net)
			0.14	2.57 v	_367_/A (sky130_fd_sc_hd__clkbuf_8)
10	0.07	0.14	0.38	2.95 v	_367_/X (sky130_fd_sc_hd__clkbuf_8)
					201 (net)
1	0.00	0.14	0.00	2.96 v	_373_/A (sky130_fd_sc_hd__inv_2)
			0.05	3.06 ^	_373_/Y (sky130_fd_sc_hd__inv_2)
1	0.00	0.05	0.10	3.06 ^	_017_ (net)
			0.05	3.06 ^	_423_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				3.06	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08 ^	clk (in)
					clk (net)
4	0.04	0.12	0.00	10.08 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.10	10.34 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.10	0.00	10.34 ^	clknet_0_clk (net)
			0.08	10.58 ^	clkbuf_2_2_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.08	0.24	10.58 ^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2_leaf_clk (net)
		0.09	0.00	10.58 ^	_423_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.33	clock uncertainty
			0.00	10.33	clock reconvergence pessimism
			0.47	10.81	library recovery time
				10.81	data required time

				10.81	data required time
				-3.06	data arrival time

				7.75	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _422_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.02	0.01	2.01 v	rst (in)
					rst (net)
			0.02	2.01 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.05	0.11	0.00	2.20 v	_355_/A (sky130_fd_sc_hd__buf_4)
			0.14	2.57 v	_355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)

		0.14	0.00	2.57	v	_367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.14	0.38	2.95	v	_367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07					_201_ (net)
		0.14	0.00	2.96	v	_372_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.10	3.06	^	_372_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_016_ (net)
		0.05	0.00	3.06	^	_422_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				3.06		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.12	0.08	10.08	^	clk (in)
						clk (net)
		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.10	0.00	10.34	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.08	0.24	10.58	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
		0.09	0.00	10.58	^	_422_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.33		clock uncertainty
		0.00		10.33		clock reconvergence pessimism
		0.47		10.81		library recovery time
				10.81		data required time

				10.81		data required time
				-3.06		data arrival time

				7.75		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _411_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.37	2.57	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.57	v _356_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.15	0.39	2.97	v _356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
		0.15	0.00	2.97	v _360_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.10	3.07	^ _360_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_005_ (net)
		0.05	0.00	3.07	^ _411_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				3.07	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08	^ clk (in)
					clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	10.59	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	10.60	^ _411_/CLK (sky130_fd_sc_hd__dfrtp_1)

-0.25	10.35	clock uncertainty
0.00	10.35	clock reconvergence pessimism
0.48	10.82	library recovery time
	10.82	data required time

10.82	data required time
-3.07	data arrival time

7.75	slack (MET)
------	-------------

Startpoint: rst (input port clocked by clk)
Endpoint: _427_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description		
1	0.00		0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
			2.00	2.00	v input external delay		
		0.02	0.01	2.01	v rst (in)		
					rst (net)		
			0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd_buf_1)	
		3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd_buf_1)
						net2 (net)	
			0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd_buf_4)	
		10	0.05	0.14	0.37	2.57	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.07				_199_ (net)		
		0.14	0.00	2.57	v _367_/A (sky130_fd_sc_hd_clkbuf_8)		
		0.14	0.38	2.95	v _367_/X (sky130_fd_sc_hd_clkbuf_8)		
					201 (net)		
1	0.00	0.14	0.00	2.96	v _377_/A (sky130_fd_sc_hd_inv_2)		
		0.06	0.11	3.06	^ _377_/Y (sky130_fd_sc_hd_inv_2)		
					021 (net)		
		0.06	0.00	3.06	^ _427_/RESET_B (sky130_fd_sc_hd_dfrtp_1)		
				3.06	data arrival time		
1	0.02		10.00	10.00	clock clk (rise edge)		
			0.00	10.00	clock source latency		
		0.12	0.08	10.08	^ clk (in)		
					clk (net)		
4	0.04	0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)		
		0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)		
12	0.04				clknet_0_clk (net)		
		0.10	0.00	10.34	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)		
		0.09	0.24	10.59	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)		
					clknet_2_1_leaf_clk (net)		
		0.09	0.00	10.59	^ _427_/CLK (sky130_fd_sc_hd_dfrtp_1)		
			-0.25	10.34	clock uncertainty		
		0.00	10.34	clock reconvergence pessimism			
		0.47	10.81	library recovery time			
			10.81	data required time			
				10.81	data required time		
				-3.06	data arrival time		
				7.75	slack (MET)		

Startpoint: rst (input port clocked by clk)
Endpoint: _418_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)

			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.37	2.57	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.57	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
10	0.07	0.14	0.38	2.95	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
					201 (net)
		0.14	0.00	2.96	v _368_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.05	0.10	3.06	^ _368_/Y (sky130_fd_sc_hd__inv_2)
					012 (net)
		0.05	0.00	3.06	^ _418_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
					data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08	^ clk (in)
					clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.25	10.59	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.09	0.00	10.59	^ _418_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25		10.34	clock uncertainty
		0.00		10.34	clock reconvergence pessimism
		0.48		10.82	library recovery time
				10.82	data required time

				10.82	data required time
				-3.06	data arrival time

				7.75	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _421_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.37	2.57	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.57	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
10	0.07	0.14	0.38	2.95	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
					201 (net)
		0.14	0.00	2.96	v _371_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.05	0.10	3.06	^ _371_/Y (sky130_fd_sc_hd__inv_2)
					015 (net)
		0.05	0.00	3.06	^ _421_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
					data arrival time
			10.00	10.00	clock clk (rise edge)

			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.25	10.59	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.09	0.00	10.59	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.34		clock uncertainty
		0.00	10.34		clock reconvergence pessimism
		0.48	10.82		library recovery time
			10.82		data required time

			10.82		data required time
			-3.06		data arrival time

			7.75		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _419_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
		0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.14	0.37	2.57	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.14	0.00	2.57	v _367_/A (sky130_fd_sc_hd_clkbuf_8)
		0.14	0.38	2.95	v _367_/X (sky130_fd_sc_hd_clkbuf_8)
10	0.07				_201_ (net)
		0.14	0.00	2.96	v _369_/A (sky130_fd_sc_hd_inv_2)
		0.05	0.10	3.06	^ _369_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_013_ (net)
		0.05	0.00	3.06	^ _419_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
			3.06		data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.25	10.59	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.09	0.00	10.59	^ _419_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.34		clock uncertainty
		0.00	10.34		clock reconvergence pessimism
		0.48	10.82		library recovery time
			10.82		data required time

			10.82		data required time
			-3.06		data arrival time

			7.75		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _426_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.02	0.01	2.01 v	rst (in)
					rst (net)
			0.02	2.01 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.05	0.11	0.00	2.20 v	_355_/A (sky130_fd_sc_hd__buf_4)
			0.14	2.57 v	_355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
10	0.07	0.14	0.00	2.57 v	_367_/A (sky130_fd_sc_hd__clkbuf_8)
			0.38	2.95 v	_367_/X (sky130_fd_sc_hd__clkbuf_8)
					201 (net)
1	0.00	0.14	0.00	2.96 v	_376_/A (sky130_fd_sc_hd__inv_2)
			0.05	3.06 ^	_376_/Y (sky130_fd_sc_hd__inv_2)
					020 (net)
		0.05	0.00	3.06 ^	_426_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				3.06	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08 ^	clk (in)
					clk (net)
			0.12	10.08 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.34 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
			0.10	10.34 ^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.25	10.59 ^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
			0.09	10.59 ^	_426_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.34	clock uncertainty
			0.00	10.34	clock reconvergence pessimism
			0.48	10.82	library recovery time
				10.82	data required time

				10.82	data required time
				-3.06	data arrival time

				7.75	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _420_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.02	0.01	2.01 v	rst (in)
					rst (net)
			0.02	2.01 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.05	0.11	0.00	2.20 v	_355_/A (sky130_fd_sc_hd__buf_4)
			0.14	2.57 v	_355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)

		0.14	0.00	2.57	v	_367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.14	0.38	2.95	v	_367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07					_201_ (net)
		0.14	0.00	2.96	v	_370_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.10	3.06	^	_370_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_014_ (net)
		0.05	0.00	3.06	^	_420_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				3.06		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.12	0.08	10.08	^	clk (in)
						clk (net)
		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.10	0.00	10.34	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.25	10.59	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3__leaf_clk (net)
		0.09	0.00	10.59	^	_420_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25		10.34		clock uncertainty
		0.00		10.34		clock reconvergence pessimism
		0.48		10.82		library recovery time
				10.82		data required time

				10.82		data required time
				-3.06		data arrival time

				7.75		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _436_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _378_/A (sky130_fd_sc_hd__buf_4)
10	0.07	0.17	0.40	2.60	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
		0.17	0.00	2.60	v _387_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.12	2.72	^ _387_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_030_ (net)
		0.06	0.00	2.72	^ _436_/SET_B (sky130_fd_sc_hd__dfstp_1)
				2.72	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08	^ clk (in)
					clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.25	10.59	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.09	0.00	10.59	^ _436_/CLK (sky130_fd_sc_hd__dfstp_1)
		-0.25		10.34	clock uncertainty
		0.00		10.34	clock reconvergence pessimism
		0.28		10.62	library recovery time

			10.62	data required time

			10.62	data required time
			-2.72	data arrival time

			7.90	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _435_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.17	0.40	2.60	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.17	0.00	2.60	v _386_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.11	2.71	^ _386_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_029_ (net)
		0.06	0.00	2.71	^ _435_/RESET_B (sky130_fd_sc_hd__dfrtp_2)
				2.71	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	10.59	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	10.60	^ _435_/CLK (sky130_fd_sc_hd__dfrtp_2)
			-0.25	10.35	clock uncertainty
			0.00	10.35	clock reconvergence pessimism
			0.46	10.80	library recovery time
				10.80	data required time

				10.80	data required time
				-2.71	data arrival time

				8.09	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _433_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)

3	0.01				net2 (net)
		0.11	0.00	2.20	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.17	0.40	2.60	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.17	0.00	2.60	v _384_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.12	2.72	^ _384_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_027_ (net)
		0.06	0.00	2.72	^ _433_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.72	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.59	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	10.59	^ _433_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.34	clock uncertainty
		0.00		10.34	clock reconvergence pessimism
		0.47		10.81	library recovery time
				10.81	data required time

				10.81	data required time
				-2.72	data arrival time

				8.09	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _434_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.20	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.17	0.40	2.60	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.17	0.00	2.60	v _385_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.11	2.72	^ _385_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_028_ (net)
		0.06	0.00	2.72	^ _434_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.72	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.59	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	10.59	^ _434_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.34	clock uncertainty
		0.00		10.34	clock reconvergence pessimism

	0.47	10.81	library recovery time
		10.81	data required time

		10.81	data required time
		-2.72	data arrival time

		8.09	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _437_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.02	0.01	2.01 v	rst (in)
					rst (net)
3	0.01	0.02	0.00	2.01 v	input2/A (sky130_fd_sc_hd__buf_1)
				2.20 v	input2/X (sky130_fd_sc_hd__buf_1)
10	0.07	0.11	0.19		net2 (net)
				2.20 v	_378_/A (sky130_fd_sc_hd__buf_4)
				2.60 v	_378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
1	0.00	0.17	0.00	2.60 v	_388_/A (sky130_fd_sc_hd__inv_2)
				2.72 ^	_388_/Y (sky130_fd_sc_hd__inv_2)
					031 (net)
				2.72 ^	_437_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
			2.72		data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08 ^	clk (in)
					clk (net)
4	0.04	0.12	0.00	10.08 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				10.34 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.10	0.25		clknet_0_clk (net)
				10.34 ^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				10.59 ^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.09	0.00	10.59 ^	_437_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.34	clock uncertainty
			0.00	10.34	clock reconvergence pessimism
			0.47	10.81	library recovery time
				10.81	data required time

				10.81	data required time
				-2.72	data arrival time

				8.10	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _429_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.02	0.01	2.01 v	rst (in)
					rst (net)
		0.02	0.00	2.01 v	input2/A (sky130_fd_sc_hd__buf_1)

3	0.01	0.11	0.19	2.20	v	input2/X (sky130_fd_sc_hd_buf_1)
						net2 (net)
10	0.07	0.11	0.00	2.20	v	_378_/A (sky130_fd_sc_hd_buf_4)
		0.17	0.40	2.60	v	_378_/X (sky130_fd_sc_hd_buf_4)
1	0.00					_202_ (net)
		0.17	0.00	2.60	v	_380_/A (sky130_fd_sc_hd_inv_2)
		0.06	0.12	2.72	^	_380_/Y (sky130_fd_sc_hd_inv_2)
						023 (net)
		0.06	0.00	2.72	^	_429_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.72		data arrival time
1	0.02		10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.12	0.08	10.08	^	clk (in)
						clk (net)
		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.10	0.00	10.34	^	clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.10	0.25	10.59	^	clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_0_leaf_clk (net)
		0.10	0.00	10.59	^	_429_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.34			clock uncertainty
		0.00	10.34			clock reconvergence pessimism
		0.47	10.82			library recovery time
			10.82			data required time
				10.82		data required time
				-2.72		data arrival time
				8.10		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _431_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description	
			0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			2.00	2.00	v input external delay	
1	0.00	0.02	0.01	2.01	v rst (in)	
						rst (net)
3	0.01	0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd_buf_1)	
		0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd_buf_1)	
10	0.07				net2 (net)	
		0.11	0.00	2.20	v _378_/A (sky130_fd_sc_hd_buf_4)	
		0.17	0.40	2.60	v _378_/X (sky130_fd_sc_hd_buf_4)	
						202 (net)
		0.17	0.00	2.60	v _382_/A (sky130_fd_sc_hd_inv_2)	
		0.06	0.12	2.72	^ _382_/Y (sky130_fd_sc_hd_inv_2)	
1	0.00				_025_ (net)	
		0.06	0.00	2.72	^ _431_/RESET_B (sky130_fd_sc_hd_dfrtp_1)	
			2.72		data arrival time	
			10.00	10.00	clock clk (rise edge)	
			0.00	10.00	clock source latency	
1	0.02	0.12	0.08	10.08	^ clk (in)	
						clk (net)
4	0.04	0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)	
		0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)	
					clknet_0_clk (net)	
		0.10	0.00	10.34	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)	
14	0.04	0.10	0.25	10.59	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)	
						clknet_2_0_leaf_clk (net)
			0.10	0.00	10.60	^ _431_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	10.35		clock uncertainty

0.00 10.35 clock reconvergence pessimism
0.48 10.82 library recovery time
10.82 data required time

10.82 data required time
-2.72 data arrival time

8.10 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _432_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description	
1	0.00	0.02	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			2.00	2.00 v	input external delay	
			0.01	2.01 v	rst (in)	
					rst (net)	
			0.02	0.00	2.01 v	input2/A (sky130_fd_sc_hd_buf_1)
			0.11	0.19	2.20 v	input2/X (sky130_fd_sc_hd_buf_1)
						net2 (net)
			0.11	0.00	2.20 v	_378_/A (sky130_fd_sc_hd_buf_4)
			0.17	0.40	2.60 v	_378_/X (sky130_fd_sc_hd_buf_4)
10	0.07				_202_ (net)	
			0.17	0.00	2.60 v	_383_/A (sky130_fd_sc_hd_inv_2)
1	0.00		0.06	0.11	2.72 ^	
						383/Y (sky130_fd_sc_hd_inv_2)
					026 (net)	
			0.06	0.00	2.72 ^	_432_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.72	data arrival time	
			10.00	10.00	clock clk (rise edge)	
			0.00	10.00	clock source latency	
1	0.02	0.12	0.08	10.08 ^	clk (in)	
						clk (net)
			0.12	0.00	10.08 ^	
			0.10	0.26	10.34 ^	
4	0.04				clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)	
						clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)	
			0.10	0.00	10.34 ^	clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04		0.10	0.25	10.59 ^	
						clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)	
				0.10	10.60 ^	
					432/CLK (sky130_fd_sc_hd_dfrtp_1)	
				-0.25	10.35	
				0.00	clock uncertainty	
					10.35	
				0.48	clock reconvergence pessimism	
					library recovery time	
					10.82	
					data required time	
				10.82	data required time	
				-2.72	data arrival time	
				8.10	slack (MET)	

Startpoint: rst (input port clocked by clk)
Endpoint: _430_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
1	0.00	0.02	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
			0.01	2.01 v	rst (in)
					rst (net)

		0.02	0.00	2.01	v	input2/A (sky130_fd_sc_hd_buf_1)
		0.11	0.19	2.20	v	input2/X (sky130_fd_sc_hd_buf_1)
3	0.01					net2 (net)
		0.11	0.00	2.20	v	_378_/A (sky130_fd_sc_hd_buf_4)
10	0.07	0.17	0.40	2.60	v	_378_/X (sky130_fd_sc_hd_buf_4)
						202 (net)
		0.17	0.00	2.60	v	_381_/A (sky130_fd_sc_hd_inv_2)
		0.06	0.11	2.72	^	_381_/Y (sky130_fd_sc_hd_inv_2)
1	0.00					_024_ (net)
		0.06	0.00	2.72	^	_430_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.72		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.12	0.08	10.08	^	clk (in)
						clk (net)
		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.10	0.00	10.34	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.10	0.25	10.59	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.10	0.00	10.60	^	_430_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.35		clock uncertainty
		0.00		10.35		clock reconvergence pessimism
		0.48		10.82		library recovery time
				10.82		data required time

				10.82		data required time
				-2.72		data arrival time

				8.11		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _428_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
		0.11	0.00	2.20	v _378_/A (sky130_fd_sc_hd_buf_4)
10	0.07	0.17	0.40	2.60	v _378_/X (sky130_fd_sc_hd_buf_4)
					202 (net)
		0.17	0.00	2.60	v _379_/A (sky130_fd_sc_hd_inv_2)
		0.06	0.11	2.72	^ _379_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_022_ (net)
		0.06	0.00	2.72	^ _428_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.72	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08	^ clk (in)
					clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.10	0.25	10.59	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	10.60	^ _428_/CLK (sky130_fd_sc_hd_dfrtp_1)

-0.25	10.35	clock uncertainty
0.00	10.35	clock reconvergence pessimism
0.48	10.82	library recovery time
	10.82	data required time

10.82	data required time
-2.72	data arrival time

8.11	slack (MET)
------	-------------

Startpoint: rst (input port clocked by clk)
Endpoint: _443_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
3	0.01	0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
				2.20	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.06	0.11	0.19		net2 (net)
				2.20	v _389_/A (sky130_fd_sc_hd__buf_4)
1	0.00	0.15	0.38	2.58	v _389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
1	0.00	0.15	0.00	2.59	v _395_/A (sky130_fd_sc_hd__inv_2)
				2.69	^ _395_/Y (sky130_fd_sc_hd__inv_2)
1	0.00	0.06	0.11		_037_ (net)
				2.69	^ _443_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
			0.06	0.00	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08	^ clk (in)
					clk (net)
4	0.04	0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.10	0.26		clknet_0_clk (net)
				10.34	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.24	10.59	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1_leaf_clk (net)
			0.09	0.00	^ _443_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.34	clock uncertainty
			0.00	10.34	clock reconvergence pessimism
			0.47	10.81	library recovery time
				10.81	data required time

				10.81	data required time
				-2.69	data arrival time

				8.12	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _440_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)

id	type	min	max	value	description
1	0.00	0.02	0.00	2.01 v	rst (net)
		0.11	0.19	2.20 v	input2/A (sky130_fd_sc_hd_buf_1)
3	0.01			2.20 v	input2/X (sky130_fd_sc_hd_buf_1)
		0.11	0.00		net2 (net)
		0.15	0.38	2.20 v	_389_/A (sky130_fd_sc_hd_buf_4)
10	0.06			2.58 v	_389_/X (sky130_fd_sc_hd_buf_4)
		0.15	0.00		_203_ (net)
		0.06	0.11	2.59 v	_392_/A (sky130_fd_sc_hd_inv_2)
1	0.00			2.70 ^	_392_/Y (sky130_fd_sc_hd_inv_2)
		0.06	0.00		_034_ (net)
				2.70 ^	_440_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.70	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
		0.12	0.08	10.08 ^	clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08 ^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.34 ^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.34 ^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.25	10.59 ^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.09	0.00	10.59 ^	_440_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.34	clock uncertainty
		0.00		10.34	clock reconvergence pessimism
		0.48		10.82	library recovery time
				10.82	data required time

				10.82	data required time
				-2.70	data arrival time

				8.12	slack (MET)

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _389_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.15	0.38	2.58	v _389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
		0.15	0.00	2.59	v _393_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.10	2.69	^ _393_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_035_ (net)
		0.05	0.00	2.69	^ _441_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.69	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.59	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)

0.09	0.00	10.59	^	_441_/CLK (sky130_fd_sc_hd__dfrtp_1)
	-0.25	10.34		clock uncertainty
	0.00	10.34		clock reconvergence pessimism
	0.48	10.81		library recovery time
		10.81		data required time

		10.81		data required time
		-2.69		data arrival time

		8.12		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _445_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
3	0.01	0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
				2.20	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.06	0.11	0.38		net2 (net)
				2.20	v _389_/A (sky130_fd_sc_hd__buf_4)
				2.58	v _389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
1	0.00	0.15	0.11	2.59	v _397_/A (sky130_fd_sc_hd__inv_2)
				2.69	^ _397_/Y (sky130_fd_sc_hd__inv_2)
					039 (net)
				2.69	^ _445_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
			2.69		data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08	^ clk (in)
					clk (net)
4	0.04	0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.10	0.24		clknet_0_clk (net)
				10.34	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				10.59	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.09	0.00	10.59	^ _445_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.34	clock uncertainty
			0.00	10.34	clock reconvergence pessimism
			0.47	10.81	library recovery time
				10.81	data required time

				10.81	data required time
				-2.69	data arrival time

				8.12	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _447_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay

		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
		0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.20	v _389_/A (sky130_fd_sc_hd_buf_4)
		0.15	0.38	2.58	v _389_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_203_ (net)
		0.15	0.00	2.58	v _399_/A (sky130_fd_sc_hd_inv_2)
		0.06	0.11	2.70	^ _399_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_041_ (net)
		0.06	0.00	2.70	^ _447_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.70	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	10.59	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.10	0.00	10.59	^ _447_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.34	clock uncertainty
		0.00		10.34	clock reconvergence pessimism
		0.47		10.82	library recovery time
				10.82	data required time

				10.82	data required time
				-2.70	data arrival time

				8.12	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _446_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
		0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.20	v _389_/A (sky130_fd_sc_hd_buf_4)
		0.15	0.38	2.58	v _389_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_203_ (net)
		0.15	0.00	2.58	v _398_/A (sky130_fd_sc_hd_inv_2)
		0.06	0.11	2.69	^ _398_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_040_ (net)
		0.06	0.00	2.69	^ _446_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.69	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.24	10.59	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)

12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	10.59	^ _446_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.34	clock uncertainty
			0.00	10.34	clock reconvergence pessimism
			0.47	10.81	library recovery time
				10.81	data required time

				10.81	data required time
				-2.69	data arrival time

				8.12	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _442_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _389_/A (sky130_fd_sc_hd__buf_4)
		0.15	0.38	2.58	v _389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
		0.15	0.00	2.59	v _394_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.10	2.69	^ _394_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_036_ (net)
		0.05	0.00	2.69	^ _442_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.69	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.59	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	10.59	^ _442_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.34	clock uncertainty
			0.00	10.34	clock reconvergence pessimism
			0.48	10.81	library recovery time
				10.81	data required time

				10.81	data required time
				-2.69	data arrival time

				8.12	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _444_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)

			2.00	2.00	v	input external delay
		0.02	0.01	2.01	v	rst (in)
1	0.00					rst (net)
		0.02	0.00	2.01	v	input2/A (sky130_fd_sc_hd_buf_1)
		0.11	0.19	2.20	v	input2/X (sky130_fd_sc_hd_buf_1)
3	0.01					net2 (net)
		0.11	0.00	2.20	v	_389_/A (sky130_fd_sc_hd_buf_4)
		0.15	0.38	2.58	v	_389_/X (sky130_fd_sc_hd_buf_4)
10	0.06					_203_ (net)
		0.15	0.00	2.59	v	_396_/A (sky130_fd_sc_hd_inv_2)
		0.06	0.11	2.69	^	_396_/Y (sky130_fd_sc_hd_inv_2)
1	0.00					_038_ (net)
		0.06	0.00	2.69	^	_444_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.69		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.12	0.08	10.08	^	clk (in)
						clk (net)
		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.10	0.00	10.34	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.25	10.59	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_3_leaf_clk (net)
		0.09	0.00	10.59	^	_444_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	10.34		clock uncertainty
			0.00	10.34		clock reconvergence pessimism
			0.48	10.82		library recovery time
				10.82		data required time

				10.82		data required time
				-2.69		data arrival time

				8.12		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _439_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
		0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.20	v _389_/A (sky130_fd_sc_hd_buf_4)
		0.15	0.38	2.58	v _389_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_203_ (net)
		0.15	0.00	2.59	v _391_/A (sky130_fd_sc_hd_inv_2)
		0.06	0.11	2.69	^ _391_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_033_ (net)
		0.06	0.00	2.69	^ _439_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.69	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08	^ clk (in)
					clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)

12	0.04	0.09	0.25	10.59	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3__leaf_clk (net)
		0.09	0.00	10.59	^	_439_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.34		clock uncertainty
			0.00	10.34		clock reconvergence pessimism
			0.48	10.82		library recovery time
				10.82		data required time

				10.82		data required time
				-2.69		data arrival time

		8.12		slack (MET)		

Startpoint: rst (input port clocked by clk)
Endpoint: _438_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description		
1	0.00		0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
			2.00	2.00	v input external delay		
			2.01	v	rst (in)		
					rst (net)		
			0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)	
		3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
							net2 (net)
		10	0.06	0.11	0.00	2.20	v _389_/A (sky130_fd_sc_hd__buf_4)
				0.15	0.38	2.58	v _389_/X (sky130_fd_sc_hd__buf_4)
1	0.00				_203_ (net)		
			0.15	0.00	2.59	v _390_/A (sky130_fd_sc_hd__inv_2)	
			0.06	0.11	2.69	^ _390_/Y (sky130_fd_sc_hd__inv_2)	
						032 (net)	
			0.06	0.00	2.69	^ _438_/RESET_B (sky130_fd_sc_hd__dfrtp_1)	
				2.69	data arrival time		
1	0.02		10.00	10.00	clock clk (rise edge)		
			0.00	10.00	clock source latency		
		0.12	0.08	10.08	^ clk (in)		
					clk (net)		
4	0.04	0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)		
		0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)		
12	0.04				clknet_0_clk (net)		
		0.10	0.00	10.34	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)		
		0.09	0.25	10.59	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)		
					clknet_2_3__leaf_clk (net)		
		0.09	0.00	10.59	^ _438_/CLK (sky130_fd_sc_hd__dfrtp_1)		
			-0.25	10.34	clock uncertainty		
				0.00	10.34	clock reconvergence pessimism	
				0.48	10.82	library recovery time	
					10.82	data required time	
				10.82	data required time		
				-2.69	data arrival time		
				8.12	slack (MET)		

Startpoint: rst (input port clocked by clk)
Endpoint: _450_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)

			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.37	2.57	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.57	v _402_/A (sky130_fd_sc_hd__inv_2)
1	0.01	0.06	0.12	2.69	^ _402_/Y (sky130_fd_sc_hd__inv_2)
					044 (net)
		0.06	0.00	2.69	^ _450_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.69	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08	^ clk (in)
					clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.25	10.59	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	10.59	^ _450_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.34	clock uncertainty
		0.00		10.34	clock reconvergence pessimism
		0.47		10.82	library recovery time
				10.82	data required time

				10.82	data required time
				-2.69	data arrival time

				8.13	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _454_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.37	2.57	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.57	v _406_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.10	2.68	^ _406_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_048_ (net)
		0.05	0.00	2.68	^ _454_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.68	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08	^ clk (in)
					clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)

		0.10	0.00	10.34	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.59	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.09	0.00	10.59	^	_454_/CLK (sky130_fd_sc_hd__dfrrtp_1)
		-0.25	10.34			clock uncertainty
		0.00	10.34			clock reconvergence pessimism
		0.48	10.81			library recovery time
			10.81			data required time

			10.81			data required time
			-2.68			data arrival time

			8.14			slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _455_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.14	0.37	2.57	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.14	0.00	2.57	v _407_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.10	2.68	^ _407_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_049_ (net)
		0.05	0.00	2.68	^ _455_/RESET_B (sky130_fd_sc_hd__dfrrtp_1)
			2.68		data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.59	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	10.59	^ _455_/CLK (sky130_fd_sc_hd__dfrrtp_1)
		-0.25	10.34		clock uncertainty
		0.00	10.34		clock reconvergence pessimism
		0.48	10.81		library recovery time
			10.81		data required time

			10.81		data required time
			-2.68		data arrival time

			8.14		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _452_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

		0.00	0.00	clock clk (rise edge)
		0.00	0.00	clock network delay (propagated)
		2.00	2.00	v input external delay
		0.02	0.01	2.01 v rst (in)
1	0.00			rst (net)
		0.02	0.00	2.01 v input2/A (sky130_fd_sc_hd_buf_1)
		0.11	0.19	2.20 v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01			net2 (net)
		0.11	0.00	2.20 v _355_/A (sky130_fd_sc_hd_buf_4)
		0.14	0.37	2.57 v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05			_199_ (net)
		0.14	0.00	2.57 v _404_/A (sky130_fd_sc_hd_inv_2)
		0.05	0.10	2.68 ^ _404_/Y (sky130_fd_sc_hd_inv_2)
1	0.00			_046_ (net)
		0.05	0.00	2.68 ^ _452_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.68 data arrival time

		10.00	10.00	clock clk (rise edge)
		0.00	10.00	clock source latency
		0.12	0.08	10.08 ^ clk (in)
1	0.02			clk (net)
		0.12	0.00	10.08 ^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	10.34 ^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04			clknet_0_clk (net)
		0.10	0.00	10.34 ^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.24	10.59 ^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04			clknet_2_1__leaf_clk (net)
		0.09	0.00	10.59 ^ _452_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.34	clock uncertainty
		0.00	10.34	clock reconvergence pessimism
		0.48	10.81	library recovery time
			10.81	data required time

			10.81	data required time
			-2.68	data arrival time

			8.14	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _453_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01 v rst (in)	
1	0.00				rst (net)
		0.02	0.00	2.01 v input2/A (sky130_fd_sc_hd_buf_1)	
		0.11	0.19	2.20 v input2/X (sky130_fd_sc_hd_buf_1)	
3	0.01				net2 (net)
		0.11	0.00	2.20 v _355_/A (sky130_fd_sc_hd_buf_4)	
		0.14	0.37	2.57 v _355_/X (sky130_fd_sc_hd_buf_4)	
10	0.05				_199_ (net)
		0.14	0.00	2.57 v _405_/A (sky130_fd_sc_hd_inv_2)	
		0.05	0.10	2.67 ^ _405_/Y (sky130_fd_sc_hd_inv_2)	
1	0.00				_047_ (net)
		0.05	0.00	2.67 ^ _453_/RESET_B (sky130_fd_sc_hd_dfrtp_1)	
				2.67	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08 ^ clk (in)	
1	0.02				clk (net)
		0.12	0.00	10.08 ^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)	
		0.10	0.26	10.34 ^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)	

4	0.04				clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.59	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	10.59	^ _453_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.34	clock uncertainty
			0.00	10.34	clock reconvergence pessimism
			0.48	10.81	library recovery time
				10.81	data required time

				10.81	data required time
				-2.67	data arrival time

				8.14	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _451_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.14	0.37	2.57	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.14	0.00	2.57	v _403_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.11	2.68	^ _403_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_045_ (net)
		0.06	0.00	2.68	^ _451_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.68	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	10.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	10.59	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	10.59	^ _451_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.34	clock uncertainty
			0.00	10.34	clock reconvergence pessimism
			0.48	10.82	library recovery time
				10.82	data required time

				10.82	data required time
				-2.68	data arrival time

				8.14	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _449_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
--------	-----	------	-------	------	-------------

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.02	0.01	2.01 v	rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20 v	_355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.37	2.57 v	_355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.58 v	_401_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.10	2.68 ^	_401_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_043_ (net)
		0.05	0.00	2.68 ^	_449_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.68	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08 ^	clk (in)
					clk (net)
		0.12	0.00	10.08 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	10.34 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	10.34 ^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.25	10.59 ^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	10.59 ^	_449_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25		10.34	clock uncertainty
		0.00		10.34	clock reconvergence pessimism
		0.48		10.82	library recovery time
				10.82	data required time

				10.82	data required time
				-2.68	data arrival time

				8.14	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _448_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.02	0.01	2.01 v	rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20 v	_355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.37	2.57 v	_355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.57 v	_400_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.10	2.68 ^	_400_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_042_ (net)
		0.05	0.00	2.68 ^	_448_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.68	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08 ^	clk (in)
					clk (net)
		0.12	0.00	10.08 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)

		0.10	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	10.34	^	clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	10.59	^	clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04					clknet_2_0_leaf_clk (net)
		0.10	0.00	10.59	^	_448_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	10.34		clock uncertainty
			0.00	10.34		clock reconvergence pessimism
			0.48	10.82		library recovery time
				10.82		data required time

				10.82		data required time
				-2.68		data arrival time

				8.15		slack (MET)

===== Typical Corner =====

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _427_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.06	0.00	0.38	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.08	0.42	0.80	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[13] (net)
		0.08	0.00	0.80	v _205_/A (sky130_fd_sc_hd_or4_1)
		0.09	0.57	1.37	v _205_/X (sky130_fd_sc_hd_or4_1)
1	0.00				_097_ (net)
		0.09	0.00	1.37	v _209_/A (sky130_fd_sc_hd_nor4_1)
		0.42	0.46	1.83	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
2	0.01				_101_ (net)
		0.42	0.00	1.83	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.15	0.22	2.05	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01				net25 (net)
		0.15	0.00	2.05	^ _217_/C (sky130_fd_sc_hd_nand4_1)
		0.13	0.17	2.22	v _217_/Y (sky130_fd_sc_hd_nand4_1)
3	0.01				_109_ (net)
		0.13	0.00	2.22	v _218_/A (sky130_fd_sc_hd_buf_4)
		0.09	0.25	2.46	v _218_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_110_ (net)
		0.09	0.00	2.47	v _291_/S (sky130_fd_sc_hd_mux2_1)
		0.05	0.33	2.80	v _291_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_154_ (net)
		0.05	0.00	2.80	v hold36/A (sky130_fd_sc_hd_dlygate4sd3_1)
		0.06	0.58	3.38	v hold36/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00				net61 (net)
		0.06	0.00	3.38	v _292_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.10	3.48	v _292_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_067_ (net)
		0.03	0.00	3.48	v _427_/D (sky130_fd_sc_hd_dfrtp_1)
				3.48	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency

		0.08	0.05	10.05	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.34	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.06	0.00	10.34	^	_427_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.09			clock uncertainty
		0.02	10.11			clock reconvergence pessimism
		-0.10	10.01			library setup time
			10.01			data required time

				10.01		data required time
				-3.48		data arrival time

				6.53		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _450_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
1	0.00	0.02	0.01	2.01	^ start (in)
					start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd_buf_1)
2	0.02	0.19	0.19	2.20	^ input3/X (sky130_fd_sc_hd_buf_1)
					net3 (net)
		0.19	0.00	2.20	^ _237_/B (sky130_fd_sc_hd_nor2_4)
9	0.04	0.07	0.10	2.30	v _237_/Y (sky130_fd_sc_hd_nor2_4)
					125 (net)
		0.07	0.00	2.30	v _238_/B1 (sky130_fd_sc_hd_a21o_2)
8	0.04	0.11	0.29	2.59	v _238_/X (sky130_fd_sc_hd_a21o_2)
					126 (net)
		0.11	0.00	2.59	v _241_/A2 (sky130_fd_sc_hd_a22o_1)
		0.04	0.26	2.85	v _241_/X (sky130_fd_sc_hd_a22o_1)
1	0.00				_090_ (net)
		0.04	0.00	2.85	v hold10/A (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00	0.05	0.58	3.43	v hold10/X (sky130_fd_sc_hd_dlygate4sd3_1)
					net35 (net)
		0.05	0.00	3.43	v _450_/D (sky130_fd_sc_hd_dfrtp_1)
				3.43	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	10.34	^ _450_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		-0.11	9.98		library setup time
			9.98		data required time

				9.98	data required time
				-3.43	data arrival time

6.55 slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _426_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.15	0.37	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
3	0.01	0.08	0.42	0.80	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
					clk_count[13] (net)
		0.08	0.00	0.80	v _205_/A (sky130_fd_sc_hd__or4_1)
1	0.00	0.09	0.57	1.37	v _205_/X (sky130_fd_sc_hd__or4_1)
					097 (net)
		0.09	0.00	1.37	v _209_/A (sky130_fd_sc_hd__nor4_1)
2	0.01	0.42	0.46	1.83	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
					101 (net)
		0.42	0.00	1.83	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.15	0.22	2.05	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
					net25 (net)
		0.15	0.00	2.05	^ _217_/C (sky130_fd_sc_hd__nand4_1)
3	0.01	0.13	0.17	2.22	v _217_/Y (sky130_fd_sc_hd__nand4_1)
					109 (net)
		0.13	0.00	2.22	v _218_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.09	0.25	2.46	v _218_/X (sky130_fd_sc_hd__buf_4)
					110 (net)
		0.09	0.00	2.46	v _293_/S (sky130_fd_sc_hd__mux2_1)
1	0.00	0.05	0.33	2.79	v _293_/X (sky130_fd_sc_hd__mux2_1)
					155 (net)
		0.05	0.00	2.79	v hold34/A (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00	0.06	0.58	3.38	v hold34/X (sky130_fd_sc_hd__dlygate4sd3_1)
					net59 (net)
		0.06	0.00	3.38	v _294_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.03	0.09	3.47	v _294_/X (sky130_fd_sc_hd__clkbuf_1)
					066 (net)
		0.03	0.00	3.47	v _426_/D (sky130_fd_sc_hd__dfrtp_1)
				3.47	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	10.34	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.06	0.00	10.34	^ _426_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.09		clock uncertainty
		0.04	10.13		clock reconvergence pessimism
		-0.10	10.02		library setup time
			10.02		data required time

				10.02	data required time
				-3.47	data arrival time

6.55 slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _449_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
1	0.00	0.02	0.01	2.01	^ start (in)
					start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.19	0.19	2.20	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.19	0.00	2.20	^ _237_/B (sky130_fd_sc_hd__nor2_4)
9	0.04	0.07	0.10	2.30	v _237_/Y (sky130_fd_sc_hd__nor2_4)
					125 (net)
		0.07	0.00	2.30	v _238_/B1 (sky130_fd_sc_hd__a21o_2)
8	0.04	0.11	0.29	2.59	v _238_/X (sky130_fd_sc_hd__a21o_2)
					126 (net)
		0.11	0.00	2.59	v _242_/A2 (sky130_fd_sc_hd__a22o_1)
1	0.00	0.04	0.26	2.85	v _242_/X (sky130_fd_sc_hd__a22o_1)
					089 (net)
		0.04	0.00	2.85	v hold8/A (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00	0.05	0.57	3.42	v hold8/X (sky130_fd_sc_hd__dlygate4sd3_1)
					net33 (net)
		0.05	0.00	3.42	v _449_/D (sky130_fd_sc_hd__dftrtp_1)
				3.42	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.14	10.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.06	0.00	10.34	^ _449_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		-0.11	9.98		library setup time
			9.98		data required time

				9.98	data required time
				-3.42	data arrival time

				6.56	slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _447_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
1	0.00	0.02	0.01	2.01	^ start (in)
					start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)

		0.19	0.19	2.20	^ input3/X (sky130_fd_sc_hd__buf_1)
2	0.02				net3 (net)
		0.19	0.00	2.20	^ _237_/B (sky130_fd_sc_hd__nor2_4)
		0.07	0.10	2.30	v _237_/Y (sky130_fd_sc_hd__nor2_4)
9	0.04				_125_ (net)
		0.07	0.00	2.30	v _238_/B1 (sky130_fd_sc_hd__a21o_2)
		0.11	0.29	2.59	v _238_/X (sky130_fd_sc_hd__a21o_2)
8	0.04				_126_ (net)
		0.11	0.00	2.59	v _244_/A2 (sky130_fd_sc_hd__a22o_1)
		0.03	0.25	2.84	v _244_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_087_ (net)
		0.03	0.00	2.84	v hold3/A (sky130_fd_sc_hd__dlygate4sd3_1)
		0.05	0.57	3.41	v hold3/X (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00				net28 (net)
		0.05	0.00	3.41	v _447_/D (sky130_fd_sc_hd__dftrtp_1)
				3.41	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	10.34	^ _447_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		-0.11	9.98		library setup time
			9.98		data required time

			9.98		data required time
			-3.41		data arrival time

			6.57		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _451_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
		0.02	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
		0.19	0.19	2.20	^ input3/X (sky130_fd_sc_hd__buf_1)
2	0.02				net3 (net)
		0.19	0.00	2.20	^ _237_/B (sky130_fd_sc_hd__nor2_4)
		0.07	0.10	2.30	v _237_/Y (sky130_fd_sc_hd__nor2_4)
9	0.04				_125_ (net)
		0.07	0.00	2.30	v _238_/B1 (sky130_fd_sc_hd__a21o_2)
		0.11	0.29	2.59	v _238_/X (sky130_fd_sc_hd__a21o_2)
8	0.04				_126_ (net)
		0.11	0.00	2.59	v _240_/A2 (sky130_fd_sc_hd__a22o_1)
		0.03	0.25	2.84	v _240_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_091_ (net)
		0.03	0.00	2.84	v hold5/A (sky130_fd_sc_hd__dlygate4sd3_1)
		0.05	0.57	3.41	v hold5/X (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00				net30 (net)
		0.05	0.00	3.41	v _451_/D (sky130_fd_sc_hd__dftrtp_1)
				3.41	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.14	10.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.06	0.00	10.34	^ _451_/CLK (sky130_fd_sc_hd__dfstp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		-0.11	9.98		library setup time
			9.98		data required time

				9.98	data required time
				-3.41	data arrival time

				6.57	slack (MET)

Startpoint: _436_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: cs (output port clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.15	0.37	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^ _436_/CLK (sky130_fd_sc_hd__dfstp_1)
2	0.01	0.08	0.56	0.93	^ _436_/Q (sky130_fd_sc_hd__dfstp_1)
					net13 (net)
		0.08	0.00	0.93	^ output13/A (sky130_fd_sc_hd__clkbuf_4)
1	0.03	0.11	0.21	1.14	^ output13/X (sky130_fd_sc_hd__clkbuf_4)
					cs (net)
		0.11	0.00	1.15	^ cs (out)
				1.15	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time
				-1.15	data arrival time

				6.60	slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _453_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.01	0.00	2.00 v	start (in)
1	0.00				start (net)
		0.01	0.00	2.00 v	input3/A (sky130_fd_sc_hd__buf_1)
		0.09	0.13	2.14 v	input3/X (sky130_fd_sc_hd__buf_1)
2	0.01				net3 (net)
		0.09	0.00	2.14 v	_204_/B (sky130_fd_sc_hd__or2_2)
		0.10	0.37	2.51 v	_204_/X (sky130_fd_sc_hd__or2_2)
6	0.02				_096_ (net)
		0.10	0.00	2.51 v	_222_/A (sky130_fd_sc_hd__and3_1)
		0.03	0.17	2.68 v	_222_/X (sky130_fd_sc_hd__and3_1)
1	0.00				_113_ (net)
		0.03	0.00	2.68 v	_223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.10	0.21	2.88 v	_223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.05				_114_ (net)
		0.10	0.00	2.88 v	_229_/S (sky130_fd_sc_hd__mux2_1)
		0.06	0.34	3.23 v	_229_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_119_ (net)
		0.06	0.00	3.23 v	_230_/A (sky130_fd_sc_hd__clkbuf_1)
		0.03	0.10	3.32 v	_230_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_093_ (net)
		0.03	0.00	3.32 v	_453_/D (sky130_fd_sc_hd__dftrtp_1)
				3.32	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05 ^	clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20 ^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34 ^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.06	0.00	10.34 ^	_453_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		-0.10	9.99		library setup time
			9.99		data required time

				9.99	data required time
				-3.32	data arrival time

				6.66	slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _442_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.01	0.00	2.00 v	start (in)
1	0.00				start (net)
		0.01	0.00	2.00 v	input3/A (sky130_fd_sc_hd__buf_1)
		0.09	0.13	2.14 v	input3/X (sky130_fd_sc_hd__buf_1)
2	0.01				net3 (net)
		0.09	0.00	2.14 v	_204_/B (sky130_fd_sc_hd__or2_2)
		0.10	0.37	2.51 v	_204_/X (sky130_fd_sc_hd__or2_2)
6	0.02				_096_ (net)
		0.10	0.00	2.51 v	_222_/A (sky130_fd_sc_hd__and3_1)
		0.03	0.17	2.68 v	_222_/X (sky130_fd_sc_hd__and3_1)
1	0.00				_113_ (net)

		0.03	0.00	2.68	v	_223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.10	0.21	2.88	v	_223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.05					_114_ (net)
		0.10	0.00	2.88	v	_252_/S (sky130_fd_sc_hd__mux2_1)
		0.06	0.34	3.23	v	_252_/X (sky130_fd_sc_hd__mux2_1)
1	0.00					_131_ (net)
		0.06	0.00	3.23	v	_253_/A (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.09	3.32	v	_253_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00					_082_ (net)
		0.02	0.00	3.32	v	_442_/D (sky130_fd_sc_hd__dftrtp_1)
				3.32		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
1	0.02	0.08	0.05	10.05	^	clk (in)
						clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	10.34	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_1__leaf_clk (net)
		0.06	0.00	10.34	^	_442_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.09			clock uncertainty
		0.00	10.09			clock reconvergence pessimism
		-0.10	9.99			library setup time
			9.99			data required time

				9.99		data required time
				-3.32		data arrival time

				6.67		slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _443_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v start (in)
					start (net)
		0.01	0.00	2.00	v input3/A (sky130_fd_sc_hd__buf_1)
2	0.01	0.09	0.13	2.14	v input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.09	0.00	2.14	v _204_/B (sky130_fd_sc_hd__or2_2)
6	0.02	0.10	0.37	2.51	v _204_/X (sky130_fd_sc_hd__or2_2)
					096 (net)
		0.10	0.00	2.51	v _222_/A (sky130_fd_sc_hd__and3_1)
1	0.00	0.03	0.17	2.68	v _222_/X (sky130_fd_sc_hd__and3_1)
					113 (net)
		0.03	0.00	2.68	v _223_/A (sky130_fd_sc_hd__clkbuf_4)
10	0.05	0.10	0.21	2.88	v _223_/X (sky130_fd_sc_hd__clkbuf_4)
					114 (net)
		0.10	0.00	2.88	v _249_/S (sky130_fd_sc_hd__mux2_1)
1	0.00	0.05	0.34	3.22	v _249_/X (sky130_fd_sc_hd__mux2_1)
					129 (net)
		0.05	0.00	3.22	v _250_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.03	0.10	3.32	v _250_/X (sky130_fd_sc_hd__clkbuf_1)
					083 (net)
		0.03	0.00	3.32	v _443_/D (sky130_fd_sc_hd__dftrtp_1)
				3.32	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency

		0.08	0.05	10.05	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.34	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.06	0.00	10.34	^	_443_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.09			clock uncertainty
		0.00	10.09			clock reconvergence pessimism
		-0.10	9.99			library setup time
			9.99			data required time

				9.99		data required time
				-3.32		data arrival time

				6.67		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _452_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v start (in)
1	0.00				start (net)
		0.01	0.00	2.00	v input3/A (sky130_fd_sc_hd_buf_1)
		0.09	0.13	2.14	v input3/X (sky130_fd_sc_hd_buf_1)
2	0.01				net3 (net)
		0.09	0.00	2.14	v _204_/B (sky130_fd_sc_hd_or2_2)
		0.10	0.37	2.51	v _204_/X (sky130_fd_sc_hd_or2_2)
6	0.02				_096_ (net)
		0.10	0.00	2.51	v _222_/A (sky130_fd_sc_hd_and3_1)
		0.03	0.17	2.68	v _222_/X (sky130_fd_sc_hd_and3_1)
1	0.00				_113_ (net)
		0.03	0.00	2.68	v _223_/A (sky130_fd_sc_hd_clkbuf_4)
		0.10	0.21	2.88	v _223_/X (sky130_fd_sc_hd_clkbuf_4)
10	0.05				_114_ (net)
		0.10	0.00	2.88	v _233_/S (sky130_fd_sc_hd_mux2_1)
		0.06	0.34	3.22	v _233_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_122_ (net)
		0.06	0.00	3.22	v _234_/A (sky130_fd_sc_hd_clkbuf_1)
		0.02	0.09	3.32	v _234_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_092_ (net)
		0.02	0.00	3.32	v _452_/D (sky130_fd_sc_hd_dfrtp_1)
				3.32	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^
1	0.02				clk (in)
					clk (net)
		0.08	0.00	10.05	^
		0.06	0.15	10.20	^
4	0.04				clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
					clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^
		0.06	0.14	10.34	^
12	0.04				clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
					clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.06	0.00	10.34	^
		-0.25	10.09		_452_/CLK (sky130_fd_sc_hd_dfrtp_1)
					clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		-0.10	9.99		library setup time
			9.99		data required time

9.99 data required time
-3.32 data arrival time

6.67 slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _440_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description		

1	0.00		0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
		0.01	2.00	2.00 v	input external delay		
			0.00	2.00 v	start (in)		
		0.01			start (net)		
			0.01	0.00	2.00 v	input3/A (sky130_fd_sc_hd__buf_1)	
		2	0.01	0.09	0.13	2.14 v	input3/X (sky130_fd_sc_hd__buf_1)
							net3 (net)
		6	0.02	0.09	0.00	2.14 v	_204_/B (sky130_fd_sc_hd__or2_2)
				0.10	0.37	2.51 v	_204_/X (sky130_fd_sc_hd__or2_2)
1	0.00				_096_ (net)		
			0.10	0.00	2.51 v	_222_/A (sky130_fd_sc_hd__and3_1)	
		0.03	0.17	2.68 v	_222_/X (sky130_fd_sc_hd__and3_1)		
						113 (net)	
		10	0.05	0.03	0.00	2.68 v	_223_/A (sky130_fd_sc_hd__clkbuf_4)
				0.10	0.21	2.88 v	_223_/X (sky130_fd_sc_hd__clkbuf_4)
						114 (net)	
			0.10	0.00	2.88 v	_258_/S (sky130_fd_sc_hd__mux2_1)	
		1	0.00	0.05	0.34	3.22 v	_258_/X (sky130_fd_sc_hd__mux2_1)
							135 (net)
1	0.00	0.05	0.00	3.22 v	_259_/A (sky130_fd_sc_hd__clkbuf_1)		
		0.03	0.10	3.32 v	_259_/X (sky130_fd_sc_hd__clkbuf_1)		
					080 (net)		
		0.03	0.00	3.32 v	_440_/D (sky130_fd_sc_hd__dfrtp_1)		
				3.32	data arrival time		

1	0.02		10.00	10.00	clock clk (rise edge)		
			0.00	10.00	clock source latency		
		0.08	0.05	10.05 ^	clk (in)		
						clk (net)	
		0.08	0.00	10.05 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)		
			0.06	0.15	10.20 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
		4	0.04			clknet_0_clk (net)	
				0.06	0.00	10.20 ^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		12	0.04	0.06	0.14	10.34 ^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
							clknet_2_3_leaf_clk (net)
				10.34 ^	_440_/CLK (sky130_fd_sc_hd__dfrtp_1)		
				-0.25	clock uncertainty		
				0.00	clock reconvergence pessimism		
				-0.10	library setup time		
				9.99	data required time		

				9.99	data required time		
				-3.32	data arrival time		

				6.67	slack (MET)		

Startpoint: start (input port clocked by clk)
Endpoint: _438_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.01	0.00	2.00 v	start (in)
1	0.00				start (net)
		0.01	0.00	2.00 v	input3/A (sky130_fd_sc_hd_buf_1)
		0.09	0.13	2.14 v	input3/X (sky130_fd_sc_hd_buf_1)
2	0.01				net3 (net)
		0.09	0.00	2.14 v	_204_/B (sky130_fd_sc_hd_or2_2)
		0.10	0.37	2.51 v	_204_/X (sky130_fd_sc_hd_or2_2)
6	0.02				_096_ (net)
		0.10	0.00	2.51 v	_222_/A (sky130_fd_sc_hd_and3_1)
		0.03	0.17	2.68 v	_222_/X (sky130_fd_sc_hd_and3_1)
1	0.00				_113_ (net)
		0.03	0.00	2.68 v	_223_/A (sky130_fd_sc_hd_clkbuf_4)
		0.10	0.21	2.88 v	_223_/X (sky130_fd_sc_hd_clkbuf_4)
10	0.05				_114_ (net)
		0.10	0.00	2.88 v	_264_/S (sky130_fd_sc_hd_mux2_1)
		0.06	0.34	3.22 v	_264_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_139_ (net)
		0.06	0.00	3.22 v	_265_/A (sky130_fd_sc_hd_clkbuf_1)
		0.02	0.09	3.32 v	_265_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_078_ (net)
		0.02	0.00	3.32 v	_438_/D (sky130_fd_sc_hd_dfrtp_1)
				3.32	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05 ^	clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05 ^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20 ^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20 ^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.34 ^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.06	0.00	10.34 ^	_438_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		-0.10	9.99		library setup time
			9.99		data required time

				9.99	data required time
				-3.32	data arrival time

				6.67	slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _439_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.01	0.00	2.00 v	start (in)
1	0.00				start (net)
		0.01	0.00	2.00 v	input3/A (sky130_fd_sc_hd_buf_1)
		0.09	0.13	2.14 v	input3/X (sky130_fd_sc_hd_buf_1)
2	0.01				net3 (net)
		0.09	0.00	2.14 v	_204_/B (sky130_fd_sc_hd_or2_2)
		0.10	0.37	2.51 v	_204_/X (sky130_fd_sc_hd_or2_2)
6	0.02				_096_ (net)
		0.10	0.00	2.51 v	_222_/A (sky130_fd_sc_hd_and3_1)
		0.03	0.17	2.68 v	_222_/X (sky130_fd_sc_hd_and3_1)
1	0.00				_113_ (net)

		0.03	0.00	2.68	v	_223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.10	0.21	2.88	v	_223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.05					_114_ (net)
		0.10	0.00	2.88	v	_261_/S (sky130_fd_sc_hd__mux2_1)
		0.05	0.34	3.22	v	_261_/X (sky130_fd_sc_hd__mux2_1)
1	0.00					_137_ (net)
		0.05	0.00	3.22	v	_262_/A (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.09	3.31	v	_262_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00					_079_ (net)
		0.02	0.00	3.31	v	_439_/D (sky130_fd_sc_hd__dftrtp_1)
				3.31		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.08	0.05	10.05	^	clk (in)
						clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	10.34	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3__leaf_clk (net)
		0.06	0.00	10.34	^	_439_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.09			clock uncertainty
		0.00	10.09			clock reconvergence pessimism
		-0.10	9.99			library setup time
				9.99		data required time

				9.99		data required time
				-3.31		data arrival time

				6.67		slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _441_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v start (in)
					start (net)
		0.01	0.00	2.00	v input3/A (sky130_fd_sc_hd__buf_1)
2	0.01	0.09	0.13	2.14	v input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.09	0.00	2.14	v _204_/B (sky130_fd_sc_hd__or2_2)
6	0.02	0.10	0.37	2.51	v _204_/X (sky130_fd_sc_hd__or2_2)
					096 (net)
		0.10	0.00	2.51	v _222_/A (sky130_fd_sc_hd__and3_1)
1	0.00	0.03	0.17	2.68	v _222_/X (sky130_fd_sc_hd__and3_1)
					113 (net)
		0.03	0.00	2.68	v _223_/A (sky130_fd_sc_hd__clkbuf_4)
10	0.05	0.10	0.21	2.88	v _223_/X (sky130_fd_sc_hd__clkbuf_4)
					114 (net)
		0.10	0.00	2.88	v _255_/S (sky130_fd_sc_hd__mux2_1)
1	0.00	0.05	0.34	3.22	v _255_/X (sky130_fd_sc_hd__mux2_1)
					133 (net)
		0.05	0.00	3.22	v _256_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.02	0.09	3.31	v _256_/X (sky130_fd_sc_hd__clkbuf_1)
					081 (net)
		0.02	0.00	3.31	v _441_/D (sky130_fd_sc_hd__dftrtp_1)
				3.31	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency

		0.08	0.05	10.05	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.34	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.06	0.00	10.34	^	_441_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.09			clock uncertainty
		0.00	10.09			clock reconvergence pessimism
		-0.10	9.99			library setup time
			9.99			data required time

				9.99		data required time
				-3.31		data arrival time

				6.68		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _437_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	v 2.00	input external delay
		0.01	0.00	2.00	v start (in)
1	0.00				start (net)
		0.01	0.00	2.00	v input3/A (sky130_fd_sc_hd_buf_1)
		0.09	0.13	2.14	v input3/X (sky130_fd_sc_hd_buf_1)
2	0.01				net3 (net)
		0.09	0.00	2.14	v _204_/B (sky130_fd_sc_hd_or2_2)
		0.10	0.37	2.51	v _204_/X (sky130_fd_sc_hd_or2_2)
6	0.02				_096_ (net)
		0.10	0.00	2.51	v _222_/A (sky130_fd_sc_hd_and3_1)
		0.03	0.17	2.68	v _222_/X (sky130_fd_sc_hd_and3_1)
1	0.00				_113_ (net)
		0.03	0.00	2.68	v _223_/A (sky130_fd_sc_hd_clkbuf_4)
		0.10	0.21	2.88	v _223_/X (sky130_fd_sc_hd_clkbuf_4)
10	0.05				_114_ (net)
		0.10	0.00	2.88	v _267_/S (sky130_fd_sc_hd_mux2_1)
		0.05	0.34	3.22	v _267_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_141_ (net)
		0.05	0.00	3.22	v _268_/A (sky130_fd_sc_hd_clkbuf_1)
		0.02	0.09	3.31	v _268_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_077_ (net)
		0.02	0.00	3.31	v _437_/D (sky130_fd_sc_hd_dfrtp_1)
				3.31	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^
1	0.02				clk (in)
					clk (net)
		0.08	0.00	10.05	^
		0.06	0.15	10.20	^
4	0.04				clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
					clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^
		0.06	0.14	10.34	^
12	0.04				clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
					clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.06	0.00	10.34	^
		-0.25	10.09		_437_/CLK (sky130_fd_sc_hd_dfrtp_1)
					clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		-0.10	9.99		library setup time
			9.99		data required time

9.99 data required time
-3.31 data arrival time

6.68 slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: sclk (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
				0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
				0.22	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.06	0.16	0.38	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)
				0.38	^ _435_/CLK (sky130_fd_sc_hd_dfrtp_2)
4	0.02	0.13	0.44	0.82	^ _435_/Q (sky130_fd_sc_hd_dfrtp_2)
					net24 (net)
				0.82	^ output24/A (sky130_fd_sc_hd_buf_2)
1	0.03	0.17	0.24	1.06	^ output24/X (sky130_fd_sc_hd_buf_2)
					sclk (net)
				1.06	^ sclk (out)
				1.06	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time
				-1.06	data arrival time

				6.69	slack (MET)

Startpoint: _424_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: busy (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.00	0.22	^ clknet_0_clk (net)
				0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.02	0.06	0.00	0.37	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
				0.84	^ clknet_2_3__leaf_clk (net)
4	0.02	0.06	0.00	0.38	^ _424_/CLK (sky130_fd_sc_hd_dfrtp_2)
				0.84	v _424_/Q (sky130_fd_sc_hd_dfrtp_2)
1	0.03	0.08	0.00	0.84	v net12 (net)
				1.04	v output12/A (sky130_fd_sc_hd_buf_2)
1	0.03	0.09	0.21	1.04	v output12/X (sky130_fd_sc_hd_buf_2)
					busy (net)

0.09	0.00	1.05	v	busy (out)
		1.05		data arrival time
10.00	10.00			clock clk (rise edge)
0.00	10.00			clock network delay (propagated)
-0.25	9.75			clock uncertainty
0.00	9.75			clock reconvergence pessimism
-2.00	7.75			output external delay
	7.75			data required time

		7.75		data required time
		-1.05		data arrival time

		6.70		slack (MET)

Startpoint: _430_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[4] (output port clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.16	0.38	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.06	0.00	0.38	^ _430_/CLK (sky130_fd_sc_hd__dfrtp_1)
2	0.01	0.08	0.43	0.81	v _430_/Q (sky130_fd_sc_hd__dfrtp_1)
					net20 (net)
		0.08	0.00	0.81	v output20/A (sky130_fd_sc_hd__clkbuf_4)
1	0.03	0.08	0.21	1.02	v output20/X (sky130_fd_sc_hd__clkbuf_4)
					rx_data[4] (net)
		0.08	0.00	1.02	v rx_data[4] (out)
				1.02	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time
				-1.02	data arrival time

				6.73	slack (MET)

Startpoint: _434_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: mosi (output port clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)

4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.06	0.00	0.37	^ _434_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.08	0.42	0.80	v _434_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net15 (net)
		0.08	0.00	0.80	v output15/A (sky130_fd_sc_hd_clkbuf_4)
		0.08	0.21	1.00	v output15/X (sky130_fd_sc_hd_clkbuf_4)
1	0.03				mosi (net)
		0.08	0.00	1.00	v mosi (out)
				1.00	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock network delay (propagated)
		-0.25	9.75		clock uncertainty
		0.00	9.75		clock reconvergence pessimism
		-2.00	7.75		output external delay
			7.75		data required time

				7.75	data required time
				-1.00	data arrival time

				6.75	slack (MET)

Startpoint: _428_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[2] (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.06	0.00	0.38	^ _428_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.07	0.42	0.80	v _428_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net18 (net)
		0.07	0.00	0.80	v output18/A (sky130_fd_sc_hd_clkbuf_4)
		0.08	0.20	1.00	v output18/X (sky130_fd_sc_hd_clkbuf_4)
1	0.03				rx_data[2] (net)
		0.08	0.00	1.00	v rx_data[2] (out)
				1.00	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock network delay (propagated)
		-0.25	9.75		clock uncertainty
		0.00	9.75		clock reconvergence pessimism
		-2.00	7.75		output external delay
			7.75		data required time

				7.75	data required time
				-1.00	data arrival time

				6.75	slack (MET)

Startpoint: _431_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[5] (output port clocked by clk)
Path Group: clk
Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
4	0.04				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
2	0.01				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.38	^ _431_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.06	0.41	0.79	v _431_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.03				net21 (net)
		0.06	0.00	0.79	v output21/A (sky130_fd_sc_hd__clkbuf_4)
		0.08	0.20	0.99	v output21/X (sky130_fd_sc_hd__clkbuf_4)
		0.08	0.00	0.99	rx_data[5] (net)
				0.99	rx_data[5] (out)
				0.99	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time
				-0.99	data arrival time

				6.76	slack (MET)

Startpoint: _429_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: rx_data[3] (output port clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
4	0.04				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
2	0.01				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.38	^ _429_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.06	0.41	0.79	v _429_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.03				net19 (net)
		0.06	0.00	0.79	v output19/A (sky130_fd_sc_hd__clkbuf_4)
		0.08	0.20	0.98	v output19/X (sky130_fd_sc_hd__clkbuf_4)
		0.08	0.00	0.99	v rx_data[3] (out)
				0.99	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

7.75 data required time
-0.99 data arrival time

6.76 slack (MET)

Startpoint: _427_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[1] (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.00	0.22	^ clknet_0_clk (net)
				0.37	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
2	0.01	0.06	0.00	0.37	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
				0.38	^ clknet_2_1__leaf_clk (net)
1	0.03	0.06	0.00	0.38	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
				0.78	v _427_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.03	0.06	0.40	0.78	v net17 (net)
				0.78	v output17/A (sky130_fd_sc_hd__clkbuf_4)
1	0.03	0.08	0.20	0.98	v output17/X (sky130_fd_sc_hd__clkbuf_4)
				0.98	v rx_data[1] (net)
1	0.03	0.08	0.00	0.98	v rx_data[1] (out)
				0.98	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time
				-0.98	data arrival time

				6.77	slack (MET)

Startpoint: _432_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[6] (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.00	0.22	^ clknet_0_clk (net)
				0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
2	0.01	0.06	0.00	0.38	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
				0.38	^ clknet_2_0__leaf_clk (net)
1	0.03	0.06	0.00	0.38	^ _432_/CLK (sky130_fd_sc_hd__dfrtp_1)
				0.78	v _432_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.03	0.06	0.00	0.78	v net22 (net)
				0.78	v output22/A (sky130_fd_sc_hd__clkbuf_4)
1	0.03	0.08	0.20	0.98	v output22/X (sky130_fd_sc_hd__clkbuf_4)
					rx_data[6] (net)

0.08	0.00	0.98	v rx_data[6] (out)
		0.98	data arrival time
10.00	10.00		clock clk (rise edge)
0.00	10.00		clock network delay (propagated)
-0.25	9.75		clock uncertainty
0.00	9.75		clock reconvergence pessimism
-2.00	7.75		output external delay
	7.75		data required time

		7.75	data required time
		-0.98	data arrival time

		6.77	slack (MET)

Startpoint: _433_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[7] (output port clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.15	0.37	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.06	0.00	0.38	^ _433_/CLK (sky130_fd_sc_hd__dfrtp_1)
2	0.01	0.06	0.40	0.78	v _433_/Q (sky130_fd_sc_hd__dfrtp_1)
					net23 (net)
		0.06	0.00	0.78	v output23/A (sky130_fd_sc_hd__clkbuf_4)
1	0.03	0.08	0.20	0.98	v output23/X (sky130_fd_sc_hd__clkbuf_4)
					rx_data[7] (net)
		0.08	0.00	0.98	v rx_data[7] (out)
				0.98	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time
				-0.98	data arrival time

				6.77	slack (MET)

Startpoint: _426_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[0] (output port clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)

4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^ _426_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.06	0.40	0.77	v _426_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net16 (net)
		0.06	0.00	0.77	v output16/A (sky130_fd_sc_hd_clkbuf_4)
		0.08	0.20	0.97	v output16/X (sky130_fd_sc_hd_clkbuf_4)
1	0.03				rx_data[0] (net)
		0.08	0.00	0.97	v rx_data[0] (out)
				0.97	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock network delay (propagated)
		-0.25	9.75		clock uncertainty
		0.00	9.75		clock reconvergence pessimism
		-2.00	7.75		output external delay
			7.75		data required time

				7.75	data required time
				-0.97	data arrival time

				6.78	slack (MET)

Startpoint: _425_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: done (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.15	0.37	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.05	0.00	0.37	^ _425_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.04	0.38	0.75	v _425_/Q (sky130_fd_sc_hd_dfrtp_1)
1	0.00				net14 (net)
		0.04	0.00	0.75	v output14/A (sky130_fd_sc_hd_clkbuf_4)
		0.08	0.19	0.95	v output14/X (sky130_fd_sc_hd_clkbuf_4)
1	0.04				done (net)
		0.08	0.00	0.95	v done (out)
				0.95	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock network delay (propagated)
		-0.25	9.75		clock uncertainty
		0.00	9.75		clock reconvergence pessimism
		-2.00	7.75		output external delay
			7.75		data required time

				7.75	data required time
				-0.95	data arrival time

				6.80	slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _454_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description	

1	0.00	0.02	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			2.00	2.00	^ input external delay	
			0.01	2.01	^ start (in)	
					start (net)	
			0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
			0.19	0.19	2.20	^ input3/X (sky130_fd_sc_hd__buf_1)
						net3 (net)
			0.19	0.00	2.20	^ _204_/B (sky130_fd_sc_hd__or2_2)
			0.12	0.22	2.42	^ _204_/X (sky130_fd_sc_hd__or2_2)
6	0.02			_096_ (net)		
		0.12	0.00	2.42	^ _222_/A (sky130_fd_sc_hd__and3_1)	
1	0.00	0.05	0.17	2.59	^ _222_/X (sky130_fd_sc_hd__and3_1)	
					113 (net)	
10	0.05	0.05	0.00	2.59	^ _223_/A (sky130_fd_sc_hd__clkbuf_4)	
		0.15	0.22	2.81	^ _223_/X (sky130_fd_sc_hd__clkbuf_4)	
1	0.00	0.15	0.00	2.81	^ _226_/A2_N (sky130_fd_sc_hd__a2bb2o_1)	
		0.05	0.30	3.12	v _226_/X (sky130_fd_sc_hd__a2bb2o_1)	
1	0.00	0.05	0.00	3.12	v _094_ (net)	
					454/D (sky130_fd_sc_hd__dftrtp_1)	
				3.12	data arrival time	

1	0.02	0.08	10.00	10.00	clock clk (rise edge)	
			0.00	10.00	clock source latency	
			0.05	10.05	^ clk (in)	
					clk (net)	
			0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
			0.06	0.00	10.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.06	0.14	10.34	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_1__leaf_clk (net)
12	0.04	0.06	0.00	10.34	^ _454_/CLK (sky130_fd_sc_hd__dftrtp_1)	
		-0.25	10.09		clock uncertainty	
				0.00	10.09	clock reconvergence pessimism
				-0.11	9.98	library setup time
				9.98		data required time

				9.98	data required time	
				-3.12	data arrival time	

				6.86	slack (MET)	

Startpoint: start (input port clocked by clk)

Endpoint: _434_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.01	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v start (in)
			0.00	2.00	start (net)
				2.00	v input3/A (sky130_fd_sc_hd__buf_1)
			0.09	2.14	v input3/X (sky130_fd_sc_hd__buf_1)
			0.00	2.14	net3 (net)
				2.14	v _204_/B (sky130_fd_sc_hd__or2_2)
			0.10	2.51	v _204_/X (sky130_fd_sc_hd__or2_2)
6	0.02	0.09	0.00	2.51	^ _096_ (net)
				2.51	v _212_/A (sky130_fd_sc_hd__nand2_1)
6	0.02	0.09	0.12	2.62	^ _212_/Y (sky130_fd_sc_hd__nand2_1)
				2.62	^ _212_/Y (sky130_fd_sc_hd__nand2_1)

2	0.01					_104_ (net)
		0.09	0.00	2.62	^	_277_/S (sky130_fd_sc_hd_mux2_1)
		0.06	0.35	2.97	v	_277_/X (sky130_fd_sc_hd_mux2_1)
1	0.00					_147_ (net)
		0.06	0.00	2.97	v	_278_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.10	3.07	v	_278_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00					_074_ (net)
		0.03	0.00	3.07	v	_434_/D (sky130_fd_sc_hd_dfrtp_1)
				3.07		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.08	0.05	10.05	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.34	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.06	0.00	10.34	^	_434_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.09		clock uncertainty
		0.00		10.09		clock reconvergence pessimism
		-0.10		9.99		library setup time
				9.99		data required time

				9.99		data required time
				-3.07		data arrival time

				6.91		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _415_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
			0.02	2.01	^ start (in)
1	0.00				start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd_buf_1)
		0.19	0.19	2.20	^ input3/X (sky130_fd_sc_hd_buf_1)
2	0.02				net3 (net)
		0.19	0.00	2.20	^ _204_/B (sky130_fd_sc_hd_or2_2)
		0.12	0.22	2.42	^ _204_/X (sky130_fd_sc_hd_or2_2)
6	0.02				_096_ (net)
		0.12	0.00	2.42	^ _331_/A (sky130_fd_sc_hd_nand2_1)
		0.06	0.09	2.51	v _331_/Y (sky130_fd_sc_hd_nand2_1)
2	0.01				_184_ (net)
		0.06	0.00	2.51	v _332_/A1 (sky130_fd_sc_hd_mux2_1)
		0.05	0.30	2.82	v _332_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_185_ (net)
		0.05	0.00	2.82	v _333_/A (sky130_fd_sc_hd_clkbuf_1)
		0.02	0.09	2.91	v _333_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_057_ (net)
		0.02	0.00	2.91	v _415_/D (sky130_fd_sc_hd_dfrtp_1)
				2.91	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)

		0.06	0.00	10.20	^	clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.14	10.34	^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03					clknet_2_2_leaf_clk (net)
		0.05	0.00	10.34	^	_415_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.09			clock uncertainty
		0.00	10.09			clock reconvergence pessimism
		-0.10	9.98			library setup time
			9.98			data required time

			9.98			data required time
			-2.91			data arrival time

			7.07			slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
		0.02	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd_buf_1)
2	0.02		0.19	2.20	^ input3/X (sky130_fd_sc_hd_buf_1)
					net3 (net)
		0.19	0.00	2.20	^ _204_/B (sky130_fd_sc_hd_or2_2)
6	0.02		0.12	2.42	^ _204_/X (sky130_fd_sc_hd_or2_2)
					096 (net)
		0.12	0.00	2.42	^ _308_/A (sky130_fd_sc_hd_nand2_1)
2	0.01		0.06	2.51	v _308_/Y (sky130_fd_sc_hd_nand2_1)
					167 (net)
		0.06	0.00	2.51	v _309_/A1 (sky130_fd_sc_hd_mux2_1)
1	0.00		0.05	2.81	v _309_/X (sky130_fd_sc_hd_mux2_1)
					168 (net)
		0.05	0.00	2.81	v _310_/A (sky130_fd_sc_hd_clkbuf_1)
1	0.00		0.03	2.91	v _310_/X (sky130_fd_sc_hd_clkbuf_1)
					063 (net)
		0.03	0.00	2.91	v _421_/D (sky130_fd_sc_hd_dfrtp_1)
				2.91	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.06	0.00	10.34	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		-0.10	9.99		library setup time
			9.99		data required time

			9.99		data required time
			-2.91		data arrival time

			7.08		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _436_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v start (in)
1	0.00				start (net)
		0.01	0.00	2.00	v input3/A (sky130_fd_sc_hd__buf_1)
2	0.01	0.09	0.13	2.14	v input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.09	0.00	2.14	v _204_/B (sky130_fd_sc_hd__or2_2)
6	0.02	0.10	0.37	2.51	v _204_/X (sky130_fd_sc_hd__or2_2)
					096 (net)
		0.10	0.00	2.51	v _270_/A (sky130_fd_sc_hd__and2_1)
1	0.00	0.03	0.16	2.67	v _270_/X (sky130_fd_sc_hd__and2_1)
					143 (net)
		0.03	0.00	2.67	v _271_/A (sky130_fd_sc_hd__clkbuf_1)
2	0.01	0.04	0.10	2.77	v _271_/X (sky130_fd_sc_hd__clkbuf_1)
					000 (net)
		0.04	0.00	2.77	v _272_/B1_N (sky130_fd_sc_hd__a21bo_1)
1	0.00	0.04	0.18	2.95	^ _272_/X (sky130_fd_sc_hd__a21bo_1)
					076 (net)
		0.04	0.00	2.95	^ _436_/D (sky130_fd_sc_hd__dfstp_1)
				2.95	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	10.34	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.06	0.00	10.34	^ _436_/CLK (sky130_fd_sc_hd__dfstp_1)
			-0.25	10.09	clock uncertainty
			0.00	10.09	clock reconvergence pessimism
			-0.05	10.04	library setup time
				10.04	data required time

				10.04	data required time
				-2.95	data arrival time

				7.09	slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _413_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
		0.02	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.19	0.19	2.20	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.19	0.00	2.20	^ _237_/B (sky130_fd_sc_hd__nor2_4)
9	0.04	0.07	0.10	2.30	v _237_/Y (sky130_fd_sc_hd__nor2_4)
					125 (net)

		0.07	0.00	2.30	v	_338_/B1 (sky130_fd_sc_hd_a21o_1)
		0.04	0.18	2.48	v	_338_/X (sky130_fd_sc_hd_a21o_1)
2	0.01					_189_ (net)
		0.04	0.00	2.48	v	_339_/A1 (sky130_fd_sc_hd_mux2_1)
		0.05	0.30	2.78	v	_339_/X (sky130_fd_sc_hd_mux2_1)
1	0.00					_190_ (net)
		0.05	0.00	2.78	v	_340_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.10	2.87	v	_340_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00					_055_ (net)
		0.03	0.00	2.87	v	_413_/D (sky130_fd_sc_hd_dfrtp_1)
				2.87		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.08	0.05	10.05	^	clk (in)
						clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
10	0.03	0.05	0.14	10.34	^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_2_leaf_clk (net)
		0.05	0.00	10.34	^	_413_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.09			clock uncertainty
		0.00	10.09			clock reconvergence pessimism
		-0.10	9.98			library setup time
			9.98			data required time

				9.98		data required time
				-2.87		data arrival time

				7.11		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _433_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.15	0.37	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
		0.06	0.00	0.38	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
3	0.01	0.08	0.42	0.80	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
					clk_count[13] (net)
		0.08	0.00	0.80	v _205_/A (sky130_fd_sc_hd_or4_1)
1	0.00	0.09	0.57	1.37	v _205_/X (sky130_fd_sc_hd_or4_1)
					097 (net)
		0.09	0.00	1.37	v _209_/A (sky130_fd_sc_hd_nor4_1)
2	0.01	0.42	0.46	1.83	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
					101 (net)
		0.42	0.00	1.83	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.15	0.22	2.05	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
					net25 (net)
		0.15	0.00	2.05	^ _217_/C (sky130_fd_sc_hd_nand4_1)
3	0.01	0.13	0.17	2.22	v _217_/Y (sky130_fd_sc_hd_nand4_1)
					109 (net)
		0.13	0.00	2.22	v _218_/A (sky130_fd_sc_hd_buf_4)
10	0.06	0.09	0.25	2.46	v _218_/X (sky130_fd_sc_hd_buf_4)
					110 (net)

		0.09	0.00	2.47	v	_279_/S (sky130_fd_sc_hd_mux2_1)
		0.05	0.33	2.79	v	_279_/X (sky130_fd_sc_hd_mux2_1)
1	0.00					_148_ (net)
		0.05	0.00	2.79	v	_280_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.09	2.89	v	_280_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00					_073_ (net)
		0.03	0.00	2.89	v	_433_/D (sky130_fd_sc_hd_dfrtp_1)
				2.89		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
1	0.02	0.08	0.05	10.05	^	clk (in)
						clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.14	10.34	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_1__leaf_clk (net)
		0.06	0.00	10.34	^	_433_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.09			clock uncertainty
		0.02	10.11			clock reconvergence pessimism
		-0.10	10.01			library setup time
			10.01			data required time

				10.01		data required time
				-2.89		data arrival time

				7.12		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _432_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.15	0.37	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.08	0.42	0.80	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[13] (net)
		0.08	0.00	0.80	v _205_/A (sky130_fd_sc_hd_or4_1)
		0.09	0.57	1.37	v _205_/X (sky130_fd_sc_hd_or4_1)
1	0.00				_097_ (net)
		0.09	0.00	1.37	v _209_/A (sky130_fd_sc_hd_nor4_1)
		0.42	0.46	1.83	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
2	0.01				_101_ (net)
		0.42	0.00	1.83	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.15	0.22	2.05	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01				net25 (net)
		0.15	0.00	2.05	^ _217_/C (sky130_fd_sc_hd_nand4_1)
		0.13	0.17	2.22	v _217_/Y (sky130_fd_sc_hd_nand4_1)
3	0.01				_109_ (net)
		0.13	0.00	2.22	v _218_/A (sky130_fd_sc_hd_buf_4)
		0.09	0.25	2.46	v _218_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_110_ (net)
		0.09	0.00	2.47	v _281_/S (sky130_fd_sc_hd_mux2_1)
		0.05	0.33	2.80	v _281_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_149_ (net)

		0.05	0.00	2.80	v	_282_/A (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.09	2.89	v	_282_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00					_072_ (net)
		0.02	0.00	2.89	v	_432_/D (sky130_fd_sc_hd__dfrtp_1)
				2.89		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.08	0.05	10.05	^	clk (in)
						clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.14	10.34	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.06	0.00	10.34	^	_432_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.09			clock uncertainty
		0.02	10.11			clock reconvergence pessimism
		-0.10	10.01			library setup time
			10.01			data required time

				10.01		data required time
				-2.89		data arrival time

				7.12		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _431_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.15	0.37	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
3	0.01	0.08	0.42	0.80	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
					clk_count[13] (net)
		0.08	0.00	0.80	v _205_/A (sky130_fd_sc_hd__or4_1)
1	0.00	0.09	0.57	1.37	v _205_/X (sky130_fd_sc_hd__or4_1)
					097 (net)
		0.09	0.00	1.37	v _209_/A (sky130_fd_sc_hd__nor4_1)
2	0.01	0.42	0.46	1.83	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
					101 (net)
		0.42	0.00	1.83	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.15	0.22	2.05	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
					net25 (net)
		0.15	0.00	2.05	^ _217_/C (sky130_fd_sc_hd__nand4_1)
3	0.01	0.13	0.17	2.22	v _217_/Y (sky130_fd_sc_hd__nand4_1)
					109 (net)
		0.13	0.00	2.22	v _218_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.09	0.25	2.46	v _218_/X (sky130_fd_sc_hd__buf_4)
					110 (net)
		0.09	0.00	2.47	v _283_/S (sky130_fd_sc_hd__mux2_1)
1	0.00	0.06	0.33	2.80	v _283_/X (sky130_fd_sc_hd__mux2_1)
					150 (net)
		0.06	0.00	2.80	v _284_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.02	0.09	2.89	v _284_/X (sky130_fd_sc_hd__clkbuf_1)
					071 (net)

		0.02	0.00	2.89	v	_431_/D (sky130_fd_sc_hd__dfrtp_1)
				2.89		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.08	0.05	10.05	^	clk (in)
						clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.14	10.34	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.06	0.00	10.34	^	_431_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.09			clock uncertainty
		0.02	10.11			clock reconvergence pessimism
		-0.10	10.01			library setup time
			10.01			data required time

				10.01		data required time
				-2.89		data arrival time

				7.12		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _419_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	input external delay
1	0.00	0.02	0.01	2.01	^ start (in)
					start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.19	0.19	2.20	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.19	0.00	2.20	^ _237_/B (sky130_fd_sc_hd__nor2_4)
9	0.04	0.07	0.10	2.30	v _237_/Y (sky130_fd_sc_hd__nor2_4)
					125 (net)
		0.07	0.00	2.30	v _316_/B1 (sky130_fd_sc_hd__a21o_1)
		0.04	0.18	2.48	v _316_/X (sky130_fd_sc_hd__a21o_1)
2	0.00				_173_ (net)
		0.04	0.00	2.48	v _317_/A1 (sky130_fd_sc_hd__mux2_1)
		0.05	0.30	2.78	v _317_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_174_ (net)
		0.05	0.00	2.78	v _318_/A (sky130_fd_sc_hd__clkbuf_1)
		0.03	0.09	2.87	v _318_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_061_ (net)
		0.03	0.00	2.87	v _419_/D (sky130_fd_sc_hd__dfrtp_1)
				2.87	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	10.34	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.06	0.00	10.34	^ _419_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		-0.10	9.99		library setup time

	9.99	data required time

	9.99	data required time
	-2.87	data arrival time

	7.12	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _428_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.06	0.00	0.38	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.08	0.42	0.80	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[13] (net)
		0.08	0.00	0.80	v _205_/A (sky130_fd_sc_hd_or4_1)
		0.09	0.57	1.37	v _205_/X (sky130_fd_sc_hd_or4_1)
1	0.00				_097_ (net)
		0.09	0.00	1.37	v _209_/A (sky130_fd_sc_hd_nor4_1)
		0.42	0.46	1.83	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
2	0.01				_101_ (net)
		0.42	0.00	1.83	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.15	0.22	2.05	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01				net25 (net)
		0.15	0.00	2.05	^ _217_/C (sky130_fd_sc_hd_nand4_1)
		0.13	0.17	2.22	v _217_/Y (sky130_fd_sc_hd_nand4_1)
3	0.01				_109_ (net)
		0.13	0.00	2.22	v _218_/A (sky130_fd_sc_hd_buf_4)
		0.09	0.25	2.46	v _218_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_110_ (net)
		0.09	0.00	2.47	v _289_/S (sky130_fd_sc_hd_mux2_1)
		0.05	0.33	2.80	v _289_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_153_ (net)
		0.05	0.00	2.80	v _290_/A (sky130_fd_sc_hd_clkbuf_1)
		0.02	0.09	2.89	v _290_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_068_ (net)
		0.02	0.00	2.89	v _428_/D (sky130_fd_sc_hd_dfrtp_1)
				2.89	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.06	0.00	10.34	^ _428_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.09	clock uncertainty
		0.02		10.11	clock reconvergence pessimism
		-0.10		10.01	library setup time
				10.01	data required time

				10.01	data required time

-2.89 data arrival time

7.12 slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _430_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.06	0.00	0.38	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.08	0.42	0.80	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[13] (net)
		0.08	0.00	0.80	v _205_/A (sky130_fd_sc_hd_or4_1)
		0.09	0.57	1.37	v _205_/X (sky130_fd_sc_hd_or4_1)
1	0.00				_097_ (net)
		0.09	0.00	1.37	v _209_/A (sky130_fd_sc_hd_nor4_1)
		0.42	0.46	1.83	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
2	0.01				_101_ (net)
		0.42	0.00	1.83	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.15	0.22	2.05	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01				net25 (net)
		0.15	0.00	2.05	^ _217_/C (sky130_fd_sc_hd_nand4_1)
		0.13	0.17	2.22	v _217_/Y (sky130_fd_sc_hd_nand4_1)
3	0.01				_109_ (net)
		0.13	0.00	2.22	v _218_/A (sky130_fd_sc_hd_buf_4)
		0.09	0.25	2.46	v _218_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_110_ (net)
		0.09	0.00	2.47	v _285_/S (sky130_fd_sc_hd_mux2_1)
		0.05	0.33	2.80	v _285_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_151_ (net)
		0.05	0.00	2.80	v _286_/A (sky130_fd_sc_hd_clkbuf_1)
		0.02	0.09	2.89	v _286_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_070_ (net)
		0.02	0.00	2.89	v _430_/D (sky130_fd_sc_hd_dfrtp_1)
				2.89	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.06	0.00	10.34	^ _430_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	10.09	clock uncertainty
			0.02	10.11	clock reconvergence pessimism
			-0.10	10.01	library setup time
				10.01	data required time
				10.01	data required time
				-2.89	data arrival time
				7.12	slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _446_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
1	0.00	0.02	0.01	2.01	^ start (in)
					start (net)
				2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.19	0.19	2.20	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
9	0.04	0.19	0.10	2.20	^ _237_/B (sky130_fd_sc_hd__nor2_4)
				2.30	v _237_/Y (sky130_fd_sc_hd__nor2_4)
					125 (net)
8	0.04	0.07	0.00	2.30	v _238_/B1 (sky130_fd_sc_hd__a21o_2)
				2.59	v _238_/X (sky130_fd_sc_hd__a21o_2)
					126 (net)
1	0.00	0.11	0.26	2.59	v _245_/A2 (sky130_fd_sc_hd__a22o_1)
				2.85	v _245_/X (sky130_fd_sc_hd__a22o_1)
					086 (net)
		0.04	0.00	2.85	v _446_/D (sky130_fd_sc_hd__dfrtp_1)
				2.85	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
				10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
				10.20	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	10.34	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
				10.34	^ _446_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.09	clock uncertainty
			0.00	10.09	clock reconvergence pessimism
			-0.11	9.98	library setup time
				9.98	data required time

				9.98	data required time
				-2.85	data arrival time

				7.12	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _429_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
				0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
				0.22	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.15	0.37	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)

		0.06	0.00	0.38	^	_421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.08	0.42	0.80	v	_421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01					clk_count[13] (net)
		0.08	0.00	0.80	v	_205_/A (sky130_fd_sc_hd_or4_1)
		0.09	0.57	1.37	v	_205_/X (sky130_fd_sc_hd_or4_1)
1	0.00					_097_ (net)
		0.09	0.00	1.37	v	_209_/A (sky130_fd_sc_hd_nor4_1)
		0.42	0.46	1.83	^	_209_/Y (sky130_fd_sc_hd_nor4_1)
2	0.01					_101_ (net)
		0.42	0.00	1.83	^	max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.15	0.22	2.05	^	max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01					net25 (net)
		0.15	0.00	2.05	^	_217_/C (sky130_fd_sc_hd_nand4_1)
		0.13	0.17	2.22	v	_217_/Y (sky130_fd_sc_hd_nand4_1)
3	0.01					_109_ (net)
		0.13	0.00	2.22	v	_218_/A (sky130_fd_sc_hd_buf_4)
		0.09	0.25	2.46	v	_218_/X (sky130_fd_sc_hd_buf_4)
10	0.06					_110_ (net)
		0.09	0.00	2.47	v	_287_/S (sky130_fd_sc_hd_mux2_1)
		0.05	0.33	2.80	v	_287_/X (sky130_fd_sc_hd_mux2_1)
1	0.00					_152_ (net)
		0.05	0.00	2.80	v	_288_/A (sky130_fd_sc_hd_clkbuf_1)
		0.02	0.09	2.89	v	_288_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00					_069_ (net)
		0.02	0.00	2.89	v	_429_/D (sky130_fd_sc_hd_dfrtp_1)
				2.89		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.08	0.05	10.05	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.34	^	clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04					clknet_2_0_leaf_clk (net)
		0.06	0.00	10.34	^	_429_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.09			clock uncertainty
		0.02	10.11			clock reconvergence pessimism
		-0.10	10.01			library setup time
			10.01			data required time

			10.01			data required time
			-2.89			data arrival time

			7.13			slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _445_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
		0.02	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd_buf_1)
		0.19	0.19	2.20	^ input3/X (sky130_fd_sc_hd_buf_1)
2	0.02				net3 (net)
		0.19	0.00	2.20	^ _237_/B (sky130_fd_sc_hd_nor2_4)
		0.07	0.10	2.30	v _237_/Y (sky130_fd_sc_hd_nor2_4)
9	0.04				_125_ (net)
		0.07	0.00	2.30	v _238_/B1 (sky130_fd_sc_hd_a21o_2)
		0.11	0.29	2.59	v _238_/X (sky130_fd_sc_hd_a21o_2)

8	0.04				_126_ (net)
		0.11	0.00	2.59	v _246_/A2 (sky130_fd_sc_hd_a22o_1)
		0.04	0.26	2.85	v _246_/X (sky130_fd_sc_hd_a22o_1)
1	0.00				_085_ (net)
		0.04	0.00	2.85	v _445_/D (sky130_fd_sc_hd_dfrtp_1)
				2.85	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.06	0.00	10.34	^ _445_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.09	clock uncertainty
		0.00		10.09	clock reconvergence pessimism
		-0.11		9.98	library setup time
				9.98	data required time

				9.98	data required time
				-2.85	data arrival time

				7.13	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _455_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.06	0.00	0.38	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.08	0.42	0.80	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[13] (net)
		0.08	0.00	0.80	v _205_/A (sky130_fd_sc_hd_or4_1)
		0.09	0.57	1.37	v _205_/X (sky130_fd_sc_hd_or4_1)
1	0.00				_097_ (net)
		0.09	0.00	1.37	v _209_/A (sky130_fd_sc_hd_nor4_1)
		0.42	0.46	1.83	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
2	0.01				_101_ (net)
		0.42	0.00	1.83	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.15	0.22	2.05	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01				net25 (net)
		0.15	0.00	2.05	^ _217_/C (sky130_fd_sc_hd_nand4_1)
		0.13	0.17	2.22	v _217_/Y (sky130_fd_sc_hd_nand4_1)
3	0.01				_109_ (net)
		0.13	0.00	2.22	v _218_/A (sky130_fd_sc_hd_buf_4)
		0.09	0.25	2.46	v _218_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_110_ (net)
		0.09	0.00	2.47	v _219_/D (sky130_fd_sc_hd_and4_1)
		0.05	0.23	2.70	v _219_/X (sky130_fd_sc_hd_and4_1)
2	0.00				_111_ (net)
		0.05	0.00	2.70	v _220_/A2 (sky130_fd_sc_hd_o21a_1)
		0.04	0.17	2.87	v _220_/X (sky130_fd_sc_hd_o21a_1)

1	0.00				_095_ (net)
		0.04	0.00	2.87 v	_455_/D (sky130_fd_sc_hd__dfrtp_1)
				2.87	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05 ^	clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20 ^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34 ^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.06	0.00	10.34 ^	_455_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.09	clock uncertainty
			0.02	10.11	clock reconvergence pessimism
			-0.11	10.00	library setup time
				10.00	data required time
			10.00		data required time
			-2.87		data arrival time
			7.13		slack (MET)

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
1	0.00	0.02	0.01	2.01	^ start (in)
					start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.19	0.19	2.20	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.19	0.00	2.20	^ _237_/B (sky130_fd_sc_hd__nor2_4)
9	0.04	0.07	0.10	2.30	v _237_/Y (sky130_fd_sc_hd__nor2_4)
					125 (net)
		0.07	0.00	2.30	v _238_/B1 (sky130_fd_sc_hd__a21o_2)
8	0.04	0.11	0.29	2.59	v _238_/X (sky130_fd_sc_hd__a21o_2)
					126 (net)
		0.11	0.00	2.59	v _247_/A2 (sky130_fd_sc_hd__a22o_1)
		0.04	0.26	2.85	v _247_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_084_ (net)
		0.04	0.00	2.85	v _444_/D (sky130_fd_sc_hd__dfrrtp_1)
				2.85	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.06	0.00	10.34	^ _444_/CLK (sky130_fd_sc_hd__dfrrtp_1)
			-0.25	10.09	clock uncertainty
			0.00	10.09	clock reconvergence pessimism
			-0.11	9.98	library setup time
				9.98	data required time

9.98 data required time
-2.85 data arrival time

7.14 slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _448_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description		

1	0.00		0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
		0.02	2.00	2.00	^ input external delay		
			0.01	2.01	^ start (in)		
					start (net)		
			0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)	
		2	0.02	0.19	0.19	2.20 ^ input3/X (sky130_fd_sc_hd__buf_1)	
						net3 (net)	
		9	0.04	0.19	0.00	2.20 ^ _237_/B (sky130_fd_sc_hd__nor2_4)	
				0.07	0.10	2.30 v _237_/Y (sky130_fd_sc_hd__nor2_4)	
8	0.04				_125_ (net)		
			0.07	0.00	2.30 v _238_/B1 (sky130_fd_sc_hd__a21o_2)		
		0.11	0.29	2.59 v _238_/X (sky130_fd_sc_hd__a21o_2)			
					126 (net)		
			0.11	0.00	2.59 v _243_/A2 (sky130_fd_sc_hd__a22o_1)		
			0.04	0.26	2.85 v _243_/X (sky130_fd_sc_hd__a22o_1)		
		1	0.00			_088_ (net)	
				0.04	0.00	2.85 v _448_/D (sky130_fd_sc_hd__dftrtp_1)	
						2.85	data arrival time

1	0.02		10.00	10.00	clock clk (rise edge)		
			0.00	10.00	clock source latency		
		0.08	0.05	10.05	^ clk (in)		
					clk (net)		
			0.08	0.00	10.05 ^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)		
			0.06	0.15	10.20 ^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)		
		4	0.04			clknet_0_clk (net)	
				0.06	0.00	10.20 ^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		14	0.04	0.06	0.14	10.34 ^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
						clknet_2_0__leaf_clk (net)	
				10.34	^ _448_/CLK (sky130_fd_sc_hd__dftrtp_1)		
				-0.25	clock uncertainty		
				0.00	clock reconvergence pessimism		
				-0.11	library setup time		
				9.99	data required time		

				9.99	data required time		
				-2.85	data arrival time		

				7.14	slack (MET)		

Startpoint: start (input port clocked by clk)
Endpoint: _424_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.01	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.01	0.00	2.00 v	start (in)
					start (net)
					input3/A (sky130_fd_sc_hd__buf_1)

2	0.01	0.09	0.13	2.14	v	input3/X (sky130_fd_sc_hd_buf_1)
		0.09	0.00	2.14	v	_204_/B (sky130_fd_sc_hd_or2_2)
6	0.02	0.10	0.37	2.51	v	_204_/X (sky130_fd_sc_hd_or2_2)
		0.10	0.00	2.51	v	_096_ (net)
1	0.00	0.03	0.16	2.67	v	_270_/A (sky130_fd_sc_hd_and2_1)
		0.03	0.00	2.67	v	_270_/X (sky130_fd_sc_hd_and2_1)
2	0.01	0.04	0.10	2.77	v	_143_ (net)
		0.04	0.00	2.77	v	_271_/A (sky130_fd_sc_hd_clkbuf_1)
				2.77	v	_271_/X (sky130_fd_sc_hd_clkbuf_1)
				2.77	v	_000_ (net)
				2.77	v	_424_/D (sky130_fd_sc_hd_dfrtp_2)
				2.77		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
1	0.02	0.08	0.05	10.05	^	clk (in)
		0.08	0.00	10.05	^	clk (net)
4	0.04	0.06	0.15	10.20	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.00	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.14	10.34	^	clknet_0_clk (net)
		0.06	0.00	10.34	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				10.34	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
				10.34	^	clknet_2_3_leaf_clk (net)
				10.34	^	_424_/CLK (sky130_fd_sc_hd_dfrtp_2)
		-0.25	10.09			clock uncertainty
		0.00	10.09			clock reconvergence pessimism
		-0.11	9.98			library setup time
			9.98			data required time

				9.98		data required time
				-2.77		data arrival time

				7.21		slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _417_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
1	0.00	0.02	0.01	2.01	^ start (in)
		0.02	0.00	2.01	^ start (net)
2	0.02	0.19	0.19	2.20	^ input3/A (sky130_fd_sc_hd_buf_1)
		0.19	0.00	2.20	^ input3/X (sky130_fd_sc_hd_buf_1)
9	0.04	0.07	0.10	2.30	^ _237_/B (sky130_fd_sc_hd_nor2_4)
		0.07	0.00	2.30	v _237_/Y (sky130_fd_sc_hd_nor2_4)
2	0.01	0.04	0.18	2.48	v _125_ (net)
		0.04	0.00	2.48	v _324_/B1 (sky130_fd_sc_hd_a21o_1)
1	0.00	0.05	0.28	2.76	v _324_/X (sky130_fd_sc_hd_a21o_1)
		0.05	0.00	2.76	v _179_ (net)
				2.48	v _325_/B1 (sky130_fd_sc_hd_a2bb2o_1)
				2.76	v _325_/X (sky130_fd_sc_hd_a2bb2o_1)
				2.76	v _059_ (net)
				2.76	v _417_/D (sky130_fd_sc_hd_dfrtp_1)
				2.76	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
		0.08	0.00	10.05	^ clk (net)
		0.06	0.15	10.20	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)

4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.14	10.34	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.05	0.00	10.34	^ _417_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		-0.11	9.97		library setup time
			9.97		data required time

				9.97	data required time
				-2.76	data arrival time

				7.21	slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _409_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v start (in)
1	0.00				start (net)
		0.01	0.00	2.00	v input3/A (sky130_fd_sc_hd_buf_1)
		0.09	0.13	2.14	v input3/X (sky130_fd_sc_hd_buf_1)
2	0.01				net3 (net)
		0.09	0.00	2.14	v _204_/B (sky130_fd_sc_hd_or2_2)
		0.10	0.37	2.51	v _204_/X (sky130_fd_sc_hd_or2_2)
6	0.02				_096_ (net)
		0.10	0.00	2.51	v _350_/B1 (sky130_fd_sc_hd_o211a_1)
		0.05	0.16	2.67	v _350_/X (sky130_fd_sc_hd_o211a_1)
1	0.00				_197_ (net)
		0.05	0.00	2.67	v _351_/B (sky130_fd_sc_hd_nor2_1)
		0.07	0.08	2.75	^ _351_/Y (sky130_fd_sc_hd_nor2_1)
1	0.00				_051_ (net)
		0.07	0.00	2.75	^ _409_/D (sky130_fd_sc_hd_dfrtp_4)
				2.75	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.14	10.34	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.05	0.00	10.34	^ _409_/CLK (sky130_fd_sc_hd_dfrtp_4)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		-0.07	10.02		library setup time
			10.02		data required time

				10.02	data required time
				-2.75	data arrival time

				7.27	slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _414_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.02	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
			0.01	2.01	^ start (in)
					start (net)
			0.02	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
			0.19	2.20	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
			0.19	2.20	^ _204_/B (sky130_fd_sc_hd__or2_2)
			0.12	2.42	^ _204_/X (sky130_fd_sc_hd__or2_2)
6	0.02	0.06			_096_ (net)
			0.12	2.42	^ _331_/A (sky130_fd_sc_hd__nand2_1)
2	0.01	0.06	0.09	2.51	v _331_/Y (sky130_fd_sc_hd__nand2_1)
					184 (net)
1	0.00	0.03	0.00	2.51	v _335_/A2 (sky130_fd_sc_hd__a21o_1)
			0.18	2.70	v _335_/X (sky130_fd_sc_hd__a21o_1)
					056 (net)
			0.00	2.70	v _414_/D (sky130_fd_sc_hd__dfrtp_1)
				2.70	data arrival time

1	0.02	0.08	10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
			0.05	10.05	^ clk (in)
					clk (net)
			0.08	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
			0.06	10.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.14	10.34	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
10	0.03	0.05	0.00	10.34	^ _414_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.09	clock uncertainty
			0.00	10.09	clock reconvergence pessimism
			-0.11	9.98	library setup time
				9.98	data required time

				9.98	data required time
				-2.70	data arrival time

				7.28	slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _408_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.02	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
			0.01	2.01	^ start (in)
					start (net)
			0.02	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
			0.19	2.20	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
			0.19	2.20	^ _237_/B (sky130_fd_sc_hd__nor2_4)
			0.10	2.30	v _237_/Y (sky130_fd_sc_hd__nor2_4)
9	0.04	0.07			_125_ (net)
			0.00	2.30	v _352_/A1 (sky130_fd_sc_hd__mux2_1)
1	0.00	0.05	0.31	2.61	v _352_/X (sky130_fd_sc_hd__mux2_1)
					198 (net)
			0.05	2.61	v _353_/A (sky130_fd_sc_hd__clkbuf_1)
			0.09	2.71	v _353_/X (sky130_fd_sc_hd__clkbuf_1)

1	0.00	0.02	0.00	2.71	v	_050_ (net)
				2.71		_408_/D (sky130_fd_sc_hd__dfrtp_4)
						data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.08	0.05	10.05	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_0_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^	clkbuf_2_0_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04					clknet_2_0_leaf_clk (net)
		0.06	0.00	10.34	^	_408_/CLK (sky130_fd_sc_hd__dfrtp_4)
			-0.25	10.09		clock uncertainty
			0.00	10.09		clock reconvergence pessimism
			-0.10	9.99		library setup time
				9.99		data required time

				9.99		data required time
				-2.71		data arrival time

				7.29		slack (MET)

Fanout	Cap	Slew	Delay	Time	Description	
1	0.00	0.02	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			2.00	2.00	^ input external delay	
			0.01	2.01	^ start (in)	
	0.02	0.02	0.00	2.01	^ start (net)	
				2.01	^ input3/A (sky130_fd_sc_hd_buf_1)	
				2.20	^ input3/X (sky130_fd_sc_hd_buf_1)	
				2.20	net3 (net)	
	0.04	0.07	0.00	2.20	^ _237_/B (sky130_fd_sc_hd_nor2_4)	
				2.30	v _237_/Y (sky130_fd_sc_hd_nor2_4)	
				2.30	v _125_ (net)	
				2.30	v _316_/B1 (sky130_fd_sc_hd_a210_1)	
	0.00	0.04	0.18	2.48	v _316_/X (sky130_fd_sc_hd_a210_1)	
				2.48	v _173_ (net)	
				2.48	v _320_/A (sky130_fd_sc_hd_and2_1)	
				2.62	v _320_/X (sky130_fd_sc_hd_and2_1)	
1	0.00	0.03	0.00	2.62	v _176_ (net)	
				2.62	v _321_/A (sky130_fd_sc_hd_clkbuf_1)	
				2.70	v _321_/X (sky130_fd_sc_hd_clkbuf_1)	
				2.70	v _060_ (net)	
1	0.00	0.02	0.00	2.70	v _418_/D (sky130_fd_sc_hd_dfrtp_1)	
				2.70	data arrival time	
1	0.02	0.08	10.00	10.00	clock clk (rise edge)	
			0.00	10.00	clock source latency	
			0.08	10.05	^ clk (in)	
			0.08	10.05	^ clk (net)	
	0.04	0.06	0.15	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)	
				10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)	
				10.20	^ clknet_0_clk (net)	
				10.20	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)	
	0.04	0.06	0.14	10.34	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)	
				10.34	^ clknet_2_3_leaf_clk (net)	
				10.34	^ _418_/CLK (sky130_fd_sc_hd_dfrtp_1)	
				-0.25	10.09	clock uncertainty
				0.00	10.09	clock reconvergence pessimism

-0.10	9.99	library setup time
	9.99	data required time

	9.99	data required time
	-2.70	data arrival time

	7.29	slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _420_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
1	0.00	0.02	0.01	2.01	^ start (in)
					start (net)
2	0.02	0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
		0.19	0.19	2.20	^ input3/X (sky130_fd_sc_hd__buf_1)
6	0.02				net3 (net)
		0.19	0.00	2.20	^ _204_/B (sky130_fd_sc_hd__or2_2)
		0.12	0.22	2.42	^ _204_/X (sky130_fd_sc_hd__or2_2)
					096 (net)
2	0.01	0.12	0.00	2.42	^ _308_/A (sky130_fd_sc_hd__nand2_1)
		0.06	0.09	2.51	v _308_/Y (sky130_fd_sc_hd__nand2_1)
1	0.00				_167_ (net)
		0.06	0.00	2.51	v _312_/A2 (sky130_fd_sc_hd__a21o_1)
		0.03	0.18	2.69	v _312_/X (sky130_fd_sc_hd__a21o_1)
					062 (net)
		0.03	0.00	2.69	v _420_/D (sky130_fd_sc_hd__dftrtp_1)
				2.69	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.06	0.00	10.34	^ _420_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		-0.10	9.98		library setup time
			9.98		data required time

				9.98	data required time
				-2.69	data arrival time

				7.29	slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _416_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay

		0.02	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd_buf_1)
		0.19	0.19	2.20	^ input3/X (sky130_fd_sc_hd_buf_1)
2	0.02				net3 (net)
		0.19	0.00	2.20	^ _237_/B (sky130_fd_sc_hd_nor2_4)
		0.07	0.10	2.30	v _237_/Y (sky130_fd_sc_hd_nor2_4)
9	0.04				_125_ (net)
		0.07	0.00	2.30	v _324_/B1 (sky130_fd_sc_hd_a21o_1)
		0.04	0.18	2.48	v _324_/X (sky130_fd_sc_hd_a21o_1)
2	0.01				_179_ (net)
		0.04	0.00	2.48	v _327_/A2 (sky130_fd_sc_hd_a21o_1)
		0.03	0.17	2.66	v _327_/X (sky130_fd_sc_hd_a21o_1)
1	0.00				_058_ (net)
		0.03	0.00	2.66	v _416_/D (sky130_fd_sc_hd_dfrtp_1)
				2.66	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.14	10.34	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.05	0.00	10.34	^ _416_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		-0.11	9.98		library setup time
			9.98		data required time

			9.98		data required time
			-2.66		data arrival time

			7.32		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _412_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
1	0.00	0.02	0.01	2.01	^ start (in)
					start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd_buf_1)
2	0.02	0.19	0.19	2.20	^ input3/X (sky130_fd_sc_hd_buf_1)
					net3 (net)
		0.19	0.00	2.20	^ _237_/B (sky130_fd_sc_hd_nor2_4)
9	0.04	0.07	0.10	2.30	v _237_/Y (sky130_fd_sc_hd_nor2_4)
					125 (net)
		0.07	0.00	2.30	v _338_/B1 (sky130_fd_sc_hd_a21o_1)
		0.04	0.18	2.48	v _338_/X (sky130_fd_sc_hd_a21o_1)
2	0.01				_189_ (net)
		0.04	0.00	2.48	v _342_/A2 (sky130_fd_sc_hd_a21o_1)
		0.03	0.17	2.66	v _342_/X (sky130_fd_sc_hd_a21o_1)
1	0.00				_054_ (net)
		0.03	0.00	2.66	v _412_/D (sky130_fd_sc_hd_dfrtp_1)
				2.66	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)

1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.14	10.34	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.05	0.00	10.34	^ _412_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		-0.11	9.98		library setup time
			9.98		data required time

			9.98		data required time
			-2.66		data arrival time

			7.32		slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _423_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
		0.02	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
		0.19	0.19	2.20	^ input3/X (sky130_fd_sc_hd__buf_1)
2	0.02				net3 (net)
		0.19	0.00	2.20	^ _237_/B (sky130_fd_sc_hd__nor2_4)
		0.07	0.10	2.30	v _237_/Y (sky130_fd_sc_hd__nor2_4)
9	0.04				_125_ (net)
		0.07	0.00	2.30	v _303_/A2 (sky130_fd_sc_hd__o31a_1)
		0.05	0.30	2.60	v _303_/X (sky130_fd_sc_hd__o31a_1)
1	0.00				_065_ (net)
		0.05	0.00	2.60	v _423_/D (sky130_fd_sc_hd__dftrtp_1)
				2.60	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.14	10.34	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.05	0.00	10.34	^ _423_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		-0.11	9.97		library setup time
			9.97		data required time

			9.97		data required time
			-2.60		data arrival time

			7.37		slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _411_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description	

1	0.00	0.02	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			2.00	2.00	^ input external delay	
			0.01	2.01	^ start (in)	
					start (net)	
			0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
			0.19	0.19	2.20	^ input3/X (sky130_fd_sc_hd__buf_1)
						net3 (net)
			0.19	0.00	2.20	^ _237_/B (sky130_fd_sc_hd__nor2_4)
			0.07	0.10	2.30	v _237_/Y (sky130_fd_sc_hd__nor2_4)
9	0.04			_125_ (net)		
		0.07	0.00	2.30	v _346_/A2 (sky130_fd_sc_hd__o31a_1)	
		0.05	0.30	2.60	v _346_/X (sky130_fd_sc_hd__o31a_1)	
1	0.00	0.05			_053_ (net)	
				2.60	v _411_/D (sky130_fd_sc_hd__dftrtp_1)	
				2.60	data arrival time	

1	0.02	0.08	10.00	10.00	clock clk (rise edge)	
			0.00	10.00	clock source latency	
			0.05	10.05	^ clk (in)	
					clk (net)	
			0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
			0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.06	0.14	10.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
14	0.04	0.06		10.34	^ _411_/CLK (sky130_fd_sc_hd__dftrtp_1)	
			-0.25	10.09	clock uncertainty	
			0.00	10.09	clock reconvergence pessimism	
			-0.11	9.98	library setup time	
				9.98	data required time	

				9.98	data required time	
				-2.60	data arrival time	

				7.38	slack (MET)	

Startpoint: start (input port clocked by clk)

Endpoint: _410_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.02	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
			0.01	2.01	^ start (in)
					start (net)
			0.02	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
			0.19	2.20	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
			0.19	2.20	^ _237_/B (sky130_fd_sc_hd__nor2_4)
			0.07	2.30	v _237_/Y (sky130_fd_sc_hd__nor2_4)
9	0.04	0.07			_125_ (net)
			0.07	2.30	v _348_/B1 (sky130_fd_sc_hd__a32o_1)
1	0.00	0.04	0.00	2.52	v _348_/X (sky130_fd_sc_hd__a32o_1)
					052 (net)
				2.52	v _410_/D (sky130_fd_sc_hd__dftrtp_2)
				2.52	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency

		0.08	0.05	10.05	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.34	^	clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04					clknet_2_0_leaf_clk (net)
		0.06	0.00	10.34	^	_410_/CLK (sky130_fd_sc_hd_dfrtp_2)
		-0.25	10.09			clock uncertainty
		0.00	10.09			clock reconvergence pessimism
		-0.11	9.98			library setup time
			9.98			data required time

				9.98		data required time
				-2.52		data arrival time

				7.46		slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _422_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	v	input external delay
		0.01	0.00	2.00	v start (in)
1	0.00				start (net)
		0.01	0.00	2.00	v input3/A (sky130_fd_sc_hd_buf_1)
2	0.01		0.13	2.14	v input3/X (sky130_fd_sc_hd_buf_1)
					net3 (net)
		0.09	0.00	2.14	v _237_/B (sky130_fd_sc_hd_nor2_4)
9	0.04		0.24	2.38	^ _237_/Y (sky130_fd_sc_hd_nor2_4)
					125 (net)
		0.25	0.00	2.38	^ _305_/A1 (sky130_fd_sc_hd_o21a_1)
		0.05	0.18	2.56	^ _305_/X (sky130_fd_sc_hd_o21a_1)
1	0.00				_064_ (net)
		0.05	0.00	2.56	^ _422_/D (sky130_fd_sc_hd_dfrtp_1)
				2.56	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^
					clk (in)
					clk (net)
		0.08	0.00	10.05	^
					clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.15	10.20	^
					clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^
					clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.14	10.34	^
					clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.05	0.00	10.34	^
					422/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		-0.06	10.03		library setup time
			10.03		data required time

				10.03	data required time
				-2.56	data arrival time

				7.47	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _425_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk

Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description			

			0.00	0.00	clock clk (rise edge)			
			0.00	0.00	clock source latency			
1	0.02	0.08	0.06	0.06	^ clk (in)			
					clk (net)			
4	0.04	0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)			
				0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)			
12	0.04	0.06	0.00	0.22	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)			
				0.37	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)			
3	0.01	0.06	0.00	0.38	^ clknet_2_3_leaf_clk (net)			
				0.80	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)			
1	0.00	0.08	0.00	0.80	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)			
				0.80	clk_count[13] (net)			
2	0.01	0.09	0.00	1.37	v _205_/A (sky130_fd_sc_hd_or4_1)			
				1.37	v _205_/X (sky130_fd_sc_hd_or4_1)			
3	0.01	0.09	0.00	1.37	v _209_/A (sky130_fd_sc_hd_nor4_1)			
				1.83	^ _209_/Y (sky130_fd_sc_hd_nor4_1)			
2	0.01	0.42	0.00	1.83	^ _101_ (net)			
				2.05	^ max_cap25/A (sky130_fd_sc_hd_buf_1)			
3	0.01	0.15	0.00	2.05	^ max_cap25/X (sky130_fd_sc_hd_buf_1)			
				2.05	net25 (net)			
3	0.01	0.15	0.00	2.05	^ _217_/C (sky130_fd_sc_hd_nand4_1)			
				2.22	v _217_/Y (sky130_fd_sc_hd_nand4_1)			
10	0.06	0.13	0.00	2.22	v _109_ (net)			
				2.22	v _218_/A (sky130_fd_sc_hd_buf_4)			
1	0.00	0.09	0.00	2.46	v _218_/X (sky130_fd_sc_hd_buf_4)			
				2.47	v _110_ (net)			
1	0.00	0.09	0.00	2.47	v _354_/A (sky130_fd_sc_hd_inv_2)			
				2.52	^ _354_/Y (sky130_fd_sc_hd_inv_2)			
1	0.00	0.03	0.00	2.52	^ _001_ (net)			
				2.52	^ _425_/D (sky130_fd_sc_hd_dfrtp_1)			
				2.52	data arrival time			

			10.00	10.00	clock clk (rise edge)			
			0.00	10.00	clock source latency			
1	0.02	0.08	0.05	10.05	^ clk (in)			
					clk (net)			
4	0.04	0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)			
				10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)			
10	0.03	0.06	0.00	10.20	^ clknet_0_clk (net)			
				10.34	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)			
		0.05	0.00	10.34	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)			
				10.34	^ clknet_2_2_leaf_clk (net)			
10.34				^ _425_/CLK (sky130_fd_sc_hd_dfrtp_1)				
				-0.25	clock uncertainty			
				0.02	clock reconvergence pessimism			
				-0.05	library setup time			
				10.05	data required time			

				10.05	data required time			
				-2.52	data arrival time			

				7.53	slack (MET)			

Startpoint: rst (input port clocked by clk)
Endpoint: _409_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)

			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.31	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.22	2.53	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)
		0.08	0.00	2.53	v _358_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.59	^ _358_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_003_ (net)
		0.03	0.00	2.59	^ _409_/RESET_B (sky130_fd_sc_hd__dftrtp_4)
				2.59	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.14	10.34	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.05	0.00	10.34	^ _409_/CLK (sky130_fd_sc_hd__dftrtp_4)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		0.22	10.31		library recovery time
			10.31		data required time

			10.31		data required time
			-2.59		data arrival time

			7.72		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _424_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.31	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.09	0.21	2.52	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.09	0.00	2.52	v _374_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.59	^ _374_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_018_ (net)
		0.03	0.00	2.59	^ _424_/RESET_B (sky130_fd_sc_hd__dftrtp_2)
				2.59	data arrival time
			10.00	10.00	clock clk (rise edge)

			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	10.34	^ _424_/CLK (sky130_fd_sc_hd__dftrtp_2)
			-0.25	10.09	clock uncertainty
			0.00	10.09	clock reconvergence pessimism
			0.23	10.32	library recovery time
				10.32	data required time

				10.32	data required time
				-2.59	data arrival time

				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _415_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.31	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.22	2.53	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)
		0.08	0.00	2.53	v _364_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.59	^ _364_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_009_ (net)
		0.03	0.00	2.59	^ _415_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.59	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.14	10.34	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.05	0.00	10.34	^ _415_/CLK (sky130_fd_sc_hd__dftrtp_1)
			-0.25	10.09	clock uncertainty
			0.00	10.09	clock reconvergence pessimism
			0.24	10.32	library recovery time
				10.32	data required time

				10.32	data required time
				-2.59	data arrival time

				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _416_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.01	0.00	2.00 v	rst (in)
					rst (net)
			0.01	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.05	0.05	0.00	2.11 v	_355_/A (sky130_fd_sc_hd__buf_4)
			0.08	2.31 v	_355_/X (sky130_fd_sc_hd__buf_4)
10	0.06	0.08	0.00	2.31 v	_199_ (net)
			0.08	2.53 v	_356_/A (sky130_fd_sc_hd__buf_4)
1	0.00	0.03	0.00	2.53 v	_356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
			0.08	2.53 v	_365_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.03	0.06	2.59 ^	_365_/Y (sky130_fd_sc_hd__inv_2)
					010 (net)
		0.03	0.00	2.59 ^	_416_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.59	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05 ^	clk (in)
					clk (net)
4	0.04	0.08	0.00	10.05 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.06	10.20 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.06	0.00	10.20 ^	clknet_0_clk (net)
			0.05	10.20 ^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.05	10.34 ^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.05	0.00	10.34 ^	_416_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.09	clock uncertainty
			0.00	10.09	clock reconvergence pessimism
			0.24	10.32	library recovery time
				10.32	data required time

				10.32	data required time
				-2.59	data arrival time

				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _417_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.01	0.00	2.00 v	rst (in)
					rst (net)
			0.01	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.05	0.05	0.00	2.11 v	_355_/A (sky130_fd_sc_hd__buf_4)
			0.08	2.31 v	_355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)

		0.08	0.00	2.31	v	_356_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.22	2.53	v	_356_/X (sky130_fd_sc_hd__buf_4)
10	0.06					_200_ (net)
		0.08	0.00	2.53	v	_366_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.59	^	_366_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_011_ (net)
		0.03	0.00	2.59	^	_417_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.59		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.08	0.05	10.05	^	clk (in)
						clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.05	0.14	10.34	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
		0.05	0.00	10.34	^	_417_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.09			clock uncertainty
		0.00	10.09			clock reconvergence pessimism
		0.24	10.32			library recovery time
			10.32			data required time

				10.32		data required time
				-2.59		data arrival time

				7.73		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _408_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.08	0.00	2.31	v _356_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.08	0.22	2.53	v _356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
		0.08	0.00	2.53	v _357_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.59	^ _357_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_002_ (net)
		0.03	0.00	2.59	^ _408_/RESET_B (sky130_fd_sc_hd__dfrtp_4)
				2.59	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	10.34	^ _408_/CLK (sky130_fd_sc_hd__dfrtp_4)

-0.25	10.09	clock uncertainty
0.00	10.09	clock reconvergence pessimism
0.23	10.32	library recovery time
	10.32	data required time

10.32	data required time
-2.59	data arrival time

7.73	slack (MET)
------	-------------

Startpoint: rst (input port clocked by clk)
Endpoint: _413_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd_buf_4)
10	0.05	0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd_buf_4)
					199 (net)
		0.08	0.00	2.31	v _356_/A (sky130_fd_sc_hd_buf_4)
10	0.06	0.08	0.22	2.53	v _356_/X (sky130_fd_sc_hd_buf_4)
					200 (net)
		0.08	0.00	2.53	v _362_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.06	2.59	^ _362_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_007_ (net)
		0.03	0.00	2.59	^ _413_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.59	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.14	10.34	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.05	0.00	10.34	^ _413_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	10.09	clock uncertainty
			0.00	10.09	clock reconvergence pessimism
			0.24	10.32	library recovery time
				10.32	data required time
				10.32	data required time
				-2.59	data arrival time
				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _412_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)

			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.31	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.22	2.53	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)
		0.08	0.00	2.53	v _361_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.59	^ _361_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_006_ (net)
		0.03	0.00	2.59	^ _412_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.59	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.14	10.34	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.05	0.00	10.34	^ _412_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25		10.09	clock uncertainty
		0.00		10.09	clock reconvergence pessimism
		0.24		10.32	library recovery time
				10.32	data required time

				10.32	data required time
				-2.59	data arrival time

				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _414_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.31	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.22	2.53	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)
		0.08	0.00	2.53	v _363_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.59	^ _363_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_008_ (net)
		0.03	0.00	2.59	^ _414_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.59	data arrival time
			10.00	10.00	clock clk (rise edge)

			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.14	10.34	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.05	0.00	10.34	^ _414_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		0.24	10.32		library recovery time
			10.32		data required time

				10.32	data required time
				-2.59	data arrival time

				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _410_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.31	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.22	2.53	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)
		0.08	0.00	2.53	v _359_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.59	^ _359_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_004_ (net)
		0.03	0.00	2.59	^ _410_/RESET_B (sky130_fd_sc_hd__dftrtp_2)
				2.59	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	10.34	^ _410_/CLK (sky130_fd_sc_hd__dftrtp_2)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		0.23	10.32		library recovery time
			10.32		data required time

				10.32	data required time
				-2.59	data arrival time

				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _425_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.01	0.00	2.00 v	rst (in)
					rst (net)
			0.01	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.05	0.05	0.00	2.11 v	_355_/A (sky130_fd_sc_hd__buf_4)
			0.08	2.31 v	_355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
10	0.07	0.08	0.00	2.31 v	_367_/A (sky130_fd_sc_hd__clkbuf_8)
			0.09	2.52 v	_367_/X (sky130_fd_sc_hd__clkbuf_8)
					201 (net)
1	0.00	0.09	0.00	2.53 v	_375_/A (sky130_fd_sc_hd__inv_2)
			0.03	2.59 ^	_375_/Y (sky130_fd_sc_hd__inv_2)
					019 (net)
		0.03	0.00	2.59 ^	_425_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.59	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05 ^	clk (in)
					clk (net)
			0.08	10.05 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
			0.06	10.20 ^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.05	0.14	10.34 ^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
			0.05	10.34 ^	_425_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.09	clock uncertainty
			0.00	10.09	clock reconvergence pessimism
			0.24	10.32	library recovery time
				10.32	data required time

				10.32	data required time
				-2.59	data arrival time

				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _422_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.01	0.00	2.00 v	rst (in)
					rst (net)
			0.01	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.05	0.05	0.00	2.11 v	_355_/A (sky130_fd_sc_hd__buf_4)
			0.08	2.31 v	_355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)

		0.08	0.00	2.31	v	_367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.09	0.21	2.52	v	_367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07					_201_ (net)
		0.09	0.00	2.52	v	_372_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.59	^	_372_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_016_ (net)
		0.03	0.00	2.59	^	_422_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.59		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.08	0.05	10.05	^	clk (in)
						clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.05	0.14	10.34	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
		0.05	0.00	10.34	^	_422_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.09			clock uncertainty
		0.00	10.09			clock reconvergence pessimism
		0.24	10.32			library recovery time
			10.32			data required time

				10.32		data required time
				-2.59		data arrival time

				7.73		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _423_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.08	0.00	2.31	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
10	0.07	0.09	0.21	2.52	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
					201 (net)
		0.09	0.00	2.52	v _373_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.59	^ _373_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_017_ (net)
		0.03	0.00	2.59	^ _423_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.59	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.05	0.14	10.34	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.05	0.00	10.34	^ _423_/CLK (sky130_fd_sc_hd__dfrtp_1)

-0.25	10.09	clock uncertainty
0.00	10.09	clock reconvergence pessimism
0.24	10.32	library recovery time
	10.32	data required time

10.32	data required time
-2.59	data arrival time

7.74	slack (MET)
------	-------------

Startpoint: rst (input port clocked by clk)
Endpoint: _427_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.31	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.09	0.21	2.52	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.09	0.00	2.52	v _377_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.06	2.59	^ _377_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_021_ (net)
		0.04	0.00	2.59	^ _427_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.59	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.06	0.00	10.34	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		0.24	10.33		library recovery time
			10.33		data required time
				10.33	data required time
				-2.59	data arrival time
				7.74	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _418_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)

			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.31	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.09	0.21	2.52	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.09	0.00	2.53	v _368_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.59	^ _368_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_012_ (net)
		0.03	0.00	2.59	^ _418_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.59	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	10.34	^ _418_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		0.24	10.33		library recovery time
			10.33		data required time

			10.33		data required time
			-2.59		data arrival time

			7.74		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _419_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.31	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.09	0.21	2.52	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.09	0.00	2.53	v _369_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.59	^ _369_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_013_ (net)
		0.03	0.00	2.59	^ _419_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.59	data arrival time
			10.00	10.00	clock clk (rise edge)

			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	10.34	^ _419_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		0.24	10.33		library recovery time
			10.33		data required time

				10.33	data required time
				-2.59	data arrival time

				7.74	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _421_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.31	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.09	0.21	2.52	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.09	0.00	2.53	v _371_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.59	^ _371_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_015_ (net)
		0.03	0.00	2.59	^ _421_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.59	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	10.34	^ _421_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		0.24	10.33		library recovery time
			10.33		data required time

				10.33	data required time
				-2.59	data arrival time

				7.74	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _426_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.01	0.00	2.00 v	rst (in)
					rst (net)
			0.01	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.05	0.05	0.00	2.11 v	_355_/A (sky130_fd_sc_hd__buf_4)
			0.08	2.31 v	_355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
10	0.07	0.08	0.00	2.31 v	_367_/A (sky130_fd_sc_hd__clkbuf_8)
			0.09	2.52 v	_367_/X (sky130_fd_sc_hd__clkbuf_8)
					201 (net)
1	0.00	0.09	0.00	2.53 v	_376_/A (sky130_fd_sc_hd__inv_2)
			0.03	2.59 ^	_376_/Y (sky130_fd_sc_hd__inv_2)
					020 (net)
		0.03	0.00	2.59 ^	_426_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.59	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05 ^	clk (in)
					clk (net)
			0.08	10.05 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
			0.06	10.20 ^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	10.34 ^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
			0.06	10.34 ^	_426_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.09	clock uncertainty
			0.00	10.09	clock reconvergence pessimism
			0.24	10.33	library recovery time
				10.33	data required time

				10.33	data required time
				-2.59	data arrival time

				7.74	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _420_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.01	0.00	2.00 v	rst (in)
					rst (net)
			0.01	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.05	0.05	0.00	2.11 v	_355_/A (sky130_fd_sc_hd__buf_4)
			0.08	2.31 v	_355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)

		0.08	0.00	2.31	v	_367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.09	0.21	2.52	v	_367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07					_201_ (net)
		0.09	0.00	2.52	v	_370_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.59	^	_370_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_014_ (net)
		0.03	0.00	2.59	^	_420_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.59		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.08	0.05	10.05	^	clk (in)
						clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	10.34	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3__leaf_clk (net)
		0.06	0.00	10.34	^	_420_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.09			clock uncertainty
		0.00	10.09			clock reconvergence pessimism
		0.24	10.33			library recovery time
			10.33			data required time

				10.33		data required time
				-2.59		data arrival time

				7.74		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _411_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.08	0.00	2.31	v _356_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.08	0.22	2.53	v _356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
		0.08	0.00	2.53	v _360_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.59	^ _360_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_005_ (net)
		0.03	0.00	2.59	^ _411_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.59	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.14	10.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.06	0.00	10.34	^ _411_/CLK (sky130_fd_sc_hd__dftrtp_1)

-0.25	10.09	clock uncertainty
0.00	10.09	clock reconvergence pessimism
0.24	10.33	library recovery time
	10.33	data required time

10.33	data required time
-2.59	data arrival time

7.74	slack (MET)
------	-------------

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _435_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.06	0.00	0.38	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.08	0.42	0.80	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[13] (net)
		0.08	0.00	0.80	v _205_/A (sky130_fd_sc_hd_or4_1)
		0.09	0.57	1.37	v _205_/X (sky130_fd_sc_hd_or4_1)
1	0.00				_097_ (net)
		0.09	0.00	1.37	v _209_/A (sky130_fd_sc_hd_nor4_1)
		0.42	0.46	1.83	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
2	0.01				_101_ (net)
		0.42	0.00	1.83	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.15	0.22	2.05	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01				net25 (net)
		0.15	0.00	2.05	^ _273_/A (sky130_fd_sc_hd_inv_2)
		0.04	0.05	2.10	v _273_/Y (sky130_fd_sc_hd_inv_2)
2	0.01				_144_ (net)
		0.04	0.00	2.10	v _274_/A2 (sky130_fd_sc_hd_a21oi_1)
		0.11	0.14	2.24	^ _274_/Y (sky130_fd_sc_hd_a21oi_1)
1	0.00				_075_ (net)
		0.11	0.00	2.24	^ _435_/D (sky130_fd_sc_hd_dfrtp_2)
				2.24	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.06	0.00	10.34	^ _435_/CLK (sky130_fd_sc_hd_dfrtp_2)
			-0.25	10.09	clock uncertainty
			0.02	10.11	clock reconvergence pessimism
			-0.08	10.04	library setup time
				10.04	data required time

				10.04	data required time
				-2.24	data arrival time

				7.79	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _436_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
			0.01	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.05	2.11	v _378_/A (sky130_fd_sc_hd__buf_4)
10	0.07	0.09	0.21	2.32	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
			0.09	2.32	v _387_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.04	0.07	2.39	^ _387_/Y (sky130_fd_sc_hd__inv_2)
					030 (net)
			0.04	2.39	^ _436_/SET_B (sky130_fd_sc_hd__dfstp_1)
				2.39	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
			0.08	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
			0.06	10.20	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	10.34	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
			0.06	10.34	^ _436_/CLK (sky130_fd_sc_hd__dfstp_1)
			-0.25	10.09	clock uncertainty
			0.00	10.09	clock reconvergence pessimism
			0.14	10.23	library recovery time
				10.23	data required time

				10.23	data required time
				-2.39	data arrival time

				7.84	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _435_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
			0.01	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.05	2.11	v _378_/A (sky130_fd_sc_hd__buf_4)
10	0.07	0.09	0.21	2.32	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
			0.09	2.32	v _386_/A (sky130_fd_sc_hd__inv_2)
			0.04	2.39	^ _386_/Y (sky130_fd_sc_hd__inv_2)

1	0.00	0.04	0.00	2.39	^	_029_ (net)
				2.39		_435_/RESET_B (sky130_fd_sc_hd__dfrtp_2)
				2.39		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
		0.08	0.05	10.05	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04					clknet_2_0__leaf_clk (net)
		0.06	0.00	10.34	^	_435_/CLK (sky130_fd_sc_hd__dfrtp_2)
		-0.25	10.09			clock uncertainty
		0.00	10.09			clock reconvergence pessimism
		0.23	10.32			library recovery time
			10.32			data required time

				10.32		data required time
				-2.39		data arrival time

				7.93		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _433_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.09	0.21	2.32	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.09	0.00	2.32	v _384_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.07	2.39	^ _384_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_027_ (net)
		0.04	0.00	2.39	^ _433_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.39	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.06	0.00	10.34	^ _433_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		0.24	10.33		library recovery time
			10.33		data required time

				10.33	data required time
				-2.39	data arrival time

7.93 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _434_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.07				net2 (net)
		0.05	0.00	2.11	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.09	0.21	2.32	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
1	0.00	0.09	0.00	2.32	v _385_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.07	2.39	^ _385_/Y (sky130_fd_sc_hd__inv_2)
					028 (net)
		0.04	0.00	2.39	^ _434_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.39	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.06	0.00	10.34	^ _434_/CLK (sky130_fd_sc_hd__dftrtp_1)
			-0.25	10.09	clock uncertainty
			0.00	10.09	clock reconvergence pessimism
			0.24	10.33	library recovery time
				10.33	data required time

				10.33	data required time
				-2.39	data arrival time

				7.94	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _437_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.07				net2 (net)
		0.05	0.00	2.11	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.09	0.21	2.32	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
		0.09	0.00	2.32	v _388_/A (sky130_fd_sc_hd__inv_2)

1	0.00	0.04	0.07	2.39	^	_388_/Y (sky130_fd_sc_hd__inv_2)
		0.04	0.00	2.39	^	_031_ (net)
				2.39	^	_437_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.39		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
1	0.02	0.08	0.05	10.05	^	clk (in)
						clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	10.34	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3__leaf_clk (net)
		0.06	0.00	10.34	^	_437_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.09			clock uncertainty
		0.00	10.09			clock reconvergence pessimism
		0.24	10.33			library recovery time
			10.33			data required time

				10.33		data required time
				-2.39		data arrival time

				7.94		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _429_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.11	v _378_/A (sky130_fd_sc_hd__buf_4)
10	0.07	0.09	0.21	2.32	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
		0.09	0.00	2.32	v _380_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.04	0.07	2.39	^ _380_/Y (sky130_fd_sc_hd__inv_2)
					023 (net)
		0.04	0.00	2.39	^ _429_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.39	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.14	10.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.06	0.00	10.34	^ _429_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		0.24	10.33		library recovery time
			10.33		data required time

				10.33	data required time
				-2.39	data arrival time

7.94 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _431_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.11	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.09	0.21	2.32	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.09	0.00	2.32	v _382_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.07	2.39	^ _382_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_025_ (net)
		0.04	0.00	2.39	^ _431_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.39	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	10.34	^ _431_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.09	clock uncertainty
			0.00	10.09	clock reconvergence pessimism
			0.24	10.33	library recovery time
				10.33	data required time

				10.33	data required time
				-2.39	data arrival time

				7.94	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _432_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.09	0.21	2.32	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)

		0.09	0.00	2.32	v	_383_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.07	2.39	^	_383_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_026_ (net)
		0.04	0.00	2.39	^	_432_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.39		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.08	0.05	10.05	^	clk (in)
						clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.14	10.34	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.06	0.00	10.34	^	_432_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.09			clock uncertainty
		0.00	10.09			clock reconvergence pessimism
		0.24	10.33			library recovery time
			10.33			data required time

				10.33		data required time
				-2.39		data arrival time

				7.94		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _430_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.11	v _378_/A (sky130_fd_sc_hd__buf_4)
10	0.07	0.09	0.21	2.32	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
		0.09	0.00	2.32	v _381_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.06	2.39	^ _381_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_024_ (net)
		0.04	0.00	2.39	^ _430_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.39	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.14	10.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.06	0.00	10.34	^ _430_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		0.24	10.33		library recovery time
			10.33		data required time

				10.33	data required time

-2.39 data arrival time

7.94 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _428_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description	
1	0.00	0.01	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			2.00	2.00	v input external delay	
			0.00	2.00	v rst (in)	
					rst (net)	
			0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
						net2 (net)
			0.05	0.00	2.11	v _378_/A (sky130_fd_sc_hd__buf_4)
			0.09	0.21	2.32	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07			_202_ (net)		
		0.09	0.00	2.32	v _379_/A (sky130_fd_sc_hd__inv_2)	
1	0.00	0.04	0.06	2.39	^ _379_/Y (sky130_fd_sc_hd__inv_2)	
					022 (net)	
		0.04	0.00	2.39	^ _428_/RESET_B (sky130_fd_sc_hd__dfrtp_1)	
				2.39	data arrival time	
1	0.02	0.08	10.00	10.00	clock clk (rise edge)	
			0.00	10.00	clock source latency	
			0.05	10.05	^ clk (in)	
					clk (net)	
4	0.04	0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					clknet_0_clk (net)	
14	0.04	0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.06	0.14	10.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					clknet_2_0__leaf_clk (net)	
		0.06	0.00	10.34	^ _428_/CLK (sky130_fd_sc_hd__dfrtp_1)	
			-0.25	10.09	clock uncertainty	
			0.00	10.09	clock reconvergence pessimism	
			0.24	10.33	library recovery time	
				10.33	data required time	
				10.33	data required time	
				-2.39	data arrival time	
				7.94	slack (MET)	

Startpoint: rst (input port clocked by clk)
Endpoint: _443_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
1	0.00	0.01	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
			0.00	2.00	v rst (net)
3	0.01	0.05	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
			0.00	2.11	net2 (net)
		0.08	0.00	2.11	v _389_/A (sky130_fd_sc_hd__buf_4)
			0.21	2.31	v _389_/X (sky130_fd_sc_hd__buf_4)

10	0.06					_203_ (net)
		0.08	0.00	2.32	v	_395_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.38	^	_395_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_037_ (net)
		0.03	0.00	2.38	^	_443_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.38		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.08	0.05	10.05	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.06	0.00	10.34	^	_443_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.09		clock uncertainty
		0.00		10.09		clock reconvergence pessimism
		0.24		10.33		library recovery time
				10.33		data required time

				10.33		data required time
				-2.38		data arrival time

				7.95		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _440_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11	v _389_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.21	2.31	v _389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
		0.08	0.00	2.32	v _392_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.38	^ _392_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_034_ (net)
		0.03	0.00	2.38	^ _440_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.38	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	10.34	^ _440_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.09	clock uncertainty
		0.00		10.09	clock reconvergence pessimism
		0.24		10.33	library recovery time
				10.33	data required time

10.33 data required time
-2.38 data arrival time

7.95 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _441_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description		

1	0.00		0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
		0.01	2.00	2.00 v	input external delay		
			0.00	2.00 v	rst (in)		
		0.01			rst (net)		
			0.01	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)	
		3	0.01	0.05	0.10	2.11 v	input2/X (sky130_fd_sc_hd__buf_1)
							net2 (net)
		10	0.06	0.05	0.00	2.11 v	_389_/A (sky130_fd_sc_hd__buf_4)
				0.08	0.21	2.31 v	_389_/X (sky130_fd_sc_hd__buf_4)
1	0.00				_203_ (net)		
			0.08	0.00	2.32 v	_393_/A (sky130_fd_sc_hd__inv_2)	
		0.03	0.06	2.38 ^	_393_/Y (sky130_fd_sc_hd__inv_2)		
						035 (net)	
		0.03	0.00	2.38 ^	_441_/RESET_B (sky130_fd_sc_hd__dfrtp_1)		
					2.38	data arrival time	

		1	0.02		10.00	10.00	clock clk (rise edge)
					0.00	10.00	clock source latency
		4	0.04	0.08	0.05	10.05 ^	clk (in)
					clk (net)		
		0.08	0.00	10.05 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)		
		0.06	0.15	10.20 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)		
					clknet_0_clk (net)		
		0.06	0.00	10.20 ^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)		
12	0.04	0.06	0.14	10.34 ^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)		
					clknet_2_1__leaf_clk (net)		
		0.06	0.00	10.34 ^	_441_/CLK (sky130_fd_sc_hd__dfrtp_1)		
			-0.25	10.09	clock uncertainty		
		0.00	10.09	clock reconvergence pessimism			
		0.24	10.33	library recovery time			
			10.33	data required time			

				10.33	data required time		
				-2.38	data arrival time		

				7.95	slack (MET)		

Startpoint: rst (input port clocked by clk)
Endpoint: _444_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.01	0.00	2.00 v	rst (in)
					rst (net)
		0.01	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
				2.11 v	input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11 v	_389_/A (sky130_fd_sc_hd__buf_4)

10	0.06	0.08	0.21	2.31	v _389_/X (sky130_fd_sc_hd_buf_4)
					203 (net)
1	0.00	0.08	0.00	2.32	v _396_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.06	2.38	^ _396_/Y (sky130_fd_sc_hd_inv_2)
					038 (net)
		0.03	0.00	2.38	^ _444_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.38	data arrival time
1	0.02	10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
		0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.14	10.34	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
		0.06	0.00	10.34	^ _444_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		0.24	10.33		library recovery time
			10.33		data required time

				10.33	data required time
				-2.38	data arrival time

				7.95	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _439_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
		0.05	0.00	2.11	v _389_/A (sky130_fd_sc_hd_buf_4)
10	0.06	0.08	0.21	2.31	v _389_/X (sky130_fd_sc_hd_buf_4)
					203 (net)
		0.08	0.00	2.32	v _391_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.03	0.06	2.38	^ _391_/Y (sky130_fd_sc_hd_inv_2)
					033 (net)
		0.03	0.00	2.38	^ _439_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.38	data arrival time
1	0.02	10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
		0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.14	10.34	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
		0.06	0.00	10.34	^ _439_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		0.24	10.33		library recovery time
			10.33		data required time

		10.33	data required time
		-2.38	data arrival time

		7.95	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _438_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.01	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.11 v	_389_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.21	2.31 v	_389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
		0.08	0.00	2.32 v	_390_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.38 ^	_390_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_032_ (net)
		0.03	0.00	2.38 ^	_438_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.38	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05 ^	clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20 ^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34 ^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	10.34 ^	_438_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.09	clock uncertainty
			0.00	10.09	clock reconvergence pessimism
			0.24	10.33	library recovery time
				10.33	data required time

				10.33	data required time
				-2.38	data arrival time

				7.95	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _442_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.01	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11 v	input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)

		0.05	0.00	2.11	v	_389_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.21	2.31	v	_389_/X (sky130_fd_sc_hd__buf_4)
10	0.06					_203_ (net)
		0.08	0.00	2.32	v	_394_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.38	^	_394_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_036_ (net)
		0.03	0.00	2.38	^	_442_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.38		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.08	0.05	10.05	^	clk (in)
						clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	10.34	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_1__leaf_clk (net)
		0.06	0.00	10.34	^	_442_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.09			clock uncertainty
		0.00	10.09			clock reconvergence pessimism
		0.24	10.33			library recovery time
			10.33			data required time

				10.33		data required time
				-2.38		data arrival time

				7.95		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _445_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.11	v _389_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.08	0.21	2.31	v _389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
		0.08	0.00	2.31	v _397_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.38	^ _397_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_039_ (net)
		0.03	0.00	2.38	^ _445_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.38	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	10.34	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.06	0.00	10.34	^ _445_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		0.24	10.33		library recovery time

				10.33	data required time

				10.33	data required time
				-2.38	data arrival time

				7.95	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _446_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.11	v _389_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.08	0.21	2.31	v _389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
		0.08	0.00	2.31	v _398_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.38	^ _398_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_040_ (net)
		0.03	0.00	2.38	^ _446_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.38	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	10.34	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.06	0.00	10.34	^ _446_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.09	clock uncertainty
			0.00	10.09	clock reconvergence pessimism
			0.24	10.33	library recovery time
				10.33	data required time

				10.33	data required time
				-2.38	data arrival time

				7.95	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _447_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)

3	0.01				net2 (net)
		0.05	0.00	2.11	v _389_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.21	2.31	v _389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
		0.08	0.00	2.31	v _399_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.07	2.38	^ _399_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_041_ (net)
		0.04	0.00	2.38	^ _447_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.38	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	10.34	^ _447_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		0.24	10.33		library recovery time
			10.33		data required time

				10.33	data required time
				-2.38	data arrival time

				7.95	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _450_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.31	v _402_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.07	2.38	^ _402_/Y (sky130_fd_sc_hd__inv_2)
1	0.01				_044_ (net)
		0.04	0.00	2.38	^ _450_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.38	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	10.34	^ _450_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism

	0.24	10.33	library recovery time
		10.33	data required time

		10.33	data required time
		-2.38	data arrival time

		7.95	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _454_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.01	0.00	2.00 v	rst (in)
					rst (net)
			0.01	2.00 v	input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.05	0.10	2.11 v	input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
			0.05	2.11 v	_355_/A (sky130_fd_sc_hd_buf_4)
10	0.05	0.08	0.20	2.31 v	_355_/X (sky130_fd_sc_hd_buf_4)
					199 (net)
			0.08	2.31 v	_406_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.03	0.06	2.37 ^	_406_/Y (sky130_fd_sc_hd_inv_2)
					048 (net)
			0.03	2.37 ^	_454_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.37	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05 ^	clk (in)
					clk (net)
			0.08	10.05 ^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.15	10.20 ^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
			0.06	10.20 ^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.14	10.34 ^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
			0.06	10.34 ^	_454_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	10.09	clock uncertainty
			0.00	10.09	clock reconvergence pessimism
			0.24	10.33	library recovery time
				10.33	data required time

				10.33	data required time
				-2.37	data arrival time

				7.96	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _455_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.01	0.00	2.00 v	rst (in)
					rst (net)
			0.01	2.00 v	input2/A (sky130_fd_sc_hd_buf_1)

3	0.01	0.05	0.10	2.11	v	input2/X (sky130_fd_sc_hd_buf_1)
						net2 (net)
10	0.05	0.05	0.00	2.11	v	_355_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.20	2.31	v	_355_/X (sky130_fd_sc_hd_buf_4)
						199 (net)
1	0.00	0.08	0.00	2.31	v	_407_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.06	2.37	^	_407_/Y (sky130_fd_sc_hd_inv_2)
						049 (net)
		0.03	0.00	2.37	^	_455_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.37		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
1	0.02	0.08	0.05	10.05	^	clk (in)
						clk (net)
4	0.04	0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.00	10.20	^	clknet_0_clk (net)
		0.06	0.14	10.34	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_1_leaf_clk (net)
		0.06	0.00	10.34	^	_455_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.09			clock uncertainty
		0.00	10.09			clock reconvergence pessimism
		0.24	10.33			library recovery time
				10.33		data required time
				10.33		data required time
				-2.37		data arrival time
				7.96		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _452_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.01	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
10	0.05	0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd_buf_4)
					199 (net)
		0.08	0.00	2.31	v _404_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.03	0.06	2.37	^ _404_/Y (sky130_fd_sc_hd_inv_2)
					046 (net)
		0.03	0.00	2.37	^ _452_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.37	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.00	10.20	^ clknet_0_clk (net)
		0.06	0.14	10.34	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
		0.06	0.00	10.34	^ _452_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.09		clock uncertainty

Startpoint: rst (input port clocked by clk)
Endpoint: _451_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Startpoint: rst (input port clocked by clk)
Endpoint: _453_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.01	0.00	2.00 v	rst (in)
1	0.00				rst (net)

		0.01	0.00	2.00	v	input2/A (sky130_fd_sc_hd_buf_1)
		0.05	0.10	2.11	v	input2/X (sky130_fd_sc_hd_buf_1)
3	0.01					net2 (net)
		0.05	0.00	2.11	v	_355_/A (sky130_fd_sc_hd_buf_4)
10	0.05	0.08	0.20	2.31	v	_355_/X (sky130_fd_sc_hd_buf_4)
						199 (net)
		0.08	0.00	2.31	v	_405_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.06	2.37	^	_405_/Y (sky130_fd_sc_hd_inv_2)
1	0.00					_047_ (net)
		0.03	0.00	2.37	^	_453_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.37		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.08	0.05	10.05	^	clk (in)
						clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.15	10.20	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.14	10.34	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_1_leaf_clk (net)
		0.06	0.00	10.34	^	_453_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.09			clock uncertainty
		0.00	10.09			clock reconvergence pessimism
		0.24	10.33			library recovery time
			10.33			data required time

				10.33		data required time
				-2.37		data arrival time

				7.96		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _449_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd_buf_4)
10	0.05	0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd_buf_4)
					199 (net)
		0.08	0.00	2.31	v _401_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.06	2.37	^ _401_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_043_ (net)
		0.03	0.00	2.37	^ _449_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.37	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.06	0.14	10.34	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)
		0.06	0.00	10.34	^ _449_/CLK (sky130_fd_sc_hd_dfrtp_1)

-0.25	10.09	clock uncertainty
0.00	10.09	clock reconvergence pessimism
0.24	10.33	library recovery time
	10.33	data required time

10.33	data required time
-2.37	data arrival time

7.96	slack (MET)
------	-------------

Startpoint: rst (input port clocked by clk)
Endpoint: _448_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.08	0.00	2.31	v _400_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.37	^ _400_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_042_ (net)
		0.03	0.00	2.37	^ _448_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.37	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.14	10.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.06	0.00	10.34	^ _448_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		0.24	10.33		library recovery time
			10.33		data required time

				10.33	data required time
				-2.37	data arrival time

				7.96	slack (MET)

TT CORNER

rcx_nom_sta.min.rpt

=====
report_checks -path_delay min (Hold)
=====
===== Fastest Corner =====

Startpoint: _415_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _415_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.09	0.23	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.04	0.00	0.23	^ _415_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.07	0.22	0.45	^ _415_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[7] (net)
		0.07	0.00	0.45	^ _332_/S (sky130_fd_sc_hd__mux2_1)
		0.03	0.08	0.54	^ _332_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_185_ (net)
		0.03	0.00	0.54	^ _333_/A (sky130_fd_sc_hd__clkbuf_1)
		0.03	0.05	0.58	^ _333_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_057_ (net)
		0.03	0.00	0.58	^ _415_/D (sky130_fd_sc_hd__dfrtp_1)
				0.58	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	0.26	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.04	0.00	0.26	^ _415_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			-0.02	0.48	clock reconvergence pessimism
			-0.02	0.46	library hold time
				0.46	data required time

				0.46	data required time

				-0.58	data arrival time

				0.12	slack (MET)

Startpoint: _449_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _431_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)

		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.24	^ _449_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.07	0.22	0.46	^ _449_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				rx_shift[5] (net)
		0.07	0.00	0.46	^ _283_/A0 (sky130_fd_sc_hd_mux2_1)
		0.03	0.08	0.54	^ _283_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_150_ (net)
		0.03	0.00	0.54	^ _284_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.05	0.59	^ _284_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_071_ (net)
		0.03	0.00	0.59	^ _431_/D (sky130_fd_sc_hd_dfrtp_1)
				0.59	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.27	^ _431_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.25	0.52		clock uncertainty
		-0.03	0.49		clock reconvergence pessimism
		-0.02	0.47		library hold time
			0.47		data required time

				0.47	data required time
				-0.59	data arrival time

				0.12	slack (MET)

Startpoint: _447_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _429_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.24	^ _447_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.08	0.23	0.47	^ _447_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				rx_shift[3] (net)
		0.08	0.00	0.47	^ _287_/A0 (sky130_fd_sc_hd_mux2_1)
		0.03	0.08	0.54	^ _287_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_152_ (net)
		0.03	0.00	0.54	^ _288_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.05	0.59	^ _288_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_069_ (net)
		0.03	0.00	0.59	^ _429_/D (sky130_fd_sc_hd_dfrtp_1)
				0.59	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^ _429_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51	clock uncertainty
			-0.03	0.49	clock reconvergence pessimism
			-0.02	0.47	library hold time
				0.47	data required time

				0.47	data required time
				-0.59	data arrival time

				0.12	slack (MET)

Startpoint: _428_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _428_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.24	^ _428_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.07	0.23	0.46	^ _428_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net18 (net)
		0.07	0.00	0.47	^ _289_/A1 (sky130_fd_sc_hd_mux2_1)
		0.03	0.08	0.54	^ _289_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_153_ (net)
		0.03	0.00	0.54	^ _290_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.05	0.59	^ _290_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_068_ (net)
		0.03	0.00	0.59	^ _428_/D (sky130_fd_sc_hd_dfrtp_1)
				0.59	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.27	^ _428_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.52	clock uncertainty
			-0.03	0.49	clock reconvergence pessimism
			-0.02	0.47	library hold time
				0.47	data required time

				0.47	data required time
				-0.59	data arrival time

0.12 slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description		

1	0.02		0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock source latency		
		0.06	0.04	0.04	^ clk (in)		
						clk (net)	
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)		
			0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)	
		4	0.04			clknet_0_clk (net)	
				0.05	0.00	0.14	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		14	0.04	0.05	0.10	0.24	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
							clknet_2_0_leaf_clk (net)
4	0.02	0.05	0.00	0.24	^ _435_/CLK (sky130_fd_sc_hd_dfrtp_2)		
		0.06	0.27	0.51	v _435_/Q (sky130_fd_sc_hd_dfrtp_2)		
2	0.01				net24 (net)		
			0.06	0.00	0.51	v _235_/A (sky130_fd_sc_hd_inv_2)	
		0.03	0.04	0.56	^ _235_/Y (sky130_fd_sc_hd_inv_2)		
						123 (net)	
		0.03	0.00	0.56	^ _274_/A1 (sky130_fd_sc_hd_a21oi_1)		
			0.03	0.03	0.59	v _274_/Y (sky130_fd_sc_hd_a21oi_1)	
		1	0.00			_075_ (net)	
				0.03	0.00	0.59	v _435_/D (sky130_fd_sc_hd_dfrtp_2)
					0.59	data arrival time	

1	0.02		0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock source latency		
		0.06	0.04	0.04	^ clk (in)		
						clk (net)	
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)		
			0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)	
		4	0.04			clknet_0_clk (net)	
				0.05	0.00	0.15	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		14	0.04	0.05	0.11	0.26	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
							clknet_2_0_leaf_clk (net)
		0.05	0.00	0.26	^ _435_/CLK (sky130_fd_sc_hd_dfrtp_2)		
				0.25	clock uncertainty		
			-0.03	0.49	clock reconvergence pessimism		
			-0.03	0.46	library hold time		
				0.46	data required time		

			0.46	data required time			
			-0.59	data arrival time			

			0.12	slack (MET)			

Startpoint: _423_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _423_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
1	0.02	0.06	0.10	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)

4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.09	0.23	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04				clknet_2_2_leaf_clk (net)
		0.04	0.00	0.23	^ _423_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.05	0.24	0.47	v _423_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[15] (net)
		0.05	0.00	0.47	v _295_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	0.51	^ _295_/Y (sky130_fd_sc_hd_inv_2)
1	0.01				_156_ (net)
		0.03	0.00	0.51	^ _303_/A1 (sky130_fd_sc_hd_o31a_1)
		0.04	0.08	0.59	^ _303_/X (sky130_fd_sc_hd_o31a_1)
1	0.00				_065_ (net)
		0.04	0.00	0.59	^ _423_/D (sky130_fd_sc_hd_dfrtp_1)
				0.59	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	0.26	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04				clknet_2_2_leaf_clk (net)
		0.04	0.00	0.26	^ _423_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51	clock uncertainty
		-0.02	0.48		clock reconvergence pessimism
		-0.02	0.46		library hold time
			0.46		data required time

			0.46		data required time
			-0.59		data arrival time

			0.12		slack (MET)

Startpoint: _453_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _453_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	0.24	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.04	0.00	0.24	^ _453_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.08	0.23	0.47	^ _453_/Q (sky130_fd_sc_hd_dfrtp_1)
4	0.01				bit_count[1] (net)
		0.08	0.00	0.47	^ _229_/A0 (sky130_fd_sc_hd_mux2_1)
		0.03	0.08	0.55	^ _229_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_119_ (net)
		0.03	0.00	0.55	^ _230_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.05	0.60	^ _230_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_093_ (net)
		0.03	0.00	0.60	^ _453_/D (sky130_fd_sc_hd_dfrtp_1)
				0.60	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency

		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.11	0.26	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.04	0.00	0.26	^ _453_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51	clock uncertainty
		-0.02	0.49		clock reconvergence pessimism
		-0.02	0.47		library hold time
			0.47		data required time

				0.47	data required time
				-0.60	data arrival time

				0.13	slack (MET)

Startpoint: _419_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _419_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.05	0.00	0.24	^ _419_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.08	0.23	0.47	^ _419_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[11] (net)
		0.08	0.00	0.47	^ _317_/S (sky130_fd_sc_hd_mux2_1)
		0.03	0.08	0.55	^ _317_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_174_ (net)
		0.03	0.00	0.55	^ _318_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.05	0.60	^ _318_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_061_ (net)
		0.03	0.00	0.60	^ _419_/D (sky130_fd_sc_hd_dfrtp_1)
				0.60	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.05	0.00	0.26	^ _419_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51	clock uncertainty
		-0.02	0.49		clock reconvergence pessimism
		-0.02	0.47		library hold time
			0.47		data required time

				0.47	data required time
				-0.60	data arrival time

				0.13	slack (MET)

Startpoint: _411_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _411_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.10	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.05	0.10		clknet_0_clk (net)
				0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)
4	0.02	0.05	0.25	0.24	^ _411_/CLK (sky130_fd_sc_hd_dfrtp_1)
				0.49	^ _411_/Q (sky130_fd_sc_hd_dfrtp_1)
					clk_count[3] (net)
				0.49	^ _345_/B1 (sky130_fd_sc_hd_a41o_1)
1	0.00	0.03	0.06	0.54	^ _345_/X (sky130_fd_sc_hd_a41o_1)
					194 (net)
				0.55	^ _346_/B1 (sky130_fd_sc_hd_o31a_1)
				0.60	^ _346_/X (sky130_fd_sc_hd_o31a_1)
1	0.00	0.04	0.00		_053_ (net)
				0.60	^ _411_/D (sky130_fd_sc_hd_dfrtp_1)
				0.60	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.11	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.05	0.11		clknet_0_clk (net)
				0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)
				0.27	^ _411_/CLK (sky130_fd_sc_hd_dfrtp_1)
				0.52	clock uncertainty
			-0.03	0.49	clock reconvergence pessimism
			-0.02	0.47	library hold time
				0.47	data required time

				0.47	data required time
				-0.60	data arrival time

				0.13	slack (MET)

Startpoint: _409_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _409_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.10	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
				0.14	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd_clkbuf_16)

		0.04	0.09	0.23	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04					clknet_2_2__leaf_clk (net)
		0.04	0.00	0.23	^	_409_/CLK (sky130_fd_sc_hd__dfrtp_4)
		0.07	0.27	0.50	^	_409_/Q (sky130_fd_sc_hd__dfrtp_4)
7	0.02					clk_count[1] (net)
		0.07	0.00	0.50	^	_350_/C1 (sky130_fd_sc_hd__o211a_1)
		0.04	0.07	0.58	^	_350_/X (sky130_fd_sc_hd__o211a_1)
1	0.00					_197_ (net)
		0.04	0.00	0.58	^	_351_/B (sky130_fd_sc_hd__nor2_1)
		0.02	0.02	0.60	v	_351_/Y (sky130_fd_sc_hd__nor2_1)
1	0.00					_051_ (net)
		0.02	0.00	0.60	v	_409_/D (sky130_fd_sc_hd__dfrtp_4)
				0.60		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.06	0.04	0.04	^	clk (in)
1	0.02					clk (net)
		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	0.15	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	0.26	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04					clknet_2_2__leaf_clk (net)
		0.04	0.00	0.26	^	_409_/CLK (sky130_fd_sc_hd__dfrtp_4)
			0.25	0.51		clock uncertainty
		-0.02	0.48			clock reconvergence pessimism
		-0.02	0.46			library hold time
			0.46			data required time

				0.46		data required time
				-0.60		data arrival time

				0.14		slack (MET)

Startpoint: _450_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _432_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.24	^ _450_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.09	0.24	0.48	^ _450_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				rx_shift[6] (net)
		0.09	0.00	0.48	^ _281_/A0 (sky130_fd_sc_hd__mux2_1)
		0.03	0.08	0.56	^ _281_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_149_ (net)
		0.03	0.00	0.56	^ _282_/A (sky130_fd_sc_hd__clkbuf_1)
		0.03	0.05	0.61	^ _282_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_072_ (net)
		0.03	0.00	0.61	^ _432_/D (sky130_fd_sc_hd__dfrtp_1)
				0.61	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)

		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.27	^ _432_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.52	clock uncertainty
		-0.03	0.49		clock reconvergence pessimism
		-0.02	0.47		library hold time
				0.47	data required time

				0.47	data required time
				-0.61	data arrival time

				0.14	slack (MET)

Startpoint: _430_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _430_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.24	^ _430_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.09	0.24	0.48	^ _430_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net20 (net)
		0.09	0.00	0.48	^ _285_/A1 (sky130_fd_sc_hd__mux2_1)
		0.03	0.08	0.56	^ _285_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_151_ (net)
		0.03	0.00	0.56	^ _286_/A (sky130_fd_sc_hd__clkbuf_1)
		0.03	0.05	0.61	^ _286_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_070_ (net)
		0.03	0.00	0.61	^ _430_/D (sky130_fd_sc_hd__dfrtp_1)
				0.61	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^ _430_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
		-0.03	0.49		clock reconvergence pessimism
		-0.02	0.47		library hold time
				0.47	data required time

				0.47	data required time
				-0.61	data arrival time

				0.14	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.10	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.05	0.10		clknet_0_clk (net)
				0.14	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.24	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
3	0.01	0.05	0.24	0.24	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
				0.47	^ _421_/Q (sky130_fd_sc_hd_dfrtp_1)
1	0.00	0.09	0.08		clk_count[13] (net)
				0.47	^ _309_/S (sky130_fd_sc_hd_mux2_1)
1	0.00	0.03	0.05	0.56	^ _309_/X (sky130_fd_sc_hd_mux2_1)
					168 (net)
1	0.00	0.03	0.05	0.56	^ _310_/A (sky130_fd_sc_hd_clkbuf_1)
				0.61	^ _310_/X (sky130_fd_sc_hd_clkbuf_1)
					063 (net)
				0.61	^ _421_/D (sky130_fd_sc_hd_dfrtp_1)
				0.61	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.11	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.05	0.11		clknet_0_clk (net)
				0.15	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.26	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
				0.26	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
				0.25	clock uncertainty
			-0.02	0.49	clock reconvergence pessimism
			-0.02	0.47	library hold time
				0.47	data required time

				0.47	data required time
				-0.61	data arrival time

				0.14	slack (MET)

Startpoint: _452_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _452_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.10	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.05	0.10		clknet_0_clk (net)
				0.14	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.24	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)

		0.04	0.00	0.24	^	_452_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.10	0.24	0.48	^	_452_/Q (sky130_fd_sc_hd_dfrtp_1)
5	0.01					bit_count[0] (net)
		0.10	0.00	0.48	^	_233_/A0 (sky130_fd_sc_hd_mux2_1)
		0.03	0.08	0.56	^	_233_/X (sky130_fd_sc_hd_mux2_1)
1	0.00					_122_ (net)
		0.03	0.00	0.56	^	_234_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.05	0.61	^	_234_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00					_092_ (net)
		0.03	0.00	0.61	^	_452_/D (sky130_fd_sc_hd_dfrtp_1)
				0.61		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.06	0.04	0.04	^	clk (in)
						clk (net)
		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.05	0.11	0.15	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	0.15	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.11	0.26	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1_leaf_clk (net)
		0.04	0.00	0.26	^	_452_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51		clock uncertainty
			-0.02	0.49		clock reconvergence pessimism
			-0.02	0.47		library hold time
				0.47		data required time

				0.47		data required time
				-0.61		data arrival time

				0.14		slack (MET)

Startpoint: _413_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _413_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.09	0.23	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04				clknet_2_2_leaf_clk (net)
		0.04	0.00	0.23	^ _413_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.10	0.24	0.47	^ _413_/Q (sky130_fd_sc_hd_dfrtp_1)
4	0.01				clk_count[5] (net)
		0.10	0.00	0.47	^ _339_/S (sky130_fd_sc_hd_mux2_1)
		0.03	0.09	0.56	^ _339_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_190_ (net)
		0.03	0.00	0.56	^ _340_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.05	0.61	^ _340_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_055_ (net)
		0.03	0.00	0.61	^ _413_/D (sky130_fd_sc_hd_dfrtp_1)
				0.61	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)

4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	0.26	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04				clknet_2_2_leaf_clk (net)
		0.04	0.00	0.26	^ _413_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51	clock uncertainty
			-0.02	0.48	clock reconvergence pessimism
			-0.02	0.46	library hold time
				0.46	data required time

				0.46	data required time
				-0.61	data arrival time

				0.14	slack (MET)

Startpoint: _434_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _434_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	0.24	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.04	0.00	0.24	^ _434_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.08	0.23	0.47	^ _434_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net15 (net)
		0.08	0.00	0.47	^ _277_/A1 (sky130_fd_sc_hd_mux2_1)
		0.04	0.09	0.56	^ _277_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_147_ (net)
		0.04	0.00	0.56	^ _278_/A (sky130_fd_sc_hd_clkbuf_1)
		0.04	0.05	0.61	^ _278_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_074_ (net)
		0.04	0.00	0.61	^ _434_/D (sky130_fd_sc_hd_dfrtp_1)
				0.61	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.11	0.26	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.04	0.00	0.26	^ _434_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51	clock uncertainty
			-0.02	0.49	clock reconvergence pessimism
			-0.02	0.47	library hold time
				0.47	data required time

				0.47	data required time
				-0.61	data arrival time

				0.14	slack (MET)

Startpoint: _453_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _454_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description	

			0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
1	0.02	0.06	0.04	0.04	^ clk (in)	
					clk (net)	
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
12	0.04				clknet_0_clk (net)	
		0.05	0.00	0.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.04	0.10	0.24	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
4	0.01				clknet_2_1__leaf_clk (net)	
		0.04	0.00	0.24	^ _453_/CLK (sky130_fd_sc_hd__dftrtp_1)	
		0.08	0.23	0.47	^ _453_/Q (sky130_fd_sc_hd__dftrtp_1)	
2	0.01				bit_count[1] (net)	
		0.08	0.00	0.47	^ _224_/A (sky130_fd_sc_hd__nand2_1)	
1	0.00				_224_/Y (sky130_fd_sc_hd__nand2_1)	
		0.04	0.04	0.51	v _115_ (net)	
1	0.00				_225_/B (sky130_fd_sc_hd__nand2_1)	
		0.02	0.04	0.55	^ _225_/Y (sky130_fd_sc_hd__nand2_1)	
1	0.00				_116_ (net)	
		0.02	0.00	0.55	^ _226_/B2 (sky130_fd_sc_hd__a2bb2o_1)	
		0.03	0.07	0.62	^ _226_/X (sky130_fd_sc_hd__a2bb2o_1)	
1	0.00				_094_ (net)	
		0.03	0.00	0.62	^ _454_/D (sky130_fd_sc_hd__dftrtp_1)	
			0.62		data arrival time	

			0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
1	0.02	0.06	0.04	0.04	^ clk (in)	
					clk (net)	
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
12	0.04				clknet_0_clk (net)	
		0.05	0.00	0.15	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.04	0.11	0.26	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					clknet_2_1__leaf_clk (net)	
		0.04	0.00	0.26	^ _454_/CLK (sky130_fd_sc_hd__dftrtp_1)	
				0.25	clock uncertainty	
				-0.02	0.49 clock reconvergence pessimism	
				-0.02	0.47 library hold time	
				0.47	data required time	

				0.47	data required time	
				-0.62	data arrival time	

				0.15	slack (MET)	

Startpoint: _410_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _410_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)

14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.24	^ _410_/CLK (sky130_fd_sc_hd__dfrtp_2)
		0.08	0.25	0.49	^ _410_/Q (sky130_fd_sc_hd__dfrtp_2)
6	0.02				clk_count[2] (net)
		0.08	0.00	0.49	^ _347_/B1 (sky130_fd_sc_hd__a21o_1)
		0.03	0.05	0.54	^ _347_/X (sky130_fd_sc_hd__a21o_1)
1	0.00				_195_ (net)
		0.03	0.00	0.54	^ _348_/A3 (sky130_fd_sc_hd__a32o_1)
		0.03	0.08	0.62	^ _348_/X (sky130_fd_sc_hd__a32o_1)
1	0.00				_052_ (net)
		0.03	0.00	0.62	^ _410_/D (sky130_fd_sc_hd__dfrtp_2)
				0.62	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^ _410_/CLK (sky130_fd_sc_hd__dfrtp_2)
			0.25	0.51	clock uncertainty
		-0.03	0.49		clock reconvergence pessimism
		-0.02	0.47		library hold time
			0.47		data required time

				0.47	data required time
				-0.62	data arrival time

				0.15	slack (MET)

Startpoint: _440_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _441_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	0.24	^ _440_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.04	0.20	0.44	^ _440_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.00				tx_shift[3] (net)
		0.04	0.00	0.44	^ _254_/A1 (sky130_fd_sc_hd__mux2_1)
		0.03	0.08	0.52	^ _254_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_132_ (net)
		0.03	0.00	0.52	^ _255_/A1 (sky130_fd_sc_hd__mux2_1)
		0.03	0.07	0.58	^ _255_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_133_ (net)
		0.03	0.00	0.58	^ _256_/A (sky130_fd_sc_hd__clkbuf_1)
		0.03	0.05	0.63	^ _256_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_081_ (net)
		0.03	0.00	0.63	^ _441_/D (sky130_fd_sc_hd__dfrtp_1)
				0.63	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency

		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.11	0.26	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.04	0.00	0.26	^ _441_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51	clock uncertainty
		-0.01	0.50		clock reconvergence pessimism
		-0.02	0.48		library hold time
			0.48		data required time

				0.48	data required time
				-0.63	data arrival time

				0.15	slack (MET)

Startpoint: _422_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _422_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.09	0.23	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.04	0.00	0.23	^ _422_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.08	0.23	0.46	^ _422_/Q (sky130_fd_sc_hd_dfrtp_1)
4	0.01				clk_count[14] (net)
		0.08	0.00	0.46	^ _301_/A1 (sky130_fd_sc_hd_a21oi_1)
		0.04	0.05	0.51	v _301_/Y (sky130_fd_sc_hd_a21oi_1)
2	0.01				_162_ (net)
		0.04	0.00	0.51	v _305_/A2 (sky130_fd_sc_hd_o21a_1)
		0.02	0.10	0.61	v _305_/X (sky130_fd_sc_hd_o21a_1)
1	0.00				_064_ (net)
		0.02	0.00	0.61	v _422_/D (sky130_fd_sc_hd_dfrtp_1)
				0.61	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	0.26	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.04	0.00	0.26	^ _422_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51	clock uncertainty
		-0.02	0.48		clock reconvergence pessimism
		-0.03	0.46		library hold time
			0.46		data required time

				0.46	data required time
				-0.61	data arrival time

				0.16	slack (MET)

Startpoint: _437_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _438_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.10	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.10	0.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.24	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
2	0.01	0.05	0.20	0.24	^ _437_/CLK (sky130_fd_sc_hd__dfrtp_1)
				0.44	^ _437_/Q (sky130_fd_sc_hd__dfrtp_1)
					tx_shift[0] (net)
1	0.00	0.04	0.07	0.44	^ _263_/A1 (sky130_fd_sc_hd__mux2_1)
				0.51	^ _263_/X (sky130_fd_sc_hd__mux2_1)
					138 (net)
1	0.00	0.03	0.07	0.51	^ _264_/A1 (sky130_fd_sc_hd__mux2_1)
				0.58	^ _264_/X (sky130_fd_sc_hd__mux2_1)
					139 (net)
1	0.00	0.03	0.05	0.58	^ _265_/A (sky130_fd_sc_hd__clkbuf_1)
				0.63	^ _265_/X (sky130_fd_sc_hd__clkbuf_1)
					078 (net)
					^ _438_/D (sky130_fd_sc_hd__dfrtp_1)
				0.63	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.11	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.11	0.15	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
					^ _438_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			-0.02	0.49	clock reconvergence pessimism
			-0.02	0.47	library hold time
				0.47	data required time

				0.47	data required time
				-0.63	data arrival time

				0.16	slack (MET)

Startpoint: _442_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _443_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
					^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)

		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	0.24	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.04	0.00	0.24	^ _442_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.05	0.20	0.44	^ _442_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				tx_shift[5] (net)
		0.05	0.00	0.44	^ _248_/A1 (sky130_fd_sc_hd_mux2_1)
		0.03	0.07	0.51	^ _248_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_128_ (net)
		0.03	0.00	0.51	^ _249_/A1 (sky130_fd_sc_hd_mux2_1)
		0.03	0.07	0.58	^ _249_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_129_ (net)
		0.03	0.00	0.58	^ _250_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.05	0.63	^ _250_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_083_ (net)
		0.03	0.00	0.63	^ _443_/D (sky130_fd_sc_hd_dfrtp_1)
				0.63	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.11	0.26	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.04	0.00	0.26	^ _443_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51	clock uncertainty
		-0.02	0.49		clock reconvergence pessimism
		-0.02	0.47		library hold time
			0.47		data required time

				0.47	data required time
				-0.63	data arrival time

				0.16	slack (MET)

Startpoint: _438_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _439_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	0.24	^ _438_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.05	0.21	0.44	^ _438_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				tx_shift[1] (net)
		0.05	0.00	0.44	^ _260_/A1 (sky130_fd_sc_hd_mux2_1)
		0.03	0.07	0.52	^ _260_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_136_ (net)
		0.03	0.00	0.52	^ _261_/A1 (sky130_fd_sc_hd_mux2_1)
		0.03	0.07	0.59	^ _261_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_137_ (net)
		0.03	0.00	0.59	^ _262_/A (sky130_fd_sc_hd_clkbuf_1)

1	0.00	0.03	0.05	0.63	^	_262_/X (sky130_fd_sc_hd__clkbuf_1)
						079 (net)
		0.03	0.00	0.63	^	_439_/D (sky130_fd_sc_hd__dfrtp_1)
				0.63		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.06	0.04	0.04	^	clk (in)
						clk (net)
		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.15	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	0.15	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.11	0.26	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3__leaf_clk (net)
		0.05	0.00	0.26	^	_439_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51		clock uncertainty
		-0.02		0.49		clock reconvergence pessimism
		-0.02		0.47		library hold time
				0.47		data required time

				0.47		data required time
				-0.63		data arrival time

				0.17		slack (MET)

Startpoint: _439_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _440_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.10	0.24	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.05	0.00	0.24	^ _439_/CLK (sky130_fd_sc_hd__dfrtp_1)
2	0.01	0.05	0.21	0.45	^ _439_/Q (sky130_fd_sc_hd__dfrtp_1)
					tx_shift[2] (net)
		0.05	0.00	0.45	^ _257_/A1 (sky130_fd_sc_hd__mux2_1)
1	0.00	0.03	0.08	0.52	^ _257_/X (sky130_fd_sc_hd__mux2_1)
					134 (net)
		0.03	0.00	0.52	^ _258_/A1 (sky130_fd_sc_hd__mux2_1)
1	0.00	0.03	0.07	0.59	^ _258_/X (sky130_fd_sc_hd__mux2_1)
					135 (net)
		0.03	0.00	0.59	^ _259_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.03	0.05	0.64	^ _259_/X (sky130_fd_sc_hd__clkbuf_1)
					080 (net)
		0.03	0.00	0.64	^ _440_/D (sky130_fd_sc_hd__dfrtp_1)
				0.64	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)

0.05	0.00	0.26	^	_440_/CLK (sky130_fd_sc_hd__dfrtp_1)
	0.25	0.51		clock uncertainty
-0.02	0.49			clock reconvergence pessimism
-0.02	0.47			library hold time
	0.47			data required time

		0.47		data required time
		-0.64		data arrival time

		0.17		slack (MET)

Startpoint: _441_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _442_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	0.24	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.04	0.00	0.24	^ _441_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.06	0.21	0.45	^ _441_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				tx_shift[4] (net)
		0.06	0.00	0.45	^ _251_/A1 (sky130_fd_sc_hd__mux2_1)
		0.03	0.07	0.52	^ _251_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_130_ (net)
		0.03	0.00	0.52	^ _252_/A1 (sky130_fd_sc_hd__mux2_1)
		0.03	0.07	0.59	^ _252_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_131_ (net)
		0.03	0.00	0.59	^ _253_/A (sky130_fd_sc_hd__clkbuf_1)
		0.03	0.05	0.64	^ _253_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_082_ (net)
		0.03	0.00	0.64	^ _442_/D (sky130_fd_sc_hd__dfrtp_1)
				0.64	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.11	0.26	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.04	0.00	0.26	^ _442_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.25		0.51	clock uncertainty
		-0.02	0.49		clock reconvergence pessimism
		-0.02	0.47		library hold time
			0.47		data required time

				0.47	data required time
				-0.64	data arrival time

				0.17	slack (MET)

Startpoint: _418_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _418_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk

Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

1	0.02	0.06	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
			0.04	0.04	^ clk (in)
					clk (net)
			0.04	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
			0.05	0.00	0.14
12	0.04	0.05	0.10	0.24	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
			0.05	0.00	0.24
4	0.01	0.09	0.24	0.47	^ _418_/Q (sky130_fd_sc_hd__dftrtp_1)
					clk_count[10] (net)
			0.09	0.00	0.47
1	0.00	0.03	0.05	0.52	^ _319_/X (sky130_fd_sc_hd__a21o_1)
					175 (net)
			0.03	0.00	0.52
1	0.00	0.03	0.07	0.59	^ _320_/X (sky130_fd_sc_hd__and2_1)
					176 (net)
			0.03	0.00	0.59
1	0.00	0.03	0.05	0.64	^ _321_/X (sky130_fd_sc_hd__clkbuf_1)
					060 (net)
			0.03	0.00	0.64
			0.64		data arrival time

1	0.02	0.06	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
			0.04	0.04	^ clk (in)
					clk (net)
			0.04	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
			0.05	0.00	0.15
12	0.04	0.05	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
			0.05	0.00	0.26
		0.25	0.51		clock uncertainty
		-0.02	0.49		clock reconvergence pessimism
		-0.02	0.47		library hold time
			0.47		data required time

				0.47	data required time
				-0.64	data arrival time

				0.17	slack (MET)

Startpoint: _408_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _408_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description	

1	0.02		0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
		0.06	0.04	0.04	^ clk (in)	
					clk (net)	
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
		4	0.04			clknet_0_clk (net)
			0.05	0.00	0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.05	0.10	0.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
						clknet_2_0__leaf_clk (net)

		0.05	0.00	0.24	^	_408_/CLK (sky130_fd_sc_hd_dfrtp_4)
		0.08	0.28	0.52	^	_408_/Q (sky130_fd_sc_hd_dfrtp_4)
8	0.03					clk_count[0] (net)
		0.08	0.00	0.52	^	_352_/S (sky130_fd_sc_hd_mux2_1)
		0.03	0.08	0.60	^	_352_/X (sky130_fd_sc_hd_mux2_1)
1	0.00					_198_ (net)
		0.03	0.00	0.60	^	_353_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.05	0.65	^	_353_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00					_050_ (net)
		0.03	0.00	0.65	^	_408_/D (sky130_fd_sc_hd_dfrtp_4)
				0.65		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.06	0.04	0.04	^	clk (in)
						clk (net)
		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.05	0.11	0.15	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	0.15	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.05	0.11	0.26	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.05	0.00	0.27	^	_408_/CLK (sky130_fd_sc_hd_dfrtp_4)
			0.25	0.52		clock uncertainty
		-0.03		0.49		clock reconvergence pessimism
		-0.02		0.47		library hold time
				0.47		data required time

				0.47		data required time
				-0.65		data arrival time

				0.18		slack (MET)

Startpoint: _414_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _414_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
10	0.04	0.04	0.09	0.23	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.04	0.00	0.23	^ _414_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.11	0.25	0.48	^ _414_/Q (sky130_fd_sc_hd_dfrtp_1)
6	0.02				clk_count[6] (net)
		0.11	0.00	0.48	^ _334_/A_N (sky130_fd_sc_hd_and3b_1)
1	0.00	0.02	0.11	0.59	v _334_/X (sky130_fd_sc_hd_and3b_1)
					186 (net)
		0.02	0.00	0.59	v _335_/B1 (sky130_fd_sc_hd_a21o_1)
		0.02	0.06	0.65	v _335_/X (sky130_fd_sc_hd_a21o_1)
1	0.00				_056_ (net)
		0.02	0.00	0.65	v _414_/D (sky130_fd_sc_hd_dfrtp_1)
				0.65	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)

4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	0.26	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.04				clknet_2_2_leaf_clk (net)
		0.04	0.00	0.26	^ _414_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51	clock uncertainty
			-0.02	0.48	clock reconvergence pessimism
			-0.03	0.46	library hold time
				0.46	data required time

				0.46	data required time
				-0.65	data arrival time

				0.19	slack (MET)

Startpoint: _420_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _420_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.05	0.00	0.24	^ _420_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.11	0.25	0.48	^ _420_/Q (sky130_fd_sc_hd_dfrtp_1)
6	0.02				clk_count[12] (net)
		0.11	0.00	0.48	^ _311_/A_N (sky130_fd_sc_hd_and3b_1)
		0.02	0.11	0.59	v _311_/X (sky130_fd_sc_hd_and3b_1)
1	0.00				_169_ (net)
		0.02	0.00	0.59	v _312_/B1 (sky130_fd_sc_hd_a21o_1)
		0.02	0.06	0.65	v _312_/X (sky130_fd_sc_hd_a21o_1)
1	0.00				_062_ (net)
		0.02	0.00	0.65	v _420_/D (sky130_fd_sc_hd_dfrtp_1)
				0.65	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.05	0.00	0.26	^ _420_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51	clock uncertainty
			-0.02	0.49	clock reconvergence pessimism
			-0.03	0.46	library hold time
				0.46	data required time

				0.46	data required time
				-0.65	data arrival time

				0.19	slack (MET)

Startpoint: _417_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _417_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
5	0.01	0.04	0.09	0.23	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
1	0.00	0.04	0.00	0.23	^ _417_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.10	0.24	0.48	^ _417_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.00				clk_count[9] (net)
		0.10	0.00	0.48	^ _323_/A (sky130_fd_sc_hd__or2_1)
1	0.00	0.03	0.07	0.54	^ _323_/X (sky130_fd_sc_hd__or2_1)
					178 (net)
1	0.00	0.03	0.00	0.54	^ _325_/A2_N (sky130_fd_sc_hd__a2bb2o_1)
		0.03	0.11	0.65	v _325_/X (sky130_fd_sc_hd__a2bb2o_1)
1	0.00				_059_ (net)
		0.03	0.00	0.65	v _417_/D (sky130_fd_sc_hd__dfrtp_1)
				0.65	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.04	0.04	0.10	0.26	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
10	0.04				^ _417_/CLK (sky130_fd_sc_hd__dfrtp_1)
					clock uncertainty
			0.25	0.51	clock uncertainty
			-0.02	0.48	clock reconvergence pessimism
			-0.03	0.45	library hold time
				0.45	data required time

				0.45	data required time
				-0.65	data arrival time

				0.20	slack (MET)

Startpoint: _454_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _455_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.04	0.10	0.24	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
12	0.04	0.04	0.00	0.24	^ _454_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.03	0.22	0.46	v _454_/Q (sky130_fd_sc_hd__dfrtp_1)

2	0.00				bit_count[2] (net)
		0.03	0.00	0.46	v _215_/A (sky130_fd_sc_hd__nand3_1)
		0.05	0.05	0.51	^ _215_/Y (sky130_fd_sc_hd__nand3_1)
2	0.01				_107_ (net)
		0.05	0.00	0.51	^ _219_/C (sky130_fd_sc_hd__and4_1)
		0.05	0.11	0.62	^ _219_/X (sky130_fd_sc_hd__and4_1)
2	0.01				_111_ (net)
		0.05	0.00	0.62	^ _220_/A2 (sky130_fd_sc_hd__o21a_1)
		0.03	0.06	0.69	^ _220_/X (sky130_fd_sc_hd__o21a_1)
1	0.00				_095_ (net)
		0.03	0.00	0.69	^ _455_/D (sky130_fd_sc_hd__dfrrtp_1)
				0.69	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.11	0.26	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.04	0.00	0.26	^ _455_/CLK (sky130_fd_sc_hd__dfrrtp_1)
			0.25	0.51	clock uncertainty
		-0.02	0.49		clock reconvergence pessimism
		-0.02	0.47		library hold time
			0.47		data required time

				0.47	data required time
				-0.69	data arrival time

				0.22	slack (MET)

Startpoint: _455_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _424_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	0.24	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.04	0.00	0.24	^ _455_/CLK (sky130_fd_sc_hd__dfrrtp_1)
		0.05	0.20	0.44	^ _455_/Q (sky130_fd_sc_hd__dfrrtp_1)
2	0.01				bit_count[3] (net)
		0.05	0.00	0.44	^ _216_/A (sky130_fd_sc_hd__nor2_1)
		0.03	0.03	0.47	v _216_/Y (sky130_fd_sc_hd__nor2_1)
2	0.01				_108_ (net)
		0.03	0.00	0.47	v _217_/D (sky130_fd_sc_hd__nand4_1)
		0.08	0.09	0.56	^ _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.08	0.00	0.56	^ _270_/B (sky130_fd_sc_hd__and2_1)
		0.03	0.08	0.64	^ _270_/X (sky130_fd_sc_hd__and2_1)
1	0.00				_143_ (net)
		0.03	0.00	0.64	^ _271_/A (sky130_fd_sc_hd__clkbuf_1)
		0.06	0.07	0.70	^ _271_/X (sky130_fd_sc_hd__clkbuf_1)
2	0.01				_000_ (net)
		0.06	0.00	0.70	^ _424_/D (sky130_fd_sc_hd__dfrrtp_2)
				0.70	data arrival time

		0.00	0.00	clock clk (rise edge)
		0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04 ^ clk (in)
				clk (net)
		0.06	0.00	0.04 ^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.15 ^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
				clknet_0_clk (net)
		0.05	0.00	0.15 ^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.11	0.26 ^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
				clknet_2_3__leaf_clk (net)
		0.05	0.00	0.26 ^ _424_/CLK (sky130_fd_sc_hd__dfrtp_2)
		0.25	0.51	clock uncertainty
		-0.01	0.50	clock reconvergence pessimism
		-0.02	0.48	library hold time
			0.48	data required time

			0.48	data required time
			-0.70	data arrival time

			0.23	slack (MET)

Startpoint: _412_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _412_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04 ^	clk (in)
					clk (net)
		0.06	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	0.14 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.14 ^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.04	0.04	0.09	0.23 ^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.04	0.00	0.23 ^	_412_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.06	0.25	0.48 v	_412_/Q (sky130_fd_sc_hd__dfrtp_1)
5	0.01				clk_count[4] (net)
		0.06	0.00	0.48 v	_336_/A (sky130_fd_sc_hd__nand2_1)
		0.07	0.07	0.56 ^	_336_/Y (sky130_fd_sc_hd__nand2_1)
3	0.01				_187_ (net)
		0.07	0.00	0.56 ^	_341_/C (sky130_fd_sc_hd__and3_1)
		0.04	0.10	0.65 ^	_341_/X (sky130_fd_sc_hd__and3_1)
1	0.00				_191_ (net)
		0.04	0.00	0.65 ^	_342_/B1 (sky130_fd_sc_hd__a21o_1)
		0.02	0.04	0.70 ^	_342_/X (sky130_fd_sc_hd__a21o_1)
1	0.00				_054_ (net)
		0.02	0.00	0.70 ^	_412_/D (sky130_fd_sc_hd__dfrtp_1)
				0.70	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04 ^	clk (in)
					clk (net)
		0.06	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.15 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.15 ^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.04	0.04	0.10	0.26 ^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.04	0.00	0.26 ^	_412_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.25	0.51		clock uncertainty
		-0.02	0.48		clock reconvergence pessimism
		-0.02	0.47		library hold time

	0.47	data required time

	0.47	data required time
	-0.70	data arrival time

	0.23	slack (MET)

Startpoint: _416_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _416_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
10	0.04	0.04	0.09	0.23	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_2_leaf_clk (net)
		0.04	0.00	0.23	^ _416_/CLK (sky130_fd_sc_hd_dfrtp_1)
5	0.02	0.07	0.25	0.49	v _416_/Q (sky130_fd_sc_hd_dfrtp_1)
					clk_count[8] (net)
		0.07	0.00	0.49	v _322_/A (sky130_fd_sc_hd_nand3_1)
3	0.01	0.07	0.08	0.57	^ _322_/Y (sky130_fd_sc_hd_nand3_1)
					177 (net)
		0.07	0.00	0.57	^ _324_/A2 (sky130_fd_sc_hd_a21o_1)
2	0.01	0.04	0.08	0.65	^ _324_/X (sky130_fd_sc_hd_a21o_1)
					179 (net)
		0.04	0.00	0.65	^ _327_/A2 (sky130_fd_sc_hd_a21o_1)
1	0.00	0.02	0.06	0.71	^ _327_/X (sky130_fd_sc_hd_a21o_1)
					058 (net)
		0.02	0.00	0.71	^ _416_/D (sky130_fd_sc_hd_dfrtp_1)
				0.71	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
10	0.04	0.04	0.10	0.26	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_2_leaf_clk (net)
		0.04	0.00	0.26	^ _416_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51	clock uncertainty
			-0.02	0.48	clock reconvergence pessimism
			-0.02	0.47	library hold time
				0.47	data required time

				0.47	data required time
				-0.71	data arrival time

				0.24	slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _444_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
--------	-----	------	-------	------	-------------

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04 ^	clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14 ^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.24 ^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.24 ^	_435_/CLK (sky130_fd_sc_hd__dfrtp_2)
		0.09	0.26	0.50 ^	_435_/Q (sky130_fd_sc_hd__dfrtp_2)
4	0.02				net24 (net)
		0.09	0.00	0.50 ^	_235_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.02	0.52 v	_235_/Y (sky130_fd_sc_hd__inv_2)
2	0.01				_123_ (net)
		0.03	0.00	0.52 v	_236_/A (sky130_fd_sc_hd__nand2_1)
		0.06	0.06	0.58 ^	_236_/Y (sky130_fd_sc_hd__nand2_1)
2	0.01				_124_ (net)
		0.06	0.00	0.58 ^	_239_/B (sky130_fd_sc_hd__nor2_2)
		0.06	0.06	0.63 v	_239_/Y (sky130_fd_sc_hd__nor2_2)
8	0.03				_127_ (net)
		0.06	0.00	0.64 v	_247_/B1 (sky130_fd_sc_hd__a22o_1)
		0.02	0.09	0.72 v	_247_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_084_ (net)
		0.02	0.00	0.72 v	_444_/D (sky130_fd_sc_hd__dfrtp_1)
				0.72	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04 ^	clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15 ^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26 ^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	0.26 ^	_444_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
		-0.01	0.50		clock reconvergence pessimism
		-0.03	0.47		library hold time
			0.47		data required time

			0.47		data required time
			-0.72		data arrival time

			0.25		slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _445_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04 ^	clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14 ^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.24 ^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.24 ^	_435_/CLK (sky130_fd_sc_hd__dfrtp_2)

		0.09	0.26	0.50	^	_435_/Q (sky130_fd_sc_hd_dfrtp_2)
4	0.02					net24 (net)
		0.09	0.00	0.50	^	_235_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.02	0.52	v	_235_/Y (sky130_fd_sc_hd_inv_2)
2	0.01					_123_ (net)
		0.03	0.00	0.52	v	_236_/A (sky130_fd_sc_hd_nand2_1)
		0.06	0.06	0.58	^	_236_/Y (sky130_fd_sc_hd_nand2_1)
2	0.01					_124_ (net)
		0.06	0.00	0.58	^	_239_/B (sky130_fd_sc_hd_nor2_2)
		0.06	0.06	0.63	v	_239_/Y (sky130_fd_sc_hd_nor2_2)
8	0.03					_127_ (net)
		0.06	0.00	0.64	v	_246_/B1 (sky130_fd_sc_hd_a22o_1)
		0.02	0.09	0.73	v	_246_/X (sky130_fd_sc_hd_a22o_1)
1	0.00					_085_ (net)
		0.02	0.00	0.73	v	_445_/D (sky130_fd_sc_hd_dfrtp_1)
				0.73		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.06	0.04	0.04	^	clk (in)
1	0.02					clk (net)
		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	0.15	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.11	0.26	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1_leaf_clk (net)
		0.04	0.00	0.26	^	_445_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51		clock uncertainty
		-0.01	0.50			clock reconvergence pessimism
		-0.03	0.47			library hold time
			0.47			data required time

			0.47			data required time
			-0.73			data arrival time

			0.26			slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _446_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.05	0.00	0.24	^ _435_/CLK (sky130_fd_sc_hd_dfrtp_2)
		0.09	0.26	0.50	^ _435_/Q (sky130_fd_sc_hd_dfrtp_2)
4	0.02				net24 (net)
		0.09	0.00	0.50	^ _235_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.02	0.52	v _235_/Y (sky130_fd_sc_hd_inv_2)
2	0.01				_123_ (net)
		0.03	0.00	0.52	v _236_/A (sky130_fd_sc_hd_nand2_1)
		0.06	0.06	0.58	^ _236_/Y (sky130_fd_sc_hd_nand2_1)
2	0.01				_124_ (net)
		0.06	0.00	0.58	^ _239_/B (sky130_fd_sc_hd_nor2_2)
		0.06	0.06	0.63	v _239_/Y (sky130_fd_sc_hd_nor2_2)
8	0.03				_127_ (net)
		0.06	0.00	0.64	v _245_/B1 (sky130_fd_sc_hd_a22o_1)

1	0.00	0.03	0.09	0.73	v	_245_/X (sky130_fd_sc_hd__a22o_1)
						086 (net)
		0.03	0.00	0.73	v	_446_/D (sky130_fd_sc_hd__dfrtp_1)
				0.73		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.06	0.04	0.04	^	clk (in)
						clk (net)
		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.15	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	0.15	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.04	0.11	0.26	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_1__leaf_clk (net)
		0.04	0.00	0.26	^	_446_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51		clock uncertainty
		-0.01	0.50			clock reconvergence pessimism
		-0.03	0.47			library hold time
			0.47			data required time

				0.47		data required time
				-0.73		data arrival time

				0.26		slack (MET)

Startpoint: _455_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _425_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.04	0.10	0.24	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.04	0.00	0.24	^ _455_/CLK (sky130_fd_sc_hd__dfrtp_1)
2	0.01	0.05	0.20	0.44	^ _455_/Q (sky130_fd_sc_hd__dfrtp_1)
					bit_count[3] (net)
		0.05	0.00	0.44	^ _216_/A (sky130_fd_sc_hd__nor2_1)
2	0.01	0.03	0.03	0.47	v _216_/Y (sky130_fd_sc_hd__nor2_1)
					108 (net)
		0.03	0.00	0.47	v _217_/D (sky130_fd_sc_hd__nand4_1)
3	0.01	0.08	0.09	0.56	^ _217_/Y (sky130_fd_sc_hd__nand4_1)
					109 (net)
		0.08	0.00	0.56	^ _218_/A (sky130_fd_sc_hd__buf_4)
10	0.07	0.14	0.15	0.71	^ _218_/X (sky130_fd_sc_hd__buf_4)
					110 (net)
		0.14	0.00	0.71	^ _354_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.03	0.01	0.72	v _354_/Y (sky130_fd_sc_hd__inv_2)
					001 (net)
		0.03	0.00	0.72	v _425_/D (sky130_fd_sc_hd__dfrtp_1)
				0.72	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)

		0.05	0.00	0.15	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	0.26	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04					clknet_2_2__leaf_clk (net)
		0.04	0.00	0.26	^	_425_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51		clock uncertainty
			-0.01	0.49		clock reconvergence pessimism
			-0.03	0.47		library hold time
				0.47		data required time

				0.47		data required time
				-0.72		data arrival time

				0.26		slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _448_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.24	^ _435_/CLK (sky130_fd_sc_hd__dfrtp_2)
		0.09	0.26	0.50	^ _435_/Q (sky130_fd_sc_hd__dfrtp_2)
4	0.02				net24 (net)
		0.09	0.00	0.50	^ _235_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.02	0.52	v _235_/Y (sky130_fd_sc_hd__inv_2)
2	0.01				_123_ (net)
		0.03	0.00	0.52	v _236_/A (sky130_fd_sc_hd__nand2_1)
		0.06	0.06	0.58	^ _236_/Y (sky130_fd_sc_hd__nand2_1)
2	0.01				_124_ (net)
		0.06	0.00	0.58	^ _239_/B (sky130_fd_sc_hd__nor2_2)
		0.06	0.06	0.63	v _239_/Y (sky130_fd_sc_hd__nor2_2)
8	0.03				_127_ (net)
		0.06	0.00	0.64	v _243_/B1 (sky130_fd_sc_hd__a22o_1)
		0.02	0.09	0.72	v _243_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_088_ (net)
		0.02	0.00	0.72	v _448_/D (sky130_fd_sc_hd__dfrtp_1)
				0.72	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^ _448_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			-0.03	0.49	clock reconvergence pessimism
			-0.03	0.46	library hold time
				0.46	data required time

				0.46	data required time
				-0.72	data arrival time

0.26 slack (MET)

Startpoint: _455_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _436_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	0.24	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.04	0.00	0.24	^ _455_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.05	0.20	0.44	^ _455_/Q (sky130_fd_sc_hd__dftrtp_1)
2	0.01				bit_count[3] (net)
		0.05	0.00	0.44	^ _216_/A (sky130_fd_sc_hd__nor2_1)
		0.03	0.03	0.47	v _216_/Y (sky130_fd_sc_hd__nor2_1)
2	0.01				_108_ (net)
		0.03	0.00	0.47	v _217_/D (sky130_fd_sc_hd__nand4_1)
		0.08	0.09	0.56	^ _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.08	0.00	0.56	^ _270_/B (sky130_fd_sc_hd__and2_1)
		0.03	0.08	0.64	^ _270_/X (sky130_fd_sc_hd__and2_1)
1	0.00				_143_ (net)
		0.03	0.00	0.64	^ _271_/A (sky130_fd_sc_hd__clkbuf_1)
		0.06	0.07	0.70	^ _271_/X (sky130_fd_sc_hd__clkbuf_1)
2	0.01				_000_ (net)
		0.06	0.00	0.70	^ _272_/B1_N (sky130_fd_sc_hd__a21bo_1)
		0.02	0.09	0.79	v _272_/X (sky130_fd_sc_hd__a21bo_1)
1	0.00				_076_ (net)
		0.02	0.00	0.79	v _436_/D (sky130_fd_sc_hd__dfstp_1)
				0.79	data arrival time

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.05	0.00	0.26	^ _436_/CLK (sky130_fd_sc_hd__dfstp_1)
			0.25	0.51	clock uncertainty
		-0.01	0.50		clock reconvergence pessimism
		-0.01	0.49		library hold time
				0.49	data required time

				0.49	data required time
				-0.79	data arrival time

				0.31	slack (MET)

Startpoint: _455_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _433_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	0.24	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.04	0.00	0.24	^ _455_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.05	0.20	0.44	^ _455_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				bit_count[3] (net)
		0.05	0.00	0.44	^ _216_/A (sky130_fd_sc_hd_nor2_1)
		0.03	0.03	0.47	v _216_/Y (sky130_fd_sc_hd_nor2_1)
2	0.01				_108_ (net)
		0.03	0.00	0.47	v _217_/D (sky130_fd_sc_hd_nand4_1)
		0.08	0.09	0.56	^ _217_/Y (sky130_fd_sc_hd_nand4_1)
3	0.01				_109_ (net)
		0.08	0.00	0.56	^ _218_/A (sky130_fd_sc_hd_buf_4)
		0.14	0.15	0.71	^ _218_/X (sky130_fd_sc_hd_buf_4)
10	0.07				_110_ (net)
		0.14	0.00	0.71	^ _279_/S (sky130_fd_sc_hd_mux2_1)
		0.03	0.09	0.81	^ _279_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_148_ (net)
		0.03	0.00	0.81	^ _280_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.05	0.85	^ _280_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_073_ (net)
		0.03	0.00	0.85	^ _433_/D (sky130_fd_sc_hd_dfrtp_1)
				0.85	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.11	0.26	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.04	0.00	0.26	^ _433_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51	clock uncertainty
			-0.02	0.49	clock reconvergence pessimism
			-0.02	0.47	library hold time
				0.47	data required time

				0.47	data required time
				-0.85	data arrival time

				0.39	slack (MET)

Startpoint: _447_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _447_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)

		0.05	0.00	0.14	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.24	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04					clknet_2_0__leaf_clk (net)
		0.05	0.00	0.24	^	_447_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.08	0.23	0.47	^	_447_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01					rx_shift[3] (net)
		0.08	0.00	0.47	^	_244_/A1 (sky130_fd_sc_hd__a22o_1)
		0.03	0.07	0.54	^	_244_/X (sky130_fd_sc_hd__a22o_1)
1	0.00					_087_ (net)
		0.03	0.00	0.54	^	hold3/A (sky130_fd_sc_hd__dlygate4sd3_1)
		0.04	0.35	0.89	^	hold3/X (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00					net28 (net)
		0.04	0.00	0.89	^	_447_/D (sky130_fd_sc_hd__dfrtp_1)
				0.89		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.06	0.04	0.04	^	clk (in)
						clk (net)
		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.15	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	0.15	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.05	0.11	0.26	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^	_447_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	0.51			clock uncertainty
		-0.03	0.49			clock reconvergence pessimism
		-0.02	0.47			library hold time
			0.47			data required time

				0.47		data required time
				-0.89		data arrival time

				0.42		slack (MET)

Startpoint: _449_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _449_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.05	0.10	0.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.05	0.00	0.24	^ _449_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.07	0.22	0.46	^ _449_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				rx_shift[5] (net)
		0.07	0.00	0.46	^ _242_/A1 (sky130_fd_sc_hd__a22o_1)
		0.03	0.08	0.54	^ _242_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_089_ (net)
		0.03	0.00	0.54	^ hold8/A (sky130_fd_sc_hd__dlygate4sd3_1)
		0.04	0.35	0.89	^ hold8/X (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00				net33 (net)
		0.04	0.00	0.89	^ _449_/D (sky130_fd_sc_hd__dfrtp_1)
				0.89	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)

1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^ _449_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			-0.03	0.49	clock reconvergence pessimism
			-0.02	0.47	library hold time
				0.47	data required time

				0.47	data required time
				-0.89	data arrival time

				0.42	slack (MET)

Startpoint: _450_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _451_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.24	^ _450_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.09	0.24	0.48	^ _450_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				rx_shift[6] (net)
		0.09	0.00	0.48	^ _240_/B2 (sky130_fd_sc_hd__a22o_1)
		0.03	0.07	0.55	^ _240_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_091_ (net)
		0.03	0.00	0.55	^ hold5/A (sky130_fd_sc_hd__dlygate4sd3_1)
		0.04	0.35	0.90	^ hold5/X (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00				net30 (net)
		0.04	0.00	0.90	^ _451_/D (sky130_fd_sc_hd__dfrtp_1)
				0.90	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^ _451_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			-0.03	0.49	clock reconvergence pessimism
			-0.02	0.47	library hold time
				0.47	data required time

				0.47	data required time
				-0.90	data arrival time

				0.43	slack (MET)

Startpoint: _450_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _450_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description			

			0.00	0.00	clock clk (rise edge)			
			0.00	0.00	clock source latency			
1	0.02	0.06	0.04	0.04	^ clk (in)			
					clk (net)			
4	0.04	0.06	0.10	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)			
				0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)			
14	0.04	0.05	0.10		clknet_0_clk (net)			
				0.14	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)			
				0.24	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)			
					clknet_2_0__leaf_clk (net)			
3	0.01	0.05	0.24	0.24	^ _450_/CLK (sky130_fd_sc_hd_dfrtp_1)			
				0.48	^ _450_/Q (sky130_fd_sc_hd_dfrtp_1)			
1	0.00	0.09	0.08		rx_shift[6] (net)			
				0.48	^ _241_/A1 (sky130_fd_sc_hd_a22o_1)			
1	0.00	0.03	0.35	0.56	^ _241_/X (sky130_fd_sc_hd_a22o_1)			
					090 (net)			
		0.03	0.00	0.56	^ hold10/A (sky130_fd_sc_hd_dlygate4sd3_1)			
				0.91	^ hold10/X (sky130_fd_sc_hd_dlygate4sd3_1)			
1	0.00	0.04	0.00		net35 (net)			
				0.91	^ _450_/D (sky130_fd_sc_hd_dfrtp_1)			
				0.91	data arrival time			

			0.00	0.00	clock clk (rise edge)			
			0.00	0.00	clock source latency			
1	0.02	0.06	0.04	0.04	^ clk (in)			
					clk (net)			
4	0.04	0.06	0.11	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)			
				0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)			
14	0.04	0.05	0.11		clknet_0_clk (net)			
				0.15	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)			
				0.26	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)			
					clknet_2_0__leaf_clk (net)			
		0.05	0.00	0.26	^ _450_/CLK (sky130_fd_sc_hd_dfrtp_1)			
				0.25	clock uncertainty			
				-0.03	clock reconvergence pessimism			
				-0.02	library hold time			
				0.47	data required time			

				0.47	data required time			
				-0.91	data arrival time			

				0.44	slack (MET)			

Startpoint: _437_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _437_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.10	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.00		clknet_0_clk (net)
				0.14	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)

12	0.04	0.05	0.00	0.24	^	_437_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.04	0.20	0.44	^	_437_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01					tx_shift[0] (net)
		0.04	0.00	0.44	^	hold21/A (sky130_fd_sc_hd_dlygate4sd3_1)
		0.04	0.36	0.80	^	hold21/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00					net46 (net)
		0.04	0.00	0.80	^	_267_/A0 (sky130_fd_sc_hd_mux2_1)
		0.03	0.07	0.87	^	_267_/X (sky130_fd_sc_hd_mux2_1)
1	0.00					_141_ (net)
		0.03	0.00	0.87	^	_268_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.05	0.91	^	_268_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00					_077_ (net)
		0.03	0.00	0.91	^	_437_/D (sky130_fd_sc_hd_dfrtp_1)
				0.91		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.06	0.04	0.04	^	clk (in)
1	0.02					clk (net)
		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	0.15	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_3_leaf_clk (net)
		0.05	0.00	0.26	^	_437_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51		clock uncertainty
		-0.02	0.49			clock reconvergence pessimism
		-0.02	0.47			library hold time
			0.47			data required time

				0.47		data required time
				-0.91		data arrival time

				0.44		slack (MET)

Startpoint: _444_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _426_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.05	0.00	0.24	^ _444_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.07	0.22	0.46	^ _444_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				rx_shift[0] (net)
		0.07	0.00	0.46	^ _293_/A0 (sky130_fd_sc_hd_mux2_1)
		0.03	0.07	0.53	^ _293_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_155_ (net)
		0.03	0.00	0.53	^ hold34/A (sky130_fd_sc_hd_dlygate4sd3_1)
		0.04	0.36	0.89	^ hold34/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00				net59 (net)
		0.04	0.00	0.89	^ _294_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.05	0.94	^ _294_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_066_ (net)
		0.03	0.00	0.94	^ _426_/D (sky130_fd_sc_hd_dfrtp_1)
				0.94	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	0.26	^ _426_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			-0.02	0.49	clock reconvergence pessimism
			-0.02	0.47	library hold time
				0.47	data required time

				0.47	data required time
				-0.94	data arrival time

				0.47	slack (MET)

Startpoint: _427_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _427_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	0.24	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.04	0.00	0.24	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.06	0.22	0.45	^ _427_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net17 (net)
		0.06	0.00	0.45	^ _291_/A1 (sky130_fd_sc_hd__mux2_1)
		0.03	0.08	0.53	^ _291_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_154_ (net)
		0.03	0.00	0.53	^ hold36/A (sky130_fd_sc_hd__dlygate4sd3_1)
		0.04	0.36	0.89	^ hold36/X (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00				net61 (net)
		0.04	0.00	0.89	^ _292_/A (sky130_fd_sc_hd__clkbuf_1)
		0.04	0.05	0.94	^ _292_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_067_ (net)
		0.04	0.00	0.94	^ _427_/D (sky130_fd_sc_hd__dfrtp_1)
				0.94	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.11	0.26	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.04	0.00	0.26	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			-0.02	0.49	clock reconvergence pessimism
			-0.02	0.47	library hold time

	0.47	data required time

	0.47	data required time
	-0.94	data arrival time

	0.47	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _448_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.19	v _400_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.22	^ _400_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_042_ (net)
		0.03	0.00	2.22	^ _448_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.22	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^ _448_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.22	data arrival time

				1.51	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _449_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)

3	0.01				net2 (net)
		0.04	0.00	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.19	v _401_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.22	^ _401_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_043_ (net)
		0.03	0.00	2.22	^ _449_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.22	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^ _449_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.22	data arrival time

				1.51	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _451_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.19	v _403_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.23	^ _403_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_045_ (net)
		0.03	0.00	2.23	^ _451_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.23	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^ _451_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism

	0.20	0.71	library removal time
		0.71	data required time

		0.71	data required time
		-2.23	data arrival time

		1.51	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _453_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.00	0.00	2.00 v	rst (in)
					rst (net)
			0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.06	2.06 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.04	2.06 v	_355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.06	0.12	2.18 v	_355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
			0.06	2.18 v	_405_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.02	0.04	2.22 ^	_405_/Y (sky130_fd_sc_hd__inv_2)
					047 (net)
			0.02	2.22 ^	_453_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.22	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04 ^	clk (in)
					clk (net)
			0.06	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.15 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
			0.05	0.15 ^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.04	0.11	0.26 ^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
			0.04	0.26 ^	_453_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.22	data arrival time

				1.51	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _452_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.00	0.00	2.00 v	rst (in)
					rst (net)
			0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)

3	0.01	0.04	0.06	2.06	v	input2/X (sky130_fd_sc_hd_buf_1)
						net2 (net)
10	0.05	0.04	0.00	2.06	v	_355_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.12	2.18	v	_355_/X (sky130_fd_sc_hd_buf_4)
1	0.00					_199_ (net)
		0.06	0.00	2.18	v	_404_/A (sky130_fd_sc_hd_inv_2)
		0.02	0.04	2.22	^	_404_/Y (sky130_fd_sc_hd_inv_2)
						046 (net)
		0.02	0.00	2.22	^	_452_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.22		data arrival time
1	0.02		0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.06	0.04	0.04	^	clk (in)
						clk (net)
		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.05	0.11	0.15	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	0.15	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.04	0.11	0.26	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_1_leaf_clk (net)
		0.04	0.00	0.26	^	_452_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51		clock uncertainty
			0.00	0.51		clock reconvergence pessimism
			0.20	0.71		library removal time
				0.71		data required time
				0.71		data required time
				-2.22		data arrival time
				1.51		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _450_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
10	0.05	0.04	0.00	2.06	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd_buf_4)
					199 (net)
		0.06	0.00	2.18	v _402_/A (sky130_fd_sc_hd_inv_2)
1	0.01	0.03	0.04	2.23	^ _402_/Y (sky130_fd_sc_hd_inv_2)
					044 (net)
		0.03	0.00	2.23	^ _450_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.23	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)
		0.05	0.00	0.26	^ _450_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51	clock uncertainty

0.00 0.51 clock reconvergence pessimism
0.20 0.71 library removal time
0.71 data required time

0.71 data required time
-2.23 data arrival time

1.51 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _454_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description	
1	0.00		0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			2.00	2.00 v	input external delay	
			2.00 v	rst (in)		
				rst (net)		
			0.00	0.00	2.00 v input2/A (sky130_fd_sc_hd_buf_1)	
			0.04	0.06	2.06 v input2/X (sky130_fd_sc_hd_buf_1)	
		3	0.01			net2 (net)
					2.06 v	_355_/A (sky130_fd_sc_hd_buf_4)
		10	0.05		0.06	2.18 v _355_/X (sky130_fd_sc_hd_buf_4)
				199 (net)		
1	0.00		0.06	2.18 v _406_/A (sky130_fd_sc_hd_inv_2)		
			0.03	0.04	2.22 ^ _406_/Y (sky130_fd_sc_hd_inv_2)	
					048 (net)	
			0.03	0.00	2.22 ^ _454_/RESET_B (sky130_fd_sc_hd_dfrtp_1)	
					data arrival time	
1	0.02		0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
			0.06	0.04	0.04 ^ clk (in)	
					clk (net)	
4	0.04		0.06	0.04 ^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)		
			0.05	0.11	0.15 ^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)	
					clknet_0_clk (net)	
			0.05	0.00	0.15 ^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)	
12	0.04		0.04	0.11	0.26 ^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)	
					clknet_2_1_leaf_clk (net)	
				0.26 ^	_454_/CLK (sky130_fd_sc_hd_dfrtp_1)	
			0.25	0.51	clock uncertainty	
					clock reconvergence pessimism	
					library removal time	
					data required time	
					0.71 data required time	
					-2.22 data arrival time	
					1.51 slack (MET)	

Startpoint: rst (input port clocked by clk)
Endpoint: _455_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
1	0.00	0.00	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
			0.00	2.00 v	rst (in)
					rst (net)

		0.00	0.00	2.00	v	input2/A (sky130_fd_sc_hd_buf_1)
		0.04	0.06	2.06	v	input2/X (sky130_fd_sc_hd_buf_1)
3	0.01					net2 (net)
		0.04	0.00	2.06	v	_355_/A (sky130_fd_sc_hd_buf_4)
10	0.05	0.06	0.12	2.18	v	_355_/X (sky130_fd_sc_hd_buf_4)
						199 (net)
		0.06	0.00	2.18	v	_407_/A (sky130_fd_sc_hd_inv_2)
		0.02	0.04	2.22	^	_407_/Y (sky130_fd_sc_hd_inv_2)
1	0.00					_049_ (net)
		0.02	0.00	2.22	^	_455_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.22		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.06	0.04	0.04	^	clk (in)
						clk (net)
		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.05	0.11	0.15	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	0.15	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.04	0.11	0.26	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_1_leaf_clk (net)
		0.04	0.00	0.26	^	_455_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51		clock uncertainty
			0.00	0.51		clock reconvergence pessimism
			0.20	0.71		library removal time
				0.71		data required time

				0.71		data required time
				-2.22		data arrival time

				1.51		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _447_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
		0.04	0.00	2.06	v _389_/A (sky130_fd_sc_hd_buf_4)
10	0.06	0.06	0.12	2.19	v _389_/X (sky130_fd_sc_hd_buf_4)
					203 (net)
		0.06	0.00	2.19	v _399_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	2.23	^ _399_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_041_ (net)
		0.03	0.00	2.23	^ _447_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.23	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.05	0.11	0.26	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)
		0.05	0.00	0.26	^ _447_/CLK (sky130_fd_sc_hd_dfrtp_1)

0.25	0.51	clock uncertainty
0.00	0.51	clock reconvergence pessimism
0.20	0.71	library removal time
	0.71	data required time

0.71	data required time
-2.23	data arrival time

1.52	slack (MET)
------	-------------

Startpoint: rst (input port clocked by clk)
Endpoint: _446_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01		0.04	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.06	v _389_/A (sky130_fd_sc_hd__buf_4)
10	0.06		0.06	2.19	v _389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
		0.06	0.00	2.19	v _398_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.23	^ _398_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_040_ (net)
		0.03	0.00	2.23	^ _446_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.23	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04		0.05	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04		0.04	0.26	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.04	0.00	0.26	^ _446_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.23	data arrival time

				1.52	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _445_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)

id	type	value	unit	description
1	0.00	0.00	0.00	rst (net)
		0.04	0.06	2.00 v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01			2.06 v input2/X (sky130_fd_sc_hd_buf_1)
		0.04	0.00	net2 (net)
		0.06	0.12	2.06 v _389_/A (sky130_fd_sc_hd_buf_4)
10	0.06			2.19 v _389_/X (sky130_fd_sc_hd_buf_4)
		0.06	0.00	_203_ (net)
		0.03	0.04	2.19 v _397_/A (sky130_fd_sc_hd_inv_2)
1	0.00			2.23 ^ _397_/Y (sky130_fd_sc_hd_inv_2)
		0.03	0.00	_039_ (net)
				2.23 ^ _445_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				data arrival time
		0.00	0.00	clock clk (rise edge)
		0.00	0.00	clock source latency
		0.06	0.04	0.04 ^ clk (in)
1	0.02			clk (net)
		0.06	0.00	0.04 ^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15 ^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04			clknet_0_clk (net)
		0.05	0.00	0.15 ^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.11	0.26 ^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04			clknet_2_1_leaf_clk (net)
		0.04	0.00	0.26 ^ _445_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51 clock uncertainty
			0.00	0.51 clock reconvergence pessimism
			0.20	0.71 library removal time
			0.71	data required time

			0.71	data required time
			-2.23	data arrival time

			1.52	slack (MET)

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
		0.04	0.00	2.06	v _389_/A (sky130_fd_sc_hd_buf_4)
10	0.06	0.06	0.12	2.19	v _389_/X (sky130_fd_sc_hd_buf_4)
					203 (net)
		0.06	0.00	2.19	v _391_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	2.23	^ _391_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_033_ (net)
		0.03	0.00	2.23	^ _439_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.23	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)

0.05	0.00	0.26	^	_439_/CLK (sky130_fd_sc_hd__dfrtp_1)
	0.25	0.51		clock uncertainty
	0.00	0.51		clock reconvergence pessimism
	0.20	0.71		library removal time
		0.71		data required time

		0.71		data required time
		-2.23		data arrival time

		1.52		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _442_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01		0.04	0.06	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.06	v _389_/A (sky130_fd_sc_hd__buf_4)
10	0.06		0.06	0.12	v _389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
		0.06	0.00	2.19	v _394_/A (sky130_fd_sc_hd__inv_2)
1	0.00		0.03	0.04	^ _394_/Y (sky130_fd_sc_hd__inv_2)
					036 (net)
		0.03	0.00	2.23	^ _442_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.23	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02		0.06	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04		0.05	0.11	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04		0.04	0.11	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.04	0.00	0.26	^ _442_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.23	data arrival time

				1.52	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _438_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay

		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06	v _389_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.12	2.19	v _389_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_203_ (net)
		0.06	0.00	2.19	v _390_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	2.23	^ _390_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_032_ (net)
		0.03	0.00	2.23	^ _438_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.23	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.05	0.00	0.26	^ _438_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.23	data arrival time

				1.52	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _444_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06	v _389_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.12	2.19	v _389_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_203_ (net)
		0.06	0.00	2.19	v _396_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	2.23	^ _396_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_038_ (net)
		0.03	0.00	2.23	^ _444_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.23	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)

12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	0.26	^ _444_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.23	data arrival time

				1.52	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _440_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01		0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.06	v _389_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.19	v _389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
		0.06	0.00	2.19	v _392_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.23	^ _392_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_034_ (net)
		0.03	0.00	2.23	^ _440_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.23	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02		0.06	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04		0.05	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	0.26	^ _440_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.23	data arrival time

				1.52	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _441_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)

			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06 v	input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06 v	_389_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.19 v	_389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
		0.06	0.00	2.19 v	_393_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.23 ^	_393_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_035_ (net)
		0.03	0.00	2.23 ^	_441_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.23	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04 ^	clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15 ^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.11	0.26 ^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.04	0.00	0.26 ^	_441_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

			0.71		data required time
			-2.23		data arrival time

			1.52		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _443_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06 v	input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06 v	_389_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.19 v	_389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
		0.06	0.00	2.19 v	_395_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.23 ^	_395_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_037_ (net)
		0.03	0.00	2.23 ^	_443_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.23	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04 ^	clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15 ^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)

12	0.04	0.04	0.11	0.26	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_1_leaf_clk (net)
		0.04	0.00	0.26	^	_443_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51		clock uncertainty
			0.00	0.51		clock reconvergence pessimism
			0.20	0.71		library removal time
				0.71		data required time

				0.71		data required time
				-2.23		data arrival time

			1.52	slack (MET)		

Startpoint: rst (input port clocked by clk)
Endpoint: _435_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description	
1	0.00	0.00	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			2.00	2.00	v input external delay	
			0.00	2.00	v rst (in)	
					rst (net)	
			0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
						net2 (net)
			0.04	0.00	2.06	v _378_/A (sky130_fd_sc_hd__buf_4)
			0.07	0.13	2.19	v _378_/X (sky130_fd_sc_hd__buf_4)
						202 (net)
			0.07	0.00	2.20	v _386_/A (sky130_fd_sc_hd__inv_2)
			0.03	0.04	2.24	^ _386_/Y (sky130_fd_sc_hd__inv_2)
						029 (net)
1	0.00	0.03	0.00	2.24	^ _435_/RESET_B (sky130_fd_sc_hd__dfrtp_2)	
				2.24	data arrival time	
1	0.02	0.06	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
			0.06	0.04	0.04	^ clk (in)
						clk (net)
			0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
			0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
			0.05	0.00	0.26	^ _435_/CLK (sky130_fd_sc_hd__dfrtp_2)
				0.25	0.51	clock uncertainty
				0.00	0.51	clock reconvergence pessimism
				0.20	0.71	library removal time
		0.71	data required time			
				0.71	data required time	
				-2.24	data arrival time	
				1.52	slack (MET)	

Startpoint: rst (input port clocked by clk)
Endpoint: _428_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)

			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.07	0.13	2.19	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.07	0.00	2.20	v _379_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.24	^ _379_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_022_ (net)
		0.03	0.00	2.24	^ _428_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.24	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.27	^ _428_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.52	clock uncertainty
			0.00	0.52	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.24	data arrival time

				1.52	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _432_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.07	0.13	2.19	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.07	0.00	2.20	v _383_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.24	^ _383_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_026_ (net)
		0.03	0.00	2.24	^ _432_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.24	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)

		0.05	0.00	0.15	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04					clknet_2_0__leaf_clk (net)
		0.05	0.00	0.27	^	_432_/CLK (sky130_fd_sc_hd__dfirtp_1)
			0.25	0.52		clock uncertainty
			0.00	0.52		clock reconvergence pessimism
			0.20	0.71		library removal time
				0.71		data required time

				0.71		data required time
				-2.24		data arrival time

				1.52		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _430_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01		0.04	0.06	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.06	v _378_/A (sky130_fd_sc_hd__buf_4)
10	0.07		0.07	0.13	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
		0.07	0.00	2.20	v _381_/A (sky130_fd_sc_hd__inv_2)
1	0.00		0.03	0.04	^ _381_/Y (sky130_fd_sc_hd__inv_2)
					024 (net)
		0.03	0.00	2.24	^ _430_/RESET_B (sky130_fd_sc_hd__dfirtp_1)
				2.24	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^ _430_/CLK (sky130_fd_sc_hd__dfirtp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.24	data arrival time

				1.52	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _431_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

		0.00	0.00	clock clk (rise edge)
		0.00	0.00	clock network delay (propagated)
		2.00	2.00 v	input external delay
		0.00	2.00 v	rst (in)
1	0.00			rst (net)
		0.00	0.00	2.00 v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.04	0.06	2.06 v input2/X (sky130_fd_sc_hd_buf_1)
				net2 (net)
		0.04	0.00	2.06 v _378_/A (sky130_fd_sc_hd_buf_4)
10	0.07	0.07	0.13	2.19 v _378_/X (sky130_fd_sc_hd_buf_4)
				202 (net)
		0.07	0.00	2.20 v _382_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.03	0.04	2.24 ^ _382_/Y (sky130_fd_sc_hd_inv_2)
				025 (net)
		0.03	0.00	2.24 ^ _431_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.24 data arrival time

		0.00	0.00	clock clk (rise edge)
		0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04 ^ clk (in)
				clk (net)
		0.06	0.00	0.04 ^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.05	0.11	0.15 ^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
				clknet_0_clk (net)
		0.05	0.00	0.15 ^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.05	0.11	0.26 ^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
				clknet_2_0_leaf_clk (net)
		0.05	0.00	0.27 ^ _431_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.25	0.52	clock uncertainty
		0.00	0.52	clock reconvergence pessimism
		0.20	0.71	library removal time
			0.71	data required time

			0.71	data required time
			-2.24	data arrival time

			1.52	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _429_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.04	0.06	2.06 v	input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
		0.04	0.00	2.06 v	_378_/A (sky130_fd_sc_hd_buf_4)
10	0.07	0.07	0.13	2.19 v	_378_/X (sky130_fd_sc_hd_buf_4)
					202 (net)
		0.07	0.00	2.20 v	_380_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.03	0.04	2.24 ^	_380_/Y (sky130_fd_sc_hd_inv_2)
					023 (net)
		0.03	0.00	2.24 ^	_429_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.24	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04 ^	clk (in)
					clk (net)
		0.06	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15 ^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)

4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^ _429_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.24	data arrival time

				1.53	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _437_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.07	0.13	2.19	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.07	0.00	2.20	v _388_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.24	^ _388_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_031_ (net)
		0.03	0.00	2.24	^ _437_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.24	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	0.26	^ _437_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.24	data arrival time

				1.53	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _434_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
--------	-----	------	-------	------	-------------

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06 v	input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06 v	_378_/A (sky130_fd_sc_hd__buf_4)
		0.07	0.13	2.19 v	_378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.07	0.00	2.20 v	_385_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.24 ^	_385_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_028_ (net)
		0.03	0.00	2.24 ^	_434_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.24	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04 ^	clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15 ^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.11	0.26 ^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.04	0.00	0.26 ^	_434_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.24	data arrival time

				1.53	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _433_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06 v	input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06 v	_378_/A (sky130_fd_sc_hd__buf_4)
		0.07	0.13	2.19 v	_378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.07	0.00	2.20 v	_384_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.24 ^	_384_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_027_ (net)
		0.03	0.00	2.24 ^	_433_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.24	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04 ^	clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)

4	0.04	0.05	0.11	0.15	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.00	0.15	^	clknet_0_clk (net)
12	0.04	0.05	0.00	0.15	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.11	0.26	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_1__leaf_clk (net)
		0.04	0.00	0.26	^	_433_/CLK (sky130_fd_sc_hd__dfstp_1)
			0.25	0.51		clock uncertainty
			0.00	0.51		clock reconvergence pessimism
			0.20	0.71		library removal time
				0.71		data required time

				0.71		data required time
				-2.24		data arrival time

				1.53		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _436_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

1	0.00		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
					rst (net)
			0.00	0.00	2.00 v input2/A (sky130_fd_sc_hd__buf_1)
			0.04	0.06	2.06 v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.04	0.00	2.06 v _378_/A (sky130_fd_sc_hd__buf_4)
			0.07	0.13	2.19 v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07			_202_ (net)	
		0.07	0.00	2.20 v _387_/A (sky130_fd_sc_hd__inv_2)	
1	0.00	0.03	0.04	2.24 ^ _387_/Y (sky130_fd_sc_hd__inv_2)	
				030 (net)	
		0.03	0.00	2.24 ^ _436_/SET_B (sky130_fd_sc_hd__dfstp_1)	
				2.24 data arrival time	

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04 ^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.05	0.11	0.15 ^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
				clknet_0_clk (net)	
12	0.04	0.05	0.00	0.15 ^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.05	0.11	0.26 ^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					clknet_2_3__leaf_clk (net)
		0.05	0.00	0.26 ^ _436_/CLK (sky130_fd_sc_hd__dfstp_1)	
		0.25	0.51	clock uncertainty	
		0.00	0.51	clock reconvergence pessimism	
		0.10	0.61	library removal time	
			0.61	data required time	

				0.61	data required time
				-2.24	data arrival time

				1.63	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _408_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description	

1	0.00	0.00	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
		0.00	2.00	2.00	v input external delay	
			0.00	2.00	v rst (in)	
		0.00			rst (net)	
			0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)	
		3	0.01	0.04	0.06	2.06 v input2/X (sky130_fd_sc_hd__buf_1)
						net2 (net)
		10	0.05	0.04	0.00	2.06 v _355_/A (sky130_fd_sc_hd__buf_4)
				0.06	0.12	2.18 v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.06	0.06	0.13	2.19 v _356_/A (sky130_fd_sc_hd__buf_4)		
				2.32 v _356_/X (sky130_fd_sc_hd__buf_4)		
1	0.00	0.06	0.00	2.32 v _357_/A (sky130_fd_sc_hd__inv_2)		
		0.03	0.04	2.36 ^ _357_/Y (sky130_fd_sc_hd__inv_2)		
1	0.00	0.03	0.00	2.36 ^ _408_/RESET_B (sky130_fd_sc_hd__dftrtp_4)		
				2.36	data arrival time	

1	0.02	0.06	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
4	0.04	0.05	0.04	0.04	^ clk (in)	
					clk (net)	
14	0.04	0.05	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
			0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
14	0.04	0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
			0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
14	0.04	0.05			clknet_2_0__leaf_clk (net)	
			0.00	0.27	^ _408_/CLK (sky130_fd_sc_hd__dftrtp_4)	
14	0.04	0.05	0.25	0.52	clock uncertainty	
			0.00	0.52	clock reconvergence pessimism	
14	0.04	0.05	0.20	0.71	library removal time	
			0.20	0.71	data required time	

				0.71	data required time	
				-2.36	data arrival time	

				1.64	slack (MET)	

Startpoint: rst (input port clocked by clk)
 Endpoint: _410_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.00	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
				2.06	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.05	0.04	0.06		net2 (net)
				2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
10	0.06	0.06	0.13	2.19	v _356_/A (sky130_fd_sc_hd__buf_4)
				2.32	v _356_/X (sky130_fd_sc_hd__buf_4)
1	0.00	0.06	0.00		_200_ (net)
				2.32	v _359_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.03	0.04	2.36	^ _359_/Y (sky130_fd_sc_hd__inv_2)
					004 (net)
		0.03	0.00	2.36	^ _410_/RESET_B (sky130_fd_sc_hd__dftrtp_2)

				2.36	data arrival time
		0.00	0.00		clock clk (rise edge)
		0.00	0.00		clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^ _410_/CLK (sky130_fd_sc_hd__dftrtp_2)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.36	data arrival time

				1.64	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _411_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.19	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.13	2.32	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)
		0.06	0.00	2.32	v _360_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.36	^ _360_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_005_ (net)
		0.03	0.00	2.36	^ _411_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.36	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.27	^ _411_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.52	clock uncertainty
			0.00	0.52	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.36	data arrival time

1.64 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _424_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
			0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.06	2.06 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.06 v	_355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.18 v	_355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.19 v	_367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.06	0.13	2.32 v	_367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.06	0.00	2.32 v	_374_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.36 ^	_374_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_018_ (net)
		0.03	0.00	2.36 ^	_424_/RESET_B (sky130_fd_sc_hd__dfrtp_2)
				2.36	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04 ^	clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15 ^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26 ^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.05	0.00	0.26 ^	_424_/CLK (sky130_fd_sc_hd__dfrtp_2)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.36	data arrival time

				1.65	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _420_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06 v	input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)

		0.04	0.00	2.06	v	_355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.18	v	_355_/X (sky130_fd_sc_hd__buf_4)
10	0.05					_199_ (net)
		0.06	0.00	2.19	v	_367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.06	0.13	2.32	v	_367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07					_201_ (net)
		0.06	0.00	2.32	v	_370_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.36	^	_370_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_014_ (net)
		0.03	0.00	2.36	^	_420_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.36		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.06	0.04	0.04	^	clk (in)
						clk (net)
		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.15	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	0.15	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.05	0.00	0.26	^	_420_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51		clock uncertainty
			0.00	0.51		clock reconvergence pessimism
			0.20	0.71		library removal time
				0.71		data required time

				0.71		data required time
				-2.36		data arrival time

				1.65		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _421_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.06	0.00	2.19	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.06	0.13	2.32	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.06	0.00	2.32	v _371_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.36	^ _371_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_015_ (net)
		0.03	0.00	2.36	^ _421_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.36	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)

12	0.04	0.05	0.11	0.26	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3_leaf_clk (net)
		0.05	0.00	0.26	^	_421_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51		clock uncertainty
			0.00	0.51		clock reconvergence pessimism
			0.20	0.71		library removal time
				0.71		data required time

				0.71		data required time
				-2.36		data arrival time

		1.65		slack (MET)		

Startpoint: rst (input port clocked by clk)
Endpoint: _427_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description		
1	0.00		0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
		0.00	2.00	2.00	v input external delay		
			0.00	2.00	v rst (in)		
					rst (net)		
			0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)	
		3	0.01	0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
							net2 (net)
		10	0.05	0.04	0.00	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
				0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_199_ (net)		
		0.06	0.00	2.19	v _367_/A (sky130_fd_sc_hd__clkbuf_8)		
		0.06	0.13	2.32	v _367_/X (sky130_fd_sc_hd__clkbuf_8)		
					201 (net)		
1	0.00	0.06	0.00	2.32	v _377_/A (sky130_fd_sc_hd__inv_2)		
		0.03	0.04	2.36	^ _377_/Y (sky130_fd_sc_hd__inv_2)		
					021 (net)		
		0.03	0.00	2.36	^ _427_/RESET_B (sky130_fd_sc_hd__dfrtp_1)		
				2.36	data arrival time		
1	0.02		0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock source latency		
		0.06	0.04	0.04	^ clk (in)		
					clk (net)		
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)		
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)		
4	0.04				clknet_0_clk (net)		
		0.05	0.00	0.15	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)		
12	0.04	0.04	0.11	0.26	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)		
					clknet_2_1__leaf_clk (net)		
		0.04	0.00	0.26	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)		
			0.25	0.51	clock uncertainty		
				0.00	clock reconvergence pessimism		
				0.71	library removal time		
				0.71	data required time		
				0.71	data required time		
				-2.36	data arrival time		
				1.65	slack (MET)		

Startpoint: rst (input port clocked by clk)
Endpoint: _426_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.00	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
					rst (net)
			0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.04	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.04	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.06	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05			_199_ (net)	
		0.06	2.19	v _367_/A (sky130_fd_sc_hd__clkbuf_8)	
10	0.07	0.06	2.32	v _367_/X (sky130_fd_sc_hd__clkbuf_8)	
				201 (net)	
		0.06	2.32	v _376_/A (sky130_fd_sc_hd__inv_2)	
		0.03	2.36	^ _376_/Y (sky130_fd_sc_hd__inv_2)	
1	0.00			_020_ (net)	
		0.03	2.36	^ _426_/RESET_B (sky130_fd_sc_hd__dftrtp_1)	
			2.36	data arrival time	

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.05	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
				clknet_0_clk (net)	
		0.05	0.15	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
12	0.04	0.05	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
				clknet_2_3__leaf_clk (net)	
		0.05	0.26	^ _426_/CLK (sky130_fd_sc_hd__dftrtp_1)	
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.36	data arrival time

				1.65	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _419_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.00	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.04	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.05	0.00	0.00	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.06	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.07	0.00	0.00	2.19	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
			0.06	2.32	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
1	0.00	0.00	0.00	2.32	v _369_/A (sky130_fd_sc_hd__inv_2)
			0.03	2.36	^ _369_/Y (sky130_fd_sc_hd__inv_2)
			0.00		_013_ (net)
			0.03	2.36	^ _419_/RESET_B (sky130_fd_sc_hd__dftrtp_1)

				2.36	data arrival time
		0.00	0.00		clock clk (rise edge)
		0.00	0.00		clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	0.26	^ _419_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.36	data arrival time

				1.65	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _418_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.19	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.06	0.13	2.32	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.06	0.00	2.32	v _368_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.36	^ _368_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_012_ (net)
		0.03	0.00	2.36	^ _418_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.36	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	0.26	^ _418_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.36	data arrival time

1.65 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _409_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.06	2.06 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.06 v	_355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.06	0.12	2.18 v	_355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.06	0.00	2.19 v	_356_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.06	0.13	2.32 v	_356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
		0.06	0.00	2.32 v	_358_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.36 ^	_358_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_003_ (net)
		0.03	0.00	2.36 ^	_409_/RESET_B (sky130_fd_sc_hd__dfrtp_4)
				2.36	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04 ^	clk (in)
					clk (net)
		0.06	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.15 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.15 ^	clkbuf_2_2_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.04	0.04	0.10	0.26 ^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2_leaf_clk (net)
		0.04	0.00	0.26 ^	_409_/CLK (sky130_fd_sc_hd__dfrtp_4)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.36	data arrival time

				1.65	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _423_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.06	2.06 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)

		0.04	0.00	2.06	v	_355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.18	v	_355_/X (sky130_fd_sc_hd__buf_4)
10	0.05					_199_ (net)
		0.06	0.00	2.19	v	_367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.06	0.13	2.32	v	_367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07					_201_ (net)
		0.06	0.00	2.32	v	_373_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.36	^	_373_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_017_ (net)
		0.03	0.00	2.36	^	_423_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.36		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.06	0.04	0.04	^	clk (in)
						clk (net)
		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.15	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	0.15	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	0.26	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04					clknet_2_2__leaf_clk (net)
		0.04	0.00	0.26	^	_423_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51		clock uncertainty
			0.00	0.51		clock reconvergence pessimism
			0.20	0.71		library removal time
				0.71		data required time

				0.71		data required time
				-2.36		data arrival time

				1.65		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _422_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00		0.00	2.00	v rst (in)
					rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.06	0.00	2.19	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
10	0.07	0.06	0.13	2.32	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
					201 (net)
		0.06	0.00	2.32	v _372_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.36	^ _372_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_016_ (net)
		0.03	0.00	2.36	^ _422_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.36	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)

10	0.04	0.04	0.10	0.26	^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
		0.04	0.00	0.26	^	_422_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51		clock uncertainty
			0.00	0.51		clock reconvergence pessimism
			0.20	0.71		library removal time
					0.71	data required time
					-2.36	data arrival time
					1.65	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _425_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description	
1	0.00		0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
		0.00	2.00	2.00	v input external delay	
			0.00	2.00	v rst (in)	
		0.00			rst (net)	
			0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)	
		3	0.01	0.04	0.06	2.06 v input2/X (sky130_fd_sc_hd__buf_1)
						net2 (net)
		10	0.05	0.04	0.00	2.06 v _355_/A (sky130_fd_sc_hd__buf_4)
				0.06	0.12	2.18 v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.07			_199_ (net)		
		0.06	0.00	2.19 v _367_/A (sky130_fd_sc_hd__clkbuf_8)		
		0.06	0.13	2.32 v _367_/X (sky130_fd_sc_hd__clkbuf_8)		
				201 (net)		
1	0.00	0.06	0.00	2.32 v _375_/A (sky130_fd_sc_hd__inv_2)		
		0.03	0.04	2.36 ^ _375_/Y (sky130_fd_sc_hd__inv_2)		
				019 (net)		
		0.03	0.00	2.36 ^ _425_/RESET_B (sky130_fd_sc_hd__dfrtp_1)		
		2.36	data arrival time			
1	0.02		0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
		0.06	0.04	0.04	^ clk (in)	
					clk (net)	
		0.06	0.04	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
			0.05	0.11	0.15 ^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
		4	0.04			clknet_0_clk (net)
				0.05	0.00	0.15 ^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		10	0.04	0.04	0.10	0.26 ^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
10	0.04	0.04	0.00	0.26 ^ _425_/CLK (sky130_fd_sc_hd__dfrtp_1)		
			0.25	0.51	clock uncertainty	
			0.00	0.51	clock reconvergence pessimism	
			0.20	0.71	library removal time	
				0.71	data required time	
				0.71	data required time	
				-2.36	data arrival time	
				1.65	slack (MET)	

Startpoint: rst (input port clocked by clk)
Endpoint: _414_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.00	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.05	0.04	0.00	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.06	0.06	0.00	2.19	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.13	2.32	v _356_/X (sky130_fd_sc_hd__buf_4)
1	0.00	0.06	0.00	2.32	v _363_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.36	^ _363_/Y (sky130_fd_sc_hd__inv_2)
					008 (net)
		0.03	0.00	2.36	^ _414_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.36	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04	0.05	0.00	0.15	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	0.26	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
				0.26	^ _414_/CLK (sky130_fd_sc_hd__dfrtp_1)
				0.25	clock uncertainty
				0.00	clock reconvergence pessimism
				0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.36	data arrival time

				1.65	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _413_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.00	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.05	0.04	0.00	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.06	0.06	0.00	2.19	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.13	2.32	v _356_/X (sky130_fd_sc_hd__buf_4)
1	0.00	0.06	0.00	2.32	v _362_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.36	^ _362_/Y (sky130_fd_sc_hd__inv_2)
					007 (net)
		0.03	0.00	2.36	^ _413_/RESET_B (sky130_fd_sc_hd__dfrtp_1)

				2.36	data arrival time
		0.00	0.00		clock clk (rise edge)
		0.00	0.00		clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	0.26	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.04	0.00	0.26	^ _413_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.36	data arrival time

				1.65	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _412_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.19	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.13	2.32	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)
		0.06	0.00	2.32	v _361_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.36	^ _361_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_006_ (net)
		0.03	0.00	2.36	^ _412_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.36	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	0.26	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2__leaf_clk (net)
		0.04	0.00	0.26	^ _412_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.36	data arrival time

1.65 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _417_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.19	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.13	2.32	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)
		0.06	0.00	2.32	v _366_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.36	^ _366_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_011_ (net)
		0.03	0.00	2.36	^ _417_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.36	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	0.26	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04				clknet_2_2_leaf_clk (net)
		0.04	0.00	0.26	^ _417_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.36	data arrival time

				1.65	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _416_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)

		0.04	0.00	2.06	v	_355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.18	v	_355_/X (sky130_fd_sc_hd__buf_4)
10	0.05					_199_ (net)
		0.06	0.00	2.19	v	_356_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.13	2.32	v	_356_/X (sky130_fd_sc_hd__buf_4)
10	0.06					_200_ (net)
		0.06	0.00	2.32	v	_365_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.36	^	_365_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_010_ (net)
		0.03	0.00	2.36	^	_416_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.36		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.06	0.04	0.04	^	clk (in)
						clk (net)
		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.15	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	0.15	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	0.26	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.04					clknet_2_2__leaf_clk (net)
		0.04	0.00	0.26	^	_416_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51		clock uncertainty
			0.00	0.51		clock reconvergence pessimism
			0.20	0.71		library removal time
				0.71		data required time

				0.71		data required time
				-2.36		data arrival time

				1.65		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _415_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.19	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.13	2.32	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)
		0.06	0.00	2.32	v _364_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.36	^ _364_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_009_ (net)
		0.03	0.00	2.36	^ _415_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.36	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)

10	0.04	0.04	0.10	0.26	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
		0.04	0.00	0.26	^	_415_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51		clock uncertainty
			0.00	0.51		clock reconvergence pessimism
			0.20	0.71		library removal time
				0.71		data required time
				0.71		data required time
				-2.36		data arrival time
				1.65		slack (MET)

Startpoint: _425_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: done (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description	
1	0.02		0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
		0.06	0.04	0.04	^ clk (in)	
					clk (net)	
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
	4	0.04	0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
	10	0.04	0.04	0.09	0.23	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
1	0.00	0.04	0.00	0.23	^ _425_/CLK (sky130_fd_sc_hd__dfrtp_1)	
		0.04	0.20	0.43	^ _425_/Q (sky130_fd_sc_hd__dfrtp_1)	
1	0.04				net14 (net)	
		0.04	0.00	0.43	^ output14/A (sky130_fd_sc_hd__clkbuf_4)	
1	0.04		0.09	0.55	^ output14/X (sky130_fd_sc_hd__clkbuf_4)	
					done (net)	
		0.09	0.00	0.55	^ done (out)	
				0.55	data arrival time	
			0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			0.25	0.25	clock uncertainty	
			0.00	0.25	clock reconvergence pessimism	
			-2.00	-1.75	output external delay	
				-1.75	data required time	
				-1.75	data required time	
				-0.55	data arrival time	
				2.30	slack (MET)	

Startpoint: _426_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[0] (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)

12	0.04	0.05	0.10	0.24	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.00	0.24	^	clknet_2_3__leaf_clk (net)
		0.06	0.21	0.45	^	_426_/CLK (sky130_fd_sc_hd__dfrtp_1)
2	0.01			0.45	^	_426_/Q (sky130_fd_sc_hd__dfrtp_1)
						net16 (net)
1	0.03	0.06	0.00	0.45	^	output16/A (sky130_fd_sc_hd__clkbuf_4)
		0.09	0.13	0.57	^	output16/X (sky130_fd_sc_hd__clkbuf_4)
						rx_data[0] (net)
		0.09	0.00	0.58	^	rx_data[0] (out)
				0.58		data arrival time
		0.00	0.00			clock clk (rise edge)
		0.00	0.00			clock network delay (propagated)
		0.25	0.25			clock uncertainty
		0.00	0.25			clock reconvergence pessimism
		-2.00	-1.75			output external delay
				-1.75		data required time

				-1.75		data required time
				-0.58		data arrival time

				2.33		slack (MET)

Startpoint: _436_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: cs (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
12	0.04	0.05	0.00	0.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
2	0.01	0.05	0.00	0.24	^ _436_/CLK (sky130_fd_sc_hd__dfstp_1)
		0.03	0.22	0.46	v _436_/Q (sky130_fd_sc_hd__dfstp_1)
					net13 (net)
1	0.03	0.03	0.00	0.46	v output13/A (sky130_fd_sc_hd__clkbuf_4)
		0.06	0.12	0.58	v output13/X (sky130_fd_sc_hd__clkbuf_4)
					cs (net)
		0.06	0.00	0.58	v cs (out)
				0.58	data arrival time
		0.00	0.00		clock clk (rise edge)
		0.00	0.00		clock network delay (propagated)
		0.25	0.25		clock uncertainty
		0.00	0.25		clock reconvergence pessimism
		-2.00	-1.75		output external delay
				-1.75	data required time

				-1.75	data required time
				-0.58	data arrival time

				2.33	slack (MET)

Startpoint: _432_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[6] (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.24	^ _432_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.06	0.21	0.45	^ _432_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net22 (net)
		0.06	0.00	0.45	^ output22/A (sky130_fd_sc_hd__clkbuf_4)
		0.08	0.13	0.58	^ output22/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[6] (net)
		0.08	0.00	0.58	^ rx_data[6] (out)
				0.58	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.58	data arrival time

				2.33	slack (MET)

Startpoint: _433_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[7] (output port clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	0.24	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.04	0.00	0.24	^ _433_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.06	0.21	0.45	^ _433_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net23 (net)
		0.06	0.00	0.45	^ output23/A (sky130_fd_sc_hd__clkbuf_4)
		0.09	0.13	0.58	^ output23/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[7] (net)
		0.09	0.00	0.58	^ rx_data[7] (out)
				0.58	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.58	data arrival time

2.33 slack (MET)

Startpoint: _427_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[1] (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.10	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.10		clknet_0_clk (net)
				0.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.24	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
2	0.01	0.04	0.22	0.24	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
				0.45	^ _427_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.03	0.06	0.13		net17 (net)
				0.45	^ output17/A (sky130_fd_sc_hd__clkbuf_4)
				0.58	^ output17/X (sky130_fd_sc_hd__clkbuf_4)
					rx_data[1] (net)
		0.08	0.00	0.58	^ rx_data[1] (out)
				0.58	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.58	data arrival time

				2.33	slack (MET)

Startpoint: _429_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[3] (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.10	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.05	0.10		clknet_0_clk (net)
				0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
2	0.01	0.05	0.22	0.24	^ _429_/CLK (sky130_fd_sc_hd__dfrtp_1)
				0.46	^ _429_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.03	0.06	0.13		net19 (net)
				0.46	^ output19/A (sky130_fd_sc_hd__clkbuf_4)
				0.58	^ output19/X (sky130_fd_sc_hd__clkbuf_4)
					rx_data[3] (net)
		0.08	0.00	0.59	^ rx_data[3] (out)
				0.59	data arrival time

0.00	0.00	clock clk (rise edge)
0.00	0.00	clock network delay (propagated)
0.25	0.25	clock uncertainty
0.00	0.25	clock reconvergence pessimism
-2.00	-1.75	output external delay
	-1.75	data required time

	-1.75	data required time
	-0.59	data arrival time

	2.34	slack (MET)

Startpoint: _431_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[5] (output port clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.10	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.05	0.10		clknet_0_clk (net)
				0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
2	0.01	0.05	0.22	0.24	^ _431_/CLK (sky130_fd_sc_hd__dfrtp_1)
				0.46	^ _431_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.03	0.06	0.13		net21 (net)
				0.46	^ output21/A (sky130_fd_sc_hd__clkbuf_4)
				0.59	^ output21/X (sky130_fd_sc_hd__clkbuf_4)
					rx_data[5] (net)
		0.09	0.00	0.59	^ rx_data[5] (out)
				0.59	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.59	data arrival time

				2.34	slack (MET)

Startpoint: _428_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[2] (output port clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.10	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.00		clknet_0_clk (net)
				0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)

14	0.04	0.05	0.10	0.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.00	0.24	^ _428_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.07	0.23	0.46	^ _428_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net18 (net)
		0.07	0.00	0.47	^ output18/A (sky130_fd_sc_hd__clkbuf_4)
1	0.03	0.08	0.13	0.60	^ output18/X (sky130_fd_sc_hd__clkbuf_4)
		0.08	0.00	0.60	^ rx_data[2] (net)
				0.60	^ rx_data[2] (out)
				0.60	data arrival time
		0.00	0.00		clock clk (rise edge)
		0.00	0.00		clock network delay (propagated)
		0.25	0.25		clock uncertainty
		0.00	0.25		clock reconvergence pessimism
		-2.00	-1.75		output external delay
			-1.75		data required time

				-1.75	data required time
				-0.60	data arrival time

				2.35	slack (MET)

Startpoint: _434_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: mosi (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
2	0.01	0.04	0.10	0.24	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
1	0.03	0.04	0.00	0.24	^ _434_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.08	0.23	0.47	^ _434_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.03				net15 (net)
		0.08	0.00	0.47	^ output15/A (sky130_fd_sc_hd__clkbuf_4)
1	0.03	0.08	0.13	0.60	^ output15/X (sky130_fd_sc_hd__clkbuf_4)
		0.08	0.00	0.60	^ mosi (net)
				0.60	^ mosi (out)
				0.60	data arrival time
		0.00	0.00		clock clk (rise edge)
		0.00	0.00		clock network delay (propagated)
		0.25	0.25		clock uncertainty
		0.00	0.25		clock reconvergence pessimism
		-2.00	-1.75		output external delay
			-1.75		data required time

				-1.75	data required time
				-0.60	data arrival time

				2.35	slack (MET)

Startpoint: _430_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[4] (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.24	^ _430_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.06	0.25	0.49	v _430_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net20 (net)
		0.06	0.00	0.49	v output20/A (sky130_fd_sc_hd__clkbuf_4)
		0.06	0.13	0.62	v output20/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[4] (net)
		0.06	0.00	0.62	v rx_data[4] (out)
				0.62	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.62	data arrival time

				2.37	slack (MET)

Startpoint: _424_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: busy (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.24	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.05	0.00	0.24	^ _424_/CLK (sky130_fd_sc_hd__dfrtp_2)
		0.06	0.27	0.50	v _424_/Q (sky130_fd_sc_hd__dfrtp_2)
4	0.02				net12 (net)
		0.06	0.00	0.50	v output12/A (sky130_fd_sc_hd__buf_2)
		0.06	0.12	0.63	v output12/X (sky130_fd_sc_hd__buf_2)
1	0.03				busy (net)
		0.06	0.00	0.63	v busy (out)
				0.63	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.63	data arrival time

2.38 slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: sclk (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description	

1	0.02		0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
		0.06	0.04	0.04	^ clk (in)	
					clk (net)	
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
4	0.04				clknet_0_clk (net)	
14	0.04		0.05	0.00	0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.05	0.10	0.24	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
			0.05	0.00	0.24	^ _435_/CLK (sky130_fd_sc_hd__dfrtp_2)
4	0.02		0.06	0.27	0.51	v _435_/Q (sky130_fd_sc_hd__dfrtp_2)
1	0.03					net24 (net)
			0.06	0.00	0.51	v output24/A (sky130_fd_sc_hd__buf_2)
			0.06	0.12	0.64	v output24/X (sky130_fd_sc_hd__buf_2)
						sclk (net)
		0.06	0.00	0.64	v	sclk (out)
				0.64		data arrival time

			0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			0.25	0.25	clock uncertainty	
			0.00	0.25	clock reconvergence pessimism	
		-2.00		-1.75	output external delay	
				-1.75	data required time	

				-1.75	data required time	
				-0.64	data arrival time	

				2.39	slack (MET)	

===== Slowest Corner =====

Startpoint: _415_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _415_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
4	0.04	0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.10	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.10	0.00	0.34	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.08	0.58	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
3	0.01	0.09	0.00	0.58	^ clknet_2_2__leaf_clk (net)
			0.15	1.26	^ _415_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.15	1.26	^ _415_/Q (sky130_fd_sc_hd__dfrtp_1)
					clk_count[7] (net)
			0.15	1.26	^ _332_/S (sky130_fd_sc_hd__mux2_1)
			0.07	1.51	^ _332_/X (sky130_fd_sc_hd__mux2_1)

1	0.00				_185_ (net)
		0.07	0.00	1.51	^ _333_/A (sky130_fd_sc_hd__clkbuf_1)
		0.06	0.13	1.65	^ _333_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_057_ (net)
		0.06	0.00	1.65	^ _415_/D (sky130_fd_sc_hd__dfrtp_1)
				1.65	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.08	0.26	0.64	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.09	0.00	0.64	^ _415_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.89	clock uncertainty
		-0.06	0.83		clock reconvergence pessimism
		-0.07	0.76		library hold time
				0.76	data required time

				0.76	data required time
				-1.65	data arrival time

				0.89	slack (MET)

Startpoint: _447_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _429_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	0.59	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.59	^ _447_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.17	0.69	1.29	^ _447_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				rx_shift[3] (net)
		0.17	0.00	1.29	^ _287_/A0 (sky130_fd_sc_hd__mux2_1)
		0.07	0.25	1.53	^ _287_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_152_ (net)
		0.07	0.00	1.53	^ _288_/A (sky130_fd_sc_hd__clkbuf_1)
		0.06	0.13	1.67	^ _288_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_069_ (net)
		0.06	0.00	1.67	^ _429_/D (sky130_fd_sc_hd__dfrtp_1)
				1.67	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.28	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.66	^ _429_/CLK (sky130_fd_sc_hd__dfrtp_1)

0.25	0.91	clock uncertainty
-0.06	0.84	clock reconvergence pessimism
-0.07	0.77	library hold time
	0.77	data required time

0.77	data required time
-1.67	data arrival time

0.89	slack (MET)
------	-------------

Startpoint: _449_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _431_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	0.59	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.10	0.00	0.59	^ _449_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.16	0.69	1.28	^ _449_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				rx_shift[5] (net)
		0.16	0.00	1.28	^ _283_/A0 (sky130_fd_sc_hd_mux2_1)
		0.07	0.25	1.53	^ _283_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_150_ (net)
		0.07	0.00	1.53	^ _284_/A (sky130_fd_sc_hd_clkbuf_1)
		0.06	0.14	1.67	^ _284_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_071_ (net)
		0.06	0.00	1.67	^ _431_/D (sky130_fd_sc_hd_dfrtp_1)
				1.67	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.28	0.66	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.10	0.00	0.66	^ _431_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.91	clock uncertainty
			-0.06	0.85	clock reconvergence pessimism
			-0.07	0.78	library hold time
				0.78	data required time

				0.78	data required time
				-1.67	data arrival time

				0.89	slack (MET)

Startpoint: _428_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _428_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
--------	-----	------	-------	------	-------------

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	0.59	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.60	^ _428_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.16	0.69	1.28	^ _428_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net18 (net)
		0.16	0.00	1.28	^ _289_/A1 (sky130_fd_sc_hd_mux2_1)
		0.07	0.25	1.54	^ _289_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_153_ (net)
		0.07	0.00	1.54	^ _290_/A (sky130_fd_sc_hd_clkbuf_1)
		0.06	0.14	1.68	^ _290_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_068_ (net)
		0.06	0.00	1.68	^ _428_/D (sky130_fd_sc_hd_dfrtp_1)
				1.68	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.28	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.66	^ _428_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.91	clock uncertainty
		-0.06		0.85	clock reconvergence pessimism
		-0.07		0.77	library hold time
				0.77	data required time

				0.77	data required time
				-1.68	data arrival time

				0.90	slack (MET)

Startpoint: _419_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _419_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.25	0.59	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.59	^ _419_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.18	0.70	1.29	^ _419_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[11] (net)
		0.18	0.00	1.29	^ _317_/S (sky130_fd_sc_hd_mux2_1)
		0.07	0.26	1.55	^ _317_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_174_ (net)
		0.07	0.00	1.55	^ _318_/A (sky130_fd_sc_hd_clkbuf_1)

1	0.00	0.07	0.14	1.69	^	_318_/X (sky130_fd_sc_hd__clkbuf_1)
						061 (net)
		0.07	0.00	1.69	^	_419_/D (sky130_fd_sc_hd__dfrtp_1)
				1.69		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.12	0.09	0.09	^	clk (in)
						clk (net)
		0.12	0.00	0.09	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.10	0.00	0.38	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.27	0.65	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3__leaf_clk (net)
		0.09	0.00	0.65	^	_419_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.90		clock uncertainty
		-0.06	0.84			clock reconvergence pessimism
		-0.07	0.77			library hold time
				0.77		data required time

				0.77		data required time
				-1.69		data arrival time

				0.92		slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _435_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.25	0.59	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.60	^ _435_/CLK (sky130_fd_sc_hd__dfrtp_2)
4	0.02	0.21	0.79	1.38	^ _435_/Q (sky130_fd_sc_hd__dfrtp_2)
					net24 (net)
		0.21	0.00	1.38	^ _235_/A (sky130_fd_sc_hd__inv_2)
2	0.01	0.06	0.11	1.49	v _235_/Y (sky130_fd_sc_hd__inv_2)
					123 (net)
		0.06	0.00	1.49	v _274_/A1 (sky130_fd_sc_hd__a21oi_1)
1	0.00	0.15	0.19	1.68	^ _274_/Y (sky130_fd_sc_hd__a21oi_1)
					075 (net)
		0.15	0.00	1.68	^ _435_/D (sky130_fd_sc_hd__dfrtp_2)
				1.68	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.09	0.09	^ clk (in)
					clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.28	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.66	^ _435_/CLK (sky130_fd_sc_hd__dfrtp_2)
			0.25	0.91	clock uncertainty
		-0.06	0.85		clock reconvergence pessimism

-0.09	0.75	library hold time
	0.75	data required time

	0.75	data required time
	-1.68	data arrival time

	0.92	slack (MET)

Startpoint: _453_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _453_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.24	0.59	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.09	0.00	0.59	^ _453_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.18	0.70	1.29	^ _453_/Q (sky130_fd_sc_hd_dfrtp_1)
4	0.01				bit_count[1] (net)
		0.18	0.00	1.29	^ _229_/A0 (sky130_fd_sc_hd_mux2_1)
		0.08	0.26	1.55	^ _229_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_119_ (net)
		0.08	0.00	1.55	^ _230_/A (sky130_fd_sc_hd_clkbuf_1)
		0.07	0.14	1.69	^ _230_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_093_ (net)
		0.07	0.00	1.69	^ _453_/D (sky130_fd_sc_hd_dfrtp_1)
				1.69	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.09	0.00	0.65	^ _453_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.25	0.90		clock uncertainty
		-0.06	0.84		clock reconvergence pessimism
		-0.07	0.76		library hold time
			0.76		data required time

				0.76	data required time
				-1.69	data arrival time

				0.93	slack (MET)

Startpoint: _423_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _423_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)

			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.08	0.24	0.58	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.09	0.00	0.58	^ _423_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.13	0.77	1.35	v _423_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[15] (net)
		0.13	0.00	1.35	v _295_/A (sky130_fd_sc_hd_inv_2)
		0.06	0.10	1.45	^ _295_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_156_ (net)
		0.06	0.00	1.45	^ _303_/A1 (sky130_fd_sc_hd_o31a_1)
		0.08	0.24	1.69	^ _303_/X (sky130_fd_sc_hd_o31a_1)
1	0.00				_065_ (net)
		0.08	0.00	1.69	^ _423_/D (sky130_fd_sc_hd_dfrtp_1)
				1.69	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.08	0.26	0.64	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.09	0.00	0.64	^ _423_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.89	clock uncertainty
		-0.06		0.83	clock reconvergence pessimism
		-0.08		0.75	library hold time
				0.75	data required time

				0.75	data required time
				-1.69	data arrival time

				0.94	slack (MET)

Startpoint: _450_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _432_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	0.59	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.10	0.00	0.59	^ _450_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.20	0.72	1.31	^ _450_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				rx_shift[6] (net)
		0.20	0.00	1.31	^ _281_/A0 (sky130_fd_sc_hd_mux2_1)
		0.07	0.26	1.58	^ _281_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_149_ (net)
		0.07	0.00	1.58	^ _282_/A (sky130_fd_sc_hd_clkbuf_1)
		0.06	0.14	1.71	^ _282_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_072_ (net)

		0.06	0.00	1.71	^	_432_/D (sky130_fd_sc_hd_dfrtp_1)
				1.71		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.12	0.09	0.09	^	clk (in)
						clk (net)
		0.12	0.00	0.09	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.29	0.38	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.10	0.00	0.38	^	clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.10	0.28	0.66	^	clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_0_leaf_clk (net)
		0.10	0.00	0.66	^	_432_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.91		clock uncertainty
			-0.06	0.85		clock reconvergence pessimism
			-0.07	0.77		library hold time
				0.77		data required time

				0.77		data required time
				-1.71		data arrival time

				0.94		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.25	0.59	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
		0.09	0.00	0.59	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
3	0.01	0.19	0.71	1.30	^ _421_/Q (sky130_fd_sc_hd_dfrtp_1)
					clk_count[13] (net)
		0.19	0.00	1.30	^ _309_/S (sky130_fd_sc_hd_mux2_1)
1	0.00	0.07	0.27	1.57	^ _309_/X (sky130_fd_sc_hd_mux2_1)
					168 (net)
		0.07	0.00	1.57	^ _310_/A (sky130_fd_sc_hd_clkbuf_1)
1	0.00	0.07	0.14	1.71	^ _310_/X (sky130_fd_sc_hd_clkbuf_1)
					063 (net)
		0.07	0.00	1.71	^ _421_/D (sky130_fd_sc_hd_dfrtp_1)
				1.71	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.09	0.09	^ clk (in)
					clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.27	0.65	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
		0.09	0.00	0.65	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.90	clock uncertainty
			-0.06	0.84	clock reconvergence pessimism
			-0.07	0.77	library hold time
				0.77	data required time

		0.77	data required time
		-1.71	data arrival time

		0.94	slack (MET)

Startpoint: _430_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _430_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	0.59	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.10	0.00	0.60	^ _430_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.20	0.72	1.32	^ _430_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net20 (net)
		0.20	0.00	1.32	^ _285_/A1 (sky130_fd_sc_hd_mux2_1)
		0.07	0.27	1.59	^ _285_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_151_ (net)
		0.07	0.00	1.59	^ _286_/A (sky130_fd_sc_hd_clkbuf_1)
		0.06	0.13	1.72	^ _286_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_070_ (net)
		0.06	0.00	1.72	^ _430_/D (sky130_fd_sc_hd_dfrtp_1)
				1.72	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.28	0.66	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.10	0.00	0.66	^ _430_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.25	0.91		clock uncertainty
		-0.06	0.85		clock reconvergence pessimism
		-0.07	0.77		library hold time
			0.77	0.77	data required time

				0.77	data required time
				-1.72	data arrival time

				0.94	slack (MET)

Startpoint: _413_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _413_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)

1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.08	0.24	0.58	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.09	0.00	0.58	^ _413_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.20	0.71	1.30	^ _413_/Q (sky130_fd_sc_hd_dfrtp_1)
4	0.01				clk_count[5] (net)
		0.20	0.00	1.30	^ _339_/S (sky130_fd_sc_hd_mux2_1)
		0.07	0.27	1.57	^ _339_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_190_ (net)
		0.07	0.00	1.57	^ _340_/A (sky130_fd_sc_hd_clkbuf_1)
		0.07	0.14	1.71	^ _340_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_055_ (net)
		0.07	0.00	1.71	^ _413_/D (sky130_fd_sc_hd_dfrtp_1)
				1.71	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.08	0.26	0.64	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.09	0.00	0.64	^ _413_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.89	clock uncertainty
		-0.06	0.83		clock reconvergence pessimism
		-0.07	0.76		library hold time
			0.76		data required time

				0.76	data required time
				-1.71	data arrival time

				0.95	slack (MET)

Startpoint: _452_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _452_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.24	0.59	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.09	0.00	0.59	^ _452_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.21	0.73	1.31	^ _452_/Q (sky130_fd_sc_hd_dfrtp_1)
5	0.01				bit_count[0] (net)
		0.21	0.00	1.31	^ _233_/A0 (sky130_fd_sc_hd_mux2_1)
		0.07	0.27	1.58	^ _233_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_122_ (net)
		0.07	0.00	1.58	^ _234_/A (sky130_fd_sc_hd_clkbuf_1)
		0.06	0.14	1.72	^ _234_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_092_ (net)
		0.06	0.00	1.72	^ _452_/D (sky130_fd_sc_hd_dfrtp_1)
				1.72	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.09	0.09	^ clk (in)
					clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.27	0.65	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
		0.09	0.00	0.65	^ _452_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.90	clock uncertainty
			-0.06	0.84	clock reconvergence pessimism
			-0.07	0.77	library hold time
				0.77	data required time

				0.77	data required time
				-1.72	data arrival time

				0.96	slack (MET)

Startpoint: _434_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _434_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.24	0.59	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
		0.09	0.00	0.59	^ _434_/CLK (sky130_fd_sc_hd_dfrtp_1)
2	0.01	0.18	0.70	1.29	^ _434_/Q (sky130_fd_sc_hd_dfrtp_1)
					net15 (net)
		0.18	0.00	1.29	^ _277_/A1 (sky130_fd_sc_hd_mux2_1)
1	0.00	0.09	0.28	1.57	^ _277_/X (sky130_fd_sc_hd_mux2_1)
					147 (net)
		0.09	0.00	1.57	^ _278_/A (sky130_fd_sc_hd_clkbuf_1)
1	0.00	0.08	0.15	1.73	^ _278_/X (sky130_fd_sc_hd_clkbuf_1)
					074 (net)
		0.08	0.00	1.73	^ _434_/D (sky130_fd_sc_hd_dfrtp_1)
				1.73	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.09	0.09	^ clk (in)
					clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.27	0.65	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
		0.09	0.00	0.65	^ _434_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.90	clock uncertainty
			-0.06	0.84	clock reconvergence pessimism
			-0.08	0.76	library hold time
				0.76	data required time

				0.76	data required time

-1.73 data arrival time

0.97 slack (MET)

Startpoint: _411_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _411_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
4	0.04				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	0.59	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.01				clknet_2_0_leaf_clk (net)
		0.10	0.00	0.60	^ _411_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.17	0.81	1.41	v _411_/Q (sky130_fd_sc_hd_dfrtp_1)
1	0.00				clk_count[3] (net)
		0.17	0.00	1.41	v _343_/A (sky130_fd_sc_hd_inv_2)
		0.06	0.10	1.50	^ _343_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_192_ (net)
		0.06	0.00	1.50	^ _346_/A1 (sky130_fd_sc_hd_o31a_1)
		0.09	0.25	1.75	^ _346_/X (sky130_fd_sc_hd_o31a_1)
1	0.00				_053_ (net)
		0.09	0.00	1.75	^ _411_/D (sky130_fd_sc_hd_dfrtp_1)
				1.75	data arrival time

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
4	0.04				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.28	0.66	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)
		0.10	0.00	0.66	^ _411_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.91	clock uncertainty
				-0.06	clock reconvergence pessimism
				0.77	library hold time
				-0.08	data required time

				0.77	data required time
				-1.75	data arrival time

				0.98	slack (MET)

Startpoint: _453_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _454_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
					clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)

		0.10	0.26	0.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	0.34	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.24	0.59	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.09	0.00	0.59	^	_453_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.18	0.70	1.29	^	_453_/Q (sky130_fd_sc_hd_dfrtp_1)
4	0.01					bit_count[1] (net)
		0.18	0.00	1.29	^	_224_/A (sky130_fd_sc_hd_nand2_1)
		0.11	0.16	1.45	v	_224_/Y (sky130_fd_sc_hd_nand2_1)
2	0.01					_115_ (net)
		0.11	0.00	1.45	v	_225_/B (sky130_fd_sc_hd_nand2_1)
		0.05	0.11	1.55	^	_225_/Y (sky130_fd_sc_hd_nand2_1)
1	0.00					_116_ (net)
		0.05	0.00	1.55	^	_226_/B2 (sky130_fd_sc_hd_a2bb2o_1)
		0.07	0.21	1.76	^	_226_/X (sky130_fd_sc_hd_a2bb2o_1)
1	0.00					_094_ (net)
		0.07	0.00	1.76	^	_454_/D (sky130_fd_sc_hd_dfrtp_1)
				1.76		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.12	0.09	0.09	^	clk (in)
1	0.02					clk (net)
		0.12	0.00	0.09	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	0.38	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.65	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.09	0.00	0.65	^	_454_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.90		clock uncertainty
		-0.06	0.84			clock reconvergence pessimism
		-0.07	0.76			library hold time
			0.76			data required time

				0.76		data required time
				-1.76		data arrival time

				0.99		slack (MET)

Startpoint: _408_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _409_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	0.59	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.60	^ _408_/CLK (sky130_fd_sc_hd_dfrtp_4)
		0.19	0.87	1.47	^ _408_/Q (sky130_fd_sc_hd_dfrtp_4)
8	0.03				clk_count[0] (net)
		0.19	0.00	1.47	^ _349_/A1 (sky130_fd_sc_hd_a21oi_1)
		0.06	0.17	1.64	v _349_/Y (sky130_fd_sc_hd_a21oi_1)
1	0.00				_196_ (net)
		0.06	0.00	1.64	v _351_/A (sky130_fd_sc_hd_nor2_1)
		0.11	0.14	1.78	^ _351_/Y (sky130_fd_sc_hd_nor2_1)
1	0.00				_051_ (net)
		0.11	0.00	1.78	^ _409_/D (sky130_fd_sc_hd_dfrtp_4)

				1.78	data arrival time
		0.00	0.00		clock clk (rise edge)
		0.00	0.00		clock source latency
	1	0.02	0.12	0.09	^ clk (in)
					clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
	4	0.04	0.10	0.29	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
	10	0.03	0.08	0.26	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.09	0.00	0.64	^ _409_/CLK (sky130_fd_sc_hd__dfrtp_4)
			0.25	0.89	clock uncertainty
		-0.04		0.86	clock reconvergence pessimism
		-0.09		0.77	library hold time
				0.77	data required time

				0.77	data required time
				-1.78	data arrival time

				1.01	slack (MET)

Startpoint: _422_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _422_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
	1	0.02	0.12	0.08	^ clk (in)
					clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
	4	0.04	0.10	0.26	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
	10	0.03	0.08	0.24	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.09	0.00	0.58	^ _422_/CLK (sky130_fd_sc_hd__dfrtp_1)
	4	0.01	0.17	0.69	^ _422_/Q (sky130_fd_sc_hd__dfrtp_1)
					clk_count[14] (net)
		0.17	0.00	1.27	^ _301_/A1 (sky130_fd_sc_hd__a21oi_1)
	2	0.01	0.09	0.19	v _301_/Y (sky130_fd_sc_hd__a21oi_1)
					162 (net)
		0.09	0.00	1.46	v _305_/A2 (sky130_fd_sc_hd__o21a_1)
		0.06	0.30	1.76	v _305_/X (sky130_fd_sc_hd__o21a_1)
	1	0.00			_064_ (net)
		0.06	0.00	1.76	v _422_/D (sky130_fd_sc_hd__dfrtp_1)
				1.76	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
	1	0.02	0.12	0.09	^ clk (in)
					clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
	4	0.04	0.10	0.29	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
	10	0.03	0.08	0.26	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.09	0.00	0.64	^ _422_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.89	clock uncertainty
		-0.06		0.83	clock reconvergence pessimism
		-0.09		0.74	library hold time
				0.74	data required time

0.74 data required time
-1.76 data arrival time

1.02 slack (MET)

Startpoint: _440_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _441_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.25	0.59	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
		0.09	0.00	0.59	^ _440_/CLK (sky130_fd_sc_hd_dfrtp_1)
2	0.00	0.10	0.64	1.23	^ _440_/Q (sky130_fd_sc_hd_dfrtp_1)
					tx_shift[3] (net)
		0.10	0.00	1.23	^ _254_/A1 (sky130_fd_sc_hd_mux2_1)
		0.08	0.24	1.46	^ _254_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_132_ (net)
		0.08	0.00	1.46	^ _255_/A1 (sky130_fd_sc_hd_mux2_1)
		0.07	0.22	1.68	^ _255_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_133_ (net)
		0.07	0.00	1.68	^ _256_/A (sky130_fd_sc_hd_clkbuf_1)
		0.06	0.14	1.82	^ _256_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_081_ (net)
		0.06	0.00	1.82	^ _441_/D (sky130_fd_sc_hd_dfrtp_1)
				1.82	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.09	0.09	^ clk (in)
					clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.27	0.65	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
		0.09	0.00	0.65	^ _441_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.25	0.90		clock uncertainty
		-0.04	0.86		clock reconvergence pessimism
		-0.07	0.79		library hold time
			0.79		data required time

			0.79		data required time
			-1.82		data arrival time

			1.02		slack (MET)

Startpoint: _437_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _438_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)

			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.25	0.59	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
		0.09	0.00	0.59	^ _437_/CLK (sky130_fd_sc_hd_dfrtp_1)
2	0.00	0.10	0.64	1.23	^ _437_/Q (sky130_fd_sc_hd_dfrtp_1)
					tx_shift[0] (net)
		0.10	0.00	1.23	^ _263_/A1 (sky130_fd_sc_hd_mux2_1)
1	0.00	0.07	0.22	1.45	^ _263_/X (sky130_fd_sc_hd_mux2_1)
					138 (net)
		0.07	0.00	1.45	^ _264_/A1 (sky130_fd_sc_hd_mux2_1)
1	0.00	0.07	0.22	1.67	^ _264_/X (sky130_fd_sc_hd_mux2_1)
					139 (net)
		0.07	0.00	1.67	^ _265_/A (sky130_fd_sc_hd_clkbuf_1)
1	0.00	0.06	0.14	1.81	^ _265_/X (sky130_fd_sc_hd_clkbuf_1)
					078 (net)
		0.06	0.00	1.81	^ _438_/D (sky130_fd_sc_hd_dfrtp_1)
				1.81	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.09	0.09	^ clk (in)
					clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.27	0.65	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
		0.09	0.00	0.65	^ _438_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.90	clock uncertainty
		-0.06		0.84	clock reconvergence pessimism
		-0.07		0.77	library hold time
				0.77	data required time

				0.77	data required time
				-1.81	data arrival time

				1.04	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _448_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
		0.11	0.00	2.18	v _355_/A (sky130_fd_sc_hd_buf_4)
10	0.05	0.14	0.33	2.52	v _355_/X (sky130_fd_sc_hd_buf_4)
					199 (net)
		0.14	0.00	2.52	v _400_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.05	0.09	2.61	^ _400_/Y (sky130_fd_sc_hd_inv_2)
					042 (net)
		0.05	0.00	2.61	^ _448_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.61	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.28	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.66	^ _448_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.91	clock uncertainty
			0.00	0.91	clock reconvergence pessimism
			0.66	1.57	library removal time
				1.57	data required time

				1.57	data required time
				-2.61	data arrival time

				1.04	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _449_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.14	0.33	2.52	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.14	0.00	2.52	v _401_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.09	2.61	^ _401_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_043_ (net)
		0.05	0.00	2.61	^ _449_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.61	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.28	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.66	^ _449_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.91	clock uncertainty
			0.00	0.91	clock reconvergence pessimism
			0.66	1.57	library removal time
				1.57	data required time

				1.57	data required time
				-2.61	data arrival time

				1.05	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _451_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description		

1	0.00	0.02	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
		0.01	2.00	2.00	v input external delay		
			2.01	v rst (in)			
		0.02	0.00	2.01	v rst (net)		
			0.11	0.18	2.18	v input2/A (sky130_fd_sc_hd__buf_1)	
		3	0.01	0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
						net2 (net)	
		10	0.05	0.11	0.00	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)
						2.52	v _355_/X (sky130_fd_sc_hd__buf_4)
1	0.00	0.14	0.00	2.52	v _199_ (net)		
				2.52	v _403_/A (sky130_fd_sc_hd__inv_2)		
		0.06	0.10	2.62	^ _403_/Y (sky130_fd_sc_hd__inv_2)		
				2.62	^ _045_ (net)		
		0.06	0.00	2.62	^ _451_/RESET_B (sky130_fd_sc_hd__dftrtp_1)		
				2.62	data arrival time		
		1	0.02	0.12	0.00	0.00	clock clk (rise edge)
					0.00	0.00	clock source latency
				0.09	0.09	0.09	^ clk (in)
						0.09	clk (net)
4	0.04			0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
						0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04			0.10	0.00	0.38	clknet_0_clk (net)
						0.66	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04			0.10	0.28	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						0.66	clknet_2_0__leaf_clk (net)
		0.10	0.00	0.66	^ _451_/CLK (sky130_fd_sc_hd__dftrtp_1)		
				0.25	0.91	clock uncertainty	
		0.00	0.91	0.00	clock reconvergence pessimism		
				0.66	1.57	library removal time	

				1.57	data required time		
				-2.62	data arrival time		

				1.05	slack (MET)		

Startpoint: rst (input port clocked by clk)
 Endpoint: _453_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
				2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.05	0.11	0.00	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)
				2.52	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
1	0.00	0.14	0.00	2.52	v _405_/A (sky130_fd_sc_hd__inv_2)
				2.61	^ _405_/Y (sky130_fd_sc_hd__inv_2)
					047 (net)
		0.05	0.00	2.61	^ _453_/RESET_B (sky130_fd_sc_hd__dftrtp_1)

				2.61	data arrival time
		0.00	0.00		clock clk (rise edge)
		0.00	0.00		clock source latency
	0.12	0.09	0.09	^	clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	0.65	^ _453_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.90	clock uncertainty
			0.00	0.90	clock reconvergence pessimism
			0.66	1.56	library removal time
				1.56	data required time

				1.56	data required time
				-2.61	data arrival time

				1.05	slack (MET)

Startpoint: _442_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _443_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	0.59	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	0.59	^ _442_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.10	0.64	1.23	^ _442_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.00				tx_shift[5] (net)
		0.10	0.00	1.23	^ _248_/A1 (sky130_fd_sc_hd__mux2_1)
		0.07	0.23	1.46	^ _248_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_128_ (net)
		0.07	0.00	1.46	^ _249_/A1 (sky130_fd_sc_hd__mux2_1)
		0.07	0.22	1.67	^ _249_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_129_ (net)
		0.07	0.00	1.67	^ _250_/A (sky130_fd_sc_hd__clkbuf_1)
		0.07	0.14	1.82	^ _250_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_083_ (net)
		0.07	0.00	1.82	^ _443_/D (sky130_fd_sc_hd__dfrtp_1)
				1.82	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	0.65	^ _443_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.90	clock uncertainty
			-0.06	0.84	clock reconvergence pessimism

-0.07	0.76	library hold time
	0.76	data required time

	0.76	data required time
	-1.82	data arrival time

	1.05	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _452_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.02	0.01	2.01 v	rst (in)
					rst (net)
3	0.01	0.02	0.00	2.01 v	input2/A (sky130_fd_sc_hd_buf_1)
				2.18 v	input2/X (sky130_fd_sc_hd_buf_1)
10	0.05	0.11	0.00		net2 (net)
				2.18 v	_355_/A (sky130_fd_sc_hd_buf_4)
				2.52 v	_355_/X (sky130_fd_sc_hd_buf_4)
1	0.00	0.14	0.00		_199_ (net)
				2.52 v	_404_/A (sky130_fd_sc_hd_inv_2)
				2.61 ^	_404_/Y (sky130_fd_sc_hd_inv_2)
		0.05	0.09		_046_ (net)
				2.61 ^	_452_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
			0.00	0.00	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.09	0.09 ^	clk (in)
					clk (net)
4	0.04	0.12	0.00	0.09 ^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.38 ^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.10	0.00		clknet_0_clk (net)
				0.38 ^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.65 ^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27		clknet_2_1_leaf_clk (net)
		0.09	0.00	0.65 ^	_452_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.90	clock uncertainty
			0.00	0.90	clock reconvergence pessimism
			0.66	1.56	library removal time
				1.56	data required time

				1.56	data required time
				-2.61	data arrival time

				1.05	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _450_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.02	0.01	2.01 v	rst (in)
					rst (net)
		0.02	0.00	2.01 v	input2/A (sky130_fd_sc_hd_buf_1)

3	0.01	0.11	0.18	2.18	v	input2/X (sky130_fd_sc_hd_buf_1)
		0.11	0.00	2.18	v	_355_/A (sky130_fd_sc_hd_buf_4)
10	0.05	0.14	0.33	2.52	v	_355_/X (sky130_fd_sc_hd_buf_4)
		0.14	0.00	2.52	v	_199_ (net)
1	0.01	0.06	0.10	2.62	^	_402_/A (sky130_fd_sc_hd_inv_2)
		0.06	0.00	2.62	^	_402_/Y (sky130_fd_sc_hd_inv_2)
				2.62	^	_044_ (net)
				2.62	^	_450_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.62		data arrival time
				0.00		clock clk (rise edge)
				0.00		clock source latency
1	0.02	0.12	0.09	0.09	^	clk (in)
		0.12	0.00	0.09	^	clk (net)
4	0.04	0.10	0.29	0.38	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.00	0.38	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.10	0.00	0.38	^	clknet_0_clk (net)
		0.10	0.28	0.66	^	clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.66	^	clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
				0.66	^	clknet_2_0_leaf_clk (net)
				0.66	^	_450_/CLK (sky130_fd_sc_hd_dfrtp_1)
				0.25		clock uncertainty
				0.00		clock reconvergence pessimism
				1.57		library removal time
				1.57		data required time
				1.57		data required time
				-2.62		data arrival time
				1.05		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _455_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.02	2.01	v rst (in)
1	0.00				rst (net)
					input2/A (sky130_fd_sc_hd_buf_1)
3	0.01				input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
10	0.05				_355_/A (sky130_fd_sc_hd_buf_4)
					355/X (sky130_fd_sc_hd_buf_4)
					199 (net)
					407/A (sky130_fd_sc_hd_inv_2)
1	0.00				_407_/Y (sky130_fd_sc_hd_inv_2)
					049 (net)
					455/RESET_B (sky130_fd_sc_hd_dfrtp_1)
					data arrival time
					clock clk (rise edge)
					clock source latency
1	0.02				clk (in)
					clk (net)
4	0.04				clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
					clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
					clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
					455/CLK (sky130_fd_sc_hd_dfrtp_1)
					clock uncertainty

0.00	0.90	clock reconvergence pessimism
0.66	1.56	library removal time
	1.56	data required time

1.56	data required time
-2.61	data arrival time

1.05	slack (MET)
------	-------------

Startpoint: _438_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _439_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
					clk (net)
4	0.04	0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.25	0.59	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
2	0.01	0.09	0.00	0.59	^ _438_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.11	0.65	1.24	^ _438_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.00				tx_shift[1] (net)
		0.11	0.00	1.24	^ _260_/A1 (sky130_fd_sc_hd__mux2_1)
1	0.00	0.07	0.23	1.47	^ _260_/X (sky130_fd_sc_hd__mux2_1)
					136 (net)
1	0.00	0.07	0.00	1.47	^ _261_/A1 (sky130_fd_sc_hd__mux2_1)
		0.07	0.22	1.69	^ _261_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_137_ (net)
		0.07	0.00	1.69	^ _262_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.06	0.14	1.82	^ _262_/X (sky130_fd_sc_hd__clkbuf_1)
					079 (net)
		0.06	0.00	1.82	^ _439_/D (sky130_fd_sc_hd__dfrtp_1)
				1.82	data arrival time
1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
					clk (net)
4	0.04	0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.09	0.00	0.65	^ _439_/CLK (sky130_fd_sc_hd__dfrtp_1)
				0.25	clock uncertainty
			-0.06	0.84	clock reconvergence pessimism
			-0.07	0.77	library hold time
				0.77	data required time
				0.77	data required time
				-1.82	data arrival time
				1.05	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _454_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.33	2.52	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.52	v _406_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.05	0.09	2.61	^ _406_/Y (sky130_fd_sc_hd__inv_2)
					048 (net)
		0.05	0.00	2.61	^ _454_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.61	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.09	0.09	^ clk (in)
					clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.27	0.65	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.09	0.00	0.65	^ _454_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.90	clock uncertainty
			0.00	0.90	clock reconvergence pessimism
			0.66	1.56	library removal time
				1.56	data required time

				1.56	data required time
				-2.61	data arrival time

				1.05	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _447_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.18	v _389_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.15	0.34	2.53	v _389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
		0.15	0.00	2.53	v _399_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.06	0.10	2.63	^ _399_/Y (sky130_fd_sc_hd__inv_2)
					041 (net)
		0.06	0.00	2.63	^ _447_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.63	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)

1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.28	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.66	^ _447_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.91	clock uncertainty
			0.00	0.91	clock reconvergence pessimism
			0.66	1.57	library removal time
				1.57	data required time

				1.57	data required time
				-2.63	data arrival time

				1.06	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _438_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.18	v _389_/A (sky130_fd_sc_hd__buf_4)
		0.15	0.34	2.53	v _389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
		0.15	0.00	2.53	v _390_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.10	2.63	^ _390_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_032_ (net)
		0.06	0.00	2.63	^ _438_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.63	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.65	^ _438_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.90	clock uncertainty
			0.00	0.90	clock reconvergence pessimism
			0.66	1.56	library removal time
				1.56	data required time

				1.56	data required time
				-2.63	data arrival time

				1.07	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _439_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description	

1	0.00	0.02	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			2.00	2.00	v input external delay	
			0.01	2.01	v rst (in)	
					rst (net)	
3	0.01	0.11	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)	
			0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)	
10	0.06	0.15			net2 (net)	
			0.00	2.18	v _389_/A (sky130_fd_sc_hd__buf_4)	
			0.34	2.53	v _389_/X (sky130_fd_sc_hd__buf_4)	
1	0.00	0.06			_203_ (net)	
			0.00	2.53	v _391_/A (sky130_fd_sc_hd__inv_2)	
			0.10	2.63	^ _391_/Y (sky130_fd_sc_hd__inv_2)	
					033 (net)	
			0.00	2.63	^ _439_/RESET_B (sky130_fd_sc_hd__dfrtp_1)	
				2.63	data arrival time	

1	0.02	0.12	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
			0.09	0.09	^ clk (in)	
4	0.04	0.10			clk (net)	
			0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
			0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
12	0.04	0.09			clknet_0_clk (net)	
			0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
			0.27	0.65	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					clknet_2_3__leaf_clk (net)	
			0.00	0.65	^ _439_/CLK (sky130_fd_sc_hd__dfrtp_1)	
				0.25	0.90	clock uncertainty
				0.00	0.90	clock reconvergence pessimism
				0.66	1.56	library removal time
				1.56		data required time

				1.56	data required time	
				-2.63	data arrival time	

				1.07	slack (MET)	

Startpoint: rst (input port clocked by clk)

Endpoint: _444_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description	

1	0.00	0.02	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			2.00	2.00	v input external delay	
			0.01	2.01	v rst (in)	
					rst (net)	
			0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
			0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
						net2 (net)
			0.11	0.00	2.18	v _389_/A (sky130_fd_sc_hd__buf_4)
			0.15	0.34	2.53	v _389_/X (sky130_fd_sc_hd__buf_4)
10	0.06			_203_ (net)		
		0.15	0.00	2.53	v _396_/A (sky130_fd_sc_hd__inv_2)	
1	0.00	0.06	0.10	2.63	^ _396_/Y (sky130_fd_sc_hd__inv_2)	
					038 (net)	
		0.06	0.00	2.63	^ _444_/RESET_B (sky130_fd_sc_hd__dfrtp_1)	
			2.63	data arrival time		

			0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	

		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.09	0.00	0.65	^ _444_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.90	clock uncertainty
			0.00	0.90	clock reconvergence pessimism
			0.66	1.56	library removal time
				1.56	data required time

				1.56	data required time
				-2.63	data arrival time

				1.07	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _440_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	v	input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
		0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.18	v _389_/A (sky130_fd_sc_hd_buf_4)
		0.15	0.34	2.53	v _389_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_203_ (net)
		0.15	0.00	2.53	v _392_/A (sky130_fd_sc_hd_inv_2)
		0.06	0.10	2.63	^ _392_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_034_ (net)
		0.06	0.00	2.63	^ _440_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.63	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.09	0.00	0.65	^ _440_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.90	clock uncertainty
			0.00	0.90	clock reconvergence pessimism
			0.66	1.56	library removal time
				1.56	data required time

				1.56	data required time
				-2.63	data arrival time

				1.07	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _446_ (removal check against rising-edge clock clk)
Path Group: asynchronous

Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.02	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.01	2.01	v rst (in)
					rst (net)
			0.02	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
			0.11	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.11	2.18	v _389_/A (sky130_fd_sc_hd__buf_4)
			0.15	2.53	v _389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
			0.15	2.53	v _398_/A (sky130_fd_sc_hd__inv_2)
1	0.00		0.06	2.63	^ _398_/Y (sky130_fd_sc_hd__inv_2)
					040 (net)
			0.06	2.63	^ _446_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.63	data arrival time

1	0.02			0.00	clock clk (rise edge)
				0.00	clock source latency
4	0.04		0.12	0.09	^ clk (in)
					clk (net)
			0.12	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.10	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
			0.10	0.38	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.09	0.65	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
			0.09	0.65	^ _446_/CLK (sky130_fd_sc_hd__dfrtp_1)
				0.25	0.90
				0.00	clock reconvergence pessimism
				0.66	1.56
				1.56	data required time

				1.56	data required time
				-2.63	data arrival time

				1.07	slack (MET)

Startpoint: _418_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _418_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
			0.12	0.08	^ clk (in)
1	0.02		0.12	0.08	^ clk (net)
			0.10	0.34	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
			0.10	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04		0.10	0.34	^ clknet_0_clk (net)
			0.09	0.59	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
			0.09	0.59	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04		0.09	0.59	^ clknet_2_3_leaf_clk (net)
			0.19	1.30	^ _418_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.19	1.30	^ _418_/Q (sky130_fd_sc_hd_dfrtp_1)
4	0.01		0.19	1.30	^ clk_count[10] (net)
			0.06	1.49	^ _319_/B1 (sky130_fd_sc_hd_a21o_1)
			0.06	1.49	^ _319_/X (sky130_fd_sc_hd_a21o_1)
1	0.00		0.06	1.49	^ _175_ (net)
			0.08	1.49	^ _320_/B (sky130_fd_sc_hd_and2_1)
			0.08	1.70	^ _320_/X (sky130_fd_sc_hd_and2_1)

1	0.00				_176_ (net)
		0.08	0.00	1.70	^ _321_/A (sky130_fd_sc_hd__clkbuf_1)
		0.06	0.14	1.83	^ _321_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_060_ (net)
		0.06	0.00	1.83	^ _418_/D (sky130_fd_sc_hd__dfrtp_1)
				1.83	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.65	^ _418_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.90	clock uncertainty
		-0.06	0.84		clock reconvergence pessimism
		-0.07	0.77		library hold time
				0.77	data required time

				0.77	data required time
				-1.83	data arrival time

				1.07	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _445_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.18	v _389_/A (sky130_fd_sc_hd__buf_4)
		0.15	0.34	2.53	v _389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
		0.15	0.00	2.53	v _397_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.10	2.63	^ _397_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_039_ (net)
		0.06	0.00	2.63	^ _445_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.63	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	0.65	^ _445_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.90	clock uncertainty
			0.00	0.90	clock reconvergence pessimism
			0.66	1.56	library removal time
				1.56	data required time

1.56 data required time
-2.63 data arrival time

1.07 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _442_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description		

1	0.00	0.02	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
		0.01	2.00	2.00 v	input external delay		
			2.01	2.01 v	rst (in)		
		0.02	0.00	2.01	v	rst (net)	
			0.11	0.18	2.18	v	input2/A (sky130_fd_sc_hd__buf_1)
		0.01	0.18	2.18	v	input2/X (sky130_fd_sc_hd__buf_1)	
				2.18	v	net2 (net)	
		0.06	0.34	2.18	v	_389_/A (sky130_fd_sc_hd__buf_4)	
				2.53	v	_389_/X (sky130_fd_sc_hd__buf_4)	
10	0.06	0.15	0.00	2.18	v	_203_ (net)	
			2.53	v	_394_/A (sky130_fd_sc_hd__inv_2)		
		0.05	0.09	2.63	^	_394_/Y (sky130_fd_sc_hd__inv_2)	
				2.63	^	_036_ (net)	
		0.05	0.00	2.63	^	_442_/RESET_B (sky130_fd_sc_hd__dfrtp_1)	
				2.63		data arrival time	
		1	0.02	0.12	0.00	0.00	clock clk (rise edge)
					0.00	0.00	clock source latency
				0.09	0.09	^	clk (in)
					0.09	^	clk (net)
0.04	0.29			0.09	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
				0.38	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
0.04	0.27			0.38	^	clknet_0_clk (net)	
				0.65	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
0.04	0.27			0.65	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
				0.65	^	clknet_2_1__leaf_clk (net)	
12	0.04	0.09	0.00	0.65	^	_442_/CLK (sky130_fd_sc_hd__dfrtp_1)	
			0.25	0.90	clock uncertainty		
		0.00	0.90		clock reconvergence pessimism		
			0.66	1.56		library removal time	
		1.56			data required time		

						1.56	data required time
						-2.63	data arrival time

						1.07	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _441_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.02	0.01	2.01 v	rst (in)
					rst (net)
		0.02	0.00	2.01 v	input2/A (sky130_fd_sc_hd__buf_1)
				2.18 v	input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.18 v	_389_/A (sky130_fd_sc_hd__buf_4)

10	0.06	0.15	0.34	2.53	v _389_/X (sky130_fd_sc_hd_buf_4)
					203 (net)
1	0.00	0.15	0.00	2.53	v _393_/A (sky130_fd_sc_hd_inv_2)
		0.05	0.09	2.63	^ _393_/Y (sky130_fd_sc_hd_inv_2)
					035 (net)
		0.05	0.00	2.63	^ _441_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.63	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.09	0.09	^ clk (in)
					clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.27	0.65	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
		0.09	0.00	0.65	^ _441_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.90	clock uncertainty
			0.00	0.90	clock reconvergence pessimism
			0.66	1.56	library removal time
				1.56	data required time

				1.56	data required time
				-2.63	data arrival time

				1.07	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _443_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
		0.11	0.00	2.18	v _389_/A (sky130_fd_sc_hd_buf_4)
10	0.06	0.15	0.34	2.53	v _389_/X (sky130_fd_sc_hd_buf_4)
					203 (net)
		0.15	0.00	2.53	v _395_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.06	0.10	2.63	^ _395_/Y (sky130_fd_sc_hd_inv_2)
					037 (net)
		0.06	0.00	2.63	^ _443_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.63	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.09	0.09	^ clk (in)
					clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.27	0.65	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
		0.09	0.00	0.65	^ _443_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.90	clock uncertainty
			0.00	0.90	clock reconvergence pessimism
			0.66	1.56	library removal time
				1.56	data required time

		1.56	data required time
		-2.63	data arrival time

		1.07	slack (MET)

Startpoint: _439_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _440_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.25	0.59	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.09	0.00	0.59	^ _439_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.11	0.65	1.24	^ _439_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				tx_shift[2] (net)
		0.11	0.00	1.24	^ _257_/A1 (sky130_fd_sc_hd_mux2_1)
		0.07	0.24	1.48	^ _257_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_134_ (net)
		0.07	0.00	1.48	^ _258_/A1 (sky130_fd_sc_hd_mux2_1)
		0.07	0.22	1.70	^ _258_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_135_ (net)
		0.07	0.00	1.70	^ _259_/A (sky130_fd_sc_hd_clkbuf_1)
		0.07	0.14	1.84	^ _259_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_080_ (net)
		0.07	0.00	1.84	^ _440_/D (sky130_fd_sc_hd_dfrtp_1)
				1.84	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.09	0.00	0.65	^ _440_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.25	0.90		clock uncertainty
		-0.06	0.84		clock reconvergence pessimism
		-0.07	0.77		library hold time
			0.77		data required time

				0.77	data required time
				-1.84	data arrival time

				1.07	slack (MET)

Startpoint: _441_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _442_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	0.59	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	0.59	^ _441_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.12	0.66	1.24	^ _441_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				tx_shift[4] (net)
		0.12	0.00	1.24	^ _251_/A1 (sky130_fd_sc_hd__mux2_1)
		0.07	0.23	1.48	^ _251_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_130_ (net)
		0.07	0.00	1.48	^ _252_/A1 (sky130_fd_sc_hd__mux2_1)
		0.08	0.22	1.70	^ _252_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_131_ (net)
		0.08	0.00	1.70	^ _253_/A (sky130_fd_sc_hd__clkbuf_1)
		0.06	0.14	1.84	^ _253_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_082_ (net)
		0.06	0.00	1.84	^ _442_/D (sky130_fd_sc_hd__dfrtp_1)
				1.84	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	0.65	^ _442_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.90	clock uncertainty
		-0.06	0.84		clock reconvergence pessimism
		-0.07	0.77		library hold time
			0.77		data required time

			0.77		data required time
			-1.84		data arrival time

			1.07		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _435_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.18	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.17	0.36	2.54	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.17	0.00	2.55	v _386_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.10	2.65	^ _386_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_029_ (net)
		0.06	0.00	2.65	^ _435_/RESET_B (sky130_fd_sc_hd__dfrtp_2)

				2.65	data arrival time
		0.00	0.00		clock clk (rise edge)
		0.00	0.00		clock source latency
	0.12	0.09	0.09	^	clk (in)
1	0.02				clk (net)
	0.12	0.00	0.09	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
	0.10	0.29	0.38	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
	0.10	0.00	0.38	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
	0.10	0.28	0.66	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
	0.10	0.00	0.66	^	_435_/CLK (sky130_fd_sc_hd__dftrtp_2)
		0.25	0.91		clock uncertainty
		0.00	0.91		clock reconvergence pessimism
		0.66	1.57		library removal time
			1.57		data required time

			1.57		data required time
			-2.65		data arrival time

			1.08		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _428_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
		2.00	2.00	v	input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.18	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.17	0.36	2.54	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.17	0.00	2.55	v _379_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.10	2.65	^ _379_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_022_ (net)
		0.06	0.00	2.65	^ _428_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
			2.65		data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
	0.12	0.09	0.09	^	clk (in)
1	0.02				clk (net)
	0.12	0.00	0.09	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
	0.10	0.29	0.38	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
	0.10	0.00	0.38	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
	0.10	0.28	0.66	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
	0.10	0.00	0.66	^	_428_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.25	0.91		clock uncertainty
		0.00	0.91		clock reconvergence pessimism
		0.66	1.57		library removal time
			1.57		data required time

			1.57		data required time
			-2.65		data arrival time

			1.08		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _430_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
				2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.07	0.11	0.00	2.18	v _378_/A (sky130_fd_sc_hd__buf_4)
				2.54	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
1	0.00	0.17	0.00	2.55	v _381_/A (sky130_fd_sc_hd__inv_2)
				2.65	^ _381_/Y (sky130_fd_sc_hd__inv_2)
					024 (net)
		0.06	0.00	2.65	^ _430_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.65	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.09	0.09	^ clk (in)
					clk (net)
4	0.04	0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
14	0.04	0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.66	^ _430_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.91	clock uncertainty
			0.00	0.91	clock reconvergence pessimism
			0.66	1.57	library removal time
				1.57	data required time

				1.57	data required time
				-2.65	data arrival time

				1.08	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _432_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
				2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.07	0.11	0.00	2.18	v _378_/A (sky130_fd_sc_hd__buf_4)
				2.54	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
1	0.00	0.17	0.00	2.55	v _383_/A (sky130_fd_sc_hd__inv_2)
				2.65	^ _383_/Y (sky130_fd_sc_hd__inv_2)
					026 (net)

		0.06	0.00	2.65	^	_432_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.65		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.12	0.09	0.09	^	clk (in)
						clk (net)
		0.12	0.00	0.09	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.10	0.00	0.38	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.28	0.66	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.10	0.00	0.66	^	_432_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.91		clock uncertainty
			0.00	0.91		clock reconvergence pessimism
			0.66	1.57		library removal time
				1.57		data required time

				1.57		data required time
				-2.65		data arrival time

				1.08		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _431_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.18	v _378_/A (sky130_fd_sc_hd__buf_4)
10	0.07	0.17	0.36	2.54	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
		0.17	0.00	2.55	v _382_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.06	0.10	2.65	^ _382_/Y (sky130_fd_sc_hd__inv_2)
					025 (net)
		0.06	0.00	2.65	^ _431_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.65	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.09	0.09	^ clk (in)
					clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.28	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.66	^ _431_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.91	clock uncertainty
			0.00	0.91	clock reconvergence pessimism
			0.66	1.57	library removal time
				1.57	data required time

				1.57	data required time
				-2.65	data arrival time

				1.08	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _429_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
3	0.01	0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
				2.18	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.07	0.11	0.18		net2 (net)
				2.18	v _378_/A (sky130_fd_sc_hd__buf_4)
				2.54	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
1	0.00	0.17	0.00	2.54	v _380_/A (sky130_fd_sc_hd__inv_2)
				2.65	^ _380_/Y (sky130_fd_sc_hd__inv_2)
					023 (net)
				2.65	^ _429_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
			0.00	0.00	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.09	0.09	^ clk (in)
					clk (net)
4	0.04	0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.00		clknet_0_clk (net)
				0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.66	^ _429_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.91	clock uncertainty
			0.00	0.91	clock reconvergence pessimism
			0.66	1.57	library removal time
				1.57	data required time

				1.57	data required time
				-2.65	data arrival time

				1.08	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _437_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
3	0.01	0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
				2.18	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.07	0.11	0.18		net2 (net)
				2.18	v _378_/A (sky130_fd_sc_hd__buf_4)
				2.54	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
		0.17	0.00	2.55	v _388_/A (sky130_fd_sc_hd__inv_2)
				2.65	^ _388_/Y (sky130_fd_sc_hd__inv_2)

1	0.00	0.06	0.00	2.65	^	_031_ (net)
				2.65		_437_/RESET_B (sky130_fd_sc_hd__dfrrtp_1)
						data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.12	0.09	0.09	^	clk (in)
1	0.02					clk (net)
		0.12	0.00	0.09	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	0.38	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.09	0.00	0.65	^	_437_/CLK (sky130_fd_sc_hd__dfrrtp_1)
			0.25	0.90		clock uncertainty
			0.00	0.90		clock reconvergence pessimism
			0.66	1.56		library removal time
				1.56		data required time

				1.56		data required time
				-2.65		data arrival time

				1.09		slack (MET)

Startpoint: _410_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _410_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	0.59	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.59	^ _410_/CLK (sky130_fd_sc_hd__dfrrtp_2)
		0.18	0.77	1.36	^ _410_/Q (sky130_fd_sc_hd__dfrrtp_2)
6	0.02				clk_count[2] (net)
		0.18	0.00	1.36	^ _347_/B1 (sky130_fd_sc_hd__a21o_1)
		0.06	0.18	1.54	^ _347_/X (sky130_fd_sc_hd__a21o_1)
1	0.00				_195_ (net)
		0.06	0.00	1.54	^ _348_/A3 (sky130_fd_sc_hd__a32o_1)
		0.09	0.32	1.86	^ _348_/X (sky130_fd_sc_hd__a32o_1)
1	0.00				_052_ (net)
		0.09	0.00	1.86	^ _410_/D (sky130_fd_sc_hd__dfrrtp_2)
				1.86	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.28	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.66	^ _410_/CLK (sky130_fd_sc_hd__dfrrtp_2)
			0.25	0.91	clock uncertainty
			-0.06	0.85	clock reconvergence pessimism
			-0.08	0.77	library hold time

			0.77	data required time

			0.77	data required time
			-1.86	data arrival time

			1.09	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _434_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.18	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.17	0.36	2.54	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.17	0.00	2.54	v _385_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.10	2.65	^ _385_/Y (sky130_fd_sc_hd__inv_2)
1	0.00	0.06	0.00		_028_ (net)
				2.65	^ _434_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.65	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.09	0.09	^ clk (in)
					clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	0.65	^ _434_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.90	clock uncertainty
			0.00	0.90	clock reconvergence pessimism
			0.66	1.56	library removal time
				1.56	data required time

				1.56	data required time
				-2.65	data arrival time

				1.09	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _433_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)

3	0.01				net2 (net)
		0.11	0.00	2.18	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.17	0.36	2.54	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.17	0.00	2.55	v _384_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.11	2.65	^ _384_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_027_ (net)
		0.06	0.00	2.65	^ _433_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.65	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	0.65	^ _433_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.90	clock uncertainty
			0.00	0.90	clock reconvergence pessimism
			0.66	1.56	library removal time
				1.56	data required time

				1.56	data required time
				-2.65	data arrival time

				1.09	slack (MET)

Startpoint: _408_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _408_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	0.59	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.60	^ _408_/CLK (sky130_fd_sc_hd__dfrtp_4)
		0.19	0.87	1.47	^ _408_/Q (sky130_fd_sc_hd__dfrtp_4)
8	0.03				clk_count[0] (net)
		0.19	0.00	1.47	^ _352_/S (sky130_fd_sc_hd__mux2_1)
		0.07	0.27	1.74	^ _352_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_198_ (net)
		0.07	0.00	1.74	^ _353_/A (sky130_fd_sc_hd__clkbuf_1)
		0.06	0.14	1.88	^ _353_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_050_ (net)
		0.06	0.00	1.88	^ _408_/D (sky130_fd_sc_hd__dfrtp_4)
				1.88	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)

14	0.04	0.10	0.28	0.66	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.10	0.00	0.66	^	_408_/CLK (sky130_fd_sc_hd__dftrtp_4)
			0.25	0.91		clock uncertainty
			-0.06	0.85		clock reconvergence pessimism
			-0.07	0.77		library hold time
				0.77		data required time

				0.77		data required time
		-1.88		data arrival time		

			1.11	slack (MET)		

Startpoint: _455_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _424_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description	
1	0.02	0.12	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
		0.08	0.08	^ clk (in)		
		0.12	0.00	0.08	clk (net)	
					^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
	clknet_0_clk (net)					
	0.10	0.00	0.34	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)		
				^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)		
	0.09	0.24	0.59	clknet_2_1__leaf_clk (net)		
				^ _455_/CLK (sky130_fd_sc_hd__dftrtp_1)		
	0.09	0.00	0.59	^ _455_/Q (sky130_fd_sc_hd__dftrtp_1)		
bit_count[3] (net)						
2	0.01	0.11	0.00	1.23	^ _216_/A (sky130_fd_sc_hd__nor2_1)	
					0.06	0.10
2	0.01				_108_ (net)	
					0.06	0.00
3	0.01		0.18	0.19	1.52	^ _217_/Y (sky130_fd_sc_hd__nand4_1)
						109 (net)
			0.18	0.00	1.52	^ _270_/B (sky130_fd_sc_hd__and2_1)
						0.08
1	0.00					_143_ (net)
						0.08
2	0.01		0.11	0.18	1.95	^ _271_/X (sky130_fd_sc_hd__clkbuf_1)
		0.11	0.00	1.95	^ _424_/D (sky130_fd_sc_hd__dftrtp_2)	
1	0.02	0.12	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
		0.09	0.09	0.09	^ clk (in)	
		0.12	0.00	0.09	clk (net)	
					^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
	clknet_0_clk (net)					
	0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)		
				^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)		
	0.09	0.27	0.65	clknet_2_3__leaf_clk (net)		
				^ _424_/CLK (sky130_fd_sc_hd__dftrtp_2)		
			0.25	0.90		clock uncertainty
-0.04						0.87
		-0.08		0.78	library hold time	
					0.78	data required time
				0.78	data required time	
				-1.95	data arrival time	
				1.16	slack (MET)	

Startpoint: _414_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _414_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
4	0.04	0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03	0.10	0.00	0.34	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.58	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_2_leaf_clk (net)
6	0.01	0.09	0.00	0.58	^ _414_/CLK (sky130_fd_sc_hd_dfrtp_1)
				1.39	v _414_/Q (sky130_fd_sc_hd_dfrtp_1)
1	0.00	0.17	0.00		clk_count[6] (net)
				1.39	v _334_/A_N (sky130_fd_sc_hd_and3b_1)
1	0.00	0.09	0.43	1.82	^ _334_/X (sky130_fd_sc_hd_and3b_1)
					186 (net)
1	0.00	0.09	0.00	1.82	^ _335_/B1 (sky130_fd_sc_hd_a21o_1)
				1.96	^ _335_/X (sky130_fd_sc_hd_a21o_1)
1	0.00	0.05	0.00		_056_ (net)
				1.96	^ _414_/D (sky130_fd_sc_hd_dfrtp_1)
				1.96	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.09	0.09	^ clk (in)
					clk (net)
4	0.04	0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03	0.10	0.00	0.38	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.64	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_2_leaf_clk (net)
		0.09	0.00	0.64	^ _414_/CLK (sky130_fd_sc_hd_dfrtp_1)
				0.89	clock uncertainty
			-0.06	0.83	clock reconvergence pessimism
			-0.07	0.76	library hold time
				0.76	data required time

				0.76	data required time
				-1.96	data arrival time

				1.20	slack (MET)

Startpoint: _420_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _420_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
4	0.04	0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)

		0.09	0.25	0.59	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.09	0.00	0.59	^	_420_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.17	0.81	1.40	v	_420_/Q (sky130_fd_sc_hd__dfrtp_1)
6	0.01					clk_count[12] (net)
		0.17	0.00	1.40	v	_311_/A_N (sky130_fd_sc_hd__and3b_1)
		0.09	0.44	1.83	^	_311_/X (sky130_fd_sc_hd__and3b_1)
1	0.00					_169_ (net)
		0.09	0.00	1.83	^	_312_/B1 (sky130_fd_sc_hd__a21o_1)
		0.05	0.14	1.97	^	_312_/X (sky130_fd_sc_hd__a21o_1)
1	0.00					_062_ (net)
		0.05	0.00	1.97	^	_420_/D (sky130_fd_sc_hd__dfrtp_1)
				1.97		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.12	0.09	0.09	^	clk (in)
1	0.02					clk (net)
		0.12	0.00	0.09	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	0.38	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.09	0.00	0.65	^	_420_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.90		clock uncertainty
		-0.06	0.84			clock reconvergence pessimism
		-0.07	0.77			library hold time
			0.77			data required time

				0.77		data required time
				-1.97		data arrival time

				1.20		slack (MET)

Startpoint: _455_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _425_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	0.59	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	0.59	^ _455_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.11	0.64	1.23	^ _455_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				bit_count[3] (net)
		0.11	0.00	1.23	^ _216_/A (sky130_fd_sc_hd__nor2_1)
		0.06	0.10	1.33	v _216_/Y (sky130_fd_sc_hd__nor2_1)
2	0.01				_108_ (net)
		0.06	0.00	1.33	v _217_/D (sky130_fd_sc_hd__nand4_1)
		0.18	0.19	1.52	^ _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.18	0.00	1.52	^ _218_/A (sky130_fd_sc_hd__buf_4)
		0.29	0.40	1.91	^ _218_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_110_ (net)
		0.29	0.00	1.92	^ _354_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.10	2.02	v _354_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_001_ (net)
		0.05	0.00	2.02	v _425_/D (sky130_fd_sc_hd__dfrtp_1)

				2.02	data arrival time
		0.00	0.00		clock clk (rise edge)
		0.00	0.00		clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.08	0.26	0.64	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.09	0.00	0.64	^ _425_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.89	clock uncertainty
		-0.04	0.86		clock reconvergence pessimism
		-0.09	0.77		library hold time
			0.77		data required time

				0.77	data required time
				-2.02	data arrival time

				1.25	slack (MET)

Startpoint: _412_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _412_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.08	0.24	0.58	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.09	0.00	0.58	^ _412_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.16	0.79	1.38	v _412_/Q (sky130_fd_sc_hd__dfrtp_1)
5	0.01				clk_count[4] (net)
		0.16	0.00	1.38	v _336_/A (sky130_fd_sc_hd__nand2_1)
		0.15	0.18	1.56	^ _336_/Y (sky130_fd_sc_hd__nand2_1)
3	0.01				_187_ (net)
		0.15	0.00	1.56	^ _338_/A2 (sky130_fd_sc_hd__a21o_1)
		0.09	0.26	1.82	^ _338_/X (sky130_fd_sc_hd__a21o_1)
2	0.01				_189_ (net)
		0.09	0.00	1.82	^ _342_/A2 (sky130_fd_sc_hd__a21o_1)
		0.05	0.20	2.02	^ _342_/X (sky130_fd_sc_hd__a21o_1)
1	0.00				_054_ (net)
		0.05	0.00	2.02	^ _412_/D (sky130_fd_sc_hd__dfrtp_1)
				2.02	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.08	0.26	0.64	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.09	0.00	0.64	^ _412_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.89	clock uncertainty
		-0.06	0.83		clock reconvergence pessimism

-0.07	0.76	library hold time
	0.76	data required time

	0.76	data required time
	-2.02	data arrival time

	1.26	slack (MET)

Startpoint: _416_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _416_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
10	0.03	0.08	0.24	0.58	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_2_leaf_clk (net)
		0.09	0.00	0.58	^ _416_/CLK (sky130_fd_sc_hd_dfrtp_1)
5	0.02	0.18	0.81	1.39	v _416_/Q (sky130_fd_sc_hd_dfrtp_1)
					clk_count[8] (net)
		0.18	0.00	1.39	v _322_/A (sky130_fd_sc_hd_nand3_1)
3	0.01	0.15	0.19	1.58	^ _322_/Y (sky130_fd_sc_hd_nand3_1)
					177 (net)
		0.15	0.00	1.58	^ _324_/A2 (sky130_fd_sc_hd_a21o_1)
2	0.01	0.09	0.25	1.84	^ _324_/X (sky130_fd_sc_hd_a21o_1)
					179 (net)
		0.09	0.00	1.84	^ _327_/A2 (sky130_fd_sc_hd_a21o_1)
		0.05	0.20	2.04	^ _327_/X (sky130_fd_sc_hd_a21o_1)
1	0.00				_058_ (net)
		0.05	0.00	2.04	^ _416_/D (sky130_fd_sc_hd_dfrtp_1)
				2.04	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
10	0.03	0.08	0.26	0.64	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_2_leaf_clk (net)
		0.09	0.00	0.64	^ _416_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.89	clock uncertainty
		-0.06	0.83		clock reconvergence pessimism
		-0.07	0.76		library hold time
			0.76		data required time

				0.76	data required time
				-2.04	data arrival time

				1.28	slack (MET)

Startpoint: _454_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _455_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.24	0.59	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.09	0.00	0.59	^ _454_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.09	0.73	1.31	v _454_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.00				bit_count[2] (net)
		0.09	0.00	1.31	v _215_/A (sky130_fd_sc_hd_nand3_1)
		0.11	0.13	1.44	^ _215_/Y (sky130_fd_sc_hd_nand3_1)
2	0.00				_107_ (net)
		0.11	0.00	1.44	^ _219_/C (sky130_fd_sc_hd_and4_1)
		0.13	0.40	1.84	^ _219_/X (sky130_fd_sc_hd_and4_1)
2	0.00				_111_ (net)
		0.13	0.00	1.84	^ _220_/A2 (sky130_fd_sc_hd_o21a_1)
		0.07	0.22	2.06	^ _220_/X (sky130_fd_sc_hd_o21a_1)
1	0.00				_095_ (net)
		0.07	0.00	2.06	^ _455_/D (sky130_fd_sc_hd_dfrtp_1)
				2.06	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.09	0.00	0.65	^ _455_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.25	0.90		clock uncertainty
		-0.06	0.84		clock reconvergence pessimism
		-0.07	0.76		library hold time
			0.76		data required time

				0.76	data required time
				-2.06	data arrival time

				1.30	slack (MET)

Startpoint: _416_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _417_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.08	0.24	0.58	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.09	0.00	0.58	^ _416_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.18	0.81	1.39	v _416_/Q (sky130_fd_sc_hd_dfrtp_1)
5	0.02				clk_count[8] (net)

		0.18	0.00	1.39	v	_322_/A (sky130_fd_sc_hd__nand3_1)
		0.15	0.19	1.58	^	_322_/Y (sky130_fd_sc_hd__nand3_1)
3	0.01					_177_ (net)
		0.15	0.00	1.58	^	_324_/A2 (sky130_fd_sc_hd__a21o_1)
2	0.01	0.09	0.25	1.84	^	_324_/X (sky130_fd_sc_hd__a21o_1)
						179 (net)
		0.09	0.00	1.84	^	_325_/B1 (sky130_fd_sc_hd__a2bb2o_1)
1	0.00	0.07	0.23	2.06	^	_325_/X (sky130_fd_sc_hd__a2bb2o_1)
						059 (net)
		0.07	0.00	2.06	^	_417_/D (sky130_fd_sc_hd__dfrrtp_1)
				2.06		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.12	0.09	0.09	^	clk (in)
						clk (net)
		0.12	0.00	0.09	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.10	0.00	0.38	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.08	0.26	0.64	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
		0.09	0.00	0.64	^	_417_/CLK (sky130_fd_sc_hd__dfrrtp_1)
			0.25	0.89		clock uncertainty
		-0.06		0.83		clock reconvergence pessimism
		-0.07		0.76		library hold time
				0.76		data required time

				0.76		data required time
				-2.06		data arrival time

				1.31		slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _444_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.25	0.59	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.60	^ _435_/CLK (sky130_fd_sc_hd__dfrrtp_2)
4	0.02	0.21	0.79	1.38	^ _435_/Q (sky130_fd_sc_hd__dfrrtp_2)
					net24 (net)
		0.21	0.00	1.38	^ _235_/A (sky130_fd_sc_hd__inv_2)
2	0.01	0.06	0.11	1.49	v _235_/Y (sky130_fd_sc_hd__inv_2)
					123 (net)
		0.06	0.00	1.49	v _236_/A (sky130_fd_sc_hd__nand2_1)
2	0.01	0.13	0.13	1.62	^ _236_/Y (sky130_fd_sc_hd__nand2_1)
					124 (net)
		0.13	0.00	1.62	^ _239_/B (sky130_fd_sc_hd__nor2_2)
8	0.03	0.15	0.17	1.79	v _239_/Y (sky130_fd_sc_hd__nor2_2)
					127 (net)
		0.15	0.00	1.79	v _247_/B1 (sky130_fd_sc_hd__a22o_1)
1	0.00	0.06	0.33	2.12	v _247_/X (sky130_fd_sc_hd__a22o_1)
					084 (net)
		0.06	0.00	2.12	v _444_/D (sky130_fd_sc_hd__dfrrtp_1)
				2.12	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.09	0.09	^ clk (in)
					clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.27	0.65	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.09	0.00	0.65	^ _444_/CLK (sky130_fd_sc_hd__dfrrtp_1)
			0.25	0.90	clock uncertainty
			-0.04	0.87	clock reconvergence pessimism
			-0.09	0.78	library hold time
				0.78	data required time

				0.78	data required time
				-2.12	data arrival time

				1.35	slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _445_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.25	0.59	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.60	^ _435_/CLK (sky130_fd_sc_hd__dfrrtp_2)
4	0.02	0.21	0.79	1.38	^ _435_/Q (sky130_fd_sc_hd__dfrrtp_2)
					net24 (net)
		0.21	0.00	1.38	^ _235_/A (sky130_fd_sc_hd__inv_2)
2	0.01	0.06	0.11	1.49	v _235_/Y (sky130_fd_sc_hd__inv_2)
					123 (net)
		0.06	0.00	1.49	v _236_/A (sky130_fd_sc_hd__nand2_1)
2	0.01	0.13	0.13	1.62	^ _236_/Y (sky130_fd_sc_hd__nand2_1)
					124 (net)
		0.13	0.00	1.62	^ _239_/B (sky130_fd_sc_hd__nor2_2)
8	0.03	0.15	0.17	1.79	v _239_/Y (sky130_fd_sc_hd__nor2_2)
					127 (net)
		0.15	0.00	1.79	v _246_/B1 (sky130_fd_sc_hd__a22o_1)
1	0.00	0.07	0.34	2.13	v _246_/X (sky130_fd_sc_hd__a22o_1)
					085 (net)
		0.07	0.00	2.13	v _445_/D (sky130_fd_sc_hd__dfrrtp_1)
				2.13	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.09	0.09	^ clk (in)
					clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.27	0.65	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.09	0.00	0.65	^ _445_/CLK (sky130_fd_sc_hd__dfrrtp_1)
			0.25	0.90	clock uncertainty

-0.04 0.86 clock reconvergence pessimism
-0.09 0.77 library hold time
0.77 data required time

0.77 data required time
-2.13 data arrival time

1.36 slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _446_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description	

1	0.02		0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
		0.12	0.08	0.08	^ clk (in)	
					clk (net)	
4	0.04	0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)	
		0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)	
14	0.04				clknet_0_clk (net)	
		0.10	0.00	0.34	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)	
		0.10	0.25	0.59	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)	
					clknet_2_0__leaf_clk (net)	
4	0.02	0.10	0.00	0.60	^ _435_/CLK (sky130_fd_sc_hd_dfrtp_2)	
		0.21	0.79	1.38	^ _435_/Q (sky130_fd_sc_hd_dfrtp_2)	
					net24 (net)	
2	0.01	0.21	0.00	1.38	^ _235_/A (sky130_fd_sc_hd_inv_2)	
		0.06	0.11	1.49	v _235_/Y (sky130_fd_sc_hd_inv_2)	
2	0.01				_123_ (net)	
		0.06	0.00	1.49	v _236_/A (sky130_fd_sc_hd_nand2_1)	
		0.13	0.13	1.62	^ _236_/Y (sky130_fd_sc_hd_nand2_1)	
					124 (net)	
8	0.03	0.13	0.00	1.62	^ _239_/B (sky130_fd_sc_hd_nor2_2)	
		0.15	0.17	1.79	v _239_/Y (sky130_fd_sc_hd_nor2_2)	
					127 (net)	
1	0.00	0.15	0.00	1.79	v _245_/B1 (sky130_fd_sc_hd_a22o_1)	
		0.07	0.34	2.14	v _245_/X (sky130_fd_sc_hd_a22o_1)	
					086 (net)	
		0.07	0.00	2.14	v _446_/D (sky130_fd_sc_hd_dfrtp_1)	
				2.14	data arrival time	

1	0.02		0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
		0.12	0.09	0.09	^ clk (in)	
					clk (net)	
4	0.04	0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)	
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)	
12	0.04				clknet_0_clk (net)	
		0.10	0.00	0.38	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)	
		0.09	0.27	0.65	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)	
					clknet_2_1__leaf_clk (net)	
		0.09	0.00	0.65	^ _446_/CLK (sky130_fd_sc_hd_dfrtp_1)	
			0.25	0.90	clock uncertainty	
		-0.04	0.86	clock reconvergence pessimism		
		-0.09	0.77	library hold time		
			0.77	data required time		

				0.77	data required time	
				-2.14	data arrival time	

				1.37	slack (MET)	

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _448_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	0.59	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.60	^ _435_/CLK (sky130_fd_sc_hd__dfrtp_2)
		0.21	0.79	1.38	^ _435_/Q (sky130_fd_sc_hd__dfrtp_2)
4	0.02				net24 (net)
		0.21	0.00	1.38	^ _235_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.11	1.49	v _235_/Y (sky130_fd_sc_hd__inv_2)
2	0.01				_123_ (net)
		0.06	0.00	1.49	v _236_/A (sky130_fd_sc_hd__nand2_1)
		0.13	0.13	1.62	^ _236_/Y (sky130_fd_sc_hd__nand2_1)
2	0.01				_124_ (net)
		0.13	0.00	1.62	^ _239_/B (sky130_fd_sc_hd__nor2_2)
		0.15	0.17	1.79	v _239_/Y (sky130_fd_sc_hd__nor2_2)
8	0.03				_127_ (net)
		0.15	0.00	1.79	v _243_/B1 (sky130_fd_sc_hd__a22o_1)
		0.07	0.33	2.13	v _243_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_088_ (net)
		0.07	0.00	2.13	v _448_/D (sky130_fd_sc_hd__dfrtp_1)
				2.13	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.28	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.66	^ _448_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.91	clock uncertainty
			-0.06	0.84	clock reconvergence pessimism
			-0.09	0.76	library hold time
				0.76	data required time

				0.76	data required time
				-2.13	data arrival time

				1.37	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _424_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)

3	0.01	0.11	0.18	2.18	v	input2/X (sky130_fd_sc_hd_buf_1)
		0.11	0.00	2.18	v	_355_/A (sky130_fd_sc_hd_buf_4)
10	0.05	0.14	0.33	2.52	v	_355_/X (sky130_fd_sc_hd_buf_4)
		0.14	0.00	2.52	v	_199_ (net)
10	0.07	0.14	0.34	2.86	v	_367_/A (sky130_fd_sc_hd_clkbuf_8)
		0.14	0.34	2.86	v	_367_/X (sky130_fd_sc_hd_clkbuf_8)
1	0.00	0.14	0.00	2.87	v	_201_ (net)
		0.05	0.09	2.96	^	_374_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.05	0.00	2.96	^	_374_/Y (sky130_fd_sc_hd_inv_2)
		0.05	0.00	2.96	^	_018_ (net)
				2.96	^	_424_/RESET_B (sky130_fd_sc_hd_dftrtp_2)
				2.96		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.12	0.09	0.09	^	clk (in)
		0.12	0.00	0.09	^	clk (net)
4	0.04	0.10	0.29	0.38	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.00	0.38	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.10	0.00	0.38	^	clknet_0_clk (net)
		0.09	0.27	0.65	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.65	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
				0.65	^	clknet_2_3_leaf_clk (net)
		0.09	0.00	0.65	^	_424_/CLK (sky130_fd_sc_hd_dftrtp_2)
		0.25	0.90			clock uncertainty
		0.00	0.90			clock reconvergence pessimism
		0.66	1.56			library removal time
				1.56		data required time
				1.56		data required time
				-2.96		data arrival time
				1.40		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _420_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.02	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd_buf_1)
		0.11	0.00	2.18	v _355_/A (sky130_fd_sc_hd_buf_4)
10	0.05	0.14	0.33	2.52	v _355_/X (sky130_fd_sc_hd_buf_4)
		0.14	0.00	2.52	v _199_ (net)
10	0.07	0.14	0.34	2.86	v _367_/A (sky130_fd_sc_hd_clkbuf_8)
		0.14	0.34	2.86	v _367_/X (sky130_fd_sc_hd_clkbuf_8)
1	0.00	0.14	0.00	2.87	v _201_ (net)
		0.05	0.09	2.96	^ _370_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.05	0.00	2.96	^ _370_/Y (sky130_fd_sc_hd_inv_2)
		0.05	0.00	2.96	^ _014_ (net)
				2.96	^ _420_/RESET_B (sky130_fd_sc_hd_dftrtp_1)
				2.96	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.09	0.09	^ clk (in)
		0.12	0.00	0.09	^ clk (net)
		0.10	0.29	0.38	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.00	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)

4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.65	^ _420_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.90	clock uncertainty
			0.00	0.90	clock reconvergence pessimism
			0.66	1.56	library removal time
				1.56	data required time

				1.56	data required time
				-2.96	data arrival time

				1.40	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _421_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.14	0.33	2.52	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.14	0.00	2.52	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.14	0.34	2.86	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.14	0.00	2.87	v _371_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.09	2.96	^ _371_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_015_ (net)
		0.05	0.00	2.96	^ _421_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.96	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.65	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.90	clock uncertainty
			0.00	0.90	clock reconvergence pessimism
			0.66	1.56	library removal time
				1.56	data required time

				1.56	data required time
				-2.96	data arrival time

				1.40	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _426_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description	

1	0.00	0.02	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			2.00	2.00	v input external delay	
			0.01	2.01	v rst (in)	
					rst (net)	
			0.02	2.01	v input2/A (sky130_fd_sc_hd__buf_1)	
			0.11	2.18	v input2/X (sky130_fd_sc_hd__buf_1)	
					net2 (net)	
			0.11	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)	
			0.14	2.52	v _355_/X (sky130_fd_sc_hd__buf_4)	
10	0.05			_199_ (net)		
10	0.07		0.14	2.52	v _367_/A (sky130_fd_sc_hd__clkbuf_8)	
			0.34	2.86	v _367_/X (sky130_fd_sc_hd__clkbuf_8)	
10	0.07				_201_ (net)	
			0.14	2.87	v _376_/A (sky130_fd_sc_hd__inv_2)	
1	0.00		0.05	2.96	^ _376_/Y (sky130_fd_sc_hd__inv_2)	
					020 (net)	
1	0.00		0.05	2.96	^ _426_/RESET_B (sky130_fd_sc_hd__dfrtp_1)	
				2.96	data arrival time	

1	0.02	0.12		0.00	clock clk (rise edge)	
				0.00	0.00	clock source latency
				0.09	0.09	^ clk (in)
						clk (net)
			0.12	0.09	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
			0.10	0.00	0.38	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.09	0.27	0.65	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3__leaf_clk (net)
12	0.04		0.09	0.65	^ _426_/CLK (sky130_fd_sc_hd__dfrtp_1)	
			0.25	0.90	clock uncertainty	
			0.00	0.90	clock reconvergence pessimism	
			0.66	1.56	library removal time	
				1.56	data required time	

				1.56	data required time	
				-2.96	data arrival time	

				1.40	slack (MET)	

Startpoint: rst (input port clocked by clk)

Endpoint: _419_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.02	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.01	2.01	v rst (in)
					rst (net)
			0.02	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
			0.11	2.18	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
			0.11	2.18	v _355_/A (sky130_fd_sc_hd_buf_4)
			0.14	2.52	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
10	0.07		0.14	2.52	v _367_/A (sky130_fd_sc_hd_clkbuf_8)
			0.34	2.86	v _367_/X (sky130_fd_sc_hd_clkbuf_8)
10	0.07				_201_ (net)
			0.14	2.87	v _369_/A (sky130_fd_sc_hd_inv_2)
1	0.00		0.05	2.96	^ _369_/Y (sky130_fd_sc_hd_inv_2)

1	0.00	0.05	0.00	2.96	^	_013_ (net)
				2.96		_419_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
						data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.12	0.09	0.09	^	clk (in)
1	0.02					clk (net)
		0.12	0.00	0.09	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	0.38	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.09	0.00	0.65	^	_419_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.90		clock uncertainty
			0.00	0.90		clock reconvergence pessimism
			0.66	1.56		library removal time
				1.56		data required time

				1.56		data required time
				-2.96		data arrival time

				1.40		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _418_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.14	0.33	2.52	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.14	0.00	2.52	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.14	0.34	2.86	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.14	0.00	2.87	v _368_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.09	2.96	^ _368_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_012_ (net)
		0.05	0.00	2.96	^ _418_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.96	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.65	^ _418_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.90	clock uncertainty
			0.00	0.90	clock reconvergence pessimism
			0.66	1.56	library removal time
				1.56	data required time

1.56 data required time
-2.96 data arrival time

1.40 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _408_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description		

1	0.00	0.02	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
		0.01	2.00	2.00 v	input external delay		
			2.01 v	rst (in)			
		0.02	0.00	2.01 v	rst (net)		
			0.11	0.18	2.01 v	input2/A (sky130_fd_sc_hd__buf_1)	
		3	0.01	0.18	2.18 v	input2/X (sky130_fd_sc_hd__buf_1)	
						net2 (net)	
		10	0.05	0.11	2.18 v	_355_/A (sky130_fd_sc_hd__buf_4)	
				0.14	0.33	2.52 v	_355_/X (sky130_fd_sc_hd__buf_4)
10	0.06	0.14	0.00	2.52 v	_199_ (net)		
			0.15	0.36	2.52 v	_356_/A (sky130_fd_sc_hd__buf_4)	
		0.15	0.00	2.88 v	_356_/X (sky130_fd_sc_hd__buf_4)		
			0.05	0.09	2.88 v	_200_ (net)	
		1	0.00	0.15	2.88 v	_357_/A (sky130_fd_sc_hd__inv_2)	
				0.05	0.09	2.97 ^	_357_/Y (sky130_fd_sc_hd__inv_2)
		0.05	0.00	2.97 ^	_002_ (net)		
					2.97 ^	_408_/RESET_B (sky130_fd_sc_hd__dfrtp_4)	
						2.97	data arrival time

1	0.02	0.12	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock source latency		
		0.12	0.09	0.09 ^	clk (in)		
						clk (net)	
		4	0.04	0.12	0.09 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
				0.10	0.29	0.38 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
		14	0.04			clknet_0_clk (net)	
				0.10	0.00	0.38 ^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.28	0.66 ^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)		
						clknet_2_0__leaf_clk (net)	
1	0.04	0.10	0.00	0.66 ^	_408_/CLK (sky130_fd_sc_hd__dfrtp_4)		
			0.25	0.91	clock uncertainty		
		0.00	0.91	clock reconvergence pessimism			
			0.66	1.57	library removal time		
						1.57	data required time

				1.57	data required time		
				-2.97	data arrival time		

				1.40	slack (MET)		

Startpoint: rst (input port clocked by clk)
Endpoint: _427_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.02	0.01	2.01 v	rst (in)
					rst (net)
		0.02	0.00	2.01 v	input2/A (sky130_fd_sc_hd_buf_1)

3	0.01	0.11	0.18	2.18	v	input2/X (sky130_fd_sc_hd_buf_1)
						net2 (net)
10	0.05	0.11	0.00	2.18	v	_355_/A (sky130_fd_sc_hd_buf_4)
		0.14	0.33	2.52	v	_355_/X (sky130_fd_sc_hd_buf_4)
10	0.07					_199_ (net)
		0.14	0.00	2.52	v	_367_/A (sky130_fd_sc_hd_clkbuf_8)
10	0.07	0.14	0.34	2.86	v	_367_/X (sky130_fd_sc_hd_clkbuf_8)
						201 (net)
1	0.00	0.14	0.00	2.87	v	_377_/A (sky130_fd_sc_hd_inv_2)
		0.06	0.10	2.96	^	_377_/Y (sky130_fd_sc_hd_inv_2)
1	0.00					_021_ (net)
		0.06	0.00	2.96	^	_427_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
1	0.02			2.96		data arrival time
1	0.02		0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
4	0.04	0.12	0.09	0.09	^	clk (in)
						clk (net)
4	0.04	0.12	0.00	0.09	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_0_clk (net)
		0.10	0.00	0.38	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.27	0.65	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_1_leaf_clk (net)
12	0.04	0.09	0.00	0.65	^	_427_/CLK (sky130_fd_sc_hd_dfrtp_1)
12	0.04		0.25	0.90		clock uncertainty
			0.00	0.90		clock reconvergence pessimism
12	0.04		0.66	1.56		library removal time
				1.56		data required time
				1.56		data required time
				-2.96		data arrival time
				1.40		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _410_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description	
1	0.00	0.02	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			2.00	2.00	v input external delay	
			0.01	2.01	v rst (in)	
					rst (net)	
			0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
			0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
						net2 (net)
			0.11	0.00	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.14	0.33	2.52	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05			_199_ (net)		
		0.14	0.00	2.52	v _356_/A (sky130_fd_sc_hd__buf_4)	
10	0.06	0.15	0.36	2.88	v _356_/X (sky130_fd_sc_hd__buf_4)	
					200 (net)	
1	0.00			2.88	v _359_/A (sky130_fd_sc_hd__inv_2)	
		0.05	0.10	2.97	^ _359_/Y (sky130_fd_sc_hd__inv_2)	
					004 (net)	
		0.05	0.00	2.97	^ _410_/RESET_B (sky130_fd_sc_hd__dfrtp_2)	
			2.97	data arrival time		
1	0.02		0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
		0.12	0.09	0.09	^ clk (in)	
					clk (net)	
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	

4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.28	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.66	^ _410_/CLK (sky130_fd_sc_hd_dfrtp_2)
			0.25	0.91	clock uncertainty
			0.00	0.91	clock reconvergence pessimism
			0.66	1.57	library removal time
				1.57	data required time

				1.57	data required time
				-2.97	data arrival time

				1.40	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _411_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
		0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.18	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.14	0.33	2.52	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.14	0.00	2.52	v _356_/A (sky130_fd_sc_hd_buf_4)
		0.15	0.36	2.88	v _356_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_200_ (net)
		0.15	0.00	2.88	v _360_/A (sky130_fd_sc_hd_inv_2)
		0.05	0.09	2.97	^ _360_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_005_ (net)
		0.05	0.00	2.97	^ _411_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.97	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.28	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.66	^ _411_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.91	clock uncertainty
			0.00	0.91	clock reconvergence pessimism
			0.66	1.57	library removal time
				1.57	data required time

				1.57	data required time
				-2.97	data arrival time

				1.40	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _423_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description		

1	0.00	0.02	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
			2.00	2.00	v input external delay		
			0.01	2.01	v rst (in)		
					rst (net)		
			0.02	2.01	v input2/A (sky130_fd_sc_hd__buf_1)		
			0.11	2.18	v input2/X (sky130_fd_sc_hd__buf_1)		
					net2 (net)		
			0.11	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)		
			0.14	2.52	v _355_/X (sky130_fd_sc_hd__buf_4)		
10	0.05	0.14			_199_ (net)		
			0.00	2.52	v _367_/A (sky130_fd_sc_hd__clkbuf_8)		
10	0.07	0.14	0.34	2.86	v _367_/X (sky130_fd_sc_hd__clkbuf_8)		
					201 (net)		
1	0.00	0.05	0.00	2.86	v _373_/A (sky130_fd_sc_hd__inv_2)		
			0.09	2.96	^ _373_/Y (sky130_fd_sc_hd__inv_2)		
					017 (net)		
1	0.00	0.05	0.00	2.96	^ _423_/RESET_B (sky130_fd_sc_hd__dfrtp_1)		
				2.96	data arrival time		

1	0.02	0.12	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock source latency		
			0.09	0.09	^ clk (in)		
					clk (net)		
			0.12	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)		
			0.10	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)		
					clknet_0_clk (net)		
			0.10	0.38	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)		
			0.08	0.64	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)		
					clknet_2_2__leaf_clk (net)		
10	0.03	0.09	0.00	0.64	^ _423_/CLK (sky130_fd_sc_hd__dfrtp_1)		
			0.25	0.89	clock uncertainty		
			0.00	0.89	clock reconvergence pessimism		
			0.66	1.55	library removal time		
				1.55	data required time		

				1.55	data required time		
				-2.96	data arrival time		

				1.41	slack (MET)		

Startpoint: rst (input port clocked by clk)
Endpoint: _422_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.02	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.01	2.01	v rst (in)
					rst (net)
			0.02	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
			0.11	2.18	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
			0.11	2.18	v _355_/A (sky130_fd_sc_hd_buf_4)
			0.14	2.52	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05	0.14			_199_ (net)
			0.00	2.52	v _367_/A (sky130_fd_sc_hd_clkbuf_8)
10	0.07	0.14	0.34	2.86	v _367_/X (sky130_fd_sc_hd_clkbuf_8)
					201 (net)
10	0.07	0.14	0.00	2.87	v _372_/A (sky130_fd_sc_hd_inv_2)
			0.09	2.96	^ _372_/Y (sky130_fd_sc_hd_inv_2)

1	0.00	0.05	0.00	2.96	^	_016_ (net)
				2.96		_422_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
						data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.12	0.09	0.09	^	clk (in)
1	0.02					clk (net)
		0.12	0.00	0.09	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	0.38	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.08	0.26	0.64	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03					clknet_2_2__leaf_clk (net)
		0.09	0.00	0.64	^	_422_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.89		clock uncertainty
			0.00	0.89		clock reconvergence pessimism
			0.66	1.55		library removal time
				1.55		data required time

				1.55		data required time
				-2.96		data arrival time

				1.41		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _425_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.14	0.33	2.52	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.14	0.00	2.52	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.14	0.34	2.86	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.14	0.00	2.87	v _375_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.09	2.96	^ _375_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_019_ (net)
		0.05	0.00	2.96	^ _425_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.96	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.08	0.26	0.64	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.09	0.00	0.64	^ _425_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.89	clock uncertainty
			0.00	0.89	clock reconvergence pessimism
			0.66	1.55	library removal time
				1.55	data required time

1.55 data required time
-2.96 data arrival time

1.41 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _409_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description		

1	0.00	0.02	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
		0.01	2.00	2.00 v	input external delay		
			2.01 v	rst (in)			
		0.02	0.00	2.01 v	rst (net)		
			0.11	0.18	2.01 v	input2/A (sky130_fd_sc_hd__buf_1)	
		3	0.01	0.18	2.18 v	input2/X (sky130_fd_sc_hd__buf_1)	
					net2 (net)		
		10	0.05	0.14	2.18 v	_355_/A (sky130_fd_sc_hd__buf_4)	
					2.52 v	_355_/X (sky130_fd_sc_hd__buf_4)	
10	0.06	0.14	0.00	2.52 v	_199_ (net)		
				2.52 v	_356_/A (sky130_fd_sc_hd__buf_4)		
		0.15	0.36	2.88 v	_356_/X (sky130_fd_sc_hd__buf_4)		
				2.88 v	_200_ (net)		
		0.15	0.00	2.88 v	_358_/A (sky130_fd_sc_hd__inv_2)		
				0.06	0.10	2.97 ^	_358_/Y (sky130_fd_sc_hd__inv_2)
		1	0.00	0.06	0.00	2.97 ^	_003_ (net)
						2.97 ^	_409_/RESET_B (sky130_fd_sc_hd__dfrtp_4)
		data arrival time					

1	0.02	0.12	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock source latency		
		0.12	0.09	0.09 ^	clk (in)		
						clk (net)	
		4	0.04	0.10	0.09 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
					0.38 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
		10	0.03	0.10	0.00	0.38 ^	clknet_0_clk (net)
						0.08	0.26
				0.08	0.26	0.64 ^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						0.64 ^	clknet_2_2_leaf_clk (net)
		0.09	0.00	0.64 ^	_409_/CLK (sky130_fd_sc_hd__dfrtp_4)		
				0.25	0.89	clock uncertainty	
				0.00	0.89	clock reconvergence pessimism	
				0.66	1.55	library removal time	
				1.55	data required time		

				1.55	data required time		
				-2.97	data arrival time		

				1.42	slack (MET)		

Startpoint: rst (input port clocked by clk)
Endpoint: _414_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.02	0.01	2.01 v	rst (in)
					rst (net)
		0.02	0.00	2.01 v	input2/A (sky130_fd_sc_hd__buf_1)

id	name	min	max	type	value	unit
3	0.01	0.11	0.18	2.18 v	input2/X (sky130_fd_sc_hd_buf_1)	
					net2 (net)	
		0.11	0.00	2.18 v	_355_/A (sky130_fd_sc_hd_buf_4)	
10	0.05	0.14	0.33	2.52 v	_355_/X (sky130_fd_sc_hd_buf_4)	
					199 (net)	
		0.14	0.00	2.52 v	_356_/A (sky130_fd_sc_hd_buf_4)	
10	0.06	0.15	0.36	2.88 v	_356_/X (sky130_fd_sc_hd_buf_4)	
					200 (net)	
		0.15	0.00	2.88 v	_363_/A (sky130_fd_sc_hd_inv_2)	
		0.05	0.10	2.97 ^	_363_/Y (sky130_fd_sc_hd_inv_2)	
1	0.00				_008_ (net)	
		0.05	0.00	2.97 ^	_414_/RESET_B (sky130_fd_sc_hd_dfrtp_1)	
					data arrival time	
			0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
		0.12	0.09	0.09 ^	clk (in)	
1	0.02				clk (net)	
		0.12	0.00	0.09 ^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)	
		0.10	0.29	0.38 ^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)	
4	0.04				clknet_0_clk (net)	
		0.10	0.00	0.38 ^	clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)	
		0.08	0.26	0.64 ^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)	
10	0.03				clknet_2_2_leaf_clk (net)	
		0.09	0.00	0.64 ^	_414_/CLK (sky130_fd_sc_hd_dfrtp_1)	
			0.25	0.89	clock uncertainty	
			0.00	0.89	clock reconvergence pessimism	
			0.66	1.55	library removal time	
				1.55	data required time	

			1.55		data required time	
			-2.97		data arrival time	

			1.42		slack (MET)	

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.33	2.52	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.52	v _356_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.15	0.36	2.88	v _356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
		0.15	0.00	2.88	v _361_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.09	2.97	^ _361_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_006_ (net)
		0.05	0.00	2.97	^ _412_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.97	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.09	0.09	^ clk (in)
					clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)

4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.08	0.26	0.64	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.09	0.00	0.64	^ _412_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.89	clock uncertainty
			0.00	0.89	clock reconvergence pessimism
			0.66	1.55	library removal time
				1.55	data required time

				1.55	data required time
				-2.97	data arrival time

				1.42	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _413_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.14	0.33	2.52	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.14	0.00	2.52	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.15	0.36	2.88	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)
		0.15	0.00	2.88	v _362_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.10	2.97	^ _362_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_007_ (net)
		0.06	0.00	2.97	^ _413_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.97	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.08	0.26	0.64	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.09	0.00	0.64	^ _413_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.89	clock uncertainty
			0.00	0.89	clock reconvergence pessimism
			0.66	1.55	library removal time
				1.55	data required time

				1.55	data required time
				-2.97	data arrival time

				1.42	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _417_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description		

1	0.00	0.02	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
			2.00	2.00	v input external delay		
			0.01	2.01	v rst (in)		
					rst (net)		
			0.02	2.01	v input2/A (sky130_fd_sc_hd__buf_1)		
			0.11	2.18	v input2/X (sky130_fd_sc_hd__buf_1)		
					net2 (net)		
			0.11	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)		
			0.14	2.52	v _355_/X (sky130_fd_sc_hd__buf_4)		
10	0.05			_199_ (net)			
10	0.06		0.14	2.52	v _356_/A (sky130_fd_sc_hd__buf_4)		
			0.15	2.88	v _356_/X (sky130_fd_sc_hd__buf_4)		
10	0.06				_200_ (net)		
			0.15	2.88	v _366_/A (sky130_fd_sc_hd__inv_2)		
1	0.00		0.05	2.97	^ _366_/Y (sky130_fd_sc_hd__inv_2)		
					011 (net)		
1	0.00		0.05	2.97	^ _417_/RESET_B (sky130_fd_sc_hd__dfrtp_1)		
				2.97	data arrival time		

1	0.02	0.12	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock source latency		
			0.09	0.09	^ clk (in)		
					clk (net)		
			0.12	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)		
			0.10	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)		
					clknet_0_clk (net)		
			0.10	0.38	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)		
			0.08	0.64	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)		
					clknet_2_2__leaf_clk (net)		
10	0.03		0.09	0.64	^ _417_/CLK (sky130_fd_sc_hd__dfrtp_1)		
			0.25	0.89	clock uncertainty		
			0.00	0.89	clock reconvergence pessimism		
			0.66	1.55	library removal time		
				1.55	data required time		

				1.55	data required time		
				-2.97	data arrival time		

				1.42	slack (MET)		

Startpoint: rst (input port clocked by clk)

Endpoint: _416_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.02	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.01	2.01	v rst (in)
					rst (net)
			0.02	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
			0.11	2.18	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
			0.11	2.18	v _355_/A (sky130_fd_sc_hd_buf_4)
			0.14	2.52	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
10	0.06		0.14	2.52	v _356_/A (sky130_fd_sc_hd_buf_4)
			0.15	2.88	v _356_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_200_ (net)
			0.15	2.88	v _365_/A (sky130_fd_sc_hd_inv_2)
10	0.06		0.05	2.98	^ _365_/Y (sky130_fd_sc_hd_inv_2)

1	0.00	0.05	0.00	2.98	^	_010_ (net)
				2.98	^	_416_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
						data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.12	0.09	0.09	^	clk (in)
1	0.02					clk (net)
		0.12	0.00	0.09	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	0.38	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.08	0.26	0.64	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03					clknet_2_2__leaf_clk (net)
		0.09	0.00	0.64	^	_416_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.89		clock uncertainty
			0.00	0.89		clock reconvergence pessimism
			0.66	1.55		library removal time
				1.55		data required time

				1.55		data required time
				-2.98		data arrival time

				1.42		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _415_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.18	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.14	0.33	2.52	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.14	0.00	2.52	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.15	0.36	2.88	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)
		0.15	0.00	2.88	v _364_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.10	2.98	^ _364_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_009_ (net)
		0.06	0.00	2.98	^ _415_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.98	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.08	0.26	0.64	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.09	0.00	0.64	^ _415_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.89	clock uncertainty
			0.00	0.89	clock reconvergence pessimism
			0.66	1.55	library removal time
				1.55	data required time

1.55 data required time
-2.98 data arrival time

1.42 slack (MET)

Startpoint: _455_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _436_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
4	0.04	0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.10	0.00	0.34	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.59	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
2	0.01	0.09	0.00	0.59	^ clknet_2_1__leaf_clk (net)
				0.59	^ _455_/CLK (sky130_fd_sc_hd__dfstp_1)
2	0.01	0.11	0.00	1.23	^ _455_/Q (sky130_fd_sc_hd__dfstp_1)
				1.23	^ bit_count[3] (net)
2	0.01	0.11	0.00	1.23	^ _216_/A (sky130_fd_sc_hd__nor2_1)
				1.33	v _216_/Y (sky130_fd_sc_hd__nor2_1)
3	0.01	0.06	0.10		_108_ (net)
				1.33	v _217_/D (sky130_fd_sc_hd__nand4_1)
1	0.00	0.18	0.19	1.52	^ _217_/Y (sky130_fd_sc_hd__nand4_1)
					109 (net)
1	0.00	0.18	0.00	1.52	^ _270_/B (sky130_fd_sc_hd__and2_1)
				1.77	^ _270_/X (sky130_fd_sc_hd__and2_1)
2	0.01	0.08	0.25		_143_ (net)
				1.77	^ _271_/A (sky130_fd_sc_hd__clkbuf_1)
2	0.01	0.11	0.18	1.95	^ _271_/X (sky130_fd_sc_hd__clkbuf_1)
					000 (net)
1	0.00	0.11	0.00	1.95	^ _272_/B1_N (sky130_fd_sc_hd__a21bo_1)
				2.30	v _272_/X (sky130_fd_sc_hd__a21bo_1)
1	0.00	0.06	0.36		_076_ (net)
				2.30	v _436_/D (sky130_fd_sc_hd__dfstp_1)
		0.06	0.00	2.30	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.09	0.09	^ clk (in)
					clk (net)
4	0.04	0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.10	0.00	0.38	^ clknet_0_clk (net)
				0.65	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.27	0.65	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.09	0.00	0.65	^ _436_/CLK (sky130_fd_sc_hd__dfstp_1)
			0.25	0.90	clock uncertainty
			-0.04	0.87	clock reconvergence pessimism
			0.00	0.87	library hold time
				0.87	data required time
				0.87	data required time
				-2.30	data arrival time
				1.44	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _436_ (removal check against rising-edge clock clk)
Path Group: asynchronous

Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.02	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.01	2.01	v rst (in)
					rst (net)
			0.02	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
			0.11	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.11	2.18	v _378_/A (sky130_fd_sc_hd__buf_4)
			0.17	2.54	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07			_202_ (net)	
		0.17	2.55	v _387_/A (sky130_fd_sc_hd__inv_2)	
1	0.00	0.06	2.65	^ _387_/Y (sky130_fd_sc_hd__inv_2)	
				030 (net)	
		0.06	2.65	^ _436_/SET_B (sky130_fd_sc_hd__dfstp_1)	
			2.65	data arrival time	

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
4	0.04	0.12	0.09	0.09	^ clk (in)
					clk (net)
		0.12	0.09	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
12	0.04	0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.09	0.65	^ _436_/CLK (sky130_fd_sc_hd__dfstp_1)	
		0.25	0.90	clock uncertainty	
		0.00	0.90	clock reconvergence pessimism	
		0.31	1.21	library removal time	
		1.21	data required time		

			1.21	data required time	
			-2.65	data arrival time	

			1.44	slack (MET)	

Startpoint: _455_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _433_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
					clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
12	0.04	0.10	0.00	0.34	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	0.59	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.09	0.00	0.59	^ _455_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.11	0.64	1.23	^ _455_/Q (sky130_fd_sc_hd__dftrtp_1)
2	0.01				bit_count[3] (net)
		0.11	0.00	1.23	^ _216_/A (sky130_fd_sc_hd__nor2_1)
2	0.01	0.06	0.10	1.33	v _216_/Y (sky130_fd_sc_hd__nor2_1)
					108 (net)
		0.06	0.00	1.33	v _217_/D (sky130_fd_sc_hd__nand4_1)
		0.18	0.19	1.52	^ _217_/Y (sky130_fd_sc_hd__nand4_1)

3	0.01				_109_ (net)
		0.18	0.00	1.52	^ _218_/A (sky130_fd_sc_hd_buf_4)
		0.29	0.40	1.91	^ _218_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_110_ (net)
		0.29	0.00	1.92	^ _279_/S (sky130_fd_sc_hd_mux2_1)
		0.07	0.30	2.22	^ _279_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_148_ (net)
		0.07	0.00	2.22	^ _280_/A (sky130_fd_sc_hd_clkbuf_1)
		0.07	0.14	2.35	^ _280_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_073_ (net)
		0.07	0.00	2.35	^ _433_/D (sky130_fd_sc_hd_dfrtp_1)
				2.35	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.09	0.00	0.65	^ _433_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.90	clock uncertainty
		-0.06	0.84		clock reconvergence pessimism
		-0.07	0.76		library hold time
				0.76	data required time

				0.76	data required time
				-2.35	data arrival time

				1.59	slack (MET)

Startpoint: _447_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _447_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	0.59	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.10	0.00	0.59	^ _447_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.17	0.69	1.29	^ _447_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				rx_shift[3] (net)
		0.17	0.00	1.29	^ _244_/A1 (sky130_fd_sc_hd_a22o_1)
		0.06	0.27	1.56	^ _244_/X (sky130_fd_sc_hd_a22o_1)
1	0.00				_087_ (net)
		0.06	0.00	1.56	^ hold3/A (sky130_fd_sc_hd_dlygate4sd3_1)
		0.09	0.98	2.54	^ hold3/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00				net28 (net)
		0.09	0.00	2.54	^ _447_/D (sky130_fd_sc_hd_dfrtp_1)
				2.54	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)

4	0.04	0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
14	0.04	0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.28	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.66	^ _447_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.91	clock uncertainty
			-0.06	0.84	clock reconvergence pessimism
			-0.08	0.77	library hold time
				0.77	data required time

				0.77	data required time
				-2.54	data arrival time

				1.77	slack (MET)

Startpoint: _449_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _449_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
4	0.04				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	0.59	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)
		0.10	0.00	0.59	^ _449_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.16	0.69	1.28	^ _449_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				rx_shift[5] (net)
		0.16	0.00	1.28	^ _242_/A1 (sky130_fd_sc_hd_a22o_1)
1	0.00		0.08	1.56	^ _242_/X (sky130_fd_sc_hd_a22o_1)
					089 (net)
1	0.00	0.08	0.00	1.56	^ hold8/A (sky130_fd_sc_hd_dlygate4sd3_1)
		0.09	0.98	2.55	^ hold8/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00				net33 (net)
		0.09	0.00	2.55	^ _449_/D (sky130_fd_sc_hd_dfrtp_1)
				2.55	data arrival time

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
4	0.04				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.28	0.66	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)
		0.10	0.00	0.66	^ _449_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.91	clock uncertainty
			-0.06	0.84	clock reconvergence pessimism
			-0.08	0.77	library hold time
				0.77	data required time

				0.77	data required time
				-2.55	data arrival time

				1.78	slack (MET)

Startpoint: _450_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _451_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	0.59	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.59	^ _450_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.20	0.72	1.31	^ _450_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				rx_shift[6] (net)
		0.20	0.00	1.31	^ _240_/B2 (sky130_fd_sc_hd__a22o_1)
		0.06	0.26	1.57	^ _240_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_091_ (net)
		0.06	0.00	1.57	^ hold5/A (sky130_fd_sc_hd__dlygate4sd3_1)
		0.09	0.98	2.55	^ hold5/X (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00				net30 (net)
		0.09	0.00	2.55	^ _451_/D (sky130_fd_sc_hd__dfrtp_1)
				2.55	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.28	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.66	^ _451_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.91	clock uncertainty
			-0.06	0.84	clock reconvergence pessimism
			-0.08	0.77	library hold time
				0.77	data required time

				0.77	data required time
				-2.55	data arrival time

				1.78	slack (MET)

Startpoint: _437_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _437_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.25	0.59	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.59	^ _437_/CLK (sky130_fd_sc_hd__dfrtp_1)

2	0.00	0.10	0.64	1.23	^	_437_/Q (sky130_fd_sc_hd_dfrtp_1)
						tx_shift[0] (net)
1	0.00	0.10	0.00	1.23	^	hold21/A (sky130_fd_sc_hd_dlygate4sd3_1)
		0.09	1.00	2.23	^	hold21/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00	0.09	0.00			net46 (net)
		0.07	0.22	2.23	^	_267_/A0 (sky130_fd_sc_hd_mux2_1)
1	0.00			2.45	^	_267_/X (sky130_fd_sc_hd_mux2_1)
						141 (net)
1	0.00	0.07	0.00	2.45	^	_268_/A (sky130_fd_sc_hd_clkbuf_1)
		0.06	0.13	2.59	^	_268_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00					_077_ (net)
		0.06	0.00	2.59	^	_437_/D (sky130_fd_sc_hd_dfrtp_1)
				2.59		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.12	0.09	0.09	^	clk (in)
						clk (net)
4	0.04	0.12	0.00	0.09	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.10	0.00			clknet_0_clk (net)
		0.09	0.27	0.38	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.65	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_3_leaf_clk (net)
		0.09	0.00	0.65	^	_437_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.90		clock uncertainty
		-0.06	0.84			clock reconvergence pessimism
		-0.07	0.77			library hold time
			0.77			data required time
				0.77		data required time
				-2.59		data arrival time
				1.82		slack (MET)

Startpoint: _450_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _450_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
				0.00	clock clk (rise edge)
				0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
4	0.04	0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.10	0.00		clknet_0_clk (net)
		0.10	0.25	0.34	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.59	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)
3	0.01	0.10	0.00	0.59	^ _450_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.20	0.72	1.31	^ _450_/Q (sky130_fd_sc_hd_dfrtp_1)
1	0.00				rx_shift[6] (net)
		0.20	0.00	1.31	^ _241_/A1 (sky130_fd_sc_hd_a22o_1)
1	0.00	0.08	0.30	1.61	^ _241_/X (sky130_fd_sc_hd_a22o_1)
					090 (net)
1	0.00	0.08	0.00	1.61	^ hold10/A (sky130_fd_sc_hd_dlygate4sd3_1)
		0.09	0.99	2.61	^ hold10/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00				net35 (net)
		0.09	0.00	2.61	^ _450_/D (sky130_fd_sc_hd_dfrtp_1)
				2.61	data arrival time
				0.00	clock clk (rise edge)
				0.00	clock source latency
1	0.02	0.12	0.09	0.09	^ clk (in)
					clk (net)

		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.28	0.66	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.66	^ _450_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.91	clock uncertainty
			-0.06	0.84	clock reconvergence pessimism
			-0.08	0.77	library hold time
				0.77	data required time

				0.77	data required time
				-2.61	data arrival time

				1.84	slack (MET)

Startpoint: _444_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _426_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.25	0.59	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.59	^ _444_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.14	0.67	1.26	^ _444_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				rx_shift[0] (net)
		0.14	0.00	1.26	^ _293_/A0 (sky130_fd_sc_hd_mux2_1)
		0.07	0.23	1.50	^ _293_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_155_ (net)
		0.07	0.00	1.50	^ hold34/A (sky130_fd_sc_hd_dlygate4sd3_1)
		0.10	0.99	2.49	^ hold34/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00				net59 (net)
		0.10	0.00	2.49	^ _294_/A (sky130_fd_sc_hd_clkbuf_1)
		0.07	0.15	2.64	^ _294_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_066_ (net)
		0.07	0.00	2.64	^ _426_/D (sky130_fd_sc_hd_dfrtp_1)
				2.64	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.09	0.09	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.29	0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.38	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.65	^ _426_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.90	clock uncertainty
			-0.06	0.84	clock reconvergence pessimism
			-0.07	0.77	library hold time
				0.77	data required time

				0.77	data required time
				-2.64	data arrival time

1.87 slack (MET)

Startpoint: _427_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _427_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
4	0.04	0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.10	0.00	0.34	^ clknet_0_clk (net)
				0.59	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	0.59	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
2	0.01	0.09	0.00	0.59	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
				1.26	^ _427_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.00	0.14	0.00		net17 (net)
				1.26	^ _291_/A1 (sky130_fd_sc_hd__mux2_1)
1	0.00	0.07	0.24	1.50	^ _291_/X (sky130_fd_sc_hd__mux2_1)
					154 (net)
1	0.00	0.07	0.00	1.50	^ hold36/A (sky130_fd_sc_hd__dlygate4sd3_1)
				2.50	^ hold36/X (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00	0.10	1.00		net61 (net)
				2.50	^ _292_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.08	0.16	2.65	^ _292_/X (sky130_fd_sc_hd__clkbuf_1)
					067 (net)
1	0.00	0.08	0.00	2.65	^ _427_/D (sky130_fd_sc_hd__dfrtp_1)
				2.65	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.09	0.09	^ clk (in)
					clk (net)
4	0.04	0.12	0.00	0.09	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.38	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.10	0.00	0.38	^ clknet_0_clk (net)
				0.65	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.65	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.09	0.00	0.65	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
				0.25	clock uncertainty
			-0.06	0.84	clock reconvergence pessimism
				-0.07	0.76
				0.76	data required time

				0.76	data required time
				-2.65	data arrival time

				1.89	slack (MET)

Startpoint: _425_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: done (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)

		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.08	0.24	0.58	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.09	0.00	0.58	^ _425_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.09	0.63	1.21	^ _425_/Q (sky130_fd_sc_hd_dfrtp_1)
1	0.00				net14 (net)
		0.09	0.00	1.21	^ output14/A (sky130_fd_sc_hd_clkbuf_4)
		0.18	0.33	1.53	^ output14/X (sky130_fd_sc_hd_clkbuf_4)
1	0.04				done (net)
		0.18	0.00	1.53	^ done (out)
				1.53	data arrival time
		0.00	0.00		clock clk (rise edge)
		0.00	0.00		clock network delay (propagated)
		0.25	0.25		clock uncertainty
		0.00	0.25		clock reconvergence pessimism
		-2.00	-1.75		output external delay
			-1.75		data required time

				-1.75	data required time
				-1.53	data arrival time

				3.28	slack (MET)

Startpoint: _426_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[0] (output port clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.25	0.59	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.09	0.00	0.59	^ _426_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.12	0.66	1.25	^ _426_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net16 (net)
		0.12	0.00	1.25	^ output16/A (sky130_fd_sc_hd_clkbuf_4)
		0.18	0.34	1.58	^ output16/X (sky130_fd_sc_hd_clkbuf_4)
1	0.03				rx_data[0] (net)
		0.18	0.00	1.59	^ rx_data[0] (out)
				1.59	data arrival time
		0.00	0.00		clock clk (rise edge)
		0.00	0.00		clock network delay (propagated)
		0.25	0.25		clock uncertainty
		0.00	0.25		clock reconvergence pessimism
		-2.00	-1.75		output external delay
			-1.75		data required time

				-1.75	data required time
				-1.59	data arrival time

				3.34	slack (MET)

Startpoint: _432_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[6] (output port clocked by clk)

Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
4	0.04	0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	0.59	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
2	0.01	0.10	0.00	0.60	^ _432_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.13	0.66	1.26	^ _432_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.03				net22 (net)
		0.13	0.00	1.26	^ output22/A (sky130_fd_sc_hd__clkbuf_4)
		0.18	0.34	1.60	^ output22/X (sky130_fd_sc_hd__clkbuf_4)
					rx_data[6] (net)
		0.18	0.00	1.60	^ rx_data[6] (out)
				1.60	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-1.60	data arrival time

				3.35	slack (MET)

Startpoint: _433_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[7] (output port clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
4	0.04	0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	0.59	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
2	0.01	0.09	0.00	0.59	^ _433_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.14	0.67	1.25	^ _433_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.03				net23 (net)
		0.14	0.00	1.25	^ output23/A (sky130_fd_sc_hd__clkbuf_4)
		0.18	0.34	1.60	^ output23/X (sky130_fd_sc_hd__clkbuf_4)
					rx_data[7] (net)
		0.18	0.00	1.60	^ rx_data[7] (out)
				1.60	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay

				-1.75	data required time

				-1.75	data required time
				-1.60	data arrival time

				3.35	slack (MET)

Startpoint: _427_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[1] (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.24	0.59	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.09	0.00	0.59	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
2	0.01	0.14	0.67	1.26	^ _427_/Q (sky130_fd_sc_hd__dfrtp_1)
					net17 (net)
		0.14	0.00	1.26	^ output17/A (sky130_fd_sc_hd__clkbuf_4)
		0.18	0.34	1.60	^ output17/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[1] (net)
		0.18	0.00	1.60	^ rx_data[1] (out)
				1.60	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-1.60	data arrival time

				3.35	slack (MET)

Startpoint: _429_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[3] (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.25	0.59	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.59	^ _429_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.14	0.67	1.27	^ _429_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net19 (net)
		0.14	0.00	1.27	^ output19/A (sky130_fd_sc_hd__clkbuf_4)

1	0.03	0.18	0.34	1.61	^ output19/X (sky130_fd_sc_hd__clkbuf_4)
					rx_data[3] (net)
		0.18	0.00	1.61	^ rx_data[3] (out)
				1.61	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

			-1.75	data required time	
			-1.61	data arrival time	

			3.36	slack (MET)	

Startpoint: _431_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[5] (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
					clk (net)
4	0.04	0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	0.59	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.60	^ _431_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.14	0.67	1.27	^ _431_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net21 (net)
		0.14	0.00	1.27	^ output21/A (sky130_fd_sc_hd__clkbuf_4)
1	0.03		0.18	0.34	^ output21/X (sky130_fd_sc_hd__clkbuf_4)
					rx_data[5] (net)
		0.18	0.00	1.61	^ rx_data[5] (out)
				1.61	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-1.61	data arrival time

				3.36	slack (MET)

Startpoint: _436_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: cs (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
					clk (net)

		0.12	0.00	0.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	0.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.10	0.00	0.34	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.25	0.59	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_3_leaf_clk (net)
		0.09	0.00	0.59	^	_436_/CLK (sky130_fd_sc_hd_dfstp_1)
		0.09	0.71	1.30	v	_436_/Q (sky130_fd_sc_hd_dfstp_1)
2	0.01					net13 (net)
		0.09	0.00	1.30	v	output13/A (sky130_fd_sc_hd_clkbuf_4)
		0.14	0.32	1.62	v	output13/X (sky130_fd_sc_hd_clkbuf_4)
1	0.03					cs (net)
		0.14	0.00	1.62	v	cs (out)
				1.62		data arrival time
		0.00	0.00			clock clk (rise edge)
		0.00	0.00			clock network delay (propagated)
		0.25	0.25			clock uncertainty
		0.00	0.25			clock reconvergence pessimism
		-2.00		-1.75		output external delay
				-1.75		data required time

				-1.75		data required time
				-1.62		data arrival time

				3.37		slack (MET)

Startpoint: _428_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[2] (output port clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	0.59	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.10	0.00	0.60	^ _428_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.16	0.69	1.28	^ _428_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net18 (net)
		0.16	0.00	1.28	^ output18/A (sky130_fd_sc_hd_clkbuf_4)
		0.18	0.35	1.64	^ output18/X (sky130_fd_sc_hd_clkbuf_4)
1	0.03				rx_data[2] (net)
		0.18	0.00	1.64	^ rx_data[2] (out)
				1.64	data arrival time
		0.00	0.00		clock clk (rise edge)
		0.00	0.00		clock network delay (propagated)
		0.25	0.25		clock uncertainty
		0.00	0.25		clock reconvergence pessimism
		-2.00		-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-1.64	data arrival time

				3.39	slack (MET)

Startpoint: _434_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: mosi (output port clocked by clk)

Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
4	0.04	0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	0.59	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
2	0.01				clknet_2_1__leaf_clk (net)
		0.09	0.00	0.59	^ _434_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.18	0.70	1.29	^ _434_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.03				net15 (net)
		0.18	0.00	1.29	^ output15/A (sky130_fd_sc_hd__clkbuf_4)
		0.18	0.36	1.66	^ output15/X (sky130_fd_sc_hd__clkbuf_4)
		0.18	0.00	1.66	^ mosi (net)
				1.66	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-1.66	data arrival time

				3.41	slack (MET)

Startpoint: _430_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[4] (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description	

			0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
1	0.02	0.12	0.08	0.08	^ clk (in)	
					clk (net)	
4	0.04	0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
14	0.04				clknet_0_clk (net)	
		0.10	0.00	0.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.10	0.25	0.59	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
2	0.01				clknet_2_0__leaf_clk (net)	
		0.10	0.00	0.60	^ _430_/CLK (sky130_fd_sc_hd__dfrtp_1)	
		0.20	0.72	1.32	^ _430_/Q (sky130_fd_sc_hd__dfrtp_1)	
1	0.03				net20 (net)	
		0.20	0.00	1.32	^ output20/A (sky130_fd_sc_hd__clkbuf_4)	
		0.18	0.37	1.69	^ output20/X (sky130_fd_sc_hd__clkbuf_4)	
					rx_data[4] (net)	
		0.18	0.00	1.69	^ rx_data[4] (out)	
				1.69	data arrival time	

				0.00	clock clk (rise edge)	
				0.00	clock network delay (propagated)	
				0.25	clock uncertainty	
				0.00	clock reconvergence pessimism	
				-2.00	output external delay	
				-1.75	output external delay	

				-1.75	data required time

				-1.75	data required time
				-1.69	data arrival time

				3.44	slack (MET)

Startpoint: _424_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: busy (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.25	0.59	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
		0.09	0.00	0.59	^ _424_/CLK (sky130_fd_sc_hd_dfrtp_2)
4	0.02	0.19	0.77	1.36	^ _424_/Q (sky130_fd_sc_hd_dfrtp_2)
					net12 (net)
		0.19	0.00	1.36	^ output12/A (sky130_fd_sc_hd_buf_2)
1	0.03	0.27	0.38	1.74	^ output12/X (sky130_fd_sc_hd_buf_2)
					busy (net)
		0.27	0.00	1.74	^ busy (out)
				1.74	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-1.74	data arrival time

				3.49	slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: sclk (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.10	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.10	0.00	0.34	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.10	0.25	0.59	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)
		0.10	0.00	0.60	^ _435_/CLK (sky130_fd_sc_hd_dfrtp_2)
4	0.02	0.21	0.79	1.38	^ _435_/Q (sky130_fd_sc_hd_dfrtp_2)
					net24 (net)
		0.21	0.00	1.38	^ output24/A (sky130_fd_sc_hd_buf_2)

1	0.03	0.27	0.39	1.77	^ output24/X (sky130_fd_sc_hd__buf_2)
					sclk (net)
		0.27	0.00	1.77	^ sclk (out)
				1.77	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
		-2.00		-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-1.77	data arrival time

				3.52	slack (MET)

===== Typical Corner =====

Startpoint: _415_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _415_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.06	0.00	0.20	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.14	0.34	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
3	0.01	0.05	0.00	0.34	^ _415_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.09	0.34	0.68	^ _415_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.00	0.09	0.00	0.68	^ clk_count[7] (net)
		0.04	0.13	0.81	^ _332_/S (sky130_fd_sc_hd__mux2_1)
1	0.00	0.04	0.00	0.81	^ _332_/X (sky130_fd_sc_hd__mux2_1)
					185 (net)
1	0.00	0.04	0.00	0.81	^ _333_/A (sky130_fd_sc_hd__clkbuf_1)
		0.04	0.07	0.88	^ _333_/X (sky130_fd_sc_hd__clkbuf_1)
					057 (net)
		0.04	0.00	0.88	^ _415_/D (sky130_fd_sc_hd__dfrtp_1)
				0.88	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.06	0.00	0.22	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.15	0.37	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.05	0.00	0.37	^ _415_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.62	clock uncertainty
		-0.04		0.59	clock reconvergence pessimism
		-0.03		0.55	library hold time
				0.55	data required time

				0.55	data required time
				-0.88	data arrival time

0.32 slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.06	0.15		clknet_0_clk (net)
				0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.02	0.06	0.00	0.20	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
				0.34	^ clkbuf_2_0__leaf_clk (net)
1	0.00	0.06	0.00	0.34	^ _435_/CLK (sky130_fd_sc_hd_dfrtp_2)
				0.77	v _435_/Q (sky130_fd_sc_hd_dfrtp_2)
4	0.02	0.09	0.43		net24 (net)
				0.77	v _235_/A (sky130_fd_sc_hd_inv_2)
2	0.01	0.04	0.00	0.83	^ _235_/Y (sky130_fd_sc_hd_inv_2)
					123 (net)
1	0.00	0.04	0.00	0.83	^ _274_/A1 (sky130_fd_sc_hd_a21oi_1)
				0.88	v _274_/Y (sky130_fd_sc_hd_a21oi_1)
1	0.00	0.04	0.00		_075_ (net)
				0.88	v _435_/D (sky130_fd_sc_hd_dfrtp_2)
				0.88	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.06	0.16		clknet_0_clk (net)
				0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.02	0.06	0.00	0.22	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
				0.38	^ clkbuf_2_0__leaf_clk (net)
1	0.00	0.06	0.00	0.38	^ _435_/CLK (sky130_fd_sc_hd_dfrtp_2)
				0.25	clock uncertainty
			-0.04	0.59	clock reconvergence pessimism
			-0.04	0.56	library hold time
				0.56	data required time

				0.56	data required time
				-0.88	data arrival time

				0.33	slack (MET)

Startpoint: _447_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _429_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)

		0.06	0.00	0.20	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.34	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04					clknet_2_0__leaf_clk (net)
		0.06	0.00	0.34	^	_447_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.10	0.35	0.70	^	_447_/Q (sky130_fd_sc_hd__dftrtp_1)
3	0.01					rx_shift[3] (net)
		0.10	0.00	0.70	^	_287_/A0 (sky130_fd_sc_hd__mux2_1)
		0.04	0.12	0.82	^	_287_/X (sky130_fd_sc_hd__mux2_1)
1	0.00					_152_ (net)
		0.04	0.00	0.82	^	_288_/A (sky130_fd_sc_hd__clkbuf_1)
		0.04	0.07	0.89	^	_288_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00					_069_ (net)
		0.04	0.00	0.89	^	_429_/D (sky130_fd_sc_hd__dftrtp_1)
				0.89		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.08	0.06	0.06	^	clk (in)
						clk (net)
		0.08	0.00	0.06	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.16	0.38	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.06	0.00	0.38	^	_429_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	0.63			clock uncertainty
		-0.04	0.59			clock reconvergence pessimism
		-0.03	0.56			library hold time
			0.56			data required time

			0.56			data required time
			-0.89			data arrival time

			0.33			slack (MET)

Startpoint: _449_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _431_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.14	0.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.06	0.00	0.34	^ _449_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.10	0.35	0.69	^ _449_/Q (sky130_fd_sc_hd__dftrtp_1)
3	0.01				rx_shift[5] (net)
		0.10	0.00	0.69	^ _283_/A0 (sky130_fd_sc_hd__mux2_1)
		0.04	0.13	0.82	^ _283_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_150_ (net)
		0.04	0.00	0.82	^ _284_/A (sky130_fd_sc_hd__clkbuf_1)
		0.04	0.07	0.89	^ _284_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_071_ (net)
		0.04	0.00	0.89	^ _431_/D (sky130_fd_sc_hd__dftrtp_1)
				0.89	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)

1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.38	^ _431_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.63	clock uncertainty
			-0.04	0.59	clock reconvergence pessimism
			-0.03	0.56	library hold time
				0.56	data required time

				0.56	data required time
				-0.89	data arrival time

				0.33	slack (MET)

Startpoint: _428_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _428_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.34	^ _428_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.10	0.35	0.69	^ _428_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net18 (net)
		0.10	0.00	0.69	^ _289_/A1 (sky130_fd_sc_hd_mux2_1)
		0.04	0.13	0.82	^ _289_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_153_ (net)
		0.04	0.00	0.82	^ _290_/A (sky130_fd_sc_hd_clkbuf_1)
		0.04	0.07	0.90	^ _290_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_068_ (net)
		0.04	0.00	0.90	^ _428_/D (sky130_fd_sc_hd_dfrtp_1)
				0.90	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.38	^ _428_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.63	clock uncertainty
			-0.04	0.59	clock reconvergence pessimism
			-0.03	0.56	library hold time
				0.56	data required time

				0.56	data required time
				-0.90	data arrival time

				0.33	slack (MET)

Startpoint: _423_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _423_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03	0.06	0.00	0.20	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.34	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_2_leaf_clk (net)
3	0.01	0.05	0.00	0.34	^ _423_/CLK (sky130_fd_sc_hd_dfrtp_1)
				0.71	v _423_/Q (sky130_fd_sc_hd_dfrtp_1)
					clk_count[15] (net)
1	0.00	0.07	0.00	0.71	v _295_/A (sky130_fd_sc_hd_inv_2)
				0.76	^ _295_/Y (sky130_fd_sc_hd_inv_2)
					156 (net)
1	0.00	0.03	0.00	0.77	^ _303_/A1 (sky130_fd_sc_hd_o31a_1)
				0.89	^ _303_/X (sky130_fd_sc_hd_o31a_1)
					065 (net)
				0.89	^ _423_/D (sky130_fd_sc_hd_dfrtp_1)
				0.89	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03	0.06	0.00	0.22	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.37	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_2_leaf_clk (net)
				0.37	^ _423_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.62	clock uncertainty
			-0.04	0.59	clock reconvergence pessimism
			-0.03	0.55	library hold time
				0.55	data required time

				0.55	data required time
				-0.89	data arrival time

				0.33	slack (MET)

Startpoint: _419_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _419_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
4	0.04	0.06	0.00	0.20	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.34	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)

12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.34	^ _419_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.11	0.36	0.70	^ _419_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[11] (net)
		0.11	0.00	0.70	^ _317_/S (sky130_fd_sc_hd__mux2_1)
		0.04	0.13	0.83	^ _317_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_174_ (net)
		0.04	0.00	0.83	^ _318_/A (sky130_fd_sc_hd__clkbuf_1)
		0.04	0.07	0.90	^ _318_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_061_ (net)
		0.04	0.00	0.90	^ _419_/D (sky130_fd_sc_hd__dfrtp_1)
				0.90	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^ _419_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63	clock uncertainty
		-0.04	0.59		clock reconvergence pessimism
		-0.03	0.56		library hold time
			0.56		data required time

				0.56	data required time
				-0.90	data arrival time

				0.34	slack (MET)

Startpoint: _453_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _453_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.06	0.00	0.34	^ _453_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.11	0.36	0.70	^ _453_/Q (sky130_fd_sc_hd__dfrtp_1)
4	0.01				bit_count[1] (net)
		0.11	0.00	0.70	^ _229_/A0 (sky130_fd_sc_hd__mux2_1)
		0.05	0.13	0.83	^ _229_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_119_ (net)
		0.05	0.00	0.83	^ _230_/A (sky130_fd_sc_hd__clkbuf_1)
		0.04	0.08	0.90	^ _230_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_093_ (net)
		0.04	0.00	0.90	^ _453_/D (sky130_fd_sc_hd__dfrtp_1)
				0.90	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)

4	0.04	0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.00	0.22	^	clknet_0_clk (net)
12	0.04	0.06	0.15	0.37	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.00	0.38	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.00	0.38	^	clknet_2_1__leaf_clk (net)
		0.06	0.00	0.38	^	_453_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.25	0.63			clock uncertainty
		-0.04	0.59			clock reconvergence pessimism
		-0.03	0.56			library hold time
			0.56			data required time

			0.56			data required time
			-0.90			data arrival time

			0.35			slack (MET)

Startpoint: _411_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _411_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.06	0.00	0.20	^ clknet_0_clk (net)
		0.06	0.14	0.34	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.01	0.06	0.00	0.34	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.39	0.74	^ clknet_2_0__leaf_clk (net)
1	0.00	0.06	0.00	0.34	^ _411_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.03	0.05	0.74	v _411_/Q (sky130_fd_sc_hd_dfrtp_1)
1	0.00	0.09	0.00	0.74	v clk_count[3] (net)
		0.03	0.05	0.79	v _343_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.03	0.00	0.79	^ _343_/Y (sky130_fd_sc_hd_inv_2)
		0.05	0.12	0.79	^ _192_ (net)
1	0.00	0.03	0.00	0.79	^ _346_/A1 (sky130_fd_sc_hd_o31a_1)
		0.05	0.12	0.91	^ _346_/X (sky130_fd_sc_hd_o31a_1)
1	0.00	0.05	0.00	0.91	^ _053_ (net)
				0.91	^ _411_/D (sky130_fd_sc_hd_dfrtp_1)
				0.91	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.06	0.00	0.22	^ clknet_0_clk (net)
		0.06	0.16	0.38	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.01	0.06	0.00	0.38	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.39	0.74	^ clknet_2_0__leaf_clk (net)
1	0.00	0.06	0.00	0.38	^ _411_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.25	0.63		clock uncertainty
1	0.00	-0.04	0.59		clock reconvergence pessimism
		-0.03	0.56		library hold time
			0.56		data required time

			0.56		data required time
			-0.91		data arrival time

			0.35		slack (MET)

Startpoint: _450_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _432_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.34	^ _450_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.12	0.37	0.71	^ _450_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				rx_shift[6] (net)
		0.12	0.00	0.71	^ _281_/A0 (sky130_fd_sc_hd_mux2_1)
		0.04	0.13	0.84	^ _281_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_149_ (net)
		0.04	0.00	0.84	^ _282_/A (sky130_fd_sc_hd_clkbuf_1)
		0.04	0.07	0.92	^ _282_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_072_ (net)
		0.04	0.00	0.92	^ _432_/D (sky130_fd_sc_hd_dfrtp_1)
				0.92	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.38	^ _432_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.63	clock uncertainty
			-0.04	0.59	clock reconvergence pessimism
			-0.03	0.56	library hold time
				0.56	data required time

				0.56	data required time
				-0.92	data arrival time

				0.35	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.34	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)

3	0.01	0.12	0.36	0.70	^	_421_/Q (sky130_fd_sc_hd_dfrtp_1)
						clk_count[13] (net)
1	0.00	0.12	0.00	0.70	^	_309_/S (sky130_fd_sc_hd_mux2_1)
		0.04	0.14	0.84	^	_309_/X (sky130_fd_sc_hd_mux2_1)
1	0.00	0.04	0.00	0.84	^	_168_ (net)
		0.04	0.07	0.91	^	_310_/A (sky130_fd_sc_hd_clkbuf_1)
1	0.00	0.04	0.00	0.91	^	_310_/X (sky130_fd_sc_hd_clkbuf_1)
						063 (net)
		0.04	0.00	0.91	^	_421_/D (sky130_fd_sc_hd_dfrtp_1)
				0.91		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.08	0.06	0.06	^	clk (in)
						clk (net)
4	0.04	0.08	0.00	0.06	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.00	0.22	^	clknet_0_clk (net)
		0.06	0.15	0.37	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.37	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_3_leaf_clk (net)
		0.06	0.00	0.38	^	_421_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.63		clock uncertainty
		-0.04	0.59			clock reconvergence pessimism
		-0.03	0.56			library hold time
			0.56			data required time

			0.56			data required time
			-0.91			data arrival time

			0.35			slack (MET)

Startpoint: _430_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _430_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.06	0.00	0.20	^ clknet_0_clk (net)
		0.06	0.14	0.34	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.34	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)
2	0.01	0.06	0.00	0.34	^ _430_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.13	0.37	0.71	^ _430_/Q (sky130_fd_sc_hd_dfrtp_1)
1	0.00				net20 (net)
		0.13	0.00	0.71	^ _285_/A1 (sky130_fd_sc_hd_mux2_1)
1	0.00	0.04	0.14	0.85	^ _285_/X (sky130_fd_sc_hd_mux2_1)
					151 (net)
1	0.00	0.04	0.00	0.85	^ _286_/A (sky130_fd_sc_hd_clkbuf_1)
		0.04	0.07	0.92	^ _286_/X (sky130_fd_sc_hd_clkbuf_1)
					070 (net)
		0.04	0.00	0.92	^ _430_/D (sky130_fd_sc_hd_dfrtp_1)
				0.92	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)

		0.06	0.00	0.22	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.38	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04					clknet_2_0__leaf_clk (net)
		0.06	0.00	0.38	^	_430_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63		clock uncertainty
			-0.04	0.59		clock reconvergence pessimism
			-0.03	0.56		library hold time
				0.56		data required time

				0.56		data required time
				-0.92		data arrival time

				0.36		slack (MET)

Startpoint: _413_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _413_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.14	0.34	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.05	0.00	0.34	^ _413_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.12	0.37	0.70	^ _413_/Q (sky130_fd_sc_hd__dfrtp_1)
4	0.01				clk_count[5] (net)
		0.12	0.00	0.70	^ _339_/S (sky130_fd_sc_hd__mux2_1)
		0.04	0.14	0.84	^ _339_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_190_ (net)
		0.04	0.00	0.84	^ _340_/A (sky130_fd_sc_hd__clkbuf_1)
		0.05	0.08	0.92	^ _340_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_055_ (net)
		0.05	0.00	0.92	^ _413_/D (sky130_fd_sc_hd__dfrtp_1)
				0.92	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.15	0.37	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.05	0.00	0.37	^ _413_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.62	clock uncertainty
			-0.04	0.59	clock reconvergence pessimism
			-0.03	0.55	library hold time
				0.55	data required time

				0.55	data required time
				-0.92	data arrival time

				0.36	slack (MET)

Startpoint: _452_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _452_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
4	0.04				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
5	0.01				clknet_2_1_leaf_clk (net)
		0.06	0.00	0.34	^ _452_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.13	0.37	0.71	^ _452_/Q (sky130_fd_sc_hd_dfrtp_1)
1	0.00				bit_count[0] (net)
		0.13	0.00	0.71	^ _233_/A0 (sky130_fd_sc_hd_mux2_1)
		0.04	0.14	0.85	^ _233_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_122_ (net)
		0.04	0.00	0.85	^ _234_/A (sky130_fd_sc_hd_clkbuf_1)
		0.04	0.07	0.92	^ _234_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_092_ (net)
		0.04	0.00	0.92	^ _452_/D (sky130_fd_sc_hd_dfrtp_1)
				0.92	data arrival time

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
4	0.04				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
		0.06	0.00	0.38	^ _452_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.25	0.63		clock uncertainty
		-0.04	0.59		clock reconvergence pessimism
		-0.03	0.56		library hold time
			0.56		data required time

				0.56	data required time
				-0.92	data arrival time

				0.36	slack (MET)

Startpoint: _434_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _434_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
4	0.04				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
2	0.01				clknet_2_1_leaf_clk (net)
		0.06	0.00	0.34	^ _434_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.11	0.36	0.70	^ _434_/Q (sky130_fd_sc_hd_dfrtp_1)
					net15 (net)

		0.11	0.00	0.70	^	_277_/A1 (sky130_fd_sc_hd_mux2_1)
		0.05	0.14	0.84	^	_277_/X (sky130_fd_sc_hd_mux2_1)
1	0.00					_147_ (net)
		0.05	0.00	0.84	^	_278_/A (sky130_fd_sc_hd_clkbuf_1)
		0.05	0.08	0.92	^	_278_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00					_074_ (net)
		0.05	0.00	0.92	^	_434_/D (sky130_fd_sc_hd_dfrtp_1)
				0.92		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.08	0.06	0.06	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	0.06	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.37	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1_leaf_clk (net)
		0.06	0.00	0.37	^	_434_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.62		clock uncertainty
			-0.04	0.59		clock reconvergence pessimism
			-0.03	0.56		library hold time
				0.56		data required time

				0.56		data required time
				-0.92		data arrival time

				0.37		slack (MET)

Startpoint: _408_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _409_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.06	0.00	0.34	^ _408_/CLK (sky130_fd_sc_hd_dfrtp_4)
		0.11	0.44	0.78	^ _408_/Q (sky130_fd_sc_hd_dfrtp_4)
8	0.03				clk_count[0] (net)
		0.11	0.00	0.78	^ _349_/A1 (sky130_fd_sc_hd_a21oi_1)
		0.03	0.07	0.85	v _349_/Y (sky130_fd_sc_hd_a21oi_1)
1	0.00				_196_ (net)
		0.03	0.00	0.85	v _351_/A (sky130_fd_sc_hd_nor2_1)
		0.07	0.08	0.94	^ _351_/Y (sky130_fd_sc_hd_nor2_1)
1	0.00				_051_ (net)
		0.07	0.00	0.94	^ _409_/D (sky130_fd_sc_hd_dfrtp_4)
				0.94	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.15	0.37	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)

10	0.03				clknet_2_2__leaf_clk (net)
		0.05	0.00	0.37	^ _409_/CLK (sky130_fd_sc_hd__dfrtp_4)
			0.25	0.62	clock uncertainty
			-0.02	0.60	clock reconvergence pessimism
			-0.04	0.56	library hold time
				0.56	data required time

				0.56	data required time
				-0.94	data arrival time

				0.37	slack (MET)

Startpoint: _453_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _454_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04		0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04		0.14	0.34	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.06	0.00	0.34	^ _453_/CLK (sky130_fd_sc_hd__dfrtp_1)
4	0.01		0.36	0.70	^ _453_/Q (sky130_fd_sc_hd__dfrtp_1)
					bit_count[1] (net)
		0.11	0.00	0.70	^ _224_/A (sky130_fd_sc_hd__nand2_1)
2	0.01		0.07	0.77	v _224_/Y (sky130_fd_sc_hd__nand2_1)
					115 (net)
		0.05	0.00	0.77	v _225_/B (sky130_fd_sc_hd__nand2_1)
1	0.00		0.06	0.83	^ _225_/Y (sky130_fd_sc_hd__nand2_1)
					116 (net)
		0.03	0.00	0.83	^ _226_/B2 (sky130_fd_sc_hd__a2bb2o_1)
1	0.00		0.11	0.93	^ _226_/X (sky130_fd_sc_hd__a2bb2o_1)
					094 (net)
		0.04	0.00	0.93	^ _454_/D (sky130_fd_sc_hd__dfrtp_1)
				0.93	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04		0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04		0.15	0.37	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.06	0.00	0.37	^ _454_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.62	clock uncertainty
			-0.04	0.59	clock reconvergence pessimism
			-0.03	0.56	library hold time
				0.56	data required time

				0.56	data required time
				-0.93	data arrival time

				0.38	slack (MET)

Startpoint: _440_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _441_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
2	0.00	0.06	0.00	0.34	^ _440_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.06	0.32	0.66	^ _440_/Q (sky130_fd_sc_hd__dftrtp_1)
1	0.00				tx_shift[3] (net)
		0.06	0.00	0.66	^ _254_/A1 (sky130_fd_sc_hd__mux2_1)
1	0.00	0.04	0.12	0.78	^ _254_/X (sky130_fd_sc_hd__mux2_1)
					132 (net)
1	0.00	0.04	0.00	0.78	^ _255_/A1 (sky130_fd_sc_hd__mux2_1)
		0.04	0.11	0.89	^ _255_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_133_ (net)
		0.04	0.00	0.89	^ _256_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.04	0.07	0.96	^ _256_/X (sky130_fd_sc_hd__clkbuf_1)
					081 (net)
		0.04	0.00	0.96	^ _441_/D (sky130_fd_sc_hd__dftrtp_1)
				0.96	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.06	0.00	0.38	^ _441_/CLK (sky130_fd_sc_hd__dftrtp_1)
				0.25	clock uncertainty
			-0.02	0.60	clock reconvergence pessimism
			-0.03	0.57	library hold time
				0.57	data required time

				0.57	data required time
				-0.96	data arrival time

				0.39	slack (MET)

Startpoint: _422_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _422_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.14	0.34	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)

10	0.03	0.05	0.00	0.34	^	_422_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.10	0.35	0.69	^	_422_/Q (sky130_fd_sc_hd_dfrtp_1)
4	0.01	0.10	0.00	0.69	^	clk_count[14] (net)
		0.06	0.09	0.77	v	_301_/A1 (sky130_fd_sc_hd_a21oi_1)
2	0.01					_162_ (net)
		0.06	0.00	0.77	v	_305_/A2 (sky130_fd_sc_hd_o21a_1)
1	0.00	0.03	0.16	0.93	v	_305_/X (sky130_fd_sc_hd_o21a_1)
						064 (net)
		0.03	0.00	0.93	v	_422_/D (sky130_fd_sc_hd_dfrtp_1)
				0.93		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.08	0.06	0.06	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	0.06	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.15	0.37	^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03					clknet_2_2_leaf_clk (net)
		0.05	0.00	0.37	^	_422_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.62		clock uncertainty
		-0.04	0.59			clock reconvergence pessimism
		-0.04	0.55			library hold time
			0.55			data required time

			0.55			data required time
			-0.93			data arrival time

			0.39			slack (MET)

Startpoint: _437_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _438_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.06	0.00	0.34	^ _437_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.06	0.32	0.66	^ _437_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.00				tx_shift[0] (net)
		0.06	0.00	0.66	^ _263_/A1 (sky130_fd_sc_hd_mux2_1)
		0.04	0.11	0.77	^ _263_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_138_ (net)
		0.04	0.00	0.77	^ _264_/A1 (sky130_fd_sc_hd_mux2_1)
		0.04	0.11	0.88	^ _264_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_139_ (net)
		0.04	0.00	0.88	^ _265_/A (sky130_fd_sc_hd_clkbuf_1)
		0.04	0.07	0.96	^ _265_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_078_ (net)
		0.04	0.00	0.96	^ _438_/D (sky130_fd_sc_hd_dfrtp_1)
				0.96	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency

		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.06	0.00	0.38	^ _438_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.63	clock uncertainty
		-0.04	0.59		clock reconvergence pessimism
		-0.03	0.56		library hold time
			0.56		data required time

				0.56	data required time
				-0.96	data arrival time

				0.40	slack (MET)

Startpoint: _442_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _443_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.06	0.00	0.34	^ _442_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.06	0.32	0.66	^ _442_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				tx_shift[5] (net)
		0.06	0.00	0.66	^ _248_/A1 (sky130_fd_sc_hd_mux2_1)
		0.04	0.12	0.77	^ _248_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_128_ (net)
		0.04	0.00	0.77	^ _249_/A1 (sky130_fd_sc_hd_mux2_1)
		0.04	0.11	0.88	^ _249_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_129_ (net)
		0.04	0.00	0.88	^ _250_/A (sky130_fd_sc_hd_clkbuf_1)
		0.05	0.08	0.96	^ _250_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_083_ (net)
		0.05	0.00	0.96	^ _443_/D (sky130_fd_sc_hd_dfrtp_1)
				0.96	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.06	0.00	0.38	^ _443_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.63	clock uncertainty
		-0.04	0.59		clock reconvergence pessimism
		-0.03	0.56		library hold time
			0.56		data required time

				0.56	data required time

-0.96 data arrival time

0.40 slack (MET)

Startpoint: _438_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _439_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
			0.06	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.00	0.20	^ clknet_0_clk (net)
			0.06	0.34	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
					^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
2	0.01	0.06	0.00	0.34	^ _438_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.07	0.66	^ _438_/Q (sky130_fd_sc_hd_dfrtp_1)
					tx_shift[1] (net)
			0.07	0.66	^ _260_/A1 (sky130_fd_sc_hd_mux2_1)
1	0.00		0.12	0.78	^ _260_/X (sky130_fd_sc_hd_mux2_1)
					136 (net)
			0.04	0.78	^ _261_/A1 (sky130_fd_sc_hd_mux2_1)
			0.04	0.89	^ _261_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_137_ (net)
			0.04	0.89	^ _262_/A (sky130_fd_sc_hd_clkbuf_1)
			0.04	0.96	^ _262_/X (sky130_fd_sc_hd_clkbuf_1)
					079 (net)
1	0.00		0.04	0.96	^ _439_/D (sky130_fd_sc_hd_dfrtp_1)
				0.96	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
			0.06	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.00	0.22	^ clknet_0_clk (net)
			0.06	0.37	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
					^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
			0.06	0.38	^ _439_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.63	clock uncertainty
			-0.04	0.59	clock reconvergence pessimism
			-0.03	0.56	library hold time
				0.56	data required time
				0.56	data required time
				-0.96	data arrival time
				0.40	slack (MET)

Startpoint: _410_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _410_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency

		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.34	^ _410_/CLK (sky130_fd_sc_hd_dfrtp_2)
		0.11	0.39	0.73	^ _410_/Q (sky130_fd_sc_hd_dfrtp_2)
6	0.02				clk_count[2] (net)
		0.11	0.00	0.73	^ _347_/B1 (sky130_fd_sc_hd_a21o_1)
		0.04	0.09	0.82	^ _347_/X (sky130_fd_sc_hd_a21o_1)
1	0.00				_195_ (net)
		0.04	0.00	0.82	^ _348_/A3 (sky130_fd_sc_hd_a32o_1)
		0.05	0.15	0.97	^ _348_/X (sky130_fd_sc_hd_a32o_1)
1	0.00				_052_ (net)
		0.05	0.00	0.97	^ _410_/D (sky130_fd_sc_hd_dfrtp_2)
				0.97	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.38	^ _410_/CLK (sky130_fd_sc_hd_dfrtp_2)
			0.25	0.63	clock uncertainty
		-0.04	0.59		clock reconvergence pessimism
		-0.03	0.56		library hold time
			0.56		data required time

			0.56		data required time
			-0.97		data arrival time

			0.41		slack (MET)

Startpoint: _439_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _440_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.34	^ _439_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.07	0.33	0.67	^ _439_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				tx_shift[2] (net)
		0.07	0.00	0.67	^ _257_/A1 (sky130_fd_sc_hd_mux2_1)
		0.04	0.12	0.79	^ _257_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_134_ (net)
		0.04	0.00	0.79	^ _258_/A1 (sky130_fd_sc_hd_mux2_1)
		0.04	0.11	0.90	^ _258_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_135_ (net)
		0.04	0.00	0.90	^ _259_/A (sky130_fd_sc_hd_clkbuf_1)

1	0.00	0.04	0.08	0.97	^	_259_/X (sky130_fd_sc_hd__clkbuf_1)
						080 (net)
		0.04	0.00	0.97	^	_440_/D (sky130_fd_sc_hd__dfrtp_1)
				0.97		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.08	0.06	0.06	^	clk (in)
						clk (net)
		0.08	0.00	0.06	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.15	0.37	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^	_440_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63		clock uncertainty
		-0.04		0.59		clock reconvergence pessimism
		-0.03		0.56		library hold time
				0.56		data required time

				0.56		data required time
				-0.97		data arrival time

				0.41		slack (MET)

Startpoint: _441_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _442_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	0.34	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.06	0.00	0.34	^ _441_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.08	0.33	0.67	^ _441_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				tx_shift[4] (net)
		0.08	0.00	0.67	^ _251_/A1 (sky130_fd_sc_hd__mux2_1)
		0.04	0.12	0.79	^ _251_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_130_ (net)
		0.04	0.00	0.79	^ _252_/A1 (sky130_fd_sc_hd__mux2_1)
		0.04	0.11	0.90	^ _252_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_131_ (net)
		0.04	0.00	0.90	^ _253_/A (sky130_fd_sc_hd__clkbuf_1)
		0.04	0.07	0.97	^ _253_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_082_ (net)
		0.04	0.00	0.97	^ _442_/D (sky130_fd_sc_hd__dfrtp_1)
				0.97	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.15	0.37	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)

0.06	0.00	0.38	^	_442_/CLK (sky130_fd_sc_hd__dftrtp_1)
	0.25	0.63		clock uncertainty
	-0.04	0.59		clock reconvergence pessimism
	-0.03	0.56		library hold time
		0.56		data required time

		0.56		data required time
		-0.97		data arrival time

		0.42		slack (MET)

Startpoint: _418_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _418_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	0.34	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.06	0.00	0.34	^ _418_/CLK (sky130_fd_sc_hd__dftrtp_1)
4	0.01	0.12	0.36	0.70	^ _418_/Q (sky130_fd_sc_hd__dftrtp_1)
					clk_count[10] (net)
		0.12	0.00	0.70	^ _319_/B1 (sky130_fd_sc_hd__a21o_1)
1	0.00	0.04	0.09	0.80	^ _319_/X (sky130_fd_sc_hd__a21o_1)
					175 (net)
		0.04	0.00	0.80	^ _320_/B (sky130_fd_sc_hd__and2_1)
1	0.00	0.05	0.11	0.90	^ _320_/X (sky130_fd_sc_hd__and2_1)
					176 (net)
		0.05	0.00	0.90	^ _321_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.04	0.07	0.98	^ _321_/X (sky130_fd_sc_hd__clkbuf_1)
					060 (net)
		0.04	0.00	0.98	^ _418_/D (sky130_fd_sc_hd__dftrtp_1)
				0.98	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.15	0.37	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^ _418_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.63	clock uncertainty
		-0.04	0.59		clock reconvergence pessimism
		-0.03	0.56		library hold time
			0.56		data required time

				0.56	data required time
				-0.98	data arrival time

				0.42	slack (MET)

Startpoint: _408_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _408_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk

Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description	

1	0.02	0.08	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
			0.05	0.05	^ clk (in)	
					clk (net)	
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
			0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
			0.06	0.00	0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.00	0.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
						clknet_2_0__leaf_clk (net)
			0.06	0.00	0.34	^ _408_/CLK (sky130_fd_sc_hd__dfrtp_4)
			0.11	0.44	0.78	^ _408_/Q (sky130_fd_sc_hd__dfrtp_4)
8	0.03	0.11	0.00	0.78	^ clk_count[0] (net)	
			0.04	0.14	0.92	^ _352_/S (sky130_fd_sc_hd__mux2_1)
						^ _352_/X (sky130_fd_sc_hd__mux2_1)
						198 (net)
1	0.00	0.04	0.00	0.92	^ _353_/A (sky130_fd_sc_hd__clkbuf_1)	
			0.04	0.07	0.99	^ _353_/X (sky130_fd_sc_hd__clkbuf_1)
						050 (net)
			0.04	0.00	0.99	^ _408_/D (sky130_fd_sc_hd__dfrtp_4)
			0.99	data arrival time		

1	0.02	0.08	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
			0.06	0.06	0.06	^ clk (in)
						clk (net)
4	0.04	0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
			0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
			0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.00	0.38	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
						clknet_2_0__leaf_clk (net)
			0.06	0.00	0.38	^ _408_/CLK (sky130_fd_sc_hd__dfrtp_4)
			0.25	0.63		clock uncertainty
			-0.04	0.59	clock reconvergence pessimism	
			-0.03	0.56	library hold time	
				0.56	data required time	

				0.56	data required time	
				-0.99	data arrival time	

				0.43	slack (MET)	

Startpoint: _414_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _414_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

1	0.02	0.08	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
			0.05	0.05	^ clk (in)
					clk (net)
			0.08	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.06	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
			0.06	0.20	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.05	0.34	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2_leaf_clk (net)
10	0.03	0.05	0.34	^ _414_/CLK (sky130_fd_sc_hd__dfrtp_1)	
		0.09	0.73	v _414_/Q (sky130_fd_sc_hd__dfrtp_1)	
6	0.01			clk_count[6] (net)	

		0.09	0.00	0.73	v	_334_/A_N (sky130_fd_sc_hd_and3b_1)
		0.05	0.21	0.94	^	_334_/X (sky130_fd_sc_hd_and3b_1)
1	0.00					_186_ (net)
		0.05	0.00	0.94	^	_335_/B1 (sky130_fd_sc_hd_a21o_1)
		0.03	0.07	1.01	^	_335_/X (sky130_fd_sc_hd_a21o_1)
1	0.00					_056_ (net)
		0.03	0.00	1.01	^	_414_/D (sky130_fd_sc_hd_dfrtp_1)
				1.01		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.08	0.06	0.06	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	0.06	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.15	0.37	^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03					clknet_2_2_leaf_clk (net)
		0.05	0.00	0.37	^	_414_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.62		clock uncertainty
			-0.04	0.59		clock reconvergence pessimism
			-0.03	0.56		library hold time
				0.56		data required time

				0.56		data required time
				-1.01		data arrival time

				0.46		slack (MET)

Startpoint: _420_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _420_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.06	0.00	0.34	^ _420_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.09	0.39	0.73	v _420_/Q (sky130_fd_sc_hd_dfrtp_1)
6	0.01				clk_count[12] (net)
		0.09	0.00	0.73	v _311_/A_N (sky130_fd_sc_hd_and3b_1)
		0.05	0.21	0.94	^ _311_/X (sky130_fd_sc_hd_and3b_1)
1	0.00				_169_ (net)
		0.05	0.00	0.94	^ _312_/B1 (sky130_fd_sc_hd_a21o_1)
		0.03	0.07	1.02	^ _312_/X (sky130_fd_sc_hd_a21o_1)
1	0.00				_062_ (net)
		0.03	0.00	1.02	^ _420_/D (sky130_fd_sc_hd_dfrtp_1)
				1.02	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)

12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^ _420_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63	clock uncertainty
			-0.04	0.59	clock reconvergence pessimism
			-0.03	0.56	library hold time
				0.56	data required time

				0.56	data required time
				-1.02	data arrival time

				0.46	slack (MET)

Startpoint: _455_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _424_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	0.34	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.06	0.00	0.34	^ _455_/CLK (sky130_fd_sc_hd__dfrtp_1)
2	0.01	0.06	0.32	0.66	^ _455_/Q (sky130_fd_sc_hd__dfrtp_1)
					bit_count[3] (net)
		0.06	0.00	0.66	^ _216_/A (sky130_fd_sc_hd__nor2_1)
2	0.01	0.03	0.05	0.71	v _216_/Y (sky130_fd_sc_hd__nor2_1)
					108 (net)
		0.03	0.00	0.71	v _217_/D (sky130_fd_sc_hd__nand4_1)
3	0.01	0.11	0.11	0.83	^ _217_/Y (sky130_fd_sc_hd__nand4_1)
					109 (net)
		0.11	0.00	0.83	^ _270_/B (sky130_fd_sc_hd__and2_1)
1	0.00	0.05	0.13	0.95	^ _270_/X (sky130_fd_sc_hd__and2_1)
					143 (net)
		0.05	0.00	0.95	^ _271_/A (sky130_fd_sc_hd__clkbuf_1)
2	0.01	0.07	0.10	1.05	^ _271_/X (sky130_fd_sc_hd__clkbuf_1)
					000 (net)
		0.07	0.00	1.05	^ _424_/D (sky130_fd_sc_hd__dfrtp_2)
				1.05	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.15	0.37	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^ _424_/CLK (sky130_fd_sc_hd__dfrtp_2)
			0.25	0.63	clock uncertainty
			-0.02	0.60	clock reconvergence pessimism
			-0.04	0.57	library hold time
				0.57	data required time

				0.57	data required time
				-1.05	data arrival time

				0.48	slack (MET)

Startpoint: _412_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _412_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.06	0.15		clknet_0_clk (net)
				0.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.14	0.34	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
5	0.01	0.05	0.00	0.34	^ _412_/CLK (sky130_fd_sc_hd__dftrtp_1)
				0.72	v _412_/Q (sky130_fd_sc_hd__dftrtp_1)
3	0.01	0.08	0.39		clk_count[4] (net)
				0.72	v _336_/A (sky130_fd_sc_hd__nand2_1)
		0.09	0.10	0.83	^ _336_/Y (sky130_fd_sc_hd__nand2_1)
					187 (net)
2	0.01	0.09	0.00	0.83	^ _338_/A2 (sky130_fd_sc_hd__a21o_1)
				0.96	^ _338_/X (sky130_fd_sc_hd__a21o_1)
		0.06	0.13		_189_ (net)
				0.96	^ _342_/A2 (sky130_fd_sc_hd__a21o_1)
1	0.00	0.06	0.00	0.96	^ _342_/X (sky130_fd_sc_hd__a21o_1)
				1.05	^ _054_ (net)
		0.03	0.00	1.05	^ _412_/D (sky130_fd_sc_hd__dftrtp_1)
				1.05	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.06	0.16		clknet_0_clk (net)
				0.22	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.15	0.37	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.05	0.00	0.37	^ _412_/CLK (sky130_fd_sc_hd__dftrtp_1)
				0.25	clock uncertainty
			-0.04	0.59	clock reconvergence pessimism
				-0.03	0.56
				0.56	data required time

				0.56	data required time
				-1.05	data arrival time

				0.50	slack (MET)

Startpoint: _454_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _455_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)

4	0.04	0.06	0.00	0.20	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.34	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.00	0.34	^	clknet_2_1__leaf_clk (net)
		0.05	0.35	0.69	v	_454_/CLK (sky130_fd_sc_hd_dfrtp_1)
2	0.00	0.05	0.00	0.69	v	_454_/Q (sky130_fd_sc_hd_dfrtp_1)
		0.07	0.07	0.76	^	bit_count[2] (net)
				0.76	v	_215_/A (sky130_fd_sc_hd_nand3_1)
2	0.00	0.07	0.07	0.76	^	_215_/Y (sky130_fd_sc_hd_nand3_1)
						107 (net)
		0.07	0.00	0.76	^	_219_/C (sky130_fd_sc_hd_and4_1)
		0.07	0.19	0.95	^	_219_/X (sky130_fd_sc_hd_and4_1)
2	0.01					_111_ (net)
		0.07	0.00	0.95	^	_220_/A2 (sky130_fd_sc_hd_o21a_1)
		0.04	0.10	1.06	^	_220_/X (sky130_fd_sc_hd_o21a_1)
1	0.00					_095_ (net)
		0.04	0.00	1.06	^	_455_/D (sky130_fd_sc_hd_dfrtp_1)
				1.06		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.08	0.06	0.06	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	0.06	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.37	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.06	0.00	0.37	^	_455_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.62		clock uncertainty
		-0.04	0.59			clock reconvergence pessimism
		-0.03	0.56			library hold time
			0.56			data required time

			0.56			data required time
			-1.06			data arrival time

			0.50			slack (MET)

Startpoint: _416_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _416_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
			0.08	0.05	0.05 ^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.14	0.34	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.05	0.00	0.34	^ _416_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.09	0.40	0.73	v _416_/Q (sky130_fd_sc_hd_dfrtp_1)
5	0.02				clk_count[8] (net)
		0.09	0.00	0.73	v _322_/A (sky130_fd_sc_hd_nand3_1)
		0.09	0.11	0.84	^ _322_/Y (sky130_fd_sc_hd_nand3_1)
3	0.01				_177_ (net)
		0.09	0.00	0.84	^ _324_/A2 (sky130_fd_sc_hd_a21o_1)
		0.06	0.13	0.97	^ _324_/X (sky130_fd_sc_hd_a21o_1)
2	0.01				_179_ (net)
		0.06	0.00	0.97	^ _327_/A2 (sky130_fd_sc_hd_a21o_1)
		0.03	0.10	1.07	^ _327_/X (sky130_fd_sc_hd_a21o_1)

1	0.00	0.03	0.00	1.07	^	_058_ (net)
				1.07		_416_/D (sky130_fd_sc_hd__dfrtp_1)
						data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.08	0.06	0.06	^	clk (in)
						clk (net)
		0.08	0.00	0.06	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.15	0.37	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03					clknet_2_2__leaf_clk (net)
		0.05	0.00	0.37	^	_416_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.62		clock uncertainty
		-0.04	0.59			clock reconvergence pessimism
		-0.03	0.56			library hold time
			0.56			data required time

				0.56		data required time
				-1.07		data arrival time

				0.51		slack (MET)

Startpoint: _417_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _417_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.14	0.34	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.05	0.00	0.34	^ _417_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.13	0.37	0.71	^ _417_/Q (sky130_fd_sc_hd__dfrtp_1)
5	0.01				clk_count[9] (net)
		0.13	0.00	0.71	^ _323_/A (sky130_fd_sc_hd__or2_1)
		0.03	0.11	0.81	^ _323_/X (sky130_fd_sc_hd__or2_1)
1	0.00				_178_ (net)
		0.03	0.00	0.81	^ _325_/A2_N (sky130_fd_sc_hd__a2bb2o_1)
		0.05	0.25	1.06	v _325_/X (sky130_fd_sc_hd__a2bb2o_1)
1	0.00				_059_ (net)
		0.05	0.00	1.06	v _417_/D (sky130_fd_sc_hd__dfrtp_1)
				1.06	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.15	0.37	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.05	0.00	0.37	^ _417_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.62	clock uncertainty
		-0.04	0.59		clock reconvergence pessimism
		-0.04	0.54		library hold time

	0.54	data required time

	0.54	data required time
	-1.06	data arrival time

	0.52	slack (MET)

Startpoint: _455_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _425_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.14	0.34	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.06	0.00	0.34	^ _455_/CLK (sky130_fd_sc_hd_dfrtp_1)
2	0.01	0.06	0.32	0.66	^ _455_/Q (sky130_fd_sc_hd_dfrtp_1)
					bit_count[3] (net)
		0.06	0.00	0.66	^ _216_/A (sky130_fd_sc_hd_nor2_1)
2	0.01	0.03	0.05	0.71	v _216_/Y (sky130_fd_sc_hd_nor2_1)
					108 (net)
		0.03	0.00	0.71	v _217_/D (sky130_fd_sc_hd_nand4_1)
3	0.01	0.11	0.11	0.83	^ _217_/Y (sky130_fd_sc_hd_nand4_1)
					109 (net)
		0.11	0.00	0.83	^ _218_/A (sky130_fd_sc_hd_buf_4)
		0.18	0.22	1.05	^ _218_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_110_ (net)
		0.18	0.00	1.05	^ _354_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	1.09	v _354_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_001_ (net)
		0.03	0.00	1.09	v _425_/D (sky130_fd_sc_hd_dfrtp_1)
				1.09	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.15	0.37	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.05	0.00	0.37	^ _425_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.62	clock uncertainty
			-0.02	0.60	clock reconvergence pessimism
			-0.04	0.56	library hold time
				0.56	data required time

				0.56	data required time
				-1.09	data arrival time

				0.52	slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _444_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
4	0.04				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.02				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.34	^ _435_/CLK (sky130_fd_sc_hd__dftrtp_2)
		0.13	0.40	0.74	^ _435_/Q (sky130_fd_sc_hd__dftrtp_2)
2	0.01				net24 (net)
		0.13	0.00	0.74	^ _235_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	0.79	v _235_/Y (sky130_fd_sc_hd__inv_2)
2	0.01				_123_ (net)
		0.03	0.00	0.79	v _236_/A (sky130_fd_sc_hd__nand2_1)
		0.08	0.08	0.87	^ _236_/Y (sky130_fd_sc_hd__nand2_1)
8	0.03				_124_ (net)
		0.08	0.00	0.87	^ _239_/B (sky130_fd_sc_hd__nor2_2)
		0.08	0.09	0.96	v _239_/Y (sky130_fd_sc_hd__nor2_2)
1	0.00				_127_ (net)
		0.08	0.00	0.96	v _247_/B1 (sky130_fd_sc_hd__a22o_1)
		0.04	0.17	1.13	v _247_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_084_ (net)
		0.04	0.00	1.13	v _444_/D (sky130_fd_sc_hd__dftrtp_1)
				1.13	data arrival time

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
4	0.04				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
1	0.00				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^ _444_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.63	clock uncertainty
1	0.00		-0.02	0.61	clock reconvergence pessimism
			-0.04	0.57	library hold time
				0.57	data required time

				0.57	data required time
				-1.13	data arrival time

				0.56	slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _445_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05 ^	clk (in)
4	0.04				clk (net)
		0.08	0.00	0.05 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.20 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.06	0.00	0.20 ^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)

14	0.04	0.06	0.14	0.34	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.00	0.34	^	clknet_2_0__leaf_clk (net)
4	0.02	0.13	0.40	0.74	^	_435_/CLK (sky130_fd_sc_hd__dfrtp_2)
				0.74	^	_435_/Q (sky130_fd_sc_hd__dfrtp_2)
2	0.01	0.13	0.00	0.74	^	net24 (net)
		0.03	0.04	0.79	v	_235_/A (sky130_fd_sc_hd__inv_2)
2	0.01					_235_/Y (sky130_fd_sc_hd__inv_2)
		0.03	0.00			_123_ (net)
2	0.01	0.08	0.08	0.79	v	_236_/A (sky130_fd_sc_hd__nand2_1)
		0.08	0.08	0.87	^	_236_/Y (sky130_fd_sc_hd__nand2_1)
8	0.03					_124_ (net)
		0.08	0.00	0.87	^	_239_/B (sky130_fd_sc_hd__nor2_2)
1	0.00	0.08	0.09	0.96	v	_239_/Y (sky130_fd_sc_hd__nor2_2)
		0.04	0.18	0.96	v	_127_ (net)
1	0.00	0.08	0.00	0.96	v	_246_/B1 (sky130_fd_sc_hd__a22o_1)
		0.04	0.00	1.14	v	_246_/X (sky130_fd_sc_hd__a22o_1)
						085 (net)
				1.14	v	_445_/D (sky130_fd_sc_hd__dfrtp_1)
				1.14		data arrival time

			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.08	0.06	0.06	^	clk (in)
						clk (net)
4	0.04	0.08	0.00	0.06	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.37	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_1__leaf_clk (net)
		0.06	0.00	0.38	^	_445_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63		clock uncertainty
		-0.02	0.60			clock reconvergence pessimism
		-0.04	0.56			library hold time
			0.56			data required time

			0.56			data required time
			-1.14			data arrival time

			0.57			slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _446_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
4	0.04	0.08	0.05	0.05	^ clk (in)
		0.08	0.00	0.05	^ clk (net)
14	0.04	0.06	0.15	0.20	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.00	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.02	0.13	0.00	0.74	^ _435_/CLK (sky130_fd_sc_hd__dfrtp_2)
		0.13	0.04	0.79	v _235_/Y (sky130_fd_sc_hd__inv_2)
2	0.01	0.03	0.00	0.79	v _235_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.00	0.79	v _236_/A (sky130_fd_sc_hd__nand2_1)
2	0.01	0.08	0.08	0.87	^ _236_/Y (sky130_fd_sc_hd__nand2_1)
		0.08	0.00	0.87	^ _239_/B (sky130_fd_sc_hd__nor2_2)

8	0.03	0.08	0.09	0.96	v	_239_/Y (sky130_fd_sc_hd__nor2_2)
		0.08	0.00	0.96	v	_127_ (net)
1	0.00	0.04	0.18	0.96	v	_245_/B1 (sky130_fd_sc_hd__a22o_1)
		0.04	0.00	1.14	v	_245_/X (sky130_fd_sc_hd__a22o_1)
		0.04	0.00	0.06		_086_ (net)
				1.14	v	_446_/D (sky130_fd_sc_hd__dftrtp_1)
				1.14		data arrival time
				0.00		clock clk (rise edge)
				0.00		clock source latency
1	0.02	0.08	0.06	0.06	^	clk (in)
						clk (net)
4	0.04	0.08	0.00	0.06	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.00	0.22	^	clknet_0_clk (net)
		0.06	0.15	0.37	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.37	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_1__leaf_clk (net)
		0.06	0.00	0.38	^	_446_/CLK (sky130_fd_sc_hd__dftrtp_1)
				0.25		clock uncertainty
				-0.02		clock reconvergence pessimism
				-0.04		library hold time
				0.56		data required time
				0.56		data required time
				-1.14		data arrival time
				0.58		slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _448_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.00	0.20	^ clknet_0_clk (net)
		0.06	0.14	0.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
4	0.02	0.06	0.00	0.34	^ _435_/CLK (sky130_fd_sc_hd__dftrtp_2)
		0.13	0.40	0.74	^ _435_/Q (sky130_fd_sc_hd__dftrtp_2)
2	0.01	0.13	0.00	0.74	^ net24 (net)
		0.03	0.04	0.79	^ _235_/A (sky130_fd_sc_hd__inv_2)
2	0.01	0.03	0.00	0.79	v _235_/Y (sky130_fd_sc_hd__inv_2)
		0.08	0.08	0.87	^ _123_ (net)
8	0.03	0.03	0.00	0.79	v _236_/A (sky130_fd_sc_hd__nand2_1)
		0.08	0.08	0.87	^ _236_/Y (sky130_fd_sc_hd__nand2_1)
1	0.00	0.08	0.00	0.87	^ _124_ (net)
		0.08	0.09	0.96	v _239_/B (sky130_fd_sc_hd__nor2_2)
				0.96	v _239_/Y (sky130_fd_sc_hd__nor2_2)
					127 (net)
				0.96	v _243_/B1 (sky130_fd_sc_hd__a22o_1)
				1.13	v _243_/X (sky130_fd_sc_hd__a22o_1)
				0.08	
				1.13	v _088_ (net)
				1.13	v _448_/D (sky130_fd_sc_hd__dftrtp_1)
				1.13	data arrival time
				0.00	clock clk (rise edge)
				0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)

		0.08	0.00	0.06	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.38	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04					clknet_2_0__leaf_clk (net)
		0.06	0.00	0.38	^	_448_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.63		clock uncertainty
		-0.04	0.59			clock reconvergence pessimism
		-0.04	0.55			library hold time
			0.55			data required time

				0.55		data required time
				-1.13		data arrival time

				0.58		slack (MET)

Startpoint: _455_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _436_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.06	0.00	0.34	^ _455_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.06	0.32	0.66	^ _455_/Q (sky130_fd_sc_hd__dftrtp_1)
2	0.01				bit_count[3] (net)
		0.06	0.00	0.66	^ _216_/A (sky130_fd_sc_hd__nor2_1)
		0.03	0.05	0.71	v _216_/Y (sky130_fd_sc_hd__nor2_1)
2	0.01				_108_ (net)
		0.03	0.00	0.71	v _217_/D (sky130_fd_sc_hd__nand4_1)
		0.11	0.11	0.83	^ _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.11	0.00	0.83	^ _270_/B (sky130_fd_sc_hd__and2_1)
		0.05	0.13	0.95	^ _270_/X (sky130_fd_sc_hd__and2_1)
1	0.00				_143_ (net)
		0.05	0.00	0.95	^ _271_/A (sky130_fd_sc_hd__clkbuf_1)
		0.07	0.10	1.05	^ _271_/X (sky130_fd_sc_hd__clkbuf_1)
2	0.01				_000_ (net)
		0.07	0.00	1.05	^ _272_/B1_N (sky130_fd_sc_hd__a21bo_1)
		0.03	0.19	1.24	v _272_/X (sky130_fd_sc_hd__a21bo_1)
1	0.00				_076_ (net)
		0.03	0.00	1.24	v _436_/D (sky130_fd_sc_hd__dfstp_1)
				1.24	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^ _436_/CLK (sky130_fd_sc_hd__dfstp_1)
			0.25	0.63	clock uncertainty
		-0.02	0.61		clock reconvergence pessimism

-0.01	0.60	library hold time
	0.60	data required time

	0.60	data required time
	-1.24	data arrival time

	0.64	slack (MET)

Startpoint: _455_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _433_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.14	0.34	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
		0.06	0.00	0.34	^ _455_/CLK (sky130_fd_sc_hd_dfrtp_1)
2	0.01	0.06	0.32	0.66	^ _455_/Q (sky130_fd_sc_hd_dfrtp_1)
					bit_count[3] (net)
		0.06	0.00	0.66	^ _216_/A (sky130_fd_sc_hd_nor2_1)
2	0.01	0.03	0.05	0.71	v _216_/Y (sky130_fd_sc_hd_nor2_1)
					108 (net)
		0.03	0.00	0.71	v _217_/D (sky130_fd_sc_hd_nand4_1)
3	0.01	0.11	0.11	0.83	^ _217_/Y (sky130_fd_sc_hd_nand4_1)
					109 (net)
		0.11	0.00	0.83	^ _218_/A (sky130_fd_sc_hd_buf_4)
10	0.06	0.18	0.22	1.05	^ _218_/X (sky130_fd_sc_hd_buf_4)
					110 (net)
		0.18	0.00	1.05	^ _279_/S (sky130_fd_sc_hd_mux2_1)
1	0.00	0.04	0.15	1.20	^ _279_/X (sky130_fd_sc_hd_mux2_1)
					148 (net)
		0.04	0.00	1.20	^ _280_/A (sky130_fd_sc_hd_clkbuf_1)
1	0.00	0.04	0.07	1.27	^ _280_/X (sky130_fd_sc_hd_clkbuf_1)
					073 (net)
		0.04	0.00	1.27	^ _433_/D (sky130_fd_sc_hd_dfrtp_1)
				1.27	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.15	0.37	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
		0.06	0.00	0.38	^ _433_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.63	clock uncertainty
		-0.04		0.59	clock reconvergence pessimism
		-0.03		0.56	library hold time
				0.56	data required time

				0.56	data required time
				-1.27	data arrival time

				0.72	slack (MET)

Startpoint: _447_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _447_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.06	0.15		clknet_0_clk (net)
				0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)
3	0.01	0.06	0.00	0.34	^ _447_/CLK (sky130_fd_sc_hd_dfrtp_1)
				0.70	^ _447_/Q (sky130_fd_sc_hd_dfrtp_1)
1	0.00	0.10	0.35		rx_shift[3] (net)
				0.70	^ _244_/A1 (sky130_fd_sc_hd_a22o_1)
1	0.00	0.04	0.13	0.82	^ _244_/X (sky130_fd_sc_hd_a22o_1)
					087 (net)
1	0.00	0.04	0.00	0.82	^ hold3/A (sky130_fd_sc_hd_dlygate4sd3_1)
				1.33	^ hold3/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00	0.05	0.50		net28 (net)
				1.33	^ _447_/D (sky130_fd_sc_hd_dfrtp_1)
				1.33	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.06	0.16		clknet_0_clk (net)
				0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.06	0.00	0.38	^ _447_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	0.63		clock uncertainty
				0.59	clock reconvergence pessimism
		-0.04	0.56		library hold time
				0.56	data required time

				0.56	data required time
				-1.33	data arrival time

				0.77	slack (MET)

Startpoint: _449_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _449_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.06	0.15		clknet_0_clk (net)
				0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)

		0.06	0.00	0.34	^	_449_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.10	0.35	0.69	^	_449_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01					rx_shift[5] (net)
		0.10	0.00	0.69	^	_242_/A1 (sky130_fd_sc_hd_a22o_1)
		0.05	0.14	0.83	^	_242_/X (sky130_fd_sc_hd_a22o_1)
1	0.00					_089_ (net)
		0.05	0.00	0.83	^	hold8/A (sky130_fd_sc_hd_dlygate4sd3_1)
		0.05	0.50	1.33	^	hold8/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00					net33 (net)
		0.05	0.00	1.33	^	_449_/D (sky130_fd_sc_hd_dfrtp_1)
				1.33		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.08	0.06	0.06	^	clk (in)
						clk (net)
		0.08	0.00	0.06	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.06	0.16	0.38	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.06	0.00	0.38	^	_449_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.63		clock uncertainty
			-0.04	0.59		clock reconvergence pessimism
			-0.03	0.56		library hold time
				0.56		data required time

				0.56		data required time
				-1.33		data arrival time

				0.77		slack (MET)

Startpoint: _450_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _451_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.06	0.14	0.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.06	0.00	0.34	^ _450_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.12	0.37	0.71	^ _450_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				rx_shift[6] (net)
		0.12	0.00	0.71	^ _240_/B2 (sky130_fd_sc_hd_a22o_1)
		0.04	0.12	0.83	^ _240_/X (sky130_fd_sc_hd_a22o_1)
1	0.00				_091_ (net)
		0.04	0.00	0.83	^ hold5/A (sky130_fd_sc_hd_dlygate4sd3_1)
		0.05	0.50	1.34	^ hold5/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00				net30 (net)
		0.05	0.00	1.34	^ _451_/D (sky130_fd_sc_hd_dfrtp_1)
				1.34	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)

4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.38	^ _451_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.63	clock uncertainty
			-0.04	0.59	clock reconvergence pessimism
			-0.03	0.56	library hold time
				0.56	data required time

				0.56	data required time
				-1.34	data arrival time

				0.78	slack (MET)

Startpoint: _437_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _437_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.34	^ _437_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.06	0.32	0.66	^ _437_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.00				tx_shift[0] (net)
		0.06	0.00	0.66	^ hold21/A (sky130_fd_sc_hd_dlygate4sd3_1)
		0.06	0.51	1.17	^ hold21/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00				net46 (net)
		0.06	0.00	1.17	^ _267_/A0 (sky130_fd_sc_hd_mux2_1)
		0.04	0.11	1.28	^ _267_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_141_ (net)
		0.04	0.00	1.28	^ _268_/A (sky130_fd_sc_hd_clkbuf_1)
		0.04	0.07	1.36	^ _268_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_077_ (net)
		0.04	0.00	1.36	^ _437_/D (sky130_fd_sc_hd_dfrtp_1)
				1.36	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^ _437_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.63	clock uncertainty
			-0.04	0.59	clock reconvergence pessimism
			-0.03	0.56	library hold time
				0.56	data required time

				0.56	data required time
				-1.36	data arrival time

				0.80	slack (MET)

Startpoint: _450_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _450_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.06	0.15		clknet_0_clk (net)
				0.20	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)
		0.06	0.00	0.34	^ _450_/CLK (sky130_fd_sc_hd_dfrtp_1)
				0.71	^ _450_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01	0.12	0.37		rx_shift[6] (net)
				0.71	^ _241_/A1 (sky130_fd_sc_hd_a22o_1)
1	0.00	0.05	0.14	0.85	^ _241_/X (sky130_fd_sc_hd_a22o_1)
					090 (net)
		0.05	0.00	0.85	^ hold10/A (sky130_fd_sc_hd_dlygate4sd3_1)
				1.36	^ hold10/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00	0.06	0.51		net35 (net)
				1.36	^ _450_/D (sky130_fd_sc_hd_dfrtp_1)
		0.06	0.00	1.36	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.06	0.16		clknet_0_clk (net)
				0.22	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)
		0.06	0.00	0.38	^ _450_/CLK (sky130_fd_sc_hd_dfrtp_1)
				0.25	clock uncertainty
			-0.04	0.59	clock reconvergence pessimism
			-0.03	0.56	library hold time
				0.56	data required time

				0.56	data required time
				-1.36	data arrival time

				0.81	slack (MET)

Startpoint: _444_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _426_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15		clknet_0_clk (net)
				0.20	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)

12	0.04	0.06	0.00	0.34	^	clknet_2_3__leaf_clk (net)
		0.09	0.34	0.68	^	_444_/CLK (sky130_fd_sc_hd__dfrtp_1)
2	0.01				^	_444_/Q (sky130_fd_sc_hd__dfrtp_1)
		0.09	0.00	0.68	^	rx_shift[0] (net)
		0.04	0.12	0.80	^	_293_/A0 (sky130_fd_sc_hd__mux2_1)
1	0.00				^	_293_/X (sky130_fd_sc_hd__mux2_1)
					^	_155_ (net)
		0.04	0.00	0.80	^	hold34/A (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00	0.06	0.51	1.31	^	hold34/X (sky130_fd_sc_hd__dlygate4sd3_1)
					^	net59 (net)
		0.06	0.00	1.31	^	_294_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.04	0.08	1.39	^	_294_/X (sky130_fd_sc_hd__clkbuf_1)
					^	_066_ (net)
		0.04	0.00	1.39	^	_426_/D (sky130_fd_sc_hd__dfrtp_1)
				1.39		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.08	0.06	0.06	^	clk (in)
					^	clk (net)
		0.08	0.00	0.06	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					^	clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.15	0.37	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					^	clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^	_426_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63		clock uncertainty
		-0.04	0.59			clock reconvergence pessimism
		-0.03	0.56			library hold time
			0.56			data required time

				0.56		data required time
				-1.39		data arrival time

				0.83		slack (MET)

Startpoint: _427_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _427_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					^ clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					^ clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	0.34	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					^ clknet_2_1__leaf_clk (net)
		0.06	0.00	0.34	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
2	0.01	0.09	0.34	0.68	^ _427_/Q (sky130_fd_sc_hd__dfrtp_1)
					^ net17 (net)
		0.09	0.00	0.68	^ _291_/A1 (sky130_fd_sc_hd__mux2_1)
1	0.00	0.04	0.12	0.80	^ _291_/X (sky130_fd_sc_hd__mux2_1)
					^ _154_ (net)
		0.04	0.00	0.80	^ hold36/A (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00	0.06	0.51	1.31	^ hold36/X (sky130_fd_sc_hd__dlygate4sd3_1)
					^ net61 (net)
		0.06	0.00	1.31	^ _292_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.05	0.08	1.40	^ _292_/X (sky130_fd_sc_hd__clkbuf_1)
					^ _067_ (net)
		0.05	0.00	1.40	^ _427_/D (sky130_fd_sc_hd__dfrtp_1)
				1.40	data arrival time

		0.00	0.00	clock clk (rise edge)
		0.00	0.00	clock source latency
	0.08	0.06	0.06	^ clk (in)
1	0.02			clk (net)
	0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04			clknet_0_clk (net)
	0.06	0.00	0.22	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
	0.06	0.15	0.37	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04			clknet_2_1__leaf_clk (net)
	0.06	0.00	0.38	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.25	0.63	clock uncertainty
		-0.04	0.59	clock reconvergence pessimism
		-0.03	0.56	library hold time
			0.56	data required time

			0.56	data required time
			-1.40	data arrival time

			0.84	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _448_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.28	v _400_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.33	^ _400_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_042_ (net)
		0.03	0.00	2.33	^ _448_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.33	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.38	^ _448_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.33	data arrival time

				1.38	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _449_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
				2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
				2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
				2.28	v _401_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.03	0.06	2.34	^ _401_/Y (sky130_fd_sc_hd__inv_2)
					043 (net)
				2.34	^ _449_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.34	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
				0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
				0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.16	0.38	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
				0.38	^ _449_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.34	data arrival time

				1.38	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _451_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
				2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
				2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
				2.28	v _403_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.04	0.06	2.34	^ _403_/Y (sky130_fd_sc_hd__inv_2)
					045 (net)
				2.34	^ _451_/RESET_B (sky130_fd_sc_hd__dftrtp_1)

				2.34	data arrival time	
				0.00	0.00	clock clk (rise edge)
				0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^	clk (in)
						clk (net)
4	0.04	0.08	0.00	0.06	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.16			clknet_0_clk (net)
				0.22	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.38	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
				0.38	^	_451_/CLK (sky130_fd_sc_hd__dftrtp_1)
				0.25	0.63	clock uncertainty
				0.00	0.63	clock reconvergence pessimism
				0.32	0.95	library removal time
				0.95	data required time	

				0.95	data required time	
				-2.34	data arrival time	

				1.38	slack (MET)	

Startpoint: rst (input port clocked by clk)

Endpoint: _453_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description	

1	0.00	0.01	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			2.00	2.00	v input external delay	
			0.00	2.00	v rst (in)	
					rst (net)	
			0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
						net2 (net)
			0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05			_199_ (net)		
		0.08	0.00	2.28	v _405_/A (sky130_fd_sc_hd__inv_2)	
1	0.00	0.03	0.05	2.33	^ _405_/Y (sky130_fd_sc_hd__inv_2)	
					047 (net)	
		0.03	0.00	2.33	^ _453_/RESET_B (sky130_fd_sc_hd__dftrtp_1)	
				2.33	data arrival time	

1	0.02	0.08	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
4	0.04		0.06	0.06	^ clk (in)	
					clk (net)	
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
12	0.04				clknet_0_clk (net)	
		0.06	0.00	0.22	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.06	0.15	0.37	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					clknet_2_1__leaf_clk (net)	
		0.06	0.00	0.38	^ _453_/CLK (sky130_fd_sc_hd__dftrtp_1)	
			0.25	0.63	clock uncertainty	
			0.00	0.63	clock reconvergence pessimism	
			0.32	0.95	library removal time	
				0.95	data required time	

				0.95	data required time	
				-2.33	data arrival time	

				1.39	slack (MET)	

Startpoint: rst (input port clocked by clk)
 Endpoint: _450_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
			0.01	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.05	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
			0.08	2.28	v _402_/A (sky130_fd_sc_hd__inv_2)
1	0.01	0.04	0.06	2.34	^ _402_/Y (sky130_fd_sc_hd__inv_2)
					044 (net)
			0.04	2.34	^ _450_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.34	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
			0.08	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
			0.06	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.16	0.38	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
			0.06	0.38	^ _450_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.34	data arrival time

				1.39	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _452_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
			0.01	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.05	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
			0.08	2.28	v _404_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.03	0.05	2.33	^ _404_/Y (sky130_fd_sc_hd__inv_2)
					046 (net)

		0.03	0.00	2.33	^	_452_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.33		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.08	0.06	0.06	^	clk (in)
						clk (net)
		0.08	0.00	0.06	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.15	0.37	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_1_leaf_clk (net)
		0.06	0.00	0.38	^	_452_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.63		clock uncertainty
			0.00	0.63		clock reconvergence pessimism
			0.32	0.95		library removal time
				0.95		data required time

				0.95		data required time
				-2.33		data arrival time

				1.39		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _455_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd_buf_4)
10	0.05	0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd_buf_4)
					199 (net)
		0.08	0.00	2.28	v _407_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.03	0.05	2.33	^ _407_/Y (sky130_fd_sc_hd_inv_2)
					049 (net)
		0.03	0.00	2.33	^ _455_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.33	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.15	0.37	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
		0.06	0.00	0.37	^ _455_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.62	clock uncertainty
			0.00	0.62	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.33	data arrival time

				1.39	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _454_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.01	0.00	2.00 v	rst (in)
					rst (net)
			0.01	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.05	0.05	0.00	2.10 v	_355_/A (sky130_fd_sc_hd__buf_4)
			0.08	2.28 v	_355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
1	0.00	0.08	0.00	2.28 v	_406_/A (sky130_fd_sc_hd__inv_2)
			0.03	2.33 ^	_406_/Y (sky130_fd_sc_hd__inv_2)
					048 (net)
		0.03	0.00	2.33 ^	_454_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.33	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06 ^	clk (in)
					clk (net)
4	0.04	0.08	0.00	0.06 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.06	0.22 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
12	0.04	0.06	0.00	0.22 ^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.06	0.37 ^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
			0.06	0.37 ^	_454_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.62	clock uncertainty
			0.00	0.62	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.33	data arrival time

				1.39	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _447_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.01	0.00	2.00 v	rst (in)
					rst (net)
			0.01	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.06	0.05	0.00	2.10 v	_389_/A (sky130_fd_sc_hd__buf_4)
			0.08	2.28 v	_389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
		0.08	0.00	2.28 v	_399_/A (sky130_fd_sc_hd__inv_2)
			0.04	2.34 ^	_399_/Y (sky130_fd_sc_hd__inv_2)

1	0.00	0.04	0.00	2.34	^	_041_ (net)
				2.34	^	_447_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
						data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.08	0.06	0.06	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	0.06	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.38	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04					clknet_2_0__leaf_clk (net)
		0.06	0.00	0.38	^	_447_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63		clock uncertainty
			0.00	0.63		clock reconvergence pessimism
			0.32	0.95		library removal time
				0.95		data required time

				0.95		data required time
				-2.34		data arrival time

				1.39		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _446_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _389_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.19	2.28	v _389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
		0.08	0.00	2.28	v _398_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.34	^ _398_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_040_ (net)
		0.03	0.00	2.34	^ _446_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.34	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.06	0.00	0.38	^ _446_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.34	data arrival time

1.39 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _439_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.01	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
			0.00	2.00 v	rst (in)
					rst (net)
			0.01	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
			0.05	2.10 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.05	2.10 v	_389_/A (sky130_fd_sc_hd__buf_4)
			0.08	2.28 v	_389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
			0.08	2.29 v	_391_/A (sky130_fd_sc_hd__inv_2)
1	0.00		0.03	2.34 ^	_391_/Y (sky130_fd_sc_hd__inv_2)
					033 (net)
			0.03	2.34 ^	_439_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.34	data arrival time

1	0.02			0.00	clock clk (rise edge)
				0.00	clock source latency
		0.08	0.06	0.06 ^	clk (in)
					clk (net)
4	0.04		0.08	0.06 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.06	0.22 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
			0.06	0.22 ^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04		0.06	0.37 ^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38 ^	_439_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.95	0.95	library removal time
			0.32	0.95	data required time

				0.95	data required time
				-2.34	data arrival time

				1.39	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _438_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.01	0.00	2.00 v	rst (in)
					rst (net)
			0.01	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.05	2.10 v	_389_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.08	0.19	2.28 v	_389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
			0.08	2.29 v	_390_/A (sky130_fd_sc_hd__inv_2)

1	0.00	0.03	0.06	2.34	^	_390_/Y (sky130_fd_sc_hd__inv_2)
						032 (net)
		0.03	0.00	2.34	^	_438_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.34		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.08	0.06	0.06	^	clk (in)
						clk (net)
		0.08	0.00	0.06	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.15	0.37	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^	_438_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.63		clock uncertainty
			0.00	0.63		clock reconvergence pessimism
			0.32	0.95		library removal time
				0.95		data required time

				0.95		data required time
				-2.34		data arrival time

				1.39		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _445_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.10	v _389_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.08	0.19	2.28	v _389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
		0.08	0.00	2.28	v _397_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.03	0.06	2.34	^ _397_/Y (sky130_fd_sc_hd__inv_2)
					039 (net)
		0.03	0.00	2.34	^ _445_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.34	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.15	0.37	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.06	0.00	0.38	^ _445_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.34	data arrival time

1.39 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _444_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.01	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.10 v	_389_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.19	2.28 v	_389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
		0.08	0.00	2.29 v	_396_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.34 ^	_396_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_038_ (net)
		0.03	0.00	2.34 ^	_444_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.34	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06 ^	clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22 ^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.37 ^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38 ^	_444_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.34	data arrival time

				1.39	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _442_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.01	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10 v	input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10 v	_389_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.19	2.28 v	_389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)

		0.08	0.00	2.29	v _394_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.05	2.34	^ _394_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_036_ (net)
		0.03	0.00	2.34	^ _442_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.34	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.15	0.37	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.06	0.00	0.38	^ _442_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.34	data arrival time

				1.39	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _440_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.10	v _389_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.08	0.19	2.28	v _389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
		0.08	0.00	2.29	v _392_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.34	^ _392_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_034_ (net)
		0.03	0.00	2.34	^ _440_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.34	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.15	0.37	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^ _440_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time

-2.34 data arrival time

1.39 slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _441_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description	
1	0.00	0.01	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			2.00	2.00 v	input external delay	
			0.00	2.00 v	rst (in)	
					rst (net)	
			0.01	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
			0.05	0.09	2.10 v	input2/X (sky130_fd_sc_hd__buf_1)
						net2 (net)
			0.05	0.00	2.10 v	_389_/A (sky130_fd_sc_hd__buf_4)
			0.08	0.19	2.28 v	_389_/X (sky130_fd_sc_hd__buf_4)
10	0.06	0.08			_203_ (net)	
			0.08	0.00	2.29 v	_393_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.03	0.06	2.34 ^	_393_/Y (sky130_fd_sc_hd__inv_2)	
						035 (net)
		0.03	0.00	2.34 ^	_441_/RESET_B (sky130_fd_sc_hd__dfrtp_1)	
					2.34	data arrival time
		0.08	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
1	0.02	0.08	0.06	0.06 ^	clk (in)	
						clk (net)
		0.08	0.00	0.06 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
			0.06	0.16	0.22 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06			clknet_0_clk (net)	
			0.06	0.00	0.22 ^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.37 ^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
						clknet_2_1_leaf_clk (net)
12	0.04	0.06	0.00	0.38 ^	_441_/CLK (sky130_fd_sc_hd__dfrtp_1)	
			0.25	0.63		clock uncertainty
			0.00	0.63	clock reconvergence pessimism	
			0.32	0.95		library removal time
				0.95	data required time	
				0.95	data required time	
				-2.34	data arrival time	
				1.40	slack (MET)	

Startpoint: rst (input port clocked by clk)

Endpoint: _443_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
1	0.00	0.01	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
			0.00	2.00 v	rst (in)
	3	0.01			rst (net)
			0.01	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
			0.05	2.10 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.05	2.10 v	_389_/A (sky130_fd_sc_hd__buf_4)
			0.08	2.28 v	_389_/X (sky130_fd_sc_hd__buf_4)

10	0.06					_203_ (net)
		0.08	0.00	2.29	v	_395_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.34	^	_395_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_037_ (net)
		0.03	0.00	2.34	^	_443_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.34		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.08	0.06	0.06	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	0.06	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.37	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.06	0.00	0.38	^	_443_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63		clock uncertainty
			0.00	0.63		clock reconvergence pessimism
			0.32	0.95		library removal time
				0.95		data required time

				0.95		data required time
				-2.34		data arrival time

				1.40		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _435_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.09	0.19	2.29	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.09	0.00	2.29	v _386_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.06	2.35	^ _386_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_029_ (net)
		0.04	0.00	2.35	^ _435_/RESET_B (sky130_fd_sc_hd__dfrtp_2)
				2.35	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.38	^ _435_/CLK (sky130_fd_sc_hd__dfrtp_2)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

0.95 data required time
-2.35 data arrival time

1.40 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _428_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description		

1	0.00	0.01	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
		0.01	2.00	2.00 v	input external delay		
			0.00	2.00 v	rst (in)		
		0.01	0.00	2.00 v	rst (net)		
			0.05	0.09	2.10 v	input2/A (sky130_fd_sc_hd__buf_1)	
		3	0.01	0.05	0.00	2.10 v	input2/X (sky130_fd_sc_hd__buf_1)
				0.09	0.19	2.29 v	net2 (net)
		10	0.07	0.05	0.00	2.10 v	_378_/A (sky130_fd_sc_hd__buf_4)
				0.09	0.19	2.29 v	_378_/X (sky130_fd_sc_hd__buf_4)
1	0.00	0.09	0.00	2.29 v	_202_ (net)		
			0.04	0.06	2.35 v	_379_/A (sky130_fd_sc_hd__inv_2)	
		0.04	0.06	2.35 ^	_379_/Y (sky130_fd_sc_hd__inv_2)		
			0.04	0.00	2.35 ^	_022_ (net)	
		0.04	0.00	2.35 ^	_428_/RESET_B (sky130_fd_sc_hd__dftrtp_1)		
					2.35	data arrival time	
		1	0.02	0.08	0.00	0.00	clock clk (rise edge)
					0.00	0.00	clock source latency
				0.08	0.06	0.06 ^	clk (in)
					0.08	0.00	0.06 ^
4	0.04			0.06	0.16	0.22 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.06	0.16	0.22 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04			0.06	0.00	0.22 ^	clknet_0_clk (net)
				0.06	0.16	0.38 ^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04			0.06	0.00	0.38 ^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					0.00	0.38 ^	clknet_2_0__leaf_clk (net)
		0.06	0.00	0.38 ^	_428_/CLK (sky130_fd_sc_hd__dftrtp_1)		
			0.25	0.63	clock uncertainty		
			0.00	0.63	clock reconvergence pessimism		
			0.32	0.95	library removal time		
				0.95	data required time		

				0.95	data required time		
				-2.35	data arrival time		

				1.40	slack (MET)		

Startpoint: rst (input port clocked by clk)
Endpoint: _432_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.01	0.00	2.00 v	rst (in)
		0.01	0.00	2.00 v	rst (net)
				2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10 v	input2/X (sky130_fd_sc_hd__buf_1)
		0.05	0.00	2.10 v	net2 (net)
				2.10 v	_378_/A (sky130_fd_sc_hd__buf_4)

10	0.07	0.09	0.19	2.29	v	_378_/X (sky130_fd_sc_hd_buf_4)
						202 (net)
1	0.00	0.09	0.00	2.29	v	_383_/A (sky130_fd_sc_hd_inv_2)
		0.04	0.06	2.35	^	_383_/Y (sky130_fd_sc_hd_inv_2)
						026 (net)
		0.04	0.00	2.35	^	_432_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.35		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.08	0.06	0.06	^	clk (in)
						clk (net)
		0.08	0.00	0.06	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.06	0.16	0.38	^	clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_0_leaf_clk (net)
		0.06	0.00	0.38	^	_432_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.63		clock uncertainty
			0.00	0.63		clock reconvergence pessimism
			0.32	0.95		library removal time
				0.95		data required time

				0.95		data required time
				-2.35		data arrival time

				1.40		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _430_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
		0.05	0.00	2.10	v _378_/A (sky130_fd_sc_hd_buf_4)
10	0.07	0.09	0.19	2.29	v _378_/X (sky130_fd_sc_hd_buf_4)
					202 (net)
		0.09	0.00	2.29	v _381_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.04	0.06	2.35	^ _381_/Y (sky130_fd_sc_hd_inv_2)
					024 (net)
		0.04	0.00	2.35	^ _430_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.35	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.06	0.16	0.38	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)
		0.06	0.00	0.38	^ _430_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

		0.95	data required time
		-2.35	data arrival time

		1.40	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _431_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.01	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.10 v	_378_/A (sky130_fd_sc_hd__buf_4)
		0.09	0.19	2.29 v	_378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.09	0.00	2.29 v	_382_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.06	2.35 ^	_382_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_025_ (net)
		0.04	0.00	2.35 ^	_431_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.35	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06 ^	clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22 ^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.38 ^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.38 ^	_431_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.35	data arrival time

				1.40	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _429_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.01	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10 v	input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)

		0.05	0.00	2.10	v	_378_/A (sky130_fd_sc_hd__buf_4)
		0.09	0.19	2.29	v	_378_/X (sky130_fd_sc_hd__buf_4)
10	0.07					_202_ (net)
		0.09	0.00	2.29	v	_380_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.06	2.35	^	_380_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_023_ (net)
		0.04	0.00	2.35	^	_429_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.35		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.08	0.06	0.06	^	clk (in)
						clk (net)
		0.08	0.00	0.06	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.16	0.38	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.06	0.00	0.38	^	_429_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63		clock uncertainty
			0.00	0.63		clock reconvergence pessimism
			0.32	0.95		library removal time
				0.95		data required time

				0.95		data required time
				-2.35		data arrival time

				1.40		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _437_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.10	v _378_/A (sky130_fd_sc_hd__buf_4)
10	0.07	0.09	0.19	2.29	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
		0.09	0.00	2.29	v _388_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.06	2.35	^ _388_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_031_ (net)
		0.04	0.00	2.35	^ _437_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.35	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.15	0.37	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^ _437_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time

	0.95	data required time

	0.95	data required time
	-2.35	data arrival time

	1.40	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _434_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd_buf_1)
10	0.07				net2 (net)
		0.05	0.00	2.10	v _378_/A (sky130_fd_sc_hd_buf_4)
1	0.00	0.09	0.19	2.29	v _378_/X (sky130_fd_sc_hd_buf_4)
					202 (net)
1	0.00	0.09	0.00	2.29	v _385_/A (sky130_fd_sc_hd_inv_2)
		0.04	0.06	2.35	^ _385_/Y (sky130_fd_sc_hd_inv_2)
1	0.00	0.04	0.00		_028_ (net)
				2.35	^ _434_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.35	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.15	0.37	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
		0.06	0.00	0.37	^ _434_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.62	clock uncertainty
			0.00	0.62	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.35	data arrival time

				1.41	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _433_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
1	0.00	0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd_buf_1)

3	0.01				net2 (net)
		0.05	0.00	2.10	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.09	0.19	2.29	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.09	0.00	2.29	v _384_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.06	2.35	^ _384_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_027_ (net)
		0.04	0.00	2.35	^ _433_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.35	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.06	0.00	0.38	^ _433_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.35	data arrival time

				1.41	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _436_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.09	0.19	2.29	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.09	0.00	2.29	v _387_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.06	2.35	^ _387_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_030_ (net)
		0.04	0.00	2.35	^ _436_/SET_B (sky130_fd_sc_hd__dfstp_1)
				2.35	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^ _436_/CLK (sky130_fd_sc_hd__dfstp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism

0.16	0.79	library removal time
	0.79	data required time

	0.79	data required time
	-2.35	data arrival time

	1.57	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _410_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.01	0.00	2.00 v	rst (in)
					rst (net)
			0.01	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.05	2.10 v	_355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.08	0.18	2.28 v	_355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
			0.08	2.28 v	_356_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.08	0.20	2.48 v	_356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
			0.08	2.48 v	_359_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.03	0.06	2.53 ^	_359_/Y (sky130_fd_sc_hd__inv_2)
					004 (net)
			0.03	2.53 ^	_410_/RESET_B (sky130_fd_sc_hd__dftrtp_2)
				2.53	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06 ^	clk (in)
					clk (net)
			0.08	0.06 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
			0.06	0.22 ^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.16	0.38 ^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
			0.06	0.38 ^	_410_/CLK (sky130_fd_sc_hd__dftrtp_2)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.53	data arrival time

				1.58	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _408_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay

		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.28	v _356_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.20	2.48	v _356_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_200_ (net)
		0.08	0.00	2.48	v _357_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.06	2.53	^ _357_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_002_ (net)
		0.03	0.00	2.53	^ _408_/RESET_B (sky130_fd_sc_hd_dfrtp_4)
				2.53	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.38	^ _408_/CLK (sky130_fd_sc_hd_dfrtp_4)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.53	data arrival time

				1.58	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _411_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.28	v _356_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.20	2.48	v _356_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_200_ (net)
		0.08	0.00	2.48	v _360_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.06	2.53	^ _360_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_005_ (net)
		0.03	0.00	2.53	^ _411_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.53	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)

1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.38	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.38	^ _411_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.53	data arrival time

				1.58	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _424_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.28	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.09	0.19	2.47	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.09	0.00	2.47	v _374_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.53	^ _374_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_018_ (net)
		0.03	0.00	2.53	^ _424_/RESET_B (sky130_fd_sc_hd__dfrtp_2)
				2.53	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^ _424_/CLK (sky130_fd_sc_hd__dfrtp_2)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.53	data arrival time

				1.58	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _420_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
				2.10	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.05	0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
				2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.07	0.08	0.00		_199_ (net)
				2.28	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
10	0.07	0.09	0.19	2.47	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
					201 (net)
1	0.00	0.09	0.00	2.47	v _370_/A (sky130_fd_sc_hd__inv_2)
				2.53	^ _370_/Y (sky130_fd_sc_hd__inv_2)
1	0.00	0.03	0.06		_014_ (net)
				2.53	^ _420_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
			0.03	2.53	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.15		clknet_0_clk (net)
				0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.00	0.37	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
			0.06	0.38	^ _420_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.53	data arrival time

				1.58	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _421_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
				2.10	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.05	0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
				2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05	0.08	0.18		_199_ (net)
				2.28	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
			0.09	2.47	v _367_/X (sky130_fd_sc_hd__clkbuf_8)

10	0.07				_201_ (net)
		0.09	0.00	2.48	v _371_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.53	^ _371_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_015_ (net)
		0.03	0.00	2.53	^ _421_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.53	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.53	data arrival time

				1.59	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _426_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.28	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.09	0.19	2.47	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.09	0.00	2.48	v _376_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.53	^ _376_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_020_ (net)
		0.03	0.00	2.53	^ _426_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.53	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.38	^ _426_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism

	0.32	0.95	library removal time
		0.95	data required time

		0.95	data required time
		-2.53	data arrival time

		1.59	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _419_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.01	0.00	2.00 v	rst (in)
					rst (net)
			0.01	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.05	2.10 v	_355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.08	0.18	2.28 v	_355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
			0.08	2.28 v	_367_/A (sky130_fd_sc_hd__clkbuf_8)
10	0.07	0.09	0.19	2.47 v	_367_/X (sky130_fd_sc_hd__clkbuf_8)
					201 (net)
			0.09	2.48 v	_369_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.03	0.06	2.53 ^	_369_/Y (sky130_fd_sc_hd__inv_2)
					013 (net)
			0.03	2.53 ^	_419_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.53	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06 ^	clk (in)
					clk (net)
			0.08	0.06 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
			0.06	0.22 ^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.15	0.37 ^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
			0.06	0.38 ^	_419_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.53	data arrival time

				1.59	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _418_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay

		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.28	v _367_/A (sky130_fd_sc_hd_clkbuf_8)
		0.09	0.19	2.47	v _367_/X (sky130_fd_sc_hd_clkbuf_8)
10	0.07				_201_ (net)
		0.09	0.00	2.48	v _368_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.06	2.53	^ _368_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_012_ (net)
		0.03	0.00	2.53	^ _418_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.53	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.06	0.00	0.38	^ _418_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.53	data arrival time

				1.59	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _427_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.28	v _367_/A (sky130_fd_sc_hd_clkbuf_8)
		0.09	0.19	2.47	v _367_/X (sky130_fd_sc_hd_clkbuf_8)
10	0.07				_201_ (net)
		0.09	0.00	2.47	v _377_/A (sky130_fd_sc_hd_inv_2)
		0.04	0.06	2.53	^ _377_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_021_ (net)
		0.04	0.00	2.53	^ _427_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.53	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)

1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.06	0.00	0.38	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.63	clock uncertainty
			0.00	0.63	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.53	data arrival time

				1.59	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _423_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.28	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.09	0.19	2.47	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.09	0.00	2.47	v _373_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.53	^ _373_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_017_ (net)
		0.03	0.00	2.53	^ _423_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.53	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.15	0.37	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.05	0.00	0.37	^ _423_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.62	clock uncertainty
			0.00	0.62	clock reconvergence pessimism
			0.32	0.94	library removal time
				0.94	data required time

				0.94	data required time
				-2.53	data arrival time

				1.59	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _422_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.05	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.05	0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.08	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.07	0.08	0.00	2.28	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
			0.09	2.47	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
1	0.00	0.09	0.00	2.47	v _372_/A (sky130_fd_sc_hd__inv_2)
			0.03	2.53	^ _372_/Y (sky130_fd_sc_hd__inv_2)
		0.03	0.00	2.53	^ _016_ (net)
					^ _422_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.53	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.06	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.06	0.00	0.22	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.05	0.37	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.00	0.37	^ clknet_2_2__leaf_clk (net)
					^ _422_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.62	clock uncertainty
			0.00	0.62	clock reconvergence pessimism
			0.32	0.94	library removal time
				0.94	data required time

				0.94	data required time
				-2.53	data arrival time

				1.59	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _425_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.05	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.05	0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.08	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05	0.08	0.00	2.28	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
			0.09	2.47	v _367_/X (sky130_fd_sc_hd__clkbuf_8)

10	0.07				_201_ (net)
		0.09	0.00	2.48	v _375_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.53	^ _375_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_019_ (net)
		0.03	0.00	2.53	^ _425_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.53	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.15	0.37	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.05	0.00	0.37	^ _425_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.62	clock uncertainty
			0.00	0.62	clock reconvergence pessimism
			0.32	0.94	library removal time
				0.94	data required time

				0.94	data required time
				-2.53	data arrival time

				1.59	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _409_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.28	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.48	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)
		0.08	0.00	2.48	v _358_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.53	^ _358_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_003_ (net)
		0.03	0.00	2.53	^ _409_/RESET_B (sky130_fd_sc_hd__dfrtp_4)
				2.53	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.15	0.37	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.05	0.00	0.37	^ _409_/CLK (sky130_fd_sc_hd__dfrtp_4)
			0.25	0.62	clock uncertainty
			0.00	0.62	clock reconvergence pessimism

	0.32	0.94	library removal time
		0.94	data required time

		0.94	data required time
		-2.53	data arrival time

		1.59	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _414_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.01	0.00	2.00 v	rst (in)
					rst (net)
			0.01	2.00 v	input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.05	0.09	2.10 v	input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
			0.05	2.10 v	_355_/A (sky130_fd_sc_hd_buf_4)
10	0.05	0.08	0.18	2.28 v	_355_/X (sky130_fd_sc_hd_buf_4)
					199 (net)
			0.08	2.28 v	_356_/A (sky130_fd_sc_hd_buf_4)
10	0.06	0.08	0.20	2.48 v	_356_/X (sky130_fd_sc_hd_buf_4)
					200 (net)
			0.08	2.48 v	_363_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.03	0.06	2.53 ^	_363_/Y (sky130_fd_sc_hd_inv_2)
					008 (net)
			0.03	2.53 ^	_414_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.53	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06 ^	clk (in)
					clk (net)
			0.08	0.06 ^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.16	0.22 ^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
			0.06	0.22 ^	clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
10	0.03	0.05	0.15	0.37 ^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_2_leaf_clk (net)
			0.05	0.37 ^	_414_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.62	clock uncertainty
			0.00	0.62	clock reconvergence pessimism
			0.32	0.94	library removal time
				0.94	data required time

				0.94	data required time
				-2.53	data arrival time

				1.59	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _413_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay

		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.28	v _356_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.20	2.48	v _356_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_200_ (net)
		0.08	0.00	2.48	v _362_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.06	2.53	^ _362_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_007_ (net)
		0.03	0.00	2.53	^ _413_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.53	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.15	0.37	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.05	0.00	0.37	^ _413_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.62	clock uncertainty
			0.00	0.62	clock reconvergence pessimism
			0.32	0.94	library removal time
				0.94	data required time

				0.94	data required time
				-2.53	data arrival time

				1.59	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _412_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.28	v _356_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.20	2.48	v _356_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_200_ (net)
		0.08	0.00	2.48	v _361_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.06	2.53	^ _361_/Y (sky130_fd_sc_hd_inv_2)
					006 (net)
1	0.00				^ _412_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
		0.03	0.00	2.53	data arrival time
				2.53	
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)

1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.15	0.37	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.05	0.00	0.37	^ _412_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.62	clock uncertainty
			0.00	0.62	clock reconvergence pessimism
			0.32	0.94	library removal time
				0.94	data required time

				0.94	data required time
				-2.53	data arrival time

				1.59	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _417_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.28	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.48	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)
		0.08	0.00	2.48	v _366_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.53	^ _366_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_011_ (net)
		0.03	0.00	2.53	^ _417_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.53	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.06	0.06	^ clk (in)
					clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.15	0.37	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.05	0.00	0.37	^ _417_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.62	clock uncertainty
			0.00	0.62	clock reconvergence pessimism
			0.32	0.94	library removal time
				0.94	data required time

				0.94	data required time
				-2.53	data arrival time

				1.59	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _416_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description	

1	0.00	0.01	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			2.00	2.00	v input external delay	
			2.00	2.00	v rst (in)	
					rst (net)	
			0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
						net2 (net)
			0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05			_199_ (net)		
		0.08	0.00	2.28	v _356_/A (sky130_fd_sc_hd__buf_4)	
10	0.06	0.08	0.20	2.48	v _356_/X (sky130_fd_sc_hd__buf_4)	
					200 (net)	
1	0.00	0.08	0.00	2.48	v _365_/A (sky130_fd_sc_hd__inv_2)	
		0.03	0.06	2.53	^ _365_/Y (sky130_fd_sc_hd__inv_2)	
1	0.00				_010_ (net)	
		0.03	0.00	2.53	^ _416_/RESET_B (sky130_fd_sc_hd__dfrtp_1)	
				2.53	data arrival time	

1	0.02	0.08	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
			0.06	0.06	^ clk (in)	
					clk (net)	
			0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
			0.06	0.00	0.22	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.05	0.15	0.37	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
10	0.03	0.05	0.00	0.37	^ _416_/CLK (sky130_fd_sc_hd__dfrtp_1)	
					clock uncertainty	
10	0.03		0.25	0.62	clock reconvergence pessimism	
			0.00	0.62	clock reconvergence pessimism	
10	0.03		0.32	0.94	library removal time	
				0.94	data required time	

				0.94	data required time	
				-2.53	data arrival time	

				1.59	slack (MET)	

Startpoint: rst (input port clocked by clk)
Endpoint: _415_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.05				net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
10	0.05	0.08	0.00	2.28	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.48	v _356_/X (sky130_fd_sc_hd__buf_4)

10	0.06				_200_ (net)
		0.08	0.00	2.48	v _364_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.54	^ _364_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_009_ (net)
		0.03	0.00	2.54	^ _415_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.54	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.06	0.06	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.06	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.15	0.37	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.05	0.00	0.37	^ _415_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.62	clock uncertainty
			0.00	0.62	clock reconvergence pessimism
			0.32	0.94	library removal time
				0.94	data required time

				0.94	data required time
				-2.54	data arrival time

				1.59	slack (MET)

Startpoint: _425_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: done (output port clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.14	0.34	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.05	0.00	0.34	^ _425_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.05	0.31	0.65	^ _425_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.00				net14 (net)
		0.05	0.00	0.65	^ output14/A (sky130_fd_sc_hd__clkbuf_4)
		0.12	0.18	0.83	^ output14/X (sky130_fd_sc_hd__clkbuf_4)
1	0.04				done (net)
		0.12	0.00	0.83	^ done (out)
				0.83	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.83	data arrival time

				2.58	slack (MET)

Startpoint: _426_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: rx_data[0] (output port clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.34	^ _426_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.08	0.33	0.67	^ _426_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net16 (net)
		0.08	0.00	0.67	^ output16/A (sky130_fd_sc_hd__clkbuf_4)
		0.11	0.19	0.86	^ output16/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[0] (net)
		0.11	0.00	0.86	^ rx_data[0] (out)
				0.86	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.86	data arrival time

				2.61	slack (MET)

Startpoint: _432_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[6] (output port clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.34	^ _432_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.08	0.33	0.68	^ _432_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net22 (net)
		0.08	0.00	0.68	^ output22/A (sky130_fd_sc_hd__clkbuf_4)
		0.11	0.19	0.86	^ output22/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[6] (net)
		0.11	0.00	0.86	^ rx_data[6] (out)
				0.86	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism

-2.00	-1.75	output external delay
	-1.75	data required time

	-1.75	data required time
	-0.86	data arrival time

	2.61	slack (MET)

Startpoint: _433_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[7] (output port clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.06	0.00	0.34	^ _433_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.08	0.34	0.68	^ _433_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net23 (net)
		0.08	0.00	0.68	^ output23/A (sky130_fd_sc_hd__clkbuf_4)
		0.11	0.19	0.86	^ output23/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[7] (net)
		0.11	0.00	0.87	^ rx_data[7] (out)
				0.87	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.87	data arrival time

				2.62	slack (MET)

Startpoint: _427_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[1] (output port clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.06	0.00	0.34	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.09	0.34	0.68	^ _427_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net17 (net)

1	0.03	0.09	0.00	0.68	^	output17/A (sky130_fd_sc_hd__clkbuf_4)
		0.11	0.19	0.87	^	output17/X (sky130_fd_sc_hd__clkbuf_4)
						rx_data[1] (net)
		0.11	0.00	0.87	^	rx_data[1] (out)
				0.87		data arrival time
		0.00	0.00			clock clk (rise edge)
		0.00	0.00			clock network delay (propagated)
		0.25	0.25			clock uncertainty
		0.00	0.25			clock reconvergence pessimism
		-2.00	-1.75			output external delay
			-1.75			data required time

		-1.75		data required time		
		-0.87		data arrival time		

		2.62		slack (MET)		

Startpoint: _436_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: cs (output port clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
4	0.04				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
2	0.01				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.34	^ _436_/CLK (sky130_fd_sc_hd__dfstp_1)
		0.05	0.35	0.69	v _436_/Q (sky130_fd_sc_hd__dfstp_1)
1	0.03				net13 (net)
		0.05	0.00	0.69	v output13/A (sky130_fd_sc_hd__clkbuf_4)
		0.08	0.18	0.87	v output13/X (sky130_fd_sc_hd__clkbuf_4)
		0.08	0.00	0.87	v cs (out)
				0.87	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.87	data arrival time

				2.62	slack (MET)

Startpoint: _429_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[3] (output port clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)

1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.34	^ _429_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.09	0.34	0.68	^ _429_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net19 (net)
		0.09	0.00	0.68	^ output19/A (sky130_fd_sc_hd_clkbuf_4)
		0.11	0.19	0.87	^ output19/X (sky130_fd_sc_hd_clkbuf_4)
1	0.03				rx_data[3] (net)
		0.11	0.00	0.87	^ rx_data[3] (out)
				0.87	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.87	data arrival time

				2.62	slack (MET)

Startpoint: _431_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: rx_data[5] (output port clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.34	^ _431_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.08	0.34	0.68	^ _431_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net21 (net)
		0.08	0.00	0.68	^ output21/A (sky130_fd_sc_hd_clkbuf_4)
		0.11	0.19	0.87	^ output21/X (sky130_fd_sc_hd_clkbuf_4)
1	0.03				rx_data[5] (net)
		0.11	0.00	0.87	^ rx_data[5] (out)
				0.87	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.87	data arrival time

				2.62	slack (MET)

Startpoint: _428_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: rx_data[2] (output port clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.34	^ _428_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.10	0.35	0.69	^ _428_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net18 (net)
		0.10	0.00	0.69	^ output18/A (sky130_fd_sc_hd__clkbuf_4)
		0.11	0.19	0.89	^ output18/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[2] (net)
		0.11	0.00	0.89	^ rx_data[2] (out)
				0.89	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.89	data arrival time

				2.64	slack (MET)

Startpoint: _434_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: mosi (output port clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.06	0.00	0.34	^ _434_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.11	0.36	0.70	^ _434_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net15 (net)
		0.11	0.00	0.70	^ output15/A (sky130_fd_sc_hd__clkbuf_4)
		0.11	0.20	0.90	^ output15/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				mosi (net)
		0.11	0.00	0.90	^ mosi (out)
				0.90	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism

-2.00	-1.75	output external delay
	-1.75	data required time

	-1.75	data required time
	-0.90	data arrival time

	2.65	slack (MET)

Startpoint: _430_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[4] (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.34	^ _430_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.13	0.37	0.71	^ _430_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net20 (net)
		0.13	0.00	0.71	^ output20/A (sky130_fd_sc_hd_clkbuf_4)
		0.11	0.20	0.92	^ output20/X (sky130_fd_sc_hd_clkbuf_4)
1	0.03				rx_data[4] (net)
		0.11	0.00	0.92	^ rx_data[4] (out)
				0.92	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.92	data arrival time

				2.67	slack (MET)

Startpoint: _424_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: busy (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.34	^ _424_/CLK (sky130_fd_sc_hd_dfrtp_2)
		0.12	0.39	0.73	^ _424_/Q (sky130_fd_sc_hd_dfrtp_2)
4	0.02				net12 (net)

1	0.03	0.12	0.00	0.73 ^	output12/A (sky130_fd_sc_hd__buf_2)
		0.17	0.21	0.94 ^	output12/X (sky130_fd_sc_hd__buf_2)
					busy (net)
		0.17	0.00	0.94 ^	busy (out)
				0.94	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
		-1.75	data required time		

		-1.75	data required time		
		-0.94	data arrival time		

		2.69	slack (MET)		

Fanout	Cap	Slew	Delay	Time	Description
1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.20	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)
4	0.02	0.06	0.00	0.34	^ _435_/CLK (sky130_fd_sc_hd_dfrtp_2)
		0.09	0.43	0.77	v _435_/Q (sky130_fd_sc_hd_dfrtp_2)
1	0.03				net24 (net)
		0.09	0.00	0.77	v output24/A (sky130_fd_sc_hd_buf_2)
		0.09	0.19	0.96	v output24/X (sky130_fd_sc_hd_buf_2)
					sclk (net)
		0.09	0.00	0.96	v sclk (out)
				0.96	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time
				-1.75	data required time
				-0.96	data arrival time
				2.71	slack (MET)

TT CORNER

rcx_nom_sta.power.rpt

report_power					
Fastest Corner					
Group	Internal Power	Switching Power	Leakage Power	Total Power (Watts)	
Sequential	3.11e-04	8.64e-05	2.29e-07	3.98e-04	37.3%
Combinational	3.82e-04	2.87e-04	3.24e-09	6.69e-04	62.7%
Macro	0.00e+00	0.00e+00	0.00e+00	0.00e+00	0.0%
Pad	0.00e+00	0.00e+00	0.00e+00	0.00e+00	0.0%
Total	6.93e-04	3.73e-04	2.32e-07	1.07e-03	100.0%
	65.0%	35.0%	0.0%		
Slowest Corner					
Group	Internal Power	Switching Power	Leakage Power	Total Power (Watts)	
Sequential	2.09e-04	5.59e-05	9.13e-07	2.66e-04	36.6%
Combinational	2.73e-04	1.87e-04	1.43e-06	4.62e-04	63.4%
Macro	0.00e+00	0.00e+00	0.00e+00	0.00e+00	0.0%
Pad	0.00e+00	0.00e+00	0.00e+00	0.00e+00	0.0%
Total	4.83e-04	2.43e-04	2.34e-06	7.28e-04	100.0%
	66.3%	33.4%	0.3%		
Typical Corner					
Group	Internal Power	Switching Power	Leakage Power	Total Power (Watts)	
Sequential	2.70e-04	7.20e-05	2.29e-07	3.42e-04	37.2%
Combinational	3.37e-04	2.41e-04	1.78e-09	5.78e-04	62.8%
Macro	0.00e+00	0.00e+00	0.00e+00	0.00e+00	0.0%
Pad	0.00e+00	0.00e+00	0.00e+00	0.00e+00	0.0%
Total	6.07e-04	3.13e-04	2.30e-07	9.20e-04	100.0%
	66.0%	34.0%	0.0%		

TT CORNER

rcx_nom_sta.skew.rpt

=====		
report_clock_skew		
=====		
Clock clk		
Latency	CRPR	Skew
408/CLK ^		
0.66		
422/CLK ^		
0.58	-0.04	0.04

TT CORNER

rcx_nom_sta.summary.rpt

```
=====
report_tns
=====
tns 0.00

=====
report_wns
=====
wns 0.00

=====
report_worst_slack -max (Setup)
=====
worst slack 2.87

=====
report_worst_slack -min (Hold)
=====
worst slack 0.12
```

FF CORNER

rcx_min_sta.checks.rpt

report_checks -unconstrained
Fastest Corner

Startpoint: rst (input port clocked by clk)
Endpoint: _409_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
1	0.00	0.00	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
					rst (net)
			0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.04	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.04	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.06	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
10	0.06	0.06	0.00	2.20	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.14	2.35	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)
		0.06	0.00	2.35	v _358_/A (sky130_fd_sc_hd__inv_2)
1	0.00		0.03	2.39	^ _358_/Y (sky130_fd_sc_hd__inv_2)
					003 (net)
		0.03	0.00	2.39	^ _409_/RESET_B (sky130_fd_sc_hd__dftrtp_4)
				2.39	data arrival time
1	0.02	0.06	10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
			0.04	10.04	^ clk (in)
					clk (net)
			0.06	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.05	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
			0.05	10.14	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.04	10.23	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
10	0.03		0.04	10.23	^ _409_/CLK (sky130_fd_sc_hd__dftrtp_4)
			-0.25	9.98	clock uncertainty
			0.00	9.98	clock reconvergence pessimism
			0.13	10.11	library recovery time
				10.11	data required time
				10.11	data required time
				-2.39	data arrival time
				7.72	slack (MET)

Startpoint: _436_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: cs (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
1	0.02	0.06	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
			0.04	0.04	^ clk (in)
					clk (net)
			0.06	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.05	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)

4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.04	0.00	0.26	^ _436_/CLK (sky130_fd_sc_hd_dfstp_1)
		0.06	0.34	0.60	^ _436_/Q (sky130_fd_sc_hd_dfstp_1)
2	0.01				net13 (net)
		0.06	0.00	0.60	^ output13/A (sky130_fd_sc_hd_clkbuf_4)
		0.09	0.14	0.74	^ output13/X (sky130_fd_sc_hd_clkbuf_4)
1	0.03				cs (net)
		0.09	0.00	0.74	^ cs (out)
				0.74	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock network delay (propagated)
		-0.25	9.75		clock uncertainty
		0.00	9.75		clock reconvergence pessimism
		-2.00	7.75		output external delay
			7.75		data required time

				7.75	data required time
				-0.74	data arrival time

				7.01	slack (MET)

===== Slowest Corner =====

Startpoint: rst (input port clocked by clk)
Endpoint: _409_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd_buf_4)
10	0.05	0.14	0.37	2.57	v _355_/X (sky130_fd_sc_hd_buf_4)
					199 (net)
		0.14	0.00	2.57	v _356_/A (sky130_fd_sc_hd_buf_4)
10	0.06	0.15	0.39	2.96	v _356_/X (sky130_fd_sc_hd_buf_4)
					200 (net)
		0.15	0.00	2.96	v _358_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.05	0.10	3.07	^ _358_/Y (sky130_fd_sc_hd_inv_2)
					003 (net)
		0.05	0.00	3.07	^ _409_/RESET_B (sky130_fd_sc_hd_dfrtp_4)
				3.07	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
1	0.02	0.12	0.08	10.08	^ clk (in)
					clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.08	0.24	10.57	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.08	0.00	10.57	^ _409_/CLK (sky130_fd_sc_hd_dfrtp_4)
					clock uncertainty
			-0.25	10.32	
			0.00	10.32	clock reconvergence pessimism

0.46	10.78	library recovery time
	10.78	data required time

	10.78	data required time
	-3.07	data arrival time

	7.71	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _427_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.27	0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.09	0.00	0.64	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
3	0.01	0.15	0.86	1.50	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
					clk_count[13] (net)
		0.15	0.00	1.50	v _205_/A (sky130_fd_sc_hd__or4_1)
1	0.00	0.20	1.33	2.83	v _205_/X (sky130_fd_sc_hd__or4_1)
					097 (net)
		0.20	0.00	2.83	v _209_/A (sky130_fd_sc_hd__nor4_1)
2	0.01	0.72	0.81	3.65	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
					101 (net)
		0.72	0.00	3.65	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.23	0.48	4.13	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
					net25 (net)
		0.23	0.00	4.13	^ _217_/C (sky130_fd_sc_hd__nand4_1)
3	0.01	0.33	0.41	4.54	v _217_/Y (sky130_fd_sc_hd__nand4_1)
					109 (net)
		0.33	0.00	4.54	v _218_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.15	0.49	5.03	v _218_/X (sky130_fd_sc_hd__buf_4)
					110 (net)
		0.15	0.00	5.03	v _291_/S (sky130_fd_sc_hd__mux2_1)
1	0.00	0.11	0.74	5.77	v _291_/X (sky130_fd_sc_hd__mux2_1)
					154 (net)
		0.11	0.00	5.77	v hold36/A (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00	0.11	1.20	6.98	v hold36/X (sky130_fd_sc_hd__dlygate4sd3_1)
					net61 (net)
		0.11	0.00	6.98	v _292_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.05	0.19	7.17	v _292_/X (sky130_fd_sc_hd__clkbuf_1)
					067 (net)
		0.05	0.00	7.17	v _427_/D (sky130_fd_sc_hd__dfrtp_1)
				7.17	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.24	10.58	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.09	0.00	10.58	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.33	clock uncertainty
		0.04		10.36	clock reconvergence pessimism

-0.26	10.10	library setup time
	10.10	data required time

	10.10	data required time
	-7.17	data arrival time

	2.93	slack (MET)

===== Typical Corner =====

Startpoint: rst (input port clocked by clk)
Endpoint: _409_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.05	0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
10	0.06	0.08	0.00	2.31	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.22	2.52	v _356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
1	0.00	0.08	0.00	2.52	v _358_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.58	^ _358_/Y (sky130_fd_sc_hd__inv_2)
					003 (net)
		0.03	0.00	2.58	^ _409_/RESET_B (sky130_fd_sc_hd__dftrtp_4)
				2.58	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
10	0.03	0.06	0.00	10.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.13	10.33	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.05	0.00	10.33	^ _409_/CLK (sky130_fd_sc_hd__dftrtp_4)
			-0.25	10.08	clock uncertainty
			0.00	10.08	clock reconvergence pessimism
			0.22	10.30	library recovery time
				10.30	data required time

				10.30	data required time
				-2.58	data arrival time

				7.72	slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _450_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

		0.00	0.00	clock clk (rise edge)
		0.00	0.00	clock network delay (propagated)
		2.00	2.00	^ input external delay
		0.02	0.01	2.01 ^ start (in)
1	0.00			start (net)
		0.02	0.00	2.01 ^ input3/A (sky130_fd_sc_hd__buf_1)
		0.19	0.18	2.19 ^ input3/X (sky130_fd_sc_hd__buf_1)
2	0.02			net3 (net)
		0.19	0.00	2.19 ^ _237_/B (sky130_fd_sc_hd__nor2_4)
		0.07	0.10	2.29 v _237_/Y (sky130_fd_sc_hd__nor2_4)
9	0.03			_125_ (net)
		0.07	0.00	2.29 v _238_/B1 (sky130_fd_sc_hd__a21o_2)
		0.10	0.28	2.58 v _238_/X (sky130_fd_sc_hd__a21o_2)
8	0.03			_126_ (net)
		0.10	0.00	2.58 v _241_/A2 (sky130_fd_sc_hd__a22o_1)
		0.04	0.26	2.84 v _241_/X (sky130_fd_sc_hd__a22o_1)
1	0.00			_090_ (net)
		0.04	0.00	2.84 v hold10/A (sky130_fd_sc_hd__dlygate4sd3_1)
		0.05	0.57	3.41 v hold10/X (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00			net35 (net)
		0.05	0.00	3.41 v _450_/D (sky130_fd_sc_hd__dfrtp_1)
				3.41 data arrival time

		10.00	10.00	clock clk (rise edge)
		0.00	10.00	clock source latency
		0.08	0.05	10.05 ^ clk (in)
1	0.02			clk (net)
		0.08	0.00	10.05 ^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.19 ^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04			clknet_0_clk (net)
		0.06	0.00	10.20 ^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34 ^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04			clknet_2_0__leaf_clk (net)
		0.06	0.00	10.34 ^ _450_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.09	clock uncertainty
		0.00	10.09	clock reconvergence pessimism
		-0.11	9.97	library setup time
			9.97	data required time

			9.97	data required time
			-3.41	data arrival time

			6.56	slack (MET)

```

=====
report_checks --slack_max -0.01
=====

```

```

===== Fastest Corner =====

```

No paths found.

```

===== Slowest Corner =====

```

No paths found.

```

===== Typical Corner =====

```

No paths found.

```

=====
report_check_types -max_slew -max_cap -max_fanout -violators
=====

```

```

===== Fastest Corner =====

```

max fanout

Pin	Limit	Fanout	Slack
clkbuf_2_0__f_clk/X	10	14	-4 (VIOLATED)
clkbuf_2_1__f_clk/X	10	12	-2 (VIOLATED)
clkbuf_2_3__f_clk/X	10	12	-2 (VIOLATED)

===== Slowest Corner =====

max fanout

Pin	Limit	Fanout	Slack
clkbuf_2_0__f_clk/X	10	14	-4 (VIOLATED)
clkbuf_2_1__f_clk/X	10	12	-2 (VIOLATED)
clkbuf_2_3__f_clk/X	10	12	-2 (VIOLATED)

===== Typical Corner =====

max fanout

Pin	Limit	Fanout	Slack
clkbuf_2_0__f_clk/X	10	14	-4 (VIOLATED)
clkbuf_2_1__f_clk/X	10	12	-2 (VIOLATED)
clkbuf_2_3__f_clk/X	10	12	-2 (VIOLATED)

=====

```
report_parasitic_annotation -report_unannotated
```

=====

Found 0 unannotated drivers.
Found 0 partially unannotated drivers.

=====

```
max slew violation count 0
max fanout violation count 3
max cap violation count 0
```

=====

=====

```
check_setup -verbose -unconstrained_endpoints -multiple_clock -no_clock -no_input_delay -loops -generated_clocks
```

=====

FF CORNER

rcx_min_sta.max.rpt

```
=====
report_checks -path_delay max (Setup)
=====
===== Fastest Corner =====
```

Startpoint: _436_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: cs (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.04	0.00	0.26	^ _436_/CLK (sky130_fd_sc_hd__dfstp_1)
		0.06	0.34	0.60	^ _436_/Q (sky130_fd_sc_hd__dfstp_1)
2	0.01				net13 (net)
		0.06	0.00	0.60	^ output13/A (sky130_fd_sc_hd__clkbuf_4)
		0.09	0.14	0.74	^ output13/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				cs (net)
		0.09	0.00	0.74	^ cs (out)
				0.74	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time
				-0.74	data arrival time

				7.01	slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: sclk (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^ _435_/CLK (sky130_fd_sc_hd__dfrrtp_2)
		0.09	0.28	0.54	^ _435_/Q (sky130_fd_sc_hd__dfrrtp_2)
4	0.02				net24 (net)
		0.09	0.00	0.54	^ output24/A (sky130_fd_sc_hd__buf_2)
		0.13	0.16	0.70	^ output24/X (sky130_fd_sc_hd__buf_2)
1	0.03				sclk (net)

0.13	0.00	0.70	^	sclk (out)
		0.70		data arrival time
	10.00	10.00		clock clk (rise edge)
	0.00	10.00		clock network delay (propagated)
	-0.25	9.75		clock uncertainty
	0.00	9.75		clock reconvergence pessimism
	-2.00	7.75		output external delay
		7.75		data required time

		7.75		data required time
		-0.70		data arrival time

		7.05		slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _450_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v start (in)
1	0.00				start (net)
		0.00	0.00	2.00	v input3/A (sky130_fd_sc_hd__buf_1)
2	0.01	0.06	0.09	2.09	v input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.06	0.00	2.09	v _237_/B (sky130_fd_sc_hd__nor2_4)
9	0.04	0.18	0.17	2.25	^ _237_/Y (sky130_fd_sc_hd__nor2_4)
					125 (net)
		0.18	0.00	2.25	^ _238_/B1 (sky130_fd_sc_hd__a21o_2)
8	0.04	0.14	0.15	2.41	^ _238_/X (sky130_fd_sc_hd__a21o_2)
					126 (net)
		0.14	0.00	2.41	^ _241_/A2 (sky130_fd_sc_hd__a22o_1)
1	0.00	0.04	0.10	2.51	^ _241_/X (sky130_fd_sc_hd__a22o_1)
					090 (net)
		0.04	0.00	2.51	^ hold10/A (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00	0.04	0.39	2.90	^ hold10/X (sky130_fd_sc_hd__dlygate4sd3_1)
					net35 (net)
		0.04	0.00	2.90	^ _450_/D (sky130_fd_sc_hd__dftrtp_1)
				2.90	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.05	0.10	10.23	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.05	0.00	10.23	^ _450_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	9.98		clock uncertainty
		0.00	9.98		clock reconvergence pessimism
		-0.03	9.95		library setup time
			9.95		data required time

			9.95		data required time
			-2.90		data arrival time

			7.05		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _449_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v start (in)
1	0.00				start (net)
		0.00	0.00	2.00	v input3/A (sky130_fd_sc_hd__buf_1)
2	0.01	0.06	0.09	2.09	v input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.06	0.00	2.09	v _237_/B (sky130_fd_sc_hd__nor2_4)
9	0.04	0.18	0.17	2.25	^ _237_/Y (sky130_fd_sc_hd__nor2_4)
					125 (net)
		0.18	0.00	2.25	^ _238_/B1 (sky130_fd_sc_hd__a21o_2)
8	0.04	0.14	0.15	2.41	^ _238_/X (sky130_fd_sc_hd__a21o_2)
					126 (net)
		0.14	0.00	2.41	^ _242_/A2 (sky130_fd_sc_hd__a22o_1)
1	0.00	0.04	0.10	2.51	^ _242_/X (sky130_fd_sc_hd__a22o_1)
					089 (net)
		0.04	0.00	2.51	^ hold8/A (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00	0.04	0.39	2.89	^ hold8/X (sky130_fd_sc_hd__dlygate4sd3_1)
					net33 (net)
		0.04	0.00	2.89	^ _449_/D (sky130_fd_sc_hd__dfrtp_1)
				2.89	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.05	0.10	10.23	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.05	0.00	10.23	^ _449_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	9.98		clock uncertainty
		0.00	9.98		clock reconvergence pessimism
		-0.03	9.95		library setup time
			9.95		data required time

				9.95	data required time
				-2.89	data arrival time

				7.06	slack (MET)

Startpoint: _424_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: busy (output port clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.04	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)

		0.04	0.00	0.26	^	_424_/CLK (sky130_fd_sc_hd_dfrtp_2)
		0.08	0.27	0.53	^	_424_/Q (sky130_fd_sc_hd_dfrtp_2)
4	0.02					net12 (net)
		0.08	0.00	0.53	^	output12/A (sky130_fd_sc_hd_buf_2)
		0.13	0.16	0.69	^	output12/X (sky130_fd_sc_hd_buf_2)
1	0.03					busy (net)
		0.13	0.00	0.69	^	busy (out)
				0.69		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock network delay (propagated)
		-0.25	9.75			clock uncertainty
		0.00	9.75			clock reconvergence pessimism
		-2.00	7.75			output external delay
				7.75		data required time

				7.75		data required time
				-0.69		data arrival time

				7.06		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _447_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
		0.01	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.01	0.00	2.01	^ input3/A (sky130_fd_sc_hd_buf_1)
		0.14	0.13	2.14	^ input3/X (sky130_fd_sc_hd_buf_1)
2	0.02				net3 (net)
		0.14	0.00	2.14	^ _237_/B (sky130_fd_sc_hd_nor2_4)
		0.06	0.06	2.19	v _237_/Y (sky130_fd_sc_hd_nor2_4)
9	0.03				_125_ (net)
		0.06	0.00	2.19	v _238_/B1 (sky130_fd_sc_hd_a21o_2)
		0.07	0.15	2.34	v _238_/X (sky130_fd_sc_hd_a21o_2)
8	0.03				_126_ (net)
		0.07	0.00	2.34	v _244_/A2 (sky130_fd_sc_hd_a22o_1)
		0.02	0.13	2.48	v _244_/X (sky130_fd_sc_hd_a22o_1)
1	0.00				_087_ (net)
		0.02	0.00	2.48	v hold3/A (sky130_fd_sc_hd_dlygate4sd3_1)
		0.04	0.37	2.85	v hold3/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00				net28 (net)
		0.04	0.00	2.85	v _447_/D (sky130_fd_sc_hd_dfrtp_1)
				2.85	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.23	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	10.23	^ _447_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.98		clock uncertainty
		0.00	9.98		clock reconvergence pessimism
		-0.07	9.91		library setup time
				9.91	data required time

				9.91	data required time

-2.85 data arrival time

7.06 slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _451_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
		0.01	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.01	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.14	0.13	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.14	0.00	2.14	^ _237_/B (sky130_fd_sc_hd__nor2_4)
		0.06	0.06	2.19	v _237_/Y (sky130_fd_sc_hd__nor2_4)
9	0.03				_125_ (net)
		0.06	0.00	2.19	v _238_/B1 (sky130_fd_sc_hd__a21o_2)
		0.07	0.15	2.34	v _238_/X (sky130_fd_sc_hd__a21o_2)
8	0.03				_126_ (net)
		0.07	0.00	2.34	v _240_/A2 (sky130_fd_sc_hd__a22o_1)
		0.02	0.13	2.47	v _240_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_091_ (net)
		0.02	0.00	2.47	v hold5/A (sky130_fd_sc_hd__dlygate4sd3_1)
		0.04	0.37	2.85	v hold5/X (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00				net30 (net)
		0.04	0.00	2.85	v _451_/D (sky130_fd_sc_hd__dfrtp_1)
				2.85	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.23	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	10.23	^ _451_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	9.98	clock uncertainty
			0.00	9.98	clock reconvergence pessimism
			-0.07	9.91	library setup time
				9.91	data required time
				9.91	data required time
				-2.85	data arrival time
				7.06	slack (MET)

Startpoint: _430_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: rx_data[4] (output port clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)

		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	0.15	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04					clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^	_430_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.06	0.27	0.53	v	_430_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01					net20 (net)
		0.06	0.00	0.53	v	output20/A (sky130_fd_sc_hd__clkbuf_4)
		0.06	0.14	0.67	v	output20/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03					rx_data[4] (net)
		0.06	0.00	0.67	v	rx_data[4] (out)
				0.67		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock network delay (propagated)
		-0.25	9.75			clock uncertainty
		0.00	9.75			clock reconvergence pessimism
		-2.00	7.75			output external delay
			7.75			data required time

				7.75		data required time
				-0.67		data arrival time

				7.08		slack (MET)

Startpoint: _434_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: mosi (output port clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	0.26	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.04	0.00	0.26	^ _434_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.05	0.27	0.52	v _434_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net15 (net)
		0.05	0.00	0.52	v output15/A (sky130_fd_sc_hd__clkbuf_4)
		0.06	0.14	0.66	v output15/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				mosi (net)
		0.06	0.00	0.66	v mosi (out)
				0.66	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock network delay (propagated)
		-0.25	9.75		clock uncertainty
		0.00	9.75		clock reconvergence pessimism
		-2.00	7.75		output external delay
			7.75		data required time

				7.75	data required time
				-0.66	data arrival time

				7.09	slack (MET)

Startpoint: _428_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[2] (output port clocked by clk)

Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^ _428_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.05	0.26	0.52	v _428_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net18 (net)
		0.05	0.00	0.52	v output18/A (sky130_fd_sc_hd__clkbuf_4)
		0.06	0.14	0.66	v output18/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[2] (net)
		0.06	0.00	0.66	v rx_data[2] (out)
				0.66	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time
				-0.66	data arrival time

				7.09	slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _453_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v start (in)
1	0.00				start (net)
		0.00	0.00	2.00	v input3/A (sky130_fd_sc_hd__buf_1)
		0.06	0.09	2.09	v input3/X (sky130_fd_sc_hd__buf_1)
2	0.01				net3 (net)
		0.06	0.00	2.09	v _204_/B (sky130_fd_sc_hd__or2_2)
		0.07	0.22	2.31	v _204_/X (sky130_fd_sc_hd__or2_2)
6	0.02				_096_ (net)
		0.07	0.00	2.31	v _222_/A (sky130_fd_sc_hd__and3_1)
		0.03	0.10	2.41	v _222_/X (sky130_fd_sc_hd__and3_1)
1	0.00				_113_ (net)
		0.03	0.00	2.41	v _223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.07	0.14	2.55	v _223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.05				_114_ (net)
		0.07	0.00	2.55	v _229_/S (sky130_fd_sc_hd__mux2_1)
		0.04	0.20	2.76	v _229_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_119_ (net)
		0.04	0.00	2.76	v _230_/A (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.06	2.82	v _230_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_093_ (net)
		0.02	0.00	2.82	v _453_/D (sky130_fd_sc_hd__dfrtp_1)

				2.82	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.09	10.23	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.04	0.00	10.23	^ _453_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	9.98		clock uncertainty
		0.00	9.98		clock reconvergence pessimism
		-0.07	9.92		library setup time
			9.92		data required time

			9.92		data required time
			-2.82		data arrival time

			7.10		slack (MET)

Startpoint: _431_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[5] (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^ _431_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.04	0.26	0.52	v _431_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net21 (net)
		0.04	0.00	0.52	v output21/A (sky130_fd_sc_hd__clkbuf_4)
		0.06	0.13	0.65	v output21/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[5] (net)
		0.06	0.00	0.65	v rx_data[5] (out)
				0.65	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock network delay (propagated)
		-0.25	9.75		clock uncertainty
		0.00	9.75		clock reconvergence pessimism
		-2.00	7.75		output external delay
			7.75		data required time

			7.75		data required time
			-0.65		data arrival time

			7.10		slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _442_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.00	0.00	2.00	v start (in)
					start (net)
		0.00	0.00	2.00	v input3/A (sky130_fd_sc_hd__buf_1)
2	0.01	0.06	0.09	2.09	v input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.06	0.00	2.09	v _204_/B (sky130_fd_sc_hd__or2_2)
6	0.02	0.07	0.22	2.31	v _204_/X (sky130_fd_sc_hd__or2_2)
					096 (net)
		0.07	0.00	2.31	v _222_/A (sky130_fd_sc_hd__and3_1)
1	0.00	0.03	0.10	2.41	v _222_/X (sky130_fd_sc_hd__and3_1)
					113 (net)
		0.03	0.00	2.41	v _223_/A (sky130_fd_sc_hd__clkbuf_4)
10	0.05	0.07	0.14	2.55	v _223_/X (sky130_fd_sc_hd__clkbuf_4)
					114 (net)
		0.07	0.00	2.55	v _252_/S (sky130_fd_sc_hd__mux2_1)
1	0.00	0.04	0.20	2.75	v _252_/X (sky130_fd_sc_hd__mux2_1)
					131 (net)
		0.04	0.00	2.75	v _253_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.02	0.06	2.82	v _253_/X (sky130_fd_sc_hd__clkbuf_1)
					082 (net)
		0.02	0.00	2.82	v _442_/D (sky130_fd_sc_hd__dftrtp_1)
				2.82	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.04	0.09	10.23	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.04	0.00	10.23	^ _442_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	9.98		clock uncertainty
		0.00	9.98		clock reconvergence pessimism
		-0.07	9.92		library setup time
			9.92		data required time

				9.92	data required time
				-2.82	data arrival time

				7.10	slack (MET)

Startpoint: _429_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: rx_data[3] (output port clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^ _429_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.04	0.26	0.52	v _429_/Q (sky130_fd_sc_hd__dftrtp_1)

2	0.01				net19 (net)
		0.04	0.00	0.52	v output19/A (sky130_fd_sc_hd_clkbuf_4)
		0.06	0.13	0.65	v output19/X (sky130_fd_sc_hd_clkbuf_4)
1	0.03				rx_data[3] (net)
		0.06	0.00	0.65	v rx_data[3] (out)
				0.65	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock network delay (propagated)
		-0.25	9.75		clock uncertainty
		0.00	9.75		clock reconvergence pessimism
		-2.00	7.75		output external delay
			7.75		data required time

				7.75	data required time
				-0.65	data arrival time

				7.10	slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _443_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v start (in)
1	0.00				start (net)
		0.00	0.00	2.00	v input3/A (sky130_fd_sc_hd_buf_1)
2	0.01		0.06	2.09	v input3/X (sky130_fd_sc_hd_buf_1)
					net3 (net)
		0.06	0.00	2.09	v _204_/B (sky130_fd_sc_hd_or2_2)
6	0.02		0.07	2.31	v _204_/X (sky130_fd_sc_hd_or2_2)
					096 (net)
		0.07	0.00	2.31	v _222_/A (sky130_fd_sc_hd_and3_1)
1	0.00		0.03	2.41	v _222_/X (sky130_fd_sc_hd_and3_1)
					113 (net)
		0.03	0.00	2.41	v _223_/A (sky130_fd_sc_hd_clkbuf_4)
10	0.05		0.07	2.55	v _223_/X (sky130_fd_sc_hd_clkbuf_4)
					114 (net)
		0.07	0.00	2.55	v _249_/S (sky130_fd_sc_hd_mux2_1)
1	0.00		0.04	2.75	v _249_/X (sky130_fd_sc_hd_mux2_1)
					129 (net)
		0.04	0.00	2.75	v _250_/A (sky130_fd_sc_hd_clkbuf_1)
1	0.00		0.02	2.81	v _250_/X (sky130_fd_sc_hd_clkbuf_1)
					083 (net)
		0.02	0.00	2.81	v _443_/D (sky130_fd_sc_hd_dfrtp_1)
				2.81	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.09	10.23	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.04	0.00	10.23	^ _443_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.98		clock uncertainty
		0.00	9.98		clock reconvergence pessimism
		-0.07	9.92		library setup time
			9.92		data required time

9.92 data required time
-2.81 data arrival time

7.10 slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _452_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.00	0.00	2.00 v	start (in)
					start (net)
2	0.01	0.00	0.00	2.00 v	input3/A (sky130_fd_sc_hd_buf_1)
				2.09 v	input3/X (sky130_fd_sc_hd_buf_1)
6	0.02	0.06	0.00	2.09 v	net3 (net)
				2.31 v	_204_/B (sky130_fd_sc_hd_or2_2)
1	0.00	0.07	0.00	2.31 v	_204_/X (sky130_fd_sc_hd_or2_2)
					096 (net)
10	0.05	0.07	0.00	2.31 v	_222_/A (sky130_fd_sc_hd_and3_1)
				2.41 v	_222_/X (sky130_fd_sc_hd_and3_1)
1	0.00	0.03	0.00	2.41 v	_113_ (net)
				2.55 v	_223_/A (sky130_fd_sc_hd_clkbuf_4)
1	0.00	0.07	0.00	2.55 v	_223_/X (sky130_fd_sc_hd_clkbuf_4)
					114 (net)
1	0.00	0.07	0.00	2.55 v	_233_/S (sky130_fd_sc_hd_mux2_1)
				2.75 v	_233_/X (sky130_fd_sc_hd_mux2_1)
1	0.00	0.04	0.00	2.75 v	_122_ (net)
				2.81 v	_234_/A (sky130_fd_sc_hd_clkbuf_1)
1	0.00	0.02	0.00	2.81 v	_234_/X (sky130_fd_sc_hd_clkbuf_1)
					092 (net)
		0.02	0.00	2.81 v	_452_/D (sky130_fd_sc_hd_dfrtp_1)
				2.81	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04 ^	clk (in)
					clk (net)
4	0.04	0.06	0.00	10.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				10.14 ^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.05	0.00	10.14 ^	clknet_0_clk (net)
				10.23 ^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.09	10.23 ^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
		0.04	0.00	10.23 ^	_452_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.98		clock uncertainty
		0.00	9.98		clock reconvergence pessimism
		-0.07	9.92		library setup time
				9.92	data required time

				9.92	data required time
				-2.81	data arrival time

				7.10	slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _440_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	start (in)
1	0.00				start (net)
		0.00	0.00	2.00 v	input3/A (sky130_fd_sc_hd_buf_1)
		0.06	0.09	2.09 v	input3/X (sky130_fd_sc_hd_buf_1)
2	0.01				net3 (net)
		0.06	0.00	2.09 v	_204_/B (sky130_fd_sc_hd_or2_2)
		0.07	0.22	2.31 v	_204_/X (sky130_fd_sc_hd_or2_2)
6	0.02				_096_ (net)
		0.07	0.00	2.31 v	_222_/A (sky130_fd_sc_hd_and3_1)
		0.03	0.10	2.41 v	_222_/X (sky130_fd_sc_hd_and3_1)
1	0.00				_113_ (net)
		0.03	0.00	2.41 v	_223_/A (sky130_fd_sc_hd_clkbuf_4)
		0.07	0.14	2.55 v	_223_/X (sky130_fd_sc_hd_clkbuf_4)
10	0.05				_114_ (net)
		0.07	0.00	2.55 v	_258_/S (sky130_fd_sc_hd_mux2_1)
		0.04	0.20	2.75 v	_258_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_135_ (net)
		0.04	0.00	2.75 v	_259_/A (sky130_fd_sc_hd_clkbuf_1)
		0.02	0.06	2.81 v	_259_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_080_ (net)
		0.02	0.00	2.81 v	_440_/D (sky130_fd_sc_hd_dfrtp_1)
				2.81	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04 ^	clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14 ^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14 ^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	10.23 ^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.04	0.00	10.23 ^	_440_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.98		clock uncertainty
		0.00	9.98		clock reconvergence pessimism
		-0.07	9.92		library setup time
			9.92		data required time

				9.92	data required time
				-2.81	data arrival time

				7.10	slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _438_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	start (in)
1	0.00				start (net)
		0.00	0.00	2.00 v	input3/A (sky130_fd_sc_hd_buf_1)
		0.06	0.09	2.09 v	input3/X (sky130_fd_sc_hd_buf_1)
2	0.01				net3 (net)
		0.06	0.00	2.09 v	_204_/B (sky130_fd_sc_hd_or2_2)
		0.07	0.22	2.31 v	_204_/X (sky130_fd_sc_hd_or2_2)
6	0.02				_096_ (net)
		0.07	0.00	2.31 v	_222_/A (sky130_fd_sc_hd_and3_1)
		0.03	0.10	2.41 v	_222_/X (sky130_fd_sc_hd_and3_1)
1	0.00				_113_ (net)

		0.03	0.00	2.41	v	_223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.07	0.14	2.55	v	_223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.05					_114_ (net)
		0.07	0.00	2.55	v	_264_/S (sky130_fd_sc_hd__mux2_1)
		0.04	0.20	2.75	v	_264_/X (sky130_fd_sc_hd__mux2_1)
1	0.00					_139_ (net)
		0.04	0.00	2.75	v	_265_/A (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.06	2.81	v	_265_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00					_078_ (net)
		0.02	0.00	2.81	v	_438_/D (sky130_fd_sc_hd__dfrtp_1)
				2.81		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.06	0.04	10.04	^	clk (in)
						clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.04	0.10	10.23	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3__leaf_clk (net)
		0.04	0.00	10.23	^	_438_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		9.98		clock uncertainty
		0.00		9.98		clock reconvergence pessimism
		-0.07		9.92		library setup time
				9.92		data required time

				9.92		data required time
				-2.81		data arrival time

				7.10		slack (MET)

Startpoint: _427_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: rx_data[1] (output port clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.04	0.10	0.26	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.04	0.00	0.26	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
2	0.01	0.04	0.25	0.51	v _427_/Q (sky130_fd_sc_hd__dfrtp_1)
					net17 (net)
		0.04	0.00	0.51	v output17/A (sky130_fd_sc_hd__clkbuf_4)
1	0.03	0.06	0.13	0.65	v output17/X (sky130_fd_sc_hd__clkbuf_4)
					rx_data[1] (net)
		0.06	0.00	0.65	v rx_data[1] (out)
				0.65	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
		-0.25		9.75	clock uncertainty
		0.00		9.75	clock reconvergence pessimism
		-2.00		7.75	output external delay
				7.75	data required time

				7.75	data required time
				-0.65	data arrival time

7.10 slack (MET)

Startpoint: _432_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[6] (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^ _432_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.04	0.25	0.51	v _432_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net22 (net)
		0.04	0.00	0.51	v output22/A (sky130_fd_sc_hd__clkbuf_4)
		0.06	0.13	0.65	v output22/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[6] (net)
		0.06	0.00	0.65	v rx_data[6] (out)
				0.65	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time
				-0.65	data arrival time

				7.10	slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _439_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v start (in)
1	0.00				start (net)
		0.00	0.00	2.00	v input3/A (sky130_fd_sc_hd__buf_1)
		0.06	0.09	2.09	v input3/X (sky130_fd_sc_hd__buf_1)
2	0.01				net3 (net)
		0.06	0.00	2.09	v _204_/B (sky130_fd_sc_hd__or2_2)
		0.07	0.22	2.31	v _204_/X (sky130_fd_sc_hd__or2_2)
6	0.02				_096_ (net)
		0.07	0.00	2.31	v _222_/A (sky130_fd_sc_hd__and3_1)
		0.03	0.10	2.41	v _222_/X (sky130_fd_sc_hd__and3_1)
1	0.00				_113_ (net)
		0.03	0.00	2.41	v _223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.07	0.14	2.55	v _223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.05				_114_ (net)
		0.07	0.00	2.55	v _261_/S (sky130_fd_sc_hd__mux2_1)

1	0.00	0.04	0.20	2.75	v	_261_/X (sky130_fd_sc_hd_mux2_1)
						137 (net)
1	0.00	0.04	0.00	2.75	v	_262_/A (sky130_fd_sc_hd_clkbuf_1)
		0.02	0.06	2.81	v	_262_/X (sky130_fd_sc_hd_clkbuf_1)
						079 (net)
		0.02	0.00	2.81	v	_439_/D (sky130_fd_sc_hd_dfrtp_1)
				2.81		data arrival time
		10.00	0.00	10.00		clock clk (rise edge)
				10.00		clock source latency
1	0.02	0.06	0.04	10.04	^	clk (in)
						clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	10.23	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_3_leaf_clk (net)
12	0.04	0.04	0.00	10.23	^	_439_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.98			clock uncertainty
		0.00	9.98			clock reconvergence pessimism
		-0.07	9.92			library setup time
				9.92		data required time
				9.92		data required time
				-2.81		data arrival time
				7.10		slack (MET)

Startpoint: _433_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: rx_data[7] (output port clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	0.26	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
12	0.04	0.04	0.00	0.26	^ _433_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.04	0.25	0.51	v _433_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net23 (net)
		0.04	0.00	0.51	v output23/A (sky130_fd_sc_hd_clkbuf_4)
		0.06	0.13	0.64	v output23/X (sky130_fd_sc_hd_clkbuf_4)
					rx_data[7] (net)
1	0.03	0.06	0.00	0.64	v rx_data[7] (out)
				0.64	data arrival time
		10.00	0.00	10.00	clock clk (rise edge)
				10.00	clock network delay (propagated)
		-0.25	9.75		clock uncertainty
		0.00	9.75		clock reconvergence pessimism
		-2.00	7.75		output external delay
				7.75	data required time
				7.75	data required time
				-0.64	data arrival time
				7.11	slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _441_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.00	0.00	2.00 v	start (in)
					start (net)
			0.00	2.00 v	input3/A (sky130_fd_sc_hd__buf_1)
2	0.01	0.06	0.09	2.09 v	input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
			0.06	2.09 v	_204_/B (sky130_fd_sc_hd__or2_2)
6	0.02	0.07	0.22	2.31 v	_204_/X (sky130_fd_sc_hd__or2_2)
					096 (net)
			0.07	2.31 v	_222_/A (sky130_fd_sc_hd__and3_1)
1	0.00	0.03	0.10	2.41 v	_222_/X (sky130_fd_sc_hd__and3_1)
					113 (net)
			0.03	2.41 v	_223_/A (sky130_fd_sc_hd__clkbuf_4)
10	0.05	0.07	0.14	2.55 v	_223_/X (sky130_fd_sc_hd__clkbuf_4)
					114 (net)
			0.07	2.55 v	_255_/S (sky130_fd_sc_hd__mux2_1)
1	0.00	0.04	0.20	2.75 v	_255_/X (sky130_fd_sc_hd__mux2_1)
					133 (net)
			0.04	2.75 v	_256_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.02	0.06	2.81 v	_256_/X (sky130_fd_sc_hd__clkbuf_1)
					081 (net)
			0.02	2.81 v	_441_/D (sky130_fd_sc_hd__dftrtp_1)
				2.81	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04 ^	clk (in)
					clk (net)
			0.06	10.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
			0.05	10.14 ^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.04	0.09	10.23 ^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
			0.04	10.23 ^	_441_/CLK (sky130_fd_sc_hd__dftrtp_1)
			-0.25	9.98	clock uncertainty
			0.00	9.98	clock reconvergence pessimism
			-0.07	9.92	library setup time
				9.92	data required time

				9.92	data required time
				-2.81	data arrival time

				7.11	slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _437_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.00	0.00	2.00 v	start (in)
					start (net)
			0.00	2.00 v	input3/A (sky130_fd_sc_hd__buf_1)

		0.06	0.09	2.09	v	input3/X (sky130_fd_sc_hd__buf_1)
2	0.01					net3 (net)
		0.06	0.00	2.09	v	_204_/B (sky130_fd_sc_hd__or2_2)
		0.07	0.22	2.31	v	_204_/X (sky130_fd_sc_hd__or2_2)
6	0.02					_096_ (net)
		0.07	0.00	2.31	v	_222_/A (sky130_fd_sc_hd__and3_1)
		0.03	0.10	2.41	v	_222_/X (sky130_fd_sc_hd__and3_1)
1	0.00					_113_ (net)
		0.03	0.00	2.41	v	_223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.07	0.14	2.55	v	_223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.05					_114_ (net)
		0.07	0.00	2.55	v	_267_/S (sky130_fd_sc_hd__mux2_1)
		0.04	0.20	2.75	v	_267_/X (sky130_fd_sc_hd__mux2_1)
1	0.00					_141_ (net)
		0.04	0.00	2.75	v	_268_/A (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.06	2.81	v	_268_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00					_077_ (net)
		0.02	0.00	2.81	v	_437_/D (sky130_fd_sc_hd__dftrtp_1)
				2.81		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.06	0.04	10.04	^	clk (in)
1	0.02					clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	10.23	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.04	0.00	10.23	^	_437_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	9.98			clock uncertainty
		0.00	9.98			clock reconvergence pessimism
		-0.07	9.92			library setup time
			9.92			data required time

				9.92		data required time
				-2.81		data arrival time

				7.11		slack (MET)

Startpoint: _426_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: rx_data[0] (output port clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.04	0.00	0.26	^ _426_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.04	0.25	0.51	v _426_/Q (sky130_fd_sc_hd__dftrtp_1)
2	0.01				net16 (net)
		0.04	0.00	0.51	v output16/A (sky130_fd_sc_hd__clkbuf_4)
		0.06	0.13	0.64	v output16/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[0] (net)
		0.06	0.00	0.64	v rx_data[0] (out)
				0.64	data arrival time
			10.00	10.00	clock clk (rise edge)

0.00	10.00	clock network delay (propagated)
-0.25	9.75	clock uncertainty
0.00	9.75	clock reconvergence pessimism
-2.00	7.75	output external delay
	7.75	data required time

7.75	data required time
-0.64	data arrival time

7.11	slack (MET)
------	-------------

Startpoint: _425_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: done (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	0.25	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
1	0.00	0.04	0.00	0.25	^ _425_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.03	0.24	0.49	v _425_/Q (sky130_fd_sc_hd__dftrtp_1)
1	0.04				net14 (net)
		0.03	0.00	0.49	v output14/A (sky130_fd_sc_hd__clkbuf_4)
1	0.04		0.06	0.62	v output14/X (sky130_fd_sc_hd__clkbuf_4)
					done (net)
		0.06	0.00	0.62	v done (out)
				0.62	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time
				-0.62	data arrival time

				7.13	slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _454_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
1	0.00	0.00	0.00	2.00	v input external delay
				2.00	v start (in)
2	0.01	0.06	0.09		start (net)
				2.00	v input3/A (sky130_fd_sc_hd__buf_1)
2	0.01	0.06	0.09	2.09	v input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
2	0.01	0.06	0.09	2.09	v _204_/B (sky130_fd_sc_hd__or2_2)
				2.31	v _204_/X (sky130_fd_sc_hd__or2_2)

6	0.02					_096_ (net)
		0.07	0.00	2.31	v	_222_/A (sky130_fd_sc_hd_and3_1)
		0.03	0.10	2.41	v	_222_/X (sky130_fd_sc_hd_and3_1)
1	0.00					_113_ (net)
		0.03	0.00	2.41	v	_223_/A (sky130_fd_sc_hd_clkbuf_4)
		0.07	0.14	2.55	v	_223_/X (sky130_fd_sc_hd_clkbuf_4)
10	0.05					_114_ (net)
		0.07	0.00	2.55	v	_226_/A2_N (sky130_fd_sc_hd_a2bb2o_1)
		0.03	0.17	2.72	^	_226_/X (sky130_fd_sc_hd_a2bb2o_1)
1	0.00					_094_ (net)
		0.03	0.00	2.72	^	_454_/D (sky130_fd_sc_hd_dfrtp_1)
				2.72		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.06	0.04	10.04	^	clk (in)
1	0.02					clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.09	10.23	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1_leaf_clk (net)
		0.04	0.00	10.23	^	_454_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		9.98		clock uncertainty
		0.00		9.98		clock reconvergence pessimism
		-0.03		9.95		library setup time
				9.95		data required time

				9.95		data required time
				-2.72		data arrival time

				7.23		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _434_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v start (in)
1	0.00				start (net)
		0.00	0.00	2.00	v input3/A (sky130_fd_sc_hd_buf_1)
		0.06	0.09	2.09	v input3/X (sky130_fd_sc_hd_buf_1)
2	0.01				net3 (net)
		0.06	0.00	2.09	v _204_/B (sky130_fd_sc_hd_or2_2)
		0.07	0.22	2.31	v _204_/X (sky130_fd_sc_hd_or2_2)
6	0.02				_096_ (net)
		0.07	0.00	2.31	v _212_/A (sky130_fd_sc_hd_nand2_1)
		0.06	0.08	2.39	^ _212_/Y (sky130_fd_sc_hd_nand2_1)
2	0.01				_104_ (net)
		0.06	0.00	2.39	^ _277_/S (sky130_fd_sc_hd_mux2_1)
		0.04	0.20	2.59	v _277_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_147_ (net)
		0.04	0.00	2.59	v _278_/A (sky130_fd_sc_hd_clkbuf_1)
		0.02	0.07	2.66	v _278_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_074_ (net)
		0.02	0.00	2.66	v _434_/D (sky130_fd_sc_hd_dfrtp_1)
				2.66	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)

		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.09	10.23	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1_leaf_clk (net)
		0.04	0.00	10.23	^	_434_/CLK (sky130_fd_sc_hd_dfstp_1)
		-0.25	9.98			clock uncertainty
		0.00	9.98			clock reconvergence pessimism
		-0.07	9.91			library setup time
			9.91			data required time

				9.91		data required time
				-2.66		data arrival time

				7.26		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _436_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v start (in)
1	0.00				start (net)
		0.00	0.00	2.00	v input3/A (sky130_fd_sc_hd_buf_1)
2	0.01		0.06	2.09	v input3/X (sky130_fd_sc_hd_buf_1)
					net3 (net)
		0.06	0.00	2.09	v _204_/B (sky130_fd_sc_hd_or2_2)
6	0.02		0.07	2.31	v _204_/X (sky130_fd_sc_hd_or2_2)
					096 (net)
		0.07	0.00	2.31	v _270_/A (sky130_fd_sc_hd_and2_1)
1	0.00		0.02	2.41	v _270_/X (sky130_fd_sc_hd_and2_1)
					143 (net)
		0.02	0.00	2.41	v _271_/A (sky130_fd_sc_hd_clkbuf_1)
2	0.01		0.03	2.47	v _271_/X (sky130_fd_sc_hd_clkbuf_1)
					000 (net)
		0.03	0.00	2.47	v _272_/B1_N (sky130_fd_sc_hd_a21bo_1)
1	0.00		0.03	2.59	^ _272_/X (sky130_fd_sc_hd_a21bo_1)
					076 (net)
		0.03	0.00	2.59	^ _436_/D (sky130_fd_sc_hd_dfstp_1)
				2.59	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	10.23	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.04	0.00	10.23	^ _436_/CLK (sky130_fd_sc_hd_dfstp_1)
		-0.25	9.98		clock uncertainty
		0.00	9.98		clock reconvergence pessimism
		-0.03	9.95		library setup time
			9.95		data required time

				9.95	data required time
				-2.59	data arrival time

				7.37	slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _415_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
1	0.00	0.01	0.01	2.01	^ start (in)
					start (net)
				2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.01	0.13	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
6	0.02	0.14	0.00	2.14	^ _204_/B (sky130_fd_sc_hd__or2_2)
				2.28	^ _204_/X (sky130_fd_sc_hd__or2_2)
					096 (net)
2	0.01	0.09	0.00	2.28	^ _331_/A (sky130_fd_sc_hd__nand2_1)
				2.33	v _331_/Y (sky130_fd_sc_hd__nand2_1)
					184 (net)
1	0.00	0.04	0.00	2.33	v _332_/A1 (sky130_fd_sc_hd__mux2_1)
				2.48	v _332_/X (sky130_fd_sc_hd__mux2_1)
					185 (net)
1	0.00	0.04	0.00	2.48	v _333_/A (sky130_fd_sc_hd__clkbuf_1)
				2.54	v _333_/X (sky130_fd_sc_hd__clkbuf_1)
					057 (net)
	0.02	0.00	0.00	2.54	v _415_/D (sky130_fd_sc_hd__dftrtp_1)
				2.54	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
				10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
				10.14	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.05	0.00	10.23	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2_leaf_clk (net)
				10.23	^ _415_/CLK (sky130_fd_sc_hd__dftrtp_1)
			-0.25	9.98	clock uncertainty
			0.00	9.98	clock reconvergence pessimism
			-0.07	9.91	library setup time
				9.91	data required time

				9.91	data required time
				-2.54	data arrival time

				7.37	slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
1	0.00	0.01	0.01	2.01	^ start (in)
					start (net)
				2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.01	0.13	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)

		0.14	0.00	2.14	^	_204_/B (sky130_fd_sc_hd__or2_2)
		0.09	0.14	2.28	^	_204_/X (sky130_fd_sc_hd__or2_2)
6	0.02					_096_ (net)
		0.09	0.00	2.28	^	_308_/A (sky130_fd_sc_hd__nand2_1)
		0.04	0.05	2.33	v	_308_/Y (sky130_fd_sc_hd__nand2_1)
2	0.01					_167_ (net)
		0.04	0.00	2.33	v	_309_/A1 (sky130_fd_sc_hd__mux2_1)
		0.04	0.15	2.48	v	_309_/X (sky130_fd_sc_hd__mux2_1)
1	0.00					_168_ (net)
		0.04	0.00	2.48	v	_310_/A (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.06	2.54	v	_310_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00					_063_ (net)
		0.02	0.00	2.54	v	_421_/D (sky130_fd_sc_hd__dfrtp_1)
				2.54		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.06	0.04	10.04	^	clk (in)
						clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.04	0.10	10.23	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3_leaf_clk (net)
		0.04	0.00	10.23	^	_421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	9.98			clock uncertainty
		0.00	9.98			clock reconvergence pessimism
		-0.07	9.92			library setup time
			9.92			data required time

				9.92		data required time
				-2.54		data arrival time

				7.37		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _413_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	input external delay
		0.01	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.01	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.14	0.13	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.14	0.00	2.14	^ _237_/B (sky130_fd_sc_hd__nor2_4)
9	0.03	0.06	0.06	2.19	v _237_/Y (sky130_fd_sc_hd__nor2_4)
					125 (net)
		0.06	0.00	2.19	v _338_/B1 (sky130_fd_sc_hd__a21o_1)
2	0.01	0.03	0.09	2.28	v _338_/X (sky130_fd_sc_hd__a21o_1)
					189 (net)
		0.03	0.00	2.28	v _339_/A1 (sky130_fd_sc_hd__mux2_1)
1	0.00	0.04	0.15	2.43	v _339_/X (sky130_fd_sc_hd__mux2_1)
					190 (net)
		0.04	0.00	2.43	v _340_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.02	0.06	2.50	v _340_/X (sky130_fd_sc_hd__clkbuf_1)
					055 (net)
		0.02	0.00	2.50	v _413_/D (sky130_fd_sc_hd__dfrtp_1)
				2.50	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency

		0.06	0.04	10.04	^	clk (in)
1	0.02					clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.09	10.23	^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03					clknet_2_2_leaf_clk (net)
		0.04	0.00	10.23	^	_413_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.98			clock uncertainty
		0.00	9.98			clock reconvergence pessimism
		-0.07	9.91			library setup time
			9.91			data required time

				9.91		data required time
				-2.50		data arrival time

				7.42		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _419_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
		0.01	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.01	0.00	2.01	^ input3/A (sky130_fd_sc_hd_buf_1)
		0.14	0.13	2.14	^ input3/X (sky130_fd_sc_hd_buf_1)
2	0.02				net3 (net)
		0.14	0.00	2.14	^ _237_/B (sky130_fd_sc_hd_nor2_4)
		0.06	0.06	2.19	v _237_/Y (sky130_fd_sc_hd_nor2_4)
9	0.03				_125_ (net)
		0.06	0.00	2.19	v _316_/B1 (sky130_fd_sc_hd_a21o_1)
		0.03	0.09	2.28	v _316_/X (sky130_fd_sc_hd_a21o_1)
2	0.00				_173_ (net)
		0.03	0.00	2.28	v _317_/A1 (sky130_fd_sc_hd_mux2_1)
		0.04	0.15	2.43	v _317_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_174_ (net)
		0.04	0.00	2.43	v _318_/A (sky130_fd_sc_hd_clkbuf_1)
		0.02	0.06	2.49	v _318_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_061_ (net)
		0.02	0.00	2.49	v _419_/D (sky130_fd_sc_hd_dfrtp_1)
				2.49	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	10.23	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.04	0.00	10.23	^ _419_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.98		clock uncertainty
		0.00	9.98		clock reconvergence pessimism
		-0.07	9.92		library setup time
			9.92		data required time

				9.92	data required time
				-2.49	data arrival time

7.42 slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _446_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
1	0.00	0.01	0.01	2.01	^ start (in)
					start (net)
				2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.01	0.13	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
				2.14	^ _237_/B (sky130_fd_sc_hd__nor2_4)
9	0.03	0.06	0.06	2.19	v _237_/Y (sky130_fd_sc_hd__nor2_4)
					125 (net)
				2.19	v _238_/B1 (sky130_fd_sc_hd__a21o_2)
8	0.03	0.07	0.15	2.34	v _238_/X (sky130_fd_sc_hd__a21o_2)
					126 (net)
				2.34	v _245_/A2 (sky130_fd_sc_hd__a22o_1)
1	0.00	0.03	0.14	2.48	v _245_/X (sky130_fd_sc_hd__a22o_1)
					086 (net)
				2.48	v _446_/D (sky130_fd_sc_hd__dftrtp_1)
				2.48	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
				10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
				10.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.09	10.23	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
				10.23	^ _446_/CLK (sky130_fd_sc_hd__dftrtp_1)
			-0.25	9.98	clock uncertainty
			0.00	9.98	clock reconvergence pessimism
			-0.07	9.91	library setup time
				9.91	data required time

				9.91	data required time
				-2.48	data arrival time

				7.43	slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _445_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
1	0.00	0.01	0.01	2.01	^ start (in)
					start (net)
				2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.01	0.13	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
				2.14	^ _237_/B (sky130_fd_sc_hd__nor2_4)

		0.06	0.06	2.19	v	_237_/Y (sky130_fd_sc_hd__nor2_4)
9	0.03					_125_ (net)
		0.06	0.00	2.19	v	_238_/B1 (sky130_fd_sc_hd__a21o_2)
		0.07	0.15	2.34	v	_238_/X (sky130_fd_sc_hd__a21o_2)
8	0.03					_126_ (net)
		0.07	0.00	2.34	v	_246_/A2 (sky130_fd_sc_hd__a22o_1)
		0.03	0.14	2.48	v	_246_/X (sky130_fd_sc_hd__a22o_1)
1	0.00					_085_ (net)
		0.03	0.00	2.48	v	_445_/D (sky130_fd_sc_hd__dftrtp_1)
				2.48		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.06	0.04	10.04	^	clk (in)
1	0.02					clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.09	10.23	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.04	0.00	10.23	^	_445_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	9.98			clock uncertainty
		0.00	9.98			clock reconvergence pessimism
		-0.07	9.91			library setup time
			9.91			data required time

				9.91		data required time
				-2.48		data arrival time

				7.43		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _444_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
		0.01	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.01	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
		0.14	0.13	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
2	0.02				net3 (net)
		0.14	0.00	2.14	^ _237_/B (sky130_fd_sc_hd__nor2_4)
		0.06	0.06	2.19	v _237_/Y (sky130_fd_sc_hd__nor2_4)
9	0.03				_125_ (net)
		0.06	0.00	2.19	v _238_/B1 (sky130_fd_sc_hd__a21o_2)
		0.07	0.15	2.34	v _238_/X (sky130_fd_sc_hd__a21o_2)
8	0.03				_126_ (net)
		0.07	0.00	2.34	v _247_/A2 (sky130_fd_sc_hd__a22o_1)
		0.02	0.14	2.48	v _247_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_084_ (net)
		0.02	0.00	2.48	v _444_/D (sky130_fd_sc_hd__dftrtp_1)
				2.48	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	10.23	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)

12	0.04				clknet_2_3__leaf_clk (net)
		0.04	0.00	10.23	^ _444_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	9.98	clock uncertainty
			0.00	9.98	clock reconvergence pessimism
			-0.07	9.91	library setup time
				9.91	data required time

				9.91	data required time
				-2.48	data arrival time

				7.44	slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _424_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v start (in)
1	0.00				start (net)
		0.00	0.00	2.00	v input3/A (sky130_fd_sc_hd__buf_1)
2	0.01	0.06	0.09	2.09	v input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.06	0.00	2.09	v _204_/B (sky130_fd_sc_hd__or2_2)
6	0.02	0.07	0.22	2.31	v _204_/X (sky130_fd_sc_hd__or2_2)
					096 (net)
		0.07	0.00	2.31	v _270_/A (sky130_fd_sc_hd__and2_1)
1	0.00	0.02	0.10	2.41	v _270_/X (sky130_fd_sc_hd__and2_1)
					143 (net)
		0.02	0.00	2.41	v _271_/A (sky130_fd_sc_hd__clkbuf_1)
2	0.01	0.03	0.07	2.47	v _271_/X (sky130_fd_sc_hd__clkbuf_1)
					000 (net)
		0.03	0.00	2.47	v _424_/D (sky130_fd_sc_hd__dfrtp_2)
				2.47	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.04	0.10	10.23	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.04	0.00	10.23	^ _424_/CLK (sky130_fd_sc_hd__dfrtp_2)
			-0.25	9.98	clock uncertainty
			0.00	9.98	clock reconvergence pessimism
			-0.07	9.91	library setup time
				9.91	data required time

				9.91	data required time
				-2.47	data arrival time

				7.44	slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _448_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
--------	-----	------	-------	------	-------------

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
		0.01	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.01	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.14	0.13	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.14	0.00	2.14	^ _237_/B (sky130_fd_sc_hd__nor2_4)
9	0.03	0.06	0.06	2.19	v _237_/Y (sky130_fd_sc_hd__nor2_4)
					125 (net)
		0.06	0.00	2.19	v _238_/B1 (sky130_fd_sc_hd__a21o_2)
8	0.03	0.07	0.15	2.34	v _238_/X (sky130_fd_sc_hd__a21o_2)
					126 (net)
		0.07	0.00	2.34	v _243_/A2 (sky130_fd_sc_hd__a22o_1)
		0.03	0.14	2.48	v _243_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_088_ (net)
		0.03	0.00	2.48	v _448_/D (sky130_fd_sc_hd__dftrtp_1)
				2.48	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.05	0.10	10.23	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.05	0.00	10.23	^ _448_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	9.98		clock uncertainty
		0.00	9.98		clock reconvergence pessimism
		-0.07	9.92		library setup time
			9.92		data required time

				9.92	data required time
				-2.48	data arrival time

				7.44	slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _455_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
		0.01	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.01	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.14	0.13	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.14	0.00	2.14	^ _204_/B (sky130_fd_sc_hd__or2_2)
6	0.02	0.09	0.14	2.28	^ _204_/X (sky130_fd_sc_hd__or2_2)
					096 (net)
		0.09	0.00	2.28	^ _212_/A (sky130_fd_sc_hd__nand2_1)
2	0.01	0.05	0.05	2.33	v _212_/Y (sky130_fd_sc_hd__nand2_1)
					104 (net)
		0.05	0.00	2.33	v _220_/A1 (sky130_fd_sc_hd__o21a_1)
		0.03	0.13	2.46	v _220_/X (sky130_fd_sc_hd__o21a_1)
1	0.00				_095_ (net)
		0.03	0.00	2.46	v _455_/D (sky130_fd_sc_hd__dftrtp_1)
				2.46	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.09	10.23	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.04	0.00	10.23	^ _455_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	9.98		clock uncertainty
		0.00	9.98		clock reconvergence pessimism
		-0.07	9.91		library setup time
			9.91		data required time

				9.91	data required time
				-2.46	data arrival time

				7.45	slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _417_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
		0.01	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.01	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
		0.14	0.13	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
2	0.02				net3 (net)
		0.14	0.00	2.14	^ _237_/B (sky130_fd_sc_hd__nor2_4)
		0.06	0.06	2.19	v _237_/Y (sky130_fd_sc_hd__nor2_4)
9	0.03				_125_ (net)
		0.06	0.00	2.19	v _324_/B1 (sky130_fd_sc_hd__a21o_1)
		0.03	0.09	2.28	v _324_/X (sky130_fd_sc_hd__a21o_1)
2	0.01				_179_ (net)
		0.03	0.00	2.28	v _325_/B1 (sky130_fd_sc_hd__a2bb2o_1)
		0.03	0.17	2.45	v _325_/X (sky130_fd_sc_hd__a2bb2o_1)
1	0.00				_059_ (net)
		0.03	0.00	2.45	v _417_/D (sky130_fd_sc_hd__dftrtp_1)
				2.45	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.09	10.23	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.04	0.00	10.23	^ _417_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	9.98		clock uncertainty
		0.00	9.98		clock reconvergence pessimism
		-0.07	9.91		library setup time
			9.91		data required time

				9.91	data required time
				-2.45	data arrival time

7.46 slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _414_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description	

1	0.00	0.01	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			2.00	2.00	^ input external delay	
			0.01	2.01	^ start (in)	
					start (net)	
			0.01	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
			0.14	0.13	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
						net3 (net)
			0.14	0.00	2.14	^ _204_/B (sky130_fd_sc_hd__or2_2)
			0.09	0.14	2.28	^ _204_/X (sky130_fd_sc_hd__or2_2)
6	0.02			_096_ (net)		
		0.09	0.00	2.28	^ _331_/A (sky130_fd_sc_hd__nand2_1)	
2	0.01	0.04	0.05	2.33	v _331_/Y (sky130_fd_sc_hd__nand2_1)	
					184 (net)	
		0.04	0.00	2.33	v _335_/A2 (sky130_fd_sc_hd__a21o_1)	
		0.02	0.12	2.45	v _335_/X (sky130_fd_sc_hd__a21o_1)	
1	0.00	0.02	0.00	2.45	v _414_/D (sky130_fd_sc_hd__dfirtp_1)	
				2.45	data arrival time	

1	0.02	0.06	10.00	10.00	clock clk (rise edge)	
			0.00	10.00	clock source latency	
			0.04	10.04	^ clk (in)	
					clk (net)	
4	0.04	0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					clknet_0_clk (net)	
		0.05	0.00	10.14	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
10	0.03	0.04	0.09	10.23	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					clknet_2_2__leaf_clk (net)	
		0.04	0.00	10.23	^ _414_/CLK (sky130_fd_sc_hd__dfirtp_1)	
		-0.25	9.98		clock uncertainty	
			0.00	9.98	clock reconvergence pessimism	
			-0.07	9.91	library setup time	
				9.91	data required time	

				9.91	data required time	
				-2.45	data arrival time	

				7.46	slack (MET)	

Startpoint: start (input port clocked by clk)
Endpoint: _420_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
1	0.00	0.01	0.01	2.01	^ start (in)
					start (net)
2	0.02	0.01	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
				2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
		0.14	0.13		net3 (net)
				2.14	^ _204_/B (sky130_fd_sc_hd__or2_2)

6	0.02	0.09	0.14	2.28	^	_204_/X (sky130_fd_sc_hd__or2_2)
						096 (net)
		0.09	0.00	2.28	^	_308_/A (sky130_fd_sc_hd__nand2_1)
		0.04	0.05	2.33	v	_308_/Y (sky130_fd_sc_hd__nand2_1)
2	0.01					_167_ (net)
		0.04	0.00	2.33	v	_312_/A2 (sky130_fd_sc_hd__a21o_1)
		0.02	0.12	2.45	v	_312_/X (sky130_fd_sc_hd__a21o_1)
1	0.00					_062_ (net)
		0.02	0.00	2.45	v	_420_/D (sky130_fd_sc_hd__dftrtp_1)
				2.45		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.06	0.04	10.04	^	clk (in)
						clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	10.23	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.04	0.00	10.23	^	_420_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	9.98			clock uncertainty
		0.00	9.98			clock reconvergence pessimism
		-0.07	9.91			library setup time
				9.91		data required time
				9.91		data required time
				9.91		data required time
				-2.45		data arrival time
				7.47		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _409_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v start (in)
1	0.00				start (net)
			0.00	2.00	v input3/A (sky130_fd_sc_hd__buf_1)
2	0.01		0.06	2.09	v input3/X (sky130_fd_sc_hd__buf_1)
			0.09		net3 (net)
6	0.02		0.06	2.09	v _204_/B (sky130_fd_sc_hd__or2_2)
			0.07	2.31	v _204_/X (sky130_fd_sc_hd__or2_2)
					096 (net)
			0.07	2.31	v _350_/B1 (sky130_fd_sc_hd__o211a_1)
1	0.00		0.03	2.41	v _350_/X (sky130_fd_sc_hd__o211a_1)
			0.10		_197_ (net)
			0.03	2.41	v _351_/B (sky130_fd_sc_hd__nor2_1)
			0.06	2.46	^ _351_/Y (sky130_fd_sc_hd__nor2_1)
1	0.00				_051_ (net)
			0.05	2.46	^ _409_/D (sky130_fd_sc_hd__dftrtp_4)
				2.46	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02		0.06	10.04	^ clk (in)
			0.04		clk (net)
4	0.04		0.06	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.05	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
			0.05	10.14	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.04	10.23	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)

10	0.03				clknet_2_2__leaf_clk (net)
		0.04	0.00	10.23	^ _409_/CLK (sky130_fd_sc_hd__dfrtp_4)
			-0.25	9.98	clock uncertainty
			0.00	9.98	clock reconvergence pessimism
			-0.04	9.94	library setup time
				9.94	data required time

				9.94	data required time
				-2.46	data arrival time

				7.48	slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _418_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
		0.01	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.01	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.14	0.13	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.14	0.00	2.14	^ _237_/B (sky130_fd_sc_hd__nor2_4)
9	0.03	0.06	0.06	2.19	v _237_/Y (sky130_fd_sc_hd__nor2_4)
					125 (net)
		0.06	0.00	2.19	v _316_/B1 (sky130_fd_sc_hd__a21o_1)
		0.03	0.09	2.28	v _316_/X (sky130_fd_sc_hd__a21o_1)
2	0.00				_173_ (net)
		0.03	0.00	2.28	v _320_/A (sky130_fd_sc_hd__and2_1)
		0.02	0.09	2.37	v _320_/X (sky130_fd_sc_hd__and2_1)
1	0.00				_176_ (net)
		0.02	0.00	2.37	v _321_/A (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.06	2.42	v _321_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_060_ (net)
		0.02	0.00	2.42	v _418_/D (sky130_fd_sc_hd__dfrtp_1)
				2.42	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.04	0.10	10.23	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.04	0.00	10.23	^ _418_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	9.98	clock uncertainty
			0.00	9.98	clock reconvergence pessimism
			-0.07	9.92	library setup time
				9.92	data required time

				9.92	data required time
				-2.42	data arrival time

				7.49	slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _408_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description		

1	0.00	0.01	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
			2.00	2.00	^ input external delay		
			0.01	2.01	^ start (in)		
			0.01	2.01	start (net)		
			0.01	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)		
			0.14	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)		
			0.14	2.14	net3 (net)		
			0.06	2.19	^ _237_/B (sky130_fd_sc_hd__nor2_4)		
			0.06	2.19	v _237_/Y (sky130_fd_sc_hd__nor2_4)		
9	0.03	0.06	0.00	2.19	_125_ (net)		
			0.06	2.19	v _352_/A1 (sky130_fd_sc_hd__mux2_1)		
1	0.00	0.04	0.16	2.36	v _352_/X (sky130_fd_sc_hd__mux2_1)		
			0.04	2.36	_198_ (net)		
1	0.00	0.02	0.06	2.42	v _353_/A (sky130_fd_sc_hd__clkbuf_1)		
			0.02	2.42	v _353_/X (sky130_fd_sc_hd__clkbuf_1)		
1	0.00	0.02	0.00	2.42	_050_ (net)		
			0.00	2.42	v _408_/D (sky130_fd_sc_hd__dfrtp_4)		
				2.42	data arrival time		

1	0.02	0.06	10.00	10.00	clock clk (rise edge)		
			0.00	10.00	clock source latency		
			0.04	10.04	^ clk (in)		
			0.06	10.04	clk (net)		
			0.06	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)		
			0.05	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)		
			0.10	10.14	clknet_0_clk (net)		
			0.05	10.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)		
			0.05	10.23	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)		
			0.10	10.23	clknet_2_0__leaf_clk (net)		
14	0.04	0.05	0.00	10.24	^ _408_/CLK (sky130_fd_sc_hd__dfrtp_4)		
			-0.25	9.99	clock uncertainty		
0.00			9.99	clock reconvergence pessimism			
-0.07			9.92	library setup time			
-0.07			9.92	data required time			

				9.92	data required time		
				-2.42	data arrival time		

				7.50	slack (MET)		

Startpoint: start (input port clocked by clk)

Endpoint: _416_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.01	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
			0.01	2.01	^ start (in)
			0.01	2.01	start (net)
			0.01	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
			0.14	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
			0.14	2.14	net3 (net)
			0.06	2.19	^ _237_/B (sky130_fd_sc_hd__nor2_4)
			0.06	2.19	v _237_/Y (sky130_fd_sc_hd__nor2_4)
9	0.03	0.06	0.00	2.19	_125_ (net)
			0.06	2.19	v _324_/B1 (sky130_fd_sc_hd__a21o_1)
2	0.01	0.03	0.09	2.28	v _324_/X (sky130_fd_sc_hd__a21o_1)
			0.03	2.28	_179_ (net)
2	0.01	0.02	0.11	2.40	v _327_/A2 (sky130_fd_sc_hd__a21o_1)
			0.02	2.40	v _327_/X (sky130_fd_sc_hd__a21o_1)

1	0.00				_058_ (net)
		0.02	0.00	2.40 v	_416_/D (sky130_fd_sc_hd__dfrtp_1)
				2.40	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04 ^	clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14 ^	clkbuf_2_2_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.09	10.23 ^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.04	0.00	10.23 ^	_416_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	9.98	clock uncertainty
			0.00	9.98	clock reconvergence pessimism
			-0.07	9.91	library setup time
				9.91	data required time
				9.91	data required time
				-2.40	data arrival time
				7.52	slack (MET)

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
1	0.00	0.01	0.01	2.01	^ start (in)
					start (net)
		0.01	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.14	0.13	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.14	0.00	2.14	^ _237_/B (sky130_fd_sc_hd__nor2_4)
9	0.03	0.06	0.06	2.19	v _237_/Y (sky130_fd_sc_hd__nor2_4)
					125 (net)
		0.06	0.00	2.19	v _338_/B1 (sky130_fd_sc_hd__a21o_1)
2	0.01	0.03	0.09	2.28	v _338_/X (sky130_fd_sc_hd__a21o_1)
					189 (net)
		0.03	0.00	2.28	v _342_/A2 (sky130_fd_sc_hd__a21o_1)
		0.02	0.11	2.40	v _342_/X (sky130_fd_sc_hd__a21o_1)
1	0.00				_054_ (net)
		0.02	0.00	2.40	v _412_/D (sky130_fd_sc_hd__dfrrtp_1)
				2.40	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.09	10.23	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.04	0.00	10.23	^ _412_/CLK (sky130_fd_sc_hd__dfrrtp_1)
			-0.25	9.98	clock uncertainty
			0.00	9.98	clock reconvergence pessimism
			-0.07	9.91	library setup time
				9.91	data required time

9.91 data required time
-2.40 data arrival time

7.52 slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _423_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description	

1	0.00		0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
		0.01	2.00	2.00	^ input external delay	
			0.01	2.01	^ start (in)	
					start (net)	
			0.01	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)	
		2	0.02	0.14	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
						net3 (net)
		9	0.03	0.14	2.14	^ _237_/B (sky130_fd_sc_hd__nor2_4)
				0.06	2.19	v _237_/Y (sky130_fd_sc_hd__nor2_4)
1	0.00				_125_ (net)	
			0.06	2.19	v _303_/A2 (sky130_fd_sc_hd__o31a_1)	
		0.04	2.38	v _303_/X (sky130_fd_sc_hd__o31a_1)		
				065 (net)		
		0.04	2.38	v _423_/D (sky130_fd_sc_hd__dftrtp_1)		
			2.38	data arrival time		

1	0.02	0.06	10.00	10.00	clock clk (rise edge)	
			0.00	10.00	clock source latency	
			10.04	10.04	^ clk (in)	
					clk (net)	
4	0.04	0.06	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)		
		0.05	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)		
10	0.03				clknet_0_clk (net)	
			0.05	10.14	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.04	10.23	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)		
				clknet_2_2__leaf_clk (net)		
		0.04	10.23	^ _423_/CLK (sky130_fd_sc_hd__dftrtp_1)		
			-0.25	9.98	clock uncertainty	
				0.00	9.98	clock reconvergence pessimism
				-0.07	9.91	library setup time
				9.91	data required time	

				9.91	data required time	
				-2.38	data arrival time	

				7.53	slack (MET)	

Startpoint: start (input port clocked by clk)
Endpoint: _411_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
1	0.00	0.01	0.01	2.01	^ start (in)
					start (net)
			0.01	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02		0.14	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
			0.14	2.14	^ _237_/B (sky130_fd_sc_hd__nor2_4)

9	0.03	0.06	0.06	2.19	v	_237_/Y (sky130_fd_sc_hd__nor2_4)
		0.06	0.00	2.19	v	_346_/A2 (sky130_fd_sc_hd__o31a_1)
1	0.00	0.04	0.19	2.38	v	_346_/X (sky130_fd_sc_hd__o31a_1)
		0.04	0.00	2.38	v	_411_/D (sky130_fd_sc_hd__dftrtp_1)
				2.38		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
1	0.02	0.06	0.04	10.04	^	clk (in)
		0.06	0.00	10.04	^	clk (net)
4	0.04	0.05	0.10	10.14	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.05	0.00	10.14	^	clknet_0_clk (net)
		0.05	0.10	10.14	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.23	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.05	0.00	10.24	^	_411_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	9.99			clock uncertainty
		0.00	9.99			clock reconvergence pessimism
		-0.07	9.91			library setup time
			9.91			data required time

				9.91		data required time
				-2.38		data arrival time

				7.53		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _422_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
1	0.00	0.01	0.01	2.01	^ start (in)
					start (net)
2	0.02	0.01	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
		0.14	0.13	2.14	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
9	0.03	0.14	0.00	2.14	^ _237_/B (sky130_fd_sc_hd__nor2_4)
		0.06	0.06	2.19	v _237_/Y (sky130_fd_sc_hd__nor2_4)
					125 (net)
1	0.00	0.06	0.00	2.19	v _305_/A1 (sky130_fd_sc_hd__o21a_1)
		0.03	0.13	2.33	v _305_/X (sky130_fd_sc_hd__o21a_1)
					064 (net)
		0.03	0.00	2.33	v _422_/D (sky130_fd_sc_hd__dftrtp_1)
				2.33	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
		0.06	0.00	10.04	^ clk (net)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.05	0.00	10.14	^ clknet_0_clk (net)
		0.04	0.09	10.23	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
					clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.04	0.00	10.23	^ _422_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	9.98		clock uncertainty
		0.00	9.98		clock reconvergence pessimism
		-0.07	9.91		library setup time
			9.91		data required time

	9.91	data required time	
	-2.33	data arrival time	

	7.58	slack (MET)	

Startpoint: start (input port clocked by clk)
Endpoint: _410_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	start (in)
1	0.00				start (net)
		0.00	0.00	2.00 v	input3/A (sky130_fd_sc_hd__buf_1)
2	0.01	0.06	0.09	2.09 v	input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.06	0.00	2.09 v	_237_/B (sky130_fd_sc_hd__nor2_4)
		0.18	0.17	2.25 ^	_237_/Y (sky130_fd_sc_hd__nor2_4)
9	0.04				_125_ (net)
		0.18	0.00	2.25 ^	_348_/B1 (sky130_fd_sc_hd__a32o_1)
		0.04	0.08	2.33 ^	_348_/X (sky130_fd_sc_hd__a32o_1)
1	0.00				_052_ (net)
		0.04	0.00	2.33 ^	_410_/D (sky130_fd_sc_hd__dftrtp_2)
				2.33	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04 ^	clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14 ^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.23 ^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	10.24 ^	_410_/CLK (sky130_fd_sc_hd__dftrtp_2)
			-0.25	9.99	clock uncertainty
			0.00	9.99	clock reconvergence pessimism
			-0.04	9.95	library setup time
				9.95	data required time

				9.95	data required time
				-2.33	data arrival time

				7.62	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _409_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.07	2.07 v	input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)

		0.04	0.00	2.07	v	_355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.13	2.20	v	_355_/X (sky130_fd_sc_hd__buf_4)
10	0.05					_199_ (net)
		0.06	0.00	2.20	v	_356_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.14	2.35	v	_356_/X (sky130_fd_sc_hd__buf_4)
10	0.06					_200_ (net)
		0.06	0.00	2.35	v	_358_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.39	^	_358_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_003_ (net)
		0.03	0.00	2.39	^	_409_/RESET_B (sky130_fd_sc_hd__dftrtp_4)
				2.39		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.06	0.04	10.04	^	clk (in)
						clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.09	10.23	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03					clknet_2_2__leaf_clk (net)
		0.04	0.00	10.23	^	_409_/CLK (sky130_fd_sc_hd__dftrtp_4)
		-0.25	9.98			clock uncertainty
		0.00	9.98			clock reconvergence pessimism
		0.13	10.11			library recovery time
			10.11			data required time

				10.11		data required time
				-2.39		data arrival time

				7.72		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _424_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.20	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.06	0.14	2.35	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.06	0.00	2.35	v _374_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.39	^ _374_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_018_ (net)
		0.03	0.00	2.39	^ _424_/RESET_B (sky130_fd_sc_hd__dftrtp_2)
				2.39	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)

12	0.04	0.04	0.10	10.23	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3_leaf_clk (net)
		0.04	0.00	10.23	^	_424_/CLK (sky130_fd_sc_hd__dfrtp_2)
			-0.25	9.98		clock uncertainty
			0.00	9.98		clock reconvergence pessimism
			0.14	10.12		library recovery time
				10.12		data required time

				10.12		data required time
				-2.39		data arrival time

		7.73		slack (MET)		

Startpoint: rst (input port clocked by clk)
Endpoint: _408_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description		
1	0.00		0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
			2.00	2.00	v input external delay		
		0.00	0.00	2.00	v rst (in)		
					rst (net)		
			0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)	
		3	0.01	0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
						net2 (net)	
			0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)	
		10	0.05	0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)		
			0.06	0.00	2.20	v _356_/A (sky130_fd_sc_hd__buf_4)	
10	0.06				_200_ (net)		
			0.06	0.14	2.35	v _356_/X (sky130_fd_sc_hd__buf_4)	
10	0.06				_200_ (net)		
			0.06	0.00	2.35	v _357_/A (sky130_fd_sc_hd__inv_2)	
1	0.00	0.03	0.04	2.39	^ _357_/Y (sky130_fd_sc_hd__inv_2)		
					002 (net)		
1	0.00	0.03	0.00	2.39	^ _408_/RESET_B (sky130_fd_sc_hd__dfrtp_4)		
				2.39	data arrival time		
1	0.02		10.00	10.00	clock clk (rise edge)		
			0.00	10.00	clock source latency		
		0.06	0.04	10.04	^ clk (in)		
					clk (net)		
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)		
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)		
		4	0.04			clknet_0_clk (net)	
			0.05	0.00	10.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
			0.05	0.10	10.23	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
		14	0.04			clknet_2_0__leaf_clk (net)	
14	0.04	0.05	0.00	10.24	^ _408_/CLK (sky130_fd_sc_hd__dfrtp_4)		
			-0.25	9.99	clock uncertainty		
			0.00	9.99	clock reconvergence pessimism		
			0.14	10.12	library recovery time		
				10.12	data required time		
				10.12	data required time		
				-2.39	data arrival time		
				7.73	slack (MET)		

Startpoint: rst (input port clocked by clk)
Endpoint: _410_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description		

1	0.00	0.00	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
		0.00	2.00	2.00	v input external delay		
			0.00	2.00	v rst (in)		
		0.00			rst (net)		
			0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)	
		3	0.01	0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
							net2 (net)
		10	0.05	0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
				0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.06	0.06	0.00	2.20	v _356_/A (sky130_fd_sc_hd__buf_4)		
		0.06	0.14	2.35	v _356_/X (sky130_fd_sc_hd__buf_4)		
1	0.00	0.06	0.00	2.35	v _359_/A (sky130_fd_sc_hd__inv_2)		
		0.03	0.04	2.39	^ _359_/Y (sky130_fd_sc_hd__inv_2)		
		0.03	0.00	2.39	^ _410_/RESET_B (sky130_fd_sc_hd__dftrtp_2)		
				2.39	data arrival time		

1	0.02	0.06	10.00	10.00	clock clk (rise edge)		
			0.00	10.00	clock source latency		
4	0.04	0.05	0.04	10.04	^ clk (in)		
					clk (net)		
		0.05	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)		
			0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)		
14	0.04	0.05	0.00	10.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)		
			0.10	10.23	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)		
		0.05			clknet_2_0__leaf_clk (net)		
			0.00	10.24	^ _410_/CLK (sky130_fd_sc_hd__dftrtp_2)		
			-0.25	9.99	clock uncertainty		
			0.00	9.99	clock reconvergence pessimism		
			0.14	10.12	library recovery time		
				10.12	data required time		

				10.12	data required time		
				-2.39	data arrival time		

				7.73	slack (MET)		

Startpoint: rst (input port clocked by clk)

Endpoint: _415_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.00	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.04	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.05	0.00	0.00	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.06	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.06	0.00	0.00	2.20	v _356_/A (sky130_fd_sc_hd__buf_4)
			0.06	2.35	v _356_/X (sky130_fd_sc_hd__buf_4)
1	0.00	0.00	0.00	2.35	v _364_/A (sky130_fd_sc_hd__inv_2)
			0.03	2.39	^ _364_/Y (sky130_fd_sc_hd__inv_2)
			0.03	2.39	^ _415_/RESET_B (sky130_fd_sc_hd__dftrtp_1)

				2.39	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.09	10.23	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.04	0.00	10.23	^ _415_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.98		clock uncertainty
		0.00	9.98		clock reconvergence pessimism
		0.15	10.13		library recovery time
			10.13		data required time

			10.13		data required time
			-2.39		data arrival time

			7.73		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _416_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.20	v _356_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.14	2.35	v _356_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_200_ (net)
		0.06	0.00	2.35	v _365_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	2.39	^ _365_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_010_ (net)
		0.03	0.00	2.39	^ _416_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.39	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.09	10.23	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.04	0.00	10.23	^ _416_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.98		clock uncertainty
		0.00	9.98		clock reconvergence pessimism
		0.15	10.13		library recovery time
			10.13		data required time

			10.13		data required time
			-2.39		data arrival time

7.73 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _417_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
		0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.20	v _356_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.14	2.35	v _356_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_200_ (net)
		0.06	0.00	2.35	v _366_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	2.39	^ _366_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_011_ (net)
		0.03	0.00	2.39	^ _417_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.39	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.09	10.23	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.04	0.00	10.23	^ _417_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	9.98	clock uncertainty
			0.00	9.98	clock reconvergence pessimism
			0.15	10.13	library recovery time
				10.13	data required time

				10.13	data required time
				-2.39	data arrival time

				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _413_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)

		0.04	0.00	2.07	v	_355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.13	2.20	v	_355_/X (sky130_fd_sc_hd__buf_4)
10	0.05					_199_ (net)
		0.06	0.00	2.20	v	_356_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.14	2.35	v	_356_/X (sky130_fd_sc_hd__buf_4)
10	0.06					_200_ (net)
		0.06	0.00	2.35	v	_362_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.39	^	_362_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_007_ (net)
		0.03	0.00	2.39	^	_413_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.39		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.06	0.04	10.04	^	clk (in)
						clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.04	0.09	10.23	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
		0.04	0.00	10.23	^	_413_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	9.98			clock uncertainty
		0.00	9.98			clock reconvergence pessimism
		0.15	10.13			library recovery time
			10.13			data required time

				10.13		data required time
				-2.39		data arrival time

				7.73		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _412_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.06	0.00	2.20	v _356_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.06	0.14	2.35	v _356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
		0.06	0.00	2.35	v _361_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.39	^ _361_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_006_ (net)
		0.03	0.00	2.39	^ _412_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.39	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)

10	0.03	0.04	0.09	10.23	^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
		0.04	0.00	10.23	^	_412_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	9.98		clock uncertainty
			0.00	9.98		clock reconvergence pessimism
			0.15	10.13		library recovery time
				10.13		data required time
				10.13		data required time
				-2.39		data arrival time
				7.73		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _414_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description		
1	0.00	0.00	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
		0.00	2.00	2.00	v input external delay		
			0.00	2.00	v rst (in)		
		0.00			rst (net)		
			0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)	
		3	0.01	0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
							net2 (net)
		10	0.05	0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
				0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_199_ (net)		
		0.06	0.00	2.20	v _356_/A (sky130_fd_sc_hd__buf_4)		
		0.06	0.14	2.35	v _356_/X (sky130_fd_sc_hd__buf_4)		
					200 (net)		
1	0.00	0.06	0.00	2.35	v _363_/A (sky130_fd_sc_hd__inv_2)		
		0.03	0.04	2.39	^ _363_/Y (sky130_fd_sc_hd__inv_2)		
1	0.00				_008_ (net)		
		0.03	0.00	2.39	^ _414_/RESET_B (sky130_fd_sc_hd__dfrtp_1)		
1	0.02			2.39	data arrival time		
			10.00	10.00	clock clk (rise edge)		
			0.00	10.00	clock source latency		
		0.06	0.04	10.04	^ clk (in)		
					clk (net)		
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)		
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)		
		4	0.04				clknet_0_clk (net)
				0.05	0.00	10.14	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		10	0.03	0.04	0.09	10.23	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)		
10	0.03	0.04	0.00	10.23	^ _414_/CLK (sky130_fd_sc_hd__dfrtp_1)		
			-0.25	9.98	clock uncertainty		
			0.00	9.98	clock reconvergence pessimism		
			0.15	10.13	library recovery time		
				10.13	data required time		
				10.13	data required time		
				-2.39	data arrival time		
				7.73	slack (MET)		

Startpoint: rst (input port clocked by clk)
Endpoint: _425_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.00	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
					rst (net)
			0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.04	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.04	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.06	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05			_199_ (net)	
		0.06	2.20	v _367_/A (sky130_fd_sc_hd__clkbuf_8)	
10	0.07	0.06	2.35	v _367_/X (sky130_fd_sc_hd__clkbuf_8)	
		0.06		_201_ (net)	
		0.06	2.35	v _375_/A (sky130_fd_sc_hd__inv_2)	
		0.03	2.39	^ _375_/Y (sky130_fd_sc_hd__inv_2)	
1	0.00			_019_ (net)	
		0.03	2.39	^ _425_/RESET_B (sky130_fd_sc_hd__dftrtp_1)	
			2.39	data arrival time	

1	0.02		10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
					clk (net)
4	0.04	0.06	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.05	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
10	0.03				clknet_0_clk (net)
		0.05	10.14	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.04	10.23	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					clknet_2_2__leaf_clk (net)
		0.04	10.23	^ _425_/CLK (sky130_fd_sc_hd__dftrtp_1)	
			-0.25	9.98	clock uncertainty
		0.00	9.98	clock reconvergence pessimism	
		0.15	10.13	library recovery time	
			10.13	data required time	

				10.13	data required time
				-2.39	data arrival time

				7.74	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _422_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.00	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.04	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.05	0.00	0.00	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.06	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.07	0.00	0.00	2.20	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
			0.06	2.35	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
1	0.00	0.00	0.00	2.35	v _372_/A (sky130_fd_sc_hd__inv_2)
			0.02	2.39	^ _372_/Y (sky130_fd_sc_hd__inv_2)
			0.02	2.39	^ _422_/RESET_B (sky130_fd_sc_hd__dftrtp_1)

				2.39	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
	0.06	0.04	10.04	^	clk (in)
1	0.02				clk (net)
	0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
	0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
	0.05	0.00	10.14	^	clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
	0.04	0.09	10.23	^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
	0.04	0.00	10.23	^	_422_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.98		clock uncertainty
		0.00	9.98		clock reconvergence pessimism
		0.15	10.13		library recovery time
			10.13		data required time

			10.13		data required time
			-2.39		data arrival time

			7.74		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _423_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.20	v _367_/A (sky130_fd_sc_hd_clkbuf_8)
		0.06	0.14	2.35	v _367_/X (sky130_fd_sc_hd_clkbuf_8)
10	0.07				_201_ (net)
		0.06	0.00	2.35	v _373_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	2.39	^ _373_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_017_ (net)
		0.03	0.00	2.39	^ _423_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.39	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
	0.06	0.04	10.04	^	clk (in)
1	0.02				clk (net)
	0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
	0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
	0.05	0.00	10.14	^	clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
	0.04	0.09	10.23	^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
	0.04	0.00	10.23	^	_423_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.98		clock uncertainty
		0.00	9.98		clock reconvergence pessimism
		0.15	10.13		library recovery time
			10.13		data required time

			10.13		data required time
			-2.39		data arrival time

7.74 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _427_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
			0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.07	2.07 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.07 v	_355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.13	2.20 v	_355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.20 v	_367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.06	0.14	2.35 v	_367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.06	0.00	2.35 v	_377_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.39 ^	_377_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_021_ (net)
		0.03	0.00	2.39 ^	_427_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.39	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04 ^	clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14 ^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.09	10.23 ^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.04	0.00	10.23 ^	_427_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	9.98	clock uncertainty
			0.00	9.98	clock reconvergence pessimism
			0.15	10.13	library recovery time
				10.13	data required time

				10.13	data required time
				-2.39	data arrival time

				7.74	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _418_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.07	2.07 v	input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)

		0.04	0.00	2.07	v	_355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.13	2.20	v	_355_/X (sky130_fd_sc_hd__buf_4)
10	0.05					_199_ (net)
		0.06	0.00	2.20	v	_367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.06	0.14	2.35	v	_367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07					_201_ (net)
		0.06	0.00	2.35	v	_368_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.39	^	_368_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_012_ (net)
		0.03	0.00	2.39	^	_418_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.39		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.06	0.04	10.04	^	clk (in)
						clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.04	0.10	10.23	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3__leaf_clk (net)
		0.04	0.00	10.23	^	_418_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	9.98			clock uncertainty
		0.00	9.98			clock reconvergence pessimism
		0.15	10.13			library recovery time
			10.13			data required time

				10.13		data required time
				-2.39		data arrival time

				7.74		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _419_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.06	0.00	2.20	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
10	0.07	0.06	0.14	2.35	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
					201 (net)
		0.06	0.00	2.35	v _369_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.39	^ _369_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_013_ (net)
		0.03	0.00	2.39	^ _419_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.39	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)

12	0.04	0.04	0.10	10.23	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3_leaf_clk (net)
		0.04	0.00	10.23	^	_419_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	9.98		clock uncertainty
			0.00	9.98		clock reconvergence pessimism
			0.15	10.13		library recovery time
				10.13		data required time

				10.13		data required time
				-2.39		data arrival time

		7.74		slack (MET)		

Startpoint: rst (input port clocked by clk)
Endpoint: _421_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description		
1	0.00		0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
		0.00	2.00	2.00	v input external delay		
			0.00	2.00	v rst (in)		
		0.00			rst (net)		
			0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)	
		3	0.01	0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
							net2 (net)
		10	0.05	0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
				0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_199_ (net)		
		0.06	0.00	2.20	v _367_/A (sky130_fd_sc_hd__clkbuf_8)		
		0.06	0.14	2.35	v _367_/X (sky130_fd_sc_hd__clkbuf_8)		
					201 (net)		
1	0.00	0.06	0.00	2.35	v _371_/A (sky130_fd_sc_hd__inv_2)		
		0.03	0.04	2.39	^ _371_/Y (sky130_fd_sc_hd__inv_2)		
					015 (net)		
		0.03	0.00	2.39	^ _421_/RESET_B (sky130_fd_sc_hd__dfrtp_1)		
				2.39	data arrival time		
1	0.02		10.00	10.00	clock clk (rise edge)		
			0.00	10.00	clock source latency		
		0.06	0.04	10.04	^ clk (in)		
					clk (net)		
4	0.04	0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)		
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)		
					clknet_0_clk (net)		
		0.05	0.00	10.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)		
12	0.04	0.04	0.10	10.23	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)		
					clknet_2_3__leaf_clk (net)		
		0.04	0.00	10.23	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)		
			-0.25	9.98	clock uncertainty		
			0.00	9.98	clock reconvergence pessimism		
			0.15	10.13	library recovery time		
				10.13	data required time		
				10.13	data required time		
				-2.39	data arrival time		
				7.74	slack (MET)		

Startpoint: rst (input port clocked by clk)
Endpoint: _426_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description		

1	0.00	0.00	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
		0.00	2.00	2.00	v input external delay		
			0.00	2.00	v rst (in)		
		0.00	0.00		rst (net)		
			0.04	0.07	2.00	v input2/A (sky130_fd_sc_hd__buf_1)	
		3	0.01		2.07	v input2/X (sky130_fd_sc_hd__buf_1)	
				0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
		10	0.05	0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
				0.06	0.00	2.20	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
10	0.07	0.06	0.14	2.35	v _367_/X (sky130_fd_sc_hd__clkbuf_8)		
		0.06	0.00	2.35	v _376_/A (sky130_fd_sc_hd__inv_2)		
1	0.00	0.03	0.04	2.39	^ _376_/Y (sky130_fd_sc_hd__inv_2)		
		0.03	0.00	2.39	^ _426_/RESET_B (sky130_fd_sc_hd__dftrtp_1)		
					2.39 data arrival time		

1	0.02	0.06	10.00	10.00	clock clk (rise edge)		
			0.00	10.00	clock source latency		
		0.06	0.04	10.04	^ clk (in)		
			0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
4	0.04	0.05	0.00	10.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)		
		0.04	0.10	10.23	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)		
12	0.04				clknet_2_3__leaf_clk (net)		
		0.04	0.00	10.23	^ _426_/CLK (sky130_fd_sc_hd__dftrtp_1)		
					-0.25 clock uncertainty		
					0.00 clock reconvergence pessimism		
					0.15 library recovery time		
					10.13 data required time		

					10.13 data required time		
					-2.39 data arrival time		

					7.74 slack (MET)		

Startpoint: rst (input port clocked by clk)

Endpoint: _420_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.00	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.04	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.05	0.00	0.00	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.06	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.07	0.00	0.00	2.20	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
			0.06	2.35	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
1	0.00	0.00	0.00	2.35	v _370_/A (sky130_fd_sc_hd__inv_2)
			0.03	2.39	^ _370_/Y (sky130_fd_sc_hd__inv_2)
			0.03	2.39	^ _420_/RESET_B (sky130_fd_sc_hd__dftrtp_1)

				2.39	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	10.23	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.04	0.00	10.23	^ _420_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.98		clock uncertainty
		0.00	9.98		clock reconvergence pessimism
		0.15	10.13		library recovery time
			10.13		data required time

			10.13		data required time
			-2.39		data arrival time

			7.74		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _411_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.20	v _356_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.14	2.35	v _356_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_200_ (net)
		0.06	0.00	2.35	v _360_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	2.39	^ _360_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_005_ (net)
		0.03	0.00	2.39	^ _411_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.39	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.23	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)
14	0.04				^ _411_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		0.15	10.13		library recovery time
			10.13		data required time

			10.13		data required time
			-2.39		data arrival time

7.74 slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _427_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.11	0.26	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.04	0.00	0.26	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.05	0.27	0.53	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[13] (net)
		0.05	0.00	0.53	v _205_/A (sky130_fd_sc_hd_or4_1)
		0.06	0.32	0.85	v _205_/X (sky130_fd_sc_hd_or4_1)
1	0.00				_097_ (net)
		0.06	0.00	0.85	v _209_/A (sky130_fd_sc_hd_nor4_1)
		0.28	0.29	1.14	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
2	0.01				_101_ (net)
		0.28	0.00	1.14	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.11	0.12	1.26	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01				net25 (net)
		0.11	0.00	1.26	^ _217_/C (sky130_fd_sc_hd_nand4_1)
		0.08	0.09	1.35	v _217_/Y (sky130_fd_sc_hd_nand4_1)
3	0.01				_109_ (net)
		0.08	0.00	1.35	v _218_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.16	1.51	v _218_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_110_ (net)
		0.06	0.00	1.51	v _291_/S (sky130_fd_sc_hd_mux2_1)
		0.04	0.20	1.70	v _291_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_154_ (net)
		0.04	0.00	1.70	v hold36/A (sky130_fd_sc_hd_dlygate4sd3_1)
		0.04	0.38	2.09	v hold36/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00				net61 (net)
		0.04	0.00	2.09	v _292_/A (sky130_fd_sc_hd_clkbuf_1)
		0.02	0.06	2.15	v _292_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_067_ (net)
		0.02	0.00	2.15	v _427_/D (sky130_fd_sc_hd_dfrtp_1)
				2.15	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.09	10.23	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.04	0.00	10.23	^ _427_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.98		clock uncertainty
		0.01	10.00		clock reconvergence pessimism
		-0.07	9.93		library setup time
			9.93		data required time
				9.93	data required time
				-2.15	data arrival time

7.78 slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _426_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description		
1	0.02		0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock source latency		
		0.06	0.04	0.04	^ clk (in)		
					clk (net)		
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)		
					0.05	0.11	0.15
		4	0.04			clknet_0_clk (net)	
				0.05	0.00	0.15	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		12	0.04	0.04	0.11	0.26	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3_leaf_clk (net)	
3	0.01	0.04	0.00	0.26	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)		
		0.05	0.27	0.53	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)		
1	0.00				clk_count[13] (net)		
		0.05	0.00	0.53	v _205_/A (sky130_fd_sc_hd__or4_1)		
1	0.00				v _205_/X (sky130_fd_sc_hd__or4_1)		
		0.06	0.32	0.85	v _205_/X (sky130_fd_sc_hd__or4_1)		
2	0.01				_097_ (net)		
		0.06	0.00	0.85	v _209_/A (sky130_fd_sc_hd__nor4_1)		
3	0.01	0.28	0.29	1.14	^ _209_/Y (sky130_fd_sc_hd__nor4_1)		
					101 (net)		
3	0.01	0.28	0.00	1.14	^ max_cap25/A (sky130_fd_sc_hd__buf_1)		
		0.11	0.12	1.26	^ max_cap25/X (sky130_fd_sc_hd__buf_1)		
3	0.01				net25 (net)		
		0.11	0.00	1.26	^ _217_/C (sky130_fd_sc_hd__nand4_1)		
10	0.06	0.08	0.09	1.35	v _217_/Y (sky130_fd_sc_hd__nand4_1)		
					109 (net)		
10	0.06	0.08	0.00	1.35	v _218_/A (sky130_fd_sc_hd__buf_4)		
		0.06	0.16	1.51	v _218_/X (sky130_fd_sc_hd__buf_4)		
1	0.00				_110_ (net)		
		0.06	0.00	1.51	v _293_/S (sky130_fd_sc_hd__mux2_1)		
1	0.00	0.04	0.19	1.70	v _293_/X (sky130_fd_sc_hd__mux2_1)		
					155 (net)		
1	0.00	0.04	0.00	1.70	v hold34/A (sky130_fd_sc_hd__dlygate4sd3_1)		
		0.04	0.38	2.08	v hold34/X (sky130_fd_sc_hd__dlygate4sd3_1)		
1	0.00				net59 (net)		
		0.04	0.00	2.08	v _294_/A (sky130_fd_sc_hd__clkbuf_1)		
1	0.00	0.02	0.06	2.15	v _294_/X (sky130_fd_sc_hd__clkbuf_1)		
					066 (net)		
1	0.00	0.02	0.00	2.15	v _426_/D (sky130_fd_sc_hd__dfrtp_1)		
				2.15	data arrival time		
1	0.02		10.00	10.00	clock clk (rise edge)		
			0.00	10.00	clock source latency		
		0.06	0.04	10.04	^ clk (in)		
					clk (net)		
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)		
					0.05	0.10	10.14
		4	0.04			clknet_0_clk (net)	
				0.05	0.00	10.14	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		12	0.04	0.04	0.10	10.23	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3_leaf_clk (net)	
		0.04	0.00	10.23	^ _426_/CLK (sky130_fd_sc_hd__dfrtp_1)		
						clock uncertainty	
			0.02	10.01	clock reconvergence pessimism		
			-0.07	9.94	library setup time		
			9.94	data required time			
			9.94	data required time			
			-2.15	data arrival time			

7.79 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _436_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
			0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.07	2.07 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.07 v	_378_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.14	2.21 v	_378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.06	0.00	2.21 v	_387_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.05	2.26 ^	_387_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_030_ (net)
		0.03	0.00	2.26 ^	_436_/SET_B (sky130_fd_sc_hd__dfstp_1)
				2.26	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04 ^	clk (in)
					clk (net)
		0.06	0.00	10.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14 ^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	10.23 ^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.04	0.00	10.23 ^	_436_/CLK (sky130_fd_sc_hd__dfstp_1)
			-0.25	9.98	clock uncertainty
			0.00	9.98	clock reconvergence pessimism
			0.09	10.07	library recovery time
				10.07	data required time

				10.07	data required time
				-2.26	data arrival time

				7.81	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _435_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.07	2.07 v	input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.07 v	_378_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.14	2.21 v	_378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)

		0.06	0.00	2.21	v	_386_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.26	^	_386_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_029_ (net)
		0.03	0.00	2.26	^	_435_/RESET_B (sky130_fd_sc_hd__dfrtp_2)
				2.26		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.06	0.04	10.04	^	clk (in)
						clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.05	0.10	10.23	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.05	0.00	10.24	^	_435_/CLK (sky130_fd_sc_hd__dfrtp_2)
		-0.25	9.99			clock uncertainty
		0.00	9.99			clock reconvergence pessimism
		0.14	10.12			library recovery time
			10.12			data required time

				10.12		data required time
				-2.26		data arrival time

				7.87		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _433_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.07	v _378_/A (sky130_fd_sc_hd__buf_4)
10	0.07	0.06	0.14	2.21	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
		0.06	0.00	2.21	v _384_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.05	2.26	^ _384_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_027_ (net)
		0.03	0.00	2.26	^ _433_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.26	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.04	0.09	10.23	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.04	0.00	10.23	^ _433_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	9.98		clock uncertainty
		0.00	9.98		clock reconvergence pessimism
		0.15	10.13		library recovery time
			10.13		data required time

				10.13	data required time

-2.26 data arrival time

7.87 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _434_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description	
1	0.00	0.00	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			2.00	2.00	v input external delay	
			0.00	2.00	v rst (in)	
					rst (net)	
			0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
						net2 (net)
			0.04	0.00	2.07	v _378_/A (sky130_fd_sc_hd__buf_4)
			0.06	0.14	2.21	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07	0.00			_202_ (net)	
			0.06	0.00	2.21	v _385_/A (sky130_fd_sc_hd__inv_2)
			0.03	0.04	2.26	^ _385_/Y (sky130_fd_sc_hd__inv_2)
						028 (net)
1	0.00	0.03	0.00	2.26	^ _434_/RESET_B (sky130_fd_sc_hd__dfrtp_1)	
				2.26	data arrival time	
1	0.02	0.06	10.00	10.00	clock clk (rise edge)	
			0.00	10.00	clock source latency	
			0.04	10.04	^ clk (in)	
					clk (net)	
4	0.04	0.05	0.06	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
			0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					clknet_0_clk (net)	
			0.05	0.00	10.14	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.04	0.09	10.23	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					clknet_2_1_leaf_clk (net)	
			0.04	10.23	^ _434_/CLK (sky130_fd_sc_hd__dfrtp_1)	
			-0.25	9.98	clock uncertainty	
			0.00	9.98	clock reconvergence pessimism	
			0.15	10.13	library recovery time	
				10.13	data required time	
				10.13	data required time	
				-2.26	data arrival time	
				7.87	slack (MET)	

Startpoint: rst (input port clocked by clk)
Endpoint: _437_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
1	0.00	0.00	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
3	0.01	0.00	0.00	2.00	v rst (net)
			0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.04	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
			0.00	2.07	v net2 (net)
		0.06	0.00	2.07	v _378_/A (sky130_fd_sc_hd__buf_4)
			0.14	2.21	v _378_/X (sky130_fd_sc_hd__buf_4)

10	0.07					_202_ (net)
		0.06	0.00	2.21	v	_388_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.26	^	_388_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_031_ (net)
		0.03	0.00	2.26	^	_437_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.26		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.06	0.04	10.04	^	clk (in)
1	0.02					clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	10.23	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.04	0.00	10.23	^	_437_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	9.98			clock uncertainty
		0.00	9.98			clock reconvergence pessimism
		0.15	10.13			library recovery time
			10.13			data required time

				10.13		data required time
				-2.26		data arrival time

				7.87		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _429_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.07	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.14	2.21	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.06	0.00	2.21	v _380_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.05	2.26	^ _380_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_023_ (net)
		0.03	0.00	2.26	^ _429_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.26	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.23	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	10.23	^ _429_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	9.98		clock uncertainty
		0.00	9.98		clock reconvergence pessimism
		0.15	10.13		library recovery time
			10.13		data required time

10.13 data required time
-2.26 data arrival time

7.87 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _431_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description		

1	0.00		0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
		0.00	2.00	2.00 v	input external delay		
			0.00	2.00 v	rst (in)		
					rst (net)		
			0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)		
		3	0.01	0.04	0.07	2.07 v	input2/X (sky130_fd_sc_hd__buf_1)
							net2 (net)
			0.04	0.00	2.07 v	_378_/A (sky130_fd_sc_hd__buf_4)	
			0.06	0.14	2.21 v	_378_/X (sky130_fd_sc_hd__buf_4)	
10	0.07				_202_ (net)		
		0.06	0.00	2.21 v	_382_/A (sky130_fd_sc_hd__inv_2)		
1	0.00	0.03	0.05	2.26 ^	_382_/Y (sky130_fd_sc_hd__inv_2)		
					025 (net)		
		0.03	0.00	2.26 ^	_431_/RESET_B (sky130_fd_sc_hd__dfrtp_1)		
				2.26	data arrival time		

1	0.02		10.00	10.00	clock clk (rise edge)		
			0.00	10.00	clock source latency		
		0.06	0.04	10.04 ^	clk (in)		
					clk (net)		
4	0.04	0.06	0.00	10.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)		
		0.05	0.10	10.14 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)		
					clknet_0_clk (net)		
		0.05	0.00	10.14 ^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)		
14	0.04	0.05	0.10	10.23 ^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)		
					clknet_2_0__leaf_clk (net)		
		0.05	0.00	10.24 ^	_431_/CLK (sky130_fd_sc_hd__dfrtp_1)		
		-0.25	9.99		clock uncertainty		
		0.00	9.99		clock reconvergence pessimism		
		0.15	10.13		library recovery time		
			10.13		data required time		

				10.13	data required time		
				-2.26	data arrival time		

				7.87	slack (MET)		

Startpoint: rst (input port clocked by clk)
Endpoint: _432_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.00	0.00	2.00 v	rst (in)
					rst (net)
			0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.00	0.04	2.07 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.04	2.07 v	_378_/A (sky130_fd_sc_hd__buf_4)

10	0.07	0.06	0.14	2.21	v	_378_/X (sky130_fd_sc_hd_buf_4)
		0.06	0.00	2.21	v	_383_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.03	0.04	2.26	^	_383_/Y (sky130_fd_sc_hd_inv_2)
		0.03	0.00	2.26	^	_026_ (net)
				2.26	^	_432_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.26		data arrival time
				10.00		clock clk (rise edge)
				0.00		clock source latency
1	0.02	0.06	0.04	10.04	^	clk (in)
		0.06	0.00	10.04	^	clk (net)
4	0.04	0.05	0.10	10.14	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.05	0.00	10.14	^	clknet_0_clk (net)
		0.05	0.10	10.14	^	clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				10.23	^	clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
				10.23	^	clknet_2_0_leaf_clk (net)
				10.24	^	_432_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.99			clock uncertainty
		0.00	9.99			clock reconvergence pessimism
		0.15	10.13			library recovery time
			10.13			data required time

				10.13		data required time
				-2.26		data arrival time

				7.87		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _430_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.00	0.00	2.00	v rst (in)
				2.00	v rst (net)
3	0.01	0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd_buf_1)
10	0.07	0.04	0.00	2.07	v _378_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.14	2.21	v _378_/X (sky130_fd_sc_hd_buf_4)
1	0.00	0.06	0.00	2.21	v _381_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	2.26	^ _381_/Y (sky130_fd_sc_hd_inv_2)
				2.26	^ _024_ (net)
				2.26	^ _430_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.26	data arrival time
				10.00	clock clk (rise edge)
				0.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
		0.06	0.00	10.04	^ clk (net)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.05	0.00	10.14	^ clknet_0_clk (net)
		0.05	0.10	10.14	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				10.23	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
				10.23	^ clknet_2_0_leaf_clk (net)
				10.24	^ _430_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.99		clock uncertainty
		0.00	9.99		clock reconvergence pessimism
		0.15	10.13		library recovery time
			10.13		data required time

		10.13	data required time
		-2.26	data arrival time

		7.87	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _428_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
			0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.07	2.07 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.07 v	_378_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.14	2.21 v	_378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.06	0.00	2.21 v	_379_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.26 ^	_379_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_022_ (net)
		0.03	0.00	2.26 ^	_428_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.26	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04 ^	clk (in)
					clk (net)
		0.06	0.00	10.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14 ^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.23 ^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	10.24 ^	_428_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	9.99	clock uncertainty
			0.00	9.99	clock reconvergence pessimism
			0.15	10.13	library recovery time
				10.13	data required time

				10.13	data required time
				-2.26	data arrival time

				7.87	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _443_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
			0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.07	2.07 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)

		0.04	0.00	2.07	v	_389_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.14	2.21	v	_389_/X (sky130_fd_sc_hd__buf_4)
10	0.06					_203_ (net)
		0.06	0.00	2.21	v	_395_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.25	^	_395_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_037_ (net)
		0.03	0.00	2.25	^	_443_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.25		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.06	0.04	10.04	^	clk (in)
						clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.04	0.09	10.23	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_1__leaf_clk (net)
		0.04	0.00	10.23	^	_443_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	9.98			clock uncertainty
		0.00	9.98			clock reconvergence pessimism
		0.15	10.13			library recovery time
			10.13			data required time

				10.13		data required time
				-2.25		data arrival time

				7.88		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _440_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.07	v _389_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.06	0.14	2.21	v _389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
		0.06	0.00	2.21	v _392_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.25	^ _392_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_034_ (net)
		0.03	0.00	2.25	^ _440_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.25	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.04	0.10	10.23	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.04	0.00	10.23	^ _440_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	9.98		clock uncertainty
		0.00	9.98		clock reconvergence pessimism
		0.15	10.13		library recovery time

				10.13	data required time

				10.13	data required time
				-2.25	data arrival time

				7.88	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _441_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01		0.04	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.07	v _389_/A (sky130_fd_sc_hd__buf_4)
10	0.06		0.06	2.21	v _389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
		0.06	0.00	2.21	v _393_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.25	^ _393_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_035_ (net)
		0.03	0.00	2.25	^ _441_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.25	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04		0.05	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04		0.04	10.23	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.04	0.00	10.23	^ _441_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	9.98	clock uncertainty
			0.00	9.98	clock reconvergence pessimism
			0.15	10.13	library recovery time
				10.13	data required time

				10.13	data required time
				-2.25	data arrival time

				7.88	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _444_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)

3	0.01				net2 (net)
		0.04	0.00	2.07	v _389_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.14	2.21	v _389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
		0.06	0.00	2.21	v _396_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.25	^ _396_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_038_ (net)
		0.03	0.00	2.25	^ _444_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.25	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	10.23	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.04	0.00	10.23	^ _444_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	9.98		clock uncertainty
		0.00	9.98		clock reconvergence pessimism
		0.15	10.13		library recovery time
			10.13		data required time

				10.13	data required time
				-2.25	data arrival time

				7.88	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _439_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.07	v _389_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.14	2.21	v _389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
		0.06	0.00	2.21	v _391_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.25	^ _391_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_033_ (net)
		0.03	0.00	2.25	^ _439_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.25	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	10.23	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.04	0.00	10.23	^ _439_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	9.98		clock uncertainty
		0.00	9.98		clock reconvergence pessimism

	0.15	10.13	library recovery time
		10.13	data required time

		10.13	data required time
		-2.25	data arrival time

		7.88	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _438_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.00	0.00	2.00	v rst (in)
					rst (net)
			0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
			0.04	2.07	v _389_/A (sky130_fd_sc_hd_buf_4)
10	0.06	0.06	0.14	2.21	v _389_/X (sky130_fd_sc_hd_buf_4)
					203 (net)
			0.06	2.21	v _390_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.03	0.04	2.25	^ _390_/Y (sky130_fd_sc_hd_inv_2)
					032 (net)
			0.03	2.25	^ _438_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.25	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
			0.06	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
			0.05	10.14	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.04	0.10	10.23	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
			0.04	10.23	^ _438_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	9.98	clock uncertainty
			0.00	9.98	clock reconvergence pessimism
			0.15	10.13	library recovery time
				10.13	data required time

				10.13	data required time
				-2.25	data arrival time

				7.88	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _442_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.00	0.00	2.00	v rst (in)
					rst (net)
			0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)

3	0.01	0.04	0.07	2.07	v	input2/X (sky130_fd_sc_hd_buf_1)
						net2 (net)
10	0.06	0.04	0.00	2.07	v	_389_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.14	2.21	v	_389_/X (sky130_fd_sc_hd_buf_4)
1	0.00	0.06	0.00	2.21	v	_394_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	2.25	^	_394_/Y (sky130_fd_sc_hd_inv_2)
						036 (net)
		0.03	0.00	2.25	^	_442_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.25		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.06	0.04	10.04	^	clk (in)
						clk (net)
4	0.04	0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.05	0.00	10.14	^	clknet_0_clk (net)
		0.04	0.09	10.23	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
						clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_1_leaf_clk (net)
		0.04	0.00	10.23	^	_442_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.98			clock uncertainty
		0.00	9.98			clock reconvergence pessimism
		0.15	10.13			library recovery time
				10.13		data required time
				10.13		data required time
				-2.25		data arrival time
				7.88		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _445_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
1	0.00		2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
3	0.01				rst (net)
			0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
10	0.06		0.04	2.07	v input2/X (sky130_fd_sc_hd_buf_1)
			0.06		net2 (net)
1	0.00		0.04	2.07	v _389_/A (sky130_fd_sc_hd_buf_4)
			0.06	2.21	v _389_/X (sky130_fd_sc_hd_buf_4)
					203 (net)
			0.06	2.21	v _397_/A (sky130_fd_sc_hd_inv_2)
			0.03	2.25	^ _397_/Y (sky130_fd_sc_hd_inv_2)
					039 (net)
			0.03	2.25	^ _445_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.25	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02		0.06	10.04	^ clk (in)
					clk (net)
4	0.04		0.06	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
			0.05	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04		0.05	10.14	^ clknet_0_clk (net)
			0.04	10.23	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
					clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
			0.04	10.23	^ _445_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	9.98	clock uncertainty

0.00 9.98 clock reconvergence pessimism
0.15 10.13 library recovery time
10.13 data required time

10.13 data required time
-2.25 data arrival time

7.88 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _447_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
1	0.00	0.00	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
			2.00	2.00 v	rst (in)
					rst (net)
			2.00	v	input2/A (sky130_fd_sc_hd_buf_1)
			2.07	v	input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
			2.07	v	_389_/A (sky130_fd_sc_hd_buf_4)
			2.21	v	_389_/X (sky130_fd_sc_hd_buf_4)
3	0.01	0.04	0.00	2.07	v
			0.06	0.14	2.21
10	0.06	0.06	0.00	2.07	v
			0.03	0.05	2.21
1	0.00	0.06	0.00	2.25	^
			0.03	0.00	2.25
					447/RESET_B (sky130_fd_sc_hd_dfrtp_1)
					data arrival time
1	0.02	0.06	10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
			0.04	10.04	^
					clk (in)
					clk (net)
			0.06	10.04	^
			0.05	10.14	^
					clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
					clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
4	0.04	0.05	0.00	10.14	^
			0.05	0.10	10.14
14	0.04	0.05	0.00	10.14	^
			0.05	0.10	10.23
					clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
					clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)
					^ _447_/CLK (sky130_fd_sc_hd_dfrtp_1)
					clock uncertainty
					clock reconvergence pessimism
					library recovery time
					data required time
					data required time
					data arrival time
					slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _446_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
1	0.00	0.00	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
			0.00	2.00 v	rst (in)
					rst (net)

		0.00	0.00	2.00	v	input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.07	2.07	v	input2/X (sky130_fd_sc_hd__buf_1)
3	0.01					net2 (net)
		0.04	0.00	2.07	v	_389_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.06	0.14	2.21	v	_389_/X (sky130_fd_sc_hd__buf_4)
						203 (net)
		0.06	0.00	2.21	v	_398_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.03	0.04	2.25	^	_398_/Y (sky130_fd_sc_hd__inv_2)
						040 (net)
		0.03	0.00	2.25	^	_446_/RESET_B (sky130_fd_sc_hd__dfrrtp_1)
				2.25		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.06	0.04	10.04	^	clk (in)
						clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.04	0.09	10.23	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_1__leaf_clk (net)
		0.04	0.00	10.23	^	_446_/CLK (sky130_fd_sc_hd__dfrrtp_1)
		-0.25	9.98			clock uncertainty
		0.00	9.98			clock reconvergence pessimism
		0.15	10.13			library recovery time
			10.13			data required time

			10.13			data required time
			-2.25			data arrival time

			7.88			slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _450_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.06	0.00	2.20	v _402_/A (sky130_fd_sc_hd__inv_2)
1	0.01	0.03	0.05	2.25	^ _402_/Y (sky130_fd_sc_hd__inv_2)
					044 (net)
		0.03	0.00	2.25	^ _450_/RESET_B (sky130_fd_sc_hd__dfrrtp_1)
				2.25	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.05	0.10	10.23	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.05	0.00	10.23	^ _450_/CLK (sky130_fd_sc_hd__dfrrtp_1)

-0.25	9.98	clock uncertainty
0.00	9.98	clock reconvergence pessimism
0.15	10.13	library recovery time
	10.13	data required time

10.13	data required time
-2.25	data arrival time

7.88	slack (MET)
------	-------------

Startpoint: rst (input port clocked by clk)
Endpoint: _454_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.06	0.00	2.20	v _406_/A (sky130_fd_sc_hd__inv_2)
		0.02	0.04	2.24	^ _406_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_048_ (net)
		0.02	0.00	2.24	^ _454_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.24	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.04	0.09	10.23	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.04	0.00	10.23	^ _454_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	9.98	clock uncertainty
			0.00	9.98	clock reconvergence pessimism
			0.15	10.13	library recovery time
				10.13	data required time

				10.13	data required time
				-2.24	data arrival time

				7.88	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _455_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)

id	type	min	max	val	name
1	0.00	0.00	0.00	2.00	v rst (net)
		0.04	0.07	2.07	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01				v input2/X (sky130_fd_sc_hd_buf_1)
		0.04	0.00	2.07	v net2 (net)
		0.06	0.13	2.20	v _355_/A (sky130_fd_sc_hd_buf_4)
10	0.05				v _355_/X (sky130_fd_sc_hd_buf_4)
		0.06	0.00	2.20	v _199_ (net)
		0.02	0.04	2.24	v _407_/A (sky130_fd_sc_hd_inv_2)
1	0.00				^ _407_/Y (sky130_fd_sc_hd_inv_2)
		0.02	0.00	2.24	^ _049_ (net)
				2.24	^ _455_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
					data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.09	10.23	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.04	0.00	10.23	^ _455_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.98		clock uncertainty
		0.00	9.98		clock reconvergence pessimism
		0.15	10.13		library recovery time
			10.13		data required time

			10.13		data required time
			-2.24		data arrival time

			7.88		slack (MET)

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.06	0.00	2.20	v _404_/A (sky130_fd_sc_hd__inv_2)
		0.02	0.04	2.24	^ _404_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_046_ (net)
		0.02	0.00	2.24	^ _452_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.24	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.09	10.23	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)

0.04	0.00	10.23	^	_452_/CLK (sky130_fd_sc_hd__dfrtp_1)
	-0.25	9.98		clock uncertainty
	0.00	9.98		clock reconvergence pessimism
	0.15	10.13		library recovery time
		10.13		data required time

		10.13		data required time
		-2.24		data arrival time

		7.88		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _451_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.00	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.04	0.07	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.05	0.04			net2 (net)
			0.04	0.00	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.06	0.13	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
1	0.00	0.06	0.00	2.20	v _403_/A (sky130_fd_sc_hd__inv_2)
			0.03	0.04	^ _403_/Y (sky130_fd_sc_hd__inv_2)
					045 (net)
			0.03	0.00	^ _451_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.25	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.06	0.04	10.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.05	0.10	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.05			clknet_0_clk (net)
			0.05	0.00	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.05	0.10	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
			0.05	10.23	^ _451_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	9.98	clock uncertainty
			0.00	9.98	clock reconvergence pessimism
			0.15	10.13	library recovery time
				10.13	data required time

				10.13	data required time
				-2.25	data arrival time

				7.89	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _453_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay

		0.00	0.00	2.00	v	rst (in)
1	0.00					rst (net)
		0.00	0.00	2.00	v	input2/A (sky130_fd_sc_hd_buf_1)
		0.04	0.07	2.07	v	input2/X (sky130_fd_sc_hd_buf_1)
3	0.01					net2 (net)
		0.04	0.00	2.07	v	_355_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.13	2.20	v	_355_/X (sky130_fd_sc_hd_buf_4)
10	0.05					_199_ (net)
		0.06	0.00	2.20	v	_405_/A (sky130_fd_sc_hd_inv_2)
		0.02	0.04	2.24	^	_405_/Y (sky130_fd_sc_hd_inv_2)
1	0.00					_047_ (net)
		0.02	0.00	2.24	^	_453_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.24		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
		0.06	0.04	10.04	^	clk (in)
1	0.02					clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.09	10.23	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1_leaf_clk (net)
		0.04	0.00	10.23	^	_453_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.98			clock uncertainty
		0.00	9.98			clock reconvergence pessimism
		0.15	10.13			library recovery time
			10.13			data required time

				10.13		data required time
				-2.24		data arrival time

				7.89		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _449_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.04	0.07	2.07	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.20	v _401_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	2.25	^ _401_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_043_ (net)
		0.03	0.00	2.25	^ _449_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.25	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.23	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)

14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	10.23	^ _449_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	9.98	clock uncertainty
			0.00	9.98	clock reconvergence pessimism
			0.15	10.13	library recovery time
				10.13	data required time

				10.13	data required time
				-2.25	data arrival time

				7.89	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _448_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01		0.04	2.07	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.07	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.13	2.20	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.20	v _400_/A (sky130_fd_sc_hd__inv_2)
		0.02	0.04	2.24	^ _400_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_042_ (net)
		0.02	0.00	2.24	^ _448_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.24	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02		0.06	10.04	^ clk (in)
					clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04		0.05	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.23	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	10.23	^ _448_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	9.98	clock uncertainty
			0.00	9.98	clock reconvergence pessimism
			0.15	10.13	library recovery time
				10.13	data required time

				10.13	data required time
				-2.24	data arrival time

				7.89	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _433_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency

		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.11	0.26	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.04	0.00	0.26	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.05	0.27	0.53	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[13] (net)
		0.05	0.00	0.53	v _205_/A (sky130_fd_sc_hd_or4_1)
		0.06	0.32	0.85	v _205_/X (sky130_fd_sc_hd_or4_1)
1	0.00				_097_ (net)
		0.06	0.00	0.85	v _209_/A (sky130_fd_sc_hd_nor4_1)
		0.28	0.29	1.14	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
2	0.01				_101_ (net)
		0.28	0.00	1.14	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.11	0.12	1.26	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01				net25 (net)
		0.11	0.00	1.26	^ _217_/C (sky130_fd_sc_hd_nand4_1)
		0.08	0.09	1.35	v _217_/Y (sky130_fd_sc_hd_nand4_1)
3	0.01				_109_ (net)
		0.08	0.00	1.35	v _218_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.16	1.51	v _218_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_110_ (net)
		0.06	0.00	1.51	v _279_/S (sky130_fd_sc_hd_mux2_1)
		0.04	0.19	1.70	v _279_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_148_ (net)
		0.04	0.00	1.70	v _280_/A (sky130_fd_sc_hd_clkbuf_1)
		0.02	0.06	1.76	v _280_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_073_ (net)
		0.02	0.00	1.76	v _433_/D (sky130_fd_sc_hd_dfrtp_1)
				1.76	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.06	0.04	10.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	10.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	10.14	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.09	10.23	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.04	0.00	10.23	^ _433_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.98		clock uncertainty
		0.01	10.00		clock reconvergence pessimism
		-0.07	9.93		library setup time
			9.93		data required time

			9.93		data required time
			-1.76		data arrival time

			8.17		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _432_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)

		0.05	0.11	0.15	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	0.15	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.11	0.26	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_3_leaf_clk (net)
		0.04	0.00	0.26	^	_421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.05	0.27	0.53	v	_421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01					clk_count[13] (net)
		0.05	0.00	0.53	v	_205_/A (sky130_fd_sc_hd_or4_1)
		0.06	0.32	0.85	v	_205_/X (sky130_fd_sc_hd_or4_1)
1	0.00					_097_ (net)
		0.06	0.00	0.85	v	_209_/A (sky130_fd_sc_hd_nor4_1)
		0.28	0.29	1.14	^	_209_/Y (sky130_fd_sc_hd_nor4_1)
2	0.01					_101_ (net)
		0.28	0.00	1.14	^	max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.11	0.12	1.26	^	max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01					net25 (net)
		0.11	0.00	1.26	^	_217_/C (sky130_fd_sc_hd_nand4_1)
		0.08	0.09	1.35	v	_217_/Y (sky130_fd_sc_hd_nand4_1)
3	0.01					_109_ (net)
		0.08	0.00	1.35	v	_218_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.16	1.51	v	_218_/X (sky130_fd_sc_hd_buf_4)
10	0.06					_110_ (net)
		0.06	0.00	1.51	v	_281_/S (sky130_fd_sc_hd_mux2_1)
		0.04	0.20	1.71	v	_281_/X (sky130_fd_sc_hd_mux2_1)
1	0.00					_149_ (net)
		0.04	0.00	1.71	v	_282_/A (sky130_fd_sc_hd_clkbuf_1)
		0.02	0.06	1.77	v	_282_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00					_072_ (net)
		0.02	0.00	1.77	v	_432_/D (sky130_fd_sc_hd_dfrtp_1)
				1.77		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.06	0.04	10.04	^	clk (in)
1	0.02					clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	10.23	^	clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04					clknet_2_0_leaf_clk (net)
		0.05	0.00	10.24	^	_432_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	9.99			clock uncertainty
		0.01	10.00			clock reconvergence pessimism
		-0.07	9.93			library setup time
			9.93			data required time

			9.93			data required time
			-1.77			data arrival time

			8.17			slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _431_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)

		0.04	0.11	0.26	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.04	0.00	0.26	^	_421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.05	0.27	0.53	v	_421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01					clk_count[13] (net)
		0.05	0.00	0.53	v	_205_/A (sky130_fd_sc_hd__or4_1)
		0.06	0.32	0.85	v	_205_/X (sky130_fd_sc_hd__or4_1)
1	0.00					_097_ (net)
		0.06	0.00	0.85	v	_209_/A (sky130_fd_sc_hd__nor4_1)
		0.28	0.29	1.14	^	_209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01					_101_ (net)
		0.28	0.00	1.14	^	max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.11	0.12	1.26	^	max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01					net25 (net)
		0.11	0.00	1.26	^	_217_/C (sky130_fd_sc_hd__nand4_1)
		0.08	0.09	1.35	v	_217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01					_109_ (net)
		0.08	0.00	1.35	v	_218_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.16	1.51	v	_218_/X (sky130_fd_sc_hd__buf_4)
10	0.06					_110_ (net)
		0.06	0.00	1.51	v	_283_/S (sky130_fd_sc_hd__mux2_1)
		0.04	0.20	1.71	v	_283_/X (sky130_fd_sc_hd__mux2_1)
1	0.00					_150_ (net)
		0.04	0.00	1.71	v	_284_/A (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.06	1.77	v	_284_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00					_071_ (net)
		0.02	0.00	1.77	v	_431_/D (sky130_fd_sc_hd__dfrtp_1)
				1.77		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.06	0.04	10.04	^	clk (in)
1	0.02					clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.23	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04					clknet_2_0__leaf_clk (net)
		0.05	0.00	10.24	^	_431_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	9.99			clock uncertainty
		-0.01	10.00			clock reconvergence pessimism
		-0.07	9.93			library setup time
			9.93			data required time

				9.93		data required time
				-1.77		data arrival time

				8.17		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _428_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.04	0.00	0.26	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)

3	0.01	0.05	0.27	0.53	v	_421_/Q (sky130_fd_sc_hd__dfrtp_1)
		0.05	0.00	0.53	v	_205_/A (sky130_fd_sc_hd__or4_1)
1	0.00	0.06	0.32	0.85	v	_205_/X (sky130_fd_sc_hd__or4_1)
		0.06	0.00	0.85	v	_209_/A (sky130_fd_sc_hd__nor4_1)
2	0.01	0.28	0.29	1.14	^	_209_/Y (sky130_fd_sc_hd__nor4_1)
		0.28	0.00	1.14	^	max_cap25/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.12	1.26	^	max_cap25/X (sky130_fd_sc_hd__buf_1)
		0.11	0.00	1.26	^	_217_/C (sky130_fd_sc_hd__nand4_1)
3	0.01	0.08	0.09	1.35	v	_217_/Y (sky130_fd_sc_hd__nand4_1)
		0.08	0.00	1.35	v	_218_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.06	0.16	1.51	v	_218_/X (sky130_fd_sc_hd__buf_4)
		0.04	0.20	1.71	v	_289_/S (sky130_fd_sc_hd__mux2_1)
1	0.00	0.04	0.00	1.71	v	_290_/A (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.06	1.77	v	_290_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.02	0.00	1.77	v	_428_/D (sky130_fd_sc_hd__dfrtp_1)
				1.77		data arrival time
1	0.02	10.00	10.00			clock clk (rise edge)
		0.06	0.04	10.04	^	clk (in)
4	0.04	0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.05	0.00	10.14	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.23	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.00	10.24	^	clknet_2_0__leaf_clk (net)
		-0.25	9.99			_428_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.01	10.00			clock uncertainty
		-0.07	9.93			clock reconvergence pessimism
			9.93			library setup time
				9.93		data required time

				9.93		data required time
				-1.77		data arrival time

				8.17		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _430_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
		0.06	0.00	0.04	^ clk (net)
4	0.04	0.05	0.11	0.15	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.00	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.00	0.15	^ clknet_0_clk (net)
		0.04	0.11	0.26	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
3	0.01	0.04	0.00	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.27	0.53	^ clknet_2_3__leaf_clk (net)
			0.53	v	_421_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.53	v	_421_/Q (sky130_fd_sc_hd__dfrtp_1)
			0.53	v	clk_count[13] (net)
			0.53	v	_205_/A (sky130_fd_sc_hd__or4_1)

1	0.00	0.06	0.32	0.85	v	_205_/X (sky130_fd_sc_hd__or4_1)
						097 (net)
2	0.01	0.06	0.00	0.85	v	_209_/A (sky130_fd_sc_hd__nor4_1)
		0.28	0.29	1.14	^	_209_/Y (sky130_fd_sc_hd__nor4_1)
3	0.01					_101_ (net)
		0.28	0.00	1.14	^	max_cap25/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.12	1.26	^	max_cap25/X (sky130_fd_sc_hd__buf_1)
						net25 (net)
3	0.01	0.11	0.00	1.26	^	_217_/C (sky130_fd_sc_hd__nand4_1)
		0.08	0.09	1.35	v	_217_/Y (sky130_fd_sc_hd__nand4_1)
10	0.06					_109_ (net)
		0.08	0.00	1.35	v	_218_/A (sky130_fd_sc_hd__buf_4)
1	0.00	0.06	0.16	1.51	v	_218_/X (sky130_fd_sc_hd__buf_4)
						110 (net)
1	0.00	0.06	0.00	1.51	v	_285_/S (sky130_fd_sc_hd__mux2_1)
		0.04	0.20	1.71	v	_285_/X (sky130_fd_sc_hd__mux2_1)
1	0.00					_151_ (net)
		0.04	0.00	1.71	v	_286_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.02	0.06	1.77	v	_286_/X (sky130_fd_sc_hd__clkbuf_1)
						070 (net)
1	0.00	0.02	0.00	1.77	v	_430_/D (sky130_fd_sc_hd__dfrrtp_1)
				1.77		data arrival time
1	0.02		10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.06	0.04	10.04	^	clk (in)
						clk (net)
4	0.04	0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04					clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.05	0.10	10.23	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.05	0.00	10.24	^	_430_/CLK (sky130_fd_sc_hd__dfrrtp_1)
		-0.25	9.99			clock uncertainty
		-0.01	10.00			clock reconvergence pessimism
		-0.07	9.93			library setup time
			9.93			data required time

			9.93			data required time
			-1.77			data arrival time

			8.17			slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _429_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.04	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
3	0.01	0.04	0.00	0.26	^ _421_/CLK (sky130_fd_sc_hd__dfrrtp_1)
		0.05	0.27	0.53	v _421_/Q (sky130_fd_sc_hd__dfrrtp_1)
1	0.00				clk_count[13] (net)
		0.05	0.00	0.53	v _205_/A (sky130_fd_sc_hd__or4_1)
1	0.00	0.06	0.32	0.85	v _205_/X (sky130_fd_sc_hd__or4_1)
					097 (net)
		0.06	0.00	0.85	v _209_/A (sky130_fd_sc_hd__nor4_1)

		0.28	0.29	1.14	^	_209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01					_101_ (net)
		0.28	0.00	1.14	^	max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.11	0.12	1.26	^	max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01					net25 (net)
		0.11	0.00	1.26	^	_217_/C (sky130_fd_sc_hd__nand4_1)
		0.08	0.09	1.35	v	_217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01					_109_ (net)
		0.08	0.00	1.35	v	_218_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.16	1.51	v	_218_/X (sky130_fd_sc_hd__buf_4)
10	0.06					_110_ (net)
		0.06	0.00	1.51	v	_287_/S (sky130_fd_sc_hd__mux2_1)
		0.04	0.19	1.70	v	_287_/X (sky130_fd_sc_hd__mux2_1)
1	0.00					_152_ (net)
		0.04	0.00	1.70	v	_288_/A (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.06	1.76	v	_288_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00					_069_ (net)
		0.02	0.00	1.76	v	_429_/D (sky130_fd_sc_hd__dfrrtp_1)
				1.76		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.06	0.04	10.04	^	clk (in)
1	0.02					clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.23	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04					clknet_2_0__leaf_clk (net)
		0.05	0.00	10.23	^	_429_/CLK (sky130_fd_sc_hd__dfrrtp_1)
		-0.25	9.98			clock uncertainty
		-0.01	10.00			clock reconvergence pessimism
		-0.07	9.93			library setup time
			9.93			data required time

				9.93		data required time
				-1.76		data arrival time

				8.17		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _425_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.04	0.00	0.26	^ _421_/CLK (sky130_fd_sc_hd__dfrrtp_1)
		0.05	0.27	0.53	v _421_/Q (sky130_fd_sc_hd__dfrrtp_1)
3	0.01				clk_count[13] (net)
		0.05	0.00	0.53	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.06	0.32	0.85	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.06	0.00	0.85	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.28	0.29	1.14	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.28	0.00	1.14	^ max_cap25/A (sky130_fd_sc_hd__buf_1)

		0.11	0.12	1.26	^	max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01					net25 (net)
		0.11	0.00	1.26	^	_217_/C (sky130_fd_sc_hd__nand4_1)
		0.08	0.09	1.35	v	_217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01					_109_ (net)
		0.08	0.00	1.35	v	_218_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.16	1.51	v	_218_/X (sky130_fd_sc_hd__buf_4)
10	0.06					_110_ (net)
		0.06	0.00	1.51	v	_354_/A (sky130_fd_sc_hd__inv_2)
		0.02	0.04	1.55	^	_354_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_001_ (net)
		0.02	0.00	1.55	^	_425_/D (sky130_fd_sc_hd__dfrtp_1)
				1.55		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
		0.06	0.04	10.04	^	clk (in)
1	0.02					clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.09	10.23	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03					clknet_2_2__leaf_clk (net)
		0.04	0.00	10.23	^	_425_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	9.98			clock uncertainty
		-0.01	9.99			clock reconvergence pessimism
		-0.03	9.96			library setup time
			9.96			data required time

			9.96			data required time
			-1.55			data arrival time

			8.41			slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.04	0.00	0.26	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.05	0.27	0.53	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.05	0.00	0.53	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.06	0.32	0.85	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.06	0.00	0.85	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.28	0.29	1.14	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.28	0.00	1.14	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.11	0.12	1.26	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.11	0.00	1.26	^ _273_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.02	1.29	v _273_/Y (sky130_fd_sc_hd__inv_2)
2	0.01				_144_ (net)
		0.03	0.00	1.29	v _274_/A2 (sky130_fd_sc_hd__a2toi_1)

1	0.00	0.08	0.10	1.39	^	_274_/Y (sky130_fd_sc_hd__a21oi_1)
						075 (net)
		0.08	0.00	1.39	^	_435_/D (sky130_fd_sc_hd__dfrrtp_2)
				1.39		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.06	0.04	10.04	^	clk (in)
						clk (net)
		0.06	0.00	10.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	10.14	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	10.14	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.05	0.10	10.23	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.05	0.00	10.24	^	_435_/CLK (sky130_fd_sc_hd__dfrrtp_2)
		-0.25	9.99			clock uncertainty
		0.01	10.00			clock reconvergence pessimism
		-0.04	9.96			library setup time
			9.96			data required time

				9.96		data required time
				-1.39		data arrival time

				8.57		slack (MET)

===== Slowest Corner =====

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _427_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.27	0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.09	0.00	0.64	^ _421_/CLK (sky130_fd_sc_hd__dfrrtp_1)
3	0.01	0.15	0.86	1.50	v _421_/Q (sky130_fd_sc_hd__dfrrtp_1)
					clk_count[13] (net)
		0.15	0.00	1.50	v _205_/A (sky130_fd_sc_hd__or4_1)
1	0.00	0.20	1.33	2.83	v _205_/X (sky130_fd_sc_hd__or4_1)
					097 (net)
		0.20	0.00	2.83	v _209_/A (sky130_fd_sc_hd__nor4_1)
2	0.01	0.72	0.81	3.65	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
					101 (net)
		0.72	0.00	3.65	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.23	0.48	4.13	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
					net25 (net)
		0.23	0.00	4.13	^ _217_/C (sky130_fd_sc_hd__nand4_1)
3	0.01	0.33	0.41	4.54	v _217_/Y (sky130_fd_sc_hd__nand4_1)
					109 (net)
		0.33	0.00	4.54	v _218_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.15	0.49	5.03	v _218_/X (sky130_fd_sc_hd__buf_4)
					110 (net)
		0.15	0.00	5.03	v _291_/S (sky130_fd_sc_hd__mux2_1)
1	0.00	0.11	0.74	5.77	v _291_/X (sky130_fd_sc_hd__mux2_1)
					154 (net)
		0.11	0.00	5.77	v hold36/A (sky130_fd_sc_hd__dlygate4sd3_1)

		0.11	1.20	6.98	v	hold36/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00					net61 (net)
		0.11	0.00	6.98	v	_292_/A (sky130_fd_sc_hd_clkbuf_1)
		0.05	0.19	7.17	v	_292_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00					_067_ (net)
		0.05	0.00	7.17	v	_427_/D (sky130_fd_sc_hd_dfrtp_1)
				7.17		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
		0.12	0.08	10.08	^	clk (in)
1	0.02					clk (net)
		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.09	0.00	10.34	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.24	10.58	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1_leaf_clk (net)
		0.09	0.00	10.58	^	_427_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.33			clock uncertainty
		0.04	10.36			clock reconvergence pessimism
		-0.26	10.10			library setup time
			10.10			data required time

				10.10		data required time
				-7.17		data arrival time

				2.93		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _426_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.09	0.00	0.64	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.15	0.86	1.50	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[13] (net)
		0.15	0.00	1.50	v _205_/A (sky130_fd_sc_hd_or4_1)
		0.20	1.33	2.83	v _205_/X (sky130_fd_sc_hd_or4_1)
1	0.00				_097_ (net)
		0.20	0.00	2.83	v _209_/A (sky130_fd_sc_hd_nor4_1)
		0.72	0.81	3.65	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
2	0.01				_101_ (net)
		0.72	0.00	3.65	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.23	0.48	4.13	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01				net25 (net)
		0.23	0.00	4.13	^ _217_/C (sky130_fd_sc_hd_nand4_1)
		0.33	0.41	4.54	v _217_/Y (sky130_fd_sc_hd_nand4_1)
3	0.01				_109_ (net)
		0.33	0.00	4.54	v _218_/A (sky130_fd_sc_hd_buf_4)
		0.15	0.49	5.03	v _218_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_110_ (net)
		0.15	0.00	5.03	v _293_/S (sky130_fd_sc_hd_mux2_1)
		0.10	0.74	5.77	v _293_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_155_ (net)
		0.10	0.00	5.77	v hold34/A (sky130_fd_sc_hd_dlygate4sd3_1)

		0.11	1.20	6.97	v	hold34/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00					net59 (net)
		0.11	0.00	6.97	v	_294_/A (sky130_fd_sc_hd_clkbuf_1)
		0.05	0.18	7.15	v	_294_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00					_066_ (net)
		0.05	0.00	7.15	v	_426_/D (sky130_fd_sc_hd_dfrtp_1)
				7.15		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
		0.12	0.08	10.08	^	clk (in)
1	0.02					clk (net)
		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.09	0.00	10.34	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.24	10.58	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_3_leaf_clk (net)
		0.09	0.00	10.58	^	_426_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.33			clock uncertainty
		0.06	10.39			clock reconvergence pessimism
		-0.26	10.13			library setup time
			10.13			data required time

				10.13		data required time
				-7.15		data arrival time

				2.98		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _450_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.09	0.00	0.64	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.15	0.86	1.50	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[13] (net)
		0.15	0.00	1.50	v _205_/A (sky130_fd_sc_hd_or4_1)
		0.20	1.33	2.83	v _205_/X (sky130_fd_sc_hd_or4_1)
1	0.00				_097_ (net)
		0.20	0.00	2.83	v _209_/A (sky130_fd_sc_hd_nor4_1)
		0.72	0.81	3.65	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
2	0.01				_101_ (net)
		0.72	0.00	3.65	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.23	0.48	4.13	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01				net25 (net)
		0.23	0.00	4.13	^ _236_/B (sky130_fd_sc_hd_nand2_1)
		0.14	0.23	4.36	v _236_/Y (sky130_fd_sc_hd_nand2_1)
2	0.01				_124_ (net)
		0.14	0.00	4.36	v _238_/A2 (sky130_fd_sc_hd_a21o_2)
		0.18	0.57	4.94	v _238_/X (sky130_fd_sc_hd_a21o_2)
8	0.03				_126_ (net)
		0.18	0.00	4.94	v _241_/A2 (sky130_fd_sc_hd_a22o_1)
		0.07	0.48	5.41	v _241_/X (sky130_fd_sc_hd_a22o_1)
1	0.00				_090_ (net)
		0.07	0.00	5.41	v hold10/A (sky130_fd_sc_hd_dlygate4sd3_1)

1	0.00	0.11	1.18	6.59	v	hold10/X (sky130_fd_sc_hd__dlygate4sd3_1)
		0.11	0.00	6.59	v	net35 (net)
				6.59	v	_450_/D (sky130_fd_sc_hd__dfrtp_1)
				6.59		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
1	0.02	0.12	0.08	10.08	^	clk (in)
						clk (net)
		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.09	0.00	10.34	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.25	10.58	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.10	0.00	10.58	^	_450_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.33			clock uncertainty
		0.04	10.37			clock reconvergence pessimism
		-0.28	10.09			library setup time
			10.09			data required time

			10.09			data required time
			-6.59			data arrival time

			3.49			slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _449_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.27	0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.09	0.00	0.64	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
3	0.01	0.15	0.86	1.50	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
					clk_count[13] (net)
		0.15	0.00	1.50	v _205_/A (sky130_fd_sc_hd__or4_1)
1	0.00	0.20	1.33	2.83	v _205_/X (sky130_fd_sc_hd__or4_1)
					097 (net)
		0.20	0.00	2.83	v _209_/A (sky130_fd_sc_hd__nor4_1)
2	0.01	0.72	0.81	3.65	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
					101 (net)
		0.72	0.00	3.65	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.23	0.48	4.13	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
					net25 (net)
		0.23	0.00	4.13	^ _236_/B (sky130_fd_sc_hd__nand2_1)
2	0.01	0.14	0.23	4.36	v _236_/Y (sky130_fd_sc_hd__nand2_1)
					124 (net)
		0.14	0.00	4.36	v _238_/A2 (sky130_fd_sc_hd__a21o_2)
8	0.03	0.18	0.57	4.94	v _238_/X (sky130_fd_sc_hd__a21o_2)
					126 (net)
		0.18	0.00	4.94	v _242_/A2 (sky130_fd_sc_hd__a22o_1)
1	0.00	0.07	0.48	5.41	v _242_/X (sky130_fd_sc_hd__a22o_1)
					089 (net)
		0.07	0.00	5.41	v hold8/A (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00	0.10	1.17	6.58	v hold8/X (sky130_fd_sc_hd__dlygate4sd3_1)
					net33 (net)
		0.10	0.00	6.58	v _449_/D (sky130_fd_sc_hd__dfrtp_1)

				6.58	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	10.58	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	10.58	^ _449_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.33		clock uncertainty
		-0.04	10.37		clock reconvergence pessimism
		-0.28	10.09		library setup time
			10.09		data required time

			10.09		data required time
			-6.58		data arrival time

			3.50		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _447_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.64	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.15	0.86	1.50	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.15	0.00	1.50	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.20	1.33	2.83	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.20	0.00	2.83	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.72	0.81	3.65	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.72	0.00	3.65	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.23	0.48	4.13	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.23	0.00	4.13	^ _236_/B (sky130_fd_sc_hd__nand2_1)
		0.14	0.23	4.36	v _236_/Y (sky130_fd_sc_hd__nand2_1)
2	0.01				_124_ (net)
		0.14	0.00	4.36	v _238_/A2 (sky130_fd_sc_hd__a21o_2)
		0.18	0.57	4.94	v _238_/X (sky130_fd_sc_hd__a21o_2)
8	0.03				_126_ (net)
		0.18	0.00	4.94	v _244_/A2 (sky130_fd_sc_hd__a22o_1)
		0.06	0.46	5.40	v _244_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_087_ (net)
		0.06	0.00	5.40	v hold3/A (sky130_fd_sc_hd__dlygate4sd3_1)
		0.10	1.17	6.57	v hold3/X (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00				net28 (net)
		0.10	0.00	6.57	v _447_/D (sky130_fd_sc_hd__dfrtp_1)
				6.57	data arrival time
			10.00	10.00	clock clk (rise edge)

			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	10.58	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	10.58	^ _447_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.33		clock uncertainty
		0.04	10.37		clock reconvergence pessimism
		-0.28	10.09		library setup time
			10.09		data required time

			10.09		data required time
			-6.57		data arrival time

			3.52		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _451_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.64	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.15	0.86	1.50	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.15	0.00	1.50	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.20	1.33	2.83	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.20	0.00	2.83	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.72	0.81	3.65	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.72	0.00	3.65	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.23	0.48	4.13	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.23	0.00	4.13	^ _236_/B (sky130_fd_sc_hd__nand2_1)
		0.14	0.23	4.36	v _236_/Y (sky130_fd_sc_hd__nand2_1)
2	0.01				_124_ (net)
		0.14	0.00	4.36	v _238_/A2 (sky130_fd_sc_hd__a21o_2)
		0.18	0.57	4.94	v _238_/X (sky130_fd_sc_hd__a21o_2)
8	0.03				_126_ (net)
		0.18	0.00	4.94	v _240_/A2 (sky130_fd_sc_hd__a22o_1)
		0.06	0.46	5.40	v _240_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_091_ (net)
		0.06	0.00	5.40	v hold5/A (sky130_fd_sc_hd__dlygate4sd3_1)
		0.10	1.17	6.57	v hold5/X (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00				net30 (net)
		0.10	0.00	6.57	v _451_/D (sky130_fd_sc_hd__dfrtp_1)
				6.57	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)

		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.09	0.00	10.34	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	10.58	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04					clknet_2_0__leaf_clk (net)
		0.10	0.00	10.58	^	_451_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.33		clock uncertainty
		0.04		10.37		clock reconvergence pessimism
		-0.28		10.09		library setup time
				10.09		data required time

				10.09		data required time
				-6.57		data arrival time

				3.52		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _453_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.64	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.15	0.86	1.50	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.15	0.00	1.50	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.20	1.33	2.83	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.20	0.00	2.83	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.72	0.81	3.65	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.72	0.00	3.65	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.23	0.48	4.13	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.23	0.00	4.13	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.33	0.41	4.54	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.33	0.00	4.54	v _222_/C (sky130_fd_sc_hd__and3_1)
		0.07	0.51	5.04	v _222_/X (sky130_fd_sc_hd__and3_1)
1	0.00				_113_ (net)
		0.07	0.00	5.04	v _223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.17	0.36	5.41	v _223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.04				_114_ (net)
		0.17	0.00	5.41	v _229_/S (sky130_fd_sc_hd__mux2_1)
		0.11	0.77	6.18	v _229_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_119_ (net)
		0.11	0.00	6.18	v _230_/A (sky130_fd_sc_hd__clkbuf_1)
		0.05	0.19	6.36	v _230_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_093_ (net)
		0.05	0.00	6.36	v _453_/D (sky130_fd_sc_hd__dfrtp_1)
				6.36	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)

		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.09	0.00	10.34	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.58	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.09	0.00	10.58	^	_453_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.33		clock uncertainty
		0.04		10.36		clock reconvergence pessimism
		-0.26		10.10		library setup time
				10.10		data required time

				10.10		data required time
				-6.36		data arrival time

				3.74		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _442_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.64	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.15	0.86	1.50	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.15	0.00	1.50	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.20	1.33	2.83	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.20	0.00	2.83	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.72	0.81	3.65	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.72	0.00	3.65	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.23	0.48	4.13	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.23	0.00	4.13	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.33	0.41	4.54	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.33	0.00	4.54	v _222_/C (sky130_fd_sc_hd__and3_1)
		0.07	0.51	5.04	v _222_/X (sky130_fd_sc_hd__and3_1)
1	0.00				_113_ (net)
		0.07	0.00	5.04	v _223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.17	0.36	5.41	v _223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.04				_114_ (net)
		0.17	0.00	5.41	v _252_/S (sky130_fd_sc_hd__mux2_1)
		0.11	0.76	6.17	v _252_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_131_ (net)
		0.11	0.00	6.17	v _253_/A (sky130_fd_sc_hd__clkbuf_1)
		0.04	0.18	6.36	v _253_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_082_ (net)
		0.04	0.00	6.36	v _442_/D (sky130_fd_sc_hd__dfrtp_1)
				6.36	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)

		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.09	0.00	10.34	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.58	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.09	0.00	10.58	^	_442_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25		10.33		clock uncertainty
		0.04		10.36		clock reconvergence pessimism
		-0.26		10.10		library setup time
				10.10		data required time

				10.10		data required time
				-6.36		data arrival time

				3.75		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _452_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.64	^ _421_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.15	0.86	1.50	v _421_/Q (sky130_fd_sc_hd__dftrtp_1)
3	0.01				clk_count[13] (net)
		0.15	0.00	1.50	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.20	1.33	2.83	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.20	0.00	2.83	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.72	0.81	3.65	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.72	0.00	3.65	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.23	0.48	4.13	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.23	0.00	4.13	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.33	0.41	4.54	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.33	0.00	4.54	v _222_/C (sky130_fd_sc_hd__and3_1)
		0.07	0.51	5.04	v _222_/X (sky130_fd_sc_hd__and3_1)
1	0.00				_113_ (net)
		0.07	0.00	5.04	v _223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.17	0.36	5.41	v _223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.04				_114_ (net)
		0.17	0.00	5.41	v _233_/S (sky130_fd_sc_hd__mux2_1)
		0.11	0.76	6.17	v _233_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_122_ (net)
		0.11	0.00	6.17	v _234_/A (sky130_fd_sc_hd__clkbuf_1)
		0.04	0.18	6.35	v _234_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_092_ (net)
		0.04	0.00	6.35	v _452_/D (sky130_fd_sc_hd__dftrtp_1)
				6.35	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)

		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.09	0.00	10.34	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.58	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.09	0.00	10.58	^	_452_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.33		clock uncertainty
		0.04		10.36		clock reconvergence pessimism
		-0.26		10.10		library setup time
				10.10		data required time

				10.10		data required time
				-6.35		data arrival time

				3.75		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _443_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.64	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.15	0.86	1.50	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.15	0.00	1.50	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.20	1.33	2.83	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.20	0.00	2.83	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.72	0.81	3.65	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.72	0.00	3.65	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.23	0.48	4.13	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.23	0.00	4.13	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.33	0.41	4.54	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.33	0.00	4.54	v _222_/C (sky130_fd_sc_hd__and3_1)
		0.07	0.51	5.04	v _222_/X (sky130_fd_sc_hd__and3_1)
1	0.00				_113_ (net)
		0.07	0.00	5.04	v _223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.17	0.36	5.41	v _223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.04				_114_ (net)
		0.17	0.00	5.41	v _249_/S (sky130_fd_sc_hd__mux2_1)
		0.11	0.76	6.16	v _249_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_129_ (net)
		0.11	0.00	6.16	v _250_/A (sky130_fd_sc_hd__clkbuf_1)
		0.05	0.19	6.35	v _250_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_083_ (net)
		0.05	0.00	6.35	v _443_/D (sky130_fd_sc_hd__dfrtp_1)
				6.35	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)

		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.09	0.00	10.34	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.58	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.09	0.00	10.58	^	_443_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25		10.33		clock uncertainty
		0.04		10.36		clock reconvergence pessimism
		-0.26		10.10		library setup time
				10.10		data required time

				10.10		data required time
				-6.35		data arrival time

				3.75		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _441_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.64	^ _421_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.15	0.86	1.50	v _421_/Q (sky130_fd_sc_hd__dftrtp_1)
3	0.01				clk_count[13] (net)
		0.15	0.00	1.50	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.20	1.33	2.83	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.20	0.00	2.83	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.72	0.81	3.65	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.72	0.00	3.65	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.23	0.48	4.13	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.23	0.00	4.13	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.33	0.41	4.54	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.33	0.00	4.54	v _222_/C (sky130_fd_sc_hd__and3_1)
		0.07	0.51	5.04	v _222_/X (sky130_fd_sc_hd__and3_1)
1	0.00				_113_ (net)
		0.07	0.00	5.04	v _223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.17	0.36	5.41	v _223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.04				_114_ (net)
		0.17	0.00	5.41	v _255_/S (sky130_fd_sc_hd__mux2_1)
		0.11	0.75	6.16	v _255_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_133_ (net)
		0.11	0.00	6.16	v _256_/A (sky130_fd_sc_hd__clkbuf_1)
		0.04	0.18	6.34	v _256_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_081_ (net)
		0.04	0.00	6.34	v _441_/D (sky130_fd_sc_hd__dftrtp_1)
				6.34	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)

		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.09	0.00	10.34	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.58	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.09	0.00	10.58	^	_441_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.33		clock uncertainty
		0.04		10.36		clock reconvergence pessimism
		-0.26		10.10		library setup time
				10.10		data required time

				10.10		data required time
				-6.34		data arrival time

				3.76		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _440_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.64	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.15	0.86	1.50	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.15	0.00	1.50	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.20	1.33	2.83	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.20	0.00	2.83	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.72	0.81	3.65	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.72	0.00	3.65	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.23	0.48	4.13	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.23	0.00	4.13	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.33	0.41	4.54	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.33	0.00	4.54	v _222_/C (sky130_fd_sc_hd__and3_1)
		0.07	0.51	5.04	v _222_/X (sky130_fd_sc_hd__and3_1)
1	0.00				_113_ (net)
		0.07	0.00	5.04	v _223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.17	0.36	5.41	v _223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.04				_114_ (net)
		0.17	0.00	5.41	v _258_/S (sky130_fd_sc_hd__mux2_1)
		0.11	0.76	6.17	v _258_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_135_ (net)
		0.11	0.00	6.17	v _259_/A (sky130_fd_sc_hd__clkbuf_1)
		0.05	0.19	6.35	v _259_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_080_ (net)
		0.05	0.00	6.35	v _440_/D (sky130_fd_sc_hd__dfrtp_1)
				6.35	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)

		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.09	0.00	10.34	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.58	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.09	0.00	10.58	^	_440_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.33		clock uncertainty
		0.06		10.39		clock reconvergence pessimism
		-0.26		10.13		library setup time
				10.13		data required time

				10.13		data required time
				-6.35		data arrival time

				3.78		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _438_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.64	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.15	0.86	1.50	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.15	0.00	1.50	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.20	1.33	2.83	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.20	0.00	2.83	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.72	0.81	3.65	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.72	0.00	3.65	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.23	0.48	4.13	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.23	0.00	4.13	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.33	0.41	4.54	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.33	0.00	4.54	v _222_/C (sky130_fd_sc_hd__and3_1)
		0.07	0.51	5.04	v _222_/X (sky130_fd_sc_hd__and3_1)
1	0.00				_113_ (net)
		0.07	0.00	5.04	v _223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.17	0.36	5.41	v _223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.04				_114_ (net)
		0.17	0.00	5.41	v _264_/S (sky130_fd_sc_hd__mux2_1)
		0.11	0.76	6.17	v _264_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_139_ (net)
		0.11	0.00	6.17	v _265_/A (sky130_fd_sc_hd__clkbuf_1)
		0.05	0.18	6.35	v _265_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_078_ (net)
		0.05	0.00	6.35	v _438_/D (sky130_fd_sc_hd__dfrtp_1)
				6.35	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)

		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.09	0.00	10.34	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.58	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.09	0.00	10.58	^	_438_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.33		clock uncertainty
		0.06		10.39		clock reconvergence pessimism
		-0.26		10.13		library setup time
				10.13		data required time

				10.13		data required time
				-6.35		data arrival time

				3.78		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _439_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.64	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.15	0.86	1.50	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.15	0.00	1.50	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.20	1.33	2.83	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.20	0.00	2.83	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.72	0.81	3.65	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.72	0.00	3.65	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.23	0.48	4.13	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.23	0.00	4.13	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.33	0.41	4.54	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.33	0.00	4.54	v _222_/C (sky130_fd_sc_hd__and3_1)
		0.07	0.51	5.04	v _222_/X (sky130_fd_sc_hd__and3_1)
1	0.00				_113_ (net)
		0.07	0.00	5.04	v _223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.17	0.36	5.41	v _223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.04				_114_ (net)
		0.17	0.00	5.41	v _261_/S (sky130_fd_sc_hd__mux2_1)
		0.11	0.76	6.17	v _261_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_137_ (net)
		0.11	0.00	6.17	v _262_/A (sky130_fd_sc_hd__clkbuf_1)
		0.04	0.18	6.35	v _262_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_079_ (net)
		0.04	0.00	6.35	v _439_/D (sky130_fd_sc_hd__dfrtp_1)
				6.35	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)

		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.09	0.00	10.34	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.58	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.09	0.00	10.58	^	_439_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.33		clock uncertainty
		0.06		10.39		clock reconvergence pessimism
		-0.26		10.13		library setup time
				10.13		data required time

				10.13		data required time
				-6.35		data arrival time

				3.78		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _437_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.64	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.15	0.86	1.50	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.15	0.00	1.50	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.20	1.33	2.83	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.20	0.00	2.83	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.72	0.81	3.65	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.72	0.00	3.65	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.23	0.48	4.13	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.23	0.00	4.13	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.33	0.41	4.54	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.33	0.00	4.54	v _222_/C (sky130_fd_sc_hd__and3_1)
		0.07	0.51	5.04	v _222_/X (sky130_fd_sc_hd__and3_1)
1	0.00				_113_ (net)
		0.07	0.00	5.04	v _223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.17	0.36	5.41	v _223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.04				_114_ (net)
		0.17	0.00	5.41	v _267_/S (sky130_fd_sc_hd__mux2_1)
		0.11	0.76	6.17	v _267_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_141_ (net)
		0.11	0.00	6.17	v _268_/A (sky130_fd_sc_hd__clkbuf_1)
		0.04	0.18	6.35	v _268_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_077_ (net)
		0.04	0.00	6.35	v _437_/D (sky130_fd_sc_hd__dfrtp_1)
				6.35	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)

		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.09	0.00	10.34	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.58	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.09	0.00	10.58	^	_437_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.33		clock uncertainty
		0.06		10.39		clock reconvergence pessimism
		-0.26		10.13		library setup time
				10.13		data required time

				10.13		data required time
				-6.35		data arrival time

				3.79		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _454_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.64	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.15	0.86	1.50	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.15	0.00	1.50	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.20	1.33	2.83	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.20	0.00	2.83	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.72	0.81	3.65	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.72	0.00	3.65	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.23	0.48	4.13	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.23	0.00	4.13	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.33	0.41	4.54	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.33	0.00	4.54	v _218_/A (sky130_fd_sc_hd__buf_4)
		0.15	0.49	5.03	v _218_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_110_ (net)
		0.15	0.00	5.03	v _219_/D (sky130_fd_sc_hd__and4_1)
		0.09	0.48	5.51	v _219_/X (sky130_fd_sc_hd__and4_1)
2	0.00				_111_ (net)
		0.09	0.00	5.51	v _226_/B1 (sky130_fd_sc_hd__a2bb2o_1)
		0.10	0.61	6.12	v _226_/X (sky130_fd_sc_hd__a2bb2o_1)
1	0.00				_094_ (net)
		0.10	0.00	6.12	v _454_/D (sky130_fd_sc_hd__dfrtp_1)
				6.12	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)

		0.09	0.00	10.34	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.58	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.09	0.00	10.58	^	_454_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25		10.33		clock uncertainty
		0.04		10.36		clock reconvergence pessimism
		-0.28		10.08		library setup time
				10.08		data required time

				10.08		data required time
				-6.12		data arrival time

				3.96		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _431_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.64	^ _421_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.15	0.86	1.50	v _421_/Q (sky130_fd_sc_hd__dftrtp_1)
3	0.01				clk_count[13] (net)
		0.15	0.00	1.50	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.20	1.33	2.83	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.20	0.00	2.83	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.72	0.81	3.65	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.72	0.00	3.65	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.23	0.48	4.13	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.23	0.00	4.13	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.33	0.41	4.54	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.33	0.00	4.54	v _218_/A (sky130_fd_sc_hd__buf_4)
		0.15	0.49	5.03	v _218_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_110_ (net)
		0.15	0.00	5.03	v _283_/S (sky130_fd_sc_hd__mux2_1)
		0.11	0.75	5.78	v _283_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_150_ (net)
		0.11	0.00	5.78	v _284_/A (sky130_fd_sc_hd__clkbuf_1)
		0.04	0.18	5.96	v _284_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_071_ (net)
		0.04	0.00	5.96	v _431_/D (sky130_fd_sc_hd__dftrtp_1)
				5.96	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	10.58	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)

0.10	0.00	10.59	^	_431_/CLK (sky130_fd_sc_hd__dfrtp_1)
-0.25		10.34		clock uncertainty
0.04		10.37		clock reconvergence pessimism
-0.26		10.11		library setup time
		10.11		data required time

		10.11		data required time
		-5.96		data arrival time

		4.15		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _433_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.27	0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.09	0.00	0.64	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
3	0.01	0.15	0.86	1.50	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
					clk_count[13] (net)
		0.15	0.00	1.50	v _205_/A (sky130_fd_sc_hd__or4_1)
1	0.00	0.20	1.33	2.83	v _205_/X (sky130_fd_sc_hd__or4_1)
					097 (net)
		0.20	0.00	2.83	v _209_/A (sky130_fd_sc_hd__nor4_1)
2	0.01	0.72	0.81	3.65	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
					101 (net)
		0.72	0.00	3.65	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.23	0.48	4.13	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
					net25 (net)
		0.23	0.00	4.13	^ _217_/C (sky130_fd_sc_hd__nand4_1)
3	0.01	0.33	0.41	4.54	v _217_/Y (sky130_fd_sc_hd__nand4_1)
					109 (net)
		0.33	0.00	4.54	v _218_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.15	0.49	5.03	v _218_/X (sky130_fd_sc_hd__buf_4)
					110 (net)
		0.15	0.00	5.03	v _279_/S (sky130_fd_sc_hd__mux2_1)
1	0.00	0.11	0.74	5.77	v _279_/X (sky130_fd_sc_hd__mux2_1)
					148 (net)
		0.11	0.00	5.77	v _280_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.05	0.18	5.95	v _280_/X (sky130_fd_sc_hd__clkbuf_1)
					073 (net)
		0.05	0.00	5.95	v _433_/D (sky130_fd_sc_hd__dfrtp_1)
				5.95	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.24	10.58	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.09	0.00	10.58	^ _433_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.33	clock uncertainty
		0.04		10.36	clock reconvergence pessimism

-0.26	10.10	library setup time
	10.10	data required time

	10.10	data required time
	-5.95	data arrival time

	4.15	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _428_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.27	0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.09	0.00	0.64	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
3	0.01	0.15	0.86	1.50	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
					clk_count[13] (net)
		0.15	0.00	1.50	v _205_/A (sky130_fd_sc_hd_or4_1)
1	0.00	0.20	1.33	2.83	v _205_/X (sky130_fd_sc_hd_or4_1)
					097 (net)
		0.20	0.00	2.83	v _209_/A (sky130_fd_sc_hd_nor4_1)
2	0.01	0.72	0.81	3.65	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
					101 (net)
		0.72	0.00	3.65	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.23	0.48	4.13	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
					net25 (net)
		0.23	0.00	4.13	^ _217_/C (sky130_fd_sc_hd_nand4_1)
3	0.01	0.33	0.41	4.54	v _217_/Y (sky130_fd_sc_hd_nand4_1)
					109 (net)
		0.33	0.00	4.54	v _218_/A (sky130_fd_sc_hd_buf_4)
10	0.06	0.15	0.49	5.03	v _218_/X (sky130_fd_sc_hd_buf_4)
					110 (net)
		0.15	0.00	5.03	v _289_/S (sky130_fd_sc_hd_mux2_1)
1	0.00	0.11	0.75	5.78	v _289_/X (sky130_fd_sc_hd_mux2_1)
					153 (net)
		0.11	0.00	5.78	v _290_/A (sky130_fd_sc_hd_clkbuf_1)
1	0.00	0.05	0.18	5.96	v _290_/X (sky130_fd_sc_hd_clkbuf_1)
					068 (net)
		0.05	0.00	5.96	v _428_/D (sky130_fd_sc_hd_dfrtp_1)
				5.96	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	10.58	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	10.59	^ _428_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.34	clock uncertainty
		0.04		10.37	clock reconvergence pessimism
		-0.26		10.11	library setup time
				10.11	data required time

10.11 data required time
-5.96 data arrival time

4.15 slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _432_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
4	0.04	0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3__leaf_clk (net)
3	0.01	0.09	0.00	0.64	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.15	0.86	1.50	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
					clk_count[13] (net)
		0.15	0.00	1.50	v _205_/A (sky130_fd_sc_hd_or4_1)
1	0.00	0.20	1.33	2.83	v _205_/X (sky130_fd_sc_hd_or4_1)
					097 (net)
2	0.01	0.20	0.00	2.83	v _209_/A (sky130_fd_sc_hd_nor4_1)
		0.72	0.81	3.65	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
					101 (net)
		0.72	0.00	3.65	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.23	0.48	4.13	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
					net25 (net)
		0.23	0.00	4.13	^ _217_/C (sky130_fd_sc_hd_nand4_1)
		0.33	0.41	4.54	v _217_/Y (sky130_fd_sc_hd_nand4_1)
3	0.01				_109_ (net)
		0.33	0.00	4.54	v _218_/A (sky130_fd_sc_hd_buf_4)
10	0.06	0.15	0.49	5.03	v _218_/X (sky130_fd_sc_hd_buf_4)
					110 (net)
		0.15	0.00	5.03	v _281_/S (sky130_fd_sc_hd_mux2_1)
		0.11	0.75	5.78	v _281_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_149_ (net)
		0.11	0.00	5.78	v _282_/A (sky130_fd_sc_hd_clkbuf_1)
1	0.00	0.04	0.18	5.96	v _282_/X (sky130_fd_sc_hd_clkbuf_1)
					072 (net)
		0.04	0.00	5.96	v _432_/D (sky130_fd_sc_hd_dfrtp_1)
				5.96	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08	^ clk (in)
					clk (net)
4	0.04	0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	10.58	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	10.59	^ _432_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	10.34	clock uncertainty
			0.04	10.37	clock reconvergence pessimism
			-0.26	10.11	library setup time
				10.11	data required time
				10.11	data required time
				-5.96	data arrival time

4.15 slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _430_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.27	0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.09	0.00	0.64	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
3	0.01	0.15	0.86	1.50	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
					clk_count[13] (net)
		0.15	0.00	1.50	v _205_/A (sky130_fd_sc_hd__or4_1)
1	0.00	0.20	1.33	2.83	v _205_/X (sky130_fd_sc_hd__or4_1)
					097 (net)
		0.20	0.00	2.83	v _209_/A (sky130_fd_sc_hd__nor4_1)
2	0.01	0.72	0.81	3.65	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
					101 (net)
		0.72	0.00	3.65	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.23	0.48	4.13	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
					net25 (net)
		0.23	0.00	4.13	^ _217_/C (sky130_fd_sc_hd__nand4_1)
3	0.01	0.33	0.41	4.54	v _217_/Y (sky130_fd_sc_hd__nand4_1)
					109 (net)
		0.33	0.00	4.54	v _218_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.15	0.49	5.03	v _218_/X (sky130_fd_sc_hd__buf_4)
					110 (net)
		0.15	0.00	5.03	v _285_/S (sky130_fd_sc_hd__mux2_1)
1	0.00	0.11	0.75	5.78	v _285_/X (sky130_fd_sc_hd__mux2_1)
					151 (net)
		0.11	0.00	5.78	v _286_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.04	0.18	5.96	v _286_/X (sky130_fd_sc_hd__clkbuf_1)
					070 (net)
		0.04	0.00	5.96	v _430_/D (sky130_fd_sc_hd__dfrtp_1)
				5.96	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.25	10.58	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	10.59	^ _430_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.34	clock uncertainty
		0.04		10.37	clock reconvergence pessimism
		-0.26		10.11	library setup time
				10.11	data required time

				10.11	data required time
				-5.96	data arrival time

				4.16	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _429_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.27	0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.09	0.00	0.64	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
3	0.01	0.15	0.86	1.50	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
					clk_count[13] (net)
		0.15	0.00	1.50	v _205_/A (sky130_fd_sc_hd__or4_1)
1	0.00	0.20	1.33	2.83	v _205_/X (sky130_fd_sc_hd__or4_1)
					097 (net)
		0.20	0.00	2.83	v _209_/A (sky130_fd_sc_hd__nor4_1)
2	0.01	0.72	0.81	3.65	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
					101 (net)
		0.72	0.00	3.65	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.23	0.48	4.13	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
					net25 (net)
		0.23	0.00	4.13	^ _217_/C (sky130_fd_sc_hd__nand4_1)
3	0.01	0.33	0.41	4.54	v _217_/Y (sky130_fd_sc_hd__nand4_1)
					109 (net)
		0.33	0.00	4.54	v _218_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.15	0.49	5.03	v _218_/X (sky130_fd_sc_hd__buf_4)
					110 (net)
		0.15	0.00	5.03	v _287_/S (sky130_fd_sc_hd__mux2_1)
		0.11	0.74	5.77	v _287_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_152_ (net)
		0.11	0.00	5.77	v _288_/A (sky130_fd_sc_hd__clkbuf_1)
		0.04	0.18	5.95	v _288_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_069_ (net)
		0.04	0.00	5.95	v _429_/D (sky130_fd_sc_hd__dfrtp_1)
				5.95	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	10.58	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	10.58	^ _429_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.33		clock uncertainty
		0.04	10.37		clock reconvergence pessimism
		-0.26	10.11		library setup time
			10.11		data required time

				10.11	data required time
				-5.95	data arrival time

				4.16	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _455_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk

Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.27	0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.09	0.00	0.64	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
3	0.01	0.15	0.86	1.50	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
					clk_count[13] (net)
		0.15	0.00	1.50	v _205_/A (sky130_fd_sc_hd__or4_1)
1	0.00	0.20	1.33	2.83	v _205_/X (sky130_fd_sc_hd__or4_1)
					097 (net)
		0.20	0.00	2.83	v _209_/A (sky130_fd_sc_hd__nor4_1)
2	0.01	0.72	0.81	3.65	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
					101 (net)
		0.72	0.00	3.65	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.23	0.48	4.13	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
					net25 (net)
		0.23	0.00	4.13	^ _217_/C (sky130_fd_sc_hd__nand4_1)
3	0.01	0.33	0.41	4.54	v _217_/Y (sky130_fd_sc_hd__nand4_1)
					109 (net)
		0.33	0.00	4.54	v _218_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.15	0.49	5.03	v _218_/X (sky130_fd_sc_hd__buf_4)
					110 (net)
		0.09	0.48	5.03	v _219_/D (sky130_fd_sc_hd__and4_1)
2	0.00	0.09	0.48	5.51	v _219_/X (sky130_fd_sc_hd__and4_1)
					111 (net)
		0.09	0.00	5.51	v _220_/A2 (sky130_fd_sc_hd__o21a_1)
1	0.00	0.07	0.33	5.84	v _220_/X (sky130_fd_sc_hd__o21a_1)
					095 (net)
		0.07	0.00	5.84	v _455_/D (sky130_fd_sc_hd__dfrtp_1)
				5.84	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.24	10.58	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.09	0.00	10.58	^ _455_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.33		clock uncertainty
		0.04	10.36		clock reconvergence pessimism
		-0.27	10.09		library setup time
			10.09		data required time

				10.09	data required time
				-5.84	data arrival time

				4.25	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _446_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.27	0.64	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
		0.09	0.00	0.64	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
3	0.01	0.15	0.86	1.50	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
					clk_count[13] (net)
		0.15	0.00	1.50	v _205_/A (sky130_fd_sc_hd_or4_1)
1	0.00	0.20	1.33	2.83	v _205_/X (sky130_fd_sc_hd_or4_1)
					097 (net)
		0.20	0.00	2.83	v _209_/A (sky130_fd_sc_hd_nor4_1)
2	0.01	0.72	0.81	3.65	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
					101 (net)
		0.72	0.00	3.65	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.23	0.48	4.13	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
					net25 (net)
		0.23	0.00	4.13	^ _236_/B (sky130_fd_sc_hd_nand2_1)
2	0.01	0.14	0.23	4.36	v _236_/Y (sky130_fd_sc_hd_nand2_1)
					124 (net)
		0.14	0.00	4.36	v _238_/A2 (sky130_fd_sc_hd_a21o_2)
8	0.03	0.18	0.57	4.94	v _238_/X (sky130_fd_sc_hd_a21o_2)
					126 (net)
		0.18	0.00	4.94	v _245_/A2 (sky130_fd_sc_hd_a22o_1)
1	0.00	0.07	0.48	5.42	v _245_/X (sky130_fd_sc_hd_a22o_1)
					086 (net)
		0.07	0.00	5.42	v _446_/D (sky130_fd_sc_hd_dfrtp_1)
				5.42	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.24	10.58	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
		0.09	0.00	10.58	^ _446_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.33	clock uncertainty
		0.04		10.36	clock reconvergence pessimism
		-0.27		10.09	library setup time
				10.09	data required time

				10.09	data required time
				-5.42	data arrival time

				4.67	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _445_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)

		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.09	0.00	0.64	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.15	0.86	1.50	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[13] (net)
		0.15	0.00	1.50	v _205_/A (sky130_fd_sc_hd_or4_1)
		0.20	1.33	2.83	v _205_/X (sky130_fd_sc_hd_or4_1)
1	0.00				_097_ (net)
		0.20	0.00	2.83	v _209_/A (sky130_fd_sc_hd_nor4_1)
		0.72	0.81	3.65	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
2	0.01				_101_ (net)
		0.72	0.00	3.65	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.23	0.48	4.13	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01				net25 (net)
		0.23	0.00	4.13	^ _236_/B (sky130_fd_sc_hd_nand2_1)
		0.14	0.23	4.36	v _236_/Y (sky130_fd_sc_hd_nand2_1)
2	0.01				_124_ (net)
		0.14	0.00	4.36	v _238_/A2 (sky130_fd_sc_hd_a21o_2)
		0.18	0.57	4.94	v _238_/X (sky130_fd_sc_hd_a21o_2)
8	0.03				_126_ (net)
		0.18	0.00	4.94	v _246_/A2 (sky130_fd_sc_hd_a22o_1)
		0.07	0.48	5.42	v _246_/X (sky130_fd_sc_hd_a22o_1)
1	0.00				_085_ (net)
		0.07	0.00	5.42	v _445_/D (sky130_fd_sc_hd_dfrtp_1)
				5.42	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08	^ clk (in)
					clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.24	10.58	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.09	0.00	10.58	^ _445_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	10.33	clock uncertainty
			0.04	10.36	clock reconvergence pessimism
			-0.27	10.09	library setup time
				10.09	data required time

				10.09	data required time
				-5.42	data arrival time

				4.68	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _448_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)

		0.09	0.00	0.64	^	_421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.15	0.86	1.50	v	_421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01					clk_count[13] (net)
		0.15	0.00	1.50	v	_205_/A (sky130_fd_sc_hd_or4_1)
		0.20	1.33	2.83	v	_205_/X (sky130_fd_sc_hd_or4_1)
1	0.00					_097_ (net)
		0.20	0.00	2.83	v	_209_/A (sky130_fd_sc_hd_nor4_1)
		0.72	0.81	3.65	^	_209_/Y (sky130_fd_sc_hd_nor4_1)
2	0.01					_101_ (net)
		0.72	0.00	3.65	^	max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.23	0.48	4.13	^	max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01					net25 (net)
		0.23	0.00	4.13	^	_236_/B (sky130_fd_sc_hd_nand2_1)
		0.14	0.23	4.36	v	_236_/Y (sky130_fd_sc_hd_nand2_1)
2	0.01					_124_ (net)
		0.14	0.00	4.36	v	_238_/A2 (sky130_fd_sc_hd_a21o_2)
		0.18	0.57	4.94	v	_238_/X (sky130_fd_sc_hd_a21o_2)
8	0.03					_126_ (net)
		0.18	0.00	4.94	v	_243_/A2 (sky130_fd_sc_hd_a22o_1)
		0.07	0.47	5.41	v	_243_/X (sky130_fd_sc_hd_a22o_1)
1	0.00					_088_ (net)
		0.07	0.00	5.41	v	_448_/D (sky130_fd_sc_hd_dfrtp_1)
				5.41		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
1	0.02	0.12	0.08	10.08	^	clk (in)
						clk (net)
		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.09	0.00	10.34	^	clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	10.58	^	clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04					clknet_2_0_leaf_clk (net)
		0.10	0.00	10.59	^	_448_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.34		clock uncertainty
		0.04		10.37		clock reconvergence pessimism
		-0.27		10.10		library setup time
				10.10		data required time

				10.10		data required time
				-5.41		data arrival time

				4.69		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _444_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

		0.00	0.00	0.00	clock clk (rise edge)
		0.00	0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.09	0.00	0.64	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.15	0.86	1.50	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[13] (net)
		0.15	0.00	1.50	v _205_/A (sky130_fd_sc_hd_or4_1)
		0.20	1.33	2.83	v _205_/X (sky130_fd_sc_hd_or4_1)
1	0.00				_097_ (net)

		0.20	0.00	2.83	v	_209_/A (sky130_fd_sc_hd__nor4_1)
		0.72	0.81	3.65	^	_209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01					_101_ (net)
		0.72	0.00	3.65	^	max_cap25/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.23	0.48	4.13	^	max_cap25/X (sky130_fd_sc_hd__buf_1)
						net25 (net)
		0.23	0.00	4.13	^	_236_/B (sky130_fd_sc_hd__nand2_1)
2	0.01	0.14	0.23	4.36	v	_236_/Y (sky130_fd_sc_hd__nand2_1)
						124 (net)
		0.14	0.00	4.36	v	_238_/A2 (sky130_fd_sc_hd__a21o_2)
8	0.03	0.18	0.57	4.94	v	_238_/X (sky130_fd_sc_hd__a21o_2)
						126 (net)
		0.18	0.00	4.94	v	_247_/A2 (sky130_fd_sc_hd__a22o_1)
1	0.00	0.07	0.47	5.41	v	_247_/X (sky130_fd_sc_hd__a22o_1)
						084 (net)
		0.07	0.00	5.41	v	_444_/D (sky130_fd_sc_hd__dftrtp_1)
				5.41		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.12	0.08	10.08	^	clk (in)
						clk (net)
		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.09	0.00	10.34	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.24	10.58	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3__leaf_clk (net)
		0.09	0.00	10.58	^	_444_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25		10.33		clock uncertainty
		0.06		10.39		clock reconvergence pessimism
		-0.27		10.12		library setup time
				10.12		data required time

				10.12		data required time
				-5.41		data arrival time

				4.72		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _434_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.27	0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.09	0.00	0.64	^ _421_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.15	0.86	1.50	v _421_/Q (sky130_fd_sc_hd__dftrtp_1)
3	0.01				clk_count[13] (net)
		0.15	0.00	1.50	v _205_/A (sky130_fd_sc_hd__or4_1)
1	0.00	0.20	1.33	2.83	v _205_/X (sky130_fd_sc_hd__or4_1)
					097 (net)
		0.20	0.00	2.83	v _209_/A (sky130_fd_sc_hd__nor4_1)
2	0.01	0.72	0.81	3.65	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
					101 (net)
		0.72	0.00	3.65	^ _211_/A2 (sky130_fd_sc_hd__a21o_1)
4	0.01	0.18	0.55	4.20	^ _211_/X (sky130_fd_sc_hd__a21o_1)
					103 (net)

		0.18	0.00	4.20	^	_212_/B (sky130_fd_sc_hd__nand2_1)
		0.14	0.21	4.41	v	_212_/Y (sky130_fd_sc_hd__nand2_1)
2	0.01					_104_ (net)
		0.14	0.00	4.41	v	_277_/S (sky130_fd_sc_hd__mux2_1)
1	0.00	0.12	0.77	5.18	v	_277_/X (sky130_fd_sc_hd__mux2_1)
						147 (net)
		0.12	0.00	5.18	v	_278_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.05	0.19	5.37	v	_278_/X (sky130_fd_sc_hd__clkbuf_1)
						074 (net)
		0.05	0.00	5.37	v	_434_/D (sky130_fd_sc_hd__dfrtp_1)
				5.37		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
1	0.02	0.12	0.08	10.08	^	clk (in)
						clk (net)
		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.09	0.00	10.34	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.24	10.58	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_1__leaf_clk (net)
		0.09	0.00	10.58	^	_434_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.33			clock uncertainty
		0.04	10.36			clock reconvergence pessimism
		-0.26	10.10			library setup time
			10.10			data required time

			10.10			data required time
			-5.37			data arrival time

			4.73			slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _436_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.27	0.64	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.09	0.00	0.64	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
3	0.01	0.15	0.86	1.50	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
					clk_count[13] (net)
		0.15	0.00	1.50	v _205_/A (sky130_fd_sc_hd__or4_1)
1	0.00	0.20	1.33	2.83	v _205_/X (sky130_fd_sc_hd__or4_1)
					097 (net)
		0.20	0.00	2.83	v _209_/A (sky130_fd_sc_hd__nor4_1)
2	0.01	0.72	0.81	3.65	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
					101 (net)
		0.72	0.00	3.65	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.23	0.48	4.13	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
					net25 (net)
		0.23	0.00	4.13	^ _217_/C (sky130_fd_sc_hd__nand4_1)
3	0.01	0.33	0.41	4.54	v _217_/Y (sky130_fd_sc_hd__nand4_1)
					109 (net)
		0.33	0.00	4.54	v _270_/B (sky130_fd_sc_hd__and2_1)
1	0.00	0.07	0.46	5.00	v _270_/X (sky130_fd_sc_hd__and2_1)
					143 (net)

		0.07	0.00	5.00	v	_271_/A (sky130_fd_sc_hd__clkbuf_1)
		0.07	0.19	5.18	v	_271_/X (sky130_fd_sc_hd__clkbuf_1)
2	0.00					_000_ (net)
		0.07	0.00	5.18	v	_272_/B1_N (sky130_fd_sc_hd__a21bo_1)
		0.07	0.35	5.54	^	_272_/X (sky130_fd_sc_hd__a21bo_1)
1	0.00					_076_ (net)
		0.07	0.00	5.54	^	_436_/D (sky130_fd_sc_hd__dfstp_1)
				5.54		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.12	0.08	10.08	^	clk (in)
1	0.02					clk (net)
		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.09	0.00	10.34	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.58	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.09	0.00	10.58	^	_436_/CLK (sky130_fd_sc_hd__dfstp_1)
		-0.25	10.33			clock uncertainty
		0.06	10.39			clock reconvergence pessimism
		-0.12	10.27			library setup time
			10.27			data required time

				10.27		data required time
				-5.54		data arrival time

				4.74		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _424_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.64	^ _421_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.15	0.86	1.50	v _421_/Q (sky130_fd_sc_hd__dftrtp_1)
3	0.01				clk_count[13] (net)
		0.15	0.00	1.50	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.20	1.33	2.83	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.20	0.00	2.83	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.72	0.81	3.65	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.72	0.00	3.65	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.23	0.48	4.13	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.23	0.00	4.13	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.33	0.41	4.54	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.33	0.00	4.54	v _270_/B (sky130_fd_sc_hd__and2_1)
		0.07	0.46	5.00	v _270_/X (sky130_fd_sc_hd__and2_1)
1	0.00				_143_ (net)
		0.07	0.00	5.00	v _271_/A (sky130_fd_sc_hd__clkbuf_1)
		0.07	0.19	5.18	v _271_/X (sky130_fd_sc_hd__clkbuf_1)
2	0.00				_000_ (net)

		0.07	0.00	5.18	v	_424_/D (sky130_fd_sc_hd_dfrtp_2)
				5.18		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.12	0.08	10.08	^	clk (in)
						clk (net)
		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.09	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.09	0.00	10.34	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.24	10.58	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_3_leaf_clk (net)
		0.09	0.00	10.58	^	_424_/CLK (sky130_fd_sc_hd_dfrtp_2)
		-0.25		10.33		clock uncertainty
		0.06		10.39		clock reconvergence pessimism
		-0.27		10.12		library setup time
				10.12		data required time

				10.12		data required time
				-5.18		data arrival time

				4.94		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _425_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.27	0.64	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
		0.09	0.00	0.64	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
3	0.01	0.15	0.86	1.50	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
					clk_count[13] (net)
		0.15	0.00	1.50	v _205_/A (sky130_fd_sc_hd_or4_1)
1	0.00	0.20	1.33	2.83	v _205_/X (sky130_fd_sc_hd_or4_1)
					097 (net)
		0.20	0.00	2.83	v _209_/A (sky130_fd_sc_hd_nor4_1)
2	0.01	0.72	0.81	3.65	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
					101 (net)
		0.72	0.00	3.65	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.23	0.48	4.13	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
					net25 (net)
		0.23	0.00	4.13	^ _217_/C (sky130_fd_sc_hd_nand4_1)
3	0.01	0.33	0.41	4.54	v _217_/Y (sky130_fd_sc_hd_nand4_1)
					109 (net)
		0.33	0.00	4.54	v _218_/A (sky130_fd_sc_hd_buf_4)
10	0.06	0.15	0.49	5.03	v _218_/X (sky130_fd_sc_hd_buf_4)
					110 (net)
		0.15	0.00	5.03	v _354_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.05	0.10	5.12	^ _354_/Y (sky130_fd_sc_hd_inv_2)
					001 (net)
		0.05	0.00	5.12	^ _425_/D (sky130_fd_sc_hd_dfrtp_1)
				5.12	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)

1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.08	0.24	10.57	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.08	0.00	10.57	^ _425_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.32	clock uncertainty
			0.04	10.36	clock reconvergence pessimism
			-0.13	10.23	library setup time
				10.23	data required time

				10.23	data required time
				-5.12	data arrival time

				5.11	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _410_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.64	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.15	0.86	1.50	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.15	0.00	1.50	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.20	1.33	2.83	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.20	0.00	2.83	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.72	0.81	3.65	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.72	0.00	3.65	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.23	0.48	4.13	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.23	0.00	4.13	^ _273_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.13	4.26	v _273_/Y (sky130_fd_sc_hd__inv_2)
2	0.01				_144_ (net)
		0.06	0.00	4.26	v _348_/A1 (sky130_fd_sc_hd__a32o_1)
		0.07	0.40	4.67	v _348_/X (sky130_fd_sc_hd__a32o_1)
1	0.00				_052_ (net)
		0.07	0.00	4.67	v _410_/D (sky130_fd_sc_hd__dfrtp_2)
				4.67	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	10.58	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	10.59	^ _410_/CLK (sky130_fd_sc_hd__dfrtp_2)
			-0.25	10.34	clock uncertainty

0.04	10.37	clock reconvergence pessimism
-0.27	10.10	library setup time
	10.10	data required time

	10.10	data required time
	-4.67	data arrival time

	5.43	slack (MET)

Startpoint: _436_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: cs (output port clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
					clk (net)
4	0.04	0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
2	0.01	0.09	0.00	0.64	^ _436_/CLK (sky130_fd_sc_hd__dfstp_1)
		0.13	1.18	1.82	^ _436_/Q (sky130_fd_sc_hd__dfstp_1)
1	0.03				net13 (net)
		0.13	0.00	1.82	^ output13/A (sky130_fd_sc_hd__clkbuf_4)
		0.18	0.38	2.20	^ output13/X (sky130_fd_sc_hd__clkbuf_4)
					cs (net)
		0.18	0.00	2.20	^ cs (out)
				2.20	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time
				-2.20	data arrival time

				5.55	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
4	0.04	0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.09	0.00	0.64	^ _421_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.15	0.86	1.50	v _421_/Q (sky130_fd_sc_hd__dftrtp_1)

3	0.01	0.15	0.00	1.50	v	_205_/A (sky130_fd_sc_hd_or4_1)
		0.20	1.33	2.83	v	_205_/X (sky130_fd_sc_hd_or4_1)
1	0.00					_097_ (net)
		0.20	0.00	2.83	v	_209_/A (sky130_fd_sc_hd_nor4_1)
		0.72	0.81	3.65	^	_209_/Y (sky130_fd_sc_hd_nor4_1)
2	0.01					_101_ (net)
		0.72	0.00	3.65	^	max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.23	0.48	4.13	^	max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01					net25 (net)
		0.23	0.00	4.13	^	_273_/A (sky130_fd_sc_hd_inv_2)
		0.06	0.13	4.26	v	_273_/Y (sky130_fd_sc_hd_inv_2)
2	0.01					_144_ (net)
		0.06	0.00	4.26	v	_274_/A2 (sky130_fd_sc_hd_a21oi_1)
		0.17	0.23	4.50	^	_274_/Y (sky130_fd_sc_hd_a21oi_1)
1	0.00					_075_ (net)
		0.17	0.00	4.50	^	_435_/D (sky130_fd_sc_hd_dfrtp_2)
				4.50		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
		0.12	0.08	10.08	^	clk (in)
1	0.02					clk (net)
		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.09	0.00	10.34	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	10.58	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04					clknet_2_0__leaf_clk (net)
		0.10	0.00	10.59	^	_435_/CLK (sky130_fd_sc_hd_dfrtp_2)
		-0.25		10.34		clock uncertainty
		0.04		10.37		clock reconvergence pessimism
		-0.16		10.21		library setup time
				10.21		data required time

				10.21		data required time
				-4.50		data arrival time

				5.71		slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: sclk (output port clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.28	0.65	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.65	^ _435_/CLK (sky130_fd_sc_hd_dfrtp_2)
		0.16	0.97	1.62	v _435_/Q (sky130_fd_sc_hd_dfrtp_2)
4	0.02				net24 (net)
		0.16	0.00	1.62	v output24/A (sky130_fd_sc_hd_buf_2)
		0.16	0.41	2.02	v output24/X (sky130_fd_sc_hd_buf_2)
1	0.03				sclk (net)
		0.16	0.00	2.02	v sclk (out)
				2.02	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock network delay (propagated)

-0.25	9.75	clock uncertainty
0.00	9.75	clock reconvergence pessimism
-2.00	7.75	output external delay
	7.75	data required time

	7.75	data required time
-2.02		data arrival time

	5.73	slack (MET)
--	------	-------------

Startpoint: _424_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: busy (output port clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.09	0.00	0.64	^ _424_/CLK (sky130_fd_sc_hd_dfrtp_2)
		0.15	0.96	1.60	v _424_/Q (sky130_fd_sc_hd_dfrtp_2)
4	0.02				net12 (net)
		0.15	0.00	1.60	v output12/A (sky130_fd_sc_hd_buf_2)
		0.16	0.40	2.00	v output12/X (sky130_fd_sc_hd_buf_2)
1	0.03				busy (net)
		0.16	0.00	2.00	v busy (out)
				2.00	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time
				7.75	data required time
				-2.00	data arrival time
				5.75	slack (MET)

Startpoint: _430_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[4] (output port clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.28	0.65	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.10	0.00	0.65	^ _430_/CLK (sky130_fd_sc_hd_dfrtp_1)

2	0.01	0.16	0.88	1.52	v	_430_/Q (sky130_fd_sc_hd_dfrtp_1)
						net20 (net)
1	0.03	0.16	0.00	1.52	v	output20/A (sky130_fd_sc_hd_clkbuff_4)
		0.14	0.39	1.91	v	output20/X (sky130_fd_sc_hd_clkbuff_4)
						rx_data[4] (net)
		0.14	0.00	1.91	v	rx_data[4] (out)
				1.91		data arrival time

		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock network delay (propagated)
		-0.25	9.75			clock uncertainty
		0.00	9.75			clock reconvergence pessimism
		-2.00	7.75			output external delay
			7.75			data required time

			7.75			data required time
			-1.91			data arrival time

			5.84			slack (MET)

Startpoint: _434_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: mosi (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
4	0.04	0.12	0.00	0.08	^ clkbuff_0_clk/A (sky130_fd_sc_hd_clkbuff_16)
		0.09	0.29	0.37	^ clkbuff_0_clk/X (sky130_fd_sc_hd_clkbuff_16)
12	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuff_2_1__f_clk/A (sky130_fd_sc_hd_clkbuff_16)
		0.09	0.27	0.64	^ clkbuff_2_1__f_clk/X (sky130_fd_sc_hd_clkbuff_16)
					clknet_2_1__leaf_clk (net)
2	0.01	0.09	0.00	0.64	^ _434_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.14	0.86	1.50	v _434_/Q (sky130_fd_sc_hd_dfrtp_1)
					net15 (net)
1	0.03	0.14	0.00	1.50	v output15/A (sky130_fd_sc_hd_clkbuff_4)
		0.14	0.38	1.87	v output15/X (sky130_fd_sc_hd_clkbuff_4)
					mosi (net)
		0.14	0.00	1.87	v mosi (out)
				1.87	data arrival time

		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock network delay (propagated)
		-0.25	9.75		clock uncertainty
		0.00	9.75		clock reconvergence pessimism
		-2.00	7.75		output external delay
			7.75		data required time

			7.75		data required time
			-1.87		data arrival time

			5.88		slack (MET)

Startpoint: _428_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[2] (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)

			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.28	0.65	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.10	0.00	0.65	^ _428_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.13	0.84	1.49	v _428_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net18 (net)
		0.13	0.00	1.49	v output18/A (sky130_fd_sc_hd_clkbuf_4)
		0.14	0.37	1.86	v output18/X (sky130_fd_sc_hd_clkbuf_4)
1	0.03				rx_data[2] (net)
		0.14	0.00	1.86	v rx_data[2] (out)
				1.86	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock network delay (propagated)
		-0.25	9.75		clock uncertainty
		0.00	9.75		clock reconvergence pessimism
		-2.00	7.75		output external delay
			7.75		data required time
			7.75		data required time
			-1.86		data arrival time
			5.89		slack (MET)

Startpoint: _408_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _419_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.28	0.65	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.10	0.00	0.65	^ _408_/CLK (sky130_fd_sc_hd_dfrtp_4)
		0.18	0.96	1.61	^ _408_/Q (sky130_fd_sc_hd_dfrtp_4)
8	0.03				clk_count[0] (net)
		0.18	0.00	1.61	^ _296_/D (sky130_fd_sc_hd_and4_2)
		0.23	0.69	2.30	^ _296_/X (sky130_fd_sc_hd_and4_2)
7	0.02				_157_ (net)
		0.23	0.00	2.30	^ _313_/C (sky130_fd_sc_hd_and4_1)
		0.14	0.50	2.80	^ _313_/X (sky130_fd_sc_hd_and4_1)
2	0.01				_170_ (net)
		0.14	0.00	2.80	^ _314_/B (sky130_fd_sc_hd_nand2_1)
		0.13	0.18	2.98	v _314_/Y (sky130_fd_sc_hd_nand2_1)
2	0.01				_171_ (net)
		0.13	0.00	2.98	v _316_/A2 (sky130_fd_sc_hd_a21o_1)
		0.08	0.37	3.35	v _316_/X (sky130_fd_sc_hd_a21o_1)
2	0.00				_173_ (net)
		0.08	0.00	3.35	v _317_/A1 (sky130_fd_sc_hd_mux2_1)
		0.11	0.67	4.03	v _317_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_174_ (net)
		0.11	0.00	4.03	v _318_/A (sky130_fd_sc_hd_clkbuf_1)
		0.05	0.18	4.21	v _318_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_061_ (net)

		0.05	0.00	4.21	v	_419_/D (sky130_fd_sc_hd_dfrtp_1)
				4.21		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.12	0.08	10.08	^	clk (in)
						clk (net)
		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.09	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.09	0.00	10.34	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.24	10.58	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_3__leaf_clk (net)
		0.09	0.00	10.58	^	_419_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.33		clock uncertainty
		0.04		10.37		clock reconvergence pessimism
		-0.26		10.10		library setup time
				10.10		data required time

				10.10		data required time
				-4.21		data arrival time

				5.89		slack (MET)

Startpoint: _431_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[5] (output port clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.10	0.28	0.65	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.65	^ _431_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.11	0.83	1.48	v _431_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net21 (net)
		0.11	0.00	1.48	v output21/A (sky130_fd_sc_hd_clkbuf_4)
1	0.03	0.14	0.36	1.84	v output21/X (sky130_fd_sc_hd_clkbuf_4)
					rx_data[5] (net)
		0.14	0.00	1.84	v rx_data[5] (out)
				1.84	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
		-0.25		9.75	clock uncertainty
		0.00		9.75	clock reconvergence pessimism
		-2.00		7.75	output external delay
				7.75	data required time

				7.75	data required time
				-1.84	data arrival time

				5.91	slack (MET)

Startpoint: _429_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[3] (output port clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.28	0.65	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.65	^ _429_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.11	0.83	1.48	v _429_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net19 (net)
		0.11	0.00	1.48	v output19/A (sky130_fd_sc_hd__clkbuf_4)
		0.14	0.36	1.84	v output19/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[3] (net)
		0.14	0.00	1.84	v rx_data[3] (out)
				1.84	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time
				-1.84	data arrival time

				5.91	slack (MET)

Startpoint: _427_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[1] (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	0.64	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.11	0.83	1.47	v _427_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net17 (net)
		0.11	0.00	1.47	v output17/A (sky130_fd_sc_hd__clkbuf_4)
		0.14	0.36	1.83	v output17/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[1] (net)
		0.14	0.00	1.83	v rx_data[1] (out)
				1.83	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time

-1.83 data arrival time

5.92 slack (MET)

Startpoint: _432_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[6] (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.28	0.65	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.65	^ _432_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.11	0.82	1.47	v _432_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net22 (net)
		0.11	0.00	1.47	v output22/A (sky130_fd_sc_hd__clkbuf_4)
		0.14	0.36	1.83	v output22/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[6] (net)
		0.14	0.00	1.83	v rx_data[6] (out)
				1.83	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time

				-1.83	data arrival time

				5.92	slack (MET)

Startpoint: _433_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[7] (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	0.64	^ _433_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.11	0.82	1.46	v _433_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net23 (net)
		0.11	0.00	1.46	v output23/A (sky130_fd_sc_hd__clkbuf_4)
		0.14	0.36	1.83	v output23/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[7] (net)
		0.14	0.00	1.83	v rx_data[7] (out)

	1.83	data arrival time
10.00	10.00	clock clk (rise edge)
0.00	10.00	clock network delay (propagated)
-0.25	9.75	clock uncertainty
0.00	9.75	clock reconvergence pessimism
-2.00	7.75	output external delay
	7.75	data required time

	7.75	data required time
	-1.83	data arrival time

	5.92	slack (MET)

Startpoint: _426_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[0] (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.64	^ _426_/CLK (sky130_fd_sc_hd__dfrrtp_1)
		0.10	0.82	1.46	v _426_/Q (sky130_fd_sc_hd__dfrrtp_1)
2	0.01				net16 (net)
		0.10	0.00	1.46	v output16/A (sky130_fd_sc_hd__clkbuf_4)
		0.14	0.36	1.82	v output16/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[0] (net)
		0.14	0.00	1.82	v rx_data[0] (out)
				1.82	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time
				-1.82	data arrival time

				5.93	slack (MET)

Startpoint: _425_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: done (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)

		0.09	0.00	0.37	^	clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.08	0.26	0.63	^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03					clknet_2_2_leaf_clk (net)
		0.08	0.00	0.63	^	_425_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.08	0.78	1.42	v	_425_/Q (sky130_fd_sc_hd_dfrtp_1)
1	0.00					net14 (net)
		0.08	0.00	1.42	v	output14/A (sky130_fd_sc_hd_clkbuf_4)
		0.14	0.35	1.77	v	output14/X (sky130_fd_sc_hd_clkbuf_4)
1	0.04					done (net)
		0.14	0.00	1.77	v	done (out)
				1.77		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock network delay (propagated)
		-0.25	9.75			clock uncertainty
		0.00	9.75			clock reconvergence pessimism
		-2.00	7.75			output external delay
			7.75			data required time

				7.75		data required time
				-1.77		data arrival time

				5.98		slack (MET)

Startpoint: _408_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _415_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.28	0.65	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.10	0.00	0.65	^ _408_/CLK (sky130_fd_sc_hd_dfrtp_4)
		0.17	1.13	1.78	v _408_/Q (sky130_fd_sc_hd_dfrtp_4)
8	0.03				clk_count[0] (net)
		0.17	0.00	1.78	v _296_/D (sky130_fd_sc_hd_and4_2)
		0.15	0.66	2.44	v _296_/X (sky130_fd_sc_hd_and4_2)
7	0.02				_157_ (net)
		0.15	0.00	2.44	v _328_/C (sky130_fd_sc_hd_and3_1)
		0.10	0.46	2.90	v _328_/X (sky130_fd_sc_hd_and3_1)
3	0.01				_181_ (net)
		0.10	0.00	2.90	v _329_/C (sky130_fd_sc_hd_and3_1)
		0.06	0.38	3.29	v _329_/X (sky130_fd_sc_hd_and3_1)
1	0.00				_182_ (net)
		0.06	0.00	3.29	v _332_/A0 (sky130_fd_sc_hd_mux2_1)
		0.11	0.65	3.93	v _332_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_185_ (net)
		0.11	0.00	3.93	v _333_/A (sky130_fd_sc_hd_clkbuf_1)
		0.04	0.18	4.11	v _333_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_057_ (net)
		0.04	0.00	4.11	v _415_/D (sky130_fd_sc_hd_dfrtp_1)
				4.11	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)

4	0.04				clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.08	0.24	10.57	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.08	0.00	10.57	^ _415_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.32	clock uncertainty
		0.04		10.36	clock reconvergence pessimism
		-0.26		10.10	library setup time
				10.10	data required time

				10.10	data required time
				-4.11	data arrival time

				5.98	slack (MET)

Startpoint: _408_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.28	0.65	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.65	^ _408_/CLK (sky130_fd_sc_hd_dfrtp_4)
		0.17	1.13	1.78	v _408_/Q (sky130_fd_sc_hd_dfrtp_4)
8	0.03				clk_count[0] (net)
		0.17	0.00	1.78	v _296_/D (sky130_fd_sc_hd_and4_2)
		0.15	0.66	2.44	v _296_/X (sky130_fd_sc_hd_and4_2)
7	0.02				_157_ (net)
		0.15	0.00	2.44	v _299_/A (sky130_fd_sc_hd_and3_1)
		0.13	0.41	2.86	v _299_/X (sky130_fd_sc_hd_and3_1)
4	0.01				_160_ (net)
		0.13	0.00	2.86	v _306_/C (sky130_fd_sc_hd_and3_1)
		0.07	0.40	3.26	v _306_/X (sky130_fd_sc_hd_and3_1)
1	0.00				_165_ (net)
		0.07	0.00	3.26	v _309_/A0 (sky130_fd_sc_hd_mux2_1)
		0.11	0.65	3.91	v _309_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_168_ (net)
		0.11	0.00	3.91	v _310_/A (sky130_fd_sc_hd_clkbuf_1)
		0.05	0.18	4.09	v _310_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_063_ (net)
		0.05	0.00	4.09	v _421_/D (sky130_fd_sc_hd_dfrtp_1)
				4.09	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.24	10.58	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	10.58	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.33	clock uncertainty
		0.04		10.37	clock reconvergence pessimism
		-0.26		10.10	library setup time
				10.10	data required time

10.10	data required time
-4.09	data arrival time

6.01	slack (MET)

Startpoint: _408_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _423_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.28	0.65	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.65	^ _408_/CLK (sky130_fd_sc_hd__dfrtp_4)
8	0.03	0.17	1.13	1.78	v _408_/Q (sky130_fd_sc_hd__dfrtp_4)
					clk_count[0] (net)
		0.17	0.00	1.78	v _296_/D (sky130_fd_sc_hd__and4_2)
7	0.02	0.15	0.66	2.44	v _296_/X (sky130_fd_sc_hd__and4_2)
					157 (net)
		0.15	0.00	2.44	v _299_/A (sky130_fd_sc_hd__and3_1)
4	0.01	0.13	0.41	2.86	v _299_/X (sky130_fd_sc_hd__and3_1)
					160 (net)
		0.13	0.00	2.86	v _300_/C (sky130_fd_sc_hd__and3_1)
3	0.01	0.13	0.48	3.33	v _300_/X (sky130_fd_sc_hd__and3_1)
					161 (net)
		0.13	0.00	3.33	v _302_/A3 (sky130_fd_sc_hd__a31o_1)
1	0.00	0.07	0.44	3.77	v _302_/X (sky130_fd_sc_hd__a31o_1)
					163 (net)
		0.07	0.00	3.77	v _303_/B1 (sky130_fd_sc_hd__o31a_1)
1	0.00	0.09	0.20	3.96	v _303_/X (sky130_fd_sc_hd__o31a_1)
					065 (net)
		0.09	0.00	3.96	v _423_/D (sky130_fd_sc_hd__dfrtp_1)
				3.96	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.08	0.24	10.57	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.08	0.00	10.57	^ _423_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.32	clock uncertainty
		0.04		10.36	clock reconvergence pessimism
		-0.28		10.08	library setup time
				10.08	data required time

				10.08	data required time
				-3.96	data arrival time

				6.11	slack (MET)

Startpoint: _408_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _422_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.10	0.28	0.65	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.65	^ _408_/CLK (sky130_fd_sc_hd_dfrtp_4)
8	0.03	0.17	1.13	1.78	v _408_/Q (sky130_fd_sc_hd_dfrtp_4)
					clk_count[0] (net)
		0.17	0.00	1.78	v _296_/D (sky130_fd_sc_hd_and4_2)
7	0.02	0.15	0.66	2.44	v _296_/X (sky130_fd_sc_hd_and4_2)
					157 (net)
		0.15	0.00	2.44	v _299_/A (sky130_fd_sc_hd_and3_1)
4	0.01	0.13	0.41	2.86	v _299_/X (sky130_fd_sc_hd_and3_1)
					160 (net)
		0.13	0.00	2.86	v _300_/C (sky130_fd_sc_hd_and3_1)
3	0.01	0.13	0.48	3.33	v _300_/X (sky130_fd_sc_hd_and3_1)
					161 (net)
		0.13	0.00	3.33	v _304_/A2 (sky130_fd_sc_hd_a21o_1)
1	0.00	0.07	0.36	3.69	v _304_/X (sky130_fd_sc_hd_a21o_1)
					164 (net)
		0.07	0.00	3.69	v _305_/B1 (sky130_fd_sc_hd_o21a_1)
1	0.00	0.07	0.20	3.89	v _305_/X (sky130_fd_sc_hd_o21a_1)
					064 (net)
		0.07	0.00	3.89	v _422_/D (sky130_fd_sc_hd_dfrtp_1)
				3.89	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
10	0.03	0.08	0.24	10.57	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.08	0.00	10.57	^ _422_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.32	clock uncertainty
		0.04		10.36	clock reconvergence pessimism
		-0.27		10.09	library setup time
				10.09	data required time

				10.09	data required time
				-3.89	data arrival time

				6.19	slack (MET)

Startpoint: _408_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _413_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)

1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.28	0.65	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.65	^ _408_/CLK (sky130_fd_sc_hd_dfrtp_4)
		0.18	0.96	1.61	^ _408_/Q (sky130_fd_sc_hd_dfrtp_4)
8	0.03				clk_count[0] (net)
		0.18	0.00	1.61	^ _296_/D (sky130_fd_sc_hd_and4_2)
		0.23	0.69	2.30	^ _296_/X (sky130_fd_sc_hd_and4_2)
7	0.02				_157_ (net)
		0.23	0.00	2.30	^ _336_/B (sky130_fd_sc_hd_nand2_1)
		0.16	0.24	2.54	v _336_/Y (sky130_fd_sc_hd_nand2_1)
3	0.01				_187_ (net)
		0.16	0.00	2.54	v _338_/A2 (sky130_fd_sc_hd_a21o_1)
		0.08	0.39	2.93	v _338_/X (sky130_fd_sc_hd_a21o_1)
2	0.01				_189_ (net)
		0.08	0.00	2.93	v _339_/A1 (sky130_fd_sc_hd_mux2_1)
		0.11	0.68	3.61	v _339_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_190_ (net)
		0.11	0.00	3.61	v _340_/A (sky130_fd_sc_hd_clkbuf_1)
		0.05	0.19	3.80	v _340_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_055_ (net)
		0.05	0.00	3.80	v _413_/D (sky130_fd_sc_hd_dfrtp_1)
				3.80	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.08	0.24	10.57	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.08	0.00	10.57	^ _413_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.32	clock uncertainty
		0.04		10.36	clock reconvergence pessimism
		-0.26		10.09	library setup time
				10.09	data required time

				10.09	data required time
				-3.80	data arrival time

				6.30	slack (MET)

Startpoint: _424_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _417_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.64	^ _424_/CLK (sky130_fd_sc_hd_dfrtp_2)
		0.15	0.96	1.60	v _424_/Q (sky130_fd_sc_hd_dfrtp_2)

4	0.02				net12 (net)
		0.15	0.00	1.60	v _213_/A (sky130_fd_sc_hd__buf_4)
		0.13	0.38	1.98	v _213_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_105_ (net)
		0.13	0.00	1.98	v _214_/A (sky130_fd_sc_hd__buf_2)
		0.18	0.40	2.38	v _214_/X (sky130_fd_sc_hd__buf_2)
10	0.04				_106_ (net)
		0.18	0.00	2.39	v _269_/A (sky130_fd_sc_hd__buf_2)
		0.17	0.42	2.81	v _269_/X (sky130_fd_sc_hd__buf_2)
10	0.03				_142_ (net)
		0.17	0.00	2.81	v _324_/A1 (sky130_fd_sc_hd__a21o_1)
		0.08	0.37	3.17	v _324_/X (sky130_fd_sc_hd__a21o_1)
2	0.01				_179_ (net)
		0.08	0.00	3.17	v _325_/B1 (sky130_fd_sc_hd__a2bb2o_1)
		0.10	0.60	3.77	v _325_/X (sky130_fd_sc_hd__a2bb2o_1)
1	0.00				_059_ (net)
		0.10	0.00	3.77	v _417_/D (sky130_fd_sc_hd__dfrrtp_1)
				3.77	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.08	0.24	10.57	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.08	0.00	10.57	^ _417_/CLK (sky130_fd_sc_hd__dfrrtp_1)
		-0.25		10.32	clock uncertainty
		0.04		10.36	clock reconvergence pessimism
		-0.28		10.07	library setup time
				10.07	data required time

				10.07	data required time
				-3.77	data arrival time

				6.30	slack (MET)

Startpoint: _408_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _418_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
			0.12	0.08	0.08 ^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.28	0.65	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.65	^ _408_/CLK (sky130_fd_sc_hd__dfrrtp_4)
		0.18	0.96	1.61	^ _408_/Q (sky130_fd_sc_hd__dfrrtp_4)
8	0.03				clk_count[0] (net)
		0.18	0.00	1.61	^ _296_/D (sky130_fd_sc_hd__and4_2)
		0.23	0.69	2.30	^ _296_/X (sky130_fd_sc_hd__and4_2)
7	0.02				_157_ (net)
		0.23	0.00	2.30	^ _313_/C (sky130_fd_sc_hd__and4_1)
		0.14	0.50	2.80	^ _313_/X (sky130_fd_sc_hd__and4_1)
2	0.01				_170_ (net)
		0.14	0.00	2.80	^ _314_/B (sky130_fd_sc_hd__nand2_1)
		0.13	0.18	2.98	v _314_/Y (sky130_fd_sc_hd__nand2_1)

2	0.01				_171_ (net)
		0.13	0.00	2.98	v _316_/A2 (sky130_fd_sc_hd_a21o_1)
		0.08	0.37	3.35	v _316_/X (sky130_fd_sc_hd_a21o_1)
2	0.00				_173_ (net)
		0.08	0.00	3.35	v _320_/A (sky130_fd_sc_hd_and2_1)
		0.07	0.29	3.64	v _320_/X (sky130_fd_sc_hd_and2_1)
1	0.00				_176_ (net)
		0.07	0.00	3.64	v _321_/A (sky130_fd_sc_hd_clkbuf_1)
		0.05	0.16	3.80	v _321_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_060_ (net)
		0.05	0.00	3.80	v _418_/D (sky130_fd_sc_hd_dfrtp_1)
				3.80	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.24	10.58	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.09	0.00	10.58	^ _418_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.33	clock uncertainty
		0.04		10.37	clock reconvergence pessimism
		-0.26		10.10	library setup time
				10.10	data required time

				10.10	data required time
				-3.80	data arrival time

				6.30	slack (MET)

Startpoint: _424_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _408_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.09	0.00	0.64	^ _424_/CLK (sky130_fd_sc_hd_dfrtp_2)
		0.15	0.96	1.60	v _424_/Q (sky130_fd_sc_hd_dfrtp_2)
4	0.02				net12 (net)
		0.15	0.00	1.60	v _213_/A (sky130_fd_sc_hd_buf_4)
		0.13	0.38	1.98	v _213_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_105_ (net)
		0.13	0.00	1.98	v _214_/A (sky130_fd_sc_hd_buf_2)
		0.18	0.40	2.38	v _214_/X (sky130_fd_sc_hd_buf_2)
10	0.04				_106_ (net)
		0.18	0.00	2.39	v _269_/A (sky130_fd_sc_hd_buf_2)
		0.17	0.42	2.81	v _269_/X (sky130_fd_sc_hd_buf_2)
10	0.03				_142_ (net)
		0.17	0.00	2.81	v _352_/A0 (sky130_fd_sc_hd_mux2_1)
		0.11	0.70	3.50	v _352_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_198_ (net)
		0.11	0.00	3.50	v _353_/A (sky130_fd_sc_hd_clkbuf_1)
		0.05	0.18	3.69	v _353_/X (sky130_fd_sc_hd_clkbuf_1)

1	0.00				_050_ (net)
		0.05	0.00	3.69 v	_408_/D (sky130_fd_sc_hd__dfrtp_4)
				3.69	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08 ^	clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	10.34 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	10.34 ^	clkbuf_2_0_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	10.58 ^	clkbuf_2_0_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.10	0.00	10.59 ^	_408_/CLK (sky130_fd_sc_hd__dfrtp_4)
			-0.25	10.34	clock uncertainty
			0.04	10.37	clock reconvergence pessimism
			-0.26	10.11	library setup time
				10.11	data required time
				10.11	data required time
				-3.69	data arrival time
				6.43	slack (MET)

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.10	0.28	0.65	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)
		0.10	0.00	0.65	^ _408_/CLK (sky130_fd_sc_hd_dfrtp_4)
8	0.03	0.17	1.13	1.78	v _408_/Q (sky130_fd_sc_hd_dfrtp_4)
					clk_count[0] (net)
		0.17	0.00	1.78	v _296_/D (sky130_fd_sc_hd_and4_2)
7	0.02	0.15	0.66	2.44	v _296_/X (sky130_fd_sc_hd_and4_2)
					157 (net)
		0.15	0.00	2.44	v _328_/C (sky130_fd_sc_hd_and3_1)
3	0.01	0.10	0.46	2.90	v _328_/X (sky130_fd_sc_hd_and3_1)
					181 (net)
		0.10	0.00	2.90	v _334_/C (sky130_fd_sc_hd_and3b_1)
1	0.00	0.07	0.39	3.29	v _334_/X (sky130_fd_sc_hd_and3b_1)
					186 (net)
		0.07	0.00	3.29	v _335_/B1 (sky130_fd_sc_hd_a21o_1)
1	0.00	0.05	0.28	3.57	v _335_/X (sky130_fd_sc_hd_a21o_1)
					056 (net)
		0.05	0.00	3.57	v _414_/D (sky130_fd_sc_hd_dfrtp_1)
				3.57	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)

10	0.03	0.08	0.24	10.57	^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_2_leaf_clk (net)
		0.08	0.00	10.57	^	_414_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.32		clock uncertainty
		0.04		10.36		clock reconvergence pessimism
		-0.27		10.09		library setup time
				10.09		data required time
				10.09		data required time
				-3.57		data arrival time
				6.52		slack (MET)

Startpoint: _408_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _420_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
					clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.28	0.65	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
14	0.04	0.10	0.00	0.65	^ _408_/CLK (sky130_fd_sc_hd__dfrtp_4)
		0.17	1.13	1.78	v _408_/Q (sky130_fd_sc_hd__dfrtp_4)
8	0.03				clk_count[0] (net)
		0.17	0.00	1.78	v _296_/D (sky130_fd_sc_hd__and4_2)
7	0.02	0.15	0.66	2.44	v _296_/X (sky130_fd_sc_hd__and4_2)
					157 (net)
4	0.01	0.15	0.00	2.44	v _299_/A (sky130_fd_sc_hd__and3_1)
		0.13	0.41	2.86	v _299_/X (sky130_fd_sc_hd__and3_1)
					160 (net)
1	0.00	0.13	0.00	2.86	v _311_/C (sky130_fd_sc_hd__and3b_1)
		0.07	0.41	3.26	v _311_/X (sky130_fd_sc_hd__and3b_1)
					169 (net)
1	0.00	0.07	0.00	3.26	v _312_/B1 (sky130_fd_sc_hd__a21o_1)
		0.06	0.28	3.55	v _312_/X (sky130_fd_sc_hd__a21o_1)
					062 (net)
1	0.00	0.06	0.00	3.55	v _420_/D (sky130_fd_sc_hd__dfrtp_1)
				3.55	data arrival time
1	0.02		10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
					clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.58	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
12	0.04	0.09	0.00	10.58	^ _420_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.33		clock uncertainty
		0.04	10.36		clock reconvergence pessimism
		-0.26	10.10		library setup time
			10.10		data required time
				10.10	data required time
				-3.55	data arrival time
				6.55	slack (MET)

Startpoint: _424_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _416_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description			

1	0.02	0.12	0.00	0.00	clock clk (rise edge)			
			0.00	0.00	clock source latency			
			0.08	0.08	^ clk (in)			
					clk (net)			
4	0.04	0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)			
			0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)		
12	0.04	0.09	0.00	0.37	^ clknet_0_clk (net)			
					0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)		
					0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)		
						clknet_2_3__leaf_clk (net)		
4	0.02	0.09	0.00	0.64	^ _424_/CLK (sky130_fd_sc_hd__dftrtp_2)			
			0.15	0.96	1.60	v _424_/Q (sky130_fd_sc_hd__dftrtp_2)		
10	0.05	0.15	0.00	1.60	v _213_ (net)			
					0.13	0.38	1.98	v _213_/A (sky130_fd_sc_hd__buf_4)
								v _213_/X (sky130_fd_sc_hd__buf_4)
								105 (net)
10	0.04	0.13	0.00	1.98	v _214_/A (sky130_fd_sc_hd__buf_2)			
			0.18	0.40	2.38	v _214_/X (sky130_fd_sc_hd__buf_2)		
10	0.03	0.17	0.00	2.39	v _106_ (net)			
								v _269_/A (sky130_fd_sc_hd__buf_2)
								v _269_/X (sky130_fd_sc_hd__buf_2)
								142 (net)
2	0.01	0.08	0.00	2.81	v _324_/A1 (sky130_fd_sc_hd__a21o_1)			
			0.05	0.32	3.17	v _324_/X (sky130_fd_sc_hd__a21o_1)		
1	0.00	0.05	0.00	3.17	v _179_ (net)			
								v _327_/A2 (sky130_fd_sc_hd__a21o_1)
								v _327_/X (sky130_fd_sc_hd__a21o_1)
								058 (net)
1	0.00	0.05	0.00	3.50	v _416_/D (sky130_fd_sc_hd__dftrtp_1)			
							3.50	data arrival time

1	0.02	0.12	10.00	10.00	clock clk (rise edge)			
			0.00	10.00	clock source latency			
			0.08	10.08	^ clk (in)			
					clk (net)			
4	0.04	0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)			
			0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)		
10	0.03	0.09	0.00	10.34	^ clknet_0_clk (net)			
					0.08	0.24	10.34	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
							10.57	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
								clknet_2_2__leaf_clk (net)
10	0.03	0.08	0.00	10.57	^ _416_/CLK (sky130_fd_sc_hd__dftrtp_1)			
					-0.25	10.32	clock uncertainty	
					0.04	10.36	clock reconvergence pessimism	
					-0.27	10.09	library setup time	
10	0.03	0.08	0.00	10.09	data required time			
				10.09	data required time			
				-3.50	data arrival time			

				6.59	slack (MET)			

Startpoint: start (input port clocked by clk)
 Endpoint: _409_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
--------	-----	------	-------	------	-------------

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v start (in)
1	0.00				start (net)
		0.02	0.00	2.01	v input3/A (sky130_fd_sc_hd__buf_1)
2	0.01	0.17	0.24	2.25	v input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.17	0.00	2.25	v _204_/B (sky130_fd_sc_hd__or2_2)
6	0.02	0.20	0.83	3.08	v _204_/X (sky130_fd_sc_hd__or2_2)
					096 (net)
		0.20	0.00	3.08	v _350_/B1 (sky130_fd_sc_hd__o211a_1)
1	0.00	0.08	0.31	3.40	v _350_/X (sky130_fd_sc_hd__o211a_1)
					197 (net)
		0.08	0.00	3.40	v _351_/B (sky130_fd_sc_hd__nor2_1)
1	0.00	0.12	0.14	3.54	^ _351_/Y (sky130_fd_sc_hd__nor2_1)
					051 (net)
		0.12	0.00	3.54	^ _409_/D (sky130_fd_sc_hd__dfrrtp_4)
				3.54	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08	^ clk (in)
					clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.08	0.24	10.57	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.08	0.00	10.57	^ _409_/CLK (sky130_fd_sc_hd__dfrrtp_4)
		-0.25	10.32		clock uncertainty
		0.00	10.32		clock reconvergence pessimism
		-0.15	10.18		library setup time
			10.18		data required time

				10.18	data required time
				-3.54	data arrival time

				6.64	slack (MET)

Startpoint: _424_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _412_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.27	0.64	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.09	0.00	0.64	^ _424_/CLK (sky130_fd_sc_hd__dfrrtp_2)
4	0.02	0.15	0.96	1.60	v _424_/Q (sky130_fd_sc_hd__dfrrtp_2)
					net12 (net)
		0.15	0.00	1.60	v _213_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.13	0.38	1.98	v _213_/X (sky130_fd_sc_hd__buf_4)
					105 (net)
		0.13	0.00	1.98	v _214_/A (sky130_fd_sc_hd__buf_2)
10	0.04	0.18	0.40	2.38	v _214_/X (sky130_fd_sc_hd__buf_2)
					106 (net)

		0.18	0.00	2.39	v	_269_/A (sky130_fd_sc_hd__buf_2)
		0.17	0.42	2.81	v	_269_/X (sky130_fd_sc_hd__buf_2)
10	0.03					_142_ (net)
		0.17	0.00	2.81	v	_341_/A (sky130_fd_sc_hd__and3_1)
		0.07	0.36	3.17	v	_341_/X (sky130_fd_sc_hd__and3_1)
1	0.00					_191_ (net)
		0.07	0.00	3.17	v	_342_/B1 (sky130_fd_sc_hd__a21o_1)
		0.05	0.28	3.45	v	_342_/X (sky130_fd_sc_hd__a21o_1)
1	0.00					_054_ (net)
		0.05	0.00	3.45	v	_412_/D (sky130_fd_sc_hd__dfrtp_1)
				3.45		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.12	0.08	10.08	^	clk (in)
						clk (net)
		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.09	0.00	10.34	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.08	0.24	10.57	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
		0.08	0.00	10.57	^	_412_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.32		clock uncertainty
		0.04		10.36		clock reconvergence pessimism
		-0.27		10.09		library setup time
				10.09		data required time

				10.09		data required time
				-3.45		data arrival time

				6.64		slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _411_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
1	0.00	0.03	0.02	2.02	^ start (in)
					start (net)
		0.03	0.00	2.02	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.30	0.31	2.33	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.30	0.00	2.33	^ _237_/B (sky130_fd_sc_hd__nor2_4)
9	0.03	0.11	0.20	2.53	v _237_/Y (sky130_fd_sc_hd__nor2_4)
					125 (net)
		0.11	0.00	2.53	v _346_/A2 (sky130_fd_sc_hd__o31a_1)
1	0.00	0.09	0.57	3.10	v _346_/X (sky130_fd_sc_hd__o31a_1)
					053 (net)
		0.09	0.00	3.10	v _411_/D (sky130_fd_sc_hd__dfrtp_1)
				3.10	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08	^ clk (in)
					clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.25	10.58	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	10.59	^ _411_/CLK (sky130_fd_sc_hd__dfrtp_1)

-0.25	10.34	clock uncertainty
0.00	10.34	clock reconvergence pessimism
-0.28	10.06	library setup time
	10.06	data required time

10.06	data required time
-3.10	data arrival time

6.96	slack (MET)
------	-------------

Startpoint: rst (input port clocked by clk)
Endpoint: _409_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
1	0.00	0.02	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			2.01	2.01	v rst (in)
					rst (net)
			2.01	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
			2.20	2.20	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
			2.20	2.20	v _355_/A (sky130_fd_sc_hd_buf_4)
			2.57	2.57	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05	0.11	0.00		_199_ (net)
				2.57	v _356_/A (sky130_fd_sc_hd_buf_4)
10	0.06	0.14	0.37		_200_ (net)
				2.96	v _356_/X (sky130_fd_sc_hd_buf_4)
10	0.06	0.15	0.39		_200_ (net)
				2.96	v _358_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.05	0.10	3.07	^ _358_/Y (sky130_fd_sc_hd_inv_2)
					003 (net)
1	0.00	0.05	0.00	3.07	^ _409_/RESET_B (sky130_fd_sc_hd_dfrtp_4)
				3.07	data arrival time
1	0.02	0.12	0.08	10.00	clock clk (rise edge)
				10.00	clock source latency
4	0.04	0.09	0.26	10.08	^ clk (in)
					clk (net)
10	0.03	0.08	0.24	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03	0.08	0.00		clknet_0_clk (net)
				10.34	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
10	0.03	0.08	0.00	10.57	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_2_leaf_clk (net)
10	0.03	0.08	0.00	10.57	^ _409_/CLK (sky130_fd_sc_hd_dfrtp_4)
				-0.25	clock uncertainty
10	0.03	0.08	0.00	10.32	clock reconvergence pessimism
				0.46	library recovery time
10	0.03	0.08	0.46	10.78	data required time
				10.78	data required time
				-3.07	data arrival time
				7.71	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _415_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)

			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.37	2.57	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.57	v _356_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.15	0.39	2.96	v _356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
		0.15	0.00	2.96	v _364_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.06	0.10	3.07	^ _364_/Y (sky130_fd_sc_hd__inv_2)
					009 (net)
		0.06	0.00	3.07	^ _415_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				3.07	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08	^ clk (in)
					clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.08	0.24	10.57	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.08	0.00	10.57	^ _415_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25		10.32	clock uncertainty
		0.00		10.32	clock reconvergence pessimism
		0.47		10.79	library recovery time
				10.79	data required time

				10.79	data required time
				-3.07	data arrival time

				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _417_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.37	2.57	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.57	v _356_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.15	0.39	2.96	v _356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
		0.15	0.00	2.96	v _366_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.06	0.10	3.07	^ _366_/Y (sky130_fd_sc_hd__inv_2)
					011 (net)
		0.06	0.00	3.07	^ _417_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				3.07	data arrival time
			10.00	10.00	clock clk (rise edge)

			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.08	0.24	10.57	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.08	0.00	10.57	^ _417_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.32		clock uncertainty
		0.00	10.32		clock reconvergence pessimism
		0.47	10.79		library recovery time
				10.79	data required time

				10.79	data required time
				-3.07	data arrival time

				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _416_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.14	0.37	2.57	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.14	0.00	2.57	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.15	0.39	2.96	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)
		0.15	0.00	2.96	v _365_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.10	3.07	^ _365_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_010_ (net)
		0.05	0.00	3.07	^ _416_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				3.07	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.08	0.24	10.57	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.08	0.00	10.57	^ _416_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.32		clock uncertainty
		0.00	10.32		clock reconvergence pessimism
		0.47	10.80		library recovery time
				10.80	data required time

				10.80	data required time
				-3.07	data arrival time

				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _413_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.02	0.01	2.01 v	rst (in)
					rst (net)
			0.02	2.01 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.05	0.11	0.00	2.20 v	_355_/A (sky130_fd_sc_hd__buf_4)
			0.14	2.57 v	_355_/X (sky130_fd_sc_hd__buf_4)
10	0.06	0.14	0.00	2.57 v	_199_ (net)
			0.15	2.96 v	_356_/A (sky130_fd_sc_hd__buf_4)
1	0.00	0.05	0.10	2.96 v	_356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
				2.96 v	_362_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.05	0.10	3.07 ^	_362_/Y (sky130_fd_sc_hd__inv_2)
					007 (net)
		0.05	0.00	3.07 ^	_413_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				3.07	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08 ^	clk (in)
					clk (net)
4	0.04	0.12	0.00	10.08 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.09	10.34 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.09	0.00	10.34 ^	clknet_0_clk (net)
			0.08	10.57 ^	clkbuf_2_2_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
					clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2_leaf_clk (net)
			0.08	10.57 ^	_413_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.32	clock uncertainty
			0.00	10.32	clock reconvergence pessimism
			0.47	10.80	library recovery time
				10.80	data required time

				10.80	data required time
				-3.07	data arrival time

				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _414_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.02	0.01	2.01 v	rst (in)
					rst (net)
			0.02	2.01 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.05	0.11	0.00	2.20 v	_355_/A (sky130_fd_sc_hd__buf_4)
			0.14	2.57 v	_355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)

		0.14	0.00	2.57	v	_356_/A (sky130_fd_sc_hd__buf_4)
		0.15	0.39	2.96	v	_356_/X (sky130_fd_sc_hd__buf_4)
10	0.06					_200_ (net)
		0.15	0.00	2.96	v	_363_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.10	3.07	^	_363_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_008_ (net)
		0.05	0.00	3.07	^	_414_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				3.07		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.12	0.08	10.08	^	clk (in)
						clk (net)
		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.09	0.00	10.34	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.08	0.24	10.57	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
		0.08	0.00	10.57	^	_414_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.32		clock uncertainty
		0.00		10.32		clock reconvergence pessimism
		0.47		10.80		library recovery time
				10.80		data required time

				10.80		data required time
				-3.07		data arrival time

				7.73		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _412_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.37	2.57	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.57	v _356_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.15	0.39	2.96	v _356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
		0.15	0.00	2.96	v _361_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.10	3.07	^ _361_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_006_ (net)
		0.05	0.00	3.07	^ _412_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				3.07	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08	^ clk (in)
					clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.08	0.24	10.57	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.08	0.00	10.57	^ _412_/CLK (sky130_fd_sc_hd__dfrtp_1)

-0.25	10.32	clock uncertainty
0.00	10.32	clock reconvergence pessimism
0.47	10.80	library recovery time
	10.80	data required time

10.80	data required time
-3.07	data arrival time

7.73	slack (MET)
------	-------------

Startpoint: rst (input port clocked by clk)
Endpoint: _408_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
1	0.00	0.02	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			2.01	2.01	v rst (in)
					rst (net)
			2.01	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
			2.20	2.20	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
			2.20	2.20	v _355_/A (sky130_fd_sc_hd_buf_4)
			2.57	2.57	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05	0.11	0.00		_199_ (net)
				2.57	v _356_/A (sky130_fd_sc_hd_buf_4)
10	0.06	0.14	0.37		_200_ (net)
				2.96	v _356_/X (sky130_fd_sc_hd_buf_4)
10	0.06	0.15	0.39		
				2.96	v _357_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.05	0.10	3.07	^ _357_/Y (sky130_fd_sc_hd_inv_2)
					002 (net)
1	0.00	0.05	0.00	3.07	^ _408_/RESET_B (sky130_fd_sc_hd_dfrtp_4)
				3.07	data arrival time
1	0.02	0.12	10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
4	0.04	0.09	0.08	10.08	^ clk (in)
					clk (net)
14	0.04	0.10	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
			0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.10	0.00	10.34	^ clknet_0_clk (net)
			0.25	10.34	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.10	0.00	10.58	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)
14	0.04	0.10	0.00	10.59	^ _408_/CLK (sky130_fd_sc_hd_dfrtp_4)
			-0.25	10.34	clock uncertainty
14	0.04	0.10	0.00	10.34	clock reconvergence pessimism
			0.46	10.80	library recovery time
14	0.04	0.10	0.00	10.80	data required time
14	0.04	0.10	0.00	10.80	data required time
			-3.07		data arrival time
14	0.04	0.10	0.00	7.73	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _410_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)

			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.37	2.57	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.57	v _356_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.15	0.39	2.96	v _356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
		0.15	0.00	2.96	v _359_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.05	0.10	3.07	^ _359_/Y (sky130_fd_sc_hd__inv_2)
					004 (net)
		0.05	0.00	3.07	^ _410_/RESET_B (sky130_fd_sc_hd__dftrtp_2)
					data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08	^ clk (in)
					clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.25	10.58	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	10.59	^ _410_/CLK (sky130_fd_sc_hd__dftrtp_2)
		-0.25		10.34	clock uncertainty
		0.00		10.34	clock reconvergence pessimism
		0.46		10.80	library recovery time
				10.80	data required time

				10.80	data required time
				-3.07	data arrival time

				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _424_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.37	2.57	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.57	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
10	0.07	0.14	0.38	2.95	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
					201 (net)
		0.14	0.00	2.95	v _374_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.10	3.05	^ _374_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_018_ (net)
		0.05	0.00	3.05	^ _424_/RESET_B (sky130_fd_sc_hd__dftrtp_2)
				3.05	data arrival time
			10.00	10.00	clock clk (rise edge)

			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.58	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	10.58	^ _424_/CLK (sky130_fd_sc_hd__dftrtp_2)
		-0.25	10.33		clock uncertainty
		0.00	10.33		clock reconvergence pessimism
		0.46	10.79		library recovery time
				10.79	data required time

				10.79	data required time
				-3.05	data arrival time

				7.74	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _411_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.14	0.37	2.57	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.14	0.00	2.57	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.15	0.39	2.96	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)
		0.15	0.00	2.96	v _360_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.10	3.07	^ _360_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_005_ (net)
		0.06	0.00	3.07	^ _411_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				3.07	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	10.58	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
14	0.04				^ _411_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.34		clock uncertainty
		0.00	10.34		clock reconvergence pessimism
		0.48	10.81		library recovery time
				10.81	data required time

				10.81	data required time
				-3.07	data arrival time

				7.75	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _425_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.02	0.01	2.01 v	rst (in)
					rst (net)
			0.02	2.01 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.05	0.11	0.00	2.20 v	_355_/A (sky130_fd_sc_hd__buf_4)
			0.14	2.57 v	_355_/X (sky130_fd_sc_hd__buf_4)
10	0.07	0.14	0.00	2.57 v	_199_ (net)
			0.14	2.57 v	_367_/A (sky130_fd_sc_hd__clkbuf_8)
10	0.07	0.14	0.38	2.95 v	_367_/X (sky130_fd_sc_hd__clkbuf_8)
					201 (net)
1	0.00	0.14	0.00	2.95 v	_375_/A (sky130_fd_sc_hd__inv_2)
			0.05	3.05 ^	_375_/Y (sky130_fd_sc_hd__inv_2)
1	0.00	0.05	0.10	3.05 ^	_019_ (net)
			0.05	3.05 ^	_425_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				3.05	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08 ^	clk (in)
					clk (net)
4	0.04	0.12	0.00	10.08 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.09	10.34 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.09	0.00	10.34 ^	clknet_0_clk (net)
			0.08	10.57 ^	clkbuf_2_2_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.08	0.24	10.57 ^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2_leaf_clk (net)
		0.08	0.00	10.57 ^	_425_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.32	clock uncertainty
			0.00	10.32	clock reconvergence pessimism
			0.47	10.80	library recovery time
				10.80	data required time

				10.80	data required time
				-3.05	data arrival time

				7.75	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _423_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.02	0.01	2.01 v	rst (in)
					rst (net)
			0.02	2.01 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.05	0.11	0.00	2.20 v	_355_/A (sky130_fd_sc_hd__buf_4)
			0.14	2.57 v	_355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)

		0.14	0.00	2.57	v	_367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.14	0.38	2.95	v	_367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07					_201_ (net)
		0.14	0.00	2.95	v	_373_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.10	3.05	^	_373_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_017_ (net)
		0.05	0.00	3.05	^	_423_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				3.05		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.12	0.08	10.08	^	clk (in)
						clk (net)
		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.09	0.00	10.34	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.08	0.24	10.57	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
		0.08	0.00	10.57	^	_423_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.32		clock uncertainty
		0.00		10.32		clock reconvergence pessimism
		0.47		10.80		library recovery time
				10.80		data required time

				10.80		data required time
				-3.05		data arrival time

				7.75		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _422_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.37	2.57	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.57	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
10	0.07	0.14	0.38	2.95	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
					201 (net)
		0.14	0.00	2.95	v _372_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.05	0.10	3.05	^ _372_/Y (sky130_fd_sc_hd__inv_2)
					016 (net)
		0.05	0.00	3.05	^ _422_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				3.05	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08	^ clk (in)
					clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.08	0.24	10.57	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.08	0.00	10.57	^ _422_/CLK (sky130_fd_sc_hd__dfrtp_1)

-0.25	10.32	clock uncertainty
0.00	10.32	clock reconvergence pessimism
0.47	10.80	library recovery time
	10.80	data required time

10.80	data required time
-3.05	data arrival time

7.75	slack (MET)
------	-------------

Startpoint: rst (input port clocked by clk)
Endpoint: _427_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
1	0.00	0.02	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			2.01	2.01	v rst (in)
					rst (net)
			2.01	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
			2.20	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			2.20	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
			2.57	2.57	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05	0.11	0.00		_199_ (net)
				2.57	2.57
10	0.07	0.14	0.38	2.95	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
1	0.00	0.14	0.00	2.95	v _377_/A (sky130_fd_sc_hd__inv_2)
				0.06	0.10
1	0.00	0.06	0.00		_021_ (net)
				3.05	^ _427_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				3.05	data arrival time
1	0.02	0.12	10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
4	0.04	0.09	0.08	10.08	^ clk (in)
					clk (net)
12	0.04	0.09	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.00	10.34	^ clknet_0_clk (net)
			0.24	10.34	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.00	10.58	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.09	0.00	10.58	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.33	clock uncertainty
		0.00	0.00	10.33	clock reconvergence pessimism
			0.47	10.80	library recovery time
				10.80	data required time
				10.80	data required time
				-3.05	data arrival time
				7.75	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _419_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)

			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.37	2.57	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.57	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
10	0.07	0.14	0.38	2.95	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
					201 (net)
		0.14	0.00	2.95	v _369_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.06	0.10	3.05	^ _369_/Y (sky130_fd_sc_hd__inv_2)
					013 (net)
		0.06	0.00	3.05	^ _419_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
					data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08	^ clk (in)
					clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.24	10.58	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.09	0.00	10.58	^ _419_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.33	clock uncertainty
		0.00		10.33	clock reconvergence pessimism
		0.47		10.81	library recovery time
				10.81	data required time

				10.81	data required time
				-3.05	data arrival time

				7.75	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _426_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.37	2.57	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.57	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
10	0.07	0.14	0.38	2.95	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
					201 (net)
		0.14	0.00	2.95	v _376_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.06	0.10	3.05	^ _376_/Y (sky130_fd_sc_hd__inv_2)
					020 (net)
		0.06	0.00	3.05	^ _426_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
					data arrival time
			10.00	10.00	clock clk (rise edge)

			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.58	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	10.58	^ _426_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.33		clock uncertainty
		0.00	10.33		clock reconvergence pessimism
		0.47	10.81		library recovery time
			10.81		data required time

				10.81	data required time
				-3.05	data arrival time

				7.75	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _418_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.14	0.37	2.57	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.14	0.00	2.57	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.14	0.38	2.95	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.14	0.00	2.95	v _368_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.10	3.05	^ _368_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_012_ (net)
		0.05	0.00	3.05	^ _418_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				3.05	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.58	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	10.58	^ _418_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.33		clock uncertainty
		0.00	10.33		clock reconvergence pessimism
		0.48	10.81		library recovery time
			10.81		data required time

				10.81	data required time
				-3.05	data arrival time

				7.75	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _420_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.02	0.01	2.01 v	rst (in)
					rst (net)
			0.02	2.01 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.05	0.11	0.00	2.20 v	_355_/A (sky130_fd_sc_hd__buf_4)
		0.14	0.37	2.57 v	_355_/X (sky130_fd_sc_hd__buf_4)
10	0.07	0.14	0.00	2.57 v	_199_ (net)
		0.14	0.38	2.95 v	_367_/A (sky130_fd_sc_hd__clkbuf_8)
1	0.00	0.14	0.00	2.95 v	_367_/X (sky130_fd_sc_hd__clkbuf_8)
		0.06	0.10	2.95 v	_201_ (net)
		0.06	0.10	3.05 ^	_370_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.00	3.05 ^	_370_/Y (sky130_fd_sc_hd__inv_2)
				3.05 ^	_014_ (net)
				3.05 ^	_420_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				3.05	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08 ^	clk (in)
					clk (net)
4	0.04	0.12	0.00	10.08 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	10.34 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.00	10.34 ^	clknet_0_clk (net)
		0.09	0.24	10.58 ^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				10.58 ^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.00	10.58 ^	clknet_2_3__leaf_clk (net)
				10.58 ^	_420_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.33	clock uncertainty
			0.00	10.33	clock reconvergence pessimism
			0.47	10.80	library recovery time
				10.80	data required time

				10.80	data required time
				-3.05	data arrival time

				7.75	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _421_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.02	0.01	2.01 v	rst (in)
					rst (net)
			0.02	2.01 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.05	0.11	0.00	2.20 v	_355_/A (sky130_fd_sc_hd__buf_4)
		0.14	0.37	2.57 v	_355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)

		0.14	0.00	2.57	v	_367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.14	0.38	2.95	v	_367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07					_201_ (net)
		0.14	0.00	2.95	v	_371_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.10	3.05	^	_371_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_015_ (net)
		0.05	0.00	3.05	^	_421_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				3.05		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.12	0.08	10.08	^	clk (in)
						clk (net)
		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.09	0.00	10.34	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.24	10.58	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3__leaf_clk (net)
		0.09	0.00	10.58	^	_421_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.33			clock uncertainty
		0.00	10.33			clock reconvergence pessimism
		0.48	10.81			library recovery time
			10.81			data required time

				10.81		data required time
				-3.05		data arrival time

				7.75		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _436_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _378_/A (sky130_fd_sc_hd__buf_4)
10	0.07	0.16	0.39	2.60	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
		0.16	0.00	2.60	v _387_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.06	0.11	2.71	^ _387_/Y (sky130_fd_sc_hd__inv_2)
					030 (net)
		0.06	0.00	2.71	^ _436_/SET_B (sky130_fd_sc_hd__dfstp_1)
				2.71	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08	^ clk (in)
					clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.24	10.58	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.09	0.00	10.58	^ _436_/CLK (sky130_fd_sc_hd__dfstp_1)
		-0.25	10.33		clock uncertainty
		0.00	10.33		clock reconvergence pessimism
		0.28	10.61		library recovery time

			10.61	data required time

			10.61	data required time
			-2.71	data arrival time

			7.90	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _435_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.16	0.39	2.60	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.16	0.00	2.60	v _386_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.11	2.71	^ _386_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_029_ (net)
		0.06	0.00	2.71	^ _435_/RESET_B (sky130_fd_sc_hd__dfrtp_2)
				2.71	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	10.58	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	10.59	^ _435_/CLK (sky130_fd_sc_hd__dfrtp_2)
			-0.25	10.34	clock uncertainty
			0.00	10.34	clock reconvergence pessimism
			0.46	10.79	library recovery time
				10.79	data required time

				10.79	data required time
				-2.71	data arrival time

				8.09	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _433_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)

3	0.01				net2 (net)
		0.11	0.00	2.20	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.16	0.39	2.60	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.16	0.00	2.60	v _384_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.11	2.71	^ _384_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_027_ (net)
		0.06	0.00	2.71	^ _433_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.71	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.58	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	10.58	^ _433_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.33	clock uncertainty
		0.00		10.33	clock reconvergence pessimism
		0.47		10.80	library recovery time
				10.80	data required time

				10.80	data required time
				-2.71	data arrival time

				8.09	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _434_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.20	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.16	0.39	2.60	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.16	0.00	2.60	v _385_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.11	2.71	^ _385_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_028_ (net)
		0.06	0.00	2.71	^ _434_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.71	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.58	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	10.58	^ _434_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.33	clock uncertainty
		0.00		10.33	clock reconvergence pessimism

	0.47	10.80	library recovery time
		10.80	data required time

		10.80	data required time
		-2.71	data arrival time

		8.09	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _437_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.02	0.01	2.01 v	rst (in)
					rst (net)
3	0.01	0.02	0.00	2.01 v	input2/A (sky130_fd_sc_hd_buf_1)
				2.20 v	input2/X (sky130_fd_sc_hd_buf_1)
10	0.07	0.11	0.39		net2 (net)
				2.20 v	_378_/A (sky130_fd_sc_hd_buf_4)
				2.60 v	_378_/X (sky130_fd_sc_hd_buf_4)
					202 (net)
1	0.00	0.16	0.11	2.60 v	_388_/A (sky130_fd_sc_hd_inv_2)
				2.71 ^	_388_/Y (sky130_fd_sc_hd_inv_2)
					031 (net)
				2.71 ^	_437_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.71	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08 ^	clk (in)
					clk (net)
4	0.04	0.12	0.26	10.08 ^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				10.34 ^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.24		clknet_0_clk (net)
				10.34 ^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				10.58 ^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
		0.09	0.00	10.58 ^	_437_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	10.33	clock uncertainty
			0.00	10.33	clock reconvergence pessimism
			0.47	10.80	library recovery time
				10.80	data required time

				10.80	data required time
				-2.71	data arrival time

				8.10	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _429_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.02	0.01	2.01 v	rst (in)
					rst (net)
		0.02	0.00	2.01 v	input2/A (sky130_fd_sc_hd_buf_1)

3	0.01	0.11	0.19	2.20	v	input2/X (sky130_fd_sc_hd_buf_1)
						net2 (net)
10	0.07	0.11	0.00	2.20	v	_378_/A (sky130_fd_sc_hd_buf_4)
		0.16	0.39	2.60	v	_378_/X (sky130_fd_sc_hd_buf_4)
1	0.00					_202_ (net)
		0.16	0.00	2.60	v	_380_/A (sky130_fd_sc_hd_inv_2)
		0.06	0.12	2.71	^	_380_/Y (sky130_fd_sc_hd_inv_2)
						023 (net)
		0.06	0.00	2.71	^	_429_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.71		data arrival time
1	0.02		10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.12	0.08	10.08	^	clk (in)
4	0.04					clk (net)
		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04					clknet_0_clk (net)
		0.09	0.00	10.34	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	10.58	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.10	0.00	10.58	^	_429_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.33			clock uncertainty
		0.00	10.33			clock reconvergence pessimism
		0.47	10.81			library recovery time
				10.81		data required time
				10.81		data required time
				-2.71		data arrival time
				8.10		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _431_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.02	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
10	0.07	0.11	0.00	2.20	v _378_/A (sky130_fd_sc_hd_buf_4)
		0.16	0.39	2.60	v _378_/X (sky130_fd_sc_hd_buf_4)
					202 (net)
		0.16	0.00	2.60	v _382_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.06	0.11	2.71	^ _382_/Y (sky130_fd_sc_hd_inv_2)
					025 (net)
		0.06	0.00	2.71	^ _431_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.71	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08	^ clk (in)
					clk (net)
4	0.04	0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	10.58	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	10.59	^ _431_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.34		clock uncertainty

0.00	10.34	clock reconvergence pessimism
0.48	10.81	library recovery time
	10.81	data required time

	10.81	data required time
	-2.71	data arrival time

	8.10	slack (MET)

Fanout	Cap	Slew	Delay	Time	Description	
1	0.00	0.02	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
		0.02	2.00	2.00	v input external delay	
			0.01	2.01	v rst (in)	
		0.02	0.00	2.01	v rst (net)	
					v input2/A (sky130_fd_sc_hd__buf_1)	
		3	0.01	0.11	0.19	v input2/X (sky130_fd_sc_hd__buf_1)
				net2 (net)		
		10	0.07	0.11	0.00	2.20 v _378_/A (sky130_fd_sc_hd__buf_4)
				0.16	0.39	2.60 v _378_/X (sky130_fd_sc_hd__buf_4)
1	0.00	0.06	0.11	2.60 v _202_ (net)		
				2.60 v _383_/A (sky130_fd_sc_hd__inv_2)		
		0.06	0.00	2.71 ^ _383_/Y (sky130_fd_sc_hd__inv_2)		
				2.71 ^ _026_ (net)		
1	0.02	0.12	0.00	10.00	_432_/RESET_B (sky130_fd_sc_hd__dfrrp_1)	
			0.00	2.71	data arrival time	
		0.12	10.00	10.00	clock clk (rise edge)	
			0.08	10.00	clock source latency	
		0.12	0.00	10.08	^ clk (in)	
					clk (net)	
		4	0.04	0.12	0.00	10.08 ^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.09	0.26	10.34 ^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
		14	0.04	0.09	0.00	10.34 ^ clknet_0_clk (net)
				0.10	0.25	10.58 ^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.00	10.58 ^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd__clkbuf_16)		
				clknet_2_0_leaf_clk (net)		
		0.10	0.00	10.59 ^ _432_/CLK (sky130_fd_sc_hd__dfrrp_1)		
				-0.25	10.34	clock uncertainty
				0.00	10.34	clock reconvergence pessimism
				0.47	10.81	library recovery time
					10.81	data required time
				10.81		data required time
				-2.71		data arrival time
				8.10		slack (MET)

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.02	0.01	2.01 v	rst (in)
					rst (net)

		0.02	0.00	2.01	v	input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.19	2.20	v	input2/X (sky130_fd_sc_hd__buf_1)
3	0.01					net2 (net)
		0.11	0.00	2.20	v	_378_/A (sky130_fd_sc_hd__buf_4)
		0.16	0.39	2.60	v	_378_/X (sky130_fd_sc_hd__buf_4)
10	0.07					_202_ (net)
		0.16	0.00	2.60	v	_381_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.11	2.71	^	_381_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_024_ (net)
		0.06	0.00	2.71	^	_430_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.71		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.12	0.08	10.08	^	clk (in)
						clk (net)
		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.09	0.00	10.34	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	10.58	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04					clknet_2_0__leaf_clk (net)
		0.10	0.00	10.59	^	_430_/CLK (sky130_fd_sc_hd__dftrtp_1)
			-0.25	10.34		clock uncertainty
			0.00	10.34		clock reconvergence pessimism
			0.47	10.81		library recovery time
				10.81		data required time

				10.81		data required time
				-2.71		data arrival time

				8.10		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _428_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.20	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.16	0.39	2.60	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.16	0.00	2.60	v _379_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.11	2.71	^ _379_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_022_ (net)
		0.06	0.00	2.71	^ _428_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.71	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08	^ clk (in)
					clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	10.58	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	10.59	^ _428_/CLK (sky130_fd_sc_hd__dftrtp_1)

-0.25	10.34	clock uncertainty
0.00	10.34	clock reconvergence pessimism
0.48	10.81	library recovery time
	10.81	data required time

10.81	data required time
-2.71	data arrival time

8.10	slack (MET)
------	-------------

Startpoint: rst (input port clocked by clk)
Endpoint: _443_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
3	0.01	0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
				2.20	v input2/X (sky130_fd_sc_hd_buf_1)
10	0.06	0.11	0.19		net2 (net)
				2.20	v _389_/A (sky130_fd_sc_hd_buf_4)
1	0.00	0.15	0.38	2.58	v _389_/X (sky130_fd_sc_hd_buf_4)
					203 (net)
1	0.00	0.15	0.00	2.58	v _395_/A (sky130_fd_sc_hd_inv_2)
				2.69	^ _395_/Y (sky130_fd_sc_hd_inv_2)
1	0.00	0.06	0.10		_037_ (net)
				2.69	^ _443_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
			0.06	0.00	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08	^ clk (in)
					clk (net)
4	0.04	0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.26		clknet_0_clk (net)
				10.34	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.24	10.58	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
			0.09	0.00	^ _443_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	10.33	clock uncertainty
			0.00	10.33	clock reconvergence pessimism
			0.47	10.80	library recovery time
				10.80	data required time

				10.80	data required time
				-2.69	data arrival time

				8.11	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _440_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)

id	type	start time (ns)	end time (ns)	event
1	0.00	0.02	0.00	2.01 v rst (net)
		0.11	0.19	2.20 v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01			2.20 v input2/X (sky130_fd_sc_hd_buf_1)
		0.11	0.00	net2 (net)
		0.15	0.38	2.20 v _389_/A (sky130_fd_sc_hd_buf_4)
10	0.06			2.58 v _389_/X (sky130_fd_sc_hd_buf_4)
		0.15	0.00	_203_ (net)
		0.06	0.11	2.58 v _392_/A (sky130_fd_sc_hd_inv_2)
1	0.00			2.69 ^ _392_/Y (sky130_fd_sc_hd_inv_2)
		0.06	0.00	_034_ (net)
				2.69 ^ _440_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.69 data arrival time
		10.00	10.00	clock clk (rise edge)
		0.00	10.00	clock source latency
		0.12	0.08	10.08 ^ clk (in)
1	0.02			clk (net)
		0.12	0.00	10.08 ^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	10.34 ^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04			clknet_0_clk (net)
		0.09	0.00	10.34 ^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.24	10.58 ^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04			clknet_2_3_leaf_clk (net)
		0.09	0.00	10.58 ^ _440_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.33	clock uncertainty
		0.00	10.33	clock reconvergence pessimism
		0.47	10.80	library recovery time
			10.80	data required time

			10.80	data required time
			-2.69	data arrival time

			8.12	slack (MET)

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _389_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.15	0.38	2.58	v _389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
		0.15	0.00	2.58	v _397_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.10	2.69	^ _397_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_039_ (net)
		0.05	0.00	2.69	^ _445_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.69	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.58	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)

0.09	0.00	10.58	^	_445_/CLK (sky130_fd_sc_hd__dftrtp_1)
	-0.25	10.33		clock uncertainty
	0.00	10.33		clock reconvergence pessimism
	0.47	10.80		library recovery time
		10.80		data required time

		10.80		data required time
		-2.69		data arrival time

		8.12		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _441_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.02	0.01	2.01 v	rst (in)
					rst (net)
3	0.01	0.02	0.00	2.01 v	input2/A (sky130_fd_sc_hd__buf_1)
				2.20 v	input2/X (sky130_fd_sc_hd__buf_1)
10	0.06	0.11	0.38		net2 (net)
				2.20 v	_389_/A (sky130_fd_sc_hd__buf_4)
				2.58 v	_389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
1	0.00	0.15	0.10	2.58 v	_393_/A (sky130_fd_sc_hd__inv_2)
				2.69 ^	_393_/Y (sky130_fd_sc_hd__inv_2)
					035 (net)
				2.69 ^	_441_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
			0.05	2.69	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08 ^	clk (in)
					clk (net)
4	0.04	0.12	0.00	10.08 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				10.34 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.24		clknet_0_clk (net)
				10.34 ^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				10.58 ^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.09	0.00	10.58 ^	_441_/CLK (sky130_fd_sc_hd__dftrtp_1)
			-0.25	10.33	clock uncertainty
			0.00	10.33	clock reconvergence pessimism
			0.47	10.80	library recovery time
				10.80	data required time

				10.80	data required time
				-2.69	data arrival time

				8.12	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _446_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay

		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
		0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.20	v _389_/A (sky130_fd_sc_hd_buf_4)
		0.15	0.38	2.58	v _389_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_203_ (net)
		0.15	0.00	2.58	v _398_/A (sky130_fd_sc_hd_inv_2)
		0.05	0.10	2.69	^ _398_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_040_ (net)
		0.05	0.00	2.69	^ _446_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.69	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.24	10.58	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.09	0.00	10.58	^ _446_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	10.33	clock uncertainty
			0.00	10.33	clock reconvergence pessimism
			0.47	10.80	library recovery time
				10.80	data required time

				10.80	data required time
				-2.69	data arrival time

				8.12	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _444_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
		0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.20	v _389_/A (sky130_fd_sc_hd_buf_4)
		0.15	0.38	2.58	v _389_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_203_ (net)
		0.15	0.00	2.58	v _396_/A (sky130_fd_sc_hd_inv_2)
		0.06	0.11	2.69	^ _396_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_038_ (net)
		0.06	0.00	2.69	^ _444_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.69	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.24	10.58	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)

12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	10.58	^ _444_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.33	clock uncertainty
			0.00	10.33	clock reconvergence pessimism
			0.47	10.81	library recovery time
				10.81	data required time

				10.81	data required time
				-2.69	data arrival time

				8.12	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _442_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _389_/A (sky130_fd_sc_hd__buf_4)
		0.15	0.38	2.58	v _389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
		0.15	0.00	2.58	v _394_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.10	2.69	^ _394_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_036_ (net)
		0.05	0.00	2.69	^ _442_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.69	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.58	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	10.58	^ _442_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.33	clock uncertainty
			0.00	10.33	clock reconvergence pessimism
			0.47	10.80	library recovery time
				10.80	data required time

				10.80	data required time
				-2.69	data arrival time

				8.12	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _439_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)

			2.00	2.00	v	input external delay
		0.02	0.01	2.01	v	rst (in)
1	0.00					rst (net)
		0.02	0.00	2.01	v	input2/A (sky130_fd_sc_hd_buf_1)
		0.11	0.19	2.20	v	input2/X (sky130_fd_sc_hd_buf_1)
3	0.01					net2 (net)
		0.11	0.00	2.20	v	_389_/A (sky130_fd_sc_hd_buf_4)
		0.15	0.38	2.58	v	_389_/X (sky130_fd_sc_hd_buf_4)
10	0.06					_203_ (net)
		0.15	0.00	2.58	v	_391_/A (sky130_fd_sc_hd_inv_2)
		0.06	0.10	2.69	^	_391_/Y (sky130_fd_sc_hd_inv_2)
1	0.00					_033_ (net)
		0.06	0.00	2.69	^	_439_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.69		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.12	0.08	10.08	^	clk (in)
1	0.02					clk (net)
		0.12	0.00	10.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.09	0.00	10.34	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.24	10.58	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_3_leaf_clk (net)
		0.09	0.00	10.58	^	_439_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	10.33		clock uncertainty
			0.00	10.33		clock reconvergence pessimism
			0.47	10.81		library recovery time
				10.81		data required time

				10.81		data required time
				-2.69		data arrival time

				8.12		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _447_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
		0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.20	v _389_/A (sky130_fd_sc_hd_buf_4)
		0.15	0.38	2.58	v _389_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_203_ (net)
		0.15	0.00	2.58	v _399_/A (sky130_fd_sc_hd_inv_2)
		0.06	0.11	2.69	^ _399_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_041_ (net)
		0.06	0.00	2.69	^ _447_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.69	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)

14	0.04	0.10	0.25	10.58	^	clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_0_leaf_clk (net)
		0.10	0.00	10.58	^	_447_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	10.33		clock uncertainty
			0.00	10.33		clock reconvergence pessimism
			0.47	10.81		library recovery time
				10.81		data required time

				10.81		data required time
				-2.69		data arrival time

				8.12		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _438_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description		

1	0.00	0.02	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
		0.01	2.00	2.00	v input external delay		
			0.01	2.01	v rst (in)		
		0.02	0.00	2.01	v rst (net)		
			0.11	0.19	2.20	v input2/A (sky130_fd_sc_hd__buf_1)	
		3	0.01	0.11	0.19	v input2/X (sky130_fd_sc_hd__buf_1)	
				0.11	0.00	2.20	v net2 (net)
		10	0.06	0.15	0.38	v _389_/A (sky130_fd_sc_hd__buf_4)	
				0.15	0.00	2.58	v _389_/X (sky130_fd_sc_hd__buf_4)
1	0.00	0.05	0.10	2.69	v _203_ (net)		
			0.15	0.00	2.58	v _390_/A (sky130_fd_sc_hd__inv_2)	
		0.05	0.10	2.69	^ _390_/Y (sky130_fd_sc_hd__inv_2)		
			0.05	0.00	2.69	^ _032_ (net)	
		0.05	0.00	2.69	^ _438_/RESET_B (sky130_fd_sc_hd__dfrtp_1)		
			2.69		2.69	data arrival time	
		1	0.02	0.12	10.00	10.00	clock clk (rise edge)
					0.00	10.00	clock source latency
				0.12	0.08	10.08	^ clk (in)
					0.12	0.00	10.08
4	0.04			0.09	0.26	10.34	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.09	0.00	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04			0.09	0.00	10.34	^ clknet_0_clk (net)
				0.09	0.24	10.58	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
0.09	0.00			10.34	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)		
	0.09			0.00	10.58	^ clknet_2_3__leaf_clk (net)	
1	0.04	0.09	0.00	10.58	^ _438_/CLK (sky130_fd_sc_hd__dfrtp_1)		
			-0.25	10.33	clock uncertainty		
		0.00	10.33	clock reconvergence pessimism			
			0.48	10.81	library recovery time		
		0.48	10.81	data required time			
			10.81		10.81	data required time	

						10.81	data required time
						-2.69	data arrival time

				8.12	slack (MET)		

Startpoint: rst (input port clocked by clk)
Endpoint: _450_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)

			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.37	2.57	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.57	v _402_/A (sky130_fd_sc_hd__inv_2)
1	0.01	0.06	0.11	2.68	^ _402_/Y (sky130_fd_sc_hd__inv_2)
					044 (net)
		0.06	0.00	2.68	^ _450_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.68	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08	^ clk (in)
					clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.25	10.58	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	10.58	^ _450_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.33	clock uncertainty
		0.00		10.33	clock reconvergence pessimism
		0.47		10.81	library recovery time
				10.81	data required time

				10.81	data required time
				-2.68	data arrival time

				8.13	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _454_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.37	2.57	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.57	v _406_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.10	2.67	^ _406_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_048_ (net)
		0.05	0.00	2.67	^ _454_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.67	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08	^ clk (in)
					clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)

		0.09	0.00	10.34	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.58	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.09	0.00	10.58	^	_454_/CLK (sky130_fd_sc_hd__dfirtp_1)
		-0.25	10.33			clock uncertainty
		0.00	10.33			clock reconvergence pessimism
		0.47	10.80			library recovery time
			10.80			data required time

			10.80			data required time
			-2.67			data arrival time

			8.13			slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _455_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.14	0.37	2.57	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.14	0.00	2.57	v _407_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.10	2.67	^ _407_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_049_ (net)
		0.05	0.00	2.67	^ _455_/RESET_B (sky130_fd_sc_hd__dfirtp_1)
			2.67		data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.58	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	10.58	^ _455_/CLK (sky130_fd_sc_hd__dfirtp_1)
		-0.25	10.33		clock uncertainty
		0.00	10.33		clock reconvergence pessimism
		0.48	10.80		library recovery time
			10.80		data required time

			10.80		data required time
			-2.67		data arrival time

			8.13		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _452_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.02	0.01	2.01 v	rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01 v	input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.19	2.20 v	input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.20 v	_355_/A (sky130_fd_sc_hd__buf_4)
		0.14	0.37	2.57 v	_355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.14	0.00	2.57 v	_404_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.10	2.67 ^	_404_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_046_ (net)
		0.05	0.00	2.67 ^	_452_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.67	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08 ^	clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	10.34 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	10.34 ^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.58 ^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	10.58 ^	_452_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.33		clock uncertainty
		0.00	10.33		clock reconvergence pessimism
		0.48	10.80		library recovery time
			10.80		data required time

			10.80		data required time
			-2.67		data arrival time

			8.13		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _453_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.02	0.01	2.01 v	rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01 v	input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.19	2.20 v	input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.20 v	_355_/A (sky130_fd_sc_hd__buf_4)
		0.14	0.37	2.57 v	_355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.14	0.00	2.57 v	_405_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.10	2.67 ^	_405_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_047_ (net)
		0.05	0.00	2.67 ^	_453_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.67	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08 ^	clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	10.34 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)

4	0.04				clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	10.58	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	10.58	^ _453_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.33	clock uncertainty
			0.00	10.33	clock reconvergence pessimism
			0.48	10.80	library recovery time
				10.80	data required time

				10.80	data required time
				-2.67	data arrival time

				8.13	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _451_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.14	0.37	2.57	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.14	0.00	2.57	v _403_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.10	2.68	^ _403_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_045_ (net)
		0.06	0.00	2.68	^ _451_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.68	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.12	0.08	10.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	10.58	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	10.58	^ _451_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.33	clock uncertainty
			0.00	10.33	clock reconvergence pessimism
			0.48	10.81	library recovery time
				10.81	data required time

				10.81	data required time
				-2.68	data arrival time

				8.14	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _449_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
--------	-----	------	-------	------	-------------

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.37	2.57	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.57	v _401_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.10	2.67	^ _401_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_043_ (net)
		0.05	0.00	2.67	^ _449_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.67	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08	^ clk (in)
					clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.26	10.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	10.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.25	10.58	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	10.58	^ _449_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25		10.33	clock uncertainty
		0.00		10.33	clock reconvergence pessimism
		0.48		10.81	library recovery time
				10.81	data required time

				10.81	data required time
				-2.67	data arrival time

				8.14	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _448_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.19	2.20	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.20	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.37	2.57	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.57	v _400_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.10	2.67	^ _400_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_042_ (net)
		0.05	0.00	2.67	^ _448_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.67	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.12	0.08	10.08	^ clk (in)
					clk (net)
		0.12	0.00	10.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)

4	0.04	0.09	0.26	10.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
14	0.04	0.09	0.00	10.34	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	10.58	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.10	0.00	10.59	^	_448_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.34		clock uncertainty
		0.00		10.34		clock reconvergence pessimism
		0.48		10.81		library recovery time
				10.81		data required time
				10.81		data required time
				-2.67		data arrival time
				8.14		slack (MET)

===== Typical Corner =====

Startpoint: start (input port clocked by clk)
Endpoint: _450_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
1	0.00	0.02	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
			0.01	2.01	^ start (in)
					start (net)
			0.02	2.01	^ input3/A (sky130_fd_sc_hd_buf_1)
			0.19	2.19	^ input3/X (sky130_fd_sc_hd_buf_1)
					net3 (net)
			0.19	2.19	^ _237_/B (sky130_fd_sc_hd_nor2_4)
			0.07	2.29	v _237_/Y (sky130_fd_sc_hd_nor2_4)
9	0.03			_125_ (net)	
		0.07	2.29	v _238_/B1 (sky130_fd_sc_hd_a21o_2)	
8	0.03	0.10	2.58	v _238_/X (sky130_fd_sc_hd_a21o_2)	
				126 (net)	
		0.10	2.58	v _241_/A2 (sky130_fd_sc_hd_a22o_1)	
		0.04	2.84	v _241_/X (sky130_fd_sc_hd_a22o_1)	
1	0.00			_090_ (net)	
		0.04	2.84	v hold10/A (sky130_fd_sc_hd_dlygate4sd3_1)	
1	0.00	0.05	3.41	v hold10/X (sky130_fd_sc_hd_dlygate4sd3_1)	
				net35 (net)	
		0.05	3.41	v _450_/D (sky130_fd_sc_hd_dfrtp_1)	
			3.41	data arrival time	
1	0.02	0.08	10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
			0.05	10.05	^ clk (in)
					clk (net)
			0.08	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
			0.06	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
			0.06	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
			0.06	10.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)
14	0.04	0.06	10.34	^ _450_/CLK (sky130_fd_sc_hd_dfrtp_1)	
		-0.25	10.09	clock uncertainty	
		0.00	10.09	clock reconvergence pessimism	
		-0.11	9.97	library setup time	
			9.97	data required time	
				9.97	data required time
				-3.41	data arrival time

6.56 slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _427_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.15	0.37	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.06	0.00	0.37	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
3	0.01	0.07	0.42	0.79	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
					clk_count[13] (net)
		0.07	0.00	0.79	v _205_/A (sky130_fd_sc_hd__or4_1)
1	0.00	0.09	0.56	1.35	v _205_/X (sky130_fd_sc_hd__or4_1)
					097 (net)
		0.09	0.00	1.35	v _209_/A (sky130_fd_sc_hd__nor4_1)
2	0.01	0.40	0.45	1.80	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
					101 (net)
		0.40	0.00	1.80	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.14	0.21	2.02	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
					net25 (net)
		0.14	0.00	2.02	^ _217_/C (sky130_fd_sc_hd__nand4_1)
3	0.01	0.13	0.16	2.18	v _217_/Y (sky130_fd_sc_hd__nand4_1)
					109 (net)
		0.13	0.00	2.18	v _218_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.08	0.24	2.43	v _218_/X (sky130_fd_sc_hd__buf_4)
					110 (net)
		0.08	0.00	2.43	v _291_/S (sky130_fd_sc_hd__mux2_1)
1	0.00	0.05	0.33	2.75	v _291_/X (sky130_fd_sc_hd__mux2_1)
					154 (net)
		0.05	0.00	2.75	v hold36/A (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00	0.06	0.58	3.34	v hold36/X (sky130_fd_sc_hd__dlygate4sd3_1)
					net61 (net)
		0.06	0.00	3.34	v _292_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.03	0.10	3.43	v _292_/X (sky130_fd_sc_hd__clkbuf_1)
					067 (net)
		0.03	0.00	3.43	v _427_/D (sky130_fd_sc_hd__dfrtp_1)
				3.43	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	10.33	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.06	0.00	10.33	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.08		clock uncertainty
		0.02	10.10		clock reconvergence pessimism
		-0.10	10.00		library setup time
			10.00		data required time

				10.00	data required time
				-3.43	data arrival time

6.57 slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _449_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
1	0.00	0.02	0.01	2.01	^ start (in)
					start (net)
2	0.02	0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
				2.19	^ input3/X (sky130_fd_sc_hd__buf_1)
9	0.03	0.19	0.18		net3 (net)
				2.19	^ _237_/B (sky130_fd_sc_hd__nor2_4)
8	0.03	0.07	0.10	2.29	v _237_/Y (sky130_fd_sc_hd__nor2_4)
					125 (net)
1	0.00	0.07	0.00	2.29	v _238_/B1 (sky130_fd_sc_hd__a21o_2)
				2.58	v _238_/X (sky130_fd_sc_hd__a21o_2)
1	0.00	0.10	0.28		_126_ (net)
				2.58	v _242_/A2 (sky130_fd_sc_hd__a22o_1)
1	0.00	0.04	0.26	2.84	v _242_/X (sky130_fd_sc_hd__a22o_1)
					089 (net)
1	0.00	0.04	0.00	2.84	v hold8/A (sky130_fd_sc_hd__dlygate4sd3_1)
				3.40	v hold8/X (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00	0.05	0.57		net33 (net)
				3.40	v _449_/D (sky130_fd_sc_hd__dftrtp_1)
			0.05	3.40	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.15		clknet_0_clk (net)
				10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.14	10.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.06	0.00	10.34	^ _449_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		-0.11	9.97		library setup time
			9.97		data required time

				9.97	data required time
				-3.40	data arrival time

				6.57	slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _447_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
1	0.00	0.02	0.01	2.01	^ start (in)
					start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)

		0.19	0.18	2.19	^ input3/X (sky130_fd_sc_hd__buf_1)
2	0.02				net3 (net)
		0.19	0.00	2.19	^ _237_/B (sky130_fd_sc_hd__nor2_4)
		0.07	0.10	2.29	v _237_/Y (sky130_fd_sc_hd__nor2_4)
9	0.03				_125_ (net)
		0.07	0.00	2.29	v _238_/B1 (sky130_fd_sc_hd__a21o_2)
		0.10	0.28	2.58	v _238_/X (sky130_fd_sc_hd__a21o_2)
8	0.03				_126_ (net)
		0.10	0.00	2.58	v _244_/A2 (sky130_fd_sc_hd__a22o_1)
		0.04	0.25	2.83	v _244_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_087_ (net)
		0.04	0.00	2.83	v hold3/A (sky130_fd_sc_hd__dlygate4sd3_1)
		0.05	0.57	3.39	v hold3/X (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00				net28 (net)
		0.05	0.00	3.39	v _447_/D (sky130_fd_sc_hd__dftrtp_1)
				3.39	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	10.34	^ _447_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		-0.11	9.97		library setup time
			9.97		data required time

			9.97		data required time
			-3.39		data arrival time

			6.58		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _451_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
		0.02	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
		0.19	0.18	2.19	^ input3/X (sky130_fd_sc_hd__buf_1)
2	0.02				net3 (net)
		0.19	0.00	2.19	^ _237_/B (sky130_fd_sc_hd__nor2_4)
		0.07	0.10	2.29	v _237_/Y (sky130_fd_sc_hd__nor2_4)
9	0.03				_125_ (net)
		0.07	0.00	2.29	v _238_/B1 (sky130_fd_sc_hd__a21o_2)
		0.10	0.28	2.58	v _238_/X (sky130_fd_sc_hd__a21o_2)
8	0.03				_126_ (net)
		0.10	0.00	2.58	v _240_/A2 (sky130_fd_sc_hd__a22o_1)
		0.04	0.25	2.83	v _240_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_091_ (net)
		0.04	0.00	2.83	v hold5/A (sky130_fd_sc_hd__dlygate4sd3_1)
		0.05	0.57	3.39	v hold5/X (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00				net30 (net)
		0.05	0.00	3.39	v _451_/D (sky130_fd_sc_hd__dftrtp_1)
				3.39	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	10.34	^ _451_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		-0.11	9.97		library setup time
			9.97		data required time

				9.97	data required time
				-3.39	data arrival time

				6.58	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _426_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.37	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.07	0.42	0.79	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[13] (net)
		0.07	0.00	0.79	v _205_/A (sky130_fd_sc_hd_or4_1)
		0.09	0.56	1.35	v _205_/X (sky130_fd_sc_hd_or4_1)
1	0.00				_097_ (net)
		0.09	0.00	1.35	v _209_/A (sky130_fd_sc_hd_nor4_1)
		0.40	0.45	1.80	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
2	0.01				_101_ (net)
		0.40	0.00	1.80	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.14	0.21	2.02	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01				net25 (net)
		0.14	0.00	2.02	^ _217_/C (sky130_fd_sc_hd_nand4_1)
		0.13	0.16	2.18	v _217_/Y (sky130_fd_sc_hd_nand4_1)
3	0.01				_109_ (net)
		0.13	0.00	2.18	v _218_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.24	2.43	v _218_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_110_ (net)
		0.08	0.00	2.43	v _293_/S (sky130_fd_sc_hd_mux2_1)
		0.05	0.33	2.75	v _293_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_155_ (net)
		0.05	0.00	2.75	v hold34/A (sky130_fd_sc_hd_dlygate4sd3_1)
		0.05	0.58	3.33	v hold34/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00				net59 (net)
		0.05	0.00	3.33	v _294_/A (sky130_fd_sc_hd_clkbuf_1)
		0.02	0.09	3.43	v _294_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_066_ (net)
		0.02	0.00	3.43	v _426_/D (sky130_fd_sc_hd_dfrtp_1)
				3.43	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.19	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	10.33	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.06	0.00	10.33	^ _426_/CLK (sky130_fd_sc_hd__dfstp_1)
		-0.25	10.08		clock uncertainty
		0.04	10.12		clock reconvergence pessimism
		-0.10	10.02		library setup time
			10.02		data required time

				10.02	data required time
				-3.43	data arrival time

				6.59	slack (MET)

Startpoint: _436_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: cs (output port clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.15	0.37	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.06	0.00	0.37	^ _436_/CLK (sky130_fd_sc_hd__dfstp_1)
2	0.01	0.08	0.55	0.92	^ _436_/Q (sky130_fd_sc_hd__dfstp_1)
					net13 (net)
		0.08	0.00	0.92	^ output13/A (sky130_fd_sc_hd__clkbuf_4)
1	0.03	0.11	0.21	1.13	^ output13/X (sky130_fd_sc_hd__clkbuf_4)
					cs (net)
		0.11	0.00	1.13	^ cs (out)
				1.13	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
		-0.25	9.75		clock uncertainty
		0.00	9.75		clock reconvergence pessimism
		-2.00	7.75		output external delay
			7.75		data required time

				7.75	data required time
				-1.13	data arrival time

				6.62	slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _453_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.01	0.00	2.00 v	start (in)
1	0.00				start (net)
		0.01	0.00	2.00 v	input3/A (sky130_fd_sc_hd_buf_1)
		0.09	0.13	2.13 v	input3/X (sky130_fd_sc_hd_buf_1)
2	0.01				net3 (net)
		0.09	0.00	2.13 v	_204_/B (sky130_fd_sc_hd_or2_2)
		0.10	0.37	2.50 v	_204_/X (sky130_fd_sc_hd_or2_2)
6	0.02				_096_ (net)
		0.10	0.00	2.50 v	_222_/A (sky130_fd_sc_hd_and3_1)
		0.03	0.17	2.67 v	_222_/X (sky130_fd_sc_hd_and3_1)
1	0.00				_113_ (net)
		0.03	0.00	2.67 v	_223_/A (sky130_fd_sc_hd_clkbuf_4)
		0.10	0.20	2.87 v	_223_/X (sky130_fd_sc_hd_clkbuf_4)
10	0.04				_114_ (net)
		0.10	0.00	2.87 v	_229_/S (sky130_fd_sc_hd_mux2_1)
		0.06	0.34	3.21 v	_229_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_119_ (net)
		0.06	0.00	3.21 v	_230_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.10	3.31 v	_230_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_093_ (net)
		0.03	0.00	3.31 v	_453_/D (sky130_fd_sc_hd_dfrtp_1)
				3.31	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05 ^	clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05 ^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.19 ^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20 ^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.33 ^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.06	0.00	10.33 ^	_453_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.08		clock uncertainty
		0.00	10.08		clock reconvergence pessimism
		-0.10	9.98		library setup time
			9.98		data required time

				9.98	data required time
				-3.31	data arrival time

				6.67	slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _442_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.01	0.00	2.00 v	start (in)
1	0.00				start (net)
		0.01	0.00	2.00 v	input3/A (sky130_fd_sc_hd_buf_1)
		0.09	0.13	2.13 v	input3/X (sky130_fd_sc_hd_buf_1)
2	0.01				net3 (net)
		0.09	0.00	2.13 v	_204_/B (sky130_fd_sc_hd_or2_2)
		0.10	0.37	2.50 v	_204_/X (sky130_fd_sc_hd_or2_2)
6	0.02				_096_ (net)
		0.10	0.00	2.50 v	_222_/A (sky130_fd_sc_hd_and3_1)
		0.03	0.17	2.67 v	_222_/X (sky130_fd_sc_hd_and3_1)
1	0.00				_113_ (net)

		0.03	0.00	2.67	v	_223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.10	0.20	2.87	v	_223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.04					_114_ (net)
		0.10	0.00	2.87	v	_252_/S (sky130_fd_sc_hd__mux2_1)
		0.06	0.34	3.21	v	_252_/X (sky130_fd_sc_hd__mux2_1)
1	0.00					_131_ (net)
		0.06	0.00	3.21	v	_253_/A (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.09	3.31	v	_253_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00					_082_ (net)
		0.02	0.00	3.31	v	_442_/D (sky130_fd_sc_hd__dfrtp_1)
				3.31		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.08	0.05	10.05	^	clk (in)
						clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.19	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	10.33	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_1__leaf_clk (net)
		0.06	0.00	10.33	^	_442_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.08			clock uncertainty
		0.00	10.08			clock reconvergence pessimism
		-0.10	9.98			library setup time
			9.98			data required time

				9.98		data required time
				-3.31		data arrival time

				6.67		slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _443_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v start (in)
					start (net)
		0.01	0.00	2.00	v input3/A (sky130_fd_sc_hd__buf_1)
2	0.01	0.09	0.13	2.13	v input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.09	0.00	2.13	v _204_/B (sky130_fd_sc_hd__or2_2)
6	0.02	0.10	0.37	2.50	v _204_/X (sky130_fd_sc_hd__or2_2)
					096 (net)
		0.10	0.00	2.50	v _222_/A (sky130_fd_sc_hd__and3_1)
		0.03	0.17	2.67	v _222_/X (sky130_fd_sc_hd__and3_1)
1	0.00				_113_ (net)
		0.03	0.00	2.67	v _223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.10	0.20	2.87	v _223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.04				_114_ (net)
		0.10	0.00	2.87	v _249_/S (sky130_fd_sc_hd__mux2_1)
		0.05	0.34	3.21	v _249_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_129_ (net)
		0.05	0.00	3.21	v _250_/A (sky130_fd_sc_hd__clkbuf_1)
		0.03	0.10	3.30	v _250_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_083_ (net)
		0.03	0.00	3.30	v _443_/D (sky130_fd_sc_hd__dfrtp_1)
				3.30	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency

		0.08	0.05	10.05	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.19	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.33	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1_leaf_clk (net)
		0.06	0.00	10.33	^	_443_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.08			clock uncertainty
		0.00	10.08			clock reconvergence pessimism
		-0.10	9.98			library setup time
			9.98			data required time

				9.98		data required time
				-3.30		data arrival time

				6.68		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _452_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	v 2.00	input external delay
		0.01	0.00	2.00	v start (in)
1	0.00				start (net)
		0.01	0.00	2.00	v input3/A (sky130_fd_sc_hd_buf_1)
2	0.01		0.13	2.13	v input3/X (sky130_fd_sc_hd_buf_1)
					net3 (net)
		0.09	0.00	2.13	v _204_/B (sky130_fd_sc_hd_or2_2)
6	0.02		0.37	2.50	v _204_/X (sky130_fd_sc_hd_or2_2)
					096 (net)
		0.10	0.00	2.50	v _222_/A (sky130_fd_sc_hd_and3_1)
		0.03	0.17	2.67	v _222_/X (sky130_fd_sc_hd_and3_1)
1	0.00				_113_ (net)
		0.03	0.00	2.67	v _223_/A (sky130_fd_sc_hd_clkbuf_4)
		0.10	0.20	2.87	v _223_/X (sky130_fd_sc_hd_clkbuf_4)
10	0.04				_114_ (net)
		0.10	0.00	2.87	v _233_/S (sky130_fd_sc_hd_mux2_1)
		0.05	0.34	3.21	v _233_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_122_ (net)
		0.05	0.00	3.21	v _234_/A (sky130_fd_sc_hd_clkbuf_1)
		0.02	0.09	3.30	v _234_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_092_ (net)
		0.02	0.00	3.30	v _452_/D (sky130_fd_sc_hd_dfrtp_1)
				3.30	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^
1	0.02				clk (in)
					clk (net)
		0.08	0.00	10.05	^
		0.06	0.15	10.19	^
4	0.04				clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
					clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^
		0.06	0.14	10.33	^
12	0.04				clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
					clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
		0.06	0.00	10.33	^
		-0.25	10.08		_452_/CLK (sky130_fd_sc_hd_dfrtp_1)
					clock uncertainty
		0.00	10.08		clock reconvergence pessimism
		-0.10	9.98		library setup time
			9.98		data required time

9.98 data required time
-3.30 data arrival time

6.68 slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _440_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description		

1	0.00		0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
		0.01	2.00	2.00 v	input external delay		
			0.00	2.00 v	start (in)		
		0.01			start (net)		
			0.01	0.00	2.00 v	input3/A (sky130_fd_sc_hd__buf_1)	
		2	0.01	0.09	0.13	2.13 v	input3/X (sky130_fd_sc_hd__buf_1)
							net3 (net)
		6	0.02	0.09	0.00	2.13 v	_204_/B (sky130_fd_sc_hd__or2_2)
				0.10	0.37	2.50 v	_204_/X (sky130_fd_sc_hd__or2_2)
1	0.00	0.02			_096_ (net)		
			0.10	0.00	2.50 v	_222_/A (sky130_fd_sc_hd__and3_1)	
		0.03	0.03	0.17	2.67 v	_222_/X (sky130_fd_sc_hd__and3_1)	
						113 (net)	
		10	0.04	0.03	0.00	2.67 v	_223_/A (sky130_fd_sc_hd__clkbuf_4)
				0.10	0.20	2.87 v	_223_/X (sky130_fd_sc_hd__clkbuf_4)
		1	0.00			_114_ (net)	
				0.10	0.00	2.87 v	_258_/S (sky130_fd_sc_hd__mux2_1)
		1	0.00	0.05	0.34	3.21 v	_258_/X (sky130_fd_sc_hd__mux2_1)
							135 (net)
1	0.00	0.05	0.00	3.21 v	_259_/A (sky130_fd_sc_hd__clkbuf_1)		
			0.03	0.10	3.30 v	_259_/X (sky130_fd_sc_hd__clkbuf_1)	
		1	0.00			_080_ (net)	
				0.03	0.00	3.30 v	_440_/D (sky130_fd_sc_hd__dfrtp_1)
						3.30	data arrival time

		1	0.02	0.08	10.00	10.00	clock clk (rise edge)
					0.00	10.00	clock source latency
				0.08	0.05	10.05 ^	clk (in)
4	0.04			0.08	0.00	10.05 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.06	0.15	10.19 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04						clknet_0_clk (net)
				0.06	0.00	10.19 ^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04			0.06	0.14	10.33 ^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
							clknet_2_3_leaf_clk (net)
				10.33 ^	_440_/CLK (sky130_fd_sc_hd__dfrtp_1)		
				-0.25	clock uncertainty		
				0.00	clock reconvergence pessimism		
				-0.10	library setup time		
				9.98	data required time		

				9.98	data required time		
				-3.30	data arrival time		

				6.68	slack (MET)		

Startpoint: start (input port clocked by clk)
Endpoint: _438_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.01	0.00	2.00 v	start (in)
1	0.00				start (net)
		0.01	0.00	2.00 v	input3/A (sky130_fd_sc_hd_buf_1)
		0.09	0.13	2.13 v	input3/X (sky130_fd_sc_hd_buf_1)
2	0.01				net3 (net)
		0.09	0.00	2.13 v	_204_/B (sky130_fd_sc_hd_or2_2)
		0.10	0.37	2.50 v	_204_/X (sky130_fd_sc_hd_or2_2)
6	0.02				_096_ (net)
		0.10	0.00	2.50 v	_222_/A (sky130_fd_sc_hd_and3_1)
		0.03	0.17	2.67 v	_222_/X (sky130_fd_sc_hd_and3_1)
1	0.00				_113_ (net)
		0.03	0.00	2.67 v	_223_/A (sky130_fd_sc_hd_clkbuf_4)
		0.10	0.20	2.87 v	_223_/X (sky130_fd_sc_hd_clkbuf_4)
10	0.04				_114_ (net)
		0.10	0.00	2.87 v	_264_/S (sky130_fd_sc_hd_mux2_1)
		0.05	0.34	3.21 v	_264_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_139_ (net)
		0.05	0.00	3.21 v	_265_/A (sky130_fd_sc_hd_clkbuf_1)
		0.02	0.09	3.30 v	_265_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_078_ (net)
		0.02	0.00	3.30 v	_438_/D (sky130_fd_sc_hd_dfrtp_1)
				3.30	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05 ^	clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05 ^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.19 ^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.19 ^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.33 ^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.06	0.00	10.33 ^	_438_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.08		clock uncertainty
		0.00	10.08		clock reconvergence pessimism
		-0.10	9.98		library setup time
			9.98		data required time

				9.98	data required time
				-3.30	data arrival time

				6.68	slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _439_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.01	0.00	2.00 v	start (in)
1	0.00				start (net)
		0.01	0.00	2.00 v	input3/A (sky130_fd_sc_hd_buf_1)
		0.09	0.13	2.13 v	input3/X (sky130_fd_sc_hd_buf_1)
2	0.01				net3 (net)
		0.09	0.00	2.13 v	_204_/B (sky130_fd_sc_hd_or2_2)
		0.10	0.37	2.50 v	_204_/X (sky130_fd_sc_hd_or2_2)
6	0.02				_096_ (net)
		0.10	0.00	2.50 v	_222_/A (sky130_fd_sc_hd_and3_1)
		0.03	0.17	2.67 v	_222_/X (sky130_fd_sc_hd_and3_1)
1	0.00				_113_ (net)

		0.03	0.00	2.67	v	_223_/A (sky130_fd_sc_hd__clkbuf_4)
		0.10	0.20	2.87	v	_223_/X (sky130_fd_sc_hd__clkbuf_4)
10	0.04					_114_ (net)
		0.10	0.00	2.87	v	_261_/S (sky130_fd_sc_hd__mux2_1)
		0.05	0.34	3.21	v	_261_/X (sky130_fd_sc_hd__mux2_1)
1	0.00					_137_ (net)
		0.05	0.00	3.21	v	_262_/A (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.09	3.30	v	_262_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00					_079_ (net)
		0.02	0.00	3.30	v	_439_/D (sky130_fd_sc_hd__dftrtp_1)
				3.30		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
1	0.02	0.08	0.05	10.05	^	clk (in)
						clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.19	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	10.19	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	10.33	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3__leaf_clk (net)
		0.06	0.00	10.33	^	_439_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.08			clock uncertainty
		0.00	10.08			clock reconvergence pessimism
		-0.10	9.98			library setup time
				9.98		data required time

				9.98		data required time
				-3.30		data arrival time

				6.68		slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _441_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v start (in)
					start (net)
		0.01	0.00	2.00	v input3/A (sky130_fd_sc_hd__buf_1)
2	0.01	0.09	0.13	2.13	v input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.09	0.00	2.13	v _204_/B (sky130_fd_sc_hd__or2_2)
6	0.02	0.10	0.37	2.50	v _204_/X (sky130_fd_sc_hd__or2_2)
					096 (net)
		0.10	0.00	2.50	v _222_/A (sky130_fd_sc_hd__and3_1)
1	0.00	0.03	0.17	2.67	v _222_/X (sky130_fd_sc_hd__and3_1)
					113 (net)
		0.03	0.00	2.67	v _223_/A (sky130_fd_sc_hd__clkbuf_4)
10	0.04	0.10	0.20	2.87	v _223_/X (sky130_fd_sc_hd__clkbuf_4)
					114 (net)
		0.10	0.00	2.87	v _255_/S (sky130_fd_sc_hd__mux2_1)
1	0.00	0.05	0.33	3.21	v _255_/X (sky130_fd_sc_hd__mux2_1)
					133 (net)
		0.05	0.00	3.21	v _256_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.02	0.09	3.30	v _256_/X (sky130_fd_sc_hd__clkbuf_1)
					081 (net)
		0.02	0.00	3.30	v _441_/D (sky130_fd_sc_hd__dftrtp_1)
				3.30	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency

		0.08	0.05	10.05	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.19	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.33	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.06	0.00	10.33	^	_441_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25		10.08		clock uncertainty
		0.00		10.08		clock reconvergence pessimism
		-0.10		9.98		library setup time
				9.98		data required time

				9.98		data required time
				-3.30		data arrival time

				6.68		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _437_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	v 2.00	input external delay
		0.01	0.00	2.00	v start (in)
1	0.00				start (net)
		0.01	0.00	2.00	v input3/A (sky130_fd_sc_hd_buf_1)
2	0.01		0.13	2.13	v input3/X (sky130_fd_sc_hd_buf_1)
					net3 (net)
		0.09	0.00	2.13	v _204_/B (sky130_fd_sc_hd_or2_2)
6	0.02		0.37	2.50	v _204_/X (sky130_fd_sc_hd_or2_2)
					096 (net)
		0.10	0.00	2.50	v _222_/A (sky130_fd_sc_hd_and3_1)
		0.03	0.17	2.67	v _222_/X (sky130_fd_sc_hd_and3_1)
1	0.00				_113_ (net)
		0.03	0.00	2.67	v _223_/A (sky130_fd_sc_hd_clkbuf_4)
		0.10	0.20	2.87	v _223_/X (sky130_fd_sc_hd_clkbuf_4)
10	0.04				_114_ (net)
		0.10	0.00	2.87	v _267_/S (sky130_fd_sc_hd_mux2_1)
		0.05	0.34	3.21	v _267_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_141_ (net)
		0.05	0.00	3.21	v _268_/A (sky130_fd_sc_hd_clkbuf_1)
		0.02	0.09	3.30	v _268_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_077_ (net)
		0.02	0.00	3.30	v _437_/D (sky130_fd_sc_hd_dfrtp_1)
				3.30	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^
1	0.02				clk (in)
					clk (net)
		0.08	0.00	10.05	^
		0.06	0.15	10.19	^
4	0.04				clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
					clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.19	^
		0.06	0.14	10.33	^
12	0.04				clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
					clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.06	0.00	10.33	^
		-0.25		10.08	
		0.00		10.08	
		-0.10		9.98	
				9.98	

9.98 data required time
-3.30 data arrival time

6.68 slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: sclk (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.06	0.16		clknet_0_clk (net)
				0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.02	0.06	0.00	0.22	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
				0.37	^ clknet_2_0__leaf_clk (net)
1	0.03	0.06	0.00	0.37	^ _435_/CLK (sky130_fd_sc_hd_dfrtp_2)
				0.84	v _435_/Q (sky130_fd_sc_hd_dfrtp_2)
4	0.02	0.08	0.00		net24 (net)
				0.84	v output24/A (sky130_fd_sc_hd_buf_2)
1	0.03	0.09	0.21	1.05	v output24/X (sky130_fd_sc_hd_buf_2)
					sclk (net)
		0.09	0.00	1.05	v sclk (out)
				1.05	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time
				-1.05	data arrival time

				6.70	slack (MET)

Startpoint: _424_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: busy (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.15		clknet_0_clk (net)
				0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.02	0.06	0.00	0.37	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3__leaf_clk (net)
1	0.03	0.06	0.00	0.37	^ _424_/CLK (sky130_fd_sc_hd_dfrtp_2)
				0.83	v _424_/Q (sky130_fd_sc_hd_dfrtp_2)
4	0.02	0.08	0.00		net12 (net)
				0.83	v output12/A (sky130_fd_sc_hd_buf_2)
1	0.03	0.09	0.20	1.03	v output12/X (sky130_fd_sc_hd_buf_2)
					busy (net)

0.09	0.00	1.03	v	busy (out)
		1.03		data arrival time
10.00	10.00			clock clk (rise edge)
0.00	10.00			clock network delay (propagated)
-0.25	9.75			clock uncertainty
0.00	9.75			clock reconvergence pessimism
-2.00	7.75			output external delay
	7.75			data required time

		7.75		data required time
		-1.03		data arrival time

		6.72		slack (MET)

Startpoint: _430_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[4] (output port clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.37	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.37	^ _430_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.08	0.43	0.80	v _430_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net20 (net)
		0.08	0.00	0.80	v output20/A (sky130_fd_sc_hd__clkbuf_4)
		0.08	0.21	1.01	v output20/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[4] (net)
		0.08	0.00	1.01	v rx_data[4] (out)
				1.01	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time
				-1.01	data arrival time

				6.74	slack (MET)

Startpoint: _434_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: mosi (output port clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)

4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.06	0.00	0.37	^ _434_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.07	0.42	0.79	v _434_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net15 (net)
		0.07	0.00	0.79	v output15/A (sky130_fd_sc_hd_clkbuf_4)
		0.08	0.20	0.99	v output15/X (sky130_fd_sc_hd_clkbuf_4)
1	0.03				mosi (net)
		0.08	0.00	0.99	v mosi (out)
				0.99	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock network delay (propagated)
		-0.25	9.75		clock uncertainty
		0.00	9.75		clock reconvergence pessimism
		-2.00	7.75		output external delay
			7.75		data required time

				7.75	data required time
				-0.99	data arrival time

				6.76	slack (MET)

Startpoint: _428_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[2] (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.37	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.06	0.00	0.37	^ _428_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.07	0.41	0.79	v _428_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net18 (net)
		0.07	0.00	0.79	v output18/A (sky130_fd_sc_hd_clkbuf_4)
		0.08	0.20	0.99	v output18/X (sky130_fd_sc_hd_clkbuf_4)
1	0.03				rx_data[2] (net)
		0.08	0.00	0.99	v rx_data[2] (out)
				0.99	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock network delay (propagated)
		-0.25	9.75		clock uncertainty
		0.00	9.75		clock reconvergence pessimism
		-2.00	7.75		output external delay
			7.75		data required time

				7.75	data required time
				-0.99	data arrival time

				6.76	slack (MET)

Startpoint: _431_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[5] (output port clocked by clk)
Path Group: clk
Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
1	0.02	0.08	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
			0.05	0.05	^ clk (in)
					clk (net)
			0.05	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
14	0.04	0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.16	0.37	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
2	0.01	0.06	0.00	0.37	^ _431_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.40	0.78	v _431_/Q (sky130_fd_sc_hd__dfrtp_1)
					net21 (net)
1	0.03	0.08	0.00	0.78	v output21/A (sky130_fd_sc_hd__clkbuf_4)
			0.20	0.98	v output21/X (sky130_fd_sc_hd__clkbuf_4)
					rx_data[5] (net)
			0.08	0.98	v rx_data[5] (out)
				0.98	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time
				7.75	data required time
				-0.98	data arrival time
				6.77	slack (MET)

Startpoint: _429_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: rx_data[3] (output port clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
1	0.02	0.08	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
			0.05	0.05	^ clk (in)
					clk (net)
			0.08	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.06	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
			0.06	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.06	0.37	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
14	0.04	0.06	0.37	^ _429_/CLK (sky130_fd_sc_hd__dfrtp_1)	
		0.06	0.78	v _429_/Q (sky130_fd_sc_hd__dfrtp_1)	
2	0.01			net19 (net)	
		0.06	0.78	v output19/A (sky130_fd_sc_hd__clkbuf_4)	
1	0.03	0.08	0.20	0.97 v output19/X (sky130_fd_sc_hd__clkbuf_4)	
				rx_data[3] (net)	
		0.08	0.97	v rx_data[3] (out)	
			0.97	data arrival time	
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

7.75 data required time
-0.97 data arrival time

6.78 slack (MET)

Startpoint: _427_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[1] (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.15	0.22	^ clknet_0_clk (net)
				0.37	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
2	0.01	0.06	0.00	0.37	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
				0.37	^ clknet_2_1__leaf_clk (net)
1	0.03	0.08	0.00	0.37	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
				0.77	v _427_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.03	0.08	0.00	0.77	v net17 (net)
				0.97	v output17/A (sky130_fd_sc_hd__clkbuf_4)
1	0.03	0.08	0.20	0.97	v output17/X (sky130_fd_sc_hd__clkbuf_4)
				0.97	v rx_data[1] (net)
1	0.03	0.08	0.00	0.97	v rx_data[1] (out)
				0.97	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time
				-0.97	data arrival time

				6.78	slack (MET)

Startpoint: _432_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[6] (output port clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.00	0.22	^ clknet_0_clk (net)
				0.37	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
2	0.01	0.06	0.00	0.37	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
				0.37	^ clknet_2_0__leaf_clk (net)
1	0.03	0.06	0.00	0.37	^ _432_/CLK (sky130_fd_sc_hd__dfrtp_1)
				0.77	v _432_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.03	0.06	0.00	0.77	v net22 (net)
				0.77	v output22/A (sky130_fd_sc_hd__clkbuf_4)
1	0.03	0.08	0.20	0.97	v output22/X (sky130_fd_sc_hd__clkbuf_4)
				0.97	v rx_data[6] (net)

0.08	0.00	0.97	v	rx_data[6] (out)
		0.97		data arrival time
	10.00	10.00		clock clk (rise edge)
	0.00	10.00		clock network delay (propagated)
	-0.25	9.75		clock uncertainty
	0.00	9.75		clock reconvergence pessimism
	-2.00	7.75		output external delay
		7.75		data required time

		7.75		data required time
		-0.97		data arrival time

		6.78		slack (MET)

Startpoint: _433_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[7] (output port clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.15	0.37	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.06	0.00	0.37	^ _433_/CLK (sky130_fd_sc_hd__dfrtp_1)
2	0.01	0.06	0.40	0.77	v _433_/Q (sky130_fd_sc_hd__dfrtp_1)
					net23 (net)
		0.06	0.00	0.77	v output23/A (sky130_fd_sc_hd__clkbuf_4)
1	0.03	0.08	0.20	0.97	v output23/X (sky130_fd_sc_hd__clkbuf_4)
					rx_data[7] (net)
		0.08	0.00	0.97	v rx_data[7] (out)
				0.97	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock network delay (propagated)
			-0.25	9.75	clock uncertainty
			0.00	9.75	clock reconvergence pessimism
			-2.00	7.75	output external delay
				7.75	data required time

				7.75	data required time
				-0.97	data arrival time

				6.78	slack (MET)

Startpoint: _426_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[0] (output port clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)

4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.37	^ _426_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.05	0.40	0.77	v _426_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net16 (net)
		0.05	0.00	0.77	v output16/A (sky130_fd_sc_hd_clkbuf_4)
		0.08	0.20	0.96	v output16/X (sky130_fd_sc_hd_clkbuf_4)
1	0.03				rx_data[0] (net)
		0.08	0.00	0.96	v rx_data[0] (out)
				0.96	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock network delay (propagated)
		-0.25	9.75		clock uncertainty
		0.00	9.75		clock reconvergence pessimism
		-2.00	7.75		output external delay
			7.75		data required time

				7.75	data required time
				-0.96	data arrival time

				6.79	slack (MET)

Startpoint: _425_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: done (output port clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.15	0.36	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.05	0.00	0.37	^ _425_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.04	0.38	0.74	v _425_/Q (sky130_fd_sc_hd_dfrtp_1)
1	0.00				net14 (net)
		0.04	0.00	0.75	v output14/A (sky130_fd_sc_hd_clkbuf_4)
		0.08	0.19	0.94	v output14/X (sky130_fd_sc_hd_clkbuf_4)
1	0.04				done (net)
		0.08	0.00	0.94	v done (out)
				0.94	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock network delay (propagated)
		-0.25	9.75		clock uncertainty
		0.00	9.75		clock reconvergence pessimism
		-2.00	7.75		output external delay
			7.75		data required time

				7.75	data required time
				-0.94	data arrival time

				6.81	slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _454_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description	

1	0.00	0.02	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			2.00	2.00	^ input external delay	
			0.01	2.01	^ start (in)	
					start (net)	
			0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
			0.19	0.18	2.19	^ input3/X (sky130_fd_sc_hd__buf_1)
						net3 (net)
			0.19	0.00	2.19	^ _204_/B (sky130_fd_sc_hd__or2_2)
			0.12	0.22	2.41	^ _204_/X (sky130_fd_sc_hd__or2_2)
6	0.02			_096_ (net)		
		0.12	0.00	2.41	^ _222_/A (sky130_fd_sc_hd__and3_1)	
1	0.00	0.05	0.16	2.58	^ _222_/X (sky130_fd_sc_hd__and3_1)	
					113 (net)	
10	0.05	0.05	0.00	2.58	^ _223_/A (sky130_fd_sc_hd__clkbuf_4)	
		0.15	0.22	2.80	^ _223_/X (sky130_fd_sc_hd__clkbuf_4)	
1	0.00	0.15	0.00	2.80	^ _226_/A2_N (sky130_fd_sc_hd__a2bb2o_1)	
		0.05	0.30	3.10	v _226_/X (sky130_fd_sc_hd__a2bb2o_1)	
1	0.00				_094_ (net)	
		0.05	0.00	3.10	v _454_/D (sky130_fd_sc_hd__dfrtp_1)	
					data arrival time	

1	0.02	0.08	10.00	10.00	clock clk (rise edge)	
			0.00	10.00	clock source latency	
4	0.04		0.05	10.05	^ clk (in)	
					clk (net)	
12	0.04	0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
12	0.04				clknet_0_clk (net)	
		0.06	0.00	10.20	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.06	0.14	10.33	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					clknet_2_1_leaf_clk (net)	
12	0.04	0.06	0.00	10.33	^ _454_/CLK (sky130_fd_sc_hd__dfrtp_1)	
			-0.25	10.08	clock uncertainty	
					clock reconvergence pessimism	
					library setup time	
					9.97	
					data required time	

					9.97	
					data required time	

					6.87	
					slack (MET)	

Startpoint: start (input port clocked by clk)

Endpoint: _434_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.01	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v start (in)
			0.00	2.00	start (net)
				2.00	v input3/A (sky130_fd_sc_hd_buf_1)
			0.13	2.13	v input3/X (sky130_fd_sc_hd_buf_1)
			0.00	2.13	net3 (net)
				2.13	v _204_/B (sky130_fd_sc_hd_or2_2)
				2.50	v _204_/X (sky130_fd_sc_hd_or2_2)
6	0.02	0.10	0.37	2.50	^ _096_ (net)
				2.50	v _212_/A (sky130_fd_sc_hd_nand2_1)
6	0.02	0.08	0.11	2.61	^ _212_/Y (sky130_fd_sc_hd_nand2_1)
				2.61	^ _212_/Y (sky130_fd_sc_hd_nand2_1)

2	0.01				_104_ (net)
		0.08	0.00	2.61	^ _277_/S (sky130_fd_sc_hd_mux2_1)
		0.06	0.35	2.96	v _277_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_147_ (net)
		0.06	0.00	2.96	v _278_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.10	3.06	v _278_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_074_ (net)
		0.03	0.00	3.06	v _434_/D (sky130_fd_sc_hd_dfrtp_1)
				3.06	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.33	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.06	0.00	10.33	^ _434_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.08		clock uncertainty
		0.00	10.08		clock reconvergence pessimism
		-0.10	9.98		library setup time
			9.98		data required time

				9.98	data required time
				-3.06	data arrival time

				6.92	slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _415_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
		0.02	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd_buf_1)
		0.19	0.18	2.19	^ input3/X (sky130_fd_sc_hd_buf_1)
2	0.02				net3 (net)
		0.19	0.00	2.19	^ _204_/B (sky130_fd_sc_hd_or2_2)
		0.12	0.22	2.41	^ _204_/X (sky130_fd_sc_hd_or2_2)
6	0.02				_096_ (net)
		0.12	0.00	2.41	^ _331_/A (sky130_fd_sc_hd_nand2_1)
		0.06	0.09	2.50	v _331_/Y (sky130_fd_sc_hd_nand2_1)
2	0.01				_184_ (net)
		0.06	0.00	2.50	v _332_/A1 (sky130_fd_sc_hd_mux2_1)
		0.05	0.30	2.80	v _332_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_185_ (net)
		0.05	0.00	2.80	v _333_/A (sky130_fd_sc_hd_clkbuf_1)
		0.02	0.09	2.90	v _333_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_057_ (net)
		0.02	0.00	2.90	v _415_/D (sky130_fd_sc_hd_dfrtp_1)
				2.90	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)

		0.06	0.00	10.20	^	clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.13	10.33	^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03					clknet_2_2_leaf_clk (net)
		0.05	0.00	10.33	^	_415_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.08			clock uncertainty
		0.00	10.08			clock reconvergence pessimism
		-0.10	9.98			library setup time
			9.98			data required time

			9.98			data required time
			-2.90			data arrival time

			7.08			slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
		0.02	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd_buf_1)
2	0.02		0.19	2.19	^ input3/X (sky130_fd_sc_hd_buf_1)
					net3 (net)
		0.19	0.00	2.19	^ _204_/B (sky130_fd_sc_hd_or2_2)
6	0.02		0.12	2.41	^ _204_/X (sky130_fd_sc_hd_or2_2)
					096 (net)
		0.12	0.00	2.41	^ _308_/A (sky130_fd_sc_hd_nand2_1)
2	0.01		0.06	2.50	v _308_/Y (sky130_fd_sc_hd_nand2_1)
					167 (net)
		0.06	0.00	2.50	v _309_/A1 (sky130_fd_sc_hd_mux2_1)
1	0.00		0.05	2.80	v _309_/X (sky130_fd_sc_hd_mux2_1)
					168 (net)
		0.05	0.00	2.80	v _310_/A (sky130_fd_sc_hd_clkbuf_1)
1	0.00		0.03	2.89	v _310_/X (sky130_fd_sc_hd_clkbuf_1)
					063 (net)
		0.03	0.00	2.89	v _421_/D (sky130_fd_sc_hd_dfrtp_1)
				2.89	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.19	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.33	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.06	0.00	10.33	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.08		clock uncertainty
		0.00	10.08		clock reconvergence pessimism
		-0.10	9.98		library setup time
			9.98		data required time

			9.98		data required time
			-2.89		data arrival time

			7.09		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _436_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v start (in)
1	0.00				start (net)
		0.01	0.00	2.00	v input3/A (sky130_fd_sc_hd__buf_1)
2	0.01	0.09	0.13	2.13	v input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.09	0.00	2.13	v _204_/B (sky130_fd_sc_hd__or2_2)
6	0.02	0.10	0.37	2.50	v _204_/X (sky130_fd_sc_hd__or2_2)
					096 (net)
		0.10	0.00	2.50	v _270_/A (sky130_fd_sc_hd__and2_1)
1	0.00	0.03	0.16	2.66	v _270_/X (sky130_fd_sc_hd__and2_1)
					143 (net)
		0.03	0.00	2.66	v _271_/A (sky130_fd_sc_hd__clkbuf_1)
2	0.01	0.04	0.10	2.76	v _271_/X (sky130_fd_sc_hd__clkbuf_1)
					000 (net)
		0.04	0.00	2.76	v _272_/B1_N (sky130_fd_sc_hd__a21bo_1)
1	0.00	0.04	0.18	2.94	^ _272_/X (sky130_fd_sc_hd__a21bo_1)
					076 (net)
		0.04	0.00	2.94	^ _436_/D (sky130_fd_sc_hd__dfstp_1)
				2.94	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.19	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	10.33	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.06	0.00	10.33	^ _436_/CLK (sky130_fd_sc_hd__dfstp_1)
			-0.25	10.08	clock uncertainty
			0.00	10.08	clock reconvergence pessimism
			-0.05	10.03	library setup time
				10.03	data required time

				10.03	data required time
				-2.94	data arrival time

				7.10	slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _413_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
		0.02	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02	0.19	0.18	2.19	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.19	0.00	2.19	^ _237_/B (sky130_fd_sc_hd__nor2_4)
9	0.03	0.07	0.10	2.29	v _237_/Y (sky130_fd_sc_hd__nor2_4)
					125 (net)

		0.07	0.00	2.29	v	_338_/B1 (sky130_fd_sc_hd_a21o_1)
		0.04	0.18	2.47	v	_338_/X (sky130_fd_sc_hd_a21o_1)
2	0.01					_189_ (net)
		0.04	0.00	2.47	v	_339_/A1 (sky130_fd_sc_hd_mux2_1)
1	0.00	0.05	0.30	2.77	v	_339_/X (sky130_fd_sc_hd_mux2_1)
						190 (net)
		0.05	0.00	2.77	v	_340_/A (sky130_fd_sc_hd_clkbuf_1)
1	0.00	0.03	0.09	2.86	v	_340_/X (sky130_fd_sc_hd_clkbuf_1)
						055 (net)
		0.03	0.00	2.86	v	_413_/D (sky130_fd_sc_hd_dfrtp_1)
				2.86		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
1	0.02	0.08	0.05	10.05	^	clk (in)
						clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.15	10.19	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
10	0.03	0.05	0.13	10.33	^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_2_leaf_clk (net)
		0.05	0.00	10.33	^	_413_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.08			clock uncertainty
		0.00	10.08			clock reconvergence pessimism
		-0.10	9.98			library setup time
			9.98			data required time

			9.98			data required time
			-2.86			data arrival time

			7.11			slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _419_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	input external delay
1	0.00	0.02	0.01	2.01	^ start (in)
					start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd_buf_1)
2	0.02	0.19	0.18	2.19	^ input3/X (sky130_fd_sc_hd_buf_1)
					net3 (net)
		0.19	0.00	2.19	^ _237_/B (sky130_fd_sc_hd_nor2_4)
9	0.03	0.07	0.10	2.29	v _237_/Y (sky130_fd_sc_hd_nor2_4)
					125 (net)
		0.07	0.00	2.29	v _316_/B1 (sky130_fd_sc_hd_a21o_1)
2	0.00	0.04	0.18	2.47	v _316_/X (sky130_fd_sc_hd_a21o_1)
					173 (net)
		0.04	0.00	2.47	v _317_/A1 (sky130_fd_sc_hd_mux2_1)
1	0.00	0.05	0.30	2.76	v _317_/X (sky130_fd_sc_hd_mux2_1)
					174 (net)
		0.05	0.00	2.76	v _318_/A (sky130_fd_sc_hd_clkbuf_1)
1	0.00	0.02	0.09	2.86	v _318_/X (sky130_fd_sc_hd_clkbuf_1)
					061 (net)
		0.02	0.00	2.86	v _419_/D (sky130_fd_sc_hd_dfrtp_1)
				2.86	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)

4	0.04	0.06	0.15	10.19	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
12	0.04	0.06	0.00	10.19	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.33	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_3_leaf_clk (net)
		0.06	0.00	10.33	^	_419_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.08			clock uncertainty
		0.00	10.08			clock reconvergence pessimism
				9.98		library setup time
				9.98		data required time

				9.98		data required time
				-2.86		data arrival time

				7.12		slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _446_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description	
1	0.00	0.02	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			2.00	2.00	^ input external delay	
			0.01	2.01	^ start (in)	
					start (net)	
			0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd_buf_1)
			0.19	0.18	2.19	^ input3/X (sky130_fd_sc_hd_buf_1)
						net3 (net)
			0.19	0.00	2.19	^ _237_/B (sky130_fd_sc_hd_nor2_4)
			0.07	0.10	2.29	v _237_/Y (sky130_fd_sc_hd_nor2_4)
						125 (net)
			0.07	0.00	2.29	v _238_/B1 (sky130_fd_sc_hd_a21o_2)
8	0.03	0.10	0.28	2.58	v _238_/X (sky130_fd_sc_hd_a21o_2)	
					126 (net)	
1	0.00	0.10	0.00	2.58	v _245_/A2 (sky130_fd_sc_hd_a22o_1)	
		0.04	0.26	2.84	v _245_/X (sky130_fd_sc_hd_a22o_1)	
1	0.00	0.04	0.00	2.84	v _086_ (net)	
				2.84	v _446_/D (sky130_fd_sc_hd_dfrtp_1)	
				2.84	data arrival time	
1	0.02	0.08	10.00	10.00	clock clk (rise edge)	
			0.00	10.00	clock source latency	
			0.05	10.05	^ clk (in)	
					clk (net)	
			0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
			0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
			0.06	0.00	10.20	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
			0.06	0.14	10.33	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_1_leaf_clk (net)
			0.06	0.00	10.33	^ _446_/CLK (sky130_fd_sc_hd_dfrtp_1)
				0.00	clock reconvergence pessimism	
				9.97	library setup time	
				9.97	data required time	
				9.97	data required time	
				-2.84	data arrival time	
				7.14	slack (MET)	

Startpoint: start (input port clocked by clk)
Endpoint: _445_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk

Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.02	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
			0.01	2.01	^ start (in)
					start (net)
			0.02	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
			0.19	2.19	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
			0.19	2.19	^ _237_/B (sky130_fd_sc_hd__nor2_4)
			0.07	2.29	v _237_/Y (sky130_fd_sc_hd__nor2_4)
9	0.03				_125_ (net)
			0.07	2.29	v _238_/B1 (sky130_fd_sc_hd__a21o_2)
8	0.03		0.10	2.58	v _238_/X (sky130_fd_sc_hd__a21o_2)
					126 (net)
1	0.00		0.10	2.58	v _246_/A2 (sky130_fd_sc_hd__a22o_1)
			0.04	2.84	v _246_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_085_ (net)
			0.04	2.84	v _445_/D (sky130_fd_sc_hd__dftrtp_1)
				2.84	data arrival time
1	0.02	0.08	10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
			0.05	10.05	^ clk (in)
					clk (net)
			0.08	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.06	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
			0.06	10.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.06	10.33	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
12	0.04	0.06	0.00	10.33	^ _445_/CLK (sky130_fd_sc_hd__dftrtp_1)
			-0.25	10.08	clock uncertainty
			0.00	10.08	clock reconvergence pessimism
			-0.11	9.97	library setup time
				9.97	data required time

				9.97	data required time
				-2.84	data arrival time

				7.14	slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _444_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.02	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
			0.01	2.01	^ start (in)
					start (net)
			0.02	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
			0.19	2.19	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
			0.19	2.19	^ _237_/B (sky130_fd_sc_hd__nor2_4)
			0.07	2.29	v _237_/Y (sky130_fd_sc_hd__nor2_4)
9	0.03				_125_ (net)
			0.07	2.29	v _238_/B1 (sky130_fd_sc_hd__a21o_2)
8	0.03		0.10	2.58	v _238_/X (sky130_fd_sc_hd__a21o_2)
					126 (net)
8	0.03		0.10	2.58	v _247_/A2 (sky130_fd_sc_hd__a22o_1)

1	0.00	0.04	0.25	2.83	v	_247_/X (sky130_fd_sc_hd__a22o_1)
						084 (net)
		0.04	0.00	2.83	v	_444_/D (sky130_fd_sc_hd__dfrrtp_1)
				2.83		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.08	0.05	10.05	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.19	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	10.19	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.33	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.06	0.00	10.33	^	_444_/CLK (sky130_fd_sc_hd__dfrrtp_1)
		-0.25	10.08			clock uncertainty
		0.00	10.08			clock reconvergence pessimism
		-0.11	9.98			library setup time
			9.98			data required time

				9.98		data required time
				-2.83		data arrival time

				7.15		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _448_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
		0.02	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
		0.19	0.18	2.19	^ input3/X (sky130_fd_sc_hd__buf_1)
2	0.02				net3 (net)
		0.19	0.00	2.19	^ _237_/B (sky130_fd_sc_hd__nor2_4)
		0.07	0.10	2.29	v _237_/Y (sky130_fd_sc_hd__nor2_4)
9	0.03				_125_ (net)
		0.07	0.00	2.29	v _238_/B1 (sky130_fd_sc_hd__a21o_2)
		0.10	0.28	2.58	v _238_/X (sky130_fd_sc_hd__a21o_2)
8	0.03				_126_ (net)
		0.10	0.00	2.58	v _243_/A2 (sky130_fd_sc_hd__a22o_1)
		0.04	0.26	2.83	v _243_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_088_ (net)
		0.04	0.00	2.83	v _448_/D (sky130_fd_sc_hd__dfrrtp_1)
				2.83	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	10.34	^ _448_/CLK (sky130_fd_sc_hd__dfrrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		-0.11	9.98		library setup time
			9.98		data required time

		9.98	data required time
		-2.83	data arrival time

		7.15	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _433_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.37	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.07	0.42	0.79	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.07	0.00	0.79	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.09	0.56	1.35	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.09	0.00	1.35	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.40	0.45	1.80	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.40	0.00	1.80	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.14	0.21	2.02	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.14	0.00	2.02	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.13	0.16	2.18	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.13	0.00	2.18	v _218_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.24	2.43	v _218_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_110_ (net)
		0.08	0.00	2.43	v _279_/S (sky130_fd_sc_hd__mux2_1)
		0.05	0.33	2.75	v _279_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_148_ (net)
		0.05	0.00	2.75	v _280_/A (sky130_fd_sc_hd__clkbuf_1)
		0.03	0.09	2.85	v _280_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_073_ (net)
		0.03	0.00	2.85	v _433_/D (sky130_fd_sc_hd__dfrtp_1)
				2.85	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.33	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.06	0.00	10.33	^ _433_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25		10.08	clock uncertainty
		0.02		10.10	clock reconvergence pessimism
		-0.10		10.00	library setup time
				10.00	data required time

				10.00	data required time
				-2.85	data arrival time

7.15 slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _432_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.06	0.00	0.37	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.07	0.42	0.79	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[13] (net)
		0.07	0.00	0.79	v _205_/A (sky130_fd_sc_hd_or4_1)
		0.09	0.56	1.35	v _205_/X (sky130_fd_sc_hd_or4_1)
1	0.00				_097_ (net)
		0.09	0.00	1.35	v _209_/A (sky130_fd_sc_hd_nor4_1)
		0.40	0.45	1.80	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
2	0.01				_101_ (net)
		0.40	0.00	1.80	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.14	0.21	2.02	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01				net25 (net)
		0.14	0.00	2.02	^ _217_/C (sky130_fd_sc_hd_nand4_1)
		0.13	0.16	2.18	v _217_/Y (sky130_fd_sc_hd_nand4_1)
3	0.01				_109_ (net)
		0.13	0.00	2.18	v _218_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.24	2.43	v _218_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_110_ (net)
		0.08	0.00	2.43	v _281_/S (sky130_fd_sc_hd_mux2_1)
		0.05	0.33	2.76	v _281_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_149_ (net)
		0.05	0.00	2.76	v _282_/A (sky130_fd_sc_hd_clkbuf_1)
		0.02	0.09	2.85	v _282_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_072_ (net)
		0.02	0.00	2.85	v _432_/D (sky130_fd_sc_hd_dfrtp_1)
				2.85	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.06	0.00	10.34	^ _432_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.09		clock uncertainty
		0.02	10.11		clock reconvergence pessimism
		-0.10	10.01		library setup time
			10.01		data required time

				10.01	data required time
				-2.85	data arrival time

				7.15	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _431_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.15	0.37	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.06	0.00	0.37	^ _421_/CLK (sky130_fd_sc_hd__dftrtp_1)
3	0.01	0.07	0.42	0.79	v _421_/Q (sky130_fd_sc_hd__dftrtp_1)
					clk_count[13] (net)
		0.07	0.00	0.79	v _205_/A (sky130_fd_sc_hd__or4_1)
1	0.00	0.09	0.56	1.35	v _205_/X (sky130_fd_sc_hd__or4_1)
					097 (net)
		0.09	0.00	1.35	v _209_/A (sky130_fd_sc_hd__nor4_1)
2	0.01	0.40	0.45	1.80	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
					101 (net)
		0.40	0.00	1.80	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.14	0.21	2.02	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
					net25 (net)
		0.14	0.00	2.02	^ _217_/C (sky130_fd_sc_hd__nand4_1)
3	0.01	0.13	0.16	2.18	v _217_/Y (sky130_fd_sc_hd__nand4_1)
					109 (net)
		0.13	0.00	2.18	v _218_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.08	0.24	2.43	v _218_/X (sky130_fd_sc_hd__buf_4)
					110 (net)
		0.08	0.00	2.43	v _283_/S (sky130_fd_sc_hd__mux2_1)
		0.05	0.33	2.76	v _283_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_150_ (net)
		0.05	0.00	2.76	v _284_/A (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.09	2.85	v _284_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_071_ (net)
		0.02	0.00	2.85	v _431_/D (sky130_fd_sc_hd__dftrtp_1)
				2.85	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	10.34	^ _431_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.09		clock uncertainty
		0.02	10.11		clock reconvergence pessimism
		-0.10	10.01		library setup time
			10.01		data required time

				10.01	data required time
				-2.85	data arrival time

				7.15	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _428_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.37	^ _421_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.07	0.42	0.79	v _421_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				clk_count[13] (net)
		0.07	0.00	0.79	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.09	0.56	1.35	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.09	0.00	1.35	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.40	0.45	1.80	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.40	0.00	1.80	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.14	0.21	2.02	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.14	0.00	2.02	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.13	0.16	2.18	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.13	0.00	2.18	v _218_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.24	2.43	v _218_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_110_ (net)
		0.08	0.00	2.43	v _289_/S (sky130_fd_sc_hd__mux2_1)
		0.05	0.33	2.76	v _289_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_153_ (net)
		0.05	0.00	2.76	v _290_/A (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.09	2.85	v _290_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_068_ (net)
		0.02	0.00	2.85	v _428_/D (sky130_fd_sc_hd__dfrtp_1)
				2.85	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	10.34	^ _428_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.09		clock uncertainty
		0.02	10.11		clock reconvergence pessimism
		-0.10	10.01		library setup time
			10.01		data required time

				10.01	data required time
				-2.85	data arrival time

				7.15	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _430_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.37	^ _421_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.07	0.42	0.79	v _421_/Q (sky130_fd_sc_hd__dftrtp_1)
3	0.01				clk_count[13] (net)
		0.07	0.00	0.79	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.09	0.56	1.35	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.09	0.00	1.35	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.40	0.45	1.80	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.40	0.00	1.80	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.14	0.21	2.02	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.14	0.00	2.02	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.13	0.16	2.18	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.13	0.00	2.18	v _218_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.24	2.43	v _218_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_110_ (net)
		0.08	0.00	2.43	v _285_/S (sky130_fd_sc_hd__mux2_1)
		0.05	0.33	2.76	v _285_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_151_ (net)
		0.05	0.00	2.76	v _286_/A (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.09	2.85	v _286_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_070_ (net)
		0.02	0.00	2.85	v _430_/D (sky130_fd_sc_hd__dftrtp_1)
				2.85	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	10.34	^ _430_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.09		clock uncertainty
		0.02	10.11		clock reconvergence pessimism
		-0.10	10.01		library setup time
			10.01		data required time

				10.01	data required time
				-2.85	data arrival time

				7.16	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _429_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
--------	-----	------	-------	------	-------------

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.37	^ _421_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.07	0.42	0.79	v _421_/Q (sky130_fd_sc_hd__dftrtp_1)
3	0.01				clk_count[13] (net)
		0.07	0.00	0.79	v _205_/A (sky130_fd_sc_hd__or4_1)
		0.09	0.56	1.35	v _205_/X (sky130_fd_sc_hd__or4_1)
1	0.00				_097_ (net)
		0.09	0.00	1.35	v _209_/A (sky130_fd_sc_hd__nor4_1)
		0.40	0.45	1.80	^ _209_/Y (sky130_fd_sc_hd__nor4_1)
2	0.01				_101_ (net)
		0.40	0.00	1.80	^ max_cap25/A (sky130_fd_sc_hd__buf_1)
		0.14	0.21	2.02	^ max_cap25/X (sky130_fd_sc_hd__buf_1)
3	0.01				net25 (net)
		0.14	0.00	2.02	^ _217_/C (sky130_fd_sc_hd__nand4_1)
		0.13	0.16	2.18	v _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.13	0.00	2.18	v _218_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.24	2.43	v _218_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_110_ (net)
		0.08	0.00	2.43	v _287_/S (sky130_fd_sc_hd__mux2_1)
		0.05	0.33	2.76	v _287_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_152_ (net)
		0.05	0.00	2.76	v _288_/A (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.09	2.85	v _288_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_069_ (net)
		0.02	0.00	2.85	v _429_/D (sky130_fd_sc_hd__dftrtp_1)
				2.85	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	10.34	^ _429_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.09		clock uncertainty
		0.02	10.11		clock reconvergence pessimism
		-0.10	10.01		library setup time
			10.01		data required time

			10.01		data required time
			-2.85		data arrival time

			7.16		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _455_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)

1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.06	0.00	0.37	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.07	0.42	0.79	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[13] (net)
		0.07	0.00	0.79	v _205_/A (sky130_fd_sc_hd_or4_1)
		0.09	0.56	1.35	v _205_/X (sky130_fd_sc_hd_or4_1)
1	0.00				_097_ (net)
		0.09	0.00	1.35	v _209_/A (sky130_fd_sc_hd_nor4_1)
		0.40	0.45	1.80	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
2	0.01				_101_ (net)
		0.40	0.00	1.80	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.14	0.21	2.02	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01				net25 (net)
		0.14	0.00	2.02	^ _217_/C (sky130_fd_sc_hd_nand4_1)
		0.13	0.16	2.18	v _217_/Y (sky130_fd_sc_hd_nand4_1)
3	0.01				_109_ (net)
		0.13	0.00	2.18	v _218_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.24	2.43	v _218_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_110_ (net)
		0.08	0.00	2.43	v _219_/D (sky130_fd_sc_hd_and4_1)
		0.05	0.23	2.66	v _219_/X (sky130_fd_sc_hd_and4_1)
2	0.00				_111_ (net)
		0.05	0.00	2.66	v _220_/A2 (sky130_fd_sc_hd_o21a_1)
		0.04	0.17	2.83	v _220_/X (sky130_fd_sc_hd_o21a_1)
1	0.00				_095_ (net)
		0.04	0.00	2.83	v _455_/D (sky130_fd_sc_hd_dfrtp_1)
				2.83	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.33	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.06	0.00	10.33	^ _455_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.08		clock uncertainty
		0.02	10.10		clock reconvergence pessimism
		-0.11	10.00		library setup time
			10.00		data required time

			10.00		data required time
			-2.83		data arrival time

			7.17		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _424_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v start (in)
1	0.00				start (net)
		0.01	0.00	2.00	v input3/A (sky130_fd_sc_hd_buf_1)

2	0.01	0.09	0.13	2.13	v	input3/X (sky130_fd_sc_hd_buf_1)
						net3 (net)
6	0.02	0.09	0.00	2.13	v	_204_/B (sky130_fd_sc_hd_or2_2)
		0.10	0.37	2.50	v	_204_/X (sky130_fd_sc_hd_or2_2)
1	0.00					_096_ (net)
		0.10	0.00	2.50	v	_270_/A (sky130_fd_sc_hd_and2_1)
2	0.01	0.03	0.16	2.66	v	_270_/X (sky130_fd_sc_hd_and2_1)
						143 (net)
2	0.01	0.03	0.00	2.66	v	_271_/A (sky130_fd_sc_hd_clkbuf_1)
		0.04	0.10	2.76	v	_271_/X (sky130_fd_sc_hd_clkbuf_1)
						000 (net)
		0.04	0.00	2.76	v	_424_/D (sky130_fd_sc_hd_dfrtp_2)
				2.76		data arrival time
1	0.02		10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
4	0.04	0.08	0.05	10.05	^	clk (in)
						clk (net)
12	0.04	0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.19	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	10.19	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.33	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_3_leaf_clk (net)
		0.06	0.00	10.33	^	_424_/CLK (sky130_fd_sc_hd_dfrtp_2)
			-0.25	10.08		clock uncertainty
			0.00	10.08		clock reconvergence pessimism
			-0.11	9.97		library setup time
				9.97		data required time

				9.97		data required time
				-2.76		data arrival time

				7.21		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _417_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description			
			0.00	0.00	clock clk (rise edge)			
			0.00	0.00	clock network delay (propagated)			
			2.00	2.00	^ input external delay			
1	0.00	0.02	0.01	2.01	^ start (in)			
					start (net)			
				0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)	
2	0.02		0.19	0.18	2.19	^ input3/X (sky130_fd_sc_hd__buf_1)		
						net3 (net)		
9	0.03		0.19	0.00	2.19	^ _237_/B (sky130_fd_sc_hd__nor2_4)		
					0.07	0.10	2.29	v _237_/Y (sky130_fd_sc_hd__nor2_4)
								125 (net)
2	0.01		0.07	0.00	2.29	v _324_/B1 (sky130_fd_sc_hd__a21o_1)		
					0.04	0.18	2.47	v _324_/X (sky130_fd_sc_hd__a21o_1)
								179 (net)
1	0.00		0.04	0.00	2.47	v _325_/B1 (sky130_fd_sc_hd__a2bb2o_1)		
					0.05	0.28	2.75	v _325_/X (sky130_fd_sc_hd__a2bb2o_1)
								059 (net)
		0.05	0.00	2.75	v _417_/D (sky130_fd_sc_hd__dfrtp_1)			
				2.75	data arrival time			
			10.00	10.00	clock clk (rise edge)			
			0.00	10.00	clock source latency			
1	0.02	0.08	0.05	10.05	^ clk (in)			
					clk (net)			
				0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)			

4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.13	10.33	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.05	0.00	10.33	^ _417_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.08		clock uncertainty
		0.00	10.08		clock reconvergence pessimism
		-0.11	9.97		library setup time
			9.97		data required time

				9.97	data required time
				-2.75	data arrival time

				7.22	slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _409_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v start (in)
1	0.00				start (net)
		0.01	0.00	2.00	v input3/A (sky130_fd_sc_hd_buf_1)
		0.09	0.13	2.13	v input3/X (sky130_fd_sc_hd_buf_1)
2	0.01				net3 (net)
		0.09	0.00	2.13	v _204_/B (sky130_fd_sc_hd_or2_2)
		0.10	0.37	2.50	v _204_/X (sky130_fd_sc_hd_or2_2)
6	0.02				_096_ (net)
		0.10	0.00	2.50	v _350_/B1 (sky130_fd_sc_hd_o211a_1)
		0.04	0.16	2.66	v _350_/X (sky130_fd_sc_hd_o211a_1)
1	0.00				_197_ (net)
		0.04	0.00	2.66	v _351_/B (sky130_fd_sc_hd_nor2_1)
		0.07	0.08	2.74	^ _351_/Y (sky130_fd_sc_hd_nor2_1)
1	0.00				_051_ (net)
		0.07	0.00	2.74	^ _409_/D (sky130_fd_sc_hd_dfrtp_4)
				2.74	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.13	10.33	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.05	0.00	10.33	^ _409_/CLK (sky130_fd_sc_hd_dfrtp_4)
		-0.25	10.08		clock uncertainty
		0.00	10.08		clock reconvergence pessimism
		-0.07	10.01		library setup time
			10.01		data required time

				10.01	data required time
				-2.74	data arrival time

				7.27	slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _408_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description			

1	0.00	0.02	0.00	0.00	clock clk (rise edge)			
			0.00	0.00	clock network delay (propagated)			
			2.00	2.00	^ input external delay			
			0.01	2.01	^ start (in)			
					start (net)			
			0.02	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)			
			0.19	2.19	^ input3/X (sky130_fd_sc_hd__buf_1)			
					net3 (net)			
			0.19	2.19	^ _237_/B (sky130_fd_sc_hd__nor2_4)			
			0.07	2.29	v _237_/Y (sky130_fd_sc_hd__nor2_4)			
9	0.03				_125_ (net)			
			0.07	2.29	v _352_/A1 (sky130_fd_sc_hd__mux2_1)			
1	0.00		0.05	2.60	v _352_/X (sky130_fd_sc_hd__mux2_1)			
					198 (net)			
1	0.00		0.05	2.60	v _353_/A (sky130_fd_sc_hd__clkbuf_1)			
			0.02	2.70	v _353_/X (sky130_fd_sc_hd__clkbuf_1)			
1	0.00				_050_ (net)			
			0.02	2.70	v _408_/D (sky130_fd_sc_hd__dfrtp_4)			
				2.70	data arrival time			

1	0.02	0.08	10.00	10.00	clock clk (rise edge)			
			0.00	10.00	clock source latency			
			0.05	10.05	^ clk (in)			
					clk (net)			
			0.08	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)			
			0.06	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)			
					clknet_0_clk (net)			
			0.06	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)			
			0.06	10.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)			
					clknet_2_0__leaf_clk (net)			
14	0.04		0.06	10.34	^ _408_/CLK (sky130_fd_sc_hd__dfrtp_4)			
			-0.25	10.09	clock uncertainty			
				10.09	clock reconvergence pessimism			
				-0.10	9.99	library setup time		
				9.99	data required time			

				9.99	data required time			
				-2.70	data arrival time			

				7.29	slack (MET)			

Startpoint: start (input port clocked by clk)

Endpoint: _414_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.02	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
			0.01	2.01	^ start (in)
					start (net)
			0.02	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
			0.19	2.19	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
			0.19	2.19	^ _204_/B (sky130_fd_sc_hd__or2_2)
			0.12	2.41	^ _204_/X (sky130_fd_sc_hd__or2_2)
6	0.02				_096_ (net)
			0.12	2.41	^ _331_/A (sky130_fd_sc_hd__nand2_1)
2	0.01		0.06	2.50	v _331_/Y (sky130_fd_sc_hd__nand2_1)
					184 (net)
2	0.01		0.06	2.50	v _335_/A2 (sky130_fd_sc_hd__a21o_1)
			0.03	2.68	v _335_/X (sky130_fd_sc_hd__a21o_1)

1	0.00	0.03	0.00	2.68	v	_056_ (net)
				2.68	v	_414_/D (sky130_fd_sc_hd__dftrtp_1)
				2.68		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
		0.08	0.05	10.05	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.19	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_2_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.13	10.33	^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03					clknet_2_2__leaf_clk (net)
		0.05	0.00	10.33	^	_414_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.08			clock uncertainty
		0.00	10.08			clock reconvergence pessimism
		-0.11	9.97			library setup time
			9.97			data required time

				9.97		data required time
				-2.68		data arrival time

				7.29		slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _418_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
		0.02	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
2	0.02		0.18	2.19	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
		0.19	0.00	2.19	^ _237_/B (sky130_fd_sc_hd__nor2_4)
		0.07	0.10	2.29	v _237_/Y (sky130_fd_sc_hd__nor2_4)
9	0.03				_125_ (net)
		0.07	0.00	2.29	v _316_/B1 (sky130_fd_sc_hd__a21o_1)
		0.04	0.18	2.47	v _316_/X (sky130_fd_sc_hd__a21o_1)
2	0.00				_173_ (net)
		0.04	0.00	2.47	v _320_/A (sky130_fd_sc_hd__and2_1)
		0.03	0.13	2.60	v _320_/X (sky130_fd_sc_hd__and2_1)
1	0.00				_176_ (net)
		0.03	0.00	2.60	v _321_/A (sky130_fd_sc_hd__clkbuf_1)
		0.02	0.08	2.69	v _321_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_060_ (net)
		0.02	0.00	2.69	v _418_/D (sky130_fd_sc_hd__dftrtp_1)
				2.69	data arrival time

		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.19	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.33	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	10.33	^ _418_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.08		clock uncertainty
		0.00	10.08		clock reconvergence pessimism

-0.10	9.98	library setup time
	9.98	data required time

	9.98	data required time
	-2.69	data arrival time

	7.29	slack (MET)

Startpoint: start (input port clocked by clk)
 Endpoint: _420_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description		

1	0.00	0.02	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
		0.01	2.00	2.00	^ input external delay		
			2.01	^ start (in)			
		0.02	2.01	^ start (net)			
			2.01	^ input3/A (sky130_fd_sc_hd__buf_1)			
		0.19	2.19	^ input3/X (sky130_fd_sc_hd__buf_1)			
			2.19	^ net3 (net)			
		0.19	2.19	^ _204_/B (sky130_fd_sc_hd__or2_2)			
			2.41	^ _204_/X (sky130_fd_sc_hd__or2_2)			
6	0.02	0.12	0.22	2.41	^ _096_ (net)		
			2.41	^ _308_/A (sky130_fd_sc_hd__nand2_1)			
		0.12	0.00	2.41	^ _308_/Y (sky130_fd_sc_hd__nand2_1)		
			0.06	0.09	2.50	v _167_ (net)	
		0.06	0.00	2.50	v _312_/A2 (sky130_fd_sc_hd__a21o_1)		
			0.03	0.18	2.68	v _312_/X (sky130_fd_sc_hd__a21o_1)	
		0.03	0.00	2.68	v _062_ (net)		
			2.68	v _420_/D (sky130_fd_sc_hd__dftrtp_1)			
		2.68	data arrival time				

1	0.02	0.08	10.00	10.00	clock clk (rise edge)		
			0.00	10.00	clock source latency		
		0.08	0.05	10.05	^ clk (in)		
			10.05	^ clk (net)			
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)		
			0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)		
		0.06	0.00	10.19	^ clknet_0_clk (net)		
			0.06	0.00	10.19	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.06	0.14	10.33	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)		
			10.33	^ clknet_2_3__leaf_clk (net)			
12	0.04	0.06	0.00	10.33	^ _420_/CLK (sky130_fd_sc_hd__dftrtp_1)		
			-0.25	10.08	clock uncertainty		
		0.00	10.08	clock reconvergence pessimism			
			-0.11	9.98	library setup time		
		9.98	data required time				

					9.98	data required time	
					-2.68	data arrival time	

					7.30	slack (MET)	

Startpoint: start (input port clocked by clk)
 Endpoint: _416_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay

		0.02	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd_buf_1)
		0.19	0.18	2.19	^ input3/X (sky130_fd_sc_hd_buf_1)
2	0.02				net3 (net)
		0.19	0.00	2.19	^ _237_/B (sky130_fd_sc_hd_nor2_4)
		0.07	0.10	2.29	v _237_/Y (sky130_fd_sc_hd_nor2_4)
9	0.03				_125_ (net)
		0.07	0.00	2.29	v _324_/B1 (sky130_fd_sc_hd_a21o_1)
		0.04	0.18	2.47	v _324_/X (sky130_fd_sc_hd_a21o_1)
2	0.01				_179_ (net)
		0.04	0.00	2.47	v _327_/A2 (sky130_fd_sc_hd_a21o_1)
		0.03	0.17	2.65	v _327_/X (sky130_fd_sc_hd_a21o_1)
1	0.00				_058_ (net)
		0.03	0.00	2.65	v _416_/D (sky130_fd_sc_hd_dfrtp_1)
				2.65	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.13	10.33	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.05	0.00	10.33	^ _416_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.08		clock uncertainty
		0.00	10.08		clock reconvergence pessimism
		-0.11	9.97		library setup time
			9.97		data required time

				9.97	data required time
				-2.65	data arrival time

				7.33	slack (MET)

Startpoint: start (input port clocked by clk)

Endpoint: _412_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
1	0.00	0.02	0.01	2.01	^ start (in)
					start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd_buf_1)
2	0.02	0.19	0.18	2.19	^ input3/X (sky130_fd_sc_hd_buf_1)
					net3 (net)
		0.19	0.00	2.19	^ _237_/B (sky130_fd_sc_hd_nor2_4)
9	0.03	0.07	0.10	2.29	v _237_/Y (sky130_fd_sc_hd_nor2_4)
					125 (net)
		0.07	0.00	2.29	v _338_/B1 (sky130_fd_sc_hd_a21o_1)
2	0.01	0.04	0.18	2.47	v _338_/X (sky130_fd_sc_hd_a21o_1)
					189 (net)
		0.04	0.00	2.47	v _342_/A2 (sky130_fd_sc_hd_a21o_1)
		0.03	0.17	2.64	v _342_/X (sky130_fd_sc_hd_a21o_1)
1	0.00				_054_ (net)
		0.03	0.00	2.64	v _412_/D (sky130_fd_sc_hd_dfrtp_1)
				2.64	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)

1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.13	10.33	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.05	0.00	10.33	^ _412_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.08		clock uncertainty
		0.00	10.08		clock reconvergence pessimism
		-0.11	9.97		library setup time
			9.97		data required time

			9.97		data required time
			-2.64		data arrival time

			7.33		slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _423_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
		0.02	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
		0.19	0.18	2.19	^ input3/X (sky130_fd_sc_hd__buf_1)
2	0.02				net3 (net)
		0.19	0.00	2.19	^ _237_/B (sky130_fd_sc_hd__nor2_4)
		0.07	0.10	2.29	v _237_/Y (sky130_fd_sc_hd__nor2_4)
9	0.03				_125_ (net)
		0.07	0.00	2.29	v _303_/A2 (sky130_fd_sc_hd__o31a_1)
		0.05	0.30	2.59	v _303_/X (sky130_fd_sc_hd__o31a_1)
1	0.00				_065_ (net)
		0.05	0.00	2.59	v _423_/D (sky130_fd_sc_hd__dftrtp_1)
				2.59	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.13	10.33	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.05	0.00	10.33	^ _423_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.08		clock uncertainty
		0.00	10.08		clock reconvergence pessimism
		-0.11	9.97		library setup time
			9.97		data required time

			9.97		data required time
			-2.59		data arrival time

			7.38		slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _411_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description		

1	0.00	0.02	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
			2.00	2.00	^ input external delay		
			0.01	2.01	^ start (in)		
					start (net)		
			0.02	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)		
			0.19	2.19	^ input3/X (sky130_fd_sc_hd__buf_1)		
					net3 (net)		
			0.19	2.19	^ _237_/B (sky130_fd_sc_hd__nor2_4)		
			0.07	2.29	v _237_/Y (sky130_fd_sc_hd__nor2_4)		
9	0.03	0.10			_125_ (net)		
			0.07	2.29	v _346_/A2 (sky130_fd_sc_hd__o31a_1)		
1	0.00	0.30	0.05	2.59	v _346_/X (sky130_fd_sc_hd__o31a_1)		
					053 (net)		
			0.05	2.59	v _411_/D (sky130_fd_sc_hd__dftrtp_1)		
				2.59	data arrival time		

1	0.02	0.08	10.00	10.00	clock clk (rise edge)		
			0.00	10.00	clock source latency		
			0.05	10.05	^ clk (in)		
					clk (net)		
4	0.04	0.06	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)		
			0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)		
14	0.04	0.06			clknet_0_clk (net)		
			0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
			0.06	0.14	10.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
						clknet_2_0__leaf_clk (net)	
			0.06	0.00	10.34	^ _411_/CLK (sky130_fd_sc_hd__dftrtp_1)	
			-0.25	10.09	clock uncertainty		
				10.09	clock reconvergence pessimism		
				9.97	library setup time		
				9.97	data required time		

				9.97	data required time		
				-2.59	data arrival time		

				7.38	slack (MET)		

Startpoint: start (input port clocked by clk)

Endpoint: _410_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.02	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	^ input external delay
			0.01	2.01	^ start (in)
					start (net)
			0.02	2.01	^ input3/A (sky130_fd_sc_hd__buf_1)
			0.19	2.19	^ input3/X (sky130_fd_sc_hd__buf_1)
					net3 (net)
			0.19	2.19	^ _237_/B (sky130_fd_sc_hd__nor2_4)
			0.07	2.29	v _237_/Y (sky130_fd_sc_hd__nor2_4)
9	0.03			_125_ (net)	
1	0.00	0.07	0.00	2.29	v _348_/B1 (sky130_fd_sc_hd__a32o_1)
		0.04	0.22	2.51	v _348_/X (sky130_fd_sc_hd__a32o_1)
					052 (net)
		0.04	0.00	2.51	v _410_/D (sky130_fd_sc_hd__dftrtp_2)
				2.51	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency

		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.06	0.00	10.34	^ _410_/CLK (sky130_fd_sc_hd_dfrtp_2)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		-0.11	9.98		library setup time
			9.98		data required time

			9.98		data required time
			-2.51		data arrival time

			7.47		slack (MET)

Startpoint: start (input port clocked by clk)
Endpoint: _422_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00		input external delay
		0.02	0.01	2.01	^ start (in)
1	0.00				start (net)
		0.02	0.00	2.01	^ input3/A (sky130_fd_sc_hd_buf_1)
2	0.02		0.18	2.19	^ input3/X (sky130_fd_sc_hd_buf_1)
					net3 (net)
		0.19	0.00	2.19	^ _237_/B (sky130_fd_sc_hd_nor2_4)
		0.07	0.10	2.29	v _237_/Y (sky130_fd_sc_hd_nor2_4)
9	0.03				_125_ (net)
		0.07	0.00	2.29	v _305_/A1 (sky130_fd_sc_hd_o21a_1)
		0.04	0.20	2.49	v _305_/X (sky130_fd_sc_hd_o21a_1)
1	0.00				_064_ (net)
		0.04	0.00	2.49	v _422_/D (sky130_fd_sc_hd_dfrtp_1)
				2.49	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.13	10.33	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.05	0.00	10.33	^ _422_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.08		clock uncertainty
		0.00	10.08		clock reconvergence pessimism
		-0.11	9.97		library setup time
			9.97		data required time

			9.97		data required time
			-2.49		data arrival time

			7.48		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _425_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk

Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
					^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.15	0.37	^ clknet_0_clk (net)
					^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
3	0.01	0.06	0.00	0.37	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
3	0.01	0.07	0.42	0.79	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
					v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
1	0.00	0.07	0.00	0.79	clk_count[13] (net)
					v _205_/A (sky130_fd_sc_hd_or4_1)
2	0.01	0.09	0.56	1.35	v _205_/X (sky130_fd_sc_hd_or4_1)
					097 (net)
2	0.01	0.09	0.00	1.35	v _209_/A (sky130_fd_sc_hd_nor4_1)
					^ _209_/Y (sky130_fd_sc_hd_nor4_1)
3	0.01	0.40	0.45	1.80	_101_ (net)
					^ max_cap25/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.14	0.21	2.02	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
					net25 (net)
3	0.01	0.14	0.00	2.02	^ _217_/C (sky130_fd_sc_hd_nand4_1)
					v _217_/Y (sky130_fd_sc_hd_nand4_1)
10	0.06	0.13	0.16	2.18	_109_ (net)
					v _218_/A (sky130_fd_sc_hd_buf_4)
1	0.00	0.08	0.24	2.43	v _218_/X (sky130_fd_sc_hd_buf_4)
					110 (net)
1	0.00	0.08	0.00	2.43	v _354_/A (sky130_fd_sc_hd_inv_2)
					^ _354_/Y (sky130_fd_sc_hd_inv_2)
1	0.00	0.03	0.05	2.48	_001_ (net)
					^ _425_/D (sky130_fd_sc_hd_dfrtp_1)
1	0.00	0.03	0.00	2.48	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
					^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03	0.06	0.15	10.19	^ clknet_0_clk (net)
					^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
10	0.03	0.05	0.13	10.33	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_2_leaf_clk (net)
10	0.03	0.05	0.00	10.33	^ _425_/CLK (sky130_fd_sc_hd_dfrtp_1)
					-0.25
10	0.03	0.05	-0.25	10.08	clock uncertainty
					0.02
10	0.03	0.05	-0.05	10.10	clock reconvergence pessimism
					10.05
10	0.03	0.05	-0.05	10.05	library setup time
					10.05

				10.05	data required time
				-2.48	data arrival time

				7.57	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _409_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)

			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.31	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.22	2.52	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)
		0.08	0.00	2.52	v _358_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.58	^ _358_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_003_ (net)
		0.03	0.00	2.58	^ _409_/RESET_B (sky130_fd_sc_hd__dfrtp_4)
				2.58	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.13	10.33	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.05	0.00	10.33	^ _409_/CLK (sky130_fd_sc_hd__dfrtp_4)
		-0.25	10.08		clock uncertainty
		0.00	10.08		clock reconvergence pessimism
		0.22	10.30		library recovery time
			10.30		data required time

			10.30		data required time
			-2.58		data arrival time

			7.72		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _424_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.31	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.08	0.21	2.52	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.08	0.00	2.52	v _374_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.58	^ _374_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_018_ (net)
		0.03	0.00	2.58	^ _424_/RESET_B (sky130_fd_sc_hd__dfrtp_2)
				2.58	data arrival time
			10.00	10.00	clock clk (rise edge)

			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.19	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.33	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	10.33	^ _424_/CLK (sky130_fd_sc_hd__dfrtp_2)
			-0.25	10.08	clock uncertainty
			0.00	10.08	clock reconvergence pessimism
			0.23	10.31	library recovery time
				10.31	data required time

				10.31	data required time
				-2.58	data arrival time

				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _408_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.31	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.22	2.52	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)
		0.08	0.00	2.52	v _357_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.58	^ _357_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_002_ (net)
		0.03	0.00	2.58	^ _408_/RESET_B (sky130_fd_sc_hd__dfrtp_4)
				2.58	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	10.34	^ _408_/CLK (sky130_fd_sc_hd__dfrtp_4)
			-0.25	10.09	clock uncertainty
			0.00	10.09	clock reconvergence pessimism
			0.23	10.31	library recovery time
				10.31	data required time

				10.31	data required time
				-2.58	data arrival time

				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _415_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
			0.01	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.05	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
			0.08	2.31	v _356_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.08	0.22	2.52	v _356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
			0.08	2.52	v _364_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.03	0.06	2.59	^ _364_/Y (sky130_fd_sc_hd__inv_2)
					009 (net)
			0.03	2.59	^ _415_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.59	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
			0.08	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
			0.06	10.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.05	0.13	10.33	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
			0.05	10.33	^ _415_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.08	clock uncertainty
			0.00	10.08	clock reconvergence pessimism
			0.24	10.32	library recovery time
				10.32	data required time

				10.32	data required time
				-2.59	data arrival time

				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _416_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
			0.01	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.05	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)

		0.08	0.00	2.31	v	_356_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.22	2.52	v	_356_/X (sky130_fd_sc_hd__buf_4)
10	0.06					_200_ (net)
		0.08	0.00	2.52	v	_365_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.58	^	_365_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_010_ (net)
		0.03	0.00	2.58	^	_416_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.58		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.08	0.05	10.05	^	clk (in)
						clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.19	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.05	0.13	10.33	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
		0.05	0.00	10.33	^	_416_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.08			clock uncertainty
		0.00	10.08			clock reconvergence pessimism
		0.24	10.32			library recovery time
			10.32			data required time

				10.32		data required time
				-2.58		data arrival time

				7.73		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _417_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.08	0.00	2.31	v _356_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.08	0.22	2.52	v _356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
		0.08	0.00	2.52	v _366_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.58	^ _366_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_011_ (net)
		0.03	0.00	2.58	^ _417_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.58	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.05	0.13	10.33	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.05	0.00	10.33	^ _417_/CLK (sky130_fd_sc_hd__dftrtp_1)

-0.25	10.08	clock uncertainty
0.00	10.08	clock reconvergence pessimism
0.24	10.32	library recovery time
	10.32	data required time

10.32	data required time
-2.58	data arrival time

7.73	slack (MET)
------	-------------

Startpoint: rst (input port clocked by clk)
Endpoint: _413_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd_buf_4)
10	0.05	0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd_buf_4)
					199 (net)
		0.08	0.00	2.31	v _356_/A (sky130_fd_sc_hd_buf_4)
10	0.06	0.08	0.22	2.52	v _356_/X (sky130_fd_sc_hd_buf_4)
					200 (net)
		0.08	0.00	2.52	v _362_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.06	2.58	^ _362_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_007_ (net)
		0.03	0.00	2.58	^ _413_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.58	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.13	10.33	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.05	0.00	10.33	^ _413_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	10.08	clock uncertainty
			0.00	10.08	clock reconvergence pessimism
			0.24	10.32	library recovery time
				10.32	data required time
				10.32	data required time
				-2.58	data arrival time
				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _412_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)

			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.31	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.22	2.52	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)
		0.08	0.00	2.52	v _361_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.58	^ _361_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_006_ (net)
		0.03	0.00	2.58	^ _412_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.58	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.13	10.33	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.05	0.00	10.33	^ _412_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.08		clock uncertainty
		0.00	10.08		clock reconvergence pessimism
		0.24	10.32		library recovery time
			10.32		data required time

				10.32	data required time
				-2.58	data arrival time

				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _414_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.31	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.22	2.52	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)
		0.08	0.00	2.52	v _363_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.58	^ _363_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_008_ (net)
		0.03	0.00	2.58	^ _414_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.58	data arrival time
			10.00	10.00	clock clk (rise edge)

			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.13	10.33	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.05	0.00	10.33	^ _414_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.08		clock uncertainty
		0.00	10.08		clock reconvergence pessimism
		0.24	10.32		library recovery time
			10.32		data required time

				10.32	data required time
				-2.58	data arrival time

				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _410_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.31	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.22	2.52	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)
		0.08	0.00	2.52	v _359_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.58	^ _359_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_004_ (net)
		0.03	0.00	2.58	^ _410_/RESET_B (sky130_fd_sc_hd__dftrtp_2)
				2.58	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
14	0.04				^ _410_/CLK (sky130_fd_sc_hd__dftrtp_2)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		0.23	10.32		library recovery time
			10.32		data required time

				10.32	data required time
				-2.58	data arrival time

				7.73	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _425_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
			0.01	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.05	0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.08	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
10	0.07	0.08	0.00	2.31	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
			0.21	2.52	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
					201 (net)
1	0.00	0.08	0.00	2.52	v _375_/A (sky130_fd_sc_hd__inv_2)
			0.03	2.58	^ _375_/Y (sky130_fd_sc_hd__inv_2)
					019 (net)
		0.03	0.00	2.58	^ _425_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.58	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
			0.08	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
			0.06	10.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.05	0.13	10.33	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
			0.05	10.33	^ _425_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.08	clock uncertainty
			0.00	10.08	clock reconvergence pessimism
			0.24	10.32	library recovery time
				10.32	data required time

				10.32	data required time
				-2.58	data arrival time

				7.74	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _423_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
			0.01	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.05	0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.08	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)

		0.08	0.00	2.31	v	_367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.08	0.21	2.52	v	_367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07					_201_ (net)
		0.08	0.00	2.52	v	_373_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.58	^	_373_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_017_ (net)
		0.03	0.00	2.58	^	_423_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.58		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.08	0.05	10.05	^	clk (in)
						clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.19	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.05	0.13	10.33	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
		0.05	0.00	10.33	^	_423_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.08			clock uncertainty
		0.00	10.08			clock reconvergence pessimism
		0.24	10.32			library recovery time
			10.32			data required time

				10.32		data required time
				-2.58		data arrival time

				7.74		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _422_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.08	0.00	2.31	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
10	0.07	0.08	0.21	2.52	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
					201 (net)
		0.08	0.00	2.52	v _372_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.03	0.06	2.58	^ _372_/Y (sky130_fd_sc_hd__inv_2)
					016 (net)
		0.03	0.00	2.58	^ _422_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.58	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.05	0.13	10.33	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.05	0.00	10.33	^ _422_/CLK (sky130_fd_sc_hd__dftrtp_1)

-0.25	10.08	clock uncertainty
0.00	10.08	clock reconvergence pessimism
0.24	10.32	library recovery time
	10.32	data required time

10.32	data required time
-2.58	data arrival time

7.74	slack (MET)
------	-------------

Startpoint: rst (input port clocked by clk)
Endpoint: _427_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.31	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.08	0.21	2.52	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.08	0.00	2.52	v _377_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.06	2.58	^ _377_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_021_ (net)
		0.04	0.00	2.58	^ _427_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.58	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.33	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.06	0.00	10.33	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.08		clock uncertainty
		0.00	10.08		clock reconvergence pessimism
		0.24	10.32		library recovery time
			10.32		data required time
				10.32	data required time
				-2.58	data arrival time
				7.74	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _418_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)

			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.31	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.08	0.21	2.52	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.08	0.00	2.52	v _368_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.58	^ _368_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_012_ (net)
		0.03	0.00	2.58	^ _418_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.58	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.19	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.33	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	10.33	^ _418_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25		10.08	clock uncertainty
		0.00		10.08	clock reconvergence pessimism
		0.24		10.32	library recovery time
				10.32	data required time

				10.32	data required time
				-2.58	data arrival time

				7.74	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _419_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.31	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.08	0.21	2.52	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.08	0.00	2.52	v _369_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.58	^ _369_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_013_ (net)
		0.03	0.00	2.58	^ _419_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.58	data arrival time
			10.00	10.00	clock clk (rise edge)

			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.19	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.33	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	10.33	^ _419_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.08		clock uncertainty
		0.00	10.08		clock reconvergence pessimism
		0.24	10.32		library recovery time
			10.32		data required time

				10.32	data required time
				-2.58	data arrival time

				7.74	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _421_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.31	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.08	0.21	2.52	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.08	0.00	2.52	v _371_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.58	^ _371_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_015_ (net)
		0.03	0.00	2.58	^ _421_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.58	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.19	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.33	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	10.33	^ _421_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.08		clock uncertainty
		0.00	10.08		clock reconvergence pessimism
		0.24	10.32		library recovery time
			10.32		data required time

				10.32	data required time
				-2.58	data arrival time

				7.74	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _426_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.01	0.00	2.00 v	rst (in)
					rst (net)
			0.01	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.05	0.05	0.00	2.11 v	_355_/A (sky130_fd_sc_hd__buf_4)
			0.08	2.31 v	_355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
10	0.07	0.08	0.00	2.31 v	_367_/A (sky130_fd_sc_hd__clkbuf_8)
			0.21	2.52 v	_367_/X (sky130_fd_sc_hd__clkbuf_8)
					201 (net)
1	0.00	0.08	0.00	2.52 v	_376_/A (sky130_fd_sc_hd__inv_2)
			0.03	2.58 ^	_376_/Y (sky130_fd_sc_hd__inv_2)
					020 (net)
		0.03	0.00	2.58 ^	_426_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.58	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05 ^	clk (in)
					clk (net)
			0.08	10.05 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.19 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
			0.06	10.19 ^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	10.33 ^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
			0.06	10.33 ^	_426_/CLK (sky130_fd_sc_hd__dftrtp_1)
			-0.25	10.08	clock uncertainty
			0.00	10.08	clock reconvergence pessimism
			0.24	10.32	library recovery time
				10.32	data required time

				10.32	data required time
				-2.58	data arrival time

				7.74	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _420_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.01	0.00	2.00 v	rst (in)
					rst (net)
			0.01	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.05	0.05	0.00	2.11 v	_355_/A (sky130_fd_sc_hd__buf_4)
			0.08	2.31 v	_355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)

		0.08	0.00	2.31	v	_367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.08	0.21	2.52	v	_367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07					_201_ (net)
		0.08	0.00	2.52	v	_370_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.58	^	_370_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_014_ (net)
		0.03	0.00	2.58	^	_420_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.58		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.08	0.05	10.05	^	clk (in)
						clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.19	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	10.19	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	10.33	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3__leaf_clk (net)
		0.06	0.00	10.33	^	_420_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.08			clock uncertainty
		0.00	10.08			clock reconvergence pessimism
		0.24	10.32			library recovery time
			10.32			data required time

				10.32		data required time
				-2.58		data arrival time

				7.74		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _411_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.08	0.00	2.31	v _356_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.08	0.22	2.52	v _356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
		0.08	0.00	2.52	v _360_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.58	^ _360_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_005_ (net)
		0.03	0.00	2.58	^ _411_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.58	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.14	10.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.06	0.00	10.34	^ _411_/CLK (sky130_fd_sc_hd__dftrtp_1)

-0.25	10.09	clock uncertainty
0.00	10.09	clock reconvergence pessimism
0.24	10.33	library recovery time
	10.33	data required time

10.33	data required time
-2.58	data arrival time

7.74	slack (MET)
------	-------------

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _435_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.06	0.00	0.37	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.07	0.42	0.79	v _421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[13] (net)
		0.07	0.00	0.79	v _205_/A (sky130_fd_sc_hd_or4_1)
		0.09	0.56	1.35	v _205_/X (sky130_fd_sc_hd_or4_1)
1	0.00				_097_ (net)
		0.09	0.00	1.35	v _209_/A (sky130_fd_sc_hd_nor4_1)
		0.40	0.45	1.80	^ _209_/Y (sky130_fd_sc_hd_nor4_1)
2	0.01				_101_ (net)
		0.40	0.00	1.80	^ max_cap25/A (sky130_fd_sc_hd_buf_1)
		0.14	0.21	2.02	^ max_cap25/X (sky130_fd_sc_hd_buf_1)
3	0.01				net25 (net)
		0.14	0.00	2.02	^ _273_/A (sky130_fd_sc_hd_inv_2)
		0.04	0.05	2.07	v _273_/Y (sky130_fd_sc_hd_inv_2)
2	0.01				_144_ (net)
		0.04	0.00	2.07	v _274_/A2 (sky130_fd_sc_hd_a21oi_1)
		0.11	0.14	2.21	^ _274_/Y (sky130_fd_sc_hd_a21oi_1)
1	0.00				_075_ (net)
		0.11	0.00	2.21	^ _435_/D (sky130_fd_sc_hd_dfrtp_2)
				2.21	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.06	0.00	10.34	^ _435_/CLK (sky130_fd_sc_hd_dfrtp_2)
			-0.25	10.09	clock uncertainty
			0.02	10.11	clock reconvergence pessimism
			-0.08	10.03	library setup time
				10.03	data required time

				10.03	data required time
				-2.21	data arrival time

				7.82	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _436_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
			0.01	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.05	2.11	v _378_/A (sky130_fd_sc_hd__buf_4)
10	0.07	0.09	0.21	2.32	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
			0.09	2.32	v _387_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.04	0.07	2.39	^ _387_/Y (sky130_fd_sc_hd__inv_2)
					030 (net)
			0.04	2.39	^ _436_/SET_B (sky130_fd_sc_hd__dfstp_1)
				2.39	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
			0.08	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
			0.06	10.19	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	10.33	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
			0.06	10.33	^ _436_/CLK (sky130_fd_sc_hd__dfstp_1)
			-0.25	10.08	clock uncertainty
			0.00	10.08	clock reconvergence pessimism
			0.14	10.23	library recovery time
				10.23	data required time

				10.23	data required time
				-2.39	data arrival time

				7.84	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _435_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
			0.01	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.05	2.11	v _378_/A (sky130_fd_sc_hd__buf_4)
10	0.07	0.09	0.21	2.32	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
			0.09	2.32	v _386_/A (sky130_fd_sc_hd__inv_2)
			0.03	2.38	^ _386_/Y (sky130_fd_sc_hd__inv_2)

1	0.00	0.03	0.00	2.38	^	_029_ (net)
				2.38		_435_/RESET_B (sky130_fd_sc_hd__dfrtp_2)
				2.38		data arrival time
		10.00	10.00			clock clk (rise edge)
		0.00	10.00			clock source latency
		0.08	0.05	10.05	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.19	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04					clknet_2_0__leaf_clk (net)
		0.06	0.00	10.34	^	_435_/CLK (sky130_fd_sc_hd__dfrtp_2)
		-0.25	10.09			clock uncertainty
		0.00	10.09			clock reconvergence pessimism
		0.23	10.31			library recovery time
			10.31			data required time

				10.31		data required time
				-2.38		data arrival time

				7.93		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _433_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.09	0.21	2.32	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.09	0.00	2.32	v _384_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.07	2.39	^ _384_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_027_ (net)
		0.04	0.00	2.39	^ _433_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.39	data arrival time
		10.00	10.00		clock clk (rise edge)
		0.00	10.00		clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.33	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.06	0.00	10.33	^ _433_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.08		clock uncertainty
		0.00	10.08		clock reconvergence pessimism
		0.24	10.32		library recovery time
			10.32		data required time

				10.32	data required time
				-2.39	data arrival time

7.93 slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _434_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description	

1	0.00	0.01	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			2.00	2.00	v input external delay	
			2.00	2.00	v rst (in)	
					rst (net)	
			0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
						net2 (net)
			0.05	0.00	2.11	v _378_/A (sky130_fd_sc_hd__buf_4)
			0.09	0.21	2.32	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07			_202_ (net)		
		0.09	0.00	2.32	v _385_/A (sky130_fd_sc_hd__inv_2)	
1	0.00	0.04	0.06	2.38	^ _385_/Y (sky130_fd_sc_hd__inv_2)	
					028 (net)	
		0.04	0.00	2.38	^ _434_/RESET_B (sky130_fd_sc_hd__dftrtp_1)	
			2.38	data arrival time		

1	0.02	0.08	10.00	10.00	clock clk (rise edge)	
			0.00	10.00	clock source latency	
			0.05	10.05	^ clk (in)	
					clk (net)	
4	0.04	0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
12	0.04				clknet_0_clk (net)	
		0.06	0.00	10.20	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.06	0.14	10.33	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					clknet_2_1_leaf_clk (net)	
		0.06	0.00	10.33	^ _434_/CLK (sky130_fd_sc_hd__dftrtp_1)	
		-0.25	10.08	clock uncertainty		
		0.00	10.08	clock reconvergence pessimism		
		0.24	10.32	library recovery time		
			10.32	data required time		

				10.32	data required time	
				-2.38	data arrival time	

				7.94	slack (MET)	

Startpoint: rst (input port clocked by clk)
 Endpoint: _437_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
				2.11	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.07	0.05	0.10		net2 (net)
				2.11	v _378_/A (sky130_fd_sc_hd__buf_4)
				2.32	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
		0.09	0.00	2.32	v _388_/A (sky130_fd_sc_hd__inv_2)

1	0.00	0.04	0.06	2.39	^	_388_/Y (sky130_fd_sc_hd__inv_2)
		0.04	0.00	2.39	^	_031_ (net)
				2.39	^	_437_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.39		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.08	0.05	10.05	^	clk (in)
						clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.19	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	10.19	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	10.33	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3__leaf_clk (net)
		0.06	0.00	10.33	^	_437_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.08			clock uncertainty
		0.00	10.08			clock reconvergence pessimism
		0.24	10.32			library recovery time
			10.32			data required time

				10.32		data required time
				-2.39		data arrival time

				7.94		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _429_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.11	v _378_/A (sky130_fd_sc_hd__buf_4)
10	0.07	0.09	0.21	2.32	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
		0.09	0.00	2.32	v _380_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.04	0.07	2.39	^ _380_/Y (sky130_fd_sc_hd__inv_2)
					023 (net)
		0.04	0.00	2.39	^ _429_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.39	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.14	10.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.06	0.00	10.34	^ _429_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		0.24	10.32		library recovery time
			10.32		data required time

				10.32	data required time
				-2.39	data arrival time

7.94 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _431_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.11	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.09	0.21	2.32	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.09	0.00	2.32	v _382_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.07	2.39	^ _382_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_025_ (net)
		0.04	0.00	2.39	^ _431_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.39	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	10.34	^ _431_/CLK (sky130_fd_sc_hd__dfrtp_1)
			-0.25	10.09	clock uncertainty
			0.00	10.09	clock reconvergence pessimism
			0.24	10.33	library recovery time
				10.33	data required time

				10.33	data required time
				-2.39	data arrival time

				7.94	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _432_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.09	0.21	2.32	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)

		0.09	0.00	2.32	v	_383_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.06	2.38	^	_383_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_026_ (net)
		0.04	0.00	2.38	^	_432_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.38		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.08	0.05	10.05	^	clk (in)
						clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.19	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.14	10.34	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.06	0.00	10.34	^	_432_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.09			clock uncertainty
		0.00	10.09			clock reconvergence pessimism
		0.24	10.33			library recovery time
			10.33			data required time

				10.33		data required time
				-2.38		data arrival time

				7.94		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _430_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.11	v _378_/A (sky130_fd_sc_hd__buf_4)
10	0.07	0.09	0.21	2.32	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
		0.09	0.00	2.32	v _381_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.06	2.38	^ _381_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_024_ (net)
		0.04	0.00	2.38	^ _430_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.38	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.14	10.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.06	0.00	10.34	^ _430_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		0.24	10.33		library recovery time
			10.33		data required time

				10.33	data required time

-2.38 data arrival time

7.94 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _428_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description	
1	0.00	0.01	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			2.00	2.00	v input external delay	
			0.00	2.00	v rst (in)	
					rst (net)	
			0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
						net2 (net)
			0.05	0.00	2.11	v _378_/A (sky130_fd_sc_hd__buf_4)
			0.09	0.21	2.32	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07	0.09			_202_ (net)	
			0.09	0.00	2.32	v _379_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.04	0.06	2.38	^ _379_/Y (sky130_fd_sc_hd__inv_2)	
						022 (net)
		0.04	0.00	2.38	^ _428_/RESET_B (sky130_fd_sc_hd__dfrtp_1)	
				2.38		data arrival time
1	0.02	0.08	10.00	10.00	clock clk (rise edge)	
			0.00	10.00	clock source latency	
4	0.04	0.06	0.05	10.05	^ clk (in)	
						clk (net)
		0.06	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
			0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
		0.06			clknet_0_clk (net)	
			0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.14	10.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
						clknet_2_0__leaf_clk (net)
		0.06	0.00	10.34	^ _428_/CLK (sky130_fd_sc_hd__dfrtp_1)	
			-0.25	10.09	clock uncertainty	
			0.00	10.09	clock reconvergence pessimism	
			0.24	10.33	library recovery time	
				10.33	data required time	
				10.33	data required time	
				-2.38	data arrival time	
				7.94	slack (MET)	

Startpoint: rst (input port clocked by clk)
Endpoint: _443_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
1	0.00	0.01	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.05	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.08	0.00	2.11	v _389_/A (sky130_fd_sc_hd__buf_4)
			0.21	2.31	v _389_/X (sky130_fd_sc_hd__buf_4)

10	0.06					_203_ (net)
		0.08	0.00	2.31	v	_395_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.37	^	_395_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_037_ (net)
		0.03	0.00	2.37	^	_443_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.37		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.08	0.05	10.05	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.19	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.33	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.06	0.00	10.33	^	_443_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.08			clock uncertainty
		0.00	10.08			clock reconvergence pessimism
		0.24	10.32			library recovery time
			10.32			data required time

				10.32		data required time
				-2.37		data arrival time

				7.95		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _440_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11	v _389_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.21	2.31	v _389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
		0.08	0.00	2.31	v _392_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.38	^ _392_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_034_ (net)
		0.03	0.00	2.38	^ _440_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.38	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.19	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.33	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	10.33	^ _440_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.08		clock uncertainty
		0.00	10.08		clock reconvergence pessimism
		0.24	10.32		library recovery time
			10.32		data required time

10.32 data required time
-2.38 data arrival time

7.95 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _441_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description		

1	0.00	0.01	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
		0.05	2.00	2.00	v input external delay		
			0.00	2.00	v rst (in)		
		0.01	0.00		rst (net)		
			0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)	
		3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
							net2 (net)
		10	0.06	0.05	0.00	2.11	v _389_/A (sky130_fd_sc_hd__buf_4)
				0.08	0.21	2.31	v _389_/X (sky130_fd_sc_hd__buf_4)
1	0.00	0.08	0.00	2.31	v _203_ (net)		
			0.03	0.06	2.31	v _393_/A (sky130_fd_sc_hd__inv_2)	
		0.03	0.00	2.37	^ _393_/Y (sky130_fd_sc_hd__inv_2)		
						035 (net)	
		0.03	0.00	2.37	^ _441_/RESET_B (sky130_fd_sc_hd__dfrtp_1)		
					2.37	data arrival time	

		1	0.02	0.08	10.00	10.00	clock clk (rise edge)
					0.00	10.00	clock source latency
		4	0.04	0.06	0.05	10.05	^ clk (in)
						clk (net)	
12	0.04	0.06	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)		
			0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)		
12	0.04	0.06			clknet_0_clk (net)		
			0.00	10.20	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)		
		0.06	0.14	10.33	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)		
						clknet_2_1__leaf_clk (net)	
		0.06	0.00	10.33	^ _441_/CLK (sky130_fd_sc_hd__dfrtp_1)		
			-0.25	10.08	clock uncertainty		
		0.00	10.08	clock reconvergence pessimism			
			0.24	10.32	library recovery time		
				10.32	data required time		

				10.32	data required time		
				-2.37	data arrival time		

				7.95	slack (MET)		

Startpoint: rst (input port clocked by clk)
Endpoint: _444_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.01	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
3	0.01	0.05	0.00	2.00	v rst (in)
			0.00		rst (net)
			0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
			0.00		net2 (net)
			0.00	2.11	v _389_/A (sky130_fd_sc_hd__buf_4)

10	0.06	0.08	0.21	2.31	v _389_/X (sky130_fd_sc_hd_buf_4)
					203 (net)
1	0.00	0.08	0.00	2.31	v _396_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.06	2.37	^ _396_/Y (sky130_fd_sc_hd_inv_2)
					038 (net)
		0.03	0.00	2.37	^ _444_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.37	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.19	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.14	10.33	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
		0.06	0.00	10.33	^ _444_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.08		clock uncertainty
		0.00	10.08		clock reconvergence pessimism
		0.24	10.32		library recovery time
			10.32		data required time

			10.32		data required time
			-2.37		data arrival time

			7.95		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _445_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
		0.05	0.00	2.11	v _389_/A (sky130_fd_sc_hd_buf_4)
10	0.06	0.08	0.21	2.31	v _389_/X (sky130_fd_sc_hd_buf_4)
					203 (net)
		0.08	0.00	2.31	v _397_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.03	0.06	2.37	^ _397_/Y (sky130_fd_sc_hd_inv_2)
					039 (net)
		0.03	0.00	2.37	^ _445_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.37	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.14	10.33	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
		0.06	0.00	10.33	^ _445_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.08		clock uncertainty
		0.00	10.08		clock reconvergence pessimism
		0.24	10.32		library recovery time
			10.32		data required time

		10.32	data required time
		-2.37	data arrival time

		7.95	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _439_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.01	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00 v	input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.05	0.10	2.11 v	input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
		0.05	0.00	2.11 v	_389_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.21	2.31 v	_389_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_203_ (net)
		0.08	0.00	2.31 v	_391_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.06	2.37 ^	_391_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_033_ (net)
		0.03	0.00	2.37 ^	_439_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.37	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05 ^	clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05 ^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.19 ^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.19 ^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.33 ^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.06	0.00	10.33 ^	_439_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	10.08	clock uncertainty
			0.00	10.08	clock reconvergence pessimism
			0.24	10.32	library recovery time
				10.32	data required time

				10.32	data required time
				-2.37	data arrival time

				7.95	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _442_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.01	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00 v	input2/A (sky130_fd_sc_hd_buf_1)
		0.05	0.10	2.11 v	input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)

		0.05	0.00	2.11	v	_389_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.21	2.31	v	_389_/X (sky130_fd_sc_hd__buf_4)
10	0.06					_203_ (net)
		0.08	0.00	2.31	v	_394_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.37	^	_394_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_036_ (net)
		0.03	0.00	2.37	^	_442_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.37		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.08	0.05	10.05	^	clk (in)
						clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.19	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	10.33	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_1__leaf_clk (net)
		0.06	0.00	10.33	^	_442_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.08			clock uncertainty
		0.00	10.08			clock reconvergence pessimism
		0.24	10.32			library recovery time
			10.32			data required time

				10.32		data required time
				-2.37		data arrival time

				7.95		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _438_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.11	v _389_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.08	0.21	2.31	v _389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
		0.08	0.00	2.31	v _390_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.37	^ _390_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_032_ (net)
		0.03	0.00	2.37	^ _438_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.37	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.19	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	10.33	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.06	0.00	10.33	^ _438_/CLK (sky130_fd_sc_hd__dftrtp_1)
		-0.25	10.08		clock uncertainty
		0.00	10.08		clock reconvergence pessimism
		0.24	10.32		library recovery time

				10.32	data required time

				10.32	data required time
				-2.37	data arrival time

				7.95	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _446_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.11	v _389_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.08	0.21	2.31	v _389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
		0.08	0.00	2.31	v _398_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.37	^ _398_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_040_ (net)
		0.03	0.00	2.37	^ _446_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.37	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	10.33	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.06	0.00	10.33	^ _446_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.08		clock uncertainty
		0.00	10.08		clock reconvergence pessimism
		0.24	10.32		library recovery time
				10.32	data required time

				10.32	data required time
				-2.37	data arrival time

				7.95	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _447_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)

3	0.01				net2 (net)
		0.05	0.00	2.11	v _389_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.21	2.31	v _389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
		0.08	0.00	2.31	v _399_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.06	2.38	^ _399_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_041_ (net)
		0.04	0.00	2.38	^ _447_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.38	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	10.34	^ _447_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		0.24	10.32		library recovery time
			10.32		data required time

				10.32	data required time
				-2.38	data arrival time

				7.95	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _450_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.31	v _402_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.07	2.37	^ _402_/Y (sky130_fd_sc_hd__inv_2)
1	0.01				_044_ (net)
		0.04	0.00	2.37	^ _450_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.37	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	10.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	10.34	^ _450_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism

	0.24	10.32	library recovery time
		10.32	data required time

		10.32	data required time
		-2.37	data arrival time

		7.95	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _454_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.01	0.00	2.00 v	rst (in)
					rst (net)
			0.01	2.00 v	input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.05	0.10	2.11 v	input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
			0.05	2.11 v	_355_/A (sky130_fd_sc_hd_buf_4)
10	0.05	0.08	0.20	2.31 v	_355_/X (sky130_fd_sc_hd_buf_4)
					199 (net)
			0.08	2.31 v	_406_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.03	0.06	2.37 ^	_406_/Y (sky130_fd_sc_hd_inv_2)
					048 (net)
			0.03	2.37 ^	_454_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.37	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05 ^	clk (in)
					clk (net)
			0.08	10.05 ^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.15	10.19 ^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
			0.06	10.20 ^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.14	10.33 ^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
			0.06	10.33 ^	_454_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	10.08	clock uncertainty
			0.00	10.08	clock reconvergence pessimism
			0.24	10.32	library recovery time
				10.32	data required time

				10.32	data required time
				-2.37	data arrival time

				7.95	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _455_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.01	0.00	2.00 v	rst (in)
					rst (net)
			0.01	2.00 v	input2/A (sky130_fd_sc_hd_buf_1)

3	0.01	0.05	0.10	2.11	v	input2/X (sky130_fd_sc_hd_buf_1)
						net2 (net)
10	0.05	0.05	0.00	2.11	v	_355_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.20	2.31	v	_355_/X (sky130_fd_sc_hd_buf_4)
1	0.00					_199_ (net)
		0.08	0.00	2.31	v	_407_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.06	2.37	^	_407_/Y (sky130_fd_sc_hd_inv_2)
						049 (net)
		0.03	0.00	2.37	^	_455_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.37		data arrival time
1	0.02		10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
		0.08	0.05	10.05	^	clk (in)
4	0.04					clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.15	10.19	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.33	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_1_leaf_clk (net)
		0.06	0.00	10.33	^	_455_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.08			clock uncertainty
		0.00	10.08			clock reconvergence pessimism
		0.24	10.32			library recovery time
				10.32		data required time
				10.32		data required time
				-2.37		data arrival time
				7.95		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _452_ (recovery check against rising-edge clock clk)

Path Group: asynchronous

Path Type: max

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.01	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
10	0.05	0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd_buf_4)
1	0.00				_199_ (net)
		0.08	0.00	2.31	v _404_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.06	2.37	^ _404_/Y (sky130_fd_sc_hd_inv_2)
					046 (net)
		0.03	0.00	2.37	^ _452_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.37	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.33	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
		0.06	0.00	10.33	^ _452_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.08		clock uncertainty

0.00	10.08	clock reconvergence pessimism
0.24	10.32	library recovery time
	10.32	data required time

10.32	data required time
-2.37	data arrival time

7.95	slack (MET)
------	-------------

Startpoint: rst (input port clocked by clk)
 Endpoint: _453_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
			0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00 v	input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.05	0.10	2.11 v	input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
		0.05	0.00	2.11 v	_355_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.20	2.31 v	_355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.31 v	_405_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.06	2.36 ^	_405_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_047_ (net)
		0.03	0.00	2.36 ^	_453_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.36	data arrival time

			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
		0.08	0.05	10.05 ^	clk (in)
1	0.02				clk (net)
		0.08	0.00	10.05 ^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	10.19 ^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	10.20 ^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	10.33 ^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.06	0.00	10.33 ^	_453_/CLK (sky130_fd_sc_hd_dfrtp_1)
			-0.25	10.08	clock uncertainty
			0.00	10.08	clock reconvergence pessimism
			0.24	10.32	library recovery time
				10.32	data required time

				10.32	data required time
				-2.36	data arrival time

				7.96	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _451_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.01	0.00	2.00 v	rst (in)
1	0.00				rst (net)

		0.01	0.00	2.00	v	input2/A (sky130_fd_sc_hd_buf_1)
		0.05	0.10	2.11	v	input2/X (sky130_fd_sc_hd_buf_1)
3	0.01					net2 (net)
		0.05	0.00	2.11	v	_355_/A (sky130_fd_sc_hd_buf_4)
10	0.05	0.08	0.20	2.31	v	_355_/X (sky130_fd_sc_hd_buf_4)
						199 (net)
		0.08	0.00	2.31	v	_403_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.04	0.06	2.37	^	_403_/Y (sky130_fd_sc_hd_inv_2)
						045 (net)
		0.04	0.00	2.37	^	_451_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.37		data arrival time
			10.00	10.00		clock clk (rise edge)
			0.00	10.00		clock source latency
1	0.02	0.08	0.05	10.05	^	clk (in)
						clk (net)
		0.08	0.00	10.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.15	10.19	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	10.20	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.06	0.14	10.34	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.06	0.00	10.34	^	_451_/CLK (sky130_fd_sc_hd_dfrtp_1)
		-0.25	10.09			clock uncertainty
		0.00	10.09			clock reconvergence pessimism
		0.24	10.33			library recovery time
			10.33			data required time

				10.33		data required time
				-2.37		data arrival time

				7.96		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _449_ (recovery check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: max
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd_buf_4)
10	0.05	0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd_buf_4)
					199 (net)
		0.08	0.00	2.31	v _401_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.03	0.06	2.37	^ _401_/Y (sky130_fd_sc_hd_inv_2)
					043 (net)
		0.03	0.00	2.37	^ _449_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.37	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.06	0.14	10.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.06	0.00	10.34	^ _449_/CLK (sky130_fd_sc_hd_dfrtp_1)

-0.25	10.09	clock uncertainty
0.00	10.09	clock reconvergence pessimism
0.24	10.33	library recovery time
	10.33	data required time

10.33	data required time
-2.37	data arrival time

7.96	slack (MET)
------	-------------

Startpoint: rst (input port clocked by clk)
Endpoint: _448_ (recovery check against rising-edge clock clk)
Path Group: asynchronous
Path Type: max
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.10	2.11	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.11	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.08	0.20	2.31	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.08	0.00	2.31	v _400_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.37	^ _400_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_042_ (net)
		0.03	0.00	2.37	^ _448_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.37	data arrival time
			10.00	10.00	clock clk (rise edge)
			0.00	10.00	clock source latency
1	0.02	0.08	0.05	10.05	^ clk (in)
					clk (net)
		0.08	0.00	10.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	10.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	10.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.14	10.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.06	0.00	10.34	^ _448_/CLK (sky130_fd_sc_hd__dfrtp_1)
		-0.25	10.09		clock uncertainty
		0.00	10.09		clock reconvergence pessimism
		0.24	10.33		library recovery time
			10.33		data required time
				10.33	data required time
				-2.37	data arrival time
				7.96	slack (MET)

FF CORNER

rcx_min_sta.min.rpt

=====
report_checks -path_delay min (Hold)
=====
===== Fastest Corner =====

Startpoint: _415_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _415_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.04	0.09	0.23	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.04	0.00	0.23	^ _415_/CLK (sky130_fd_sc_hd__dfrtp_1)
3	0.01	0.07	0.22	0.45	^ _415_/Q (sky130_fd_sc_hd__dfrtp_1)
					clk_count[7] (net)
		0.07	0.00	0.45	^ _332_/S (sky130_fd_sc_hd__mux2_1)
1	0.00	0.03	0.08	0.53	^ _332_/X (sky130_fd_sc_hd__mux2_1)
					185 (net)
		0.03	0.00	0.53	^ _333_/A (sky130_fd_sc_hd__clkbuf_1)
		0.03	0.05	0.58	^ _333_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_057_ (net)
		0.03	0.00	0.58	^ _415_/D (sky130_fd_sc_hd__dfrtp_1)
				0.58	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.04	0.10	0.25	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.04	0.00	0.25	^ _415_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.50	clock uncertainty
		-0.02	0.48		clock reconvergence pessimism
		-0.02	0.46		library hold time
			0.46		data required time

				0.46	data required time

				-0.58	data arrival time

				0.12	slack (MET)

Startpoint: _449_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _431_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)

		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.23	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.23	^ _449_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.07	0.22	0.46	^ _449_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				rx_shift[5] (net)
		0.07	0.00	0.46	^ _283_/A0 (sky130_fd_sc_hd_mux2_1)
		0.03	0.08	0.54	^ _283_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_150_ (net)
		0.03	0.00	0.54	^ _284_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.05	0.58	^ _284_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_071_ (net)
		0.03	0.00	0.58	^ _431_/D (sky130_fd_sc_hd_dfrtp_1)
				0.58	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^ _431_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.25	0.51		clock uncertainty
		-0.02	0.49		clock reconvergence pessimism
		-0.02	0.47		library hold time
			0.47		data required time

				0.47	data required time
				-0.58	data arrival time

				0.12	slack (MET)

Startpoint: _447_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _429_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.23	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.23	^ _447_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.07	0.23	0.46	^ _447_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				rx_shift[3] (net)
		0.07	0.00	0.46	^ _287_/A0 (sky130_fd_sc_hd_mux2_1)
		0.03	0.08	0.54	^ _287_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_152_ (net)
		0.03	0.00	0.54	^ _288_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.05	0.58	^ _288_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_069_ (net)
		0.03	0.00	0.58	^ _429_/D (sky130_fd_sc_hd_dfrtp_1)
				0.58	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^ _429_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51	clock uncertainty
			-0.02	0.48	clock reconvergence pessimism
			-0.02	0.47	library hold time
				0.47	data required time

				0.47	data required time
				-0.58	data arrival time

				0.12	slack (MET)

Startpoint: _428_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _428_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.23	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.24	^ _428_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.07	0.22	0.46	^ _428_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net18 (net)
		0.07	0.00	0.46	^ _289_/A1 (sky130_fd_sc_hd_mux2_1)
		0.03	0.08	0.54	^ _289_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_153_ (net)
		0.03	0.00	0.54	^ _290_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.05	0.58	^ _290_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_068_ (net)
		0.03	0.00	0.58	^ _428_/D (sky130_fd_sc_hd_dfrtp_1)
				0.58	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^ _428_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51	clock uncertainty
			-0.02	0.49	clock reconvergence pessimism
			-0.02	0.47	library hold time
				0.47	data required time

				0.47	data required time
				-0.58	data arrival time

0.12 slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.10	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.05	0.10		clknet_0_clk (net)
				0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.23	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
4	0.02	0.05	0.27	0.24	^ _435_/CLK (sky130_fd_sc_hd__dfrtp_2)
				0.50	v _435_/Q (sky130_fd_sc_hd__dfrtp_2)
2	0.01	0.06	0.00		net24 (net)
				0.50	v _235_/A (sky130_fd_sc_hd__inv_2)
				0.55	^ _235_/Y (sky130_fd_sc_hd__inv_2)
					123 (net)
1	0.00	0.03	0.03	0.55	^ _274_/A1 (sky130_fd_sc_hd__a21oi_1)
				0.58	v _274_/Y (sky130_fd_sc_hd__a21oi_1)
					075 (net)
				0.58	v _435_/D (sky130_fd_sc_hd__dfrtp_2)
				0.58	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.11	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.05	0.11		clknet_0_clk (net)
				0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^ _435_/CLK (sky130_fd_sc_hd__dfrtp_2)
			0.25	0.51	clock uncertainty
			-0.02	0.49	clock reconvergence pessimism
			-0.03	0.46	library hold time
				0.46	data required time

				0.46	data required time
				-0.58	data arrival time

				0.12	slack (MET)

Startpoint: _423_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _423_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)

4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.09	0.23	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.04	0.00	0.23	^ _423_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.05	0.24	0.47	v _423_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[15] (net)
		0.05	0.00	0.47	v _295_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	0.51	^ _295_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_156_ (net)
		0.03	0.00	0.51	^ _303_/A1 (sky130_fd_sc_hd_o31a_1)
		0.03	0.08	0.58	^ _303_/X (sky130_fd_sc_hd_o31a_1)
1	0.00				_065_ (net)
		0.03	0.00	0.58	^ _423_/D (sky130_fd_sc_hd_dfrtp_1)
				0.58	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	0.25	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.04	0.00	0.25	^ _423_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.50	clock uncertainty
		-0.02	0.48		clock reconvergence pessimism
		-0.02	0.46		library hold time
			0.46		data required time

			0.46		data required time
			-0.58		data arrival time

			0.12		slack (MET)

Startpoint: _453_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _453_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.09	0.23	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.04	0.00	0.23	^ _453_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.08	0.23	0.46	^ _453_/Q (sky130_fd_sc_hd_dfrtp_1)
4	0.01				bit_count[1] (net)
		0.08	0.00	0.46	^ _229_/A0 (sky130_fd_sc_hd_mux2_1)
		0.03	0.08	0.54	^ _229_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_119_ (net)
		0.03	0.00	0.54	^ _230_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.05	0.59	^ _230_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_093_ (net)
		0.03	0.00	0.59	^ _453_/D (sky130_fd_sc_hd_dfrtp_1)
				0.59	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency

		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	0.26	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.04	0.00	0.26	^ _453_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51	clock uncertainty
		-0.02	0.48		clock reconvergence pessimism
		-0.02	0.46		library hold time
			0.46		data required time

				0.46	data required time
				-0.59	data arrival time

				0.13	slack (MET)

Startpoint: _419_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _419_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	0.23	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.04	0.00	0.23	^ _419_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.08	0.23	0.46	^ _419_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[11] (net)
		0.08	0.00	0.46	^ _317_/S (sky130_fd_sc_hd_mux2_1)
		0.03	0.08	0.54	^ _317_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_174_ (net)
		0.03	0.00	0.54	^ _318_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.05	0.59	^ _318_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_061_ (net)
		0.03	0.00	0.59	^ _419_/D (sky130_fd_sc_hd_dfrtp_1)
				0.59	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.11	0.26	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.04	0.00	0.26	^ _419_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51	clock uncertainty
		-0.02	0.48		clock reconvergence pessimism
		-0.02	0.46		library hold time
			0.46		data required time

				0.46	data required time
				-0.59	data arrival time

				0.13	slack (MET)

Startpoint: _411_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _411_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.10	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.05	0.10		clknet_0_clk (net)
				0.14	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.23	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)
4	0.01	0.05	0.10	0.24	^ _411_/CLK (sky130_fd_sc_hd_dfrtp_1)
				0.48	^ _411_/Q (sky130_fd_sc_hd_dfrtp_1)
1	0.00	0.10	0.06		clk_count[3] (net)
				0.48	^ _345_/B1 (sky130_fd_sc_hd_a41o_1)
1	0.00	0.03	0.06	0.54	^ _345_/X (sky130_fd_sc_hd_a41o_1)
					194 (net)
1	0.00	0.03	0.06	0.54	^ _346_/B1 (sky130_fd_sc_hd_o31a_1)
				0.60	^ _346_/X (sky130_fd_sc_hd_o31a_1)
					053 (net)
				0.60	^ _411_/D (sky130_fd_sc_hd_dfrtp_1)
				0.60	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.11	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.05	0.11		clknet_0_clk (net)
				0.15	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.26	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)
				0.26	^ _411_/CLK (sky130_fd_sc_hd_dfrtp_1)
				0.25	clock uncertainty
			-0.02	0.49	clock reconvergence pessimism
			-0.02	0.47	library hold time
				0.47	data required time

				0.47	data required time
				-0.60	data arrival time

				0.13	slack (MET)

Startpoint: _450_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _432_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.10	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.00	0.14	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)

		0.05	0.10	0.23	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04					clknet_2_0__leaf_clk (net)
		0.05	0.00	0.23	^	_450_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.09	0.23	0.47	^	_450_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01					rx_shift[6] (net)
		0.09	0.00	0.47	^	_281_/A0 (sky130_fd_sc_hd__mux2_1)
		0.03	0.08	0.55	^	_281_/X (sky130_fd_sc_hd__mux2_1)
1	0.00					_149_ (net)
		0.03	0.00	0.55	^	_282_/A (sky130_fd_sc_hd__clkbuf_1)
		0.03	0.05	0.60	^	_282_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00					_072_ (net)
		0.03	0.00	0.60	^	_432_/D (sky130_fd_sc_hd__dfrtp_1)
				0.60		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.06	0.04	0.04	^	clk (in)
1	0.02					clk (net)
		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	0.15	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04					clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^	_432_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51		clock uncertainty
		-0.02		0.49		clock reconvergence pessimism
		-0.02		0.47		library hold time
				0.47		data required time

				0.47		data required time
				-0.60		data arrival time

				0.13		slack (MET)

Startpoint: _409_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _409_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.09	0.23	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.04	0.00	0.23	^ _409_/CLK (sky130_fd_sc_hd__dfrtp_4)
		0.07	0.27	0.50	^ _409_/Q (sky130_fd_sc_hd__dfrtp_4)
7	0.02				clk_count[1] (net)
		0.07	0.00	0.50	^ _350_/C1 (sky130_fd_sc_hd__o211a_1)
		0.04	0.07	0.57	^ _350_/X (sky130_fd_sc_hd__o211a_1)
1	0.00				_197_ (net)
		0.04	0.00	0.57	^ _351_/B (sky130_fd_sc_hd__nor2_1)
		0.02	0.02	0.59	v _351_/Y (sky130_fd_sc_hd__nor2_1)
1	0.00				_051_ (net)
		0.02	0.00	0.59	v _409_/D (sky130_fd_sc_hd__dfrtp_4)
				0.59	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)

		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	0.25	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.04	0.00	0.25	^ _409_/CLK (sky130_fd_sc_hd_dfrtp_4)
			0.25	0.50	clock uncertainty
		-0.02	0.48		clock reconvergence pessimism
		-0.02	0.46		library hold time
			0.46		data required time

				0.46	data required time
				-0.59	data arrival time

				0.13	slack (MET)

Startpoint: _430_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _430_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.23	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.24	^ _430_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.09	0.24	0.47	^ _430_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net20 (net)
		0.09	0.00	0.47	^ _285_/A1 (sky130_fd_sc_hd_mux2_1)
		0.03	0.08	0.55	^ _285_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_151_ (net)
		0.03	0.00	0.55	^ _286_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.05	0.60	^ _286_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_070_ (net)
		0.03	0.00	0.60	^ _430_/D (sky130_fd_sc_hd_dfrtp_1)
				0.60	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^ _430_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51	clock uncertainty
		-0.02	0.49		clock reconvergence pessimism
		-0.02	0.47		library hold time
				0.47	data required time

				0.47	data required time
				-0.60	data arrival time

				0.13	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.10	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.05	0.10		clknet_0_clk (net)
				0.14	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.23	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
				0.23	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
				0.47	^ _421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[13] (net)
				0.47	^ _309_/S (sky130_fd_sc_hd_mux2_1)
1	0.00			0.55	^ _309_/X (sky130_fd_sc_hd_mux2_1)
					168 (net)
1	0.00			0.55	^ _310_/A (sky130_fd_sc_hd_clkbuf_1)
				0.60	^ _310_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_063_ (net)
				0.60	^ _421_/D (sky130_fd_sc_hd_dfrtp_1)
				0.60	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.11	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.05	0.11		clknet_0_clk (net)
				0.15	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.26	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
				0.26	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
				0.25	clock uncertainty
			-0.02	0.48	clock reconvergence pessimism
			-0.02	0.46	library hold time
				0.46	data required time

				0.46	data required time
				-0.60	data arrival time

				0.13	slack (MET)

Startpoint: _434_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _434_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.10	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.05	0.09		clknet_0_clk (net)
				0.14	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.23	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)

		0.04	0.00	0.23	^	_434_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.08	0.23	0.46	^	_434_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01					net15 (net)
		0.08	0.00	0.46	^	_277_/A1 (sky130_fd_sc_hd_mux2_1)
		0.04	0.09	0.55	^	_277_/X (sky130_fd_sc_hd_mux2_1)
1	0.00					_147_ (net)
		0.04	0.00	0.55	^	_278_/A (sky130_fd_sc_hd_clkbuf_1)
		0.04	0.05	0.60	^	_278_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00					_074_ (net)
		0.04	0.00	0.60	^	_434_/D (sky130_fd_sc_hd_dfrtp_1)
				0.60		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.06	0.04	0.04	^	clk (in)
1	0.02					clk (net)
		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	0.15	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	0.26	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1_leaf_clk (net)
		0.04	0.00	0.26	^	_434_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51		clock uncertainty
			-0.02	0.48		clock reconvergence pessimism
			-0.02	0.46		library hold time
				0.46		data required time

				0.46		data required time
				-0.60		data arrival time

				0.14		slack (MET)

Startpoint: _413_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _413_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.09	0.23	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.04	0.00	0.23	^ _413_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.09	0.24	0.47	^ _413_/Q (sky130_fd_sc_hd_dfrtp_1)
4	0.01				clk_count[5] (net)
		0.09	0.00	0.47	^ _339_/S (sky130_fd_sc_hd_mux2_1)
		0.03	0.08	0.55	^ _339_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_190_ (net)
		0.03	0.00	0.55	^ _340_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.05	0.60	^ _340_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_055_ (net)
		0.03	0.00	0.60	^ _413_/D (sky130_fd_sc_hd_dfrtp_1)
				0.60	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)

4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	0.25	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.04	0.00	0.25	^ _413_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.50	clock uncertainty
			-0.02	0.48	clock reconvergence pessimism
			-0.02	0.46	library hold time
				0.46	data required time

				0.46	data required time
				-0.60	data arrival time

				0.14	slack (MET)

Startpoint: _452_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _452_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.09	0.23	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.04	0.00	0.23	^ _452_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.10	0.24	0.47	^ _452_/Q (sky130_fd_sc_hd_dfrtp_1)
5	0.01				bit_count[0] (net)
		0.10	0.00	0.47	^ _233_/A0 (sky130_fd_sc_hd_mux2_1)
		0.03	0.08	0.56	^ _233_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_122_ (net)
		0.03	0.00	0.56	^ _234_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.05	0.60	^ _234_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_092_ (net)
		0.03	0.00	0.60	^ _452_/D (sky130_fd_sc_hd_dfrtp_1)
				0.60	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	0.26	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.04	0.00	0.26	^ _452_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51	clock uncertainty
			-0.02	0.48	clock reconvergence pessimism
			-0.02	0.46	library hold time
				0.46	data required time

				0.46	data required time
				-0.60	data arrival time

				0.14	slack (MET)

Startpoint: _453_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _454_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description	

			0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
1	0.02	0.06	0.04	0.04	^ clk (in)	
					clk (net)	
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
12	0.04				clknet_0_clk (net)	
		0.05	0.00	0.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.04	0.09	0.23	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
4	0.01				clknet_2_1__leaf_clk (net)	
		0.04	0.00	0.23	^ _453_/CLK (sky130_fd_sc_hd__dfrrtp_1)	
2	0.01	0.08	0.23	0.46	^ _453_/Q (sky130_fd_sc_hd__dfrrtp_1)	
					bit_count[1] (net)	
1	0.00	0.08	0.00	0.46	^ _224_/A (sky130_fd_sc_hd__nand2_1)	
		0.04	0.04	0.50	v _224_/Y (sky130_fd_sc_hd__nand2_1)	
1	0.00				_115_ (net)	
		0.04	0.00	0.50	v _225_/B (sky130_fd_sc_hd__nand2_1)	
1	0.00	0.02	0.04	0.54	^ _225_/Y (sky130_fd_sc_hd__nand2_1)	
					116 (net)	
1	0.00	0.02	0.00	0.54	^ _226_/B2 (sky130_fd_sc_hd__a2bb2o_1)	
		0.03	0.07	0.61	^ _226_/X (sky130_fd_sc_hd__a2bb2o_1)	
1	0.00				_094_ (net)	
		0.03	0.00	0.61	^ _454_/D (sky130_fd_sc_hd__dfrrtp_1)	
			0.61		data arrival time	

			0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
1	0.02	0.06	0.04	0.04	^ clk (in)	
					clk (net)	
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
12	0.04				clknet_0_clk (net)	
		0.05	0.00	0.15	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.04	0.10	0.26	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					clknet_2_1__leaf_clk (net)	
		0.04	0.00	0.26	^ _454_/CLK (sky130_fd_sc_hd__dfrrtp_1)	
				0.25	clock uncertainty	
				-0.02	clock reconvergence pessimism	
				-0.02	library hold time	
				0.46	data required time	
				0.46	data required time	
				-0.61	data arrival time	

				0.46	data required time	
				-0.61	data arrival time	

				0.14	slack (MET)	

Startpoint: _410_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _410_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.23	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)

14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.24	^ _410_/CLK (sky130_fd_sc_hd__dfrtp_2)
		0.08	0.25	0.48	^ _410_/Q (sky130_fd_sc_hd__dfrtp_2)
6	0.02				clk_count[2] (net)
		0.08	0.00	0.48	^ _347_/B1 (sky130_fd_sc_hd__a21o_1)
		0.03	0.05	0.53	^ _347_/X (sky130_fd_sc_hd__a21o_1)
1	0.00				_195_ (net)
		0.03	0.00	0.53	^ _348_/A3 (sky130_fd_sc_hd__a32o_1)
		0.03	0.08	0.61	^ _348_/X (sky130_fd_sc_hd__a32o_1)
1	0.00				_052_ (net)
		0.03	0.00	0.61	^ _410_/D (sky130_fd_sc_hd__dfrtp_2)
				0.61	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^ _410_/CLK (sky130_fd_sc_hd__dfrtp_2)
			0.25	0.51	clock uncertainty
		-0.02	0.49		clock reconvergence pessimism
		-0.02	0.47		library hold time
			0.47		data required time

				0.47	data required time
				-0.61	data arrival time

				0.15	slack (MET)

Startpoint: _440_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _441_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	0.23	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.04	0.00	0.23	^ _440_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.04	0.20	0.43	^ _440_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.00				tx_shift[3] (net)
		0.04	0.00	0.43	^ _254_/A1 (sky130_fd_sc_hd__mux2_1)
		0.03	0.07	0.51	^ _254_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_132_ (net)
		0.03	0.00	0.51	^ _255_/A1 (sky130_fd_sc_hd__mux2_1)
		0.03	0.07	0.58	^ _255_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_133_ (net)
		0.03	0.00	0.58	^ _256_/A (sky130_fd_sc_hd__clkbuf_1)
		0.03	0.05	0.62	^ _256_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_081_ (net)
		0.03	0.00	0.62	^ _441_/D (sky130_fd_sc_hd__dfrtp_1)
				0.62	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency

		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	0.26	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.04	0.00	0.26	^ _441_/CLK (sky130_fd_sc_hd_dfrrtp_1)
			0.25	0.51	clock uncertainty
		-0.01	0.49		clock reconvergence pessimism
		-0.02	0.47		library hold time
			0.47		data required time

				0.47	data required time
				-0.62	data arrival time

				0.15	slack (MET)

Startpoint: _422_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _422_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.09	0.23	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.04	0.00	0.23	^ _422_/CLK (sky130_fd_sc_hd_dfrrtp_1)
		0.08	0.23	0.46	^ _422_/Q (sky130_fd_sc_hd_dfrrtp_1)
4	0.01				clk_count[14] (net)
		0.08	0.00	0.46	^ _301_/A1 (sky130_fd_sc_hd_a21oi_1)
		0.04	0.05	0.50	v _301_/Y (sky130_fd_sc_hd_a21oi_1)
2	0.01				_162_ (net)
		0.04	0.00	0.50	v _305_/A2 (sky130_fd_sc_hd_o21a_1)
		0.02	0.10	0.60	v _305_/X (sky130_fd_sc_hd_o21a_1)
1	0.00				_064_ (net)
		0.02	0.00	0.60	v _422_/D (sky130_fd_sc_hd_dfrrtp_1)
				0.60	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	0.25	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.04	0.00	0.25	^ _422_/CLK (sky130_fd_sc_hd_dfrrtp_1)
			0.25	0.50	clock uncertainty
		-0.02	0.48		clock reconvergence pessimism
		-0.03	0.45		library hold time
			0.45		data required time

				0.45	data required time
				-0.60	data arrival time

				0.15	slack (MET)

Startpoint: _437_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _438_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.10	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.10	0.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.23	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
2	0.00	0.04	0.20	0.23	^ _437_/CLK (sky130_fd_sc_hd__dfrtp_1)
				0.43	^ _437_/Q (sky130_fd_sc_hd__dfrtp_1)
					tx_shift[0] (net)
1	0.00	0.04	0.07	0.43	^ _263_/A1 (sky130_fd_sc_hd__mux2_1)
				0.51	^ _263_/X (sky130_fd_sc_hd__mux2_1)
					138 (net)
1	0.00	0.03	0.07	0.51	^ _264_/A1 (sky130_fd_sc_hd__mux2_1)
				0.57	^ _264_/X (sky130_fd_sc_hd__mux2_1)
					139 (net)
1	0.00	0.03	0.05	0.57	^ _265_/A (sky130_fd_sc_hd__clkbuf_1)
				0.62	^ _265_/X (sky130_fd_sc_hd__clkbuf_1)
					078 (net)
					^ _438_/D (sky130_fd_sc_hd__dfrtp_1)
				0.62	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.11	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.11	0.15	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
					^ _438_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			-0.02	0.48	clock reconvergence pessimism
			-0.02	0.46	library hold time
				0.46	data required time

				0.46	data required time
				-0.62	data arrival time

				0.16	slack (MET)

Startpoint: _442_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _443_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
					^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)

		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.09	0.23	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.04	0.00	0.23	^ _442_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.05	0.20	0.43	^ _442_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				tx_shift[5] (net)
		0.05	0.00	0.43	^ _248_/A1 (sky130_fd_sc_hd_mux2_1)
		0.03	0.07	0.51	^ _248_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_128_ (net)
		0.03	0.00	0.51	^ _249_/A1 (sky130_fd_sc_hd_mux2_1)
		0.03	0.07	0.58	^ _249_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_129_ (net)
		0.03	0.00	0.58	^ _250_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.05	0.62	^ _250_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_083_ (net)
		0.03	0.00	0.62	^ _443_/D (sky130_fd_sc_hd_dfrtp_1)
				0.62	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	0.26	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.04	0.00	0.26	^ _443_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51	clock uncertainty
		-0.02	0.48		clock reconvergence pessimism
		-0.02	0.46		library hold time
			0.46		data required time

				0.46	data required time
				-0.62	data arrival time

				0.16	slack (MET)

Startpoint: _438_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _439_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	0.23	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.04	0.00	0.23	^ _438_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.05	0.20	0.44	^ _438_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				tx_shift[1] (net)
		0.05	0.00	0.44	^ _260_/A1 (sky130_fd_sc_hd_mux2_1)
		0.03	0.07	0.51	^ _260_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_136_ (net)
		0.03	0.00	0.51	^ _261_/A1 (sky130_fd_sc_hd_mux2_1)
		0.03	0.07	0.58	^ _261_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_137_ (net)
		0.03	0.00	0.58	^ _262_/A (sky130_fd_sc_hd_clkbuf_1)

1	0.00	0.03	0.05	0.63	^	_262_/X (sky130_fd_sc_hd__clkbuf_1)
		0.03	0.00	0.63	^	_079_ (net)
				0.63	^	_439_/D (sky130_fd_sc_hd__dfrtp_1)
				0.63		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.06	0.04	0.04	^	clk (in)
						clk (net)
		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.15	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	0.15	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.04	0.11	0.26	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3__leaf_clk (net)
		0.04	0.00	0.26	^	_439_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51		clock uncertainty
		-0.02		0.48		clock reconvergence pessimism
		-0.02		0.46		library hold time
				0.46		data required time

				0.46		data required time
				-0.63		data arrival time

				0.16		slack (MET)

Startpoint: _418_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _418_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.04	0.10	0.23	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.04	0.00	0.23	^ _418_/CLK (sky130_fd_sc_hd__dfrtp_1)
4	0.01	0.09	0.23	0.47	^ _418_/Q (sky130_fd_sc_hd__dfrtp_1)
					clk_count[10] (net)
		0.09	0.00	0.47	^ _319_/B1 (sky130_fd_sc_hd__a21o_1)
1	0.00	0.03	0.05	0.52	^ _319_/X (sky130_fd_sc_hd__a21o_1)
					175 (net)
		0.03	0.00	0.52	^ _320_/B (sky130_fd_sc_hd__and2_1)
1	0.00	0.03	0.07	0.58	^ _320_/X (sky130_fd_sc_hd__and2_1)
					176 (net)
		0.03	0.00	0.58	^ _321_/A (sky130_fd_sc_hd__clkbuf_1)
		0.03	0.05	0.63	^ _321_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_060_ (net)
		0.03	0.00	0.63	^ _418_/D (sky130_fd_sc_hd__dfrtp_1)
				0.63	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.04	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)

0.04	0.00	0.26	^	_418_/CLK (sky130_fd_sc_hd__dfrtp_1)
	0.25	0.51		clock uncertainty
	-0.02	0.48		clock reconvergence pessimism
	-0.02	0.46		library hold time
		0.46		data required time

		0.46		data required time
		-0.63		data arrival time

		0.17		slack (MET)

Startpoint: _439_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _440_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	0.23	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.04	0.00	0.23	^ _439_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.05	0.21	0.44	^ _439_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				tx_shift[2] (net)
		0.05	0.00	0.44	^ _257_/A1 (sky130_fd_sc_hd__mux2_1)
		0.03	0.07	0.51	^ _257_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_134_ (net)
		0.03	0.00	0.51	^ _258_/A1 (sky130_fd_sc_hd__mux2_1)
		0.03	0.07	0.58	^ _258_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_135_ (net)
		0.03	0.00	0.58	^ _259_/A (sky130_fd_sc_hd__clkbuf_1)
		0.03	0.05	0.63	^ _259_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_080_ (net)
		0.03	0.00	0.63	^ _440_/D (sky130_fd_sc_hd__dfrtp_1)
				0.63	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.04	0.00	0.26	^ _440_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.25		0.51	clock uncertainty
		-0.02		0.48	clock reconvergence pessimism
		-0.02		0.46	library hold time
				0.46	data required time

				0.46	data required time
				-0.63	data arrival time

				0.17	slack (MET)

Startpoint: _441_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _442_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk

Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.04	0.09	0.23	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
		0.04	0.00	0.23	^ _441_/CLK (sky130_fd_sc_hd_dfrtp_1)
2	0.01	0.05	0.21	0.44	^ _441_/Q (sky130_fd_sc_hd_dfrtp_1)
					tx_shift[4] (net)
		0.05	0.00	0.44	^ _251_/A1 (sky130_fd_sc_hd_mux2_1)
1	0.00	0.03	0.07	0.51	^ _251_/X (sky130_fd_sc_hd_mux2_1)
					130 (net)
		0.03	0.00	0.51	^ _252_/A1 (sky130_fd_sc_hd_mux2_1)
1	0.00	0.03	0.07	0.58	^ _252_/X (sky130_fd_sc_hd_mux2_1)
					131 (net)
		0.03	0.00	0.58	^ _253_/A (sky130_fd_sc_hd_clkbuf_1)
1	0.00	0.03	0.05	0.63	^ _253_/X (sky130_fd_sc_hd_clkbuf_1)
					082 (net)
		0.03	0.00	0.63	^ _442_/D (sky130_fd_sc_hd_dfrtp_1)
				0.63	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.04	0.10	0.26	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
		0.04	0.00	0.26	^ _442_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.25	0.51		clock uncertainty
		-0.02	0.48		clock reconvergence pessimism
		-0.02	0.46		library hold time
			0.46		data required time

				0.46	data required time
				-0.63	data arrival time

				0.17	slack (MET)

Startpoint: _408_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _408_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.05	0.10	0.23	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)

		0.05	0.00	0.24	^	_408_/CLK (sky130_fd_sc_hd_dfrtp_4)
		0.08	0.28	0.51	^	_408_/Q (sky130_fd_sc_hd_dfrtp_4)
8	0.03					clk_count[0] (net)
		0.08	0.00	0.51	^	_352_/S (sky130_fd_sc_hd_mux2_1)
		0.03	0.08	0.59	^	_352_/X (sky130_fd_sc_hd_mux2_1)
1	0.00					_198_ (net)
		0.03	0.00	0.59	^	_353_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.05	0.64	^	_353_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00					_050_ (net)
		0.03	0.00	0.64	^	_408_/D (sky130_fd_sc_hd_dfrtp_4)
				0.64		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.06	0.04	0.04	^	clk (in)
						clk (net)
		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.05	0.11	0.15	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	0.15	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.05	0.11	0.26	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^	_408_/CLK (sky130_fd_sc_hd_dfrtp_4)
			0.25	0.51		clock uncertainty
		-0.02		0.49		clock reconvergence pessimism
		-0.02		0.47		library hold time
				0.47		data required time

				0.47		data required time
				-0.64		data arrival time

				0.18		slack (MET)

Startpoint: _414_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _414_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
10	0.03	0.04	0.09	0.23	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.04	0.00	0.23	^ _414_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.11	0.25	0.48	^ _414_/Q (sky130_fd_sc_hd_dfrtp_1)
6	0.02				clk_count[6] (net)
		0.11	0.00	0.48	^ _334_/A_N (sky130_fd_sc_hd_and3b_1)
1	0.00	0.02	0.11	0.58	v _334_/X (sky130_fd_sc_hd_and3b_1)
					186 (net)
		0.02	0.00	0.58	v _335_/B1 (sky130_fd_sc_hd_a21o_1)
1	0.00	0.02	0.06	0.64	v _335_/X (sky130_fd_sc_hd_a21o_1)
					056 (net)
		0.02	0.00	0.64	v _414_/D (sky130_fd_sc_hd_dfrtp_1)
				0.64	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)

4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	0.25	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.04	0.00	0.25	^ _414_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.50	clock uncertainty
			-0.02	0.48	clock reconvergence pessimism
			-0.03	0.45	library hold time
				0.45	data required time

				0.45	data required time
				-0.64	data arrival time

				0.19	slack (MET)

Startpoint: _420_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _420_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	0.23	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.04	0.00	0.23	^ _420_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.11	0.25	0.48	^ _420_/Q (sky130_fd_sc_hd_dfrtp_1)
6	0.01				clk_count[12] (net)
		0.11	0.00	0.48	^ _311_/A_N (sky130_fd_sc_hd_and3b_1)
		0.02	0.11	0.59	v _311_/X (sky130_fd_sc_hd_and3b_1)
1	0.00				_169_ (net)
		0.02	0.00	0.59	v _312_/B1 (sky130_fd_sc_hd_a21o_1)
		0.02	0.06	0.65	v _312_/X (sky130_fd_sc_hd_a21o_1)
1	0.00				_062_ (net)
		0.02	0.00	0.65	v _420_/D (sky130_fd_sc_hd_dfrtp_1)
				0.65	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.11	0.26	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.04	0.00	0.26	^ _420_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51	clock uncertainty
			-0.02	0.48	clock reconvergence pessimism
			-0.03	0.46	library hold time
				0.46	data required time

				0.46	data required time
				-0.65	data arrival time

				0.19	slack (MET)

Startpoint: _417_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _417_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
5	0.01	0.04	0.09	0.23	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
1	0.00	0.04	0.00	0.23	^ _417_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.10	0.24	0.47	^ _417_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.00				clk_count[9] (net)
		0.10	0.00	0.47	^ _323_/A (sky130_fd_sc_hd__or2_1)
1	0.00	0.02	0.07	0.53	^ _323_/X (sky130_fd_sc_hd__or2_1)
					178 (net)
1	0.00	0.02	0.00	0.53	^ _325_/A2_N (sky130_fd_sc_hd__a2bb2o_1)
		0.03	0.11	0.64	v _325_/X (sky130_fd_sc_hd__a2bb2o_1)
1	0.00				_059_ (net)
		0.03	0.00	0.64	v _417_/D (sky130_fd_sc_hd__dfrtp_1)
				0.64	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.04	0.10	0.25	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
10	0.03	0.04	0.00	0.25	^ _417_/CLK (sky130_fd_sc_hd__dfrtp_1)
					clock uncertainty
			0.25		clock uncertainty
			-0.02	0.48	clock reconvergence pessimism
			-0.03	0.45	library hold time
				0.45	data required time

				0.45	data required time
				-0.64	data arrival time

				0.19	slack (MET)

Startpoint: _454_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _455_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.04	0.09	0.23	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
12	0.04	0.04	0.00	0.23	^ _454_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.03	0.22	0.45	v _454_/Q (sky130_fd_sc_hd__dfrtp_1)

2	0.00				bit_count[2] (net)
		0.03	0.00	0.45	v _215_/A (sky130_fd_sc_hd__nand3_1)
		0.05	0.05	0.51	^ _215_/Y (sky130_fd_sc_hd__nand3_1)
2	0.00				_107_ (net)
		0.05	0.00	0.51	^ _219_/C (sky130_fd_sc_hd__and4_1)
		0.05	0.11	0.62	^ _219_/X (sky130_fd_sc_hd__and4_1)
2	0.01				_111_ (net)
		0.05	0.00	0.62	^ _220_/A2 (sky130_fd_sc_hd__o21a_1)
		0.03	0.06	0.68	^ _220_/X (sky130_fd_sc_hd__o21a_1)
1	0.00				_095_ (net)
		0.03	0.00	0.68	^ _455_/D (sky130_fd_sc_hd__dfrrtp_1)
				0.68	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	0.26	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.04	0.00	0.26	^ _455_/CLK (sky130_fd_sc_hd__dfrrtp_1)
			0.25	0.51	clock uncertainty
		-0.02	0.48		clock reconvergence pessimism
		-0.02	0.46		library hold time
			0.46		data required time

				0.46	data required time
				-0.68	data arrival time

				0.22	slack (MET)

Startpoint: _455_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _424_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.09	0.23	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.04	0.00	0.23	^ _455_/CLK (sky130_fd_sc_hd__dfrrtp_1)
		0.05	0.20	0.43	^ _455_/Q (sky130_fd_sc_hd__dfrrtp_1)
2	0.01				bit_count[3] (net)
		0.05	0.00	0.43	^ _216_/A (sky130_fd_sc_hd__nor2_1)
		0.03	0.03	0.47	v _216_/Y (sky130_fd_sc_hd__nor2_1)
2	0.01				_108_ (net)
		0.03	0.00	0.47	v _217_/D (sky130_fd_sc_hd__nand4_1)
		0.08	0.08	0.55	^ _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.08	0.00	0.55	^ _270_/B (sky130_fd_sc_hd__and2_1)
		0.03	0.08	0.63	^ _270_/X (sky130_fd_sc_hd__and2_1)
1	0.00				_143_ (net)
		0.03	0.00	0.63	^ _271_/A (sky130_fd_sc_hd__clkbuf_1)
		0.05	0.06	0.69	^ _271_/X (sky130_fd_sc_hd__clkbuf_1)
2	0.01				_000_ (net)
		0.05	0.00	0.69	^ _424_/D (sky130_fd_sc_hd__dfrrtp_2)
				0.69	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.04	0.00	0.26	^ _424_/CLK (sky130_fd_sc_hd__dfrtp_2)
			0.25	0.51	clock uncertainty
			-0.01	0.49	clock reconvergence pessimism
			-0.02	0.47	library hold time
				0.47	data required time

				0.47	data required time
				-0.69	data arrival time

				0.22	slack (MET)

Startpoint: _412_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _412_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.09	0.23	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.04	0.00	0.23	^ _412_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.06	0.25	0.48	v _412_/Q (sky130_fd_sc_hd__dfrtp_1)
5	0.01				clk_count[4] (net)
		0.06	0.00	0.48	v _336_/A (sky130_fd_sc_hd__nand2_1)
		0.07	0.07	0.55	^ _336_/Y (sky130_fd_sc_hd__nand2_1)
3	0.01				_187_ (net)
		0.07	0.00	0.55	^ _341_/C (sky130_fd_sc_hd__and3_1)
		0.04	0.09	0.64	^ _341_/X (sky130_fd_sc_hd__and3_1)
1	0.00				_191_ (net)
		0.04	0.00	0.64	^ _342_/B1 (sky130_fd_sc_hd__a21o_1)
		0.02	0.04	0.69	^ _342_/X (sky130_fd_sc_hd__a21o_1)
1	0.00				_054_ (net)
		0.02	0.00	0.69	^ _412_/D (sky130_fd_sc_hd__dfrtp_1)
				0.69	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	0.25	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.04	0.00	0.25	^ _412_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.50	clock uncertainty
			-0.02	0.48	clock reconvergence pessimism
			-0.02	0.46	library hold time

	0.46	data required time

	0.46	data required time
	-0.69	data arrival time

	0.23	slack (MET)

Startpoint: _416_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _416_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.09	0.23	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.04	0.00	0.23	^ _416_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.06	0.25	0.48	v _416_/Q (sky130_fd_sc_hd_dfrtp_1)
5	0.01				clk_count[8] (net)
		0.06	0.00	0.48	v _322_/A (sky130_fd_sc_hd_nand3_1)
		0.07	0.08	0.56	^ _322_/Y (sky130_fd_sc_hd_nand3_1)
3	0.01				_177_ (net)
		0.07	0.00	0.56	^ _324_/A2 (sky130_fd_sc_hd_a21o_1)
		0.04	0.08	0.64	^ _324_/X (sky130_fd_sc_hd_a21o_1)
2	0.01				_179_ (net)
		0.04	0.00	0.64	^ _327_/A2 (sky130_fd_sc_hd_a21o_1)
		0.02	0.06	0.70	^ _327_/X (sky130_fd_sc_hd_a21o_1)
1	0.00				_058_ (net)
		0.02	0.00	0.70	^ _416_/D (sky130_fd_sc_hd_dfrtp_1)
				0.70	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	0.25	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.04	0.00	0.25	^ _416_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.50	clock uncertainty
			-0.02	0.48	clock reconvergence pessimism
			-0.02	0.46	library hold time
				0.46	data required time

				0.46	data required time
				-0.70	data arrival time

				0.24	slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _444_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
--------	-----	------	-------	------	-------------

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04 ^	clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14 ^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.23 ^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.24 ^	_435_/CLK (sky130_fd_sc_hd__dfrtp_2)
		0.09	0.25	0.49 ^	_435_/Q (sky130_fd_sc_hd__dfrtp_2)
4	0.02				net24 (net)
		0.09	0.00	0.49 ^	_235_/A (sky130_fd_sc_hd__inv_2)
		0.02	0.02	0.51 v	_235_/Y (sky130_fd_sc_hd__inv_2)
2	0.01				_123_ (net)
		0.02	0.00	0.51 v	_236_/A (sky130_fd_sc_hd__nand2_1)
		0.06	0.06	0.57 ^	_236_/Y (sky130_fd_sc_hd__nand2_1)
2	0.01				_124_ (net)
		0.06	0.00	0.57 ^	_239_/B (sky130_fd_sc_hd__nor2_2)
		0.06	0.06	0.62 v	_239_/Y (sky130_fd_sc_hd__nor2_2)
8	0.03				_127_ (net)
		0.06	0.00	0.62 v	_247_/B1 (sky130_fd_sc_hd__a22o_1)
		0.02	0.08	0.71 v	_247_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_084_ (net)
		0.02	0.00	0.71 v	_444_/D (sky130_fd_sc_hd__dfrtp_1)
				0.71	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04 ^	clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15 ^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.11	0.26 ^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.04	0.00	0.26 ^	_444_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
		-0.01	0.49		clock reconvergence pessimism
		-0.03	0.47		library hold time
			0.47		data required time

			0.47		data required time
			-0.71		data arrival time

			0.24		slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _445_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04 ^	clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14 ^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.23 ^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.24 ^	_435_/CLK (sky130_fd_sc_hd__dfrtp_2)

		0.09	0.25	0.49	^	_435_/Q (sky130_fd_sc_hd_dfrtp_2)
4	0.02					net24 (net)
		0.09	0.00	0.49	^	_235_/A (sky130_fd_sc_hd_inv_2)
		0.02	0.02	0.51	v	_235_/Y (sky130_fd_sc_hd_inv_2)
2	0.01					_123_ (net)
		0.02	0.00	0.51	v	_236_/A (sky130_fd_sc_hd_nand2_1)
		0.06	0.06	0.57	^	_236_/Y (sky130_fd_sc_hd_nand2_1)
2	0.01					_124_ (net)
		0.06	0.00	0.57	^	_239_/B (sky130_fd_sc_hd_nor2_2)
		0.06	0.06	0.62	v	_239_/Y (sky130_fd_sc_hd_nor2_2)
8	0.03					_127_ (net)
		0.06	0.00	0.62	v	_246_/B1 (sky130_fd_sc_hd_a22o_1)
		0.02	0.09	0.71	v	_246_/X (sky130_fd_sc_hd_a22o_1)
1	0.00					_085_ (net)
		0.02	0.00	0.71	v	_445_/D (sky130_fd_sc_hd_dfrtp_1)
				0.71		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.06	0.04	0.04	^	clk (in)
1	0.02					clk (net)
		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	0.15	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	0.26	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1_leaf_clk (net)
		0.04	0.00	0.26	^	_445_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51		clock uncertainty
		-0.01	0.49			clock reconvergence pessimism
		-0.03	0.46			library hold time
			0.46			data required time

			0.46			data required time
			-0.71			data arrival time

			0.25			slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _446_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.23	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.05	0.00	0.24	^ _435_/CLK (sky130_fd_sc_hd_dfrtp_2)
		0.09	0.25	0.49	^ _435_/Q (sky130_fd_sc_hd_dfrtp_2)
4	0.02				net24 (net)
		0.09	0.00	0.49	^ _235_/A (sky130_fd_sc_hd_inv_2)
		0.02	0.02	0.51	v _235_/Y (sky130_fd_sc_hd_inv_2)
2	0.01				_123_ (net)
		0.02	0.00	0.51	v _236_/A (sky130_fd_sc_hd_nand2_1)
		0.06	0.06	0.57	^ _236_/Y (sky130_fd_sc_hd_nand2_1)
2	0.01				_124_ (net)
		0.06	0.00	0.57	^ _239_/B (sky130_fd_sc_hd_nor2_2)
		0.06	0.06	0.62	v _239_/Y (sky130_fd_sc_hd_nor2_2)
8	0.03				_127_ (net)
		0.06	0.00	0.62	v _245_/B1 (sky130_fd_sc_hd_a22o_1)

1	0.00	0.02	0.09	0.71	v	_245_/X (sky130_fd_sc_hd__a22o_1)
						086 (net)
		0.02	0.00	0.71	v	_446_/D (sky130_fd_sc_hd__dfrtp_1)
				0.71		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.06	0.04	0.04	^	clk (in)
						clk (net)
		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.15	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	0.15	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.04	0.10	0.26	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_1__leaf_clk (net)
		0.04	0.00	0.26	^	_446_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51		clock uncertainty
		-0.01		0.49		clock reconvergence pessimism
		-0.03		0.46		library hold time
				0.46		data required time

				0.46		data required time
				-0.71		data arrival time

				0.25		slack (MET)

Startpoint: _455_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _425_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.04	0.09	0.23	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.04	0.00	0.23	^ _455_/CLK (sky130_fd_sc_hd__dfrtp_1)
2	0.01	0.05	0.20	0.43	^ _455_/Q (sky130_fd_sc_hd__dfrtp_1)
					bit_count[3] (net)
		0.05	0.00	0.43	^ _216_/A (sky130_fd_sc_hd__nor2_1)
2	0.01	0.03	0.03	0.47	v _216_/Y (sky130_fd_sc_hd__nor2_1)
					108 (net)
		0.03	0.00	0.47	v _217_/D (sky130_fd_sc_hd__nand4_1)
3	0.01	0.08	0.08	0.55	^ _217_/Y (sky130_fd_sc_hd__nand4_1)
					109 (net)
		0.08	0.00	0.55	^ _218_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.13	0.15	0.70	^ _218_/X (sky130_fd_sc_hd__buf_4)
					110 (net)
		0.13	0.00	0.70	^ _354_/A (sky130_fd_sc_hd__inv_2)
		0.02	0.01	0.71	v _354_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_001_ (net)
		0.02	0.00	0.71	v _425_/D (sky130_fd_sc_hd__dfrtp_1)
				0.71	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)

		0.05	0.00	0.15	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	0.25	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03					clknet_2_2__leaf_clk (net)
		0.04	0.00	0.25	^	_425_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.50		clock uncertainty
			-0.01	0.49		clock reconvergence pessimism
			-0.03	0.46		library hold time
				0.46		data required time

				0.46		data required time
				-0.71		data arrival time

				0.25		slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _448_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.23	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.24	^ _435_/CLK (sky130_fd_sc_hd__dfrtp_2)
		0.09	0.25	0.49	^ _435_/Q (sky130_fd_sc_hd__dfrtp_2)
4	0.02				net24 (net)
		0.09	0.00	0.49	^ _235_/A (sky130_fd_sc_hd__inv_2)
		0.02	0.02	0.51	v _235_/Y (sky130_fd_sc_hd__inv_2)
2	0.01				_123_ (net)
		0.02	0.00	0.51	v _236_/A (sky130_fd_sc_hd__nand2_1)
		0.06	0.06	0.57	^ _236_/Y (sky130_fd_sc_hd__nand2_1)
2	0.01				_124_ (net)
		0.06	0.00	0.57	^ _239_/B (sky130_fd_sc_hd__nor2_2)
		0.06	0.06	0.62	v _239_/Y (sky130_fd_sc_hd__nor2_2)
8	0.03				_127_ (net)
		0.06	0.00	0.62	v _243_/B1 (sky130_fd_sc_hd__a22o_1)
		0.02	0.09	0.71	v _243_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_088_ (net)
		0.02	0.00	0.71	v _448_/D (sky130_fd_sc_hd__dfrtp_1)
				0.71	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^ _448_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			-0.02	0.48	clock reconvergence pessimism
			-0.03	0.46	library hold time
				0.46	data required time

				0.46	data required time
				-0.71	data arrival time

0.25 slack (MET)

Startpoint: _455_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _436_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.09	0.23	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1_leaf_clk (net)
		0.04	0.00	0.23	^ _455_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.05	0.20	0.43	^ _455_/Q (sky130_fd_sc_hd__dftrtp_1)
2	0.01				bit_count[3] (net)
		0.05	0.00	0.43	^ _216_/A (sky130_fd_sc_hd__nor2_1)
		0.03	0.03	0.47	v _216_/Y (sky130_fd_sc_hd__nor2_1)
2	0.01				_108_ (net)
		0.03	0.00	0.47	v _217_/D (sky130_fd_sc_hd__nand4_1)
		0.08	0.08	0.55	^ _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.08	0.00	0.55	^ _270_/B (sky130_fd_sc_hd__and2_1)
		0.03	0.08	0.63	^ _270_/X (sky130_fd_sc_hd__and2_1)
1	0.00				_143_ (net)
		0.03	0.00	0.63	^ _271_/A (sky130_fd_sc_hd__clkbuf_1)
		0.05	0.06	0.69	^ _271_/X (sky130_fd_sc_hd__clkbuf_1)
2	0.01				_000_ (net)
		0.05	0.00	0.69	^ _272_/B1_N (sky130_fd_sc_hd__a21bo_1)
		0.02	0.09	0.78	v _272_/X (sky130_fd_sc_hd__a21bo_1)
1	0.00				_076_ (net)
		0.02	0.00	0.78	v _436_/D (sky130_fd_sc_hd__dfstp_1)
				0.78	data arrival time

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.11	0.26	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3_leaf_clk (net)
		0.04	0.00	0.26	^ _436_/CLK (sky130_fd_sc_hd__dfstp_1)
			0.25	0.51	clock uncertainty
		-0.01	0.49		clock reconvergence pessimism
		-0.01	0.48		library hold time
			0.48	data required time	

				0.48	data required time
				-0.78	data arrival time

				0.30	slack (MET)

Startpoint: _455_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _433_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.09	0.23	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.04	0.00	0.23	^ _455_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.05	0.20	0.43	^ _455_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				bit_count[3] (net)
		0.05	0.00	0.43	^ _216_/A (sky130_fd_sc_hd_nor2_1)
		0.03	0.03	0.47	v _216_/Y (sky130_fd_sc_hd_nor2_1)
2	0.01				_108_ (net)
		0.03	0.00	0.47	v _217_/D (sky130_fd_sc_hd_nand4_1)
		0.08	0.08	0.55	^ _217_/Y (sky130_fd_sc_hd_nand4_1)
3	0.01				_109_ (net)
		0.08	0.00	0.55	^ _218_/A (sky130_fd_sc_hd_buf_4)
		0.13	0.15	0.70	^ _218_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_110_ (net)
		0.13	0.00	0.70	^ _279_/S (sky130_fd_sc_hd_mux2_1)
		0.03	0.09	0.79	^ _279_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_148_ (net)
		0.03	0.00	0.79	^ _280_/A (sky130_fd_sc_hd_clkbuf_1)
		0.03	0.05	0.84	^ _280_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_073_ (net)
		0.03	0.00	0.84	^ _433_/D (sky130_fd_sc_hd_dfrtp_1)
				0.84	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	0.26	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.04	0.00	0.26	^ _433_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51	clock uncertainty
			-0.02	0.48	clock reconvergence pessimism
			-0.02	0.46	library hold time
				0.46	data required time

				0.46	data required time
				-0.84	data arrival time

				0.38	slack (MET)

Startpoint: _447_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _447_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)

		0.05	0.00	0.14	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.23	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04					clknet_2_0__leaf_clk (net)
		0.05	0.00	0.23	^	_447_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.07	0.23	0.46	^	_447_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01					rx_shift[3] (net)
		0.07	0.00	0.46	^	_244_/A1 (sky130_fd_sc_hd__a22o_1)
		0.03	0.07	0.53	^	_244_/X (sky130_fd_sc_hd__a22o_1)
1	0.00					_087_ (net)
		0.03	0.00	0.53	^	hold3/A (sky130_fd_sc_hd__dlygate4sd3_1)
		0.04	0.35	0.88	^	hold3/X (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00					net28 (net)
		0.04	0.00	0.88	^	_447_/D (sky130_fd_sc_hd__dfrtp_1)
				0.88		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.06	0.04	0.04	^	clk (in)
						clk (net)
		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.15	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	0.15	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.05	0.11	0.26	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^	_447_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51		clock uncertainty
		-0.02	0.48			clock reconvergence pessimism
		-0.02	0.47			library hold time
			0.47			data required time

				0.47		data required time
				-0.88		data arrival time

				0.42		slack (MET)

Startpoint: _449_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _449_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.05	0.10	0.23	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.05	0.00	0.23	^ _449_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.07	0.22	0.46	^ _449_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				rx_shift[5] (net)
		0.07	0.00	0.46	^ _242_/A1 (sky130_fd_sc_hd__a22o_1)
		0.03	0.08	0.53	^ _242_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_089_ (net)
		0.03	0.00	0.53	^ hold8/A (sky130_fd_sc_hd__dlygate4sd3_1)
		0.04	0.35	0.88	^ hold8/X (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00				net33 (net)
		0.04	0.00	0.88	^ _449_/D (sky130_fd_sc_hd__dfrtp_1)
				0.88	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)

1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^ _449_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			-0.02	0.48	clock reconvergence pessimism
			-0.02	0.47	library hold time
				0.47	data required time

				0.47	data required time
				-0.88	data arrival time

				0.42	slack (MET)

Startpoint: _450_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _451_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.23	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.23	^ _450_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.09	0.23	0.47	^ _450_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				rx_shift[6] (net)
		0.09	0.00	0.47	^ _240_/B2 (sky130_fd_sc_hd__a22o_1)
		0.03	0.07	0.54	^ _240_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_091_ (net)
		0.03	0.00	0.54	^ hold5/A (sky130_fd_sc_hd__dlygate4sd3_1)
		0.04	0.35	0.89	^ hold5/X (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00				net30 (net)
		0.04	0.00	0.89	^ _451_/D (sky130_fd_sc_hd__dfrtp_1)
				0.89	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^ _451_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			-0.02	0.48	clock reconvergence pessimism
			-0.02	0.47	library hold time
				0.47	data required time

				0.47	data required time
				-0.89	data arrival time

				0.42	slack (MET)

Startpoint: _450_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _450_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description			

			0.00	0.00	clock clk (rise edge)			
			0.00	0.00	clock source latency			
1	0.02	0.06	0.04	0.04	^ clk (in)			
					clk (net)			
4	0.04	0.06	0.10	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)			
				0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)			
14	0.04	0.05	0.10		clknet_0_clk (net)			
				0.14	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)			
				0.23	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)			
					clknet_2_0_leaf_clk (net)			
3	0.01	0.05	0.23	0.23	^ _450_/CLK (sky130_fd_sc_hd_dfrtp_1)			
				0.47	^ _450_/Q (sky130_fd_sc_hd_dfrtp_1)			
1	0.00	0.09	0.08		rx_shift[6] (net)			
				0.47	^ _241_/A1 (sky130_fd_sc_hd_a22o_1)			
1	0.00	0.03	0.35	0.55	^ _241_/X (sky130_fd_sc_hd_a22o_1)			
					090 (net)			
		0.03	0.00	0.55	^ hold10/A (sky130_fd_sc_hd_dlygate4sd3_1)			
				0.90	^ hold10/X (sky130_fd_sc_hd_dlygate4sd3_1)			
1	0.00	0.04	0.00		net35 (net)			
				0.90	^ _450_/D (sky130_fd_sc_hd_dfrtp_1)			
				0.90	data arrival time			

			0.00	0.00	clock clk (rise edge)			
			0.00	0.00	clock source latency			
1	0.02	0.06	0.04	0.04	^ clk (in)			
					clk (net)			
4	0.04	0.06	0.11	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)			
				0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)			
14	0.04	0.05	0.11		clknet_0_clk (net)			
				0.15	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)			
				0.26	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)			
					clknet_2_0_leaf_clk (net)			
		0.05	0.00	0.26	^ _450_/CLK (sky130_fd_sc_hd_dfrtp_1)			
				0.25	clock uncertainty			
				-0.02	clock reconvergence pessimism			
				-0.02	library hold time			
				0.46	data required time			

				0.46	data required time			
				-0.90	data arrival time			

				0.44	slack (MET)			

Startpoint: _437_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _437_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.10	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.00		clknet_0_clk (net)
				0.14	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	0.23	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)

12	0.04				clknet_2_3__leaf_clk (net)
		0.04	0.00	0.23	^ _437_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.04	0.20	0.43	^ _437_/Q (sky130_fd_sc_hd__dftrtp_1)
2	0.00				tx_shift[0] (net)
		0.04	0.00	0.43	^ hold21/A (sky130_fd_sc_hd__dlygate4sd3_1)
		0.04	0.36	0.79	^ hold21/X (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00				net46 (net)
		0.04	0.00	0.79	^ _267_/A0 (sky130_fd_sc_hd__mux2_1)
		0.03	0.07	0.86	^ _267_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_141_ (net)
		0.03	0.00	0.86	^ _268_/A (sky130_fd_sc_hd__clkbuf_1)
		0.03	0.05	0.91	^ _268_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_077_ (net)
		0.03	0.00	0.91	^ _437_/D (sky130_fd_sc_hd__dftrtp_1)
				0.91	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.04	0.00	0.26	^ _437_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.51	clock uncertainty
		-0.02	0.48		clock reconvergence pessimism
		-0.02	0.46		library hold time
			0.46		data required time

				0.46	data required time
				-0.91	data arrival time

				0.44	slack (MET)

Startpoint: _444_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _426_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	0.23	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.04	0.00	0.23	^ _444_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.06	0.22	0.45	^ _444_/Q (sky130_fd_sc_hd__dftrtp_1)
2	0.01				rx_shift[0] (net)
		0.06	0.00	0.45	^ _293_/A0 (sky130_fd_sc_hd__mux2_1)
		0.03	0.07	0.52	^ _293_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_155_ (net)
		0.03	0.00	0.52	^ hold34/A (sky130_fd_sc_hd__dlygate4sd3_1)
		0.04	0.35	0.88	^ hold34/X (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00				net59 (net)
		0.04	0.00	0.88	^ _294_/A (sky130_fd_sc_hd__clkbuf_1)
		0.03	0.05	0.93	^ _294_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_066_ (net)
		0.03	0.00	0.93	^ _426_/D (sky130_fd_sc_hd__dftrtp_1)
				0.93	data arrival time

		0.00	0.00	clock clk (rise edge)
		0.00	0.00	clock source latency
1	0.02	0.06	0.04	^ clk (in)
				clk (net)
		0.06	0.00	0.04 ^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.15 ^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
				clknet_0_clk (net)
		0.05	0.00	0.15 ^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.04	0.11	0.26 ^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
				clknet_2_3__leaf_clk (net)
		0.04	0.00	0.26 ^ _426_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.25	0.51	clock uncertainty
		-0.02	0.48	clock reconvergence pessimism
		-0.02	0.46	library hold time
			0.46	data required time

			0.46	data required time
			-0.93	data arrival time

			0.46	slack (MET)

Startpoint: _427_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _427_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.04	0.09	0.23	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.04	0.00	0.23	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
2	0.01	0.06	0.21	0.45	^ _427_/Q (sky130_fd_sc_hd__dfrtp_1)
					net17 (net)
		0.06	0.00	0.45	^ _291_/A1 (sky130_fd_sc_hd__mux2_1)
1	0.00	0.03	0.08	0.52	^ _291_/X (sky130_fd_sc_hd__mux2_1)
					154 (net)
		0.03	0.00	0.52	^ hold36/A (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00	0.04	0.36	0.88	^ hold36/X (sky130_fd_sc_hd__dlygate4sd3_1)
					net61 (net)
		0.04	0.00	0.88	^ _292_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.03	0.05	0.93	^ _292_/X (sky130_fd_sc_hd__clkbuf_1)
					067 (net)
		0.03	0.00	0.93	^ _427_/D (sky130_fd_sc_hd__dfrtp_1)
				0.93	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.04	0.10	0.26	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.04	0.00	0.26	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.25	0.51		clock uncertainty
		-0.02	0.48		clock reconvergence pessimism
		-0.02	0.46		library hold time

	0.46	data required time

	0.46	data required time
	-0.93	data arrival time

	0.47	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _448_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01		0.04	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05		0.06	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.06	0.00	2.18	v _400_/A (sky130_fd_sc_hd__inv_2)
		0.02	0.04	2.22	^ _400_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_042_ (net)
		0.02	0.00	2.22	^ _448_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.22	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04		0.05	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04		0.05	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^ _448_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.22	data arrival time

				1.51	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _449_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)

3	0.01				net2 (net)
		0.04	0.00	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.18	v _401_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.22	^ _401_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_043_ (net)
		0.03	0.00	2.22	^ _449_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.22	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^ _449_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.22	data arrival time

				1.51	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _451_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.18	v _403_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.22	^ _403_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_045_ (net)
		0.03	0.00	2.22	^ _451_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.22	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^ _451_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism

	0.20	0.71	library removal time
		0.71	data required time

		0.71	data required time
		-2.22	data arrival time

		1.52	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _453_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.00	0.00	2.00 v	rst (in)
					rst (net)
			0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.06	2.06 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.04	2.06 v	_355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.06	0.12	2.18 v	_355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
			0.06	2.18 v	_405_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.02	0.04	2.22 ^	_405_/Y (sky130_fd_sc_hd__inv_2)
					047 (net)
			0.02	2.22 ^	_453_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.22	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04 ^	clk (in)
					clk (net)
			0.06	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.15 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
			0.05	0.15 ^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.04	0.10	0.26 ^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
			0.04	0.26 ^	_453_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.70	library removal time
				0.70	data required time

				0.70	data required time
				-2.22	data arrival time

				1.52	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _452_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.00	0.00	2.00 v	rst (in)
					rst (net)
			0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)

3	0.01	0.04	0.06	2.06	v	input2/X (sky130_fd_sc_hd_buf_1)
						net2 (net)
10	0.05	0.04	0.00	2.06	v	_355_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.12	2.18	v	_355_/X (sky130_fd_sc_hd_buf_4)
1	0.00					_199_ (net)
		0.06	0.00	2.18	v	_404_/A (sky130_fd_sc_hd_inv_2)
		0.02	0.04	2.22	^	_404_/Y (sky130_fd_sc_hd_inv_2)
						046 (net)
		0.02	0.00	2.22	^	_452_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.22		data arrival time
1	0.02		0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.06	0.04	0.04	^	clk (in)
						clk (net)
		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.05	0.11	0.15	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	0.15	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.04	0.10	0.26	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_1_leaf_clk (net)
		0.04	0.00	0.26	^	_452_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51		clock uncertainty
			0.00	0.51		clock reconvergence pessimism
			0.20	0.70		library removal time
				0.70		data required time

				0.70		data required time
				-2.22		data arrival time

				1.52		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _450_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
10	0.05	0.04	0.00	2.06	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd_buf_4)
					199 (net)
		0.06	0.00	2.18	v _402_/A (sky130_fd_sc_hd_inv_2)
1	0.01	0.03	0.04	2.23	^ _402_/Y (sky130_fd_sc_hd_inv_2)
					044 (net)
		0.03	0.00	2.23	^ _450_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.23	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)
		0.05	0.00	0.26	^ _450_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51	clock uncertainty

0.00 0.51 clock reconvergence pessimism
0.20 0.71 library removal time
0.71 data required time

0.71 data required time
-2.23 data arrival time

1.52 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _455_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
1	0.00	0.00	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
			2.00 v	rst (in)	
			rst (net)		
			2.00 v	input2/A (sky130_fd_sc_hd_buf_1)	
			2.06 v	input2/X (sky130_fd_sc_hd_buf_1)	
			net2 (net)		
			2.06 v	_355_/A (sky130_fd_sc_hd_buf_4)	
			2.18 v	_355_/X (sky130_fd_sc_hd_buf_4)	
3	0.01	0.04	0.00	2.06 v	_199_ (net)
		0.06	0.12	2.18 v	_407_/A (sky130_fd_sc_hd_inv_2)
10	0.05	0.06	0.00	2.18 v	_407_/Y (sky130_fd_sc_hd_inv_2)
		0.02	0.04	2.22 ^	_049_ (net)
1	0.00	0.02	0.00	2.22 ^	_455_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.22	data arrival time
1	0.02	0.06	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
			0.04	0.04 ^	clk (in)
			clk (net)		
			0.04	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
			0.15	0.15 ^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
			clknet_0_clk (net)		
			0.15	0.15 ^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
			0.26	0.26 ^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
			clknet_2_1_leaf_clk (net)		
12	0.04	0.04	0.00	0.26 ^	_455_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.70	library removal time	
			0.70	data required time	
				0.70	data required time
				-2.22	data arrival time
				1.52	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _454_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
1	0.00	0.00	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
			0.00	2.00 v	rst (in)
					rst (net)

		0.00	0.00	2.00	v	input2/A (sky130_fd_sc_hd_buf_1)
		0.04	0.06	2.06	v	input2/X (sky130_fd_sc_hd_buf_1)
3	0.01					net2 (net)
		0.04	0.00	2.06	v	_355_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.12	2.18	v	_355_/X (sky130_fd_sc_hd_buf_4)
10	0.05					_199_ (net)
		0.06	0.00	2.18	v	_406_/A (sky130_fd_sc_hd_inv_2)
		0.02	0.04	2.22	^	_406_/Y (sky130_fd_sc_hd_inv_2)
1	0.00					_048_ (net)
		0.02	0.00	2.22	^	_454_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.22		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.06	0.04	0.04	^	clk (in)
1	0.02					clk (net)
		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.05	0.00	0.15	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	0.26	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.04	0.00	0.26	^	_454_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51		clock uncertainty
			0.00	0.51		clock reconvergence pessimism
			0.20	0.70		library removal time
				0.70		data required time

				0.70		data required time
				-2.22		data arrival time

				1.52		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _447_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06	v _389_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.12	2.19	v _389_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_203_ (net)
		0.06	0.00	2.19	v _399_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	2.23	^ _399_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_041_ (net)
		0.03	0.00	2.23	^ _447_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.23	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^ _447_/CLK (sky130_fd_sc_hd_dfrtp_1)

0.25	0.51	clock uncertainty
0.00	0.51	clock reconvergence pessimism
0.20	0.71	library removal time
	0.71	data required time

0.71	data required time
-2.23	data arrival time

1.52	slack (MET)
------	-------------

Startpoint: rst (input port clocked by clk)
Endpoint: _446_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01		0.04	2.06 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.06 v	_389_/A (sky130_fd_sc_hd__buf_4)
10	0.06		0.06	2.19 v	_389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
		0.06	0.00	2.19 v	_398_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.23 ^	_398_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_040_ (net)
		0.03	0.00	2.23 ^	_446_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.23	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04 ^	clk (in)
					clk (net)
		0.06	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04		0.05	0.15 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.15 ^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04		0.04	0.26 ^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.04	0.00	0.26 ^	_446_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.70	library removal time
				0.70	data required time

				0.70	data required time
				-2.23	data arrival time

				1.52	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _445_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)

id	type	value	unit	description
1	0.00	0.00	0.00	rst (net)
		0.04	0.06	2.00 v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01			2.06 v input2/X (sky130_fd_sc_hd_buf_1)
		0.04	0.00	net2 (net)
		0.06	0.12	2.06 v _389_/A (sky130_fd_sc_hd_buf_4)
10	0.06			2.19 v _389_/X (sky130_fd_sc_hd_buf_4)
		0.06	0.00	_203_ (net)
		0.03	0.04	2.19 v _397_/A (sky130_fd_sc_hd_inv_2)
1	0.00			2.23 ^ _397_/Y (sky130_fd_sc_hd_inv_2)
		0.03	0.00	_039_ (net)
				2.23 ^ _445_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.23 data arrival time
		0.00	0.00	clock clk (rise edge)
		0.00	0.00	clock source latency
		0.06	0.04	0.04 ^ clk (in)
1	0.02			clk (net)
		0.06	0.00	0.04 ^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15 ^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04			clknet_0_clk (net)
		0.05	0.00	0.15 ^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	0.26 ^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04			clknet_2_1_leaf_clk (net)
		0.04	0.00	0.26 ^ _445_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51 clock uncertainty
			0.00	0.51 clock reconvergence pessimism
			0.20	0.70 library removal time
			0.70	0.70 data required time

			0.70	data required time
			-2.23	data arrival time

			1.52	slack (MET)

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.06	v _389_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.06	0.12	2.19	v _389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
		0.06	0.00	2.19	v _390_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.23	^ _390_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_032_ (net)
		0.03	0.00	2.23	^ _438_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.23	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)

0.04	0.00	0.26	^	_438_/CLK (sky130_fd_sc_hd__dfrtp_1)
	0.25	0.51		clock uncertainty
	0.00	0.51		clock reconvergence pessimism
	0.20	0.71		library removal time
		0.71		data required time

		0.71		data required time
		-2.23		data arrival time

		1.52		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _439_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.00	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
				2.06	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.06	0.04	0.06		net2 (net)
				2.06	v _389_/A (sky130_fd_sc_hd__buf_4)
				2.19	v _389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
1	0.00	0.06	0.00	2.19	v _391_/A (sky130_fd_sc_hd__inv_2)
				2.23	^ _391_/Y (sky130_fd_sc_hd__inv_2)
					033 (net)
				2.23	^ _439_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
			0.00	0.00	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.11		clknet_0_clk (net)
				0.15	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.26	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3_leaf_clk (net)
		0.04	0.00	0.26	^ _439_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.23	data arrival time

				1.52	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _442_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay

		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06	v _389_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.12	2.19	v _389_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_203_ (net)
		0.06	0.00	2.19	v _394_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	2.23	^ _394_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_036_ (net)
		0.03	0.00	2.23	^ _442_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.23	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.10	0.26	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.04	0.00	0.26	^ _442_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.70	library removal time
				0.70	data required time

				0.70	data required time
				-2.23	data arrival time

				1.52	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _444_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06	v _389_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.12	2.19	v _389_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_203_ (net)
		0.06	0.00	2.19	v _396_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	2.23	^ _396_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_038_ (net)
		0.03	0.00	2.23	^ _444_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.23	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.04	0.11	0.26	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)

12	0.04				clknet_2_3__leaf_clk (net)
		0.04	0.00	0.26	^ _444_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.23	data arrival time

				1.52	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _440_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01		0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.06	v _389_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.19	v _389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
		0.06	0.00	2.19	v _392_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.23	^ _392_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_034_ (net)
		0.03	0.00	2.23	^ _440_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.23	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02		0.06	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04		0.05	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.04	0.00	0.26	^ _440_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.23	data arrival time

				1.52	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _441_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)

			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06 v	input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06 v	_389_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.19 v	_389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
		0.06	0.00	2.19 v	_393_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.23 ^	_393_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_035_ (net)
		0.03	0.00	2.23 ^	_441_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.23	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04 ^	clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15 ^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	0.26 ^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.04	0.00	0.26 ^	_441_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.70	library removal time
				0.70	data required time

			0.70		data required time
			-2.23		data arrival time

			1.52		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _443_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06 v	input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06 v	_389_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.19 v	_389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
		0.06	0.00	2.19 v	_395_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.23 ^	_395_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_037_ (net)
		0.03	0.00	2.23 ^	_443_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.23	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04 ^	clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15 ^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)

12	0.04	0.04	0.10	0.26	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_1_leaf_clk (net)
		0.04	0.00	0.26	^	_443_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51		clock uncertainty
			0.00	0.51		clock reconvergence pessimism
			0.20	0.70		library removal time
				0.70		data required time

			0.70		data required time	
			-2.23		data arrival time	

			1.52		slack (MET)	

Startpoint: rst (input port clocked by clk)
Endpoint: _435_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description	

1	0.00	0.00	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			2.00	2.00	v input external delay	
			0.00	2.00	v rst (in)	
					rst (net)	
			0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
						net2 (net)
			0.04	0.00	2.06	v _378_/A (sky130_fd_sc_hd__buf_4)
			0.06	0.13	2.19	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07			_202_ (net)		
		0.06	0.00	2.19	v _386_/A (sky130_fd_sc_hd__inv_2)	
1	0.00	0.03	0.04	2.23	^ _386_/Y (sky130_fd_sc_hd__inv_2)	
					029 (net)	
1	0.00	0.03	0.00	2.23	^ _435_/RESET_B (sky130_fd_sc_hd__dftrtp_2)	
				2.23	data arrival time	

1	0.02		0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
		0.06	0.04	0.04	^ clk (in)	
					clk (net)	
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
14	0.04				clknet_0_clk (net)	
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					clknet_2_0__leaf_clk (net)	
		0.05	0.00	0.26	^ _435_/CLK (sky130_fd_sc_hd__dftrtp_2)	
			0.25	0.51	clock uncertainty	
			0.00	0.51	clock reconvergence pessimism	
			0.20	0.71	library removal time	
				0.71	data required time	

				0.71	data required time	
				-2.23	data arrival time	

				1.53	slack (MET)	

Startpoint: rst (input port clocked by clk)
Endpoint: _428_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)

			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.13	2.19	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.06	0.00	2.19	v _379_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.23	^ _379_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_022_ (net)
		0.03	0.00	2.23	^ _428_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.23	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^ _428_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.23	data arrival time

				1.53	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _432_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.13	2.19	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.06	0.00	2.19	v _383_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.23	^ _383_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_026_ (net)
		0.03	0.00	2.23	^ _432_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.23	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)

		0.05	0.00	0.15	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04					clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^	_432_/CLK (sky130_fd_sc_hd__dfirtp_1)
			0.25	0.51		clock uncertainty
			0.00	0.51		clock reconvergence pessimism
			0.20	0.71		library removal time
				0.71		data required time

				0.71		data required time
				-2.23		data arrival time

				1.53		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _430_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01		0.04	0.06	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.06	v _378_/A (sky130_fd_sc_hd__buf_4)
10	0.07		0.06	0.13	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
		0.06	0.00	2.19	v _381_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.23	^ _381_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_024_ (net)
		0.03	0.00	2.23	^ _430_/RESET_B (sky130_fd_sc_hd__dfirtp_1)
				2.23	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^ _430_/CLK (sky130_fd_sc_hd__dfirtp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.23	data arrival time

				1.53	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _431_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd_buf_1)
		0.04	0.06	2.06 v	input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06 v	_378_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.13	2.19 v	_378_/X (sky130_fd_sc_hd_buf_4)
10	0.07				_202_ (net)
		0.06	0.00	2.19 v	_382_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	2.23 ^	_382_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_025_ (net)
		0.03	0.00	2.23 ^	_431_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.23	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04 ^	clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15 ^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15 ^	clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.26 ^	clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.05	0.00	0.26 ^	_431_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time

				-2.23	data arrival time

				1.53	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _429_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd_buf_1)
		0.04	0.06	2.06 v	input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06 v	_378_/A (sky130_fd_sc_hd_buf_4)
		0.06	0.13	2.19 v	_378_/X (sky130_fd_sc_hd_buf_4)
10	0.07				_202_ (net)
		0.06	0.00	2.19 v	_380_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	2.24 ^	_380_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_023_ (net)
		0.03	0.00	2.24 ^	_429_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.24	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04 ^	clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.11	0.15 ^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)

4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^ _429_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.24	data arrival time

				1.53	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _437_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.13	2.19	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.06	0.00	2.19	v _388_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.23	^ _388_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_031_ (net)
		0.03	0.00	2.23	^ _437_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.23	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.04	0.00	0.26	^ _437_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.23	data arrival time

				1.53	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _434_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
--------	-----	------	-------	------	-------------

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06 v	input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06 v	_378_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.13	2.19 v	_378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.06	0.00	2.19 v	_385_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.23 ^	_385_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_028_ (net)
		0.03	0.00	2.23 ^	_434_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.23	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04 ^	clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15 ^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	0.26 ^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.04	0.00	0.26 ^	_434_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.70	library removal time
				0.70	data required time

				0.70	data required time
				-2.23	data arrival time

				1.53	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _433_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06 v	input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06 v	_378_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.13	2.19 v	_378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.06	0.00	2.19 v	_384_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.24 ^	_384_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_027_ (net)
		0.03	0.00	2.24 ^	_433_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.24	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04 ^	clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)

4	0.04	0.05	0.11	0.15	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.00	0.15	^	clknet_0_clk (net)
12	0.04	0.04	0.10	0.26	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.26	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_1__leaf_clk (net)
		0.04	0.00	0.26	^	_433_/CLK (sky130_fd_sc_hd__dfstp_1)
			0.25	0.51		clock uncertainty
			0.00	0.51		clock reconvergence pessimism
			0.20	0.70		library removal time
				0.70		data required time

				0.70		data required time
				-2.24		data arrival time

				1.53		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _436_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

1	0.00		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
					rst (net)
			0.00	0.00	2.00 v input2/A (sky130_fd_sc_hd__buf_1)
			0.04	0.06	2.06 v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.04	0.00	2.06 v _378_/A (sky130_fd_sc_hd__buf_4)
			0.06	0.13	2.19 v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07			_202_ (net)	
			0.06	0.00	2.19 v _387_/A (sky130_fd_sc_hd__inv_2)
1	0.00		0.03	0.04	2.24 ^ _387_/Y (sky130_fd_sc_hd__inv_2)
					030 (net)
			0.03	0.00	2.24 ^ _436_/SET_B (sky130_fd_sc_hd__dfstp_1)
					2.24 data arrival time

				0.00	clock clk (rise edge)
				0.00	clock source latency
1	0.02		0.06	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.11	0.26	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
12	0.04			0.26	^ _436_/CLK (sky130_fd_sc_hd__dfstp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.10	0.61	library removal time
				0.61	data required time

				0.61	data required time
				-2.24	data arrival time

				1.63	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _408_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description	

1	0.00	0.00	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
		0.00	2.00	2.00	v input external delay	
			0.00	2.00	v rst (in)	
		0.00			rst (net)	
			0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)	
		0.04	2.06	v input2/X (sky130_fd_sc_hd__buf_1)		
					net2 (net)	
		0.01	0.04	0.00	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05			_199_ (net)		
		0.06	0.00	2.18	v _356_/A (sky130_fd_sc_hd__buf_4)	
10	0.06	0.06	0.13	2.31	v _356_/X (sky130_fd_sc_hd__buf_4)	
					200 (net)	
1	0.00	0.06	0.00	2.31	v _357_/A (sky130_fd_sc_hd__inv_2)	
		0.03	0.04	2.35	^ _357_/Y (sky130_fd_sc_hd__inv_2)	
1	0.00				_002_ (net)	
		0.03	0.00	2.35	^ _408_/RESET_B (sky130_fd_sc_hd__dfrtp_4)	
				2.35	data arrival time	

1	0.02		0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
4	0.04	0.06	0.04	0.04	^ clk (in)	
					clk (net)	
14	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
14	0.04				clknet_0_clk (net)	
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
14	0.04	0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					clknet_2_0__leaf_clk (net)	
14	0.04	0.05	0.00	0.26	^ _408_/CLK (sky130_fd_sc_hd__dfrtp_4)	
			0.25	0.51	clock uncertainty	
14	0.04		0.00	0.51	clock reconvergence pessimism	
			0.20	0.71	library removal time	
14	0.04			0.71	data required time	

				0.71	data required time	
				-2.35	data arrival time	

				1.64	slack (MET)	

Startpoint: rst (input port clocked by clk)
 Endpoint: _410_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.00	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
				2.06	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.05	0.04	0.06		net2 (net)
				2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
10	0.06	0.06	0.13	2.18	v _356_/A (sky130_fd_sc_hd__buf_4)
				2.31	v _356_/X (sky130_fd_sc_hd__buf_4)
1	0.00	0.06	0.00		_200_ (net)
				2.31	v _359_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.03	0.04	2.35	^ _359_/Y (sky130_fd_sc_hd__inv_2)
					004 (net)
		0.03	0.00	2.35	^ _410_/RESET_B (sky130_fd_sc_hd__dfrtp_2)

				2.35	data arrival time
		0.00	0.00		clock clk (rise edge)
		0.00	0.00		clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^ _410_/CLK (sky130_fd_sc_hd__dftrtp_2)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.35	data arrival time

				1.64	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _411_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.18	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.13	2.31	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)
		0.06	0.00	2.31	v _360_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.35	^ _360_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_005_ (net)
		0.03	0.00	2.35	^ _411_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.35	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.26	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.26	^ _411_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.71	library removal time
				0.71	data required time

				0.71	data required time
				-2.35	data arrival time

1.65 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _424_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.06	2.06 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.06 v	_355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.18 v	_355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.18 v	_367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.06	0.13	2.31 v	_367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.06	0.00	2.31 v	_374_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.35 ^	_374_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_018_ (net)
		0.03	0.00	2.35 ^	_424_/RESET_B (sky130_fd_sc_hd__dfrtp_2)
				2.35	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04 ^	clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15 ^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.11	0.26 ^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.04	0.00	0.26 ^	_424_/CLK (sky130_fd_sc_hd__dfrtp_2)
			0.25	0.51	clock uncertainty
			0.00	0.51	clock reconvergence pessimism
			0.20	0.70	library removal time
				0.70	data required time

				0.70	data required time
				-2.35	data arrival time

				1.65	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _420_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06 v	input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)

		0.04	0.00	2.06	v	_355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.18	v	_355_/X (sky130_fd_sc_hd__buf_4)
10	0.05					_199_ (net)
		0.06	0.00	2.18	v	_367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.06	0.13	2.31	v	_367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07					_201_ (net)
		0.06	0.00	2.31	v	_370_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.35	^	_370_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_014_ (net)
		0.03	0.00	2.35	^	_420_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.35		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.06	0.04	0.04	^	clk (in)
						clk (net)
		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.15	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	0.15	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.11	0.26	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.04	0.00	0.26	^	_420_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.51		clock uncertainty
			0.00	0.51		clock reconvergence pessimism
			0.20	0.70		library removal time
				0.70		data required time

				0.70		data required time
				-2.35		data arrival time

				1.65		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _421_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00		0.00	2.00	v rst (in)
					rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.06	0.00	2.18	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
10	0.07	0.06	0.13	2.31	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
					201 (net)
		0.06	0.00	2.32	v _371_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.35	^ _371_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_015_ (net)
		0.03	0.00	2.35	^ _421_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.35	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)

12	0.04	0.04	0.11	0.26	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_3_leaf_clk (net)
		0.04	0.00	0.26	^	_421_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.51		clock uncertainty
			0.00	0.51		clock reconvergence pessimism
			0.20	0.71		library removal time
				0.71		data required time

				0.71		data required time
				-2.35		data arrival time

			1.65		slack (MET)	

Startpoint: rst (input port clocked by clk)
Endpoint: _426_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description	
1	0.00		0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
		0.00	2.00	2.00	v input external delay	
			0.00	2.00	v rst (in)	
					rst (net)	
			0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		3	0.01	0.04	0.06	2.06 v input2/X (sky130_fd_sc_hd__buf_1)
		10	0.05	0.04	0.00	2.06 v _355_/A (sky130_fd_sc_hd__buf_4)
				0.06	0.12	2.18 v _355_/X (sky130_fd_sc_hd__buf_4)
		10	0.07			_199_ (net)
				0.06	0.00	2.18 v _367_/A (sky130_fd_sc_hd__clkbuf_8)
10	0.07	0.06	0.13	2.31 v _367_/X (sky130_fd_sc_hd__clkbuf_8)		
					201 (net)	
1	0.00	0.06	0.00	2.32 v _376_/A (sky130_fd_sc_hd__inv_2)		
		0.03	0.04	2.35 ^ _376_/Y (sky130_fd_sc_hd__inv_2)		
1	0.00			_020_ (net)		
		0.03	0.00	2.35 ^ _426_/RESET_B (sky130_fd_sc_hd__dfrtp_1)		
				2.35	data arrival time	
1	0.02		0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
		0.06	0.04	0.04	^ clk (in)	
						clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
			0.05	0.11	0.15 ^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
		4	0.04			clknet_0_clk (net)
				0.05	0.00	0.15 ^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		12	0.04	0.04	0.11	0.26 ^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
		12	0.04	0.04	0.00	0.26 ^ _426_/CLK (sky130_fd_sc_hd__dfrtp_1)
					0.25	0.51
				0.00	clock reconvergence pessimism	
				0.20	library removal time	
				0.70	data required time	
				0.70	data required time	
				-2.35	data arrival time	
				1.65	slack (MET)	

Startpoint: rst (input port clocked by clk)
Endpoint: _419_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.00	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			2.00	2.00	v rst (in)
					rst (net)
			2.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			2.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			2.06	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
			2.18	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05	0.04	0.12		_199_ (net)
				2.18	2.18
10	0.07	0.06	0.13	2.31	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
					201 (net)
		0.06	0.00	2.32	v _369_/A (sky130_fd_sc_hd__inv_2)
				2.35	^ _369_/Y (sky130_fd_sc_hd__inv_2)
1	0.00	0.03	0.04		_013_ (net)
				2.35	^ _419_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
		0.03	0.00	2.35	data arrival time

1	0.02	0.06	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
			0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11		clknet_0_clk (net)
				0.15	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.04	0.11	0.26	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.04	0.00	0.26	^ _419_/CLK (sky130_fd_sc_hd__dftrtp_1)
				0.25	0.51
			0.00	0.51	clock reconvergence pessimism
			0.20	0.70	library removal time
				0.70	data required time

				0.70	data required time
				-2.35	data arrival time

				1.65	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _418_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.00	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
				2.06	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.05	0.04	0.06		net2 (net)
				2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.07	0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
10	0.07	0.06	0.13	2.18	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
				2.31	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
1	0.00	0.06	0.00		_201_ (net)
				2.31	v _368_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.03	0.04	2.35	^ _368_/Y (sky130_fd_sc_hd__inv_2)
					012 (net)
		0.03	0.00	2.35	^ _418_/RESET_B (sky130_fd_sc_hd__dftrtp_1)

				2.35	data arrival time
		0.00	0.00		clock clk (rise edge)
		0.00	0.00		clock source latency
	0.06	0.04	0.04	^	clk (in)
1	0.02				clk (net)
	0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
	0.05	0.11	0.15	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
	0.05	0.00	0.15	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
	0.04	0.11	0.26	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
	0.04	0.00	0.26	^	_418_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.25	0.51		clock uncertainty
		0.00	0.51		clock reconvergence pessimism
		0.20	0.70		library removal time
			0.70		data required time

			0.70		data required time
			-2.35		data arrival time

			1.65		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _427_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.18	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.06	0.13	2.31	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.06	0.00	2.31	v _377_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.35	^ _377_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_021_ (net)
		0.03	0.00	2.35	^ _427_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.35	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
	0.06	0.04	0.04	^	clk (in)
1	0.02				clk (net)
	0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
	0.05	0.11	0.15	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
	0.05	0.00	0.15	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
	0.04	0.10	0.26	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
	0.04	0.00	0.26	^	_427_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.25	0.51		clock uncertainty
		0.00	0.51		clock reconvergence pessimism
		0.20	0.70		library removal time
			0.70		data required time

			0.70		data required time
			-2.35		data arrival time

1.65 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _423_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.06	2.06 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.06 v	_355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.18 v	_355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.18 v	_367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.06	0.13	2.31 v	_367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.06	0.00	2.31 v	_373_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.35 ^	_373_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_017_ (net)
		0.03	0.00	2.35 ^	_423_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.35	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04 ^	clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15 ^	clkbuf_2_2_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	0.25 ^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.04	0.00	0.25 ^	_423_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.50	clock uncertainty
			0.00	0.50	clock reconvergence pessimism
			0.20	0.70	library removal time
				0.70	data required time

				0.70	data required time
				-2.35	data arrival time

				1.65	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _422_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06 v	input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)

		0.04	0.00	2.06	v	_355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.18	v	_355_/X (sky130_fd_sc_hd__buf_4)
10	0.05					_199_ (net)
		0.06	0.00	2.18	v	_367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.06	0.13	2.31	v	_367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07					_201_ (net)
		0.06	0.00	2.31	v	_372_/A (sky130_fd_sc_hd__inv_2)
		0.02	0.04	2.35	^	_372_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_016_ (net)
		0.02	0.00	2.35	^	_422_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.35		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.06	0.04	0.04	^	clk (in)
						clk (net)
		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.15	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	0.15	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	0.25	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03					clknet_2_2__leaf_clk (net)
		0.04	0.00	0.25	^	_422_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.50		clock uncertainty
			0.00	0.50		clock reconvergence pessimism
			0.20	0.70		library removal time
				0.70		data required time

				0.70		data required time
				-2.35		data arrival time

				1.65		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _409_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.06	0.00	2.18	v _356_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.06	0.13	2.31	v _356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
		0.06	0.00	2.31	v _358_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.35	^ _358_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_003_ (net)
		0.03	0.00	2.35	^ _409_/RESET_B (sky130_fd_sc_hd__dfrtp_4)
				2.35	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)

10	0.03	0.04	0.10	0.25	^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
		0.04	0.00	0.25	^	_409_/CLK (sky130_fd_sc_hd__dfrtp_4)
			0.25	0.50		clock uncertainty
			0.00	0.50		clock reconvergence pessimism
			0.20	0.70		library removal time
					0.70	data required time
					-2.35	data arrival time
					1.65	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _425_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description	
1	0.00	0.00	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			2.00	2.00	v input external delay	
			0.00	2.00	v rst (in)	
		3	0.01	0.00	0.00	rst (net)
					2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		10	0.05	0.04	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
				0.06	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
		10	0.07	0.06	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
				0.06	2.18	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		10	0.07	0.06	2.31	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
				0.03	2.31	v _375_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.03	2.35	^ _375_/Y (sky130_fd_sc_hd__inv_2)		
		0.03	2.35	^ _019_ (net)		
		0.03	2.35	^ _425_/RESET_B (sky130_fd_sc_hd__dfrtp_1)		
		2.35	data arrival time			
1	0.02	0.06	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
			0.04	0.04	^ clk (in)	
			0.04	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		4	0.04	0.05	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
				0.05	0.15	^ clknet_0_clk (net)
		10	0.03	0.05	0.15	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.04	0.25	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
		10	0.03	0.04	0.25	^ clknet_2_2__leaf_clk (net)
				0.04	0.25	^ _425_/CLK (sky130_fd_sc_hd__dfrtp_1)
				0.25	0.50	clock uncertainty
				0.00	0.50	clock reconvergence pessimism
10	0.03	0.20	0.70	library removal time		
		0.70	0.70	data required time		
		0.70	0.70	data required time		
		-2.35	data arrival time			
				1.65	slack (MET)	

Startpoint: rst (input port clocked by clk)
Endpoint: _414_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.00	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.04	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.05	0.00			net2 (net)
			0.04	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.12	0.06	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
10	0.06	0.00	0.06	2.18	v _356_/A (sky130_fd_sc_hd__buf_4)
			0.06	2.31	v _356_/X (sky130_fd_sc_hd__buf_4)
1	0.00	0.00			_200_ (net)
			0.06	2.32	v _363_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.03	0.03	2.35	^ _363_/Y (sky130_fd_sc_hd__inv_2)
					008 (net)
		0.03	0.00	2.35	^ _414_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
					data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.05	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.05			clknet_0_clk (net)
			0.04	0.15	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.04	0.25	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.04	0.00	0.25	^ _414_/CLK (sky130_fd_sc_hd__dfrtp_1)
					clock uncertainty
			0.00	0.50	clock reconvergence pessimism
			0.20	0.70	library removal time

				0.70	data required time
				-2.35	data arrival time

				1.65	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _413_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.00	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
			0.04	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.05	0.00	0.00	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.06	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.06	0.00	0.00	2.18	v _356_/A (sky130_fd_sc_hd__buf_4)
			0.06	2.31	v _356_/X (sky130_fd_sc_hd__buf_4)
1	0.00	0.00	0.00	2.32	v _362_/A (sky130_fd_sc_hd__inv_2)
			0.03	2.35	^ _362_/Y (sky130_fd_sc_hd__inv_2)
			0.03	2.35	^ _413_/RESET_B (sky130_fd_sc_hd__dfrtp_1)

				2.35	data arrival time
		0.00	0.00		clock clk (rise edge)
		0.00	0.00		clock source latency
	0.06	0.04	0.04	^	clk (in)
1	0.02				clk (net)
	0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
	0.05	0.11	0.15	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
	0.05	0.00	0.15	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
	0.04	0.10	0.25	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
	0.04	0.00	0.25	^	_413_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.25	0.50		clock uncertainty
		0.00	0.50		clock reconvergence pessimism
		0.20	0.70		library removal time
			0.70		data required time

			0.70		data required time
			-2.35		data arrival time

			1.65		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _412_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.00	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.18	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.13	2.31	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)
		0.06	0.00	2.32	v _361_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.35	^ _361_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_006_ (net)
		0.03	0.00	2.35	^ _412_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.35	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
	0.06	0.04	0.04	^	clk (in)
1	0.02				clk (net)
	0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
	0.05	0.11	0.15	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
	0.05	0.00	0.15	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
	0.04	0.10	0.25	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
	0.04	0.00	0.25	^	_412_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.25	0.50		clock uncertainty
		0.00	0.50		clock reconvergence pessimism
		0.20	0.70		library removal time
			0.70		data required time

			0.70		data required time
			-2.35		data arrival time

1.65 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _417_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.06	2.06 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.04	0.00	2.06 v	_355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.06	0.12	2.18 v	_355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.06	0.00	2.18 v	_356_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.06	0.13	2.31 v	_356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
		0.06	0.00	2.32 v	_366_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.35 ^	_366_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_011_ (net)
		0.03	0.00	2.35 ^	_417_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.35	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04 ^	clk (in)
					clk (net)
		0.06	0.00	0.04 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.15 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.15 ^	clkbuf_2_2_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.04	0.10	0.25 ^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2_leaf_clk (net)
		0.04	0.00	0.25 ^	_417_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.50	clock uncertainty
			0.00	0.50	clock reconvergence pessimism
			0.20	0.70	library removal time
				0.70	data required time

				0.70	data required time
				-2.35	data arrival time

				1.65	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _416_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.00	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.04	0.06	2.06 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)

		0.04	0.00	2.06	v	_355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.18	v	_355_/X (sky130_fd_sc_hd__buf_4)
10	0.05					_199_ (net)
		0.06	0.00	2.18	v	_356_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.13	2.31	v	_356_/X (sky130_fd_sc_hd__buf_4)
10	0.06					_200_ (net)
		0.06	0.00	2.32	v	_365_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.35	^	_365_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_010_ (net)
		0.03	0.00	2.35	^	_416_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.35		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.06	0.04	0.04	^	clk (in)
						clk (net)
		0.06	0.00	0.04	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.11	0.15	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.05	0.00	0.15	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	0.25	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03					clknet_2_2__leaf_clk (net)
		0.04	0.00	0.25	^	_416_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.50		clock uncertainty
			0.00	0.50		clock reconvergence pessimism
			0.20	0.70		library removal time
				0.70		data required time

				0.70		data required time
				-2.35		data arrival time

				1.65		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _415_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.00	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.04	0.06	2.06	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.04	0.00	2.06	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.12	2.18	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.06	0.00	2.18	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.06	0.13	2.31	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)
		0.06	0.00	2.32	v _364_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	2.35	^ _364_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_009_ (net)
		0.03	0.00	2.36	^ _415_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.36	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.11	0.15	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.15	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)

10	0.03	0.04	0.10	0.25	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.04	0.00	0.25	^ _415_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.50	clock uncertainty
			0.00	0.50	clock reconvergence pessimism
			0.20	0.70	library removal time
			0.70	data required time	
			-2.36	data arrival time	
			1.65	slack (MET)	

Startpoint: _425_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: done (output port clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.09	0.23	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
1	0.00	0.04	0.00	0.23	^ _425_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.04	0.20	0.43	^ _425_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.04				net14 (net)
		0.04	0.00	0.43	^ output14/A (sky130_fd_sc_hd__clkbuf_4)
		0.09	0.12	0.55	^ output14/X (sky130_fd_sc_hd__clkbuf_4)
1	0.04				done (net)
		0.09	0.00	0.55	^ done (out)
					0.55 data arrival time
				0.00	clock clk (rise edge)
				0.00	clock network delay (propagated)
				0.25	clock uncertainty
				0.00	clock reconvergence pessimism
				-2.00	output external delay
				-1.75	data required time
				-1.75	data required time
				-0.55	data arrival time
				2.30	slack (MET)

Startpoint: _426_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: rx_data[0] (output port clocked by clk)

Path Group: clk

Path Type: min

Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description
1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
					clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd__clkbuf_16)

12	0.04	0.04	0.10	0.23	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.00	0.23	^	clknet_2_3__leaf_clk (net)
		0.05	0.21	0.44	^	_426_/CLK (sky130_fd_sc_hd__dfrtp_1)
2	0.01			0.44	^	_426_/Q (sky130_fd_sc_hd__dfrtp_1)
						net16 (net)
1	0.03	0.05	0.00	0.44	^	output16/A (sky130_fd_sc_hd__clkbuf_4)
		0.09	0.13	0.57	^	output16/X (sky130_fd_sc_hd__clkbuf_4)
						rx_data[0] (net)
		0.09	0.00	0.57	^	rx_data[0] (out)
				0.57		data arrival time
		0.00	0.00			clock clk (rise edge)
		0.00	0.00			clock network delay (propagated)
		0.25	0.25			clock uncertainty
		0.00	0.25			clock reconvergence pessimism
		-2.00	-1.75			output external delay
			-1.75			data required time

				-1.75		data required time
				-0.57		data arrival time

				2.32		slack (MET)

Startpoint: _436_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: cs (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^
					clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^
		0.05	0.10	0.14	^
					clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
12	0.04	0.05	0.00	0.14	^
		0.04	0.10	0.23	^
					clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
					clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
2	0.01	0.04	0.00	0.23	^
		0.03	0.22	0.45	v
					436/CLK (sky130_fd_sc_hd__dfstp_1)
					436/Q (sky130_fd_sc_hd__dfstp_1)
					net13 (net)
1	0.03	0.03	0.00	0.45	v
		0.06	0.12	0.57	v
					output13/A (sky130_fd_sc_hd__clkbuf_4)
					output13/X (sky130_fd_sc_hd__clkbuf_4)
					cs (net)
		0.06	0.00	0.57	v
					cs (out)
				0.57	
					data arrival time
		0.00	0.00		
		0.00	0.00		
		0.25	0.25		
		0.00	0.25		
		-2.00	-1.75		
			-1.75		
					clock clk (rise edge)
					clock network delay (propagated)
					clock uncertainty
					clock reconvergence pessimism
					output external delay
					data required time

				-1.75	
				-0.57	
					data required time
					data arrival time

				2.32	
					slack (MET)

Startpoint: _432_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[6] (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.23	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.24	^ _432_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.06	0.21	0.45	^ _432_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net22 (net)
		0.06	0.00	0.45	^ output22/A (sky130_fd_sc_hd__clkbuf_4)
		0.08	0.13	0.57	^ output22/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[6] (net)
		0.08	0.00	0.57	^ rx_data[6] (out)
				0.57	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.57	data arrival time

				2.32	slack (MET)

Startpoint: _433_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[7] (output port clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.09	0.23	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.04	0.00	0.23	^ _433_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.06	0.21	0.45	^ _433_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net23 (net)
		0.06	0.00	0.45	^ output23/A (sky130_fd_sc_hd__clkbuf_4)
		0.08	0.13	0.57	^ output23/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[7] (net)
		0.08	0.00	0.57	^ rx_data[7] (out)
				0.57	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.57	data arrival time

2.32 slack (MET)

Startpoint: _427_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[1] (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.05	0.10		clknet_0_clk (net)
				0.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.23	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
2	0.01	0.04	0.00	0.23	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
				0.45	^ _427_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.03	0.06	0.13		net17 (net)
				0.45	^ output17/A (sky130_fd_sc_hd__clkbuf_4)
				0.58	^ output17/X (sky130_fd_sc_hd__clkbuf_4)
					rx_data[1] (net)
		0.08	0.00	0.58	^ rx_data[1] (out)
				0.58	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.58	data arrival time

				2.33	slack (MET)

Startpoint: _429_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[3] (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.05	0.10		clknet_0_clk (net)
				0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.23	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
2	0.01	0.05	0.00	0.23	^ _429_/CLK (sky130_fd_sc_hd__dfrtp_1)
				0.45	^ _429_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.03	0.06	0.13		net19 (net)
				0.45	^ output19/A (sky130_fd_sc_hd__clkbuf_4)
				0.58	^ output19/X (sky130_fd_sc_hd__clkbuf_4)
					rx_data[3] (net)
		0.08	0.00	0.58	^ rx_data[3] (out)
				0.58	data arrival time

0.00	0.00	clock clk (rise edge)
0.00	0.00	clock network delay (propagated)
0.25	0.25	clock uncertainty
0.00	0.25	clock reconvergence pessimism
-2.00	-1.75	output external delay
	-1.75	data required time

	-1.75	data required time
	-0.58	data arrival time

	2.33	slack (MET)

Startpoint: _431_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[5] (output port clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.10	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.05	0.10		clknet_0_clk (net)
				0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.23	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
2	0.01	0.05	0.21	0.24	^ _431_/CLK (sky130_fd_sc_hd__dfrtp_1)
				0.45	^ _431_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.03	0.06	0.13		net21 (net)
				0.45	^ output21/A (sky130_fd_sc_hd__clkbuf_4)
				0.58	^ output21/X (sky130_fd_sc_hd__clkbuf_4)
					rx_data[5] (net)
		0.09	0.00	0.58	^ rx_data[5] (out)
				0.58	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.58	data arrival time

				2.33	slack (MET)

Startpoint: _428_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[2] (output port clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.10	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.00		clknet_0_clk (net)
				0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)

14	0.04	0.05	0.10	0.23	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.00	0.24	^ _428_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.07	0.22	0.46	^ _428_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net18 (net)
		0.07	0.00	0.46	^ output18/A (sky130_fd_sc_hd__clkbuf_4)
1	0.03	0.08	0.13	0.59	^ output18/X (sky130_fd_sc_hd__clkbuf_4)
		0.08	0.00	0.59	^ rx_data[2] (net)
				0.59	^ rx_data[2] (out)
				0.59	data arrival time
		0.00	0.00		clock clk (rise edge)
		0.00	0.00		clock network delay (propagated)
		0.25	0.25		clock uncertainty
		0.00	0.25		clock reconvergence pessimism
		-2.00	-1.75		output external delay
			-1.75		data required time

				-1.75	data required time
				-0.59	data arrival time

				2.34	slack (MET)

Startpoint: _434_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: mosi (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.06	0.04	0.04	^ clk (in)
					clk (net)
4	0.04	0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
2	0.01	0.04	0.09	0.23	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
1	0.03	0.04	0.00	0.23	^ _434_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.08	0.23	0.46	^ _434_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.03				net15 (net)
		0.08	0.00	0.46	^ output15/A (sky130_fd_sc_hd__clkbuf_4)
1	0.03	0.08	0.13	0.59	^ output15/X (sky130_fd_sc_hd__clkbuf_4)
		0.08	0.00	0.59	^ mosi (net)
				0.59	^ mosi (out)
				0.59	data arrival time
		0.00	0.00		clock clk (rise edge)
		0.00	0.00		clock network delay (propagated)
		0.25	0.25		clock uncertainty
		0.00	0.25		clock reconvergence pessimism
		-2.00	-1.75		output external delay
			-1.75		data required time

				-1.75	data required time
				-0.59	data arrival time

				2.34	slack (MET)

Startpoint: _430_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[4] (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.23	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.05	0.00	0.24	^ _430_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.09	0.24	0.47	^ _430_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net20 (net)
		0.09	0.00	0.47	^ output20/A (sky130_fd_sc_hd__clkbuf_4)
		0.08	0.14	0.61	^ output20/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[4] (net)
		0.08	0.00	0.61	^ rx_data[4] (out)
				0.61	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.61	data arrival time

				2.36	slack (MET)

Startpoint: _424_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: busy (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.06	0.04	0.04	^ clk (in)
1	0.02				clk (net)
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.05	0.00	0.14	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.04	0.10	0.23	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.04	0.00	0.23	^ _424_/CLK (sky130_fd_sc_hd__dfrtp_2)
		0.06	0.26	0.50	v _424_/Q (sky130_fd_sc_hd__dfrtp_2)
4	0.02				net12 (net)
		0.06	0.00	0.50	v output12/A (sky130_fd_sc_hd__buf_2)
		0.06	0.12	0.62	v output12/X (sky130_fd_sc_hd__buf_2)
1	0.03				busy (net)
		0.06	0.00	0.62	v busy (out)
				0.62	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.62	data arrival time

2.37 slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: sclk (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Fastest

Fanout	Cap	Slew	Delay	Time	Description		

1	0.02	0.06	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock source latency		
		0.04	0.04	0.04	^ clk (in)		
						clk (net)	
		0.06	0.00	0.04	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)		
			0.05	0.10	0.14	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
		4	0.04			clknet_0_clk (net)	
				0.05	0.00	0.14	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		14	0.04	0.05	0.10	0.23	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
							clknet_2_0__leaf_clk (net)
4	0.02	0.05	0.00	0.24	^ _435_/CLK (sky130_fd_sc_hd__dfrtp_2)		
		0.06	0.27	0.50	v _435_/Q (sky130_fd_sc_hd__dfrtp_2)		
1	0.03	0.06	0.00	0.50	v output24/A (sky130_fd_sc_hd__buf_2)		
			0.06	0.12	0.63	v output24/X (sky130_fd_sc_hd__buf_2)	
		0.06	0.00	0.63	v sclk (net)		
					0.63	v sclk (out)	
						data arrival time	

						0.00 clock clk (rise edge)	
						0.00 clock network delay (propagated)	
						0.25 clock uncertainty	
						0.00 clock reconvergence pessimism	
				-2.00 output external delay			
				-1.75 data required time			

				-1.75	data required time		
				-0.63	data arrival time		

				2.38	slack (MET)		

===== Slowest Corner =====

Startpoint: _415_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _415_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description	
1	0.02	0.12	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
			0.08	0.08	^ clk (in)	
					clk (net)	
			0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
			0.09	0.00	0.34	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.08	0.24	0.57	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
						clknet_2_2__leaf_clk (net)
10	0.03	0.08	0.00	0.57	^ _415_/CLK (sky130_fd_sc_hd__dfrtp_1)	
			0.15	0.67	1.24	^ _415_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01	0.15	0.00	1.24	^ clk_count[7] (net)	
			0.07	0.25	1.50	^ _332_/S (sky130_fd_sc_hd__mux2_1)
						^ _332_/X (sky130_fd_sc_hd__mux2_1)

1	0.00				_185_ (net)
		0.07	0.00	1.50	^ _333_/A (sky130_fd_sc_hd__clkbuf_1)
		0.06	0.13	1.63	^ _333_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_057_ (net)
		0.06	0.00	1.63	^ _415_/D (sky130_fd_sc_hd__dfrtp_1)
				1.63	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.08	0.26	0.63	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.08	0.00	0.63	^ _415_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.88	clock uncertainty
		-0.06	0.82		clock reconvergence pessimism
		-0.07	0.75		library hold time
				0.75	data required time

				0.75	data required time
				-1.63	data arrival time

				0.88	slack (MET)

Startpoint: _447_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _429_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	0.58	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.58	^ _447_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.16	0.69	1.27	^ _447_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				rx_shift[3] (net)
		0.16	0.00	1.27	^ _287_/A0 (sky130_fd_sc_hd__mux2_1)
		0.07	0.24	1.52	^ _287_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_152_ (net)
		0.07	0.00	1.52	^ _288_/A (sky130_fd_sc_hd__clkbuf_1)
		0.06	0.13	1.65	^ _288_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_069_ (net)
		0.06	0.00	1.65	^ _429_/D (sky130_fd_sc_hd__dfrtp_1)
				1.65	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.28	0.65	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.65	^ _429_/CLK (sky130_fd_sc_hd__dfrtp_1)

0.25	0.90	clock uncertainty
-0.06	0.84	clock reconvergence pessimism
-0.07	0.76	library hold time
	0.76	data required time

0.76	data required time
-1.65	data arrival time

0.88	slack (MET)
------	-------------

Startpoint: _449_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _431_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	0.58	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.58	^ _449_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.15	0.68	1.27	^ _449_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				rx_shift[5] (net)
		0.15	0.00	1.27	^ _283_/A0 (sky130_fd_sc_hd_mux2_1)
		0.07	0.25	1.51	^ _283_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_150_ (net)
		0.07	0.00	1.51	^ _284_/A (sky130_fd_sc_hd_clkbuf_1)
		0.06	0.13	1.65	^ _284_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_071_ (net)
		0.06	0.00	1.65	^ _431_/D (sky130_fd_sc_hd_dfrtp_1)
				1.65	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.28	0.65	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.65	^ _431_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.90	clock uncertainty
		-0.06	0.84		clock reconvergence pessimism
		-0.07	0.76		library hold time
			0.76		data required time

				0.76	data required time
				-1.65	data arrival time

				0.88	slack (MET)

Startpoint: _428_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _428_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
--------	-----	------	-------	------	-------------

		0.00	0.00	clock clk (rise edge)
		0.00	0.00	clock source latency
		0.12	0.08	0.08 ^ clk (in)
1	0.02			clk (net)
		0.12	0.00	0.08 ^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	0.34 ^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04			clknet_0_clk (net)
		0.09	0.00	0.34 ^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	0.58 ^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04			clknet_2_0__leaf_clk (net)
		0.10	0.00	0.59 ^ _428_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.15	0.68	1.27 ^ _428_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01			net18 (net)
		0.15	0.00	1.27 ^ _289_/A1 (sky130_fd_sc_hd_mux2_1)
		0.07	0.25	1.52 ^ _289_/X (sky130_fd_sc_hd_mux2_1)
1	0.00			_153_ (net)
		0.07	0.00	1.52 ^ _290_/A (sky130_fd_sc_hd_clkbuf_1)
		0.06	0.14	1.66 ^ _290_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00			_068_ (net)
		0.06	0.00	1.66 ^ _428_/D (sky130_fd_sc_hd_dfrtp_1)
				1.66 data arrival time

		0.00	0.00	clock clk (rise edge)
		0.00	0.00	clock source latency
		0.12	0.08	0.08 ^ clk (in)
1	0.02			clk (net)
		0.12	0.00	0.08 ^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.29	0.37 ^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04			clknet_0_clk (net)
		0.09	0.00	0.37 ^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.28	0.65 ^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04			clknet_2_0__leaf_clk (net)
		0.10	0.00	0.65 ^ _428_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.90 clock uncertainty
		-0.06	0.84	clock reconvergence pessimism
		-0.07	0.76	library hold time
			0.76	data required time

			0.76	data required time
			-1.66	data arrival time

			0.89	slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _435_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08 ^	clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08 ^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	0.34 ^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.34 ^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	0.58 ^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.59 ^	_435_/CLK (sky130_fd_sc_hd_dfrtp_2)
		0.20	0.78	1.37 ^	_435_/Q (sky130_fd_sc_hd_dfrtp_2)
4	0.02				net24 (net)
		0.20	0.00	1.37 ^	_235_/A (sky130_fd_sc_hd_inv_2)
		0.05	0.10	1.47 v	_235_/Y (sky130_fd_sc_hd_inv_2)
2	0.01				_123_ (net)
		0.05	0.00	1.47 v	_274_/A1 (sky130_fd_sc_hd_a21oi_1)

1	0.00	0.15	0.18	1.66	^	_274_/Y (sky130_fd_sc_hd__a21oi_1)
						075 (net)
		0.15	0.00	1.66	^	_435_/D (sky130_fd_sc_hd__dfrtp_2)
				1.66		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.12	0.08	0.08	^	clk (in)
						clk (net)
		0.12	0.00	0.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.29	0.37	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.09	0.00	0.37	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.28	0.65	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.10	0.00	0.65	^	_435_/CLK (sky130_fd_sc_hd__dfrtp_2)
			0.25	0.90		clock uncertainty
		-0.06	0.84			clock reconvergence pessimism
		-0.09	0.74			library hold time
				0.74		data required time

				0.74		data required time
				-1.66		data arrival time

				0.91		slack (MET)

Startpoint: _419_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _419_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.24	0.58	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.09	0.00	0.58	^ _419_/CLK (sky130_fd_sc_hd__dfrtp_1)
3	0.01	0.17	0.69	1.27	^ _419_/Q (sky130_fd_sc_hd__dfrtp_1)
					clk_count[11] (net)
		0.17	0.00	1.27	^ _317_/S (sky130_fd_sc_hd__mux2_1)
1	0.00	0.07	0.26	1.54	^ _317_/X (sky130_fd_sc_hd__mux2_1)
					174 (net)
		0.07	0.00	1.54	^ _318_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.06	0.14	1.67	^ _318_/X (sky130_fd_sc_hd__clkbuf_1)
					061 (net)
		0.06	0.00	1.67	^ _419_/D (sky130_fd_sc_hd__dfrtp_1)
				1.67	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.27	0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.09	0.00	0.64	^ _419_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.89	clock uncertainty
		-0.06	0.83		clock reconvergence pessimism

-0.07	0.76	library hold time
	0.76	data required time

	0.76	data required time
	-1.67	data arrival time

	0.92	slack (MET)

Startpoint: _453_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _453_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.24	0.58	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.09	0.00	0.58	^ _453_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.17	0.69	1.27	^ _453_/Q (sky130_fd_sc_hd_dfrtp_1)
4	0.01				bit_count[1] (net)
		0.17	0.00	1.27	^ _229_/A0 (sky130_fd_sc_hd_mux2_1)
		0.08	0.26	1.53	^ _229_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_119_ (net)
		0.08	0.00	1.53	^ _230_/A (sky130_fd_sc_hd_clkbuf_1)
		0.07	0.14	1.67	^ _230_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_093_ (net)
		0.07	0.00	1.67	^ _453_/D (sky130_fd_sc_hd_dfrtp_1)
				1.67	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.09	0.00	0.64	^ _453_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.25	0.89		clock uncertainty
		-0.06	0.83		clock reconvergence pessimism
		-0.07	0.76		library hold time
			0.76		data required time

				0.76	data required time
				-1.67	data arrival time

				0.92	slack (MET)

Startpoint: _450_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _432_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)

			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	0.58	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.10	0.00	0.58	^ _450_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.19	0.71	1.30	^ _450_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				rx_shift[6] (net)
		0.19	0.00	1.30	^ _281_/A0 (sky130_fd_sc_hd_mux2_1)
		0.07	0.26	1.56	^ _281_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_149_ (net)
		0.07	0.00	1.56	^ _282_/A (sky130_fd_sc_hd_clkbuf_1)
		0.06	0.14	1.69	^ _282_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_072_ (net)
		0.06	0.00	1.69	^ _432_/D (sky130_fd_sc_hd_dfrtp_1)
				1.69	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.28	0.65	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.10	0.00	0.65	^ _432_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.90	clock uncertainty
			-0.06	0.84	clock reconvergence pessimism
			-0.07	0.76	library hold time
				0.76	data required time

				0.76	data required time
				-1.69	data arrival time

				0.93	slack (MET)

Startpoint: _423_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _423_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.08	0.24	0.57	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.08	0.00	0.57	^ _423_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.13	0.76	1.34	v _423_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[15] (net)
		0.13	0.00	1.34	v _295_/A (sky130_fd_sc_hd_inv_2)
		0.06	0.10	1.43	^ _295_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_156_ (net)
		0.06	0.00	1.43	^ _303_/A1 (sky130_fd_sc_hd_o31a_1)
		0.08	0.24	1.67	^ _303_/X (sky130_fd_sc_hd_o31a_1)
1	0.00				_065_ (net)

		0.08	0.00	1.67	^	_423_/D (sky130_fd_sc_hd_dfrtp_1)
				1.67		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.12	0.08	0.08	^	clk (in)
						clk (net)
		0.12	0.00	0.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.09	0.29	0.37	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.09	0.00	0.37	^	clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
10	0.03	0.08	0.26	0.63	^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_2_leaf_clk (net)
		0.08	0.00	0.63	^	_423_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.88		clock uncertainty
			-0.06	0.82		clock reconvergence pessimism
			-0.08	0.75		library hold time
				0.75		data required time

				0.75		data required time
				-1.67		data arrival time

				0.93		slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _421_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.24	0.58	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
		0.09	0.00	0.58	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
3	0.01	0.18	0.70	1.28	^ _421_/Q (sky130_fd_sc_hd_dfrtp_1)
					clk_count[13] (net)
		0.18	0.00	1.28	^ _309_/S (sky130_fd_sc_hd_mux2_1)
1	0.00	0.07	0.27	1.55	^ _309_/X (sky130_fd_sc_hd_mux2_1)
					168 (net)
		0.07	0.00	1.55	^ _310_/A (sky130_fd_sc_hd_clkbuf_1)
1	0.00	0.07	0.14	1.69	^ _310_/X (sky130_fd_sc_hd_clkbuf_1)
					063 (net)
		0.07	0.00	1.69	^ _421_/D (sky130_fd_sc_hd_dfrtp_1)
				1.69	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.27	0.64	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
		0.09	0.00	0.64	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.89	clock uncertainty
			-0.06	0.83	clock reconvergence pessimism
			-0.07	0.76	library hold time
				0.76	data required time

		0.76	data required time
		-1.69	data arrival time

		0.93	slack (MET)

Startpoint: _430_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _430_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.10	0.25	0.58	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)
		0.10	0.00	0.59	^ _430_/CLK (sky130_fd_sc_hd_dfrtp_1)
2	0.01	0.20	0.72	1.30	^ _430_/Q (sky130_fd_sc_hd_dfrtp_1)
					net20 (net)
		0.20	0.00	1.30	^ _285_/A1 (sky130_fd_sc_hd_mux2_1)
1	0.00	0.07	0.27	1.57	^ _285_/X (sky130_fd_sc_hd_mux2_1)
					151 (net)
		0.07	0.00	1.57	^ _286_/A (sky130_fd_sc_hd_clkbuf_1)
1	0.00	0.06	0.13	1.70	^ _286_/X (sky130_fd_sc_hd_clkbuf_1)
					070 (net)
		0.06	0.00	1.70	^ _430_/D (sky130_fd_sc_hd_dfrtp_1)
				1.70	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.10	0.28	0.65	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)
		0.10	0.00	0.65	^ _430_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.90	clock uncertainty
		-0.06	0.84		clock reconvergence pessimism
		-0.07	0.76		library hold time
			0.76		data required time

				0.76	data required time
				-1.70	data arrival time

				0.94	slack (MET)

Startpoint: _413_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _413_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)

1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.08	0.24	0.57	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.08	0.00	0.57	^ _413_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.19	0.71	1.28	^ _413_/Q (sky130_fd_sc_hd_dfrtp_1)
4	0.01				clk_count[5] (net)
		0.19	0.00	1.28	^ _339_/S (sky130_fd_sc_hd_mux2_1)
		0.07	0.27	1.55	^ _339_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_190_ (net)
		0.07	0.00	1.55	^ _340_/A (sky130_fd_sc_hd_clkbuf_1)
		0.07	0.14	1.69	^ _340_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_055_ (net)
		0.07	0.00	1.69	^ _413_/D (sky130_fd_sc_hd_dfrtp_1)
				1.69	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.08	0.26	0.63	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.08	0.00	0.63	^ _413_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.88	clock uncertainty
		-0.06	0.82		clock reconvergence pessimism
		-0.07	0.75		library hold time
			0.75		data required time

				0.75	data required time
				-1.69	data arrival time

				0.94	slack (MET)

Startpoint: _434_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _434_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.24	0.58	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.09	0.00	0.58	^ _434_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.18	0.70	1.27	^ _434_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net15 (net)
		0.18	0.00	1.27	^ _277_/A1 (sky130_fd_sc_hd_mux2_1)
		0.09	0.28	1.55	^ _277_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_147_ (net)
		0.09	0.00	1.55	^ _278_/A (sky130_fd_sc_hd_clkbuf_1)
		0.07	0.15	1.70	^ _278_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_074_ (net)
		0.07	0.00	1.70	^ _434_/D (sky130_fd_sc_hd_dfrtp_1)
				1.70	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.09	0.00	0.64	^ _434_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.89	clock uncertainty
			-0.06	0.83	clock reconvergence pessimism
			-0.08	0.75	library hold time
				0.75	data required time

				0.75	data required time
				-1.70	data arrival time

				0.95	slack (MET)

Startpoint: _452_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _452_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.24	0.58	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.09	0.00	0.58	^ _452_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.20	0.72	1.30	^ _452_/Q (sky130_fd_sc_hd_dfrtp_1)
5	0.01				bit_count[0] (net)
		0.20	0.00	1.30	^ _233_/A0 (sky130_fd_sc_hd_mux2_1)
		0.07	0.27	1.57	^ _233_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_122_ (net)
		0.07	0.00	1.57	^ _234_/A (sky130_fd_sc_hd_clkbuf_1)
		0.06	0.14	1.70	^ _234_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_092_ (net)
		0.06	0.00	1.70	^ _452_/D (sky130_fd_sc_hd_dfrtp_1)
				1.70	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.09	0.00	0.64	^ _452_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.89	clock uncertainty
			-0.06	0.83	clock reconvergence pessimism
			-0.07	0.76	library hold time
				0.76	data required time

				0.76	data required time

-1.70 data arrival time

0.95 slack (MET)

Startpoint: _411_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _411_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
4	0.04				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	0.58	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.01				clknet_2_0_leaf_clk (net)
		0.10	0.00	0.59	^ _411_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.16	0.81	1.39	v _411_/Q (sky130_fd_sc_hd_dfrtp_1)
1	0.00				clk_count[3] (net)
		0.16	0.00	1.39	v _343_/A (sky130_fd_sc_hd_inv_2)
		0.05	0.10	1.49	^ _343_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_192_ (net)
		0.05	0.00	1.49	^ _346_/A1 (sky130_fd_sc_hd_o31a_1)
		0.09	0.24	1.73	^ _346_/X (sky130_fd_sc_hd_o31a_1)
1	0.00				_053_ (net)
		0.09	0.00	1.73	^ _411_/D (sky130_fd_sc_hd_dfrtp_1)
				1.73	data arrival time

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
4	0.04				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.28	0.65	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)
		0.10	0.00	0.65	^ _411_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.25	0.90		clock uncertainty
				0.84	clock reconvergence pessimism
				0.76	library hold time
				0.76	data required time

				0.76	data required time
				-1.73	data arrival time

				0.97	slack (MET)

Startpoint: _453_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _454_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
					clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)

		0.09	0.26	0.34	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.09	0.00	0.34	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.24	0.58	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.09	0.00	0.58	^	_453_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.17	0.69	1.27	^	_453_/Q (sky130_fd_sc_hd_dfrtp_1)
4	0.01					bit_count[1] (net)
		0.17	0.00	1.27	^	_224_/A (sky130_fd_sc_hd_nand2_1)
		0.11	0.16	1.43	v	_224_/Y (sky130_fd_sc_hd_nand2_1)
2	0.00					_115_ (net)
		0.11	0.00	1.43	v	_225_/B (sky130_fd_sc_hd_nand2_1)
		0.05	0.11	1.54	^	_225_/Y (sky130_fd_sc_hd_nand2_1)
1	0.00					_116_ (net)
		0.05	0.00	1.54	^	_226_/B2 (sky130_fd_sc_hd_a2bb2o_1)
		0.07	0.20	1.74	^	_226_/X (sky130_fd_sc_hd_a2bb2o_1)
1	0.00					_094_ (net)
		0.07	0.00	1.74	^	_454_/D (sky130_fd_sc_hd_dfrtp_1)
				1.74		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.12	0.08	0.08	^	clk (in)
1	0.02					clk (net)
		0.12	0.00	0.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.29	0.37	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.09	0.00	0.37	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.64	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.09	0.00	0.64	^	_454_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.89		clock uncertainty
		-0.06	0.83			clock reconvergence pessimism
		-0.07	0.75			library hold time
			0.75			data required time

				0.75		data required time
				-1.74		data arrival time

				0.99		slack (MET)

Startpoint: _408_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _409_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	0.58	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.59	^ _408_/CLK (sky130_fd_sc_hd_dfrtp_4)
		0.18	0.87	1.46	^ _408_/Q (sky130_fd_sc_hd_dfrtp_4)
8	0.03				clk_count[0] (net)
		0.18	0.00	1.46	^ _349_/A1 (sky130_fd_sc_hd_a21oi_1)
		0.05	0.17	1.62	v _349_/Y (sky130_fd_sc_hd_a21oi_1)
1	0.00				_196_ (net)
		0.05	0.00	1.62	v _351_/A (sky130_fd_sc_hd_nor2_1)
		0.12	0.14	1.76	^ _351_/Y (sky130_fd_sc_hd_nor2_1)
1	0.00				_051_ (net)
		0.12	0.00	1.76	^ _409_/D (sky130_fd_sc_hd_dfrtp_4)

				1.76	data arrival time
		0.00	0.00		clock clk (rise edge)
		0.00	0.00		clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.08	0.26	0.63	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.08	0.00	0.63	^ _409_/CLK (sky130_fd_sc_hd_dfrtp_4)
			0.25	0.88	clock uncertainty
		-0.04		0.85	clock reconvergence pessimism
		-0.09		0.76	library hold time
				0.76	data required time

				0.76	data required time
				-1.76	data arrival time

				1.00	slack (MET)

Startpoint: _422_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _422_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.08	0.24	0.57	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.08	0.00	0.57	^ _422_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.17	0.69	1.26	^ _422_/Q (sky130_fd_sc_hd_dfrtp_1)
4	0.01				clk_count[14] (net)
		0.17	0.00	1.26	^ _301_/A1 (sky130_fd_sc_hd_a21oi_1)
		0.09	0.18	1.44	v _301_/Y (sky130_fd_sc_hd_a21oi_1)
2	0.01				_162_ (net)
		0.09	0.00	1.44	v _305_/A2 (sky130_fd_sc_hd_o21a_1)
		0.06	0.30	1.75	v _305_/X (sky130_fd_sc_hd_o21a_1)
1	0.00				_064_ (net)
		0.06	0.00	1.75	v _422_/D (sky130_fd_sc_hd_dfrtp_1)
				1.75	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.08	0.26	0.63	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.08	0.00	0.63	^ _422_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.88	clock uncertainty
		-0.06		0.82	clock reconvergence pessimism
		-0.09		0.73	library hold time
				0.73	data required time

0.73 data required time
-1.75 data arrival time

1.01 slack (MET)

Startpoint: _440_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _441_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.24	0.58	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
		0.09	0.00	0.58	^ _440_/CLK (sky130_fd_sc_hd_dfrtp_1)
2	0.00	0.10	0.63	1.21	^ _440_/Q (sky130_fd_sc_hd_dfrtp_1)
					tx_shift[3] (net)
		0.10	0.00	1.21	^ _254_/A1 (sky130_fd_sc_hd_mux2_1)
1	0.00	0.08	0.23	1.45	^ _254_/X (sky130_fd_sc_hd_mux2_1)
					132 (net)
		0.08	0.00	1.45	^ _255_/A1 (sky130_fd_sc_hd_mux2_1)
1	0.00	0.07	0.22	1.67	^ _255_/X (sky130_fd_sc_hd_mux2_1)
					133 (net)
		0.07	0.00	1.67	^ _256_/A (sky130_fd_sc_hd_clkbuf_1)
1	0.00	0.06	0.14	1.80	^ _256_/X (sky130_fd_sc_hd_clkbuf_1)
					081 (net)
		0.06	0.00	1.80	^ _441_/D (sky130_fd_sc_hd_dfrtp_1)
				1.80	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.27	0.64	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
		0.09	0.00	0.64	^ _441_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.25	0.89		clock uncertainty
		-0.04	0.85		clock reconvergence pessimism
		-0.07	0.78		library hold time
			0.78		data required time

				0.78	data required time
				-1.80	data arrival time

				1.02	slack (MET)

Startpoint: _437_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _438_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)

			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.24	0.58	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.09	0.00	0.58	^ _437_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.10	0.64	1.22	^ _437_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.00				tx_shift[0] (net)
		0.10	0.00	1.22	^ _263_/A1 (sky130_fd_sc_hd_mux2_1)
		0.07	0.22	1.44	^ _263_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_138_ (net)
		0.07	0.00	1.44	^ _264_/A1 (sky130_fd_sc_hd_mux2_1)
		0.07	0.22	1.66	^ _264_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_139_ (net)
		0.07	0.00	1.66	^ _265_/A (sky130_fd_sc_hd_clkbuf_1)
		0.06	0.14	1.80	^ _265_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_078_ (net)
		0.06	0.00	1.80	^ _438_/D (sky130_fd_sc_hd_dfrtp_1)
				1.80	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.09	0.00	0.64	^ _438_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.89	clock uncertainty
		-0.06		0.83	clock reconvergence pessimism
		-0.07		0.76	library hold time
				0.76	data required time

				0.76	data required time
				-1.80	data arrival time

				1.04	slack (MET)

Startpoint: _442_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _443_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.24	0.58	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.09	0.00	0.58	^ _442_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.11	0.64	1.21	^ _442_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.00				tx_shift[5] (net)
		0.11	0.00	1.21	^ _248_/A1 (sky130_fd_sc_hd_mux2_1)
		0.07	0.23	1.44	^ _248_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_128_ (net)

		0.07	0.00	1.44	^	_249_/A1 (sky130_fd_sc_hd_mux2_1)
		0.07	0.22	1.66	^	_249_/X (sky130_fd_sc_hd_mux2_1)
1	0.00					_129_ (net)
		0.07	0.00	1.66	^	_250_/A (sky130_fd_sc_hd_clkbuf_1)
		0.07	0.14	1.80	^	_250_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00					_083_ (net)
		0.07	0.00	1.80	^	_443_/D (sky130_fd_sc_hd_dfrtp_1)
				1.80		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.12	0.08	0.08	^	clk (in)
1	0.02					clk (net)
		0.12	0.00	0.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.29	0.37	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.09	0.00	0.37	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.64	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1_leaf_clk (net)
		0.09	0.00	0.64	^	_443_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.89		clock uncertainty
		-0.06		0.83		clock reconvergence pessimism
		-0.07		0.75		library hold time
				0.75		data required time

				0.75		data required time
				-1.80		data arrival time

				1.05		slack (MET)

Startpoint: _438_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _439_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.24	0.58	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.09	0.00	0.58	^ _438_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.11	0.64	1.22	^ _438_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				tx_shift[1] (net)
		0.11	0.00	1.22	^ _260_/A1 (sky130_fd_sc_hd_mux2_1)
		0.07	0.23	1.46	^ _260_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_136_ (net)
		0.07	0.00	1.46	^ _261_/A1 (sky130_fd_sc_hd_mux2_1)
		0.07	0.22	1.67	^ _261_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_137_ (net)
		0.07	0.00	1.67	^ _262_/A (sky130_fd_sc_hd_clkbuf_1)
		0.06	0.13	1.81	^ _262_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_079_ (net)
		0.06	0.00	1.81	^ _439_/D (sky130_fd_sc_hd_dfrtp_1)
				1.81	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)

4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.64	^ _439_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.89	clock uncertainty
			-0.06	0.83	clock reconvergence pessimism
			-0.07	0.76	library hold time
				0.76	data required time

				0.76	data required time
				-1.81	data arrival time

				1.05	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _448_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.17	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.14	0.33	2.52	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.14	0.00	2.52	v _400_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.09	2.61	^ _400_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_042_ (net)
		0.05	0.00	2.61	^ _448_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.61	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.28	0.65	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.65	^ _448_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.90	clock uncertainty
			0.00	0.90	clock reconvergence pessimism
			0.66	1.56	library removal time
				1.56	data required time

				1.56	data required time
				-2.61	data arrival time

				1.05	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _449_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
--------	-----	------	-------	------	-------------

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.02	0.01	2.01 v	rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.17	2.18 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.18 v	_355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.33	2.52 v	_355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.52 v	_401_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.09	2.61 ^	_401_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_043_ (net)
		0.05	0.00	2.61 ^	_449_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.61	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08 ^	clk (in)
					clk (net)
		0.12	0.00	0.08 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.29	0.37 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.37 ^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.28	0.65 ^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.65 ^	_449_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.90	clock uncertainty
			0.00	0.90	clock reconvergence pessimism
			0.66	1.56	library removal time
				1.56	data required time

				1.56	data required time
				-2.61	data arrival time

				1.05	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _451_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.02	0.01	2.01 v	rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.17	2.18 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.18 v	_355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.33	2.52 v	_355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.52 v	_403_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.09	2.61 ^	_403_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_045_ (net)
		0.06	0.00	2.61 ^	_451_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.61	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08 ^	clk (in)
					clk (net)
		0.12	0.00	0.08 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)

4	0.04	0.09	0.29	0.37	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
14	0.04	0.09	0.00	0.37	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.28	0.65	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.10	0.00	0.65	^	_451_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.90		clock uncertainty
			0.00	0.90		clock reconvergence pessimism
		0.66	1.56		library removal time	
			1.56		data required time	
				1.56		data required time
				-2.61		data arrival time
				1.05		slack (MET)

Startpoint: _418_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _418_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
4	0.04	0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.24	0.58	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
4	0.01	0.09	0.00	0.58	^ _418_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.19	0.71	1.29	^ _418_/Q (sky130_fd_sc_hd_dfrtp_1)
					clk_count[10] (net)
		0.19	0.00	1.29	^ _319_/B1 (sky130_fd_sc_hd_a21o_1)
1	0.00	0.06	0.18	1.47	^ _319_/X (sky130_fd_sc_hd_a21o_1)
					175 (net)
		0.06	0.00	1.47	^ _320_/B (sky130_fd_sc_hd_and2_1)
		0.08	0.21	1.67	^ _320_/X (sky130_fd_sc_hd_and2_1)
1	0.00				_176_ (net)
		0.08	0.00	1.67	^ _321_/A (sky130_fd_sc_hd_clkbuf_1)
		0.06	0.14	1.81	^ _321_/X (sky130_fd_sc_hd_clkbuf_1)
					060 (net)
1	0.00	0.06	0.00	1.81	^ _418_/D (sky130_fd_sc_hd_dfrtp_1)
				1.81	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
4	0.04	0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
		0.09	0.00	0.64	^ _418_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.89	clock uncertainty
			-0.06	0.83	clock reconvergence pessimism
			-0.07	0.76	library hold time
				0.76	data required time
				0.76	data required time
				-1.81	data arrival time
				1.06	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _450_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
3	0.01	0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
				2.18	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.05	0.11	0.17		net2 (net)
				2.18	v _355_/A (sky130_fd_sc_hd__buf_4)
				2.52	v _355_/X (sky130_fd_sc_hd__buf_4)
		0.14	0.33		_199_ (net)
				2.52	v _402_/A (sky130_fd_sc_hd__inv_2)
1	0.01	0.06	0.10	2.62	^ _402_/Y (sky130_fd_sc_hd__inv_2)
					044 (net)
		0.06	0.00	2.62	^ _450_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.62	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
4	0.04	0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.09	0.00		clknet_0_clk (net)
				0.37	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.65	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
				0.65	^ _450_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.25	0.90	clock uncertainty	
		0.00	0.90	clock reconvergence pessimism	
		0.66	1.56	library removal time	
				1.56	data required time

				1.56	data required time
				-2.62	data arrival time

				1.06	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _453_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
3	0.01	0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
				2.18	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.05	0.11	0.00		net2 (net)
				2.18	v _355_/A (sky130_fd_sc_hd__buf_4)
				2.52	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.52	v _405_/A (sky130_fd_sc_hd__inv_2)
				2.61	^ _405_/Y (sky130_fd_sc_hd__inv_2)

1	0.00	0.05	0.00	2.61	^	_047_ (net)
				2.61		_453_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
						data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.12	0.08	0.08	^	clk (in)
1	0.02					clk (net)
		0.12	0.00	0.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.09	0.00	0.37	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.64	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.09	0.00	0.64	^	_453_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.89		clock uncertainty
			0.00	0.89		clock reconvergence pessimism
			0.66	1.55		library removal time
				1.55		data required time

				1.55		data required time
				-2.61		data arrival time

				1.06		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _452_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.17	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.14	0.33	2.52	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.14	0.00	2.52	v _404_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.09	2.61	^ _404_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_046_ (net)
		0.05	0.00	2.61	^ _452_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.61	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	0.64	^ _452_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.89	clock uncertainty
			0.00	0.89	clock reconvergence pessimism
			0.66	1.55	library removal time
				1.55	data required time

				1.55	data required time
				-2.61	data arrival time

1.06 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _455_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
3	0.01	0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
				2.18	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.05	0.11	0.33		net2 (net)
				2.18	v _355_/A (sky130_fd_sc_hd__buf_4)
				2.52	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
1	0.00	0.14	0.09	2.52	v _407_/A (sky130_fd_sc_hd__inv_2)
				2.61	^ _407_/Y (sky130_fd_sc_hd__inv_2)
					049 (net)
				2.61	^ _455_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
			0.00	0.00	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
4	0.04	0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.27		clknet_0_clk (net)
				0.37	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.64	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.09	0.00	0.64	^ _455_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.89	clock uncertainty
			0.00	0.89	clock reconvergence pessimism
			0.66	1.55	library removal time
				1.55	data required time

				1.55	data required time
				-2.61	data arrival time

				1.06	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _454_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
3	0.01	0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
				2.18	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.05	0.11	0.33		net2 (net)
				2.18	v _355_/A (sky130_fd_sc_hd__buf_4)
				2.52	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.52	v _406_/A (sky130_fd_sc_hd__inv_2)

1	0.00	0.05	0.09	2.61	^	_406_/Y (sky130_fd_sc_hd__inv_2)
		0.05	0.00	2.61	^	_048_ (net)
				2.61	^	_454_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.61		data arrival time
		0.00	0.00			clock clk (rise edge)
		0.00	0.00			clock source latency
1	0.02	0.12	0.08	0.08	^	clk (in)
						clk (net)
		0.12	0.00	0.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.29	0.37	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.09	0.00	0.37	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.27	0.64	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_1__leaf_clk (net)
		0.09	0.00	0.64	^	_454_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.25	0.89			clock uncertainty
		0.00	0.89			clock reconvergence pessimism
		0.66	1.55			library removal time
				1.55		data required time

				1.55		data required time
				-2.61		data arrival time

				1.06		slack (MET)

Startpoint: _439_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _440_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.24	0.58	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.09	0.00	0.58	^ _439_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.11	0.65	1.23	^ _439_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				tx_shift[2] (net)
		0.11	0.00	1.23	^ _257_/A1 (sky130_fd_sc_hd__mux2_1)
		0.07	0.23	1.46	^ _257_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_134_ (net)
		0.07	0.00	1.46	^ _258_/A1 (sky130_fd_sc_hd__mux2_1)
		0.07	0.22	1.68	^ _258_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_135_ (net)
		0.07	0.00	1.68	^ _259_/A (sky130_fd_sc_hd__clkbuf_1)
		0.07	0.14	1.82	^ _259_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_080_ (net)
		0.07	0.00	1.82	^ _440_/D (sky130_fd_sc_hd__dfrtp_1)
				1.82	data arrival time
		0.00	0.00		clock clk (rise edge)
		0.00	0.00		clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.27	0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)

0.09	0.00	0.64	^	_440_/CLK (sky130_fd_sc_hd__dfrtp_1)
	0.25	0.89		clock uncertainty
	-0.06	0.83		clock reconvergence pessimism
	-0.07	0.76		library hold time
		0.76		data required time

		0.76		data required time
		-1.82		data arrival time

		1.06		slack (MET)

Startpoint: _441_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _442_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	0.58	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	0.58	^ _441_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.12	0.65	1.23	^ _441_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				tx_shift[4] (net)
		0.12	0.00	1.23	^ _251_/A1 (sky130_fd_sc_hd__mux2_1)
		0.07	0.23	1.46	^ _251_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_130_ (net)
		0.07	0.00	1.46	^ _252_/A1 (sky130_fd_sc_hd__mux2_1)
		0.08	0.22	1.68	^ _252_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_131_ (net)
		0.08	0.00	1.68	^ _253_/A (sky130_fd_sc_hd__clkbuf_1)
		0.06	0.14	1.82	^ _253_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_082_ (net)
		0.06	0.00	1.82	^ _442_/D (sky130_fd_sc_hd__dfrtp_1)
				1.82	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	0.64	^ _442_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.25	0.89		clock uncertainty
		-0.06	0.83		clock reconvergence pessimism
		-0.07	0.76		library hold time
			0.76		data required time

			0.76		data required time
			-1.82		data arrival time

			1.06		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _447_ (removal check against rising-edge clock clk)
Path Group: asynchronous

Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description		

1	0.00	0.02	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
		0.01	2.00	2.00	v input external delay		
			2.01	v rst (in)			
		0.02	2.01	v rst (net)			
			2.01	v input2/A (sky130_fd_sc_hd__buf_1)			
		0.11	2.18	v input2/X (sky130_fd_sc_hd__buf_1)			
			2.18	v _389_/A (sky130_fd_sc_hd__buf_4)			
		0.15	2.52	v _389_/X (sky130_fd_sc_hd__buf_4)			
			2.53	v _399_/A (sky130_fd_sc_hd__inv_2)			
3	0.01	0.11	0.00	2.18	v _389_/X (sky130_fd_sc_hd__buf_4)		
			0.34	2.52	v _203_ (net)		
		0.15	0.00	2.53	v _399_/A (sky130_fd_sc_hd__inv_2)		
			0.06	0.10	2.63	^ _399_/Y (sky130_fd_sc_hd__inv_2)	
		0.06	2.63	^ _041_ (net)			
			2.63	^ _447_/RESET_B (sky130_fd_sc_hd__dfrtp_1)			
		0.00	2.63	data arrival time			

		1	0.02	0.12	0.00	0.00	clock clk (rise edge)
					0.00	0.00	clock source latency
0.08	0.08			^ clk (in)			
	0.08			^ clk (net)			
0.12	0.08			^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)			
	0.37			^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)			
0.09	0.37			^ clknet_0_clk (net)			
	0.37			^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)			
0.10	0.65			^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)			
	0.65			^ clknet_2_0__leaf_clk (net)			
14	0.04	0.10	0.00	0.65	^ _447_/CLK (sky130_fd_sc_hd__dfrtp_1)		
			0.25	0.90	clock uncertainty		
		0.00	0.90	clock reconvergence pessimism			
			1.56	library removal time			
		0.66	1.56	data required time			

						1.56	data required time
						-2.63	data arrival time

						1.07	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _439_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description			

1	0.00	0.02	0.00	0.00	clock clk (rise edge)			
			0.00	0.00	clock network delay (propagated)			
			2.00	2.00	v input external delay			
			0.01	2.01	v rst (in)			
					rst (net)			
				2.01	v input2/A (sky130_fd_sc_hd__buf_1)			
			3	0.01	0.11	0.17	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
								net2 (net)
			10	0.06	0.15	0.34	2.18	v _389_/A (sky130_fd_sc_hd__buf_4)
							2.52	v _389_/X (sky130_fd_sc_hd__buf_4)
1	0.00	0.06	0.09	2.53	v _391_/A (sky130_fd_sc_hd__inv_2)			
					2.62	^ _391_/Y (sky130_fd_sc_hd__inv_2)		
						033 (net)		
				0.06	0.00	2.62	^ _439_/RESET_B (sky130_fd_sc_hd__dfrtp_1)	
						2.62	data arrival time	
					0.00	0.00	clock clk (rise edge)	

			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.09	0.00	0.64	^ _439_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.89	clock uncertainty
			0.00	0.89	clock reconvergence pessimism
			0.66	1.55	library removal time
				1.55	data required time

				1.55	data required time
				-2.62	data arrival time

				1.07	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _444_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.17	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.18	v _389_/A (sky130_fd_sc_hd__buf_4)
		0.15	0.34	2.52	v _389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
		0.15	0.00	2.53	v _396_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.10	2.62	^ _396_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_038_ (net)
		0.06	0.00	2.62	^ _444_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.62	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.09	0.00	0.64	^ _444_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.89	clock uncertainty
			0.00	0.89	clock reconvergence pessimism
			0.66	1.55	library removal time
				1.55	data required time

				1.55	data required time
				-2.62	data arrival time

				1.07	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _438_ (removal check against rising-edge clock clk)

Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.02	0.01	2.01 v	rst (in)
					rst (net)
			0.02	2.01 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.17	2.18 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.11	2.18 v	_389_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.15	0.34	2.52 v	_389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
			0.15	2.53 v	_390_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.05	0.09	2.62 ^	_390_/Y (sky130_fd_sc_hd__inv_2)
					032 (net)
			0.05	2.62 ^	_438_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.62	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08 ^	clk (in)
					clk (net)
			0.12	0.08 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.29	0.37 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
			0.09	0.37 ^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.27	0.64 ^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
			0.09	0.64 ^	_438_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.89	clock uncertainty
			0.00	0.89	clock reconvergence pessimism
			0.66	1.55	library removal time
				1.55	data required time

				1.55	data required time
				-2.62	data arrival time

				1.07	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _440_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.02	0.01	2.01 v	rst (in)
					rst (net)
			0.02	2.01 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.17	2.18 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.11	2.18 v	_389_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.15	0.34	2.52 v	_389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
			0.15	2.53 v	_392_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.06	0.10	2.62 ^	_392_/Y (sky130_fd_sc_hd__inv_2)
					034 (net)
			0.06	2.62 ^	_440_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.62	data arrival time

		0.00	0.00	clock clk (rise edge)
		0.00	0.00	clock source latency
	0.12	0.08	0.08	^ clk (in)
1	0.02			clk (net)
	0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
	0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04			clknet_0_clk (net)
	0.09	0.00	0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
	0.09	0.27	0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04			clknet_2_3__leaf_clk (net)
	0.09	0.00	0.64	^ _440_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.25	0.89	clock uncertainty
		0.00	0.89	clock reconvergence pessimism
		0.66	1.55	library removal time
			1.55	data required time

			1.55	data required time
			-2.62	data arrival time

			1.07	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _446_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.17	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.18	v _389_/A (sky130_fd_sc_hd__buf_4)
		0.15	0.34	2.52	v _389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
		0.15	0.00	2.53	v _398_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.09	2.62	^ _398_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_040_ (net)
		0.05	0.00	2.62	^ _446_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.62	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
	0.12	0.08	0.08	^	clk (in)
1	0.02				clk (net)
	0.12	0.00	0.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
	0.09	0.29	0.37	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
	0.09	0.00	0.37	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
	0.09	0.27	0.64	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
	0.09	0.00	0.64	^	_446_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.25	0.89		clock uncertainty
		0.00	0.89		clock reconvergence pessimism
		0.66	1.55		library removal time
			1.55		data required time

			1.55		data required time
			-2.62		data arrival time

			1.07		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _442_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.17	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.18	v _389_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.15	0.34	2.52	v _389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
		0.15	0.00	2.53	v _394_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.05	0.09	2.62	^ _394_/Y (sky130_fd_sc_hd__inv_2)
					036 (net)
		0.05	0.00	2.62	^ _442_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.62	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.27	0.64	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.09	0.00	0.64	^ _442_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.89	clock uncertainty
			0.00	0.89	clock reconvergence pessimism
			0.66	1.55	library removal time
				1.55	data required time

				1.55	data required time
				-2.62	data arrival time

				1.07	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _445_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.17	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.18	v _389_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.15	0.34	2.52	v _389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
		0.15	0.00	2.53	v _397_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.05	0.09	2.62	^ _397_/Y (sky130_fd_sc_hd__inv_2)
					039 (net)
		0.05	0.00	2.62	^ _445_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.62	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	0.64	^ _445_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.89	clock uncertainty
			0.00	0.89	clock reconvergence pessimism
			0.66	1.55	library removal time
				1.55	data required time

				1.55	data required time
				-2.62	data arrival time

				1.07	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _441_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.17	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.18	v _389_/A (sky130_fd_sc_hd__buf_4)
		0.15	0.34	2.52	v _389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
		0.15	0.00	2.53	v _393_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.09	2.62	^ _393_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_035_ (net)
		0.05	0.00	2.62	^ _441_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.62	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	0.64	^ _441_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.89	clock uncertainty
			0.00	0.89	clock reconvergence pessimism
			0.66	1.55	library removal time
				1.55	data required time

				1.55	data required time
				-2.62	data arrival time

				1.07	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _443_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
				2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.02	0.00	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.06	0.11	0.00	2.18	v _389_/A (sky130_fd_sc_hd__buf_4)
				2.52	v _389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
1	0.00	0.15	0.00	2.53	v _395_/A (sky130_fd_sc_hd__inv_2)
				2.62	^ _395_/Y (sky130_fd_sc_hd__inv_2)
					037 (net)
		0.06	0.00	2.62	^ _443_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.62	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
4	0.04	0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
12	0.04	0.09	0.00	0.37	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.64	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.09	0.00	0.64	^ _443_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.89	clock uncertainty
			0.00	0.89	clock reconvergence pessimism
			0.66	1.55	library removal time
				1.55	data required time

				1.55	data required time
				-2.62	data arrival time

				1.07	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _435_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
				2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.17	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
10	0.07	0.11	0.00	2.18	v _378_/A (sky130_fd_sc_hd__buf_4)
				2.54	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
1	0.00	0.16	0.00	2.54	v _386_/A (sky130_fd_sc_hd__inv_2)
				2.64	^ _386_/Y (sky130_fd_sc_hd__inv_2)
					029 (net)
		0.06	0.00	2.64	^ _435_/RESET_B (sky130_fd_sc_hd__dftrtp_2)

				2.64	data arrival time
		0.00	0.00		clock clk (rise edge)
		0.00	0.00		clock source latency
	0.12	0.08	0.08	^	clk (in)
1	0.02				clk (net)
	0.12	0.00	0.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
	0.09	0.29	0.37	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
	0.09	0.00	0.37	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
	0.10	0.28	0.65	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
	0.10	0.00	0.65	^	_435_/CLK (sky130_fd_sc_hd__dftrtp_2)
		0.25	0.90		clock uncertainty
		0.00	0.90		clock reconvergence pessimism
		0.66	1.56		library removal time
			1.56		data required time

			1.56		data required time
			-2.64		data arrival time

			1.08		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _430_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
		2.00	2.00	v	input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.17	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.18	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.16	0.36	2.54	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.16	0.00	2.54	v _381_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.10	2.64	^ _381_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_024_ (net)
		0.06	0.00	2.64	^ _430_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
			2.64		data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
	0.12	0.08	0.08	^	clk (in)
1	0.02				clk (net)
	0.12	0.00	0.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
	0.09	0.29	0.37	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
	0.09	0.00	0.37	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
	0.10	0.28	0.65	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
	0.10	0.00	0.65	^	_430_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.25	0.90		clock uncertainty
		0.00	0.90		clock reconvergence pessimism
		0.66	1.56		library removal time
			1.56		data required time

			1.56		data required time
			-2.64		data arrival time

			1.08		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _432_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
				2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.17	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
				2.18	v _378_/A (sky130_fd_sc_hd__buf_4)
10	0.07	0.16	0.36	2.54	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
				2.54	v _383_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.06	0.10	2.64	^ _383_/Y (sky130_fd_sc_hd__inv_2)
					026 (net)
				2.64	^ _432_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
			0.00	0.00	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
				0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
				0.37	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.28	0.65	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
				0.65	^ _432_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.90	clock uncertainty
			0.00	0.90	clock reconvergence pessimism
			0.66	1.56	library removal time
				1.56	data required time

				1.56	data required time
				-2.64	data arrival time

				1.08	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _428_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
				2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.17	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
				2.18	v _378_/A (sky130_fd_sc_hd__buf_4)
10	0.07	0.16	0.36	2.54	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
				2.54	v _379_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.06	0.10	2.64	^ _379_/Y (sky130_fd_sc_hd__inv_2)
					022 (net)

		0.06	0.00	2.64	^	_428_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.64		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.12	0.08	0.08	^	clk (in)
						clk (net)
		0.12	0.00	0.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.29	0.37	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.09	0.00	0.37	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.28	0.65	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.10	0.00	0.65	^	_428_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.90		clock uncertainty
			0.00	0.90		clock reconvergence pessimism
			0.66	1.56		library removal time
				1.56		data required time

				1.56		data required time
				-2.64		data arrival time

				1.08		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _431_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.17	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.18	v _378_/A (sky130_fd_sc_hd__buf_4)
10	0.07	0.16	0.36	2.54	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
		0.16	0.00	2.54	v _382_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.06	0.10	2.64	^ _382_/Y (sky130_fd_sc_hd__inv_2)
					025 (net)
		0.06	0.00	2.64	^ _431_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.64	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.28	0.65	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.65	^ _431_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.90	clock uncertainty
			0.00	0.90	clock reconvergence pessimism
			0.66	1.56	library removal time
				1.56	data required time

				1.56	data required time
				-2.64	data arrival time

				1.08	slack (MET)

Startpoint: _410_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _410_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.25	0.58	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.59	^ _410_/CLK (sky130_fd_sc_hd__dfrtp_2)
6	0.02	0.18	0.76	1.35	^ _410_/Q (sky130_fd_sc_hd__dfrtp_2)
					clk_count[2] (net)
		0.18	0.00	1.35	^ _347_/B1 (sky130_fd_sc_hd__a21o_1)
1	0.00	0.06	0.17	1.52	^ _347_/X (sky130_fd_sc_hd__a21o_1)
					195 (net)
		0.06	0.00	1.52	^ _348_/A3 (sky130_fd_sc_hd__a32o_1)
		0.09	0.32	1.84	^ _348_/X (sky130_fd_sc_hd__a32o_1)
1	0.00				_052_ (net)
		0.09	0.00	1.84	^ _410_/D (sky130_fd_sc_hd__dfrtp_2)
				1.84	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.28	0.65	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.65	^ _410_/CLK (sky130_fd_sc_hd__dfrtp_2)
		0.25	0.90		clock uncertainty
		-0.06	0.84		clock reconvergence pessimism
		-0.08	0.76		library hold time
			0.76		data required time

				0.76	data required time
				-1.84	data arrival time

				1.08	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _429_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
		2.00	2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.17	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)

		0.11	0.00	2.18	v	_378_/A (sky130_fd_sc_hd__buf_4)
		0.16	0.36	2.54	v	_378_/X (sky130_fd_sc_hd__buf_4)
10	0.07					_202_ (net)
		0.16	0.00	2.54	v	_380_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.11	2.64	^	_380_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_023_ (net)
		0.06	0.00	2.64	^	_429_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.64		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.12	0.08	0.08	^	clk (in)
						clk (net)
		0.12	0.00	0.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.29	0.37	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.09	0.00	0.37	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.28	0.65	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.10	0.00	0.65	^	_429_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.90		clock uncertainty
			0.00	0.90		clock reconvergence pessimism
			0.66	1.56		library removal time
				1.56		data required time

				1.56		data required time
				-2.64		data arrival time

				1.09		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _437_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.17	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.18	v _378_/A (sky130_fd_sc_hd__buf_4)
10	0.07	0.16	0.36	2.54	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
		0.16	0.00	2.54	v _388_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.10	2.64	^ _388_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_031_ (net)
		0.06	0.00	2.64	^ _437_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.64	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.27	0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.09	0.00	0.64	^ _437_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.89	clock uncertainty
			0.00	0.89	clock reconvergence pessimism
			0.66	1.55	library removal time

				1.55	data required time

				1.55	data required time
				-2.64	data arrival time

				1.09	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _434_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.17	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.18	v _378_/A (sky130_fd_sc_hd__buf_4)
10	0.07	0.16	0.36	2.54	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
		0.16	0.00	2.54	v _385_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.06	0.10	2.64	^ _385_/Y (sky130_fd_sc_hd__inv_2)
					028 (net)
		0.06	0.00	2.64	^ _434_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.64	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.27	0.64	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.09	0.00	0.64	^ _434_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.89	clock uncertainty
			0.00	0.89	clock reconvergence pessimism
			0.66	1.55	library removal time
				1.55	data required time

				1.55	data required time
				-2.64	data arrival time

				1.09	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _433_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.17	2.18	v input2/X (sky130_fd_sc_hd__buf_1)

3	0.01				net2 (net)
		0.11	0.00	2.18	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.16	0.36	2.54	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.16	0.00	2.54	v _384_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.10	2.64	^ _384_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_027_ (net)
		0.06	0.00	2.64	^ _433_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.64	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	0.64	^ _433_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.89	clock uncertainty
			0.00	0.89	clock reconvergence pessimism
			0.66	1.55	library removal time
				1.55	data required time

				1.55	data required time
				-2.64	data arrival time

				1.09	slack (MET)

Startpoint: _408_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _408_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	0.58	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.59	^ _408_/CLK (sky130_fd_sc_hd__dfrtp_4)
		0.18	0.87	1.46	^ _408_/Q (sky130_fd_sc_hd__dfrtp_4)
8	0.03				clk_count[0] (net)
		0.18	0.00	1.46	^ _352_/S (sky130_fd_sc_hd__mux2_1)
		0.07	0.27	1.73	^ _352_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_198_ (net)
		0.07	0.00	1.73	^ _353_/A (sky130_fd_sc_hd__clkbuf_1)
		0.06	0.14	1.86	^ _353_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_050_ (net)
		0.06	0.00	1.86	^ _408_/D (sky130_fd_sc_hd__dfrtp_4)
				1.86	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)

14	0.04	0.10	0.28	0.65	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.10	0.00	0.65	^	_408_/CLK (sky130_fd_sc_hd__dfrrtp_4)
			0.25	0.90		clock uncertainty
			-0.06	0.84		clock reconvergence pessimism
			-0.07	0.76		library hold time
				0.76		data required time

				0.76		data required time
		-1.86		data arrival time		

		1.10		slack (MET)		

Startpoint: _455_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _424_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description		
1	0.02	0.12	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock source latency		
		0.08	0.08	^ clk (in)			
					clk (net)		
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)		
		0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)		
		4	0.04			clknet_0_clk (net)	
				0.09	0.00	0.34	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		12	0.04	0.09	0.24	0.58	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
							clknet_2_1__leaf_clk (net)
		2	0.00	0.09	0.00	0.58	^ _455_/CLK (sky130_fd_sc_hd__dfrrtp_1)
				0.10	0.64	1.22	^ _455_/Q (sky130_fd_sc_hd__dfrrtp_1)
2	0.01	0.10	0.00	1.22	^ _216_/A (sky130_fd_sc_hd__nor2_1)		
			0.06	0.10	1.32	v _216_/Y (sky130_fd_sc_hd__nor2_1)	
					108 (net)		
		0.06	0.00	1.32	v _217_/D (sky130_fd_sc_hd__nand4_1)		
		0.17	0.18	1.50	^ _217_/Y (sky130_fd_sc_hd__nand4_1)		
		3	0.01			_109_ (net)	
				0.17	0.00	1.50	^ _270_/B (sky130_fd_sc_hd__and2_1)
		1	0.00	0.08	0.25	1.75	^ _270_/X (sky130_fd_sc_hd__and2_1)
							143 (net)
		2	0.00	0.08	0.00	1.75	^ _271_/A (sky130_fd_sc_hd__clkbuf_1)
				0.11	0.17	1.92	^ _271_/X (sky130_fd_sc_hd__clkbuf_1)
		2	0.00				_000_ (net)
0.11	0.00			1.92	^ _424_/D (sky130_fd_sc_hd__dfrrtp_2)		
					data arrival time		
1	0.02	0.12	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock source latency		
		0.08	0.08	^ clk (in)			
					clk (net)		
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)		
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)		
		4	0.04			clknet_0_clk (net)	
				0.09	0.00	0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		12	0.04	0.09	0.27	0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
							clknet_2_3__leaf_clk (net)
		2	0.00	0.09	0.00	0.64	^ _424_/CLK (sky130_fd_sc_hd__dfrrtp_2)
					0.25	0.89	clock uncertainty
2	0.00		-0.04	0.86	clock reconvergence pessimism		
			-0.08	0.77	library hold time		
					data required time		
					data required time		
					data arrival time		
					slack (MET)		

Startpoint: _414_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _414_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
4	0.04	0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03	0.09	0.00	0.34	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.57	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
6	0.01	0.08	0.00	0.57	^ clknet_2_2_leaf_clk (net)
				1.38	v _414_/CLK (sky130_fd_sc_hd_dfrtp_1)
1	0.00	0.17	0.80	1.38	v _414_/Q (sky130_fd_sc_hd_dfrtp_1)
				1.81	^ _334_/A_N (sky130_fd_sc_hd_and3b_1)
1	0.00	0.09	0.00	1.81	^ _334_/X (sky130_fd_sc_hd_and3b_1)
				1.81	^ _186_ (net)
1	0.00	0.09	0.00	1.81	^ _335_/B1 (sky130_fd_sc_hd_a21o_1)
				1.94	^ _335_/X (sky130_fd_sc_hd_a21o_1)
1	0.00	0.05	0.13	1.94	^ _056_ (net)
				1.94	^ _414_/D (sky130_fd_sc_hd_dfrtp_1)
			0.00	0.00	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
4	0.04	0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03	0.09	0.00	0.37	^ clknet_0_clk (net)
				0.63	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.08	0.26	0.63	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
				0.63	^ clknet_2_2_leaf_clk (net)
		0.08	0.00	0.63	^ _414_/CLK (sky130_fd_sc_hd_dfrtp_1)
				0.88	clock uncertainty
			-0.06	0.82	clock reconvergence pessimism
			-0.07	0.75	library hold time
				0.75	data required time

				0.75	data required time
				-1.94	data arrival time

				1.19	slack (MET)

Startpoint: _420_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _420_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
4	0.04	0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	0.34	^ clknet_0_clk (net)
				0.34	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)

		0.09	0.24	0.58	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.09	0.00	0.58	^	_420_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.16	0.80	1.38	v	_420_/Q (sky130_fd_sc_hd__dfrtp_1)
6	0.01					clk_count[12] (net)
		0.16	0.00	1.38	v	_311_/A_N (sky130_fd_sc_hd__and3b_1)
		0.09	0.43	1.82	^	_311_/X (sky130_fd_sc_hd__and3b_1)
1	0.00					_169_ (net)
		0.09	0.00	1.82	^	_312_/B1 (sky130_fd_sc_hd__a21o_1)
		0.05	0.14	1.95	^	_312_/X (sky130_fd_sc_hd__a21o_1)
1	0.00					_062_ (net)
		0.05	0.00	1.95	^	_420_/D (sky130_fd_sc_hd__dfrtp_1)
				1.95		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.12	0.08	0.08	^	clk (in)
1	0.02					clk (net)
		0.12	0.00	0.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.09	0.00	0.37	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.64	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.09	0.00	0.64	^	_420_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.89		clock uncertainty
		-0.06		0.83		clock reconvergence pessimism
		-0.07		0.76		library hold time
				0.76		data required time

				0.76		data required time
				-1.95		data arrival time

				1.19		slack (MET)

Startpoint: _455_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _425_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	0.58	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	0.58	^ _455_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.10	0.64	1.22	^ _455_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.00				bit_count[3] (net)
		0.10	0.00	1.22	^ _216_/A (sky130_fd_sc_hd__nor2_1)
		0.06	0.10	1.32	v _216_/Y (sky130_fd_sc_hd__nor2_1)
2	0.01				_108_ (net)
		0.06	0.00	1.32	v _217_/D (sky130_fd_sc_hd__nand4_1)
		0.17	0.18	1.50	^ _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.17	0.00	1.50	^ _218_/A (sky130_fd_sc_hd__buf_4)
		0.27	0.38	1.89	^ _218_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_110_ (net)
		0.27	0.00	1.89	^ _354_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.10	1.98	v _354_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_001_ (net)
		0.05	0.00	1.98	v _425_/D (sky130_fd_sc_hd__dfrtp_1)

				1.98	data arrival time
		0.00	0.00		clock clk (rise edge)
		0.00	0.00		clock source latency
	0.12	0.08	0.08	^	clk (in)
1	0.02				clk (net)
	0.12	0.00	0.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.29	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
	0.09	0.00	0.37	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.08	0.26	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
	0.08	0.00	0.63	^	_425_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.25	0.88		clock uncertainty
		-0.04	0.85		clock reconvergence pessimism
		-0.09	0.76		library hold time
			0.76		data required time

			0.76		data required time
			-1.98		data arrival time

			1.22		slack (MET)

Startpoint: _412_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _412_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.08	0.24	0.57	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.08	0.00	0.57	^ _412_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.16	0.79	1.36	v _412_/Q (sky130_fd_sc_hd__dfrtp_1)
5	0.01				clk_count[4] (net)
		0.16	0.00	1.36	v _336_/A (sky130_fd_sc_hd__nand2_1)
		0.14	0.18	1.54	^ _336_/Y (sky130_fd_sc_hd__nand2_1)
3	0.01				_187_ (net)
		0.14	0.00	1.54	^ _338_/A2 (sky130_fd_sc_hd__a21o_1)
		0.09	0.25	1.79	^ _338_/X (sky130_fd_sc_hd__a21o_1)
2	0.01				_189_ (net)
		0.09	0.00	1.79	^ _342_/A2 (sky130_fd_sc_hd__a21o_1)
		0.05	0.20	1.99	^ _342_/X (sky130_fd_sc_hd__a21o_1)
1	0.00				_054_ (net)
		0.05	0.00	1.99	^ _412_/D (sky130_fd_sc_hd__dfrtp_1)
				1.99	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.08	0.26	0.63	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.08	0.00	0.63	^ _412_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.88	clock uncertainty
		-0.06		0.82	clock reconvergence pessimism

-0.07	0.75	library hold time
	0.75	data required time

	0.75	data required time
	-1.99	data arrival time

	1.24	slack (MET)

Startpoint: _416_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _416_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
10	0.03	0.08	0.24	0.57	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_2_leaf_clk (net)
		0.08	0.00	0.57	^ _416_/CLK (sky130_fd_sc_hd_dfrtp_1)
5	0.01	0.17	0.81	1.38	v _416_/Q (sky130_fd_sc_hd_dfrtp_1)
					clk_count[8] (net)
		0.17	0.00	1.38	v _322_/A (sky130_fd_sc_hd_nand3_1)
3	0.01	0.15	0.19	1.56	^ _322_/Y (sky130_fd_sc_hd_nand3_1)
					177 (net)
		0.15	0.00	1.56	^ _324_/A2 (sky130_fd_sc_hd_a21o_1)
2	0.01	0.09	0.25	1.82	^ _324_/X (sky130_fd_sc_hd_a21o_1)
					179 (net)
		0.09	0.00	1.82	^ _327_/A2 (sky130_fd_sc_hd_a21o_1)
		0.05	0.20	2.02	^ _327_/X (sky130_fd_sc_hd_a21o_1)
1	0.00				_058_ (net)
		0.05	0.00	2.02	^ _416_/D (sky130_fd_sc_hd_dfrtp_1)
				2.02	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
10	0.03	0.08	0.26	0.63	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_2_leaf_clk (net)
		0.08	0.00	0.63	^ _416_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.25	0.88		clock uncertainty
		-0.06	0.82		clock reconvergence pessimism
		-0.07	0.75		library hold time
			0.75		data required time

				0.75	data required time
				-2.02	data arrival time

				1.27	slack (MET)

Startpoint: _454_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _455_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.24	0.58	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.09	0.00	0.58	^ _454_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.09	0.72	1.30	v _454_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.00				bit_count[2] (net)
		0.09	0.00	1.30	v _215_/A (sky130_fd_sc_hd_nand3_1)
		0.11	0.13	1.43	^ _215_/Y (sky130_fd_sc_hd_nand3_1)
2	0.00				_107_ (net)
		0.11	0.00	1.43	^ _219_/C (sky130_fd_sc_hd_and4_1)
		0.13	0.40	1.83	^ _219_/X (sky130_fd_sc_hd_and4_1)
2	0.00				_111_ (net)
		0.13	0.00	1.83	^ _220_/A2 (sky130_fd_sc_hd_o21a_1)
		0.07	0.22	2.05	^ _220_/X (sky130_fd_sc_hd_o21a_1)
1	0.00				_095_ (net)
		0.07	0.00	2.05	^ _455_/D (sky130_fd_sc_hd_dfrtp_1)
				2.05	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.09	0.00	0.64	^ _455_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.25	0.89		clock uncertainty
		-0.06	0.83		clock reconvergence pessimism
		-0.07	0.75		library hold time
			0.75		data required time

				0.75	data required time
				-2.05	data arrival time

				1.29	slack (MET)

Startpoint: _416_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _417_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.08	0.24	0.57	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.08	0.00	0.57	^ _416_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.17	0.81	1.38	v _416_/Q (sky130_fd_sc_hd_dfrtp_1)
5	0.01				clk_count[8] (net)

		0.17	0.00	1.38	v	_322_/A (sky130_fd_sc_hd__nand3_1)
		0.15	0.19	1.56	^	_322_/Y (sky130_fd_sc_hd__nand3_1)
3	0.01					_177_ (net)
		0.15	0.00	1.56	^	_324_/A2 (sky130_fd_sc_hd__a21o_1)
2	0.01	0.09	0.25	1.82	^	_324_/X (sky130_fd_sc_hd__a21o_1)
						179 (net)
		0.09	0.00	1.82	^	_325_/B1 (sky130_fd_sc_hd__a2bb2o_1)
1	0.00	0.07	0.22	2.04	^	_325_/X (sky130_fd_sc_hd__a2bb2o_1)
						059 (net)
		0.07	0.00	2.04	^	_417_/D (sky130_fd_sc_hd__dfrrtp_1)
				2.04		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.12	0.08	0.08	^	clk (in)
						clk (net)
		0.12	0.00	0.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.29	0.37	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.09	0.00	0.37	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.08	0.26	0.63	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
		0.08	0.00	0.63	^	_417_/CLK (sky130_fd_sc_hd__dfrrtp_1)
			0.25	0.88		clock uncertainty
		-0.06		0.82		clock reconvergence pessimism
		-0.07		0.75		library hold time
				0.75		data required time

				0.75		data required time
				-2.04		data arrival time

				1.29		slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _444_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.25	0.58	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.59	^ _435_/CLK (sky130_fd_sc_hd__dfrrtp_2)
4	0.02	0.20	0.78	1.37	^ _435_/Q (sky130_fd_sc_hd__dfrrtp_2)
					net24 (net)
		0.20	0.00	1.37	^ _235_/A (sky130_fd_sc_hd__inv_2)
2	0.01	0.05	0.10	1.47	v _235_/Y (sky130_fd_sc_hd__inv_2)
					123 (net)
		0.05	0.00	1.47	v _236_/A (sky130_fd_sc_hd__nand2_1)
2	0.01	0.13	0.13	1.60	^ _236_/Y (sky130_fd_sc_hd__nand2_1)
					124 (net)
		0.13	0.00	1.60	^ _239_/B (sky130_fd_sc_hd__nor2_2)
8	0.03	0.14	0.17	1.77	v _239_/Y (sky130_fd_sc_hd__nor2_2)
					127 (net)
		0.14	0.00	1.77	v _247_/B1 (sky130_fd_sc_hd__a22o_1)
1	0.00	0.06	0.33	2.09	v _247_/X (sky130_fd_sc_hd__a22o_1)
					084 (net)
		0.06	0.00	2.09	v _444_/D (sky130_fd_sc_hd__dfrrtp_1)
				2.09	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.27	0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.09	0.00	0.64	^ _444_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.89	clock uncertainty
			-0.04	0.86	clock reconvergence pessimism
			-0.09	0.77	library hold time
				0.77	data required time

				0.77	data required time
				-2.09	data arrival time

				1.33	slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _445_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.10	0.25	0.58	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.59	^ _435_/CLK (sky130_fd_sc_hd__dfrtp_2)
4	0.02	0.20	0.78	1.37	^ _435_/Q (sky130_fd_sc_hd__dfrtp_2)
					net24 (net)
		0.20	0.00	1.37	^ _235_/A (sky130_fd_sc_hd__inv_2)
2	0.01	0.05	0.10	1.47	v _235_/Y (sky130_fd_sc_hd__inv_2)
					123 (net)
		0.05	0.00	1.47	v _236_/A (sky130_fd_sc_hd__nand2_1)
2	0.01	0.13	0.13	1.60	^ _236_/Y (sky130_fd_sc_hd__nand2_1)
					124 (net)
		0.13	0.00	1.60	^ _239_/B (sky130_fd_sc_hd__nor2_2)
8	0.03	0.14	0.17	1.77	v _239_/Y (sky130_fd_sc_hd__nor2_2)
					127 (net)
		0.14	0.00	1.77	v _246_/B1 (sky130_fd_sc_hd__a22o_1)
1	0.00	0.07	0.34	2.10	v _246_/X (sky130_fd_sc_hd__a22o_1)
					085 (net)
		0.07	0.00	2.10	v _445_/D (sky130_fd_sc_hd__dfrtp_1)
				2.10	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.27	0.64	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.09	0.00	0.64	^ _445_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.89	clock uncertainty

-0.04 0.85 clock reconvergence pessimism
-0.09 0.76 library hold time
0.76 data required time

0.76 data required time
-2.10 data arrival time

1.34 slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _446_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.10	0.25	0.58	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.59	^ _435_/CLK (sky130_fd_sc_hd_dfrtp_2)
4	0.02	0.20	0.78	1.37	^ _435_/Q (sky130_fd_sc_hd_dfrtp_2)
					net24 (net)
		0.20	0.00	1.37	^ _235_/A (sky130_fd_sc_hd_inv_2)
2	0.01	0.05	0.10	1.47	v _235_/Y (sky130_fd_sc_hd_inv_2)
					123 (net)
		0.05	0.00	1.47	v _236_/A (sky130_fd_sc_hd_nand2_1)
2	0.01	0.13	0.13	1.60	^ _236_/Y (sky130_fd_sc_hd_nand2_1)
					124 (net)
		0.13	0.00	1.60	^ _239_/B (sky130_fd_sc_hd_nor2_2)
8	0.03	0.14	0.17	1.77	v _239_/Y (sky130_fd_sc_hd_nor2_2)
					127 (net)
		0.14	0.00	1.77	v _245_/B1 (sky130_fd_sc_hd_a22o_1)
1	0.00	0.07	0.34	2.10	v _245_/X (sky130_fd_sc_hd_a22o_1)
					086 (net)
		0.07	0.00	2.10	v _446_/D (sky130_fd_sc_hd_dfrtp_1)
				2.10	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.27	0.64	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.09	0.00	0.64	^ _446_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.25	0.89		clock uncertainty
		-0.04	0.85		clock reconvergence pessimism
		-0.09	0.76		library hold time
			0.76		data required time
			0.76		data required time
			-2.10		data arrival time
			1.34		slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _448_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	0.58	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.59	^ _435_/CLK (sky130_fd_sc_hd__dfrrtp_2)
		0.20	0.78	1.37	^ _435_/Q (sky130_fd_sc_hd__dfrrtp_2)
4	0.02				net24 (net)
		0.20	0.00	1.37	^ _235_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.10	1.47	v _235_/Y (sky130_fd_sc_hd__inv_2)
2	0.01				_123_ (net)
		0.05	0.00	1.47	v _236_/A (sky130_fd_sc_hd__nand2_1)
		0.13	0.13	1.60	^ _236_/Y (sky130_fd_sc_hd__nand2_1)
2	0.01				_124_ (net)
		0.13	0.00	1.60	^ _239_/B (sky130_fd_sc_hd__nor2_2)
		0.14	0.17	1.77	v _239_/Y (sky130_fd_sc_hd__nor2_2)
8	0.03				_127_ (net)
		0.14	0.00	1.77	v _243_/B1 (sky130_fd_sc_hd__a22o_1)
		0.07	0.33	2.10	v _243_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_088_ (net)
		0.07	0.00	2.10	v _448_/D (sky130_fd_sc_hd__dfrrtp_1)
				2.10	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.28	0.65	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.65	^ _448_/CLK (sky130_fd_sc_hd__dfrrtp_1)
			0.25	0.90	clock uncertainty
			-0.06	0.84	clock reconvergence pessimism
			-0.09	0.75	library hold time
				0.75	data required time

				0.75	data required time
				-2.10	data arrival time

				1.35	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _420_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)

3	0.01	0.11	0.17	2.18	v	input2/X (sky130_fd_sc_hd_buf_1)
		0.11	0.00	2.18	v	_355_/A (sky130_fd_sc_hd_buf_4)
10	0.05	0.14	0.33	2.52	v	_355_/X (sky130_fd_sc_hd_buf_4)
		0.14	0.00	2.52	v	_199_ (net)
10	0.07	0.14	0.34	2.86	v	_367_/A (sky130_fd_sc_hd_clkbuf_8)
		0.14	0.34	2.86	v	_367_/X (sky130_fd_sc_hd_clkbuf_8)
1	0.00	0.14	0.00	2.86	v	_201_ (net)
		0.06	0.09	2.95	^	_370_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.06	0.09	2.95	^	_370_/Y (sky130_fd_sc_hd_inv_2)
		0.06	0.00	2.95	^	_014_ (net)
		0.06	0.00	2.95	^	_420_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.95		data arrival time
		0.00	0.00			clock clk (rise edge)
		0.00	0.00			clock source latency
1	0.02	0.12	0.08	0.08	^	clk (in)
		0.12	0.00	0.08	^	clk (net)
4	0.04	0.09	0.29	0.37	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.29	0.37	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.00	0.37	^	clknet_0_clk (net)
		0.09	0.27	0.64	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.64	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.00	0.64	^	clknet_2_3_leaf_clk (net)
		0.09	0.00	0.64	^	_420_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.25	0.89			clock uncertainty
		0.00	0.89			clock reconvergence pessimism
		0.66	1.55			library removal time
				1.55		data required time
				1.55		data required time
				-2.95		data arrival time
				1.40		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _426_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.02	2.01	v rst (in)
1	0.00				rst (net)
			0.02	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01		0.11	2.18	v input2/X (sky130_fd_sc_hd_buf_1)
			0.14	2.52	v _355_/A (sky130_fd_sc_hd_buf_4)
10	0.05		0.33	2.52	v _355_/X (sky130_fd_sc_hd_buf_4)
					199 (net)
10	0.07		0.14	2.52	v _367_/A (sky130_fd_sc_hd_clkbuf_8)
			0.14	2.86	v _367_/X (sky130_fd_sc_hd_clkbuf_8)
10	0.07				_201_ (net)
			0.14	2.86	v _376_/A (sky130_fd_sc_hd_inv_2)
1	0.00		0.06	2.95	^ _376_/Y (sky130_fd_sc_hd_inv_2)
					020 (net)
1	0.00		0.06	2.95	^ _426_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.95	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02		0.12	0.08	^ clk (in)
					clk (net)
			0.12	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
			0.09	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)

4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.64	^ _426_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.89	clock uncertainty
			0.00	0.89	clock reconvergence pessimism
			0.66	1.55	library removal time
				1.55	data required time

				1.55	data required time
				-2.95	data arrival time

				1.40	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _419_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.17	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.14	0.33	2.52	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.14	0.00	2.52	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.14	0.34	2.86	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.14	0.00	2.86	v _369_/A (sky130_fd_sc_hd__inv_2)
		0.06	0.09	2.95	^ _369_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_013_ (net)
		0.06	0.00	2.95	^ _419_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.95	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.64	^ _419_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.89	clock uncertainty
			0.00	0.89	clock reconvergence pessimism
			0.66	1.55	library removal time
				1.55	data required time

				1.55	data required time
				-2.95	data arrival time

				1.40	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _424_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description		

1	0.00	0.02	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
			2.00	2.00	v input external delay		
			0.01	2.01	v rst (in)		
					rst (net)		
			0.02	2.01	v input2/A (sky130_fd_sc_hd__buf_1)		
			0.11	2.18	v input2/X (sky130_fd_sc_hd__buf_1)		
					net2 (net)		
			0.11	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)		
			0.14	2.52	v _355_/X (sky130_fd_sc_hd__buf_4)		
10	0.05			_199_ (net)			
10	0.07		0.14	2.52	v _367_/A (sky130_fd_sc_hd__clkbuf_8)		
			0.34	2.86	v _367_/X (sky130_fd_sc_hd__clkbuf_8)		
10	0.07				_201_ (net)		
			0.14	2.86	v _374_/A (sky130_fd_sc_hd__inv_2)		
1	0.00		0.05	2.95	^ _374_/Y (sky130_fd_sc_hd__inv_2)		
					018 (net)		
1	0.00		0.05	2.95	^ _424_/RESET_B (sky130_fd_sc_hd__dfrtp_2)		
				2.95	data arrival time		

1	0.02	0.12		0.00	clock clk (rise edge)		
				0.00	0.00	clock source latency	
				0.08	0.08	^ clk (in)	
						clk (net)	
				0.12	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
				0.09	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
						clknet_0_clk (net)	
				0.09	0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
				0.09	0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
						clknet_2_3__leaf_clk (net)	
12	0.04		0.09	0.64	^ _424_/CLK (sky130_fd_sc_hd__dfrtp_2)		
			0.25	0.89	clock uncertainty		
			0.00	0.89	clock reconvergence pessimism		
			0.66	1.55	library removal time		
				1.55	data required time		

				1.55	data required time		
				-2.95	data arrival time		

				1.40	slack (MET)		

Startpoint: rst (input port clocked by clk)

Endpoint: _421_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.02	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.01	2.01	v rst (in)
					rst (net)
			0.02	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
			0.11	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.11	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.14	2.52	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
10	0.07		0.14	2.52	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
			0.34	2.86	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
			0.14	2.86	v _371_/A (sky130_fd_sc_hd__inv_2)
10	0.07		0.05	2.95	^ _371_/Y (sky130_fd_sc_hd__inv_2)

1	0.00	0.05	0.00	2.95	^	_015_ (net)
				2.95		_421_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
						data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.12	0.08	0.08	^	clk (in)
1	0.02					clk (net)
		0.12	0.00	0.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.09	0.00	0.37	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.64	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.09	0.00	0.64	^	_421_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.89		clock uncertainty
			0.00	0.89		clock reconvergence pessimism
			0.66	1.55		library removal time
				1.55		data required time

				1.55		data required time
				-2.95		data arrival time

				1.40		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _418_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.17	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.14	0.33	2.52	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.14	0.00	2.52	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.14	0.34	2.86	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.14	0.00	2.86	v _368_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.09	2.95	^ _368_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_012_ (net)
		0.05	0.00	2.95	^ _418_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.95	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.09	0.00	0.64	^ _418_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.89	clock uncertainty
			0.00	0.89	clock reconvergence pessimism
			0.66	1.55	library removal time
				1.55	data required time

1.55 data required time
-2.95 data arrival time

1.40 slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _427_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description		

1	0.00	0.02	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
		0.01	2.00	2.00 v	input external delay		
			2.01 v	rst (in)			
		0.02	0.00	2.01 v	rst (net)		
			0.11	0.17	2.01 v	input2/A (sky130_fd_sc_hd__buf_1)	
		3	0.01	0.17	2.18 v	input2/X (sky130_fd_sc_hd__buf_1)	
					net2 (net)		
		10	0.05	0.14	2.18 v	_355_/A (sky130_fd_sc_hd__buf_4)	
					2.52 v	_355_/X (sky130_fd_sc_hd__buf_4)	
10	0.07	0.14	0.00	2.52 v	_199_ (net)		
				2.52 v	_367_/A (sky130_fd_sc_hd__clkbuf_8)		
		0.14	0.34	2.86 v	_367_/X (sky130_fd_sc_hd__clkbuf_8)		
				2.86 v	_201_ (net)		
		0.14	0.00	2.86 v	_377_/A (sky130_fd_sc_hd__inv_2)		
				2.95 ^	_377_/Y (sky130_fd_sc_hd__inv_2)		
		1	0.00	0.06	2.95 ^	_021_ (net)	
					2.95 ^	_427_/RESET_B (sky130_fd_sc_hd__dfrtp_1)	
							data arrival time

1	0.02	0.12	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock source latency		
		0.08	0.08	0.08 ^	clk (in)		
			0.08	0.08	0.08 ^	clk (net)	
		4	0.04	0.09	0.08 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
					0.37 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
		12	0.04	0.09	0.37 ^	clknet_0_clk (net)	
					0.64 ^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
				0.09	0.64 ^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					0.64 ^	clknet_2_1__leaf_clk (net)	
					427/CLK (sky130_fd_sc_hd__dfrtp_1)		
					clock uncertainty		
					clock reconvergence pessimism		
					library removal time		
					data required time		

					1.55 data required time		
					-2.95 data arrival time		

					1.40 slack (MET)		

Startpoint: rst (input port clocked by clk)
Endpoint: _408_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.02	0.01	2.01 v	rst (in)
					rst (net)
		0.02	0.00	2.01 v	input2/A (sky130_fd_sc_hd__buf_1)

3	0.01	0.11	0.17	2.18	v	input2/X (sky130_fd_sc_hd_buf_1)
		0.11	0.00	2.18	v	_355_/A (sky130_fd_sc_hd_buf_4)
10	0.05	0.14	0.33	2.52	v	_355_/X (sky130_fd_sc_hd_buf_4)
		0.14	0.00	2.52	v	_199_ (net)
10	0.06	0.15	0.35	2.87	v	_356_/A (sky130_fd_sc_hd_buf_4)
		0.15	0.00	2.87	v	_200_ (net)
1	0.00	0.05	0.09	2.87	v	_357_/A (sky130_fd_sc_hd_inv_2)
		0.05	0.00	2.96	^	_357_/Y (sky130_fd_sc_hd_inv_2)
1	0.00	0.05	0.00	2.96	^	_002_ (net)
		0.05	0.00	2.96	^	_408_/RESET_B (sky130_fd_sc_hd_dfrtp_4)
1	0.02	0.12	0.08	2.96		data arrival time
		0.12	0.00	0.08	^	clock clk (rise edge)
4	0.04	0.09	0.29	0.08	^	clock source latency
		0.09	0.00	0.08	^	clk (in)
14	0.04	0.10	0.28	0.08	^	clk (net)
		0.10	0.00	0.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.10	0.00	0.37	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.00	0.37	^	clknet_0_clk (net)
14	0.04	0.10	0.00	0.37	^	clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.00	0.65	^	clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.10	0.00	0.65	^	clknet_2_0_leaf_clk (net)
		0.10	0.00	0.65	^	_408_/CLK (sky130_fd_sc_hd_dfrtp_4)
14	0.04	0.10	0.00	0.65	^	clock uncertainty
		0.10	0.00	0.90	^	clock reconvergence pessimism
14	0.04	0.10	0.00	1.56	^	library removal time
		0.10	0.00	1.56	^	data required time
14	0.04	0.10	0.00	1.56	^	data required time
		0.10	0.00	-2.96	^	data arrival time
14	0.04	0.10	0.00	1.41	^	slack (MET)
		0.10	0.00	1.41	^	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _411_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
1	0.00	0.02	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
1	0.00	0.02	2.00	2.00	v input external delay
			0.01	2.01	v rst (in)
3	0.01	0.11	0.00	2.01	v rst (net)
			0.17	2.18	v input2/A (sky130_fd_sc_hd_buf_1)
10	0.05	0.14	0.00	2.18	v input2/X (sky130_fd_sc_hd_buf_1)
			0.33	2.52	v _355_/A (sky130_fd_sc_hd_buf_4)
10	0.06	0.15	0.00	2.52	v _355_/X (sky130_fd_sc_hd_buf_4)
			0.35	2.87	v _199_ (net)
1	0.00	0.06	0.00	2.87	v _356_/A (sky130_fd_sc_hd_buf_4)
			0.09	2.96	v _356_/X (sky130_fd_sc_hd_buf_4)
1	0.00	0.06	0.00	2.96	v _200_ (net)
			0.09	2.87	v _360_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.06	0.00	2.96	^ _360_/Y (sky130_fd_sc_hd_inv_2)
			0.00	2.96	^ _005_ (net)
1	0.00	0.06	0.00	2.96	^ _411_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
			0.00	2.96	^ data arrival time
1	0.02	0.12	0.00	0.00	clock clk (rise edge)
			0.08	0.00	clock source latency
1	0.02	0.12	0.00	0.08	^ clk (in)
			0.29	0.08	^ clk (net)
1	0.02	0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
			0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)

4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.28	0.65	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.65	^ _411_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.90	clock uncertainty
			0.00	0.90	clock reconvergence pessimism
			0.66	1.56	library removal time
				1.56	data required time

				1.56	data required time
				-2.96	data arrival time

				1.41	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _410_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
		0.11	0.17	2.18	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.18	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.14	0.33	2.52	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.14	0.00	2.52	v _356_/A (sky130_fd_sc_hd_buf_4)
		0.15	0.35	2.87	v _356_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_200_ (net)
		0.15	0.00	2.87	v _359_/A (sky130_fd_sc_hd_inv_2)
		0.05	0.09	2.96	^ _359_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_004_ (net)
		0.05	0.00	2.96	^ _410_/RESET_B (sky130_fd_sc_hd_dfrtp_2)
				2.96	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.28	0.65	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.65	^ _410_/CLK (sky130_fd_sc_hd_dfrtp_2)
			0.25	0.90	clock uncertainty
			0.00	0.90	clock reconvergence pessimism
			0.66	1.56	library removal time
				1.56	data required time

				1.56	data required time
				-2.96	data arrival time

				1.41	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _422_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description	

1	0.00	0.02	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			2.00	2.00	v input external delay	
			0.01	2.01	v rst (in)	
					rst (net)	
			0.02	2.01	v input2/A (sky130_fd_sc_hd__buf_1)	
			0.11	2.18	v input2/X (sky130_fd_sc_hd__buf_1)	
					net2 (net)	
			0.11	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)	
			0.14	2.52	v _355_/X (sky130_fd_sc_hd__buf_4)	
10	0.05			_199_ (net)		
10	0.07		0.14	2.52	v _367_/A (sky130_fd_sc_hd__clkbuf_8)	
			0.34	2.86	v _367_/X (sky130_fd_sc_hd__clkbuf_8)	
10	0.07				_201_ (net)	
			0.14	2.86	v _372_/A (sky130_fd_sc_hd__inv_2)	
1	0.00		0.05	2.95	^ _372_/Y (sky130_fd_sc_hd__inv_2)	
					016 (net)	
1	0.00		0.05	2.95	^ _422_/RESET_B (sky130_fd_sc_hd__dfrtp_1)	
				2.95	data arrival time	

1	0.02	0.12	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
			0.08	0.08	^ clk (in)	
					clk (net)	
			0.12	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
			0.09	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					clknet_0_clk (net)	
			0.09	0.37	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
			0.08	0.63	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					clknet_2_2__leaf_clk (net)	
10	0.03		0.08	0.63	^ _422_/CLK (sky130_fd_sc_hd__dfrtp_1)	
10	0.03		0.25	0.88	clock uncertainty	
			0.00	0.88	clock reconvergence pessimism	
			0.66	1.54	library removal time	
				1.54	data required time	

				1.54	data required time	
				-2.95	data arrival time	

				1.41	slack (MET)	

Startpoint: rst (input port clocked by clk)

Endpoint: _423_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.02	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.01	2.01	v rst (in)
					rst (net)
			0.02	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
			0.11	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.11	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.14	2.52	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
10	0.07		0.14	2.52	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
			0.34	2.86	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
			0.14	2.86	v _373_/A (sky130_fd_sc_hd__inv_2)
1	0.00		0.05	2.95	^ _373_/Y (sky130_fd_sc_hd__inv_2)

1	0.00	0.05	0.00	2.95	^	_017_ (net)
				2.95		_423_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
						data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.12	0.08	0.08	^	clk (in)
1	0.02					clk (net)
		0.12	0.00	0.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.09	0.00	0.37	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.08	0.26	0.63	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03					clknet_2_2__leaf_clk (net)
		0.08	0.00	0.63	^	_423_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.88		clock uncertainty
			0.00	0.88		clock reconvergence pessimism
			0.66	1.54		library removal time
				1.54		data required time

				1.54		data required time
				-2.95		data arrival time

				1.41		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _425_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
		0.11	0.17	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.14	0.33	2.52	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.14	0.00	2.52	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.14	0.34	2.86	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.14	0.00	2.86	v _375_/A (sky130_fd_sc_hd__inv_2)
		0.05	0.09	2.95	^ _375_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_019_ (net)
		0.05	0.00	2.95	^ _425_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.95	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.08	0.26	0.63	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.08	0.00	0.63	^ _425_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.88	clock uncertainty
			0.00	0.88	clock reconvergence pessimism
			0.66	1.54	library removal time
				1.54	data required time

1.41 slack (MET)

Startpoint: _455_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _436_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.24	0.58	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
		0.09	0.00	0.58	^ _455_/CLK (sky130_fd_sc_hd_dfrtp_1)
2	0.00	0.10	0.64	1.22	^ _455_/Q (sky130_fd_sc_hd_dfrtp_1)
					bit_count[3] (net)
		0.10	0.00	1.22	^ _216_/A (sky130_fd_sc_hd_nor2_1)
2	0.01	0.06	0.10	1.32	v _216_/Y (sky130_fd_sc_hd_nor2_1)
					108 (net)
		0.06	0.00	1.32	v _217_/D (sky130_fd_sc_hd_nand4_1)
3	0.01	0.17	0.18	1.50	^ _217_/Y (sky130_fd_sc_hd_nand4_1)
					109 (net)
		0.17	0.00	1.50	^ _270_/B (sky130_fd_sc_hd_and2_1)
1	0.00	0.08	0.25	1.75	^ _270_/X (sky130_fd_sc_hd_and2_1)
					143 (net)
		0.08	0.00	1.75	^ _271_/A (sky130_fd_sc_hd_clkbuf_1)
2	0.00	0.11	0.17	1.92	^ _271_/X (sky130_fd_sc_hd_clkbuf_1)
					000 (net)
		0.11	0.00	1.92	^ _272_/B1_N (sky130_fd_sc_hd_a21bo_1)
1	0.00	0.06	0.36	2.28	v _272_/X (sky130_fd_sc_hd_a21bo_1)
					076 (net)
		0.06	0.00	2.28	v _436_/D (sky130_fd_sc_hd_dfstp_1)
				2.28	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.27	0.64	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
		0.09	0.00	0.64	^ _436_/CLK (sky130_fd_sc_hd_dfstp_1)
			0.25	0.89	clock uncertainty
		-0.04	0.86	0.86	clock reconvergence pessimism
		0.00	0.86	0.86	library hold time
			0.86	0.86	data required time
				0.86	data required time
				-2.28	data arrival time
				1.42	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _409_ (removal check against rising-edge clock clk)
Path Group: asynchronous

Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description			

1	0.00	0.02	0.00	0.00	clock clk (rise edge)			
			0.00	0.00	clock network delay (propagated)			
		0.01	2.00	2.00	v input external delay			
			2.01	2.01	v rst (in)			
		0.02	0.00	2.01	v rst (net)			
			0.11	0.17	2.18	v input2/A (sky130_fd_sc_hd__buf_1)		
		3	0.01	0.17	2.18	v input2/X (sky130_fd_sc_hd__buf_1)		
					2.18	v net2 (net)		
		10	0.05	0.11	0.00	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)	
				0.14	0.33	2.52	v _355_/X (sky130_fd_sc_hd__buf_4)	
10	0.06	0.14	0.00	2.52	v _199_ (net)			
				2.52	v _356_/A (sky130_fd_sc_hd__buf_4)			
		0.15	0.35	2.87	v _356_/X (sky130_fd_sc_hd__buf_4)			
				2.87	v _200_ (net)			
		0.15	0.00	2.87	v _358_/A (sky130_fd_sc_hd__inv_2)			
				0.05	0.09	2.97	^ _358_/Y (sky130_fd_sc_hd__inv_2)	
		1	0.00	0.05	2.97	^ _003_ (net)		
					2.97	^ _409_/RESET_B (sky130_fd_sc_hd__dftrtp_4)		
							2.97	data arrival time

1	0.02	0.12	0.00	0.00	clock clk (rise edge)			
			0.00	0.00	clock source latency			
		0.08	0.08	0.08	^ clk (in)			
			0.12	0.00	0.08	^ clk (net)		
		4	0.04	0.09	0.29	0.37	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
					0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)		
		10	0.03	0.09	0.00	0.37	^ clknet_0_clk (net)	
					0.08	0.26	0.63	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.08	0.00	0.63	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
						0.63	^ clknet_2_2__leaf_clk (net)	
					0.63	^ _409_/CLK (sky130_fd_sc_hd__dftrtp_4)		
					0.25	clock uncertainty		
					0.00	clock reconvergence pessimism		
					0.66	library removal time		
					1.54	data required time		

					1.54	data required time		
					-2.97	data arrival time		

					1.42	slack (MET)		

Startpoint: rst (input port clocked by clk)
Endpoint: _417_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
			0.02	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01		0.11	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.11	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05		0.14	2.52	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
			0.14	2.52	v _356_/A (sky130_fd_sc_hd__buf_4)
10	0.06		0.15	2.87	v _356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
			0.15	2.87	v _366_/A (sky130_fd_sc_hd__inv_2)

1	0.00	0.06	0.09	2.97	^	_366_/Y (sky130_fd_sc_hd__inv_2)
						011 (net)
		0.06	0.00	2.97	^	_417_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.97		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.12	0.08	0.08	^	clk (in)
						clk (net)
		0.12	0.00	0.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.29	0.37	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.09	0.00	0.37	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.08	0.26	0.63	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
		0.08	0.00	0.63	^	_417_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.88		clock uncertainty
			0.00	0.88		clock reconvergence pessimism
			0.66	1.54		library removal time
				1.54		data required time

				1.54		data required time
				-2.97		data arrival time

				1.43		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _412_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.02	0.01	2.01	v rst (in)
					rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.11	0.17	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.11	0.00	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.14	0.33	2.52	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.14	0.00	2.52	v _356_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.15	0.35	2.87	v _356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
		0.15	0.00	2.87	v _361_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.05	0.09	2.97	^ _361_/Y (sky130_fd_sc_hd__inv_2)
					006 (net)
		0.05	0.00	2.97	^ _412_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.97	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.08	0.26	0.63	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.08	0.00	0.63	^ _412_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.88	clock uncertainty
			0.00	0.88	clock reconvergence pessimism
			0.66	1.54	library removal time
				1.54	data required time

		1.54	data required time
		-2.97	data arrival time

		1.43	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _414_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.02	0.01	2.01 v	rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01 v	input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.11	0.17	2.18 v	input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
		0.11	0.00	2.18 v	_355_/A (sky130_fd_sc_hd_buf_4)
10	0.05	0.14	0.33	2.52 v	_355_/X (sky130_fd_sc_hd_buf_4)
					199 (net)
		0.14	0.00	2.52 v	_356_/A (sky130_fd_sc_hd_buf_4)
10	0.06	0.15	0.35	2.87 v	_356_/X (sky130_fd_sc_hd_buf_4)
					200 (net)
		0.15	0.00	2.87 v	_363_/A (sky130_fd_sc_hd_inv_2)
		0.05	0.09	2.97 ^	_363_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_008_ (net)
		0.05	0.00	2.97 ^	_414_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.97	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08 ^	clk (in)
					clk (net)
		0.12	0.00	0.08 ^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.09	0.29	0.37 ^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.37 ^	clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
10	0.03	0.08	0.26	0.63 ^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_2_leaf_clk (net)
		0.08	0.00	0.63 ^	_414_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.88	clock uncertainty
			0.00	0.88	clock reconvergence pessimism
			0.66	1.54	library removal time
				1.54	data required time

				1.54	data required time
				-2.97	data arrival time

				1.43	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _413_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.02	0.01	2.01 v	rst (in)
1	0.00				rst (net)

		0.02	0.00	2.01	v	input2/A (sky130_fd_sc_hd_buf_1)
		0.11	0.17	2.18	v	input2/X (sky130_fd_sc_hd_buf_1)
3	0.01					net2 (net)
		0.11	0.00	2.18	v	_355_/A (sky130_fd_sc_hd_buf_4)
		0.14	0.33	2.52	v	_355_/X (sky130_fd_sc_hd_buf_4)
10	0.05					_199_ (net)
		0.14	0.00	2.52	v	_356_/A (sky130_fd_sc_hd_buf_4)
		0.15	0.35	2.87	v	_356_/X (sky130_fd_sc_hd_buf_4)
10	0.06					_200_ (net)
		0.15	0.00	2.87	v	_362_/A (sky130_fd_sc_hd_inv_2)
		0.05	0.09	2.97	^	_362_/Y (sky130_fd_sc_hd_inv_2)
1	0.00					_007_ (net)
		0.05	0.00	2.97	^	_413_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.97		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.12	0.08	0.08	^	clk (in)
						clk (net)
		0.12	0.00	0.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.29	0.37	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.09	0.00	0.37	^	clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.08	0.26	0.63	^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03					clknet_2_2_leaf_clk (net)
		0.08	0.00	0.63	^	_413_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.88		clock uncertainty
			0.00	0.88		clock reconvergence pessimism
			0.66	1.54		library removal time
				1.54		data required time

				1.54		data required time
				-2.97		data arrival time

				1.43		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _415_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.02	0.01	2.01	v rst (in)
1	0.00				rst (net)
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd_buf_1)
		0.11	0.17	2.18	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.11	0.00	2.18	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.14	0.33	2.52	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.14	0.00	2.52	v _356_/A (sky130_fd_sc_hd_buf_4)
		0.15	0.35	2.87	v _356_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_200_ (net)
		0.15	0.00	2.87	v _364_/A (sky130_fd_sc_hd_inv_2)
		0.06	0.09	2.97	^ _364_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_009_ (net)
		0.06	0.00	2.97	^ _415_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.97	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)

4	0.04	0.09	0.29	0.37	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
10	0.03	0.09	0.00	0.37	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.08	0.26	0.63	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
		0.08	0.00	0.63	^	_415_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.88		clock uncertainty
			0.00	0.88		clock reconvergence pessimism
			0.66	1.54		library removal time
				1.54		data required time
				1.54		data required time
				-2.97		data arrival time
				1.43		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _416_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description	
1	0.00		0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			2.00	2.00	v input external delay	
		0.02	0.01	2.01	v rst (in)	
					rst (net)	
		0.02	0.00	2.01	v input2/A (sky130_fd_sc_hd__buf_1)	
		0.11	0.17	2.18	v input2/X (sky130_fd_sc_hd__buf_1)	
		3	0.01			net2 (net)
			0.11	0.00	2.18	v _355_/A (sky130_fd_sc_hd__buf_4)
			0.14	0.33	2.52	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05			_199_ (net)		
		0.14	0.00	2.52	v _356_/A (sky130_fd_sc_hd__buf_4)	
		0.15	0.35	2.87	v _356_/X (sky130_fd_sc_hd__buf_4)	
10	0.06				_200_ (net)	
		0.15	0.00	2.87	v _365_/A (sky130_fd_sc_hd__inv_2)	
	0.05	0.09	2.97	^ _365_/Y (sky130_fd_sc_hd__inv_2)		
1	0.00				_010_ (net)	
		0.05	0.00	2.97	^ _416_/RESET_B (sky130_fd_sc_hd__dfrtp_1)	
				2.97	data arrival time	
1	0.02		0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
		0.12	0.08	0.08	^ clk (in)	
					clk (net)	
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
		4	0.04			clknet_0_clk (net)
			0.09	0.00	0.37	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.08	0.26	0.63	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
10	0.03				^ _416_/CLK (sky130_fd_sc_hd__dfrtp_1)	
		0.08	0.00	0.63	^	
			0.25	0.88	clock uncertainty	
			0.00	0.88	clock reconvergence pessimism	
			0.66	1.54	library removal time	
				1.54	data required time	
				1.54	data required time	
				-2.97	data arrival time	
				1.43	slack (MET)	

Startpoint: rst (input port clocked by clk)
Endpoint: _436_ (removal check against rising-edge clock clk)
Path Group: asynchronous

Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.00	0.02	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.01	2.01	v rst (in)
					rst (net)
			0.02	2.01	v input2/A (sky130_fd_sc_hd__buf_1)
			0.11	2.18	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
			0.11	2.18	v _378_/A (sky130_fd_sc_hd__buf_4)
			0.16	2.54	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
			0.16	2.54	v _387_/A (sky130_fd_sc_hd__inv_2)
			0.06	2.64	^ _387_/Y (sky130_fd_sc_hd__inv_2)
					030 (net)
1	0.00	0.06		2.64	^ _436_/SET_B (sky130_fd_sc_hd__dfstp_1)
				2.64	data arrival time

1	0.02	0.12	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
			0.08	0.08	^ clk (in)
					clk (net)
4	0.04		0.12	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.09	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
			0.09	0.37	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.00	0.37	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
			0.27	0.64	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
			0.09	0.64	^ _436_/CLK (sky130_fd_sc_hd__dfstp_1)
			0.25	0.89	clock uncertainty
			0.00	0.89	clock reconvergence pessimism
			0.31	1.20	library removal time
				1.20	data required time

				1.20	data required time
				-2.64	data arrival time

				1.44	slack (MET)

Startpoint: _455_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _433_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
			0.12	0.08	^ clk (in)
1	0.02				clk (net)
			0.12	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
			0.09	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
			0.09	0.34	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
			0.09	0.58	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
			0.09	0.58	^ _455_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.10	1.22	^ _455_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.00				bit_count[3] (net)
			0.10	1.22	^ _216_/A (sky130_fd_sc_hd_nor2_1)
			0.06	1.32	v _216_/Y (sky130_fd_sc_hd_nor2_1)
2	0.01				_108_ (net)
			0.06	1.32	v _217_/D (sky130_fd_sc_hd_nand4_1)
			0.17	1.50	^ _217_/Y (sky130_fd_sc_hd_nand4_1)

3	0.01				_109_ (net)
		0.17	0.00	1.50	^ _218_/A (sky130_fd_sc_hd__buf_4)
		0.27	0.38	1.89	^ _218_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_110_ (net)
		0.27	0.00	1.89	^ _279_/S (sky130_fd_sc_hd__mux2_1)
		0.07	0.30	2.18	^ _279_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_148_ (net)
		0.07	0.00	2.18	^ _280_/A (sky130_fd_sc_hd__clkbuf_1)
		0.07	0.14	2.32	^ _280_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_073_ (net)
		0.07	0.00	2.32	^ _433_/D (sky130_fd_sc_hd__dfrtp_1)
				2.32	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.27	0.64	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	0.64	^ _433_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.89	clock uncertainty
		-0.06	0.83		clock reconvergence pessimism
		-0.07	0.76		library hold time
			0.76		data required time

				0.76	data required time
				-2.32	data arrival time

				1.56	slack (MET)

Startpoint: _447_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _447_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	0.58	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.58	^ _447_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.16	0.69	1.27	^ _447_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				rx_shift[3] (net)
		0.16	0.00	1.27	^ _244_/A1 (sky130_fd_sc_hd__a22o_1)
		0.06	0.27	1.54	^ _244_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_087_ (net)
		0.06	0.00	1.54	^ hold3/A (sky130_fd_sc_hd__dlygate4sd3_1)
		0.09	0.98	2.52	^ hold3/X (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00				net28 (net)
		0.09	0.00	2.52	^ _447_/D (sky130_fd_sc_hd__dfrtp_1)
				2.52	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)

4	0.04	0.09	0.29	0.37	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
14	0.04	0.09	0.00	0.37	^	clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.28	0.65	^	clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_0_leaf_clk (net)
		0.10	0.00	0.65	^	_447_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.90		clock uncertainty
			-0.06	0.83		clock reconvergence pessimism
			-0.08	0.76		library hold time
				0.76		data required time

				0.76		data required time
				-2.52		data arrival time

				1.76		slack (MET)

Startpoint: _449_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _449_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
					clk (net)
4	0.04	0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.10	0.25	0.58	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)
		0.10	0.00	0.58	^ _449_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.15	0.68	1.27	^ _449_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				rx_shift[5] (net)
		0.15	0.00	1.27	^ _242_/A1 (sky130_fd_sc_hd_a22o_1)
1	0.00	0.08	0.28	1.55	^ _242_/X (sky130_fd_sc_hd_a22o_1)
					089 (net)
1	0.00	0.08	0.00	1.55	^ hold8/A (sky130_fd_sc_hd_dlygate4sd3_1)
		0.09	0.98	2.53	^ hold8/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00				net33 (net)
		0.09	0.00	2.53	^ _449_/D (sky130_fd_sc_hd_dfrtp_1)
			2.53		data arrival time

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
					clk (net)
4	0.04	0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.10	0.28	0.65	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0_leaf_clk (net)
		0.10	0.00	0.65	^ _449_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.90	clock uncertainty
		-0.06	0.83		clock reconvergence pessimism
		-0.08	0.76		library hold time
			0.76		data required time

				0.76	data required time
				-2.53	data arrival time

				1.77	slack (MET)

Startpoint: _450_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _451_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	0.58	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.58	^ _450_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.19	0.71	1.30	^ _450_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				rx_shift[6] (net)
		0.19	0.00	1.30	^ _240_/B2 (sky130_fd_sc_hd__a22o_1)
		0.06	0.26	1.55	^ _240_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_001_ (net)
		0.06	0.00	1.55	^ hold5/A (sky130_fd_sc_hd__dlygate4sd3_1)
		0.09	0.98	2.53	^ hold5/X (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00				net30 (net)
		0.09	0.00	2.53	^ _451_/D (sky130_fd_sc_hd__dfrtp_1)
				2.53	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.28	0.65	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.65	^ _451_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.90	clock uncertainty
			-0.06	0.83	clock reconvergence pessimism
			-0.08	0.76	library hold time
				0.76	data required time

				0.76	data required time
				-2.53	data arrival time

				1.77	slack (MET)

Startpoint: _455_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _437_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	0.58	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	0.58	^ _455_/CLK (sky130_fd_sc_hd__dfrtp_1)

		0.10	0.64	1.22	^	_455_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.00					bit_count[3] (net)
		0.10	0.00	1.22	^	_216_/A (sky130_fd_sc_hd_nor2_1)
		0.06	0.10	1.32	v	_216_/Y (sky130_fd_sc_hd_nor2_1)
2	0.01					_108_ (net)
		0.06	0.00	1.32	v	_217_/D (sky130_fd_sc_hd_nand4_1)
		0.17	0.18	1.50	^	_217_/Y (sky130_fd_sc_hd_nand4_1)
3	0.01					_109_ (net)
		0.17	0.00	1.50	^	_222_/C (sky130_fd_sc_hd_and3_1)
		0.09	0.32	1.82	^	_222_/X (sky130_fd_sc_hd_and3_1)
1	0.00					_113_ (net)
		0.09	0.00	1.82	^	_223_/A (sky130_fd_sc_hd_clkbuf_4)
		0.23	0.35	2.17	^	_223_/X (sky130_fd_sc_hd_clkbuf_4)
10	0.05					_114_ (net)
		0.23	0.00	2.17	^	_267_/S (sky130_fd_sc_hd_mux2_1)
		0.07	0.29	2.46	^	_267_/X (sky130_fd_sc_hd_mux2_1)
1	0.00					_141_ (net)
		0.07	0.00	2.46	^	_268_/A (sky130_fd_sc_hd_clkbuf_1)
		0.06	0.13	2.59	^	_268_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00					_077_ (net)
		0.06	0.00	2.59	^	_437_/D (sky130_fd_sc_hd_dfrtp_1)
				2.59		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.12	0.08	0.08	^	clk (in)
1	0.02					clk (net)
		0.12	0.00	0.08	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.29	0.37	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.09	0.00	0.37	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.27	0.64	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_3_leaf_clk (net)
		0.09	0.00	0.64	^	_437_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.89		clock uncertainty
		-0.04		0.86		clock reconvergence pessimism
		-0.07		0.78		library hold time
				0.78		data required time

				0.78		data required time
				-2.59		data arrival time

				1.81		slack (MET)

Startpoint: _450_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _450_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	0.58	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.10	0.00	0.58	^ _450_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.19	0.71	1.30	^ _450_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				rx_shift[6] (net)
		0.19	0.00	1.30	^ _241_/A1 (sky130_fd_sc_hd_a22o_1)
		0.08	0.29	1.59	^ _241_/X (sky130_fd_sc_hd_a22o_1)
1	0.00				_090_ (net)
		0.08	0.00	1.59	^ hold10/A (sky130_fd_sc_hd_dlygate4sd3_1)

1	0.00	0.09	0.99	2.58	^ hold10/X (sky130_fd_sc_hd_dlygate4sd3_1)
		0.09	0.00	2.58	net35 (net)
				2.58	^ _450_/D (sky130_fd_sc_hd_dfrtp_1)
				2.58	data arrival time
		0.00	0.00		clock clk (rise edge)
		0.00	0.00		clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.10	0.28	0.65	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.10	0.00	0.65	^ _450_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.25	0.90		clock uncertainty
		-0.06	0.83		clock reconvergence pessimism
		-0.08	0.76		library hold time
			0.76		data required time

				0.76	data required time
				-2.58	data arrival time

				1.83	slack (MET)

Startpoint: _444_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _426_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.24	0.58	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.09	0.00	0.58	^ _444_/CLK (sky130_fd_sc_hd_dfrtp_1)
2	0.01	0.14	0.67	1.25	^ _444_/Q (sky130_fd_sc_hd_dfrtp_1)
					rx_shift[0] (net)
		0.14	0.00	1.25	^ _293_/A0 (sky130_fd_sc_hd_mux2_1)
1	0.00	0.07	0.23	1.48	^ _293_/X (sky130_fd_sc_hd_mux2_1)
					155 (net)
		0.07	0.00	1.48	^ hold34/A (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00	0.10	0.99	2.47	^ hold34/X (sky130_fd_sc_hd_dlygate4sd3_1)
					net59 (net)
		0.10	0.00	2.47	^ _294_/A (sky130_fd_sc_hd_clkbuf_1)
1	0.00	0.06	0.15	2.62	^ _294_/X (sky130_fd_sc_hd_clkbuf_1)
					066 (net)
		0.06	0.00	2.62	^ _426_/D (sky130_fd_sc_hd_dfrtp_1)
				2.62	data arrival time
		0.00	0.00		clock clk (rise edge)
		0.00	0.00		clock source latency
1	0.02	0.12	0.08	0.08	^ clk (in)
					clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.09	0.27	0.64	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3__leaf_clk (net)

0.09	0.00	0.64	^	_426_/CLK (sky130_fd_sc_hd__dfrtp_1)
	0.25	0.89		clock uncertainty
	-0.06	0.83		clock reconvergence pessimism
	-0.07	0.76		library hold time
		0.76		data required time

		0.76		data required time
		-2.62		data arrival time

		1.86		slack (MET)

Startpoint: _427_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _427_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.24	0.58	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.09	0.00	0.58	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
2	0.01	0.14	0.67	1.24	^ _427_/Q (sky130_fd_sc_hd__dfrtp_1)
					net17 (net)
		0.14	0.00	1.24	^ _291_/A1 (sky130_fd_sc_hd__mux2_1)
1	0.00	0.07	0.24	1.48	^ _291_/X (sky130_fd_sc_hd__mux2_1)
					154 (net)
		0.07	0.00	1.48	^ hold36/A (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00	0.10	0.99	2.48	^ hold36/X (sky130_fd_sc_hd__dlygate4sd3_1)
					net61 (net)
		0.10	0.00	2.48	^ _292_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.07	0.16	2.63	^ _292_/X (sky130_fd_sc_hd__clkbuf_1)
					067 (net)
		0.07	0.00	2.63	^ _427_/D (sky130_fd_sc_hd__dfrtp_1)
				2.63	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.09	0.29	0.37	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.09	0.00	0.37	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.27	0.64	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.09	0.00	0.64	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.25	0.89		clock uncertainty
		-0.06	0.83		clock reconvergence pessimism
		-0.07	0.75		library hold time
			0.75		data required time

				0.75	data required time
				-2.63	data arrival time

				1.88	slack (MET)

Startpoint: _425_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: done (output port clocked by clk)
Path Group: clk

Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description	

1	0.02	0.12	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
			0.08	0.08	^ clk (in)	
					clk (net)	
4	0.04	0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
10	0.03	0.09	0.00	0.34	^ clknet_0_clk (net)	
					^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
					^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					^ clknet_2_2__leaf_clk (net)	
1	0.00	0.08	0.00	0.57	^ _425_/CLK (sky130_fd_sc_hd__dfrtp_1)	
		0.09	0.62	1.20	^ _425_/Q (sky130_fd_sc_hd__dfrtp_1)	
1	0.04	0.18	0.00	1.20	net14 (net)	
					1.20	^ output14/A (sky130_fd_sc_hd__clkbuf_4)
1	0.04	0.18	0.32	1.52	^ output14/X (sky130_fd_sc_hd__clkbuf_4)	
					done (net)	
1	0.04	0.18	0.00	1.52	^ done (out)	
					1.52	data arrival time

			0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			0.25	0.25	clock uncertainty	
			0.00	0.25	clock reconvergence pessimism	
			-2.00	-1.75	output external delay	
				-1.75	data required time	

					-1.75	data required time
					-1.52	data arrival time

				3.27	slack (MET)	

Startpoint: _426_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[0] (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description	

1	0.02	0.12	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
			0.08	0.08	^ clk (in)	
					clk (net)	
4	0.04	0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
12	0.04	0.09			clknet_0_clk (net)	
			0.09	0.00	0.34	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.09	0.24	0.58	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3__leaf_clk (net)
2	0.01	0.09	0.00	0.58	^ _426_/CLK (sky130_fd_sc_hd__dfrtp_1)	
		0.12	0.65	1.23	^ _426_/Q (sky130_fd_sc_hd__dfrtp_1)	
1	0.03	0.18			net16 (net)	
			0.12	0.00	1.23	^ output16/A (sky130_fd_sc_hd__clkbuf_4)
			0.18	0.34	1.57	^ output16/X (sky130_fd_sc_hd__clkbuf_4)
						rx_data[0] (net)
		0.18	0.00	1.57	^ rx_data[0] (out)	
					1.57	data arrival time
			0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			0.25	0.25	clock uncertainty	
			0.00	0.25	clock reconvergence pessimism	
			-2.00	-1.75	output external delay	
				-1.75	data required time	

		-1.75	data required time
		-1.57	data arrival time

		3.32	slack (MET)

Startpoint: _432_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[6] (output port clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	0.58	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.59	^ _432_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.12	0.66	1.24	^ _432_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net22 (net)
		0.12	0.00	1.24	^ output22/A (sky130_fd_sc_hd__clkbuf_4)
		0.18	0.34	1.58	^ output22/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				rx_data[6] (net)
		0.18	0.00	1.58	^ rx_data[6] (out)
				1.58	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-1.58	data arrival time

				3.33	slack (MET)

Startpoint: _433_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[7] (output port clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	0.58	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	0.58	^ _433_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.13	0.66	1.24	^ _433_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net23 (net)
		0.13	0.00	1.24	^ output23/A (sky130_fd_sc_hd__clkbuf_4)
		0.18	0.34	1.58	^ output23/X (sky130_fd_sc_hd__clkbuf_4)

1	0.03				rx_data[7] (net)
		0.18	0.00	1.58	rx_data[7] (out)
				1.58	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-1.58	data arrival time

				3.33	slack (MET)

Startpoint: _427_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[1] (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	0.34	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.34	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.24	0.58	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.09	0.00	0.58	_427_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.14	0.67	1.24	_427_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net17 (net)
		0.14	0.00	1.24	output17/A (sky130_fd_sc_hd_clkbuf_4)
		0.18	0.34	1.59	output17/X (sky130_fd_sc_hd_clkbuf_4)
1	0.03				rx_data[1] (net)
		0.18	0.00	1.59	rx_data[1] (out)
				1.59	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-1.59	data arrival time

				3.34	slack (MET)

Startpoint: _429_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[3] (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)

4	0.04	0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
14	0.04	0.09	0.00	0.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	0.58	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
2	0.01	0.10	0.00	0.58	^ _429_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.14	0.67	1.25	^ _429_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.03	0.14	0.00	1.25	^ output19/A (sky130_fd_sc_hd__clkbuf_4)
		0.18	0.34	1.59	^ output19/X (sky130_fd_sc_hd__clkbuf_4)
					rx_data[3] (net)
		0.18	0.00	1.59	^ rx_data[3] (out)
				1.59	data arrival time
		0.00	0.00		clock clk (rise edge)
		0.00	0.00		clock network delay (propagated)
		0.25	0.25		clock uncertainty
		0.00	0.25		clock reconvergence pessimism
		-2.00	-1.75		output external delay
			-1.75		data required time

				-1.75	data required time
				-1.59	data arrival time

				3.34	slack (MET)

Startpoint: _431_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[5] (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
4	0.04	0.12	0.08	0.08	^ clk (in)
					clk (net)
14	0.04	0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
2	0.01	0.09	0.00	0.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	0.58	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
1	0.03	0.10	0.00	0.59	^ _431_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.13	0.67	1.25	^ _431_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.03	0.13	0.00	1.25	^ net21 (net)
		0.18	0.34	1.59	^ output21/A (sky130_fd_sc_hd__clkbuf_4)
				1.59	^ output21/X (sky130_fd_sc_hd__clkbuf_4)
		0.18	0.00	1.59	^ rx_data[5] (net)
				1.59	^ rx_data[5] (out)
				1.59	data arrival time
		0.00	0.00		clock clk (rise edge)
		0.00	0.00		clock network delay (propagated)
		0.25	0.25		clock uncertainty
		0.00	0.25		clock reconvergence pessimism
		-2.00	-1.75		output external delay
			-1.75		data required time

				-1.75	data required time
				-1.59	data arrival time

				3.34	slack (MET)

Startpoint: _436_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: cs (output port clocked by clk)
Path Group: clk

Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description	

1	0.02	0.12	0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
			0.08	0.08	^ clk (in)	
					clk (net)	
4	0.04	0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
			0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
			0.09	0.00	0.34	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.09	0.00	0.34	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
			0.09	0.24	0.58	^ clknet_2_3__leaf_clk (net)
			0.09	0.00	0.58	^ _436_/CLK (sky130_fd_sc_hd__dfstp_1)
			0.09	0.71	1.29	v _436_/Q (sky130_fd_sc_hd__dfstp_1)
2	0.01	0.09	0.00		net13 (net)	
			0.09	0.00	1.29	v output13/A (sky130_fd_sc_hd__clkbuf_4)
			0.14	0.32	1.61	v output13/X (sky130_fd_sc_hd__clkbuf_4)
						cs (net)
1	0.03	0.14	0.00	1.61	v cs (out)	
				1.61		data arrival time

					0.00	0.00
		0.00	0.00	clock network delay (propagated)		
		0.25	0.25	clock uncertainty		
		0.00	0.25	clock reconvergence pessimism		
		-2.00	-1.75	output external delay		
			-1.75	data required time		

				-1.75	data required time	
				-1.61	data arrival time	

				3.36	slack (MET)	

Startpoint: _428_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[2] (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

1	0.02	0.12	0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.09	0.08	0.08	^ clk (in)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
		0.09			clknet_0_clk (net)
			0.09	0.00	0.34
		0.10	0.25	0.58	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
0.10	0.00	0.59	^ _428_/CLK (sky130_fd_sc_hd__dfrtp_1)		
	0.15	0.68	1.27	^ _428_/Q (sky130_fd_sc_hd__dfrtp_1)	
2	0.01			net18 (net)	
		0.15	0.00	1.27	^ output18/A (sky130_fd_sc_hd__clkbuf_4)
1	0.03		0.35	1.62	^ output18/X (sky130_fd_sc_hd__clkbuf_4)
		0.18			
	0.00		1.62	^ rx_data[2] (out)	
				1.62	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

		-1.75	data required time
		-1.62	data arrival time

		3.37	slack (MET)

Startpoint: _434_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: mosi (output port clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.24	0.58	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.09	0.00	0.58	^ _434_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.18	0.70	1.27	^ _434_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net15 (net)
		0.18	0.00	1.27	^ output15/A (sky130_fd_sc_hd__clkbuf_4)
		0.18	0.36	1.63	^ output15/X (sky130_fd_sc_hd__clkbuf_4)
1	0.03				mosi (net)
		0.18	0.00	1.63	^ mosi (out)
				1.63	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-1.63	data arrival time

				3.38	slack (MET)

Startpoint: _430_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[4] (output port clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	^ clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.34	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.10	0.25	0.58	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.10	0.00	0.59	^ _430_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.20	0.72	1.30	^ _430_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net20 (net)
		0.20	0.00	1.30	^ output20/A (sky130_fd_sc_hd__clkbuf_4)
		0.18	0.37	1.67	^ output20/X (sky130_fd_sc_hd__clkbuf_4)

1	0.03				rx_data[4] (net)
		0.18	0.00	1.67	rx_data[4] (out)
				1.67	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-1.67	data arrival time

				3.42	slack (MET)

Startpoint: _424_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: busy (output port clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.26	0.34	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.09	0.00	0.34	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.09	0.24	0.58	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.09	0.00	0.58	_424_/CLK (sky130_fd_sc_hd_dfrtp_2)
		0.18	0.77	1.35	_424_/Q (sky130_fd_sc_hd_dfrtp_2)
4	0.02				net12 (net)
		0.18	0.00	1.35	output12/A (sky130_fd_sc_hd_buf_2)
		0.27	0.38	1.72	output12/X (sky130_fd_sc_hd_buf_2)
1	0.03				busy (net)
		0.27	0.00	1.72	busy (out)
				1.72	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-1.72	data arrival time

				3.47	slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: sclk (output port clocked by clk)

Path Group: clk

Path Type: min

Corner: Slowest

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.12	0.08	0.08	clk (in)
1	0.02				clk (net)
		0.12	0.00	0.08	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)

4	0.04	0.09	0.26	0.34	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
14	0.04	0.09	0.00	0.34	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.10	0.25	0.58	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.02				clknet_2_0_leaf_clk (net)
		0.10	0.00	0.59	^ _435_/CLK (sky130_fd_sc_hd_dfrtp_2)
1	0.03	0.20	0.78	1.37	^ _435_/Q (sky130_fd_sc_hd_dfrtp_2)
					net24 (net)
1	0.03	0.20	0.00	1.37	^ output24/A (sky130_fd_sc_hd_buf_2)
		0.27	0.38	1.75	^ output24/X (sky130_fd_sc_hd_buf_2)
				sclk (net)	
0.27		0.00	1.75	^ sclk (out)	
			1.75	data arrival time	
		0.00	0.00	clock clk (rise edge)	
		0.00	0.00	clock network delay (propagated)	
		0.25	0.25	clock uncertainty	
		0.00	0.25	clock reconvergence pessimism	
		-2.00	-1.75	output external delay	
			-1.75	data required time	

			-1.75	data required time	
			-1.75	data arrival time	

		3.50	slack (MET)		

===== Typical Corner =====

Startpoint: _415_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _415_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.13	0.33	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_2_leaf_clk (net)
3	0.01	0.05	0.00	0.33	^ _415_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.09	0.34	0.67	^ _415_/Q (sky130_fd_sc_hd_dfrtp_1)
1	0.00				clk_count[7] (net)
		0.09	0.00	0.67	^ _332_/S (sky130_fd_sc_hd_mux2_1)
		0.04	0.13	0.80	^ _332_/X (sky130_fd_sc_hd_mux2_1)
					185 (net)
1	0.00	0.04	0.00	0.80	^ _333_/A (sky130_fd_sc_hd_clkbuf_1)
		0.04	0.07	0.87	^ _333_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_057_ (net)
		0.04	0.00	0.87	^ _415_/D (sky130_fd_sc_hd_dfrtp_1)
			0.87		data arrival time
1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.15	0.36	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_2_leaf_clk (net)

0.05	0.00	0.37	^	_415_/CLK (sky130_fd_sc_hd__dfrrtp_1)
	0.25	0.62		clock uncertainty
	-0.03	0.58		clock reconvergence pessimism
	-0.03	0.55		library hold time
		0.55		data required time

		0.55		data required time
		-0.87		data arrival time

		0.32		slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.14	0.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.06	0.00	0.34	^ _435_/CLK (sky130_fd_sc_hd__dfrrtp_2)
4	0.02	0.08	0.42	0.76	v _435_/Q (sky130_fd_sc_hd__dfrrtp_2)
					net24 (net)
		0.08	0.00	0.76	v _235_/A (sky130_fd_sc_hd__inv_2)
2	0.01	0.04	0.06	0.82	^ _235_/Y (sky130_fd_sc_hd__inv_2)
					123 (net)
		0.04	0.00	0.82	^ _274_/A1 (sky130_fd_sc_hd__a21oi_1)
1	0.00	0.04	0.05	0.87	v _274_/Y (sky130_fd_sc_hd__a21oi_1)
					075 (net)
		0.04	0.00	0.87	v _435_/D (sky130_fd_sc_hd__dfrrtp_2)
				0.87	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.16	0.37	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.06	0.00	0.37	^ _435_/CLK (sky130_fd_sc_hd__dfrrtp_2)
		0.25	0.62		clock uncertainty
		-0.04	0.59		clock reconvergence pessimism
		-0.04	0.55		library hold time
			0.55		data required time

			0.55		data required time
			-0.87		data arrival time

			0.32		slack (MET)

Startpoint: _449_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _431_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.34	^ _449_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.09	0.35	0.68	^ _449_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				rx_shift[5] (net)
		0.09	0.00	0.68	^ _283_/A0 (sky130_fd_sc_hd_mux2_1)
		0.04	0.13	0.81	^ _283_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_150_ (net)
		0.04	0.00	0.81	^ _284_/A (sky130_fd_sc_hd_clkbuf_1)
		0.04	0.07	0.88	^ _284_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_071_ (net)
		0.04	0.00	0.88	^ _431_/D (sky130_fd_sc_hd_dfrtp_1)
				0.88	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.37	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.37	^ _431_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.62	clock uncertainty
			-0.04	0.59	clock reconvergence pessimism
			-0.03	0.56	library hold time
				0.56	data required time

				0.56	data required time
				-0.88	data arrival time

				0.32	slack (MET)

Startpoint: _447_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _429_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.34	^ _447_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.10	0.35	0.69	^ _447_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				rx_shift[3] (net)
		0.10	0.00	0.69	^ _287_/A0 (sky130_fd_sc_hd_mux2_1)
		0.04	0.12	0.81	^ _287_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_152_ (net)

		0.04	0.00	0.81	^	_288_/A (sky130_fd_sc_hd__clkbuf_1)
		0.04	0.07	0.88	^	_288_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00					_069_ (net)
		0.04	0.00	0.88	^	_429_/D (sky130_fd_sc_hd__dftrtp_1)
				0.88		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.08	0.05	0.05	^	clk (in)
						clk (net)
		0.08	0.00	0.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.16	0.37	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.06	0.00	0.37	^	_429_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.62		clock uncertainty
		-0.04	0.59			clock reconvergence pessimism
		-0.03	0.56			library hold time
			0.56			data required time

				0.56		data required time
				-0.88		data arrival time

				0.32		slack (MET)

Startpoint: _428_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _428_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.14	0.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.06	0.00	0.34	^ _428_/CLK (sky130_fd_sc_hd__dftrtp_1)
2	0.01	0.09	0.35	0.68	^ _428_/Q (sky130_fd_sc_hd__dftrtp_1)
					net18 (net)
		0.09	0.00	0.68	^ _289_/A1 (sky130_fd_sc_hd__mux2_1)
1	0.00	0.04	0.13	0.81	^ _289_/X (sky130_fd_sc_hd__mux2_1)
					153 (net)
		0.04	0.00	0.81	^ _290_/A (sky130_fd_sc_hd__clkbuf_1)
1	0.00	0.04	0.07	0.88	^ _290_/X (sky130_fd_sc_hd__clkbuf_1)
					068 (net)
		0.04	0.00	0.88	^ _428_/D (sky130_fd_sc_hd__dftrtp_1)
				0.88	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.16	0.37	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.06	0.00	0.37	^ _428_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.62	clock uncertainty

-0.04	0.59	clock reconvergence pessimism
-0.03	0.56	library hold time
	0.56	data required time

0.56	data required time
-0.88	data arrival time

0.33	slack (MET)
------	-------------

Startpoint: _423_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _423_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
10	0.03	0.05	0.13	0.33	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_2_leaf_clk (net)
		0.05	0.00	0.33	^ _423_/CLK (sky130_fd_sc_hd_dfrtp_1)
3	0.01	0.07	0.37	0.70	v _423_/Q (sky130_fd_sc_hd_dfrtp_1)
					clk_count[15] (net)
		0.07	0.00	0.70	v _295_/A (sky130_fd_sc_hd_inv_2)
1	0.00	0.03	0.05	0.76	^ _295_/Y (sky130_fd_sc_hd_inv_2)
					156 (net)
		0.03	0.00	0.76	^ _303_/A1 (sky130_fd_sc_hd_o31a_1)
1	0.00	0.05	0.12	0.88	^ _303_/X (sky130_fd_sc_hd_o31a_1)
					065 (net)
		0.05	0.00	0.88	^ _423_/D (sky130_fd_sc_hd_dfrtp_1)
				0.88	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
10	0.03	0.05	0.15	0.36	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_2_leaf_clk (net)
		0.05	0.00	0.36	^ _423_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.25	0.61		clock uncertainty
		-0.03	0.58		clock reconvergence pessimism
		-0.03	0.55		library hold time
			0.55		data required time
			0.55		data required time
			-0.88		data arrival time
			0.33		slack (MET)

Startpoint: _419_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _419_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
--------	-----	------	-------	------	-------------

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.19	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.33	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.06	0.00	0.33	^ _419_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.11	0.35	0.69	^ _419_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[11] (net)
		0.11	0.00	0.69	^ _317_/S (sky130_fd_sc_hd_mux2_1)
		0.04	0.13	0.82	^ _317_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_174_ (net)
		0.04	0.00	0.82	^ _318_/A (sky130_fd_sc_hd_clkbuf_1)
		0.04	0.07	0.89	^ _318_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_061_ (net)
		0.04	0.00	0.89	^ _419_/D (sky130_fd_sc_hd_dfrtp_1)
				0.89	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.06	0.00	0.37	^ _419_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.62	clock uncertainty
		-0.04	0.58		clock reconvergence pessimism
		-0.03	0.55		library hold time
			0.55		data required time

				0.55	data required time
				-0.89	data arrival time

				0.34	slack (MET)

Startpoint: _453_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _453_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.33	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.06	0.00	0.33	^ _453_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.11	0.35	0.69	^ _453_/Q (sky130_fd_sc_hd_dfrtp_1)
4	0.01				bit_count[1] (net)
		0.11	0.00	0.69	^ _229_/A0 (sky130_fd_sc_hd_mux2_1)
		0.04	0.13	0.82	^ _229_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_119_ (net)
		0.04	0.00	0.82	^ _230_/A (sky130_fd_sc_hd_clkbuf_1)
		0.04	0.07	0.89	^ _230_/X (sky130_fd_sc_hd_clkbuf_1)

1	0.00	0.04	0.00	0.89	^	_093_ (net)
				0.89		_453_/D (sky130_fd_sc_hd__dfrtp_1)
				0.89		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.08	0.05	0.05	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	0.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.37	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_1__leaf_clk (net)
		0.06	0.00	0.37	^	_453_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.62		clock uncertainty
		-0.04	0.58			clock reconvergence pessimism
		-0.03	0.55			library hold time
			0.55			data required time

				0.55		data required time
				-0.89		data arrival time

				0.34		slack (MET)

Startpoint: _450_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _432_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.34	^ _450_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.12	0.36	0.70	^ _450_/Q (sky130_fd_sc_hd__dfrtp_1)
3	0.01				rx_shift[6] (net)
		0.12	0.00	0.70	^ _281_/A0 (sky130_fd_sc_hd__mux2_1)
		0.04	0.13	0.83	^ _281_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_149_ (net)
		0.04	0.00	0.83	^ _282_/A (sky130_fd_sc_hd__clkbuf_1)
		0.04	0.07	0.90	^ _282_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_072_ (net)
		0.04	0.00	0.90	^ _432_/D (sky130_fd_sc_hd__dfrtp_1)
				0.90	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.37	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.37	^ _432_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.62	clock uncertainty
		-0.04	0.59		clock reconvergence pessimism
		-0.03	0.56		library hold time

	0.56	data required time

	0.56	data required time
	-0.90	data arrival time

	0.35	slack (MET)

Startpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _421_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.19	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.33	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.06	0.00	0.33	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.11	0.36	0.69	^ _421_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				clk_count[13] (net)
		0.11	0.00	0.69	^ _309_/S (sky130_fd_sc_hd_mux2_1)
		0.04	0.13	0.83	^ _309_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_168_ (net)
		0.04	0.00	0.83	^ _310_/A (sky130_fd_sc_hd_clkbuf_1)
		0.04	0.07	0.90	^ _310_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_063_ (net)
		0.04	0.00	0.90	^ _421_/D (sky130_fd_sc_hd_dfrtp_1)
				0.90	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.06	0.00	0.37	^ _421_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.62	clock uncertainty
			-0.04	0.58	clock reconvergence pessimism
			-0.03	0.55	library hold time
				0.55	data required time

				0.55	data required time
				-0.90	data arrival time

				0.35	slack (MET)

Startpoint: _411_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _411_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency

		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.34	^ _411_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.09	0.39	0.73	v _411_/Q (sky130_fd_sc_hd_dfrtp_1)
4	0.01				clk_count[3] (net)
		0.09	0.00	0.73	v _343_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.05	0.78	^ _343_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_192_ (net)
		0.03	0.00	0.78	^ _346_/A1 (sky130_fd_sc_hd_o31a_1)
		0.05	0.12	0.90	^ _346_/X (sky130_fd_sc_hd_o31a_1)
1	0.00				_053_ (net)
		0.05	0.00	0.90	^ _411_/D (sky130_fd_sc_hd_dfrtp_1)
				0.90	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.37	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.37	^ _411_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.62	clock uncertainty
		-0.04	0.59		clock reconvergence pessimism
		-0.03	0.55		library hold time
			0.55		data required time

			0.55		data required time
			-0.90		data arrival time

			0.35		slack (MET)

Startpoint: _430_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _430_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.34	^ _430_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.12	0.37	0.70	^ _430_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.01				net20 (net)
		0.12	0.00	0.70	^ _285_/A1 (sky130_fd_sc_hd_mux2_1)
		0.04	0.13	0.84	^ _285_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_151_ (net)
		0.04	0.00	0.84	^ _286_/A (sky130_fd_sc_hd_clkbuf_1)
		0.04	0.07	0.91	^ _286_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_070_ (net)
		0.04	0.00	0.91	^ _430_/D (sky130_fd_sc_hd_dfrtp_1)

				0.91	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.37	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.37	^ _430_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.62	clock uncertainty
		-0.04		0.59	clock reconvergence pessimism
		-0.03		0.56	library hold time
				0.56	data required time

				0.56	data required time
				-0.91	data arrival time

				0.35	slack (MET)

Startpoint: _413_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _413_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.13	0.33	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.05	0.00	0.33	^ _413_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.12	0.36	0.69	^ _413_/Q (sky130_fd_sc_hd__dfrtp_1)
4	0.01				clk_count[5] (net)
		0.12	0.00	0.69	^ _339_/S (sky130_fd_sc_hd__mux2_1)
		0.04	0.14	0.83	^ _339_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_190_ (net)
		0.04	0.00	0.83	^ _340_/A (sky130_fd_sc_hd__clkbuf_1)
		0.04	0.07	0.90	^ _340_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_055_ (net)
		0.04	0.00	0.90	^ _413_/D (sky130_fd_sc_hd__dfrtp_1)
				0.90	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.15	0.36	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.05	0.00	0.37	^ _413_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.62	clock uncertainty
		-0.03		0.58	clock reconvergence pessimism
		-0.03		0.55	library hold time
				0.55	data required time

0.55 data required time
-0.90 data arrival time

0.36 slack (MET)

Startpoint: _434_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _434_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.33	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
2	0.01	0.06	0.00	0.33	^ _434_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.11	0.35	0.69	^ _434_/Q (sky130_fd_sc_hd_dfrtp_1)
1	0.00				net15 (net)
		0.11	0.00	0.69	^ _277_/A1 (sky130_fd_sc_hd_mux2_1)
1	0.00	0.05	0.14	0.83	^ _277_/X (sky130_fd_sc_hd_mux2_1)
					147 (net)
1	0.00	0.05	0.00	0.83	^ _278_/A (sky130_fd_sc_hd_clkbuf_1)
		0.05	0.08	0.91	^ _278_/X (sky130_fd_sc_hd_clkbuf_1)
					074 (net)
		0.05	0.00	0.91	^ _434_/D (sky130_fd_sc_hd_dfrtp_1)
				0.91	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_1_leaf_clk (net)
		0.06	0.00	0.37	^ _434_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.25	0.62		clock uncertainty
		-0.04	0.58		clock reconvergence pessimism
		-0.03	0.55		library hold time
			0.55		data required time

			0.55		data required time
			-0.91		data arrival time

			0.36		slack (MET)

Startpoint: _452_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _452_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)

		0.08	0.00	0.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.19	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	0.20	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.33	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1_leaf_clk (net)
		0.06	0.00	0.33	^	_452_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.13	0.37	0.70	^	_452_/Q (sky130_fd_sc_hd_dfrtp_1)
5	0.01					bit_count[0] (net)
		0.13	0.00	0.70	^	_233_/A0 (sky130_fd_sc_hd_mux2_1)
		0.04	0.14	0.84	^	_233_/X (sky130_fd_sc_hd_mux2_1)
1	0.00					_122_ (net)
		0.04	0.00	0.84	^	_234_/A (sky130_fd_sc_hd_clkbuf_1)
		0.04	0.07	0.91	^	_234_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00					_092_ (net)
		0.04	0.00	0.91	^	_452_/D (sky130_fd_sc_hd_dfrtp_1)
				0.91		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.08	0.05	0.05	^	clk (in)
						clk (net)
		0.08	0.00	0.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.37	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1_leaf_clk (net)
		0.06	0.00	0.37	^	_452_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.62		clock uncertainty
		-0.04	0.58			clock reconvergence pessimism
		-0.03	0.55			library hold time
			0.55			data required time

				0.55		data required time
				-0.91		data arrival time

				0.36		slack (MET)

Startpoint: _408_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _409_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.06	0.00	0.34	^ _408_/CLK (sky130_fd_sc_hd_dfrtp_4)
		0.11	0.43	0.77	^ _408_/Q (sky130_fd_sc_hd_dfrtp_4)
8	0.03				clk_count[0] (net)
		0.11	0.00	0.77	^ _349_/A1 (sky130_fd_sc_hd_a21oi_1)
		0.03	0.07	0.84	v _349_/Y (sky130_fd_sc_hd_a21oi_1)
1	0.00				_196_ (net)
		0.03	0.00	0.84	v _351_/A (sky130_fd_sc_hd_nor2_1)
		0.07	0.08	0.93	^ _351_/Y (sky130_fd_sc_hd_nor2_1)
1	0.00				_051_ (net)
		0.07	0.00	0.93	^ _409_/D (sky130_fd_sc_hd_dfrtp_4)
				0.93	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.15	0.36	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.05	0.00	0.37	^ _409_/CLK (sky130_fd_sc_hd__dfrtp_4)
			0.25	0.62	clock uncertainty
			-0.02	0.59	clock reconvergence pessimism
			-0.04	0.56	library hold time
				0.56	data required time

				0.56	data required time
				-0.93	data arrival time

				0.37	slack (MET)

Startpoint: _453_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _454_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.33	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.06	0.00	0.33	^ _453_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.11	0.35	0.69	^ _453_/Q (sky130_fd_sc_hd__dfrtp_1)
4	0.01				bit_count[1] (net)
		0.11	0.00	0.69	^ _224_/A (sky130_fd_sc_hd__nand2_1)
		0.05	0.07	0.76	v _224_/Y (sky130_fd_sc_hd__nand2_1)
2	0.01				_115_ (net)
		0.05	0.00	0.76	v _225_/B (sky130_fd_sc_hd__nand2_1)
		0.03	0.06	0.82	^ _225_/Y (sky130_fd_sc_hd__nand2_1)
1	0.00				_116_ (net)
		0.03	0.00	0.82	^ _226_/B2 (sky130_fd_sc_hd__a2bb2o_1)
		0.04	0.11	0.92	^ _226_/X (sky130_fd_sc_hd__a2bb2o_1)
1	0.00				_094_ (net)
		0.04	0.00	0.92	^ _454_/D (sky130_fd_sc_hd__dfrtp_1)
				0.92	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.06	0.00	0.37	^ _454_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.62	clock uncertainty
			-0.04	0.58	clock reconvergence pessimism
			-0.03	0.55	library hold time
				0.55	data required time

		0.55	data required time
		-0.92	data arrival time

		0.37	slack (MET)

Startpoint: _422_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _422_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.13	0.33	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.05	0.00	0.33	^ _422_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.10	0.35	0.68	^ _422_/Q (sky130_fd_sc_hd_dfrtp_1)
4	0.01				clk_count[14] (net)
		0.10	0.00	0.68	^ _301_/A1 (sky130_fd_sc_hd_a21oi_1)
		0.06	0.08	0.76	v _301_/Y (sky130_fd_sc_hd_a21oi_1)
2	0.01				_162_ (net)
		0.06	0.00	0.76	v _305_/A2 (sky130_fd_sc_hd_o21a_1)
		0.03	0.16	0.92	v _305_/X (sky130_fd_sc_hd_o21a_1)
1	0.00				_064_ (net)
		0.03	0.00	0.92	v _422_/D (sky130_fd_sc_hd_dfrtp_1)
				0.92	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.15	0.36	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.05	0.00	0.36	^ _422_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.61	clock uncertainty
			-0.03	0.58	clock reconvergence pessimism
			-0.04	0.54	library hold time
				0.54	data required time

				0.54	data required time
				-0.92	data arrival time

				0.38	slack (MET)

Startpoint: _440_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _441_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)

1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.19	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.33	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.06	0.00	0.33	^ _440_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.06	0.32	0.65	^ _440_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.00				tx_shift[3] (net)
		0.06	0.00	0.65	^ _254_/A1 (sky130_fd_sc_hd_mux2_1)
		0.04	0.12	0.77	^ _254_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_132_ (net)
		0.04	0.00	0.77	^ _255_/A1 (sky130_fd_sc_hd_mux2_1)
		0.04	0.11	0.88	^ _255_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_133_ (net)
		0.04	0.00	0.88	^ _256_/A (sky130_fd_sc_hd_clkbuf_1)
		0.04	0.07	0.95	^ _256_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_081_ (net)
		0.04	0.00	0.95	^ _441_/D (sky130_fd_sc_hd_dfrtp_1)
				0.95	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.06	0.00	0.37	^ _441_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.62	clock uncertainty
		-0.02	0.60		clock reconvergence pessimism
		-0.03	0.57		library hold time
			0.57		data required time

				0.57	data required time
				-0.95	data arrival time

				0.38	slack (MET)

Startpoint: _437_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _438_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.19	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.33	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.06	0.00	0.33	^ _437_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.06	0.32	0.65	^ _437_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.00				tx_shift[0] (net)
		0.06	0.00	0.65	^ _263_/A1 (sky130_fd_sc_hd_mux2_1)
		0.04	0.11	0.76	^ _263_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_138_ (net)
		0.04	0.00	0.76	^ _264_/A1 (sky130_fd_sc_hd_mux2_1)
		0.04	0.11	0.87	^ _264_/X (sky130_fd_sc_hd_mux2_1)

1	0.00				_139_ (net)
		0.04	0.00	0.87	^ _265_/A (sky130_fd_sc_hd_clkbuf_1)
		0.04	0.07	0.95	^ _265_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_078_ (net)
		0.04	0.00	0.95	^ _438_/D (sky130_fd_sc_hd_dfrtp_1)
				0.95	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.06	0.00	0.37	^ _438_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.62	clock uncertainty
		-0.04	0.58		clock reconvergence pessimism
		-0.03	0.55		library hold time
			0.55		data required time

				0.55	data required time
				-0.95	data arrival time

				0.39	slack (MET)

Startpoint: _442_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _443_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.33	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.06	0.00	0.33	^ _442_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.06	0.32	0.65	^ _442_/Q (sky130_fd_sc_hd_dfrtp_1)
2	0.00				tx_shift[5] (net)
		0.06	0.00	0.65	^ _248_/A1 (sky130_fd_sc_hd_mux2_1)
		0.04	0.12	0.77	^ _248_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_128_ (net)
		0.04	0.00	0.77	^ _249_/A1 (sky130_fd_sc_hd_mux2_1)
		0.04	0.11	0.88	^ _249_/X (sky130_fd_sc_hd_mux2_1)
1	0.00				_129_ (net)
		0.04	0.00	0.88	^ _250_/A (sky130_fd_sc_hd_clkbuf_1)
		0.05	0.08	0.95	^ _250_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_083_ (net)
		0.05	0.00	0.95	^ _443_/D (sky130_fd_sc_hd_dfrtp_1)
				0.95	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)

12	0.04	0.06	0.15	0.37	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_1_leaf_clk (net)
		0.06	0.00	0.37	^	_443_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.62		clock uncertainty
			-0.04	0.58		clock reconvergence pessimism
			-0.03	0.55		library hold time
				0.55		data required time

				0.55		data required time
		-0.95		data arrival time		

			0.40		slack (MET)	

Startpoint: _438_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _439_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description	
1	0.02		0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
		0.08	0.05	0.05	^ clk (in)	
					clk (net)	
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
4	0.04				clknet_0_clk (net)	
		0.06	0.00	0.19	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
12	0.04	0.06	0.14	0.33	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					clknet_2_3__leaf_clk (net)	
2	0.01	0.06	0.00	0.33	^ _438_/CLK (sky130_fd_sc_hd__dfrtp_1)	
		0.07	0.32	0.66	^ _438_/Q (sky130_fd_sc_hd__dfrtp_1)	
1	0.00				tx_shift[1] (net)	
		0.07	0.00	0.66	^ _260_/A1 (sky130_fd_sc_hd__mux2_1)	
1	0.00	0.04	0.12	0.77	^ _260_/X (sky130_fd_sc_hd__mux2_1)	
					136 (net)	
1	0.00	0.04	0.00	0.77	^ _261_/A1 (sky130_fd_sc_hd__mux2_1)	
		0.04	0.11	0.88	^ _261_/X (sky130_fd_sc_hd__mux2_1)	
1	0.00				_137_ (net)	
		0.04	0.00	0.88	^ _262_/A (sky130_fd_sc_hd__clkbuf_1)	
1	0.00	0.04	0.07	0.95	^ _262_/X (sky130_fd_sc_hd__clkbuf_1)	
					079 (net)	
1	0.00	0.04	0.00	0.95	^ _439_/D (sky130_fd_sc_hd__dfrtp_1)	
				0.95	data arrival time	
1	0.02		0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
		0.08	0.05	0.05	^ clk (in)	
					clk (net)	
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
4	0.04				clknet_0_clk (net)	
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
12	0.04	0.06	0.15	0.37	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
					clknet_2_3__leaf_clk (net)	
1	0.00	0.06	0.00	0.37	^ _439_/CLK (sky130_fd_sc_hd__dfrtp_1)	
			0.25	0.62	clock uncertainty	
1	0.00		-0.04	0.58	clock reconvergence pessimism	
			-0.03	0.55	library hold time	
				0.55	data required time	
				0.55	data required time	
				-0.95	data arrival time	
				0.40	slack (MET)	

Startpoint: _410_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _410_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.14	0.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.06	0.00	0.34	^ _410_/CLK (sky130_fd_sc_hd__dfrtp_2)
6	0.02	0.11	0.38	0.72	^ _410_/Q (sky130_fd_sc_hd__dfrtp_2)
					clk_count[2] (net)
		0.11	0.00	0.72	^ _347_/B1 (sky130_fd_sc_hd__a21o_1)
1	0.00	0.04	0.09	0.81	^ _347_/X (sky130_fd_sc_hd__a21o_1)
					195 (net)
		0.04	0.00	0.81	^ _348_/A3 (sky130_fd_sc_hd__a32o_1)
1	0.00	0.05	0.15	0.96	^ _348_/X (sky130_fd_sc_hd__a32o_1)
					052 (net)
		0.05	0.00	0.96	^ _410_/D (sky130_fd_sc_hd__dfrtp_2)
				0.96	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.16	0.37	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.06	0.00	0.37	^ _410_/CLK (sky130_fd_sc_hd__dfrtp_2)
			0.25	0.62	clock uncertainty
		-0.04	0.59		clock reconvergence pessimism
		-0.03	0.55		library hold time
			0.55		data required time

				0.55	data required time
				-0.96	data arrival time

				0.40	slack (MET)

Startpoint: _439_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _440_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.19	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	0.33	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.06	0.00	0.33	^ _439_/CLK (sky130_fd_sc_hd__dfrtp_1)

2	0.01	0.07	0.32	0.66	^	_439_/Q (sky130_fd_sc_hd_dfrtp_1)
						tx_shift[2] (net)
1	0.00	0.07	0.00	0.66	^	_257_/A1 (sky130_fd_sc_hd_mux2_1)
		0.04	0.12	0.78	^	_257_/X (sky130_fd_sc_hd_mux2_1)
1	0.00					_134_ (net)
		0.04	0.00	0.78	^	_258_/A1 (sky130_fd_sc_hd_mux2_1)
1	0.00	0.04	0.11	0.89	^	_258_/X (sky130_fd_sc_hd_mux2_1)
						135 (net)
1	0.00	0.04	0.00	0.89	^	_259_/A (sky130_fd_sc_hd_clkbuf_1)
		0.04	0.08	0.96	^	_259_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00					_080_ (net)
		0.04	0.00	0.96	^	_440_/D (sky130_fd_sc_hd_dfrtp_1)
				0.96		data arrival time
1	0.02		0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.08	0.05	0.05	^	clk (in)
						clk (net)
4	0.04	0.08	0.00	0.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.37	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_3_leaf_clk (net)
		0.06	0.00	0.37	^	_440_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.62		clock uncertainty
			-0.04	0.58		clock reconvergence pessimism
			-0.03	0.55		library hold time
				0.55		data required time

				0.55		data required time
				-0.96		data arrival time

				0.41		slack (MET)

Startpoint: _441_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _442_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in) clk (net)
		0.08	0.00	0.05	
4	0.04	0.06	0.15	0.19	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16) clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16) clknet_0_clk (net)
		0.06	0.00	0.20	
12	0.04	0.06	0.14	0.33	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16) clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16) clknet_2_1_leaf_clk (net)
		0.06	0.00	0.33	
2	0.01	0.07	0.33	0.66	^ _441_/CLK (sky130_fd_sc_hd_dfrtp_1) _441_/Q (sky130_fd_sc_hd_dfrtp_1) tx_shift[4] (net)
		0.04	0.12	0.78	
1	0.00	0.04	0.00	0.78	^ _251_/A1 (sky130_fd_sc_hd_mux2_1) _251_/X (sky130_fd_sc_hd_mux2_1) _130_ (net)
		0.04	0.11	0.89	
1	0.00	0.04	0.00	0.78	^ _252_/A1 (sky130_fd_sc_hd_mux2_1) _252_/X (sky130_fd_sc_hd_mux2_1) _131_ (net)
		0.04	0.11	0.89	
1	0.00	0.04	0.00	0.89	^ _253_/A (sky130_fd_sc_hd_clkbuf_1) _253_/X (sky130_fd_sc_hd_clkbuf_1) _082_ (net)
		0.04	0.07	0.96	
1	0.00	0.04	0.00	0.96	^ _442_/D (sky130_fd_sc_hd_dfrtp_1) data arrival time
		0.04	0.00	0.96	
			0.00	0.00	clock clk (rise edge)

			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.06	0.00	0.37	^ _442_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.62	clock uncertainty
		-0.04	0.58		clock reconvergence pessimism
		-0.03	0.55		library hold time
				0.55	data required time

				0.55	data required time
				-0.96	data arrival time

				0.41	slack (MET)

Startpoint: _418_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _418_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.19	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.33	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.33	^ _418_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.12	0.36	0.70	^ _418_/Q (sky130_fd_sc_hd__dfrtp_1)
4	0.01				clk_count[10] (net)
		0.12	0.00	0.70	^ _319_/B1 (sky130_fd_sc_hd__a21o_1)
		0.04	0.09	0.79	^ _319_/X (sky130_fd_sc_hd__a21o_1)
1	0.00				_175_ (net)
		0.04	0.00	0.79	^ _320_/B (sky130_fd_sc_hd__and2_1)
		0.04	0.11	0.89	^ _320_/X (sky130_fd_sc_hd__and2_1)
1	0.00				_176_ (net)
		0.04	0.00	0.89	^ _321_/A (sky130_fd_sc_hd__clkbuf_1)
		0.04	0.07	0.97	^ _321_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_060_ (net)
		0.04	0.00	0.97	^ _418_/D (sky130_fd_sc_hd__dfrtp_1)
				0.97	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.37	^ _418_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.62	clock uncertainty
		-0.04	0.58		clock reconvergence pessimism
		-0.03	0.55		library hold time
				0.55	data required time

0.55 data required time
-0.97 data arrival time

0.41 slack (MET)

Startpoint: _408_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _408_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.06	0.14	0.20	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.34	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
8	0.03	0.06	0.00	0.34	^ _408_/CLK (sky130_fd_sc_hd_dfrtp_4)
				0.77	^ _408_/Q (sky130_fd_sc_hd_dfrtp_4)
1	0.00	0.11	0.00	0.77	^ _352_/S (sky130_fd_sc_hd_mux2_1)
				0.91	^ _352_/X (sky130_fd_sc_hd_mux2_1)
1	0.00	0.04	0.00	0.91	^ _198_ (net)
				0.98	^ _353_/A (sky130_fd_sc_hd_clkbuf_1)
1	0.00	0.04	0.00	0.98	^ _353_/X (sky130_fd_sc_hd_clkbuf_1)
				0.98	^ _050_ (net)
				0.98	^ _408_/D (sky130_fd_sc_hd_dfrtp_4)
				0.98	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.06	0.16	0.22	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
				0.37	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.00	0.37	^ clknet_2_0_leaf_clk (net)
					^ _408_/CLK (sky130_fd_sc_hd_dfrtp_4)
			0.25	0.62	clock uncertainty
			-0.04	0.59	clock reconvergence pessimism
			-0.03	0.56	library hold time
				0.56	data required time
				0.56	data required time
				-0.98	data arrival time
				0.42	slack (MET)

Startpoint: _414_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _414_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)

		0.08	0.00	0.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.19	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	0.20	^	clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.13	0.33	^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03					clknet_2_2_leaf_clk (net)
		0.05	0.00	0.33	^	_414_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.09	0.39	0.72	v	_414_/Q (sky130_fd_sc_hd_dfrtp_1)
6	0.01					clk_count[6] (net)
		0.09	0.00	0.72	v	_334_/A_N (sky130_fd_sc_hd_and3b_1)
		0.05	0.21	0.93	^	_334_/X (sky130_fd_sc_hd_and3b_1)
1	0.00					_186_ (net)
		0.05	0.00	0.93	^	_335_/B1 (sky130_fd_sc_hd_a21o_1)
		0.03	0.07	1.00	^	_335_/X (sky130_fd_sc_hd_a21o_1)
1	0.00					_056_ (net)
		0.03	0.00	1.00	^	_414_/D (sky130_fd_sc_hd_dfrtp_1)
				1.00		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.08	0.05	0.05	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	0.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.15	0.36	^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03					clknet_2_2_leaf_clk (net)
		0.05	0.00	0.37	^	_414_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.62		clock uncertainty
		-0.03	0.58			clock reconvergence pessimism
		-0.03	0.55			library hold time
			0.55			data required time

			0.55			data required time
			-1.00			data arrival time

			0.45			slack (MET)

Startpoint: _420_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _420_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.19	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.33	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.06	0.00	0.33	^ _420_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.09	0.39	0.73	v _420_/Q (sky130_fd_sc_hd_dfrtp_1)
6	0.01				clk_count[12] (net)
		0.09	0.00	0.73	v _311_/A_N (sky130_fd_sc_hd_and3b_1)
		0.05	0.21	0.94	^ _311_/X (sky130_fd_sc_hd_and3b_1)
1	0.00				_169_ (net)
		0.05	0.00	0.94	^ _312_/B1 (sky130_fd_sc_hd_a21o_1)
		0.03	0.07	1.01	^ _312_/X (sky130_fd_sc_hd_a21o_1)
1	0.00				_062_ (net)
		0.03	0.00	1.01	^ _420_/D (sky130_fd_sc_hd_dfrtp_1)
				1.01	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.37	^ _420_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.62	clock uncertainty
			-0.04	0.58	clock reconvergence pessimism
			-0.03	0.55	library hold time
				0.55	data required time

				0.55	data required time
				-1.01	data arrival time

				0.45	slack (MET)

Startpoint: _455_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _424_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.33	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.06	0.00	0.33	^ _455_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.06	0.32	0.65	^ _455_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				bit_count[3] (net)
		0.06	0.00	0.65	^ _216_/A (sky130_fd_sc_hd__nor2_1)
		0.03	0.05	0.70	v _216_/Y (sky130_fd_sc_hd__nor2_1)
2	0.01				_108_ (net)
		0.03	0.00	0.70	v _217_/D (sky130_fd_sc_hd__nand4_1)
		0.11	0.11	0.82	^ _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.11	0.00	0.82	^ _270_/B (sky130_fd_sc_hd__and2_1)
		0.05	0.13	0.94	^ _270_/X (sky130_fd_sc_hd__and2_1)
1	0.00				_143_ (net)
		0.05	0.00	0.94	^ _271_/A (sky130_fd_sc_hd__clkbuf_1)
		0.07	0.10	1.04	^ _271_/X (sky130_fd_sc_hd__clkbuf_1)
2	0.01				_000_ (net)
		0.07	0.00	1.04	^ _424_/D (sky130_fd_sc_hd__dfrtp_2)
				1.04	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.37	^ _424_/CLK (sky130_fd_sc_hd__dfrtp_2)
			0.25	0.62	clock uncertainty

-0.02	0.60	clock reconvergence pessimism
-0.04	0.56	library hold time
	0.56	data required time

0.56	data required time
-1.04	data arrival time

0.48	slack (MET)
------	-------------

Startpoint: _412_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _412_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.05	0.13	0.33	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.05	0.00	0.33	^ _412_/CLK (sky130_fd_sc_hd__dfrtp_1)
5	0.01	0.08	0.38	0.71	v _412_/Q (sky130_fd_sc_hd__dfrtp_1)
					clk_count[4] (net)
		0.08	0.00	0.71	v _336_/A (sky130_fd_sc_hd__nand2_1)
3	0.01	0.09	0.10	0.82	^ _336_/Y (sky130_fd_sc_hd__nand2_1)
					187 (net)
		0.09	0.00	0.82	^ _338_/A2 (sky130_fd_sc_hd__a21o_1)
2	0.01	0.06	0.13	0.94	^ _338_/X (sky130_fd_sc_hd__a21o_1)
					189 (net)
		0.06	0.00	0.94	^ _342_/A2 (sky130_fd_sc_hd__a21o_1)
1	0.00	0.03	0.10	1.04	^ _342_/X (sky130_fd_sc_hd__a21o_1)
					054 (net)
		0.03	0.00	1.04	^ _412_/D (sky130_fd_sc_hd__dfrtp_1)
				1.04	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.05	0.15	0.36	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.05	0.00	0.37	^ _412_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.62	clock uncertainty
		-0.03	0.58	0.58	clock reconvergence pessimism
		-0.03	0.55	0.55	library hold time
			0.55	0.55	data required time

			0.55	0.55	data required time
			-1.04	-1.04	data arrival time

			0.49	0.49	slack (MET)

Startpoint: _454_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _455_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.33	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.06	0.00	0.33	^ _454_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.05	0.35	0.68	v _454_/Q (sky130_fd_sc_hd__dftrtp_1)
2	0.00				bit_count[2] (net)
		0.05	0.00	0.68	v _215_/A (sky130_fd_sc_hd__nand3_1)
		0.07	0.07	0.76	^ _215_/Y (sky130_fd_sc_hd__nand3_1)
2	0.00				_107_ (net)
		0.07	0.00	0.76	^ _219_/C (sky130_fd_sc_hd__and4_1)
		0.07	0.19	0.95	^ _219_/X (sky130_fd_sc_hd__and4_1)
2	0.00				_111_ (net)
		0.07	0.00	0.95	^ _220_/A2 (sky130_fd_sc_hd__o21a_1)
		0.04	0.10	1.05	^ _220_/X (sky130_fd_sc_hd__o21a_1)
1	0.00				_095_ (net)
		0.04	0.00	1.05	^ _455_/D (sky130_fd_sc_hd__dftrtp_1)
				1.05	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.06	0.00	0.37	^ _455_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.62	clock uncertainty
			-0.04	0.58	clock reconvergence pessimism
			-0.03	0.55	library hold time
				0.55	data required time

				0.55	data required time
				-1.05	data arrival time

				0.50	slack (MET)

Startpoint: _416_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _416_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.13	0.33	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.05	0.00	0.33	^ _416_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.09	0.39	0.72	v _416_/Q (sky130_fd_sc_hd__dftrtp_1)

5	0.01				clk_count[8] (net)
		0.09	0.00	0.72	v _322_/A (sky130_fd_sc_hd__nand3_1)
		0.09	0.11	0.83	^ _322_/Y (sky130_fd_sc_hd__nand3_1)
3	0.01				_177_ (net)
		0.09	0.00	0.83	^ _324_/A2 (sky130_fd_sc_hd__a21o_1)
		0.06	0.13	0.95	^ _324_/X (sky130_fd_sc_hd__a21o_1)
2	0.01				_179_ (net)
		0.06	0.00	0.96	^ _327_/A2 (sky130_fd_sc_hd__a21o_1)
		0.03	0.10	1.05	^ _327_/X (sky130_fd_sc_hd__a21o_1)
1	0.00				_058_ (net)
		0.03	0.00	1.05	^ _416_/D (sky130_fd_sc_hd__dftrtp_1)
					data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.15	0.36	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.05	0.00	0.37	^ _416_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.62	clock uncertainty
		-0.03	0.58		clock reconvergence pessimism
		-0.03	0.55		library hold time
			0.55		data required time

			0.55		data required time
			-1.05		data arrival time

			0.50		slack (MET)

Startpoint: _455_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _425_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.33	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.06	0.00	0.33	^ _455_/CLK (sky130_fd_sc_hd__dftrtp_1)
		0.06	0.32	0.65	^ _455_/Q (sky130_fd_sc_hd__dftrtp_1)
2	0.01				bit_count[3] (net)
		0.06	0.00	0.65	^ _216_/A (sky130_fd_sc_hd__nor2_1)
		0.03	0.05	0.70	v _216_/Y (sky130_fd_sc_hd__nor2_1)
2	0.01				_108_ (net)
		0.03	0.00	0.70	v _217_/D (sky130_fd_sc_hd__nand4_1)
		0.11	0.11	0.82	^ _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.11	0.00	0.82	^ _218_/A (sky130_fd_sc_hd__buf_4)
		0.17	0.22	1.03	^ _218_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_110_ (net)
		0.17	0.00	1.03	^ _354_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.03	1.07	v _354_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_001_ (net)
		0.03	0.00	1.07	v _425_/D (sky130_fd_sc_hd__dftrtp_1)
				1.07	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.15	0.36	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.05	0.00	0.37	^ _425_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.62	clock uncertainty
			-0.02	0.59	clock reconvergence pessimism
			-0.04	0.56	library hold time
				0.56	data required time

				0.56	data required time
				-1.07	data arrival time

				0.51	slack (MET)

Startpoint: _417_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _417_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.13	0.33	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.05	0.00	0.33	^ _417_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.13	0.37	0.70	^ _417_/Q (sky130_fd_sc_hd_dfrtp_1)
5	0.01				clk_count[9] (net)
		0.13	0.00	0.70	^ _323_/A (sky130_fd_sc_hd_or2_1)
		0.03	0.10	0.80	^ _323_/X (sky130_fd_sc_hd_or2_1)
1	0.00				_178_ (net)
		0.03	0.00	0.80	^ _325_/A2_N (sky130_fd_sc_hd_a2bb2o_1)
		0.04	0.25	1.05	v _325_/X (sky130_fd_sc_hd_a2bb2o_1)
1	0.00				_059_ (net)
		0.04	0.00	1.05	v _417_/D (sky130_fd_sc_hd_dfrtp_1)
				1.05	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.15	0.36	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.05	0.00	0.37	^ _417_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.62	clock uncertainty
			-0.03	0.58	clock reconvergence pessimism
			-0.04	0.54	library hold time
				0.54	data required time

				0.54	data required time

-1.05 data arrival time

0.51 slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _444_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.34	^ _435_/CLK (sky130_fd_sc_hd__dfrtp_2)
		0.12	0.39	0.73	^ _435_/Q (sky130_fd_sc_hd__dfrtp_2)
4	0.02				net24 (net)
		0.12	0.00	0.73	^ _235_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.04	0.78	v _235_/Y (sky130_fd_sc_hd__inv_2)
2	0.01				_123_ (net)
		0.03	0.00	0.78	v _236_/A (sky130_fd_sc_hd__nand2_1)
		0.08	0.08	0.85	^ _236_/Y (sky130_fd_sc_hd__nand2_1)
2	0.01				_124_ (net)
		0.08	0.00	0.85	^ _239_/B (sky130_fd_sc_hd__nor2_2)
		0.08	0.09	0.94	v _239_/Y (sky130_fd_sc_hd__nor2_2)
8	0.03				_127_ (net)
		0.08	0.00	0.94	v _247_/B1 (sky130_fd_sc_hd__a22o_1)
		0.04	0.17	1.11	v _247_/X (sky130_fd_sc_hd__a22o_1)
1	0.00				_084_ (net)
		0.04	0.00	1.11	v _444_/D (sky130_fd_sc_hd__dfrtp_1)
				1.11	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.37	^ _444_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.62	clock uncertainty
			-0.02	0.60	clock reconvergence pessimism
			-0.04	0.56	library hold time
				0.56	data required time

				0.56	data required time
				-1.11	data arrival time

				0.55	slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _445_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
--------	-----	------	-------	------	-------------

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05 ^	clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	0.19 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.20 ^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.14	0.34 ^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.06	0.00	0.34 ^	_435_/CLK (sky130_fd_sc_hd__dfrtp_2)
4	0.02	0.12	0.39	0.73 ^	_435_/Q (sky130_fd_sc_hd__dfrtp_2)
					net24 (net)
		0.12	0.00	0.73 ^	_235_/A (sky130_fd_sc_hd__inv_2)
2	0.01	0.03	0.04	0.78 v	_235_/Y (sky130_fd_sc_hd__inv_2)
					123 (net)
		0.03	0.00	0.78 v	_236_/A (sky130_fd_sc_hd__nand2_1)
2	0.01	0.08	0.08	0.85 ^	_236_/Y (sky130_fd_sc_hd__nand2_1)
					124 (net)
		0.08	0.00	0.85 ^	_239_/B (sky130_fd_sc_hd__nor2_2)
8	0.03	0.08	0.09	0.94 v	_239_/Y (sky130_fd_sc_hd__nor2_2)
					127 (net)
		0.08	0.00	0.94 v	_246_/B1 (sky130_fd_sc_hd__a22o_1)
1	0.00	0.04	0.18	1.12 v	_246_/X (sky130_fd_sc_hd__a22o_1)
					085 (net)
		0.04	0.00	1.12 v	_445_/D (sky130_fd_sc_hd__dfrtp_1)
					data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05 ^	clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22 ^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.15	0.37 ^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.06	0.00	0.37 ^	_445_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.62	clock uncertainty
		-0.02	0.60		clock reconvergence pessimism
		-0.04	0.56		library hold time
			0.56		data required time

			0.56		data required time
			-1.12		data arrival time

			0.56		slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _446_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05 ^	clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	0.19 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.20 ^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.14	0.34 ^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.06	0.00	0.34 ^	_435_/CLK (sky130_fd_sc_hd__dfrtp_2)

		0.12	0.39	0.73	^	_435_/Q (sky130_fd_sc_hd_dfrtp_2)
4	0.02					net24 (net)
		0.12	0.00	0.73	^	_235_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	0.78	v	_235_/Y (sky130_fd_sc_hd_inv_2)
2	0.01					_123_ (net)
		0.03	0.00	0.78	v	_236_/A (sky130_fd_sc_hd_nand2_1)
		0.08	0.08	0.85	^	_236_/Y (sky130_fd_sc_hd_nand2_1)
2	0.01					_124_ (net)
		0.08	0.00	0.85	^	_239_/B (sky130_fd_sc_hd_nor2_2)
		0.08	0.09	0.94	v	_239_/Y (sky130_fd_sc_hd_nor2_2)
8	0.03					_127_ (net)
		0.08	0.00	0.94	v	_245_/B1 (sky130_fd_sc_hd_a22o_1)
		0.04	0.18	1.12	v	_245_/X (sky130_fd_sc_hd_a22o_1)
1	0.00					_086_ (net)
		0.04	0.00	1.12	v	_446_/D (sky130_fd_sc_hd_dfrtp_1)
				1.12		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.08	0.05	0.05	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	0.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.37	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1_leaf_clk (net)
		0.06	0.00	0.37	^	_446_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.62		clock uncertainty
		-0.02	0.60			clock reconvergence pessimism
		-0.04	0.56			library hold time
			0.56			data required time

			0.56			data required time
			-1.12			data arrival time

			0.56			slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: _448_ (rising edge-triggered flip-flop clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.06	0.00	0.34	^ _435_/CLK (sky130_fd_sc_hd_dfrtp_2)
		0.12	0.39	0.73	^ _435_/Q (sky130_fd_sc_hd_dfrtp_2)
4	0.02				net24 (net)
		0.12	0.00	0.73	^ _235_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.04	0.78	v _235_/Y (sky130_fd_sc_hd_inv_2)
2	0.01				_123_ (net)
		0.03	0.00	0.78	v _236_/A (sky130_fd_sc_hd_nand2_1)
		0.08	0.08	0.85	^ _236_/Y (sky130_fd_sc_hd_nand2_1)
2	0.01				_124_ (net)
		0.08	0.00	0.85	^ _239_/B (sky130_fd_sc_hd_nor2_2)
		0.08	0.09	0.94	v _239_/Y (sky130_fd_sc_hd_nor2_2)
8	0.03				_127_ (net)
		0.08	0.00	0.94	v _243_/B1 (sky130_fd_sc_hd_a22o_1)

1	0.00	0.04	0.17	1.12	v	_243_/X (sky130_fd_sc_hd__a22o_1)
						088 (net)
		0.04	0.00	1.12	v	_448_/D (sky130_fd_sc_hd__dfrrtp_1)
				1.12		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.08	0.05	0.05	^	clk (in)
						clk (net)
		0.08	0.00	0.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.16	0.37	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.06	0.00	0.37	^	_448_/CLK (sky130_fd_sc_hd__dfrrtp_1)
			0.25	0.62		clock uncertainty
		-0.04		0.59		clock reconvergence pessimism
		-0.04		0.55		library hold time
				0.55		data required time

				0.55		data required time
				-1.12		data arrival time

				0.57		slack (MET)

Startpoint: _455_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _436_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	0.33	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.06	0.00	0.33	^ _455_/CLK (sky130_fd_sc_hd__dfrrtp_1)
2	0.01	0.06	0.32	0.65	^ _455_/Q (sky130_fd_sc_hd__dfrrtp_1)
					bit_count[3] (net)
		0.06	0.00	0.65	^ _216_/A (sky130_fd_sc_hd__nor2_1)
2	0.01	0.03	0.05	0.70	v _216_/Y (sky130_fd_sc_hd__nor2_1)
					108 (net)
		0.03	0.00	0.70	v _217_/D (sky130_fd_sc_hd__nand4_1)
3	0.01	0.11	0.11	0.82	^ _217_/Y (sky130_fd_sc_hd__nand4_1)
					109 (net)
		0.11	0.00	0.82	^ _270_/B (sky130_fd_sc_hd__and2_1)
1	0.00	0.05	0.13	0.94	^ _270_/X (sky130_fd_sc_hd__and2_1)
					143 (net)
		0.05	0.00	0.94	^ _271_/A (sky130_fd_sc_hd__clkbuf_1)
2	0.01	0.07	0.10	1.04	^ _271_/X (sky130_fd_sc_hd__clkbuf_1)
					000 (net)
		0.07	0.00	1.04	^ _272_/B1_N (sky130_fd_sc_hd__a21bo_1)
1	0.00	0.03	0.19	1.22	v _272_/X (sky130_fd_sc_hd__a21bo_1)
					076 (net)
		0.03	0.00	1.22	v _436_/D (sky130_fd_sc_hd__dfsttp_1)
				1.22	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)

		0.08	0.00	0.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.37	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.06	0.00	0.37	^	_436_/CLK (sky130_fd_sc_hd__dfstp_1)
			0.25	0.62		clock uncertainty
			-0.02	0.60		clock reconvergence pessimism
			-0.01	0.59		library hold time
				0.59		data required time

				0.59		data required time
				-1.22		data arrival time

				0.63		slack (MET)

Startpoint: _455_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _433_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.33	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.06	0.00	0.33	^ _455_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.06	0.32	0.65	^ _455_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				bit_count[3] (net)
		0.06	0.00	0.65	^ _216_/A (sky130_fd_sc_hd__nor2_1)
		0.03	0.05	0.70	v _216_/Y (sky130_fd_sc_hd__nor2_1)
2	0.01				_108_ (net)
		0.03	0.00	0.70	v _217_/D (sky130_fd_sc_hd__nand4_1)
		0.11	0.11	0.82	^ _217_/Y (sky130_fd_sc_hd__nand4_1)
3	0.01				_109_ (net)
		0.11	0.00	0.82	^ _218_/A (sky130_fd_sc_hd__buf_4)
		0.17	0.22	1.03	^ _218_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_110_ (net)
		0.17	0.00	1.03	^ _279_/S (sky130_fd_sc_hd__mux2_1)
		0.04	0.15	1.18	^ _279_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_148_ (net)
		0.04	0.00	1.18	^ _280_/A (sky130_fd_sc_hd__clkbuf_1)
		0.04	0.07	1.25	^ _280_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_073_ (net)
		0.04	0.00	1.25	^ _433_/D (sky130_fd_sc_hd__dfrtp_1)
				1.25	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.06	0.00	0.37	^ _433_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.62	clock uncertainty
			-0.04	0.58	clock reconvergence pessimism

-0.03	0.55	library hold time
	0.55	data required time

	0.55	data required time
	-1.25	data arrival time

	0.70	slack (MET)

Startpoint: _447_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _447_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.06	0.00	0.34	^ _447_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.10	0.35	0.69	^ _447_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				rx_shift[3] (net)
		0.10	0.00	0.69	^ _244_/A1 (sky130_fd_sc_hd_a22o_1)
		0.04	0.13	0.81	^ _244_/X (sky130_fd_sc_hd_a22o_1)
1	0.00				_087_ (net)
		0.04	0.00	0.81	^ hold3/A (sky130_fd_sc_hd_dlygate4sd3_1)
		0.05	0.50	1.32	^ hold3/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00				net28 (net)
		0.05	0.00	1.32	^ _447_/D (sky130_fd_sc_hd_dfrtp_1)
				1.32	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.37	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.06	0.00	0.37	^ _447_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.25	0.62		clock uncertainty
		-0.04	0.59		clock reconvergence pessimism
		-0.03	0.55		library hold time
			0.55		data required time

				0.55	data required time
				-1.32	data arrival time

				0.76	slack (MET)

Startpoint: _449_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _449_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)

			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.06	0.00	0.34	^ _449_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.09	0.35	0.68	^ _449_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				rx_shift[5] (net)
		0.09	0.00	0.68	^ _242_/A1 (sky130_fd_sc_hd_a22o_1)
		0.05	0.13	0.82	^ _242_/X (sky130_fd_sc_hd_a22o_1)
1	0.00				_089_ (net)
		0.05	0.00	0.82	^ hold8/A (sky130_fd_sc_hd_dlygate4sd3_1)
		0.05	0.50	1.32	^ hold8/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00				net33 (net)
		0.05	0.00	1.32	^ _449_/D (sky130_fd_sc_hd_dfrtp_1)
				1.32	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.37	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.06	0.00	0.37	^ _449_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.62	clock uncertainty
		-0.04		0.59	clock reconvergence pessimism
		-0.03		0.55	library hold time
				0.55	data required time

				0.55	data required time
				-1.32	data arrival time

				0.77	slack (MET)

Startpoint: _450_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _451_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.06	0.00	0.34	^ _450_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.12	0.36	0.70	^ _450_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				rx_shift[6] (net)
		0.12	0.00	0.70	^ _240_/B2 (sky130_fd_sc_hd_a22o_1)
		0.04	0.12	0.82	^ _240_/X (sky130_fd_sc_hd_a22o_1)
1	0.00				_091_ (net)
		0.04	0.00	0.82	^ hold5/A (sky130_fd_sc_hd_dlygate4sd3_1)
		0.05	0.50	1.32	^ hold5/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00				net30 (net)

		0.05	0.00	1.32	^	_451_/D (sky130_fd_sc_hd_dfrtp_1)
				1.32		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.08	0.05	0.05	^	clk (in)
						clk (net)
		0.08	0.00	0.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.06	0.16	0.37	^	clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_0_leaf_clk (net)
		0.06	0.00	0.37	^	_451_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.62		clock uncertainty
			-0.04	0.59		clock reconvergence pessimism
			-0.03	0.55		library hold time
				0.55		data required time

				0.55		data required time
				-1.32		data arrival time

				0.77		slack (MET)

Startpoint: _437_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _437_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.19	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.14	0.33	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
		0.06	0.00	0.33	^ _437_/CLK (sky130_fd_sc_hd_dfrtp_1)
2	0.00	0.06	0.32	0.65	^ _437_/Q (sky130_fd_sc_hd_dfrtp_1)
					tx_shift[0] (net)
		0.06	0.00	0.65	^ hold21/A (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00	0.05	0.51	1.16	^ hold21/X (sky130_fd_sc_hd_dlygate4sd3_1)
					net46 (net)
		0.05	0.00	1.16	^ _267_/A0 (sky130_fd_sc_hd_mux2_1)
1	0.00	0.04	0.11	1.28	^ _267_/X (sky130_fd_sc_hd_mux2_1)
					141 (net)
		0.04	0.00	1.28	^ _268_/A (sky130_fd_sc_hd_clkbuf_1)
1	0.00	0.04	0.07	1.35	^ _268_/X (sky130_fd_sc_hd_clkbuf_1)
					077 (net)
		0.04	0.00	1.35	^ _437_/D (sky130_fd_sc_hd_dfrtp_1)
				1.35	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
12	0.04	0.06	0.15	0.37	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_3_leaf_clk (net)
		0.06	0.00	0.37	^ _437_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.62	clock uncertainty

-0.04 0.58 clock reconvergence pessimism
-0.03 0.55 library hold time
0.55 data required time

0.55 data required time
-1.35 data arrival time

0.79 slack (MET)

Startpoint: _450_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _450_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.34	^ _450_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.12	0.36	0.70	^ _450_/Q (sky130_fd_sc_hd_dfrtp_1)
3	0.01				rx_shift[6] (net)
		0.12	0.00	0.70	^ _241_/A1 (sky130_fd_sc_hd_a22o_1)
		0.05	0.14	0.84	^ _241_/X (sky130_fd_sc_hd_a22o_1)
1	0.00				_090_ (net)
		0.05	0.00	0.84	^ hold10/A (sky130_fd_sc_hd_dlygate4sd3_1)
		0.05	0.51	1.35	^ hold10/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00				net35 (net)
		0.05	0.00	1.35	^ _450_/D (sky130_fd_sc_hd_dfrtp_1)
				1.35	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.37	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.37	^ _450_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.25	0.62		clock uncertainty
		-0.04	0.59		clock reconvergence pessimism
		-0.03	0.55		library hold time
			0.55		data required time
				0.55	data required time
				-1.35	data arrival time
				0.80	slack (MET)

Startpoint: _444_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: _426_ (rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.19	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.33	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.33	^ _444_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.08	0.34	0.67	^ _444_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				rx_shift[0] (net)
		0.08	0.00	0.67	^ _293_/A0 (sky130_fd_sc_hd__mux2_1)
		0.04	0.12	0.79	^ _293_/X (sky130_fd_sc_hd__mux2_1)
1	0.00				_155_ (net)
		0.04	0.00	0.79	^ hold34/A (sky130_fd_sc_hd__dlygate4sd3_1)
		0.06	0.51	1.30	^ hold34/X (sky130_fd_sc_hd__dlygate4sd3_1)
1	0.00				net59 (net)
		0.06	0.00	1.30	^ _294_/A (sky130_fd_sc_hd__clkbuf_1)
		0.04	0.08	1.38	^ _294_/X (sky130_fd_sc_hd__clkbuf_1)
1	0.00				_066_ (net)
		0.04	0.00	1.38	^ _426_/D (sky130_fd_sc_hd__dfrtp_1)
				1.38	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.37	^ _426_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.62	clock uncertainty
		-0.04	0.58		clock reconvergence pessimism
		-0.03	0.55		library hold time
			0.55		data required time

				0.55	data required time
				-1.38	data arrival time

				0.82	slack (MET)

Startpoint: _427_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: _427_ (rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.33	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.06	0.00	0.33	^ _427_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.08	0.34	0.67	^ _427_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net17 (net)
		0.08	0.00	0.67	^ _291_/A1 (sky130_fd_sc_hd__mux2_1)
		0.04	0.12	0.79	^ _291_/X (sky130_fd_sc_hd__mux2_1)

1	0.00				_154_ (net)
		0.04	0.00	0.79	^ hold36/A (sky130_fd_sc_hd_dlygate4sd3_1)
		0.06	0.51	1.30	^ hold36/X (sky130_fd_sc_hd_dlygate4sd3_1)
1	0.00				net61 (net)
		0.06	0.00	1.30	^ _292_/A (sky130_fd_sc_hd_clkbuf_1)
		0.05	0.08	1.38	^ _292_/X (sky130_fd_sc_hd_clkbuf_1)
1	0.00				_067_ (net)
		0.05	0.00	1.38	^ _427_/D (sky130_fd_sc_hd_dfrtp_1)
				1.38	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.06	0.00	0.37	^ _427_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.62	clock uncertainty
		-0.04	0.58		clock reconvergence pessimism
		-0.03	0.55		library hold time
			0.55		data required time

				0.55	data required time
				-1.38	data arrival time

				0.83	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _448_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.28	v _400_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.05	2.33	^ _400_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_042_ (net)
		0.03	0.00	2.33	^ _448_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.33	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.37	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.37	^ _448_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.62	clock uncertainty
		0.00	0.62		clock reconvergence pessimism

	0.32	0.94	library removal time
		0.94	data required time

		0.94	data required time
		-2.33	data arrival time

		1.39	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _449_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.01	0.00	2.00 v	rst (in)
					rst (net)
				2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
				2.10 v	_355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.08	0.18	2.28 v	_355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
				2.28 v	_401_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.03	0.06	2.33 ^	_401_/Y (sky130_fd_sc_hd__inv_2)
					043 (net)
				2.33 ^	_449_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
			2.33		data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05 ^	clk (in)
					clk (net)
				0.05 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
				0.22 ^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.16	0.37 ^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
				0.37 ^	_449_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.62	clock uncertainty
			0.00	0.62	clock reconvergence pessimism
			0.32	0.94	library removal time
				0.94	data required time

				0.94	data required time
				-2.33	data arrival time

				1.39	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _451_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.01	0.00	2.00 v	rst (in)
					rst (net)
				2.00 v	input2/A (sky130_fd_sc_hd__buf_1)

3	0.01	0.05	0.09	2.10	v	input2/X (sky130_fd_sc_hd_buf_1)
						net2 (net)
10	0.05	0.05	0.00	2.10	v	_355_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.18	2.28	v	_355_/X (sky130_fd_sc_hd_buf_4)
1	0.00					_199_ (net)
		0.08	0.00	2.28	v	_403_/A (sky130_fd_sc_hd_inv_2)
		0.04	0.06	2.33	^	_403_/Y (sky130_fd_sc_hd_inv_2)
						045 (net)
		0.04	0.00	2.33	^	_451_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.33		data arrival time
1	0.02		0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.08	0.05	0.05	^	clk (in)
						clk (net)
		0.08	0.00	0.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
14	0.04	0.06	0.16	0.37	^	clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_0_leaf_clk (net)
		0.06	0.00	0.37	^	_451_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.62		clock uncertainty
			0.00	0.62		clock reconvergence pessimism
			0.32	0.94		library removal time
				0.94		data required time
				0.94		data required time
				-2.33		data arrival time
				1.39		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _450_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
			0.01	0.00	2.00 v rst (in)
1	0.00	0.01	0.00	2.00	v rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd_buf_1)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd_buf_4)
10	0.05	0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd_buf_4)
		0.08	0.00	2.28	v _199_ (net)
				2.28	v _402_/A (sky130_fd_sc_hd_inv_2)
				2.34	^ _402_/Y (sky130_fd_sc_hd_inv_2)
1	0.01	0.04	0.06	2.34	^ _044_ (net)
		0.04	0.00	2.34	^ _450_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.34	data arrival time
				0.00	clock clk (rise edge)
				0.00	clock source latency
				0.05	^ clk (in)
1	0.02	0.08	0.05	0.05	^ clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.00	0.22	^ clknet_0_clk (net)
14	0.04	0.06	0.00	0.22	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.37	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.00	0.37	^ clknet_2_0_leaf_clk (net)
				0.37	^ _450_/CLK (sky130_fd_sc_hd_dfrtp_1)
				0.25	clock uncertainty

0.00	0.62	clock reconvergence pessimism
0.32	0.95	library removal time
	0.95	data required time

0.95	data required time
-2.34	data arrival time

1.39	slack (MET)
------	-------------

Startpoint: rst (input port clocked by clk)
 Endpoint: _453_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
			0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00 v	input2/A (sky130_fd_sc_hd_buf_1)
		0.05	0.09	2.10 v	input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10 v	_355_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.18	2.28 v	_355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.28 v	_405_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.05	2.33 ^	_405_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_047_ (net)
		0.03	0.00	2.33 ^	_453_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.33	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05 ^	clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05 ^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22 ^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22 ^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.37 ^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.06	0.00	0.37 ^	_453_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.62	clock uncertainty
			0.00	0.62	clock reconvergence pessimism
			0.32	0.94	library removal time
				0.94	data required time

				0.94	data required time
				-2.33	data arrival time

				1.39	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _452_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.01	0.00	2.00 v	rst (in)
1	0.00				rst (net)

		0.01	0.00	2.00	v	input2/A (sky130_fd_sc_hd_buf_1)
		0.05	0.09	2.10	v	input2/X (sky130_fd_sc_hd_buf_1)
3	0.01					net2 (net)
		0.05	0.00	2.10	v	_355_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.18	2.28	v	_355_/X (sky130_fd_sc_hd_buf_4)
10	0.05					_199_ (net)
		0.08	0.00	2.28	v	_404_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.05	2.33	^	_404_/Y (sky130_fd_sc_hd_inv_2)
1	0.00					_046_ (net)
		0.03	0.00	2.33	^	_452_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.33		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.08	0.05	0.05	^	clk (in)
						clk (net)
		0.08	0.00	0.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.37	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1_leaf_clk (net)
		0.06	0.00	0.37	^	_452_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.62		clock uncertainty
			0.00	0.62		clock reconvergence pessimism
			0.32	0.94		library removal time
				0.94		data required time

				0.94		data required time
				-2.33		data arrival time

				1.39		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _455_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.28	v _407_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.05	2.33	^ _407_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_049_ (net)
		0.03	0.00	2.33	^ _455_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.33	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)
		0.06	0.00	0.37	^ _455_/CLK (sky130_fd_sc_hd_dfrtp_1)

0.25	0.62	clock uncertainty
0.00	0.62	clock reconvergence pessimism
0.32	0.94	library removal time
	0.94	data required time

0.94	data required time
-2.33	data arrival time

1.39	slack (MET)
------	-------------

Startpoint: rst (input port clocked by clk)
Endpoint: _454_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.01	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.10 v	_355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.08	0.18	2.28 v	_355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.08	0.00	2.28 v	_406_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.05	2.33 ^	_406_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_048_ (net)
		0.03	0.00	2.33 ^	_454_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.33	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05 ^	clk (in)
					clk (net)
		0.08	0.00	0.05 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22 ^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.15	0.37 ^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.06	0.00	0.37 ^	_454_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.62	clock uncertainty
			0.00	0.62	clock reconvergence pessimism
			0.32	0.94	library removal time
				0.94	data required time

				0.94	data required time
				-2.33	data arrival time

				1.39	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _447_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.01	0.00	2.00 v	rst (in)

id	type	start	end	name
1	0.00	0.01	0.00	rst (net)
		0.05	0.09	input2/A (sky130_fd_sc_hd_buf_1)
3	0.01			input2/X (sky130_fd_sc_hd_buf_1)
		0.05	0.00	net2 (net)
		0.08	0.19	_389_/A (sky130_fd_sc_hd_buf_4)
10	0.06			_389_/X (sky130_fd_sc_hd_buf_4)
				203 (net)
		0.08	0.00	_399_/A (sky130_fd_sc_hd_inv_2)
		0.04	0.06	_399_/Y (sky130_fd_sc_hd_inv_2)
1	0.00			_041_ (net)
		0.04	0.00	_447_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				data arrival time
		0.00	0.00	clock clk (rise edge)
			0.00	clock source latency
		0.08	0.05	^ clk (in)
1	0.02			clk (net)
		0.08	0.00	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04			clknet_0_clk (net)
		0.06	0.00	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04			clknet_2_0_leaf_clk (net)
		0.06	0.00	^ _447_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	clock uncertainty
			0.00	clock reconvergence pessimism
			0.32	library removal time
			0.94	data required time

			0.94	data required time
			-2.34	data arrival time

			1.40	slack (MET)

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.10	v _389_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.08	0.19	2.28	v _389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
		0.08	0.00	2.28	v _398_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.34	^ _398_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_040_ (net)
		0.03	0.00	2.34	^ _446_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.34	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1_leaf_clk (net)

0.06	0.00	0.37	^	_446_/CLK (sky130_fd_sc_hd__dfrtp_1)
	0.25	0.62		clock uncertainty
	0.00	0.62		clock reconvergence pessimism
	0.32	0.94		library removal time
		0.94		data required time

		0.94		data required time
		-2.34		data arrival time

		1.40		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _438_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
3	0.01	0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
				2.10	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.06	0.05	0.09		net2 (net)
				2.10	v _389_/A (sky130_fd_sc_hd__buf_4)
				2.28	v _389_/X (sky130_fd_sc_hd__buf_4)
					203 (net)
1	0.00	0.08	0.00	2.28	v _390_/A (sky130_fd_sc_hd__inv_2)
				2.34	^ _390_/Y (sky130_fd_sc_hd__inv_2)
					032 (net)
				2.34	^ _438_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
			0.00	0.00	data arrival time
1	0.02	0.08	0.05	0.00	clock clk (rise edge)
				0.05	^ clock source latency
4	0.04	0.06	0.16	0.05	^ clk (in)
					clk (net)
12	0.04	0.06	0.15	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
				0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
			0.06	0.00	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
			0.37	^	clknet_2_3__leaf_clk (net)
			0.37	^	_438_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.62	clock uncertainty
			0.00	0.62	clock reconvergence pessimism
			0.32	0.94	library removal time
				0.94	data required time

				0.94	data required time
				-2.34	data arrival time

				1.40	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _439_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay

		0.01	0.00	2.00	v	rst (in)
1	0.00					rst (net)
		0.01	0.00	2.00	v	input2/A (sky130_fd_sc_hd_buf_1)
		0.05	0.09	2.10	v	input2/X (sky130_fd_sc_hd_buf_1)
3	0.01					net2 (net)
		0.05	0.00	2.10	v	_389_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.19	2.28	v	_389_/X (sky130_fd_sc_hd_buf_4)
10	0.06					_203_ (net)
		0.08	0.00	2.28	v	_391_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.05	2.34	^	_391_/Y (sky130_fd_sc_hd_inv_2)
1	0.00					_033_ (net)
		0.03	0.00	2.34	^	_439_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.34		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.08	0.05	0.05	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	0.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.37	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_3_leaf_clk (net)
		0.06	0.00	0.37	^	_439_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.62		clock uncertainty
			0.00	0.62		clock reconvergence pessimism
			0.32	0.94		library removal time
				0.94		data required time

				0.94		data required time
				-2.34		data arrival time

				1.40		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _444_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _389_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.19	2.28	v _389_/X (sky130_fd_sc_hd_buf_4)
10	0.06				_203_ (net)
		0.08	0.00	2.28	v _396_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.06	2.34	^ _396_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_038_ (net)
		0.03	0.00	2.34	^ _444_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.34	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)

12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.37	^ _444_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.62	clock uncertainty
			0.00	0.62	clock reconvergence pessimism
			0.32	0.94	library removal time
				0.94	data required time

				0.94	data required time
				-2.34	data arrival time

				1.40	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _445_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.10	v _389_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.19	2.28	v _389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
		0.08	0.00	2.28	v _397_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.34	^ _397_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_039_ (net)
		0.03	0.00	2.34	^ _445_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.34	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.06	0.00	0.37	^ _445_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.62	clock uncertainty
			0.00	0.62	clock reconvergence pessimism
			0.32	0.94	library removal time
				0.94	data required time

				0.94	data required time
				-2.34	data arrival time

				1.40	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _442_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)

			2.00	2.00 v	input external delay
		0.01	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10 v	input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10 v	_389_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.19	2.28 v	_389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
		0.08	0.00	2.28 v	_394_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.05	2.34 ^	_394_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_036_ (net)
		0.03	0.00	2.34 ^	_442_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.34	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05 ^	clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22 ^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.37 ^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.06	0.00	0.37 ^	_442_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.62	clock uncertainty
			0.00	0.62	clock reconvergence pessimism
			0.32	0.94	library removal time
				0.94	data required time

				0.94	data required time
				-2.34	data arrival time

				1.40	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _440_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.01	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10 v	input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10 v	_389_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.19	2.28 v	_389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
		0.08	0.00	2.28 v	_392_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.34 ^	_392_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_034_ (net)
		0.03	0.00	2.34 ^	_440_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.34	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05 ^	clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22 ^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)

12	0.04	0.06	0.15	0.37	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
						clknet_2_3_leaf_clk (net)
		0.06	0.00	0.37	^	_440_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.62		clock uncertainty
			0.00	0.62		clock reconvergence pessimism
			0.32	0.94		library removal time
				0.94		data required time
				-2.34		data arrival time
				1.40		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _441_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description		
1	0.00	0.01	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock network delay (propagated)		
		0.01	2.00	2.00	v input external delay		
			0.00	2.00	v rst (in)		
		0.01			rst (net)		
			0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)	
		3	0.01	0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
							net2 (net)
		10	0.06	0.05	0.00	2.10	v _389_/A (sky130_fd_sc_hd__buf_4)
				0.08	0.19	2.28	v _389_/X (sky130_fd_sc_hd__buf_4)
1	0.00				_203_ (net)		
		0.08	0.00	2.28	v _393_/A (sky130_fd_sc_hd__inv_2)		
		0.03	0.05	2.34	^ _393_/Y (sky130_fd_sc_hd__inv_2)		
					035 (net)		
1	0.00	0.03	0.00	2.34	^ _441_/RESET_B (sky130_fd_sc_hd__dfrtp_1)		
				2.34	data arrival time		
1	0.02	0.08	0.00	0.00	clock clk (rise edge)		
			0.00	0.00	clock source latency		
		0.08	0.05	0.05	^ clk (in)		
						clk (net)	
		4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
		12	0.04				clknet_0_clk (net)
				0.06	0.00	0.22	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
				0.06	0.15	0.37	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
							clknet_2_1__leaf_clk (net)
0.06	0.00			0.37	^ _441_/CLK (sky130_fd_sc_hd__dfrtp_1)		
	0.25			0.62	clock uncertainty		
1	0.00		0.00	0.62	clock reconvergence pessimism		
			0.32	0.94	library removal time		
				0.94	data required time		
				0.94	data required time		
				-2.34	data arrival time		
				1.40	slack (MET)		

Startpoint: rst (input port clocked by clk)
Endpoint: _443_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)

			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _389_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.19	2.28	v _389_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_203_ (net)
		0.08	0.00	2.28	v _395_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.05	2.34	^ _395_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_037_ (net)
		0.03	0.00	2.34	^ _443_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.34	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_1__leaf_clk (net)
		0.06	0.00	0.37	^ _443_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.62	clock uncertainty
			0.00	0.62	clock reconvergence pessimism
			0.32	0.94	library removal time
				0.94	data required time

				0.94	data required time
				-2.34	data arrival time

				1.40	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _435_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.09	0.19	2.29	v _378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.09	0.00	2.29	v _386_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.35	^ _386_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_029_ (net)
		0.03	0.00	2.35	^ _435_/RESET_B (sky130_fd_sc_hd__dfrtp_2)
				2.35	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)

		0.06	0.00	0.22	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.37	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04					clknet_2_0__leaf_clk (net)
		0.06	0.00	0.37	^	_435_/CLK (sky130_fd_sc_hd__dfrrtp_2)
			0.25	0.62		clock uncertainty
			0.00	0.62		clock reconvergence pessimism
			0.32	0.94		library removal time
				0.94		data required time

				0.94		data required time
				-2.35		data arrival time

				1.40		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _428_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01		0.05	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.10	v _378_/A (sky130_fd_sc_hd__buf_4)
10	0.07		0.09	2.29	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
		0.09	0.00	2.29	v _379_/A (sky130_fd_sc_hd__inv_2)
1	0.00		0.04	2.35	^ _379_/Y (sky130_fd_sc_hd__inv_2)
					022 (net)
		0.04	0.00	2.35	^ _428_/RESET_B (sky130_fd_sc_hd__dfrrtp_1)
				2.35	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.37	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.37	^ _428_/CLK (sky130_fd_sc_hd__dfrrtp_1)
			0.25	0.62	clock uncertainty
			0.00	0.62	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.35	data arrival time

				1.40	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _430_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.01	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00 v	input2/A (sky130_fd_sc_hd_buf_1)
		0.05	0.09	2.10 v	input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10 v	_378_/A (sky130_fd_sc_hd_buf_4)
		0.09	0.19	2.29 v	_378_/X (sky130_fd_sc_hd_buf_4)
10	0.07				_202_ (net)
		0.09	0.00	2.29 v	_381_/A (sky130_fd_sc_hd_inv_2)
		0.04	0.06	2.35 ^	_381_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_024_ (net)
		0.04	0.00	2.35 ^	_430_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.35	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05 ^	clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05 ^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22 ^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22 ^	clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.37 ^	clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.06	0.00	0.37 ^	_430_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.62	clock uncertainty
			0.00	0.62	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.35	data arrival time

				1.40	slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _432_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.01	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00 v	input2/A (sky130_fd_sc_hd_buf_1)
		0.05	0.09	2.10 v	input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10 v	_378_/A (sky130_fd_sc_hd_buf_4)
		0.09	0.19	2.29 v	_378_/X (sky130_fd_sc_hd_buf_4)
10	0.07				_202_ (net)
		0.09	0.00	2.29 v	_383_/A (sky130_fd_sc_hd_inv_2)
		0.04	0.06	2.35 ^	_383_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_026_ (net)
		0.04	0.00	2.35 ^	_432_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.35	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05 ^	clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05 ^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22 ^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)

4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.37	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.37	^ _432_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.62	clock uncertainty
			0.00	0.62	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.35	data arrival time

				1.40	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _431_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _378_/A (sky130_fd_sc_hd_buf_4)
		0.09	0.19	2.29	v _378_/X (sky130_fd_sc_hd_buf_4)
10	0.07				_202_ (net)
		0.09	0.00	2.29	v _382_/A (sky130_fd_sc_hd_inv_2)
		0.04	0.06	2.35	^ _382_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_025_ (net)
		0.04	0.00	2.35	^ _431_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.35	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.37	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.37	^ _431_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.62	clock uncertainty
			0.00	0.62	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.35	data arrival time

				1.40	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _429_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description
--------	-----	------	-------	------	-------------

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.01	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10 v	input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10 v	_378_/A (sky130_fd_sc_hd__buf_4)
		0.09	0.19	2.29 v	_378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.09	0.00	2.29 v	_380_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.06	2.35 ^	_380_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_023_ (net)
		0.04	0.00	2.35 ^	_429_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.35	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05 ^	clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22 ^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.37 ^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.37 ^	_429_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.62	clock uncertainty
			0.00	0.62	clock reconvergence pessimism
			0.32	0.95	library removal time
				0.95	data required time

				0.95	data required time
				-2.35	data arrival time

				1.40	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _437_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.01	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10 v	input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10 v	_378_/A (sky130_fd_sc_hd__buf_4)
		0.09	0.19	2.29 v	_378_/X (sky130_fd_sc_hd__buf_4)
10	0.07				_202_ (net)
		0.09	0.00	2.29 v	_388_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.06	2.35 ^	_388_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_031_ (net)
		0.04	0.00	2.35 ^	_437_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.35	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05 ^	clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)

4	0.04	0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.00	0.22	^	clknet_0_clk (net)
12	0.04	0.06	0.00	0.22	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.37	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_3__leaf_clk (net)
		0.06	0.00	0.37	^	_437_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.62		clock uncertainty
			0.00	0.62		clock reconvergence pessimism
			0.32	0.94		library removal time
				0.94		data required time

				0.94		data required time
				-2.35		data arrival time

				1.41		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _434_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

1	0.00		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
3	0.01				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
10	0.07				net2 (net)
		0.05	0.00	2.10	v _378_/A (sky130_fd_sc_hd__buf_4)
		0.09	0.19	2.29	v _378_/X (sky130_fd_sc_hd__buf_4)
1	0.00				_202_ (net)
		0.09	0.00	2.29	v _385_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.06	2.35	^ _385_/Y (sky130_fd_sc_hd__inv_2)
					028 (net)
		0.04	0.00	2.35	^ _434_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.35	data arrival time

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_1_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_1_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.06	0.00	0.37	^ _434_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.62	clock uncertainty
			0.00	0.62	clock reconvergence pessimism
			0.32	0.94	library removal time
				0.94	data required time

				0.94	data required time
				-2.35	data arrival time

				1.41	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _433_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
				2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
				2.10	v _378_/A (sky130_fd_sc_hd__buf_4)
10	0.07	0.09	0.19	2.29	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
				2.29	v _384_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.04	0.06	2.35	^ _384_/Y (sky130_fd_sc_hd__inv_2)
					027 (net)
				2.35	^ _433_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.35	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
				0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
				0.22	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.15	0.37	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
				0.37	^ _433_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.62	clock uncertainty
			0.00	0.62	clock reconvergence pessimism
			0.32	0.94	library removal time
				0.94	data required time

				0.94	data required time
				-2.35	data arrival time

				1.41	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _436_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
1	0.00	0.01	0.00	2.00	v rst (in)
					rst (net)
				2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
				2.10	v _378_/A (sky130_fd_sc_hd__buf_4)
10	0.07	0.09	0.19	2.29	v _378_/X (sky130_fd_sc_hd__buf_4)
					202 (net)
				2.29	v _387_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.04	0.06	2.35	^ _387_/Y (sky130_fd_sc_hd__inv_2)
					030 (net)
				2.35	^ _436_/SET_B (sky130_fd_sc_hd__dfstp_1)
				2.35	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)

		0.08	0.00	0.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.37	^	clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04					clknet_2_3__leaf_clk (net)
		0.06	0.00	0.37	^	_436_/CLK (sky130_fd_sc_hd__dfstp_1)
			0.25	0.62		clock uncertainty
			0.00	0.62		clock reconvergence pessimism
			0.16	0.78		library removal time
				0.78		data required time

				0.78		data required time
				-2.35		data arrival time

				1.57		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _410_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.28	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.19	2.47	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)
		0.08	0.00	2.47	v _359_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.05	2.53	^ _359_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_004_ (net)
		0.03	0.00	2.53	^ _410_/RESET_B (sky130_fd_sc_hd__dfrrtp_2)
				2.53	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.37	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.37	^ _410_/CLK (sky130_fd_sc_hd__dfrrtp_2)
			0.25	0.62	clock uncertainty
			0.00	0.62	clock reconvergence pessimism
			0.32	0.94	library removal time
				0.94	data required time

				0.94	data required time
				-2.53	data arrival time

				1.58	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _408_ (removal check against rising-edge clock clk)

Path Group: asynchronous
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.28	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.19	2.47	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)
		0.08	0.00	2.47	v _357_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.05	2.53	^ _357_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_002_ (net)
		0.03	0.00	2.53	^ _408_/RESET_B (sky130_fd_sc_hd__dfrtp_4)
				2.53	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.37	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.37	^ _408_/CLK (sky130_fd_sc_hd__dfrtp_4)
			0.25	0.62	clock uncertainty
			0.00	0.62	clock reconvergence pessimism
			0.32	0.94	library removal time
				0.94	data required time

				0.94	data required time
				-2.53	data arrival time

				1.58	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _411_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.28	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.19	2.47	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)

		0.08	0.00	2.47	v	_360_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.05	2.53	^	_360_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_005_ (net)
		0.03	0.00	2.53	^	_411_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.53		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.08	0.05	0.05	^	clk (in)
						clk (net)
		0.08	0.00	0.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.16	0.37	^	clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_0__leaf_clk (net)
		0.06	0.00	0.37	^	_411_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.62		clock uncertainty
			0.00	0.62		clock reconvergence pessimism
			0.32	0.94		library removal time
				0.94		data required time

				0.94		data required time
				-2.53		data arrival time

				1.58		slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _424_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.08	0.00	2.28	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
10	0.07	0.08	0.19	2.47	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
					201 (net)
		0.08	0.00	2.47	v _374_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.53	^ _374_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_018_ (net)
		0.03	0.00	2.53	^ _424_/RESET_B (sky130_fd_sc_hd__dfrtp_2)
				2.53	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.15	0.37	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.06	0.00	0.37	^ _424_/CLK (sky130_fd_sc_hd__dfrtp_2)
			0.25	0.62	clock uncertainty
			0.00	0.62	clock reconvergence pessimism
			0.32	0.94	library removal time

	0.94	data required time

	0.94	data required time
	-2.53	data arrival time

	1.59	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _420_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.01	0.00	2.00 v	rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.10 v	_355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.08	0.18	2.28 v	_355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.08	0.00	2.28 v	_367_/A (sky130_fd_sc_hd__clkbuf_8)
10	0.07	0.08	0.19	2.47 v	_367_/X (sky130_fd_sc_hd__clkbuf_8)
					201 (net)
		0.08	0.00	2.47 v	_370_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.53 ^	_370_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_014_ (net)
		0.03	0.00	2.53 ^	_420_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.53	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05 ^	clk (in)
					clk (net)
		0.08	0.00	0.05 ^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22 ^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22 ^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.15	0.37 ^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3_leaf_clk (net)
		0.06	0.00	0.37 ^	_420_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.62	clock uncertainty
			0.00	0.62	clock reconvergence pessimism
			0.32	0.94	library removal time
				0.94	data required time

				0.94	data required time
				-2.53	data arrival time

				1.59	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _421_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
		0.01	0.00	2.00 v	rst (in)

id	type	name	parent	value	unit	description
1	0.00	0.01	0.00	2.00	v	rst (net)
		0.05	0.09	2.10	v	input2/A (sky130_fd_sc_hd_buf_1)
3	0.01					input2/X (sky130_fd_sc_hd_buf_1)
		0.05	0.00	2.10	v	net2 (net)
		0.08	0.18	2.28	v	_355_/A (sky130_fd_sc_hd_buf_4)
10	0.05					_355_/X (sky130_fd_sc_hd_buf_4)
						199 (net)
		0.08	0.00	2.28	v	_367_/A (sky130_fd_sc_hd_clkbuf_8)
10	0.07	0.08	0.19	2.47	v	_367_/X (sky130_fd_sc_hd_clkbuf_8)
						201 (net)
		0.08	0.00	2.47	v	_371_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.06	2.53	^	_371_/Y (sky130_fd_sc_hd_inv_2)
1	0.00					_015_ (net)
		0.03	0.00	2.53	^	_421_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.53		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
		0.08	0.05	0.05	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	0.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.37	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_3_leaf_clk (net)
		0.06	0.00	0.37	^	_421_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.62		clock uncertainty
			0.00	0.62		clock reconvergence pessimism
			0.32	0.94		library removal time
				0.94		data required time

				0.94		data required time
				-2.53		data arrival time

				1.59		slack (MET)

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.01	0.00	2.00 v	rst (in)
					rst (net)
		0.01	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.10 v	_355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.08	0.18	2.28 v	_355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.08	0.00	2.28 v	_367_/A (sky130_fd_sc_hd__clkbuf_8)
10	0.07	0.08	0.19	2.47 v	_367_/X (sky130_fd_sc_hd__clkbuf_8)
					201 (net)
		0.08	0.00	2.47 v	_376_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.53 ^	_376_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_020_ (net)
		0.03	0.00	2.53 ^	_426_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.53	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05 ^	clk (in)
1	0.02				clk (net)

		0.08	0.00	0.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.37	^	clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_3_leaf_clk (net)
		0.06	0.00	0.37	^	_426_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.62		clock uncertainty
			0.00	0.62		clock reconvergence pessimism
			0.32	0.94		library removal time
				0.94		data required time

				0.94		data required time
				-2.53		data arrival time

				1.59		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _419_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd_buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd_buf_4)
		0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd_buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.28	v _367_/A (sky130_fd_sc_hd_clkbuf_8)
		0.08	0.19	2.47	v _367_/X (sky130_fd_sc_hd_clkbuf_8)
10	0.07				_201_ (net)
		0.08	0.00	2.47	v _369_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.06	2.53	^ _369_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_013_ (net)
		0.03	0.00	2.53	^ _419_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.53	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.06	0.00	0.37	^ _419_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.62	clock uncertainty
			0.00	0.62	clock reconvergence pessimism
			0.32	0.94	library removal time
				0.94	data required time

				0.94	data required time
				-2.53	data arrival time

				1.59	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _418_ (removal check against rising-edge clock clk)

Path Group: asynchronous
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.28	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.08	0.19	2.47	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.08	0.00	2.47	v _368_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.53	^ _368_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_012_ (net)
		0.03	0.00	2.53	^ _418_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.53	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.37	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
12	0.04				clknet_2_3__leaf_clk (net)
		0.06	0.00	0.37	^ _418_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.62	clock uncertainty
			0.00	0.62	clock reconvergence pessimism
			0.32	0.94	library removal time
				0.94	data required time

				0.94	data required time
				-2.53	data arrival time

				1.59	slack (MET)

Startpoint: rst (input port clocked by clk)
 Endpoint: _427_ (removal check against rising-edge clock clk)
 Path Group: asynchronous
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.28	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.08	0.19	2.47	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)

		0.08	0.00	2.47	v	_377_/A (sky130_fd_sc_hd__inv_2)
		0.04	0.06	2.53	^	_377_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_021_ (net)
		0.04	0.00	2.53	^	_427_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.53		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.08	0.05	0.05	^	clk (in)
						clk (net)
		0.08	0.00	0.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.15	0.37	^	clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_1__leaf_clk (net)
		0.06	0.00	0.37	^	_427_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.62		clock uncertainty
			0.00	0.62		clock reconvergence pessimism
			0.32	0.94		library removal time
				0.94		data required time

				0.94		data required time
				-2.53		data arrival time

				1.59		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _423_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.08	0.00	2.28	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
10	0.07	0.08	0.19	2.47	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
					201 (net)
		0.08	0.00	2.47	v _373_/A (sky130_fd_sc_hd__inv_2)
1	0.00	0.03	0.06	2.52	^ _373_/Y (sky130_fd_sc_hd__inv_2)
					017 (net)
		0.03	0.00	2.52	^ _423_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.52	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.05	0.15	0.36	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.05	0.00	0.36	^ _423_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.61	clock uncertainty
			0.00	0.61	clock reconvergence pessimism
			0.32	0.93	library removal time

	0.93	data required time

	0.93	data required time
	-2.52	data arrival time

	1.59	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _422_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.28	v _367_/A (sky130_fd_sc_hd__clkbuf_8)
		0.08	0.19	2.47	v _367_/X (sky130_fd_sc_hd__clkbuf_8)
10	0.07				_201_ (net)
		0.08	0.00	2.47	v _372_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.52	^ _372_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_016_ (net)
		0.03	0.00	2.52	^ _422_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.52	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.15	0.36	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.05	0.00	0.36	^ _422_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.61	clock uncertainty
			0.00	0.61	clock reconvergence pessimism
			0.32	0.93	library removal time
				0.93	data required time

				0.93	data required time
				-2.52	data arrival time

				1.59	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _425_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)

id	type	name	parent	value	unit	description
1	0.00	0.01	0.00	2.00	v	rst (net)
		0.05	0.09	2.10	v	input2/A (sky130_fd_sc_hd_buf_1)
3	0.01			2.10	v	input2/X (sky130_fd_sc_hd_buf_1)
		0.05	0.00	2.10	v	net2 (net)
		0.08	0.18	2.28	v	_355_/A (sky130_fd_sc_hd_buf_4)
10	0.05			2.28	v	_355_/X (sky130_fd_sc_hd_buf_4)
		0.08	0.00	2.28	v	_199_ (net)
		0.08	0.19	2.47	v	_367_/A (sky130_fd_sc_hd_clkbuf_8)
10	0.07			2.47	v	_367_/X (sky130_fd_sc_hd_clkbuf_8)
		0.08	0.00	2.47	v	_201_ (net)
		0.03	0.06	2.53	^	_375_/A (sky130_fd_sc_hd_inv_2)
1	0.00			2.53	^	_375_/Y (sky130_fd_sc_hd_inv_2)
		0.03	0.00	2.53	^	_019_ (net)
				2.53	^	_425_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
						data arrival time
		0.00	0.00			clock clk (rise edge)
		0.00	0.00			clock source latency
		0.08	0.05	0.05	^	clk (in)
1	0.02					clk (net)
		0.08	0.00	0.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.15	0.36	^	clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03					clknet_2_2_leaf_clk (net)
		0.05	0.00	0.37	^	_425_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.62		clock uncertainty
			0.00	0.62		clock reconvergence pessimism
			0.32	0.93		library removal time
				0.93		data required time

				0.93		data required time
				-2.53		data arrival time

				1.59		slack (MET)

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00 v	input external delay
1	0.00	0.01	0.00	2.00 v	rst (in)
					rst (net)
		0.01	0.00	2.00 v	input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10 v	input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.10 v	_355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.08	0.18	2.28 v	_355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.08	0.00	2.28 v	_356_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.08	0.19	2.47 v	_356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
		0.08	0.00	2.47 v	_363_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.05	2.53 ^	_363_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_008_ (net)
		0.03	0.00	2.53 ^	_414_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.53	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05 ^	clk (in)
1	0.02				clk (net)

		0.08	0.00	0.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.15	0.36	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03					clknet_2_2__leaf_clk (net)
		0.05	0.00	0.37	^	_414_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.62		clock uncertainty
			0.00	0.62		clock reconvergence pessimism
			0.32	0.93		library removal time
				0.93		data required time

				0.93		data required time
				-2.53		data arrival time

				1.59		slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _409_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.28	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.19	2.47	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)
		0.08	0.00	2.47	v _358_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.06	2.53	^ _358_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_003_ (net)
		0.03	0.00	2.53	^ _409_/RESET_B (sky130_fd_sc_hd__dftrtp_4)
				2.53	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.15	0.36	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.05	0.00	0.37	^ _409_/CLK (sky130_fd_sc_hd__dftrtp_4)
			0.25	0.62	clock uncertainty
			0.00	0.62	clock reconvergence pessimism
			0.32	0.93	library removal time
				0.93	data required time

				0.93	data required time
				-2.53	data arrival time

				1.59	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _412_ (removal check against rising-edge clock clk)

Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.28	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.19	2.47	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)
		0.08	0.00	2.47	v _361_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.05	2.53	^ _361_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_006_ (net)
		0.03	0.00	2.53	^ _412_/RESET_B (sky130_fd_sc_hd__dftrtp_1)
				2.53	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.05	0.15	0.36	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
10	0.03				clknet_2_2__leaf_clk (net)
		0.05	0.00	0.37	^ _412_/CLK (sky130_fd_sc_hd__dftrtp_1)
			0.25	0.62	clock uncertainty
			0.00	0.62	clock reconvergence pessimism
			0.32	0.93	library removal time
				0.93	data required time

				0.93	data required time
				-2.53	data arrival time

				1.59	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _413_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
		0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
3	0.01				net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
10	0.05				_199_ (net)
		0.08	0.00	2.28	v _356_/A (sky130_fd_sc_hd__buf_4)
		0.08	0.19	2.47	v _356_/X (sky130_fd_sc_hd__buf_4)
10	0.06				_200_ (net)

		0.08	0.00	2.47	v	_362_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.05	2.53	^	_362_/Y (sky130_fd_sc_hd__inv_2)
1	0.00					_007_ (net)
		0.03	0.00	2.53	^	_413_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.53		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock source latency
1	0.02	0.08	0.05	0.05	^	clk (in)
						clk (net)
		0.08	0.00	0.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^	clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_0_clk (net)
		0.06	0.00	0.22	^	clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.05	0.15	0.36	^	clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
						clknet_2_2__leaf_clk (net)
		0.05	0.00	0.37	^	_413_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.62		clock uncertainty
			0.00	0.62		clock reconvergence pessimism
			0.32	0.93		library removal time
				0.93		data required time

				0.93		data required time
				-2.53		data arrival time

				1.59		slack (MET)

Startpoint: rst (input port clocked by clk)

Endpoint: _417_ (removal check against rising-edge clock clk)

Path Group: asynchronous

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd__buf_1)
3	0.01	0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd__buf_1)
					net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd__buf_4)
10	0.05	0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd__buf_4)
					199 (net)
		0.08	0.00	2.28	v _356_/A (sky130_fd_sc_hd__buf_4)
10	0.06	0.08	0.19	2.47	v _356_/X (sky130_fd_sc_hd__buf_4)
					200 (net)
		0.08	0.00	2.47	v _366_/A (sky130_fd_sc_hd__inv_2)
		0.03	0.05	2.53	^ _366_/Y (sky130_fd_sc_hd__inv_2)
1	0.00				_011_ (net)
		0.03	0.00	2.53	^ _417_/RESET_B (sky130_fd_sc_hd__dfrtp_1)
				2.53	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_2__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
10	0.03	0.05	0.15	0.36	^ clkbuf_2_2__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_2__leaf_clk (net)
		0.05	0.00	0.37	^ _417_/CLK (sky130_fd_sc_hd__dfrtp_1)
			0.25	0.62	clock uncertainty
			0.00	0.62	clock reconvergence pessimism
			0.32	0.93	library removal time

	0.93	data required time

	0.93	data required time
	-2.53	data arrival time

	1.59	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _416_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)
1	0.00				rst (net)
		0.01	0.00	2.00	v input2/A (sky130_fd_sc_hd_buf_1)
3	0.01	0.05	0.09	2.10	v input2/X (sky130_fd_sc_hd_buf_1)
					net2 (net)
		0.05	0.00	2.10	v _355_/A (sky130_fd_sc_hd_buf_4)
10	0.05	0.08	0.18	2.28	v _355_/X (sky130_fd_sc_hd_buf_4)
					199 (net)
		0.08	0.00	2.28	v _356_/A (sky130_fd_sc_hd_buf_4)
10	0.06	0.08	0.19	2.47	v _356_/X (sky130_fd_sc_hd_buf_4)
					200 (net)
		0.08	0.00	2.47	v _365_/A (sky130_fd_sc_hd_inv_2)
		0.03	0.05	2.53	^ _365_/Y (sky130_fd_sc_hd_inv_2)
1	0.00				_010_ (net)
		0.03	0.00	2.53	^ _416_/RESET_B (sky130_fd_sc_hd_dfrtp_1)
				2.53	data arrival time

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
4	0.04	0.06	0.16	0.22	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.22	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
10	0.03	0.05	0.15	0.36	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
					clknet_2_2_leaf_clk (net)
		0.05	0.00	0.37	^ _416_/CLK (sky130_fd_sc_hd_dfrtp_1)
			0.25	0.62	clock uncertainty
			0.00	0.62	clock reconvergence pessimism
			0.32	0.93	library removal time
				0.93	data required time

				0.93	data required time
				-2.53	data arrival time

				1.59	slack (MET)

Startpoint: rst (input port clocked by clk)
Endpoint: _415_ (removal check against rising-edge clock clk)
Path Group: asynchronous
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			2.00	2.00	v input external delay
		0.01	0.00	2.00	v rst (in)

id	type	min	max	path	delay
1	0.00	0.01	0.00	rst (net)	2.00
		0.05	0.09	v input2/A (sky130_fd_sc_hd_buf_1)	2.10
3	0.01			v input2/X (sky130_fd_sc_hd_buf_1)	
		0.05	0.00	net2 (net)	2.10
		0.08	0.18	v _355_/A (sky130_fd_sc_hd_buf_4)	2.28
10	0.05			v _355_/X (sky130_fd_sc_hd_buf_4)	
				199 (net)	
		0.08	0.00	v _356_/A (sky130_fd_sc_hd_buf_4)	2.28
10	0.06			v _356_/X (sky130_fd_sc_hd_buf_4)	2.47
				200 (net)	
		0.08	0.00	v _364_/A (sky130_fd_sc_hd_inv_2)	2.47
		0.03	0.05	^ _364_/Y (sky130_fd_sc_hd_inv_2)	2.53
1	0.00			_009_ (net)	
		0.03	0.00	^ _415_/RESET_B (sky130_fd_sc_hd_dfrtp_1)	2.53
				data arrival time	
			0.00	clock clk (rise edge)	0.00
			0.00	clock source latency	0.00
		0.08	0.05	^ clk (in)	0.05
1	0.02			clk (net)	
		0.08	0.00	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)	0.05
		0.06	0.16	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)	0.22
4	0.04			clknet_0_clk (net)	
		0.06	0.00	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)	0.22
		0.05	0.15	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)	0.36
10	0.03			clknet_2_2_leaf_clk (net)	
		0.05	0.00	^ _415_/CLK (sky130_fd_sc_hd_dfrtp_1)	0.37
			0.25	clock uncertainty	0.62
			0.00	clock reconvergence pessimism	0.62
			0.32	library removal time	0.93
				data required time	0.93

			0.93	data required time	
			-2.53	data arrival time	

			1.59	slack (MET)	

Fanout	Cap	Slew	Delay	Time	Description
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_2_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.05	0.13	0.33	^ clkbuf_2_2_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
10	0.03				clknet_2_2_leaf_clk (net)
		0.05	0.00	0.33	^ _425_/CLK (sky130_fd_sc_hd_dfrtp_1)
		0.05	0.31	0.64	^ _425_/Q (sky130_fd_sc_hd_dfrtp_1)
1	0.00				net14 (net)
		0.05	0.00	0.64	^ output14/A (sky130_fd_sc_hd_clkbuf_4)
		0.12	0.18	0.82	^ output14/X (sky130_fd_sc_hd_clkbuf_4)
1	0.04				done (net)
		0.12	0.00	0.82	^ done (out)
				0.82	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay

	-1.75	data required time

	-1.75	data required time
	-0.82	data arrival time

	2.57	slack (MET)

Startpoint: _426_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[0] (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.19	^ clkbuf_2_3__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	0.33	^ clkbuf_2_3__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_3__leaf_clk (net)
		0.06	0.00	0.33	^ _426_/CLK (sky130_fd_sc_hd__dfrtp_1)
2	0.01	0.07	0.33	0.66	^ _426_/Q (sky130_fd_sc_hd__dfrtp_1)
					net16 (net)
		0.07	0.00	0.66	^ output16/A (sky130_fd_sc_hd__clkbuf_4)
1	0.03	0.11	0.19	0.85	^ output16/X (sky130_fd_sc_hd__clkbuf_4)
					rx_data[0] (net)
		0.11	0.00	0.85	^ rx_data[0] (out)
				0.85	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.85	data arrival time

				2.60	slack (MET)

Startpoint: _432_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[6] (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.14	0.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.06	0.00	0.34	^ _432_/CLK (sky130_fd_sc_hd__dfrtp_1)
2	0.01	0.08	0.33	0.67	^ _432_/Q (sky130_fd_sc_hd__dfrtp_1)
					net22 (net)
		0.08	0.00	0.67	^ output22/A (sky130_fd_sc_hd__clkbuf_4)

1	0.03	0.11	0.19	0.85	^ output22/X (sky130_fd_sc_hd__clkbuf_4)
					rx_data[6] (net)
		0.11	0.00	0.85	^ rx_data[6] (out)
				0.85	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

			-1.75	data required time	
			-0.85	data arrival time	

			2.60	slack (MET)	

Startpoint: _433_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[7] (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description	

1	0.02		0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock source latency	
		0.08	0.05	0.05	^ clk (in)	
4	0.04				clk (net)	
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)	
12	0.04				clknet_0_clk (net)	
		0.06	0.00	0.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)	
		0.06	0.14	0.33	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)	
2	0.01				clknet_2_1__leaf_clk (net)	
		0.06	0.00	0.33	^ _433_/CLK (sky130_fd_sc_hd__dfrrtp_1)	
		0.08	0.33	0.67	^ _433_/Q (sky130_fd_sc_hd__dfrrtp_1)	
1	0.03				net23 (net)	
		0.08	0.00	0.67	^ output23/A (sky130_fd_sc_hd__clkbuf_4)	
		0.11	0.19	0.86	^ output23/X (sky130_fd_sc_hd__clkbuf_4)	
					rx_data[7] (net)	
		0.11	0.00	0.86	^ rx_data[7] (out)	
				0.86	data arrival time	

			0.00	0.00	clock clk (rise edge)	
			0.00	0.00	clock network delay (propagated)	
			0.25	0.25	clock uncertainty	
			0.00	0.25	clock reconvergence pessimism	
			-2.00	-1.75	output external delay	
				-1.75	data required time	

				-1.75	data required time	
				-0.86	data arrival time	

				2.61	slack (MET)	

Startpoint: _427_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[1] (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
					clk (net)

		0.08	0.00	0.05	^	clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.19	^	clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04					clknet_0_clk (net)
		0.06	0.00	0.20	^	clkbuf_2_1_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.33	^	clkbuf_2_1_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04					clknet_2_1_leaf_clk (net)
		0.06	0.00	0.33	^	_427_/CLK (sky130_fd_sc_hd_dftrtp_1)
		0.08	0.34	0.67	^	_427_/Q (sky130_fd_sc_hd_dftrtp_1)
2	0.01					net17 (net)
		0.08	0.00	0.67	^	output17/A (sky130_fd_sc_hd_clkbuf_4)
		0.11	0.19	0.86	^	output17/X (sky130_fd_sc_hd_clkbuf_4)
1	0.03					rx_data[1] (net)
		0.11	0.00	0.86	^	rx_data[1] (out)
				0.86		data arrival time
			0.00	0.00		clock clk (rise edge)
			0.00	0.00		clock network delay (propagated)
			0.25	0.25		clock uncertainty
			0.00	0.25		clock reconvergence pessimism
		-2.00		-1.75		output external delay
				-1.75		data required time

				-1.75		data required time
				-0.86		data arrival time

				2.61		slack (MET)

Startpoint: _436_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: cs (output port clocked by clk)
 Path Group: clk
 Path Type: min
 Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.19	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.33	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.06	0.00	0.33	^ _436_/CLK (sky130_fd_sc_hd_dfstp_1)
		0.05	0.35	0.69	v _436_/Q (sky130_fd_sc_hd_dfstp_1)
2	0.01				net13 (net)
		0.05	0.00	0.69	v output13/A (sky130_fd_sc_hd_clkbuf_4)
		0.08	0.17	0.86	v output13/X (sky130_fd_sc_hd_clkbuf_4)
1	0.03				cs (net)
		0.08	0.00	0.86	v cs (out)
				0.86	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
		-2.00		-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.86	data arrival time

				2.61	slack (MET)

Startpoint: _429_ (rising edge-triggered flip-flop clocked by clk)
 Endpoint: rx_data[3] (output port clocked by clk)

Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
2	0.01				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.34	^ _429_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.08	0.34	0.67	^ _429_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.03				net19 (net)
		0.08	0.00	0.67	^ output19/A (sky130_fd_sc_hd__clkbuf_4)
		0.11	0.19	0.86	^ output19/X (sky130_fd_sc_hd__clkbuf_4)
					rx_data[3] (net)
		0.11	0.00	0.86	^ rx_data[3] (out)
				0.86	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.86	data arrival time

				2.61	slack (MET)

Startpoint: _431_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[5] (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
4	0.04	0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
14	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
2	0.01				clknet_2_0__leaf_clk (net)
		0.06	0.00	0.34	^ _431_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.08	0.34	0.67	^ _431_/Q (sky130_fd_sc_hd__dfrtp_1)
1	0.03				net21 (net)
		0.08	0.00	0.67	^ output21/A (sky130_fd_sc_hd__clkbuf_4)
		0.11	0.19	0.86	^ output21/X (sky130_fd_sc_hd__clkbuf_4)
					rx_data[5] (net)
		0.11	0.00	0.86	^ rx_data[5] (out)
				0.86	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay

				-1.75	data required time

				-1.75	data required time
				-0.86	data arrival time

				2.61	slack (MET)

Startpoint: _428_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[2] (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.14	0.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.06	0.00	0.34	^ _428_/CLK (sky130_fd_sc_hd__dfrtp_1)
2	0.01	0.09	0.35	0.68	^ _428_/Q (sky130_fd_sc_hd__dfrtp_1)
					net18 (net)
		0.09	0.00	0.68	^ output18/A (sky130_fd_sc_hd__clkbuf_4)
1	0.03	0.11	0.19	0.88	^ output18/X (sky130_fd_sc_hd__clkbuf_4)
					rx_data[2] (net)
		0.11	0.00	0.88	^ rx_data[2] (out)
				0.88	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.88	data arrival time

				2.63	slack (MET)

Startpoint: _434_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: mosi (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_1__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
12	0.04	0.06	0.14	0.33	^ clkbuf_2_1__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_1__leaf_clk (net)
		0.06	0.00	0.33	^ _434_/CLK (sky130_fd_sc_hd__dfrtp_1)
		0.11	0.35	0.69	^ _434_/Q (sky130_fd_sc_hd__dfrtp_1)
2	0.01				net15 (net)
		0.11	0.00	0.69	^ output15/A (sky130_fd_sc_hd__clkbuf_4)

1	0.03	0.11	0.20	0.89	^ output15/X (sky130_fd_sc_hd__clkbuf_4)
					mosi (net)
		0.11	0.00	0.89	^ mosi (out)
				0.89	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

			-1.75	data required time	
			-0.89	data arrival time	

			2.64	slack (MET)	

Startpoint: _430_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: rx_data[4] (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
1	0.02	0.08	0.05	0.05	^ clk (in)
					clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd__clkbuf_16)
4	0.04	0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0__f_clk/A (sky130_fd_sc_hd__clkbuf_16)
14	0.04	0.06	0.14	0.34	^ clkbuf_2_0__f_clk/X (sky130_fd_sc_hd__clkbuf_16)
					clknet_2_0__leaf_clk (net)
		0.06	0.00	0.34	^ _430_/CLK (sky130_fd_sc_hd__dfrtp_1)
2	0.01	0.12	0.37	0.70	^ _430_/Q (sky130_fd_sc_hd__dfrtp_1)
					net20 (net)
		0.12	0.00	0.70	^ output20/A (sky130_fd_sc_hd__clkbuf_4)
1	0.03	0.11	0.20	0.91	^ output20/X (sky130_fd_sc_hd__clkbuf_4)
					rx_data[4] (net)
		0.11	0.00	0.91	^ rx_data[4] (out)
			0.91		data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
			-2.00	-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.91	data arrival time

				2.66	slack (MET)

Startpoint: _424_ (rising edge-triggered flip-flop clocked by clk)
Endpoint: busy (output port clocked by clk)
Path Group: clk
Path Type: min
Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

1	0.02		0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
					clk (net)

		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.19	^ clkbuf_2_3_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.33	^ clkbuf_2_3_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
12	0.04				clknet_2_3_leaf_clk (net)
		0.06	0.00	0.33	^ _424_/CLK (sky130_fd_sc_hd_dfrtp_2)
		0.11	0.39	0.72	^ _424_/Q (sky130_fd_sc_hd_dfrtp_2)
4	0.02				net12 (net)
		0.11	0.00	0.72	^ output12/A (sky130_fd_sc_hd_buf_2)
		0.17	0.21	0.93	^ output12/X (sky130_fd_sc_hd_buf_2)
1	0.03				busy (net)
		0.17	0.00	0.93	^ busy (out)
				0.93	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
		-2.00		-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.93	data arrival time

				2.68	slack (MET)

Startpoint: _435_ (rising edge-triggered flip-flop clocked by clk)

Endpoint: sclk (output port clocked by clk)

Path Group: clk

Path Type: min

Corner: Typical

Fanout	Cap	Slew	Delay	Time	Description

			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock source latency
		0.08	0.05	0.05	^ clk (in)
1	0.02				clk (net)
		0.08	0.00	0.05	^ clkbuf_0_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.15	0.19	^ clkbuf_0_clk/X (sky130_fd_sc_hd_clkbuf_16)
4	0.04				clknet_0_clk (net)
		0.06	0.00	0.20	^ clkbuf_2_0_f_clk/A (sky130_fd_sc_hd_clkbuf_16)
		0.06	0.14	0.34	^ clkbuf_2_0_f_clk/X (sky130_fd_sc_hd_clkbuf_16)
14	0.04				clknet_2_0_leaf_clk (net)
		0.06	0.00	0.34	^ _435_/CLK (sky130_fd_sc_hd_dfrtp_2)
		0.12	0.39	0.73	^ _435_/Q (sky130_fd_sc_hd_dfrtp_2)
4	0.02				net24 (net)
		0.12	0.00	0.73	^ output24/A (sky130_fd_sc_hd_buf_2)
		0.17	0.21	0.95	^ output24/X (sky130_fd_sc_hd_buf_2)
1	0.03				sclk (net)
		0.17	0.00	0.95	^ sclk (out)
				0.95	data arrival time
			0.00	0.00	clock clk (rise edge)
			0.00	0.00	clock network delay (propagated)
			0.25	0.25	clock uncertainty
			0.00	0.25	clock reconvergence pessimism
		-2.00		-1.75	output external delay
				-1.75	data required time

				-1.75	data required time
				-0.95	data arrival time

				2.70	slack (MET)

FF CORNER

rcx_min_sta.power.rpt

report_power					
Fastest Corner					
Group	Internal Power	Switching Power	Leakage Power	Total Power (Watts)	
Sequential	3.12e-04	8.33e-05	2.29e-07	3.95e-04	37.4%
Combinational	3.82e-04	2.79e-04	3.24e-09	6.61e-04	62.6%
Macro	0.00e+00	0.00e+00	0.00e+00	0.00e+00	0.0%
Pad	0.00e+00	0.00e+00	0.00e+00	0.00e+00	0.0%
Total	6.94e-04	3.63e-04	2.32e-07	1.06e-03	100.0%
	65.6%	34.3%	0.0%		
Slowest Corner					
Group	Internal Power	Switching Power	Leakage Power	Total Power (Watts)	
Sequential	2.10e-04	5.38e-05	9.13e-07	2.64e-04	36.7%
Combinational	2.73e-04	1.82e-04	1.43e-06	4.56e-04	63.3%
Macro	0.00e+00	0.00e+00	0.00e+00	0.00e+00	0.0%
Pad	0.00e+00	0.00e+00	0.00e+00	0.00e+00	0.0%
Total	4.83e-04	2.36e-04	2.34e-06	7.21e-04	100.0%
	67.0%	32.7%	0.3%		
Typical Corner					
Group	Internal Power	Switching Power	Leakage Power	Total Power (Watts)	
Sequential	2.70e-04	6.93e-05	2.29e-07	3.39e-04	37.3%
Combinational	3.37e-04	2.34e-04	1.78e-09	5.71e-04	62.7%
Macro	0.00e+00	0.00e+00	0.00e+00	0.00e+00	0.0%
Pad	0.00e+00	0.00e+00	0.00e+00	0.00e+00	0.0%
Total	6.07e-04	3.04e-04	2.30e-07	9.11e-04	100.0%
	66.6%	33.4%	0.0%		

FF CORNER

rcx_min_sta.skew.rpt

=====		
report_clock_skew		
=====		
Clock clk		
Latency	CRPR	Skew
408/CLK ^		
0.65		
422/CLK ^		
0.57	-0.04	0.04

FF CORNER

rcx_min_sta.summary.rpt

```
=====
report_tns
=====
tns 0.00

=====
report_wns
=====
wns 0.00

=====
report_worst_slack -max (Setup)
=====
worst slack 2.93

=====
report_worst_slack -min (Hold)
=====
worst slack 0.12
```