1

Assignment 11

A.TEJASRI

Download all python codes from

https://github.com/tejasri3657/Assignment-11/tree/main/CODES

and latex-tikz codes from

https://github.com/tejasri3657/Assignment-11/blob/main/main.tex

1 Question No. 2.18

A company manufactures two types of novelty souvenirs made of plywood. Souvenirs of type A require 5 minutes each for cutting and 10 minutes each for assembling. Souvenirs of type B require 8 minutes each for cutting and 8 minutes each for assembling. There are 3 hours 20 minutes available for cutting and 4 hours of assembling. The profit is Rs 5 each for type A and Rs 6 each for type B souvenirs. How many souvenirs of each type should the company manufacture in order to maximize the profit?

2 Solution

Item	Number	Cutting Time	Assembling Time	Profit
Type A	X	5 minutes	10 minutes	Rs 5
Type B	y	8 minutes	8 minutes	Rs 6
Max Avail- able Time		3hours 20minutes =200min- utes	4hours =240min- utes	

TABLE 2.1: Plywood Requirements

Let the number of Souvenirs of type A be x and the number of Souvenirs of type B be y such that

$$x \ge 0 \tag{2.0.1}$$

$$y \ge 0 \tag{2.0.2}$$

According to the question,

$$5x + 8y \le 200 \tag{2.0.3}$$

and,

$$10x + 8y \le 240 \tag{2.0.4}$$

.. Our problem is

$$\max_{\mathbf{x}} Z = \begin{pmatrix} 5 & 6 \end{pmatrix} \mathbf{x} \tag{2.0.5}$$

s.t.
$$\begin{pmatrix} 5 & 8 \\ 10 & 8 \end{pmatrix} \mathbf{x} \le \begin{pmatrix} 200 \\ 240 \end{pmatrix}$$
 (2.0.6)

Lagrangian function is given by

$$L(\mathbf{x}, \lambda) = (5 \quad 6) \mathbf{x} + \left\{ \begin{bmatrix} 5 & 8 \end{bmatrix} \mathbf{x} + 200 \right\} + \begin{bmatrix} 10 & 8 \end{bmatrix} \mathbf{x} + 240 \end{bmatrix} + \begin{bmatrix} -1 & 0 \end{bmatrix} \mathbf{x} + \begin{bmatrix} 0 & -1 \end{bmatrix} \mathbf{x}$$

$$(2.0.7)$$

where,

$$\lambda = \begin{pmatrix} \lambda_1 \\ \lambda_2 \\ \lambda_3 \\ \lambda_4 \\ \lambda_5 \\ \lambda_6 \end{pmatrix} \tag{2.0.8}$$

Now,

$$\nabla L(\mathbf{x}, \lambda) = \begin{pmatrix} 5 + (5 & 8 & -1 & 0) \lambda \\ 6 + (10 & 8 & 0 & -1) \lambda \\ (5 & 8) \mathbf{x} + 200 \\ (10 & 8) \mathbf{x} + 240 \\ (-1 & 0) \mathbf{x} \\ (0 & -1) \mathbf{x} \end{pmatrix}$$
(2.0.9)

:. Lagrangian matrix is given by

$$\begin{pmatrix}
0 & 0 & 5 & 10 & -1 & 0 \\
0 & 0 & 8 & 8 & 0 & -1 \\
5 & 8 & 0 & 0 & 0 & 0 \\
10 & 8 & 0 & 0 & 0 & 0 \\
-1 & 0 & 0 & 0 & 0 & 0 \\
0 & -1 & 0 & 0 & 0 & 0
\end{pmatrix}
\begin{pmatrix}
\mathbf{x} \\ \lambda
\end{pmatrix} = \begin{pmatrix}
-5 \\ -6 \\ 200 \\ 240 \\ 0 \\ 0
\end{pmatrix}$$
(2.0.10)

Considering λ_1, λ_2 as only active multiplier,

$$\begin{pmatrix} 0 & 0 & 5 & 10 \\ 0 & 0 & 8 & 8 \\ 5 & 8 & 0 & 0 \\ 10 & 8 & 0 & 0 \end{pmatrix} \begin{pmatrix} \mathbf{x} \\ \lambda \end{pmatrix} = \begin{pmatrix} -5 \\ -6 \\ 200 \\ 240 \end{pmatrix}$$
 (2.0.11)

resulting in,

$$\Rightarrow \begin{pmatrix} \mathbf{x} \\ \lambda \end{pmatrix} = \begin{pmatrix} 0 & 0 & \frac{-8}{40} & \frac{8}{40} \\ 0 & 0 & \frac{10}{40} & \frac{-5}{40} \\ \frac{-3}{40} & \frac{8}{40} & 0 & 0 \\ \frac{10}{40} & \frac{-5}{40} & 0 & 0 \end{pmatrix} \begin{pmatrix} -5 \\ -6 \\ 200 \\ 240 \end{pmatrix} \qquad (2.0.13)$$

$$\Rightarrow \begin{pmatrix} \mathbf{x} \\ \lambda \end{pmatrix} = \begin{pmatrix} 8 \\ 20 \\ \frac{-1}{5} \\ \frac{-1}{2} \end{pmatrix} \qquad (2.0.14)$$

$$\implies \begin{pmatrix} \mathbf{x} \\ \lambda \end{pmatrix} = \begin{pmatrix} 8 \\ 20 \\ \frac{-1}{5} \\ \frac{-1}{2} \end{pmatrix} \tag{2.0.14}$$

$$\therefore \lambda = \begin{pmatrix} \frac{-1}{5} \\ \frac{-1}{2} \end{pmatrix} > \mathbf{0}$$

:. Optimal solution is given by

$$\mathbf{x} = \begin{pmatrix} 8\\20 \end{pmatrix} \tag{2.0.15}$$

$$Z = \begin{pmatrix} 5 & 6 \end{pmatrix} \mathbf{x} \tag{2.0.16}$$

$$= \begin{pmatrix} 5 & 6 \end{pmatrix} \begin{pmatrix} 8 \\ 20 \end{pmatrix} \tag{2.0.17}$$

$$= 160 (2.0.18)$$

By using cvxpy in python,

$$\mathbf{x} = \begin{pmatrix} 8.00000000 \\ 20.00000000 \end{pmatrix} \tag{2.0.19}$$

$$Z = 160.00000000 (2.0.20)$$

Hence |x| = 8 Souvenirs of type A and |y| = 20Souvenirs of type B should the company manufacture in order to maximise the profit is Z = 160

units.




Fig. 2.1: Plywood Problem