Unlocking Periodic Phenomena: An Introduction to Fourier Series

Discover how complex periodic functions can be decomposed into fundamental sine and cosine components through integration-based analysis



Made with GAMMA

Why Fourier Series? Seeing the World in Frequencies



Fourier series revolutionized mathematics by revealing that any periodic function can be expressed as an infinite sum of simple trigonometric functions. This insight transformed how we analyze everything from sound waves to electrical signals.

Instead of viewing signals as time-domain functions, we can decompose them into their frequency components—like breaking white light into its constituent colors with a prism.

Made with GAMMA

The Building Blocks: Sine and Cosine Waves







Sine Functions

Smooth, continuous waves that oscillate between -1 and 1, characterized by amplitude, frequency, and phase shift

Cosine Functions

Identical to sine waves but phase-shifted by π/2 radians, providing the complementary basis for decomposition

Orthogonal Basis

Together, these infinite families form a complete basis for representing periodic functions through weighted sums

Made with GAMMA

Defining the Fourier Series: The Sum of Simpler Parts

Any periodic function f(x) with period 2π can be represented as an infinite series:

$$f(x) = \frac{a_0}{2} + \sum_{n=1}^{\infty} (a_n \cos(nx) + b_n \sin(nx))$$

a_0 Term

The constant component representing the average value or DC offset of the function over one period

a_n Coefficients

Weights for cosine terms, capturing even-symmetric features and determining how much each frequency contributes

b_n Coefficients

Weights for sine terms, capturing odd-symmetric features and phase information at each harmonic frequency

Made with GAMMA

The Orthogonality of Sines and Cosines: Making Integration Easy

Orthogonality is the mathematical property that makes Fourier coefficients computable through integration. Sine and cosine functions are perpendicular in function space:

01

Orthogonality Relations

$\int \sin(mx)\cos(nx)\,dx = 0$ and $\int \sin(mx)\sin(nx)\,dx = \pi\delta_{mn}$ over $[-\pi,\pi]$

02

Projection Operation

Multiplying f(x) by a basis function and integrating isolates its coefficient

03

Clean Extraction

Integration eliminates all other terms, leaving only the desired coefficient scaled by π



Made with GAMMA

Calculating the Coefficients: The Power of Integration

Fourier coefficients are computed using definite integrals over one period. These formulas project the function onto each basis function:

$$a_0 = \frac{1}{\pi} \int_{-\pi}^{\pi} f(x)\, dx$$

$$a_n = \frac{1}{\pi} \int_{-\pi}^{\pi} f(x) \cos(nx)\, dx$$

$$b_n = \frac{1}{\pi} \int_{-\pi}^{\pi} f(x) \sin(nx)\, dx$$



Each integral represents the "amount" of that particular frequency present in the original function.

Made with GAMMA

Step-by-Step Example: Deconstructing a Square Wave

1

The Square Wave Function

$f(x) = 1$ for $0 < x < \pi$ and $f(x) = -1$ for $-\pi < x < 0$, periodic with period 2π

2

Symmetry Analysis

The function is odd, so all a_n coefficients vanish. Only sine terms remain in the series

3

Integration Calculation

$b_n = (2/\pi) \int_0^{\pi} \sin(nx)\, dx = 2(1 - (-1)^n)/(n\pi)$, yielding non-zero values for odd n

4

Final Series

$f(x) = (4/\pi)[\sin(x) + \sin(3x)/3 + \sin(5x)/5 + \ldots]$ containing only odd harmonics



SOUARE WAVE APPROXIMATION

Made with GAMMA

Practical Applications: From Signal Processing to Image Compression

Audio Signal Processing

Equalizers and audio filters decompose sound into frequency bands, allowing selective amplification or attenuation of specific tones and harmonics

Communications Systems

Modulation schemes encode information in frequency domain, enabling efficient transmission over radio, fiber optic, and wireless channels

Image Compression

JPEG format uses discrete cosine transform (a Fourier-related technique) to compress images by discarding high-frequency components humans perceive poorly

Medical Imaging

MRI machines reconstruct images from frequency domain measurements, applying inverse Fourier transforms to raw scanner data

Made with GAMMA

Limitations and Considerations: When Fourier Series Fall Short



Convergence Issues

At discontinuities, Fourier series exhibit Gibbs phenomenon—oscillations that persist even with infinite terms, overshooting by ~9% near jumps.

Periodicity Requirement

Functions must be periodic or artificially extended. Non-periodic signals require Fourier transforms instead of series.

Smoothness Assumptions

Convergence depends on function smoothness. Highly irregular functions converge slowly or may not converge pointwise.

Made with GAMMA

Key Takeaways and Further Exploration

Core Insight

Any periodic function decomposes into sine and cosine components through integration-based coefficient calculation

Orthogonality Power

Orthogonal basis functions enable clean coefficient extraction via definite integrals over one period

Wide Applicability

Foundational in signal processing, image compression, acoustics, and solving partial differential equations

Explore Next

- Fourier transforms for non-periodic functions
- Fast Fourier Transform (FFT) algorithms
- Applications in quantum mechanics
- Wavelet transforms for localized analysis

Made with GAMMA