

Test Run - 1,273 Records

[IN-VULN-2026-0001] CVE-2026-75650 - Adobe Commerce and Magento

Summary: Adobe Commerce and Magento Open Source contain an improper neutralization of special elements used in a template engine vulnerability that could allow an attacker to execute arbitrary code.

[IN-VULN-2026-0002] CVE-2026-81963 - Microsoft Windows

Summary: Microsoft Windows Update Stack contains a link following vulnerability that allows a local attacker to escalate privileges locally up to SYSTEM.

[IN-VULN-2026-0003] CVE-2026-86218 - N-able N-central

Summary: N-able N-central contains a static code injection vulnerability that could allow for pre-authentication remote code execution.

[IN-VULN-2026-0004] CVE-2026-85880 - Microsoft Windows

Summary: Microsoft Windows Advanced Local Procedure Call contains a heap-based buffer overflow vulnerability that allows an attacker to elevate privileges locally.

[IN-VULN-2026-0005] CVE-2026-85046 - Google Chromium V8

Summary: Google Chromium V8 contains a type confusion vulnerability that allows a remote attacker to execute arbitrary code inside the sandbox via a crafted HTML page. This vulnerability could affect multiple web browsers that utilize Chromium, including, but not limited to, Google Chrome, Microsoft Edge, and Opera.

[IN-VULN-2026-0006] CVE-2026-59822 - BerriAI LiteLLM

Summary: BerriAI LiteLLM contains an improper authentication vulnerability in the MCP Streamable HTTP endpoint that could allow an unauthenticated attacker to establish an authenticated MCP session using an arbitrary Bearer token.

[IN-VULN-2026-0007] CVE-2026-48710 - Kludex Starlette

Summary: Kludex Starlette contains a HTTP request/response smuggling vulnerability that could allow attackers to inject paths into the host part, prepending the actual path leading to issues such as authentication bypass when the authentication depends on the reconstructed URL?s path. This vulnerability could be chained with CVE-2026-42271.

[IN-VULN-2026-0008] CVE-2026-49869 - Kestra Kestra OSS

Summary: Kestra OSS contains an OS command injection vulnerability that could allow an unauthenticated remote attacker to create and execute arbitrary workflows without credentials.

[IN-VULN-2026-0009] CVE-2026-82329 - JFrog Artifactory

Summary: JFrog Artifactory contains an improper authentication vulnerability that under default configuration can allow an unauthenticated attacker with network access to obtain administrative privileges.

[IN-VULN-2026-0010] CVE-2026-9586 - Sangoma Switchvox

Summary: Sangoma Switchvox contains a SQL injection vulnerability which allows an unauthenticated remote attacker to execute arbitrary SQL statements against the backend PostgreSQL database using a single crafted request, including database operations and remote code execution.

[IN-VULN-2026-0011] CVE-2026-83548 - SonicWall SMA1000 Appliances

Summary: SonicWall SMA1000 Appliances contains a server-side request forgery vulnerability that could allow a remote unauthenticated attacker to gain unauthorized access to sensitive functionality and perform unauthorized operations.

[IN-VULN-2026-0012] CVE-2026-83549 - SonicWall SMA1000 Appliances

Summary: SonicWall SMA1000 Appliances contains an OS command injection vulnerability that could enable a remote authenticated attacker as administrator to execute arbitrary OS commands, resulting in remote code execution.

[IN-VULN-2026-0013] CVE-2026-82078 - PaperCut NG/MF

Summary: PaperCut NG/MF contains an unsafe reflection vulnerability that allows an attacker to manipulate system configuration parameters and execute arbitrary Java bytecode residing on the application classpath under the security context of the PaperCut server process. This vulnerability can be chained with CVE-2026-81578.

[IN-VULN-2026-0014] CVE-2026-81578 - PaperCut NG/MF

Summary: PaperCut NG/MF contains a missing authentication for critical function vulnerability which allows an unauthenticated remote attacker to modify certain system configurations. This vulnerability can be chained with CVE-2026-82078.

[IN-VULN-2026-0015] CVE-2023-49105 - ownCloud ownCloud

Summary: ownCloud contains an improper authentication vulnerability that allows an attacker to access, modify, or delete any file without authentication if the username of a victim is known, and the victim has no signing-key configured.

[IN-VULN-2026-0016] CVE-2026-53362 - Linux Kernel

Summary: Linux Kernel contains an unspecified vulnerability that can allow for privilege escalation via IPv6 networking subsystem. This vulnerability can impact multiple products, including but not limited to Suse, Red Hat, and other products using Linux.

[IN-VULN-2026-0017] CVE-2026-66384 - JFrog Artifactory

Summary: JFrog Artifactory contains an improper limitation of a pathname to a restricted directory vulnerability. This can allow an authenticated user to write data outside the intended Docker cache path under specific remote-repository conditions.

[IN-VULN-2026-0018] CVE-2021-23758 - Ajax.NET Professional Ajax.NET Professional

Summary: Ajax.NET Professional (AjaxPro) contains a deserialization of untrusted data vulnerability that could allow for remote code execution via arbitrary .NET classes. The impacted product(s) could be end-of-life (EoL) and/or end-of-service (EoS). Users are advised to discontinue use and/or transition to a supported version.

[IN-VULN-2026-0019] CVE-2015-3246 - Red Hat Libuser

Summary: Red Hat libuser contains a race condition vulnerability that allows authenticated local users to corrupt the /etc/passwd file to cause a denial of service or privilege escalation.

[IN-VULN-2026-0020] CVE-2015-5287 - Red Hat Automatic Bug Reporting Tool

Summary: Red Hat Automatic Bug Reporting Tool (ABRT) contains a privilege escalation vulnerability that could allow local users with certain permissions to gain privileges via a symlink attack on a file with a predictable name. The impacted product(s) could be end-of-life (EoL) and/or end-of-service (EoS). Users are advised to discontinue use and/or transition to a supported version.

[IN-VULN-2026-0021] CVE-2022-0995 - Linux Kernel

Summary: Linux Kernel contains an out-of-bounds memory write vulnerability which could allow a local user to gain privileged access or cause a denial of service on the system.

[IN-VULN-2026-0022] CVE-2026-8452 - Citrix NetScaler ADC and NetScaler Gateway

Summary: Citrix NetScaler ADC and NetScaler Gateway contain an improper restriction of operations within the bounds of a memory buffer vulnerability which could lead to denial of service.

[IN-VULN-2026-0023] CVE-2019-1068 - Microsoft SQL Server

Summary: Microsoft SQL Server contains a remote code execution vulnerability that could allow an attacker to execute code in the context of the SQL Server Database Engine service account.

[IN-VULN-2026-0024] CVE-2026-60004 - Gitea Gitea

Summary: Gitea contains a code injection vulnerability that allows an attacker with repository write access to send a malicious patch to the diffpatch API endpoint to plant an executable Git hook and run shell commands as the Gitea service account.

[IN-VULN-2026-0025] CVE-2026-21962 - Oracle HTTP Server and Oracle Weblogic Server Proxy Plug-in

Summary: Oracle HTTP Server and Oracle Weblogic Server Proxy Plug-in contain an improper access control vulnerability that can result in unauthorized creation, deletion or modification access to critical data as well as unauthorized access to critical data or complete access to all Oracle HTTP Server and Oracle Weblogic Server Proxy Plug-in accessible data.

[IN-VULN-2026-0026] CVE-2026-73570 - Synacor Zimbra Collaboration Suite (ZCS)

Summary: Zimbra Collaboration Suite (ZCS) contains an OS command injection vulnerability which could allow an unauthenticated attacker to send specially crafted SMTP requests that may result in execution of arbitrary operating system commands as the Zimbra user.

[IN-VULN-2026-0027] CVE-2026-72530 - TrueConf Server

Summary: TrueConf Server contains a code injection vulnerability that could allow an unauthorized remote attacker with network access via port 4307/TCP to use a specially crafted script to break out of the isolated environment and execute arbitrary code on the host system.

[IN-VULN-2026-0028] CVE-2026-72529 - TrueConf Server

Summary: TrueConf Server contains a missing authentication for critical function vulnerability which could allow a remote unauthorized attacker with network access via port 4307/TCP to execute an arbitrary script.

[IN-VULN-2026-0029] CVE-2026-64849 - MLflow MLflow

Summary: MLflow contains a server-side request forgery vulnerability that can allow attackers to reach internal or cloud metadata services and receive response_status and response_body.

[IN-VULN-2026-0030] CVE-2026-33824 - Microsoft Internet Key Exchange (IKE) Service Extensions

Summary: Microsoft Internet Key Exchange (IKE) Service Extensions contains a double free vulnerability that could enable remote code execution.

[IN-VULN-2026-0031] CVE-2026-59310 - Broadcom VMware vCenter

Summary: Broadcom VMware vCenter contains a path traversal vulnerability which could allow a threat actor with network access to vCenter to execute arbitrary code.

[IN-VULN-2026-0032] CVE-2026-55040 - Microsoft SharePoint

Summary: Microsoft SharePoint contains a weak authentication vulnerability which allows an unauthorized attacker to bypass a security feature over a

network.

[IN-VULN-2026-0033] CVE-2026-65400 - Apple macOS

Summary: Apple macOS contains an improper authentication vulnerability that could allow an attacker on the network to authenticate to Screen Sharing without valid credentials.

[IN-VULN-2026-0034] CVE-2025-62593 - Ray-Project Ray

Summary: Ray-Project Ray contains a code injection vulnerability that could allow remote code execution. Developers using Ray as a development tool may be exposed to this vulnerability exploitable through Firefox and Safari.

[IN-VULN-2026-0035] CVE-2026-20349 - Cisco Secure Firewall Adaptive Security Appliance (ASA) and Secure Firewall Threat Defense

Summary: Cisco Secure Firewall Adaptive Security Appliance (ASA) and Secure Firewall Threat Defense (FTD) contain a heap inspection vulnerability that could allow an unauthenticated, remote attacker to cause the device to reload unexpectedly, resulting in a denial of service (DoS) condition.

[IN-VULN-2026-0036] CVE-2026-68820 - Microsoft Windows Ancillary Function Driver for WinSock

Summary: Microsoft Windows Ancillary Function Driver for WinSock contains a use-after-free vulnerability that allows an authorized attacker to elevate privileges locally.

[IN-VULN-2026-0037] CVE-2026-72898 - Metabase Metabase

Summary: Metabase contains a SQL Injection vulnerability that allows an unauthenticated remote attacker to inject arbitrary SQL into the Metabase application database, which can give them administrator access to the instance. From there, the attacker could change the application configuration, steal stored credentials for the connected databases, read any data accessible through those connections, and export data.

[IN-VULN-2026-0038] CVE-2026-67620 - General Enterprise Technology

Summary: Flowise through 3.1.4 contains a server-side request forgery vulnerability in the SSRF guard implemented in httpSecurity.ts, where the DEFAULT_DENY_LIST omits the Oracle Cloud Infrastructure metadata endpoint 192.0.0.192 and the Alibaba Cloud metadata...

[IN-VULN-2026-0039] CVE-2026-18125 - General Enterprise Technology

Summary: An out-of-bounds?read in?the?Agent of?Ivanti Endpoint Manager?before?version 2024 SU7?allows a?remote unauthenticated?attacker to?crash an agent service.

[IN-VULN-2026-0040] CVE-2026-18127 - General Enterprise Technology

Summary: External control of a filename in the Core of Ivanti Endpoint Manager before version 2024 SU7 allows a remote authenticated attacker full write control over an S3 bucket configured for session recording storage.

[IN-VULN-2026-0041] CVE-2026-18129 - General Enterprise Technology

Summary: Cleartext transmission of sensitive information in the Core of Ivanti Endpoint Manager before version 2024 SU7 allows a remote unauthenticated attacker in a MITM position to leak credentials for external SQL connections.

[IN-VULN-2026-0042] CVE-2026-42142 - General Enterprise Technology

Summary: TypeBot is a chatbot builder tool. Prior to version 3.17.0, the 'handleGetSheets' API handler ('POST /api/sheets/getSheets') does not validate workspace membership, allowing any authenticated user to access and decrypt another workspace's Google Shee...

[IN-VULN-2026-0043] CVE-2026-48495 - General Enterprise Technology

Summary: TypeBot is a chatbot builder tool. Prior to version 3.17.0, the Google Sheets OAuth callback decodes a base64-encoded JSON 'state' parameter and trusts the embedded 'workspaceId', 'typebotId', 'blockId', and 'redirectUrl' without cryptographic integr...

[IN-VULN-2026-0044] CVE-2026-67180 - General Enterprise Technology

Summary: Google Turbinia allows arbitrary command execution via worker tasks. An attacker with privileges to submit a processing request or influence an evidence path/name obtains code execution on the worker fleet. Fixed on 2026-07-10.

[IN-VULN-2026-0045] CVE-2026-50516 - General Enterprise Technology

Summary: Missing authentication for critical function in Microsoft Azure Kubernetes Service allows an unauthorized attacker to elevate privileges over a network.

[IN-VULN-2026-0046] CVE-2026-57105 - General Enterprise Technology

Summary: Improper neutralization of input during web page generation ('cross-site scripting') in Microsoft Office SharePoint allows an authorized attacker to perform spoofing over a network.

[IN-VULN-2026-0047] CVE-2026-58612 - General Enterprise Technology

Summary: Server-side request forgery (ssrf) in Microsoft PowerShell Core allows an unauthorized attacker to disclose information over a network.

[IN-VULN-2026-0048] CVE-2026-58651 - General Enterprise Technology

Summary: Heap-based buffer overflow in Microsoft Office Word allows an unauthorized attacker to execute code locally.

[IN-VULN-2026-0049] CVE-2026-59119 - General Enterprise Technology

Summary: Incorrect default permissions in Microsoft PowerShell allows an authorized attacker to elevate privileges locally.

[IN-VULN-2026-0050] CVE-2026-59124 - General Enterprise Technology

Summary: Deserialization of untrusted data in Microsoft High Performance Computing (HPC) Pack allows an unauthorized attacker to execute code over a network.