

# Logistic Regression

---

## Prerequisite-

- Descriptive statistics
- Linear Regression

## Objectives-

- Understand the prerequisite terms odds, probability, log odds, logit function and sigmoid.
- What is logistic regression and its cost function.
- Learn how to optimize weights using gradient descent.

## Odd and Probability-

The theory of chances for success or unsuccessful events often express as odds and probabilities. These two terms denote the same information but are different from one another in expression and defined as:

**Odd-** odds is defined as the ratio to chances in the favor of event to the chances against it. The value of odd may lie between 0 to  $\infty$ .

$$\text{oddratio}(A) = \frac{\text{chances in favor}(A)}{\text{chances against}(A)}$$

Example: The odd of getting Ace in a deck of 52 cards is given by:

$$\text{oddratio}(A) = \frac{4}{48}$$

**Probability-** Probability is defined as the ratio to chances in the favor of events to the total trials. Probabilities are expressed either as percentage or decimal and value lies between 0 and 1.

$$\text{Probability } P(A) = \frac{\text{chances in favor}(A)}{\text{total trials}}$$

Example: The probability of getting Ace in a deck of 52 cards is given by:

$$P(A) = \frac{4}{52} = 0.077 \text{ or } 7.7\%$$

## Relationship-

$$\text{oddratio} = \frac{\text{Probability of event}(A) \text{ occurring}}{\text{Probability of event}(A) \text{ not occurring}}$$

$$\text{oddratio}(A) = \frac{P(A)}{1 - P(A)}$$

$$\text{Probability } P(A) = \frac{\text{odd ratio}}{1 + \text{odd ratio}}$$

### Log odds and logit-

We now know that the odd ratio is the probability of an event occurring to the probability of that event not occurring. Taking log of odd ratio is called log odds and defined as:

$$\log(A) = \log\left(\frac{P(A)}{1 - P(A)}\right)$$

When the function variable of log is probability p. it is called as **logit** function means logit of probability is log of odds.

$$\log(\text{odds}) = \text{logit}(P) = \log\left(\frac{P}{1 - P}\right)$$

**Logit Function-** Logit function is mainly used in working with probabilities. The logit function is the log of the odds that Y equals one of the categories. The value of logit function varies between  $(-\infty, \infty)$ . The value approaches towards  $\infty$  when probability value touches to 1 and it goes to  $-\infty$  when probability value touches to 0. The logit function is very important in the field of statistics as it can maps the probability values ranges (0, 1) to a full range value of real numbers.

$$\text{logit}(y(z)) = \log\left(\frac{z}{1 - z}\right)$$




Figure 1: Logit Function

**Sigmoid function-** Sigmoid function is defined as the inverse of logit function. Which means for a probability value P we have:

$$P = \text{sigmoid}(\text{logit}(P))$$

Sigmoid performs the inverse of logit which means it maps any arbitrary real number into the range of (0, 1). The function is defined as:

$$\text{sigmoid}(z) = \frac{1}{1 + e^{-z}}$$




Figure 2 Sigmoid function

## Logistic Regression-

In case of linear regression the target variable y is a continuous variable but let suppose y is categorical variable which has two classes then linear regression cannot use to predict the value of target variable. Logistic regression is used to solve such problem.

Precisely Logistic Regression is defined as a statistical approach, for classifying labels. In its basic form it is used to classify binary data. Logistic regression is very much similar to linear regression where the explanatory variables(X) are combined with weights values to predict a target variable of binary class(y). The main difference between linear regression and logistic regression is of target value. The logistic regression modelled the target values as 0 or 1 whereas linear regression modelled them as numeric value. Logistic regression model is expressed as:

$$y = \frac{1}{1 + e^{-(w_0 + w_1 x)}} = \frac{e^{(w_0 + w_1 x)}}{e^{(w_0 + w_1 x)} + 1}$$

## Examples-

1. **Churn prediction-** Churn is the probability of client to abandon a service or stop paying as client of a particular service provider. The ratio of clients that abandon the service during a particular time interval is called churn rate. Churn prediction is considered as a problem of binary classification that in future whether a client or customer churn the service based on his/her attributes. For example a particular client churn the on the basis of monthly charge of service.

$$P(\text{churn} = 1 | \text{monthly charge}) = \frac{1}{1 + e^{-(w_0 + w_1 \text{monthly charge})}}$$

$$\text{churn} = \begin{cases} 1 & \text{if } P(\text{churn} = 1 | \text{monthly charge}) > 0.5 \\ 0 & \text{if } P(\text{churn} = 1 | \text{monthly charge}) \leq 0.5 \end{cases}$$

2. **Spam Detection-** Problem to identify that an email is spam or not.
3. **Banking-** Problem to predict a particular customer default a loan or not.

## Cost Function-

Linear regression uses mean squared error as its cost function but unfortunately this cannot be used with logistic regression. Logistic regression uses Cross-Entropy or Log-Loss function as its cost function defined for two class classification problem.

$$\text{cost}(w_0, w_1) = -\frac{1}{m} \sum_{i=1}^m \{y_i \log(a_i) + (1 - y_i) \log(1 - a_i)\}$$

Where

$$a_i = \text{sigm}(\text{yhat}_i)$$


$$\text{sigm}(\text{yhat}_i) = \frac{1}{1 + e^{-\text{yhat}_i}}$$

The cost function can be divided into two separate functions as:

$$\text{cost}(w_0, w_1) = -\frac{1}{m} \sum_{i=1}^m \log(a_i) \text{ if } y = 1$$

and

$$\text{cost}(w_0, w_1) = -\frac{1}{m} \sum_{i=1}^m \log(1 - a_i) \text{ if } y = 0$$



**Optimization of coefficient or weight parameter-** Again gradient descent is used to optimize the value of weight parameters. The derivative of Loss function is defined as:

$$Cost = \frac{1}{m} \sum_{i=1}^m \{-y_i \log a_i - (1 - y_i) \log (1 - a_i)\}$$

where

$$a_i = \frac{1}{1 + e^{-yhat_i}}$$

and

$$yhat_i = w_0 + w_1 x_i$$

Now let find the derivative of cost function( By chain rule of partial derivative):

$$\frac{\partial Cost}{\partial w_i} = \frac{\partial Cost}{\partial a_i} * \frac{\partial a_i}{\partial yhat_i} * \frac{\partial yhat_i}{\partial w_i}$$

So,

$$\frac{\partial Cost}{\partial a_i} = \frac{a_i - y_i}{a_i(1 - y_i)}$$

$$\frac{\partial a_i}{\partial yhat_i} = a_i(1 - a_i)$$

and

$$\frac{\partial yhat_i}{\partial w_i} = x_i$$


By using all above the generalize formula expressed as:

$$\frac{\partial Cost}{\partial w_i} = \frac{1}{m} \sum_{i=1}^m (a_i - y_i) x_i \text{ with } x_0 = 1 \text{ for } w_0$$

Parameter update:

$$w_i = w_i - \text{lr} \text{rate} \frac{\partial \text{Cost}}{\partial w_i}$$

**Example-** Consider an example where we are interested to find the effect of studying hours per day over the result in examination and predict that a student will pass or fail for given study hours. We have sample data about six students for their grades and total study hours per day.



To solve the problem using logistic regression let us model the linear equation as:

$$y(\text{Grades}) = w_0 + w_1 X(\text{Study Hours per day})$$

and predict the result using:

$$P(\text{result} = 1 | \text{studyhours}) = \frac{1}{1 + e^{-(w_0 + w_1 X(\text{Study Hours per day}))}}$$

$$\text{yhat}_i = w_0 + w_1 x_i$$

and

$$a_i = \text{sigm}(\text{yhat}_i) = \frac{1}{1 + e^{-\text{yhat}_i}}$$

$$\text{yhat}_i = w_0 + w_1 x_i$$

### Cost Function:

$$Cost(w_0, w_1) = \frac{1}{m} \sum_{i=1}^m \{-y_i \log a_i - (1 - y_i) \log (1 - a_i)\}$$

### Gradients:

$$\frac{\partial Cost(w_0, w_1)}{\partial w_0} = \frac{1}{m} \sum_{i=1}^m (a_i - y_i)$$

and

$$\frac{\partial Cost(w_0, w_1)}{\partial w_1} = \frac{1}{m} \sum_{i=1}^m (a_i - y_i) x_i$$

### Parameter updates:

$$w_0 = w_0 - \text{lr} \frac{\partial Cost(w_0, w_1)}{\partial w_0}$$

and

$$w_1 = w_1 - \text{lr} \frac{\partial Cost(w_0, w_1)}{\partial w_1}$$

We have,

<b>X:</b>	6	5	4	7	8	2
<b>y:</b>	1	0	0	1	1	0

### Iteration #1:

Let  $w_0 = 1$  and  $w_1 = 1$ , with  $\text{lr} = 0.01$

$$\text{yhat}_i = w_0 + w_1 x_i \quad \text{and} \quad a_i = \text{sigm}(\text{yhat}_i) = \frac{1}{1 + e^{-\text{yhat}_i}}$$

<b>yhat:</b>	7	6	5	8	9	3
<b>a:</b>	0.999	0.997	0.993	0.999	0.999	0.995

So,

$$\frac{\partial Cost(w_0, w_1)}{\partial w_0} = \frac{(0.999 - 1) + (0.997 - 0) + (0.993 - 0) + (0.999 - 1) + (0.999 - 1) + (0.995 - 0)}{6}$$

$$\frac{\partial Cost(w_0, w_1)}{\partial w_0} = 0.497$$

and

$$\frac{\partial Cost(w_0, w_1)}{\partial w_1} = \frac{(0.999 - 1) * 6 + (0.997 - 0) * 5 + (0.993 - 0) * 4 + (0.999 - 1) * 7 + (0.999 - 1) * 8 + (0.995 - 0) * 2}{6}$$

$$\frac{\partial Cost(w_0, w_1)}{\partial w_1} = 1.821$$

**Parameter update:**

$$w_0 = w_0 - \text{lr} * \frac{\partial Cost(w_0, w_1)}{\partial w_0} = 1 - 0.01 * (0.497) = 0.995$$

$$w_1 = w_1 - \text{lr} * \frac{\partial Cost(w_0, w_1)}{\partial w_1} = 1 - 0.01 * (1.821) = 0.982$$

**Iteration #1:**

Let  $w_0 = 0.995$  and  $w_1 = 0.982$ , with  $\text{lr} = 0.01$

<b>yhat:</b>	6.887	5.905	4.923	7.869	8.851	2.959
<b>a:</b>	0.999	0.997	0.993	0.999	0.999	0.950

$$\frac{\partial Cost(w_0, w_1)}{\partial w_0} = \frac{(0.999 - 1) + (0.997 - 0) + (0.993 - 0) + (0.999 - 1) + (0.999 - 1) + (0.950 - 0)}{6} = 0.489$$

and

$$\frac{\partial Cost(w_0, w_1)}{\partial w_1} = \frac{(0.999 - 1) * 6 + (0.997 - 0) * 5 + (0.993 - 0) * 4 + (0.999 - 1) * 7 + (0.999 - 1) * 8 + (0.950 - 0) * 2}{6} = 1.806$$

**Parameter update:**

$$w_0 = w_0 - \text{lr} * \frac{\partial Cost(w_0, w_1)}{\partial w_0} = 0.995 - 0.01 * (0.489) = 0.990$$

$$w_1 = w_1 - \text{lr} * \frac{\partial Cost(w_0, w_1)}{\partial w_1} = 0.982 - 0.01 * (1.806) = 0.964$$

**and so on.....**



**Evaluation of Logistic regression model-** Performance measurement of classification algorithms are judge by confusion matrix which comprise the classification count values of actual and predicted labels. The confusion matrix for binary classification is given by:

		Actual Values	
		Positive (1)	Negative (0)
Predicted Values	Positive (1)	TP	FP
	Negative (0)	FN	TN

Figure 3 Confusion Matrix

Confusion matrix cells are populated by the terms:

**True Positive(TP)-** The values which are predicted as True and are actually True.

**True Negative(TN)-** The values which are predicted as False and are actually False.

**False Positive(FP)-** The values which are predicted as True but are actually False.

**False Negative(FN)-** The values which are predicted as False but are actually True.

Classification performance metrics are based on confusion matrix values. The most popularly used metrics are;

**Precision-** measure of correctness achieved in prediction.

$$precision = \frac{TP}{TP + FP}$$

**Recall (sensitivity)-** measure of completeness, actual observations which are predicted correctly.

$$recall = \frac{TP}{TP + FN}$$

**Specificity-** measure of how many observations of false category predicted correctly.

$$specificity = \frac{TN}{TN + FP}$$

**F1-Score-** a way to combine precision and recall metric in a single term. F1score is defined as harmonic mean of precision and recall.

$$F1score = \frac{2 * precision * recall}{precision + recall}$$

**ROC Curve-** Receiver Operating Characteristic(ROC) measures the performance of models by evaluating the trade-offs between sensitivity (true positive rate) and false (1-specificity) or false positive rate.

**AUC -** The area under curve (AUC) is another measure for classification models is based on ROC. It is the measure of accuracy judged by the area under the curve for ROC.




Figure 4 ROC Curve

### Pros and cons of Linear Regression:

**Pros-** Logistic regression classification model is simple and easily scalable for multiple classes.

**Cons-** Classifier constructs linear boundaries and the interpretation of coefficients value is difficult.

\*\*\*\*\*