STAT 1

-
-
- **Problem Statement 1:**
- **You survey households in your area to find the average rent they are paying. Find the**
- **standard deviation from the following data:**
- **$1550, $1700, $900, $850, $1000, $950.**



N = no of observations

X = data points

$\bar{X}$ = mean

- Mean ($\bar{X}$)

  (1550+1700+900+850+1000+950) / 6 = **1158.33**
- Variance –

X	$X - \bar{X}$	$\sum (x - \bar{x})^2$
1550	392	153403
1700	542	293403
900	-258	66736
850	-308	95069
1000	-158	25069
950	-208	43403
1158.33		**677083.3**

Variance –

677083.3/(6-1) = **135416.7**

- Standard Deviation –

√135416.7= 367.99

Therefore, Standard Deviation is **367.99**

Find the variance for the following set of data representing trees in California (heights in feet):

3, 21, 98, 203, 17, 9

- Mean – (x1+x2+x3+x4+x5+x6)/n

(3+21+98+203+17+9) / 6 = **58.5**

- Variance –

3	-55.5	3080.25
21	-37.5	1406.25
98	39.5	1560.25
203	144.5	20880.25
17	-41.5	1722.25
9	-49.5	2450.25
58.5		**31099.5**

Variance –

31099.5/(6) = **5183.25**

Therefore, Variance is **5183.25**

In a class on 100 students, 80 students passed in all subjects, 10 failed in one subject, 7 failed in two subjects and 3 failed in three subjects. Find the probability distribution of the variable for number of subjects a student from the given class has failed in.

- The probability of getting failed in 0 subjects, P(X=0) =80/100 =0.8
  The probability of getting failed in 1 subjects, P(X=1) =10/100 = 0.1
  The probability of getting failed in 2 subjects, P(X=2) =7/100 = 0.07
  The probability of getting failed in 3 subjects, P(X=3) = 3/100 = 0.03
  The probability distribution can be shown as:

X	0	1	2	3
P(X)	0.8	0.1	0.07	0.03