




DEPARTMENT OF ELECTRONICS AND COMMUNICATION ENGINEERING

Block diagram:



Methodology:

An RC Car is a battery powered automatic car that can be controlled from a specific distance using a specialized remote or a mobile application using a mobile phone. IoT is connecting computers with smart objects, including semi and fully automatic robots. One can control the robot with the help of mobile or laptop through IoT and also can get the live streaming of video, can avoid accident using ultrasonic and distance sensors. It can shut down the vehicle's fuel system by simply clicking a button in the web user interface. Using an automation car can malfunction but RC robotic car will be controlled by humans to avoid malfunctions. The detection of obstacles and its avoidance is considered to be the most important issue in designing of mobile robots. This technology is used to provide senses to the robots with which they traverse in the unknown environment without creating damage to themselves. In this there is a robotic car that is based on the Arduino Uno (microcontroller) and consists of sensors that detect presence of obstacles. The Arduino board is chosen as the platform and the programming is done by using Arduino software. The sensor i.e. ultrasonic is highly accurate in detecting obstacles in the surrounding.



Srishyls Educational Trust (R), Bheemasamudra




GM INSTITUTE OF TECHNOLOGY, DAVANGERE

Approved by AICTE | Affiliated by V.T.U Belagavi | Recognized by Govt. of Karnataka



DEPARTMENT OF ELECTRONICS AND COMMUNICATION ENGINEERING

Output:





DEPARTMENT OF ELECTRONICS AND COMMUNICATION ENGINEERING

