

Naga Tejaswitha
192371057
Internet Programming - CSA4302

LAB PROGRAMS

11)PROGRAM

```
<!DOCTYPE
```

```
html> <html
```

```
lang="en">
```

```
<head>  
<meta charset="UTF-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<title>Home Finder - Real Estate Platform</title>
```

```
<style>
```

```
* {
```

```
margin: 0;
```

```
padding: 0;
```

```
box-sizing: border-box; font-
```

```
family: Arial, sans-serif;
```

```
}
```

```
body {
```

```
background: #f5f7fa;
```

```
color: #333;
```

```
}
```

```
/* Header */
```

```
header{  
  background: #12355b;  
  color: white;  
  padding: 18px 7%;  
  display: flex;  
  justify-content: space-between;  
  align-items: center;  
  position: sticky;  
  top: 0;  
  z-index: 1000;  
}
```

```
.logo {  
  font-size: 28px;  
  font-weight: bold;  
}
```

```
.logo span {  
  color: #ffb703;  
}
```

```
nav a {  
  color: white;  
  text-decoration: none;  
  margin-left: 25px;  
  font-size: 16px;  
}
```

```
nav a:hover {  
  color: #ffb703;  
}
```

```
/* Hero */
```

```
.hero {  
  min-height: 430px;  
  background: linear-gradient(  
    rgba(18, 53, 91, 0.8),  
    rgba(18, 53, 91, 0.8)  
  ),  
  url("https://images.unsplash.com/photo-1560518883-ce09059eeffa")  
  center/cover;  
  
  display: flex;  
  align-items: center;  
  justify-content: center;  
  text-align: center;  
  color: white;  
  padding: 40px 20px;  
}
```

```
.hero-content h1 {  
  font-size: 48px;  
  margin-bottom: 15px;  
}
```

```
.hero-content p {  
  font-size: 20px;  
  margin-bottom: 30px;  
}
```

```
/* Search Box */
```

```
.search-box {
```

```
background: white;
padding: 20px;
border-radius: 12px;
display: flex;
flex-wrap: wrap;
gap: 10px;
max-width: 1000px;
margin: auto;
box-shadow: 0 5px 20px rgba(0,0,0,0.3);
}
```

```
.search-box input,
.search-box select {
  padding: 14px;
  border: 1px solid #ddd;
  border-radius: 6px;
  flex: 1;
  min-width: 150px;
}
```

```
button {
  background: #ffb703;
  color: #222;
  border: none;
  padding: 14px 25px;
  border-radius: 6px;
  cursor: pointer;
  font-weight: bold;
}
```

```
button:hover {
```

```
background: #fb8500;
color: white;
}
```

```
/* Sections */
```

```
section {
    padding: 60px 7%;
}
```

```
.section-title {
    text-align: center;
    margin-bottom: 35px;
}
```

```
.section-title h2 {
    color: #12355b;
    font-size: 32px;
}
```

```
.section-title p {
    margin-top: 10px;
    color: #666;
}
```

```
/* Properties */
```

```
.property-grid {
    display: grid;
    grid-template-columns: repeat(auto-fit, minmax(280px, 1fr));
    gap: 25px;
}
```

```
.property-card {  
  background: white;  
  border-radius: 12px;  
  overflow: hidden;  
  box-shadow: 0 4px 15px rgba(0,0,0,0.1);  
  transition: 0.3s;  
}
```

```
.property-card:hover {  
  transform: translateY(-5px);  
}
```

```
.property-card img {  
  width: 100%;  
  height: 210px;  
  object-fit: cover;  
}
```

```
.property-info {  
  padding: 20px;  
}
```

```
.property-info h3 {  
  color: #12355b;  
  margin-bottom: 10px;  
}
```

```
.price {  
  color: #e63946;  
  font-size: 20px;  
  font-weight: bold;
```

```
    margin: 10px 0;
}
```

```
.property-info p {
    margin: 7px 0;
    color: #666;
}
```

```
.card-buttons {
    display: flex;
    gap: 10px;
    margin-top: 15px;
}
```

```
.card-buttons button {
    flex: 1;
}
```

```
.favorite {
    background: #12355b;
    color: white;
}
```

```
/* Features */
```

```
.features {
    background: white;
}
```

```
.feature-grid {
    display: grid;
    grid-template-columns: repeat(auto-fit, minmax(220px, 1fr));
}
```

```
    gap: 25px;
}
```

```
.feature-card {
    padding: 30px;
    text-align: center;
    border-radius: 10px;
    background: #f5f7fa;
    border: 1px solid #eee;
}
```

```
.feature-card .icon {
    font-size: 40px;
    margin-bottom: 15px;
}
```

```
.feature-card h3 {
    color: #12355b;
    margin-bottom: 10px;
}
```

```
/* Login */
.login-section {
    background: #12355b;
    color: white;
}
```

```
.login-box {
    max-width: 450px;
    margin: auto;
    background: white;
```



```
    color: #333;  
    padding: 30px;  
    border-radius: 12px;  
}
```

```
.login-box h2 {  
    text-align: center;  
    color: #12355b;  
    margin-bottom: 20px;  
}
```

```
.login-box input {  
    width: 100%;  
    padding: 14px;  
    margin: 8px 0;  
    border: 1px solid #ddd;  
    border-radius: 6px;  
}
```

```
.login-box button {  
    width: 100%;  
    margin-top: 15px;  
}
```

```
/* Agents */
```

```
.agent-grid {  
    display: grid;  
    grid-template-columns: repeat(auto-fit, minmax(250px, 1fr));  
    gap: 25px;  
}
```

```
.agent-card {  
    background: white;  
    padding: 25px;  
    text-align: center;  
    border-radius: 10px;  
    box-shadow: 0 3px 15px rgba(0,0,0,0.1);  
}
```

```
.agent-card img {  
    width: 100px;  
    height: 100px;  
    border-radius: 50%;  
    object-fit: cover;  
}
```

```
.agent-card h3 {  
    margin: 15px 0 5px;  
    color: #12355b;  
}
```

```
/* Map */
```

```
.map-section {  
    background: white;  
}
```

```
.map {  
    width: 100%;  
    height: 400px;  
    border: 0;  
    border-radius: 10px;  
}
```

```
/* Advertisement */
```

```
.advertisement {  
    background: #ffb703;  
    padding: 30px;  
    text-align: center;  
    border-radius: 10px;  
}
```

```
.advertisement h2 {  
    margin-bottom: 10px;  
}
```

```
/* Customer Records */
```

```
.records {  
    background: white;  
}
```

```
table {  
    width: 100%;  
    border-collapse: collapse;  
    background: white;  
}
```

```
th, td {  
    padding: 15px;  
    border: 1px solid #ddd;  
    text-align: left;  
}
```

```
th {
```

```
background: #12355b;
color: white;
}
```

```
/* Footer */
```

```
footer {
  background: #0b2239;
  color: white;
  text-align: center;
  padding: 30px;
}
```

```
footer p {
  margin: 8px;
}
```

```
/* Responsive */
```

```
@media (max-width: 768px) {
```

```
  header {
    flex-direction: column;
    gap: 15px;
  }
```

```
  nav a {
    margin: 5px;
    font-size: 14px;
  }
```

```
  .hero-content h1 {
    font-size: 35px;
```

```
}

.search-box {
  flex-direction: column;
}

.search-box input,
.search-box select,
.search-box button {
  width: 100%;
}

table {
  font-size: 12px;
}
}
</style>
</head>

<body>

<!-- HEADER -->
<header>

<div class="logo">
  Home<span>Finder</span>
</div>

<nav>
  <a href="#home">Home</a>
  <a href="#properties">Properties</a>
```

```
<a href="#agents">Agents</a>
<a href="#login">Login</a>
<a href="#contact">Contact</a>
```

```
</nav>
```

```
</header>
```

```
<!-- HERO -->
```

```
<section class="hero" id="home">
```

```
<div class="hero-content">
```

```
<h1>Find Your Dream Home</h1>
```

```
<p>
```

```
    Search and discover houses, lands and commercial properties
    within your budget.
```

```
</p>
```

```
<!-- SEARCH -->
```

```
<div class="search-box">
```

```
    <input
```

```
        type="text"
```

```
        id="location"
```

```
        placeholder="Enter location"
```

```
    >
```

```
    <input
```

```
        type="number"
```

```
id="maxPrice"
placeholder="Maximum Price"
>
```

```
<select id="propertyType">
```

```
<option value="">Property Type</option>
```

```
<option value="House">
```

```
House
```

```
</option>
```

```
<option value="Land">
```

```
Land
```

```
</option>
```

```
<option value="Apartment">
```

```
Apartment
```

```
</option>
```

```
<option value="Commercial">
```

```
Commercial
```

```
</option>
```

```
</select>
```

```
<select id="amenity">
```

```
<option value="">Amenities</option>
```

```
<option value="Parking">
```

Parking
</option>

<option value="Swimming Pool">
Swimming Pool
</option>

<option value="Garden">
Garden
</option>

</select>

<button onclick="searchProperties()">
Search
</button>

<button onclick="saveSearch()">
Save Search
</button>

</div>

</div>

</section>

<!-- FEATURES -->

<section class="features">

<div class="section-title">

<h2>Why Choose Home Finder?</h2>

<p>

Everything you need to find the perfect property.

</p>

</div>

<div class="feature-grid">

<div class="feature-card">

<div class="icon">  </div>

<h3>Property Search</h3>

<p>

Search residential, commercial and land properties.

</p>

</div>

<div class="feature-card">

<div class="icon">  </div>

<h3>Advanced Filters</h3>

<p>

Filter properties by location, price and amenities.

</p>

</div>

<div class="feature-card">

<div class="icon">  </div>

<h3>Save Favorites</h3>

<p>

Save your favorite properties for future reference.

</p>

</div>

<div class="feature-card">

<div class="icon">  </div>

<h3>Interactive Map</h3>

<p>

Locate properties and explore nearby areas.

</p>

</div>

</div>

</section>

<!-- PROPERTIES -->

<section id="properties">

<div class="section-title">

<h2>Featured Properties</h2>

<p>

Explore some of our latest property listings.

</p>

</div>

<div class="property-grid" id="propertyGrid">

<!-- PROPERTY 1 -->

<div class="property-card"

data-location="Hyderabad"

data-price="7500000"

data-type="House">

<div class="property-info">

<h3>Modern Family House</h3>

<p> 📍 Hyderabad, Telangana</p>

<p> 🛏️ 3 Bedrooms | 🚿 2 Bathrooms</p>

<p> 🏠 2,000 Sq. Ft.</p>

<div class="price">

₹75,00,000

</div>

<div class="card-buttons">

<button onclick="viewProperty('Modern Family House')">

View Details

</button>

<button

class="favorite"

onclick="addFavorite('Modern Family House')">



</button>

</div>

</div>

</div>

<!-- PROPERTY 2 -->

<div class="property-card"
 data-location="Bangalore"
 data-price="4500000"
 data-type="Apartment">

<div class="property-info">

<h3>Luxury Apartment</h3>

<p> 📍 Bangalore, Karnataka</p>

<p> 🛏️ 2 Bedrooms | 🚿 2 Bathrooms</p>

<p> 📏 1,200 Sq. Ft.</p>

<div class="price">
 ₹45,00,000
</div>

```
<div class="card-buttons">
```

```
  <button onclick="viewProperty('Luxury Apartment')">
```

```
    View Details
```

```
  </button>
```

```
  <button
```

```
    class="favorite"
```

```
    onclick="addFavorite('Luxury Apartment')">
```



```
  </button>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- PROPERTY 3 -->
```

```
<div class="property-card"
```

```
  data-location="Vijayawada"
```

```
  data-price="2500000"
```

```
  data-type="Land">
```

```

```

```
<div class="property-info">
```

```
  <h3>Residential Land</h3>
```

```
  <p>📍 Vijayawada, Andhra Pradesh</p>
```

```
  <p>🏠 2,400 Sq. Ft.</p>
```

```
  <div class="price">
```

```
    ₹25,00,000
```

```
  </div>
```

```
  <div class="card-buttons">
```

```
    <button onclick="viewProperty('Residential Land')">
```

```
      View Details
```

```
    </button>
```

```
    <button
```

```
      class="favorite"
```

```
      onclick="addFavorite('Residential Land')">
```

```
      ❤️
```

```
    </button>
```

```
  </div>
```

```
</div>
```

```
</div>
```

```
</div>
```

</section>

<!-- MAP -->

<section class="map-section">

<div class="section-title">

<h2>Find Properties on Map</h2>

<p>

Explore property locations and nearby areas.

</p>

</div>

<iframe

class="map"

src="https://www.google.com/maps?q=Hyderabad,India&output=embed">

</iframe>

</section>

<!-- AGENTS -->

<section id="agents">

<div class="section-title">

<h2>Real Estate Agents</h2>

<p>

Contact trusted agents and property companies.

</p>

</div>

<div class="agent-grid">

<div class="agent-card">

<h3>Rahul Kumar</h3>

<p>Hyderabad Properties</p>

<p>☎ +91 98765 43210</p>

<button onclick="contactAgent('Rahul Kumar')">

Contact Agent

</button>

</div>

```
<div class="agent-card">
```

```

```

```
<h3>Priya Sharma</h3>
```

```
<p>South India Realty</p>
```

```
<p>📞 +91 98765 12345</p>
```

```
<br>
```

```
<button onclick="contactAgent('Priya Sharma')">
```

```
  Contact Agent
```

```
</button>
```

```
</div>
```

```
<div class="agent-card">
```

```

```

```
<h3>Arjun Reddy</h3>
```

<p>Premium Land Developers</p>

<p>📞 +91 99887 66554</p>

<button onclick="contactAgent('Arjun Reddy')">

Contact Agent

</button>

</div>

</div>

</section>

<!-- ADVERTISEMENT -->

<section>

<div class="advertisement">

<h2>🏠 Advertise Your Property With Us</h2>

<p>

Reach thousands of buyers and renters looking for their dream property.

</p>


```
<button onclick="advertise()">
```

```
    Add Your Advertisement
```

```
</button>
```

```
</div>
```

```
</section>
```

```
<!-- LOGIN -->
```

```
<section class="login-section" id="login">
```

```
<div class="login-box">
```

```
<h2>Buyer Login</h2>
```

```
<form onsubmit="login(event)">
```

```
<input
```

```
    type="text"
```

```
    id="username"
```

```
    placeholder="Username"
```

```
    required
```

```
>
```

```
<input
```

```
    type="password"
```

```
    id="password"
```

```
    placeholder="Password"
```

```
    required
```

```
>
```

```
<button type="submit">
```

```
    Login
```

```
</button>
```

```
</form>
```

```
<p id="loginMessage"
```

```
    style="text-align:center;margin-top:15px;">
```

```
</p>
```

```
</div>
```

```
</section>
```

```
<!-- CUSTOMER RECORDS -->
```

```
<section class="records">
```

```
<div class="section-title">
```

```
<h2>Customer Visit Records</h2>
```

```
<p>
```

```
    Maintain records of customers visiting the website.
```

```
</p>
```

```
</div>
```

```
<table>
```

<thead>

<tr>

<th>Customer</th>

<th>Property</th>

<th>Date</th>

<th>Status</th>

</tr>

</thead>

<tbody id="customerTable">

<tr>

<td>Demo Customer</td>

<td>Modern Family House</td>

<td>31 July 2026</td>

<td>Viewed</td>

</tr>

</tbody>

</table>

</section>

<!-- FOOTER -->

<footer id="contact">

<h2>Home Finder</h2>

<p>

Your trusted platform for finding homes, lands and commercial properties.

</p>

<p>

Email: support@homefinder.com

</p>

<p>

Phone: +91 98765 43210

</p>

<p>

© 2026 Home Finder. All Rights Reserved.

</p>

</footer>

```
<!-- JAVASCRIPT -->
```

```
<script>
```

```
// Search Properties
```

```
function searchProperties() {
```

```
    let location =
```

```
        document.getElementById("location").value.toLowerCase();
```

```
    let maxPrice =
```

```
        document.getElementById("maxPrice").value;
```

```
    let type =
```

```
        document.getElementById("propertyType").value;
```

```
    let cards =
```

```
        document.querySelectorAll(".property-card");
```

```
    let found = false;
```

```
    cards.forEach(function(card) {
```

```
        let cardLocation =
```

```
            card.dataset.location.toLowerCase();
```

```
        let cardPrice =
```

```
            Number(card.dataset.price);
```

```
        let cardType =
```

```
            card.dataset.type;
```



```
let locationMatch =  
    location === "" ||  
    cardLocation.includes(location);  
  
let priceMatch =  
    maxPrice === "" ||  
    cardPrice <= Number(maxPrice);  
  
let typeMatch =  
    type === "" ||  
    cardType === type;  
  
if (locationMatch && priceMatch && typeMatch) {  
  
    card.style.display = "block";  
  
    found = true;  
  
} else {  
  
    card.style.display = "none";  
  
}  
  
});  
  
if (!found) {  
  
    alert(  
        "No properties found matching your search criteria."  
    );  
}
```

```
}
```

```
}
```

```
// Save Search Criteria
```

```
function saveSearch() {
```

```
    let searchData = {
```

```
        location:
```

```
        document.getElementById("location").value,
```

```
        maxPrice:
```

```
        document.getElementById("maxPrice").value,
```

```
        propertyType:
```

```
        document.getElementById("propertyType").value,
```

```
        amenity:
```

```
        document.getElementById("amenity").value
```

```
    };
```

```
    localStorage.setItem(
```

```
        "savedSearch",
```

```
        JSON.stringify(searchData)
```

```
    );
```

```
    alert(
```

```
        "Your search criteria have been saved successfully!"
    );

}
```

```
// Login
function login(event) {

    event.preventDefault();

    let username =
        document.getElementById("username").value;

    let password =
        document.getElementById("password").value;

    localStorage.setItem(
        "username",
        username
    );

    localStorage.setItem(
        "password",
        password
    );

    document.getElementById(
        "loginMessage"
    ).innerHTML =
        "Login successful! Welcome, " +
```

```
        username + ".";

    }

// Add Favorite
function addFavorite(property) {

    let favorites =

        JSON.parse(

            localStorage.getItem("favorites")

        ) || [];

    if (!favorites.includes(property)) {

        favorites.push(property);

        localStorage.setItem(

            "favorites",

            JSON.stringify(favorites)

        );

        alert(

            property +

            " added to your favorites!"

        );

    } else {

        alert(

            property +
```

```
        " is already in your favorites."
    );

}

}

// View Property
function viewProperty(property) {

    alert(
        "You selected: " +
        property +
        "\n\nProperty details will be displayed here."
    );

}

// Contact Agent
function contactAgent(agent) {

    alert(
        "You are contacting " +
        agent +
        ".\n\nThe agent will contact you shortly."
    );

}
```

```
// Advertisement  
function advertise() {  
  
    alert(  
        "Advertisement request submitted successfully!"  
    );  
  
}
```

```
// Record customer visit  
window.onload = function() {  
  
    let username =  
        localStorage.getItem("username");  
  
    if (username) {  
  
        let table =  
            document.getElementById(  
                "customerTable"  
            );  
  
        let row =  
            table.insertRow();  
  
        row.insertCell(0).innerHTML =  
            username;  
  
        row.insertCell(1).innerHTML =
```

"Home Finder Website";

```
row.insertCell(2).innerHTML =  
    new Date().toLocaleDateString();
```

```
row.insertCell(3).innerHTML =  
    "Visited";
```

}

$$\};$$

</script>

</body>

</html>

OUTPUT:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">


  <title>Home Finder - Real Estate Platform</title>

  <style>
    * {
      margin: 0;
      padding: 0;
      box-sizing: border-box;
      font-family: Arial, sans-serif;
    }

    body {
      background: #f5f7fa;
      color: #333;
    }

    /* Header */
    header {
      background: #12355b;
      color: white;
      padding: 18px 7%;
      display: flex;
      justify-content: space-between;
      align-items: center;
      position: sticky;
      top: 0;

```



12)PROGRAM

```
<!DOCTYPE html>
```

<html>

<head>

```
<title>InsureEasy</title>
```

```
<style>
```

```
  body{  
    font-family: Arial;  
    margin: 0;  
    background: #f2f6f8;  
  }
```

```
  header {  
    background: #073b4c;  
    color: white;  
    padding: 20px;  
    text-align: center;  
  }
```

```
  nav {  
    background: #06a77d;  
    padding: 12px;  
    text-align: center;  
  }
```

```
  nav a {  
    color: white;  
    margin: 15px;  
    text-decoration: none;  
  }
```

```
  section {  
    padding: 30px;  
    text-align: center;
```



```
}
```

```
.box {  
  background: white;  
  padding: 20px;  
  margin: 15px auto;  
  max-width: 500px;  
  border-radius: 10px;  
}
```

```
input, select, button {  
  padding: 10px;  
  margin: 7px;  
}
```

```
button {  
  background: #06a77d;  
  color: white;  
  border: none;  
  cursor: pointer;  
}
```

```
footer {  
  background: #073b4c;  
  color: white;  
  padding: 20px;  
  text-align: center;  
}
```

```
</style>
```

```
</head>
```

<body>

<header>

<h1>InsureEasy</h1>

<p>Online Insurance Management System</p>

</header>

<nav>

Home

Policies

Login

Admin

Agent

User

</nav>

<section id="home">

<h2>Welcome to InsureEasy</h2>

<p>Compare, purchase and manage your insurance policies easily.</p>

<button onclick="alert('Welcome to InsureEasy!')">

Get Started

</button>

</section>

<section id="policies">

<h2>Insurance Policies</h2>

<div class="box">

<h3>Health Insurance</h3>

<p>Premium: ₹12,000 / Year</p>

```
<button>Apply Now</button>
</div>
```

```
<div class="box">
  <h3>Auto Insurance</h3>
  <p>Premium: ₹8,000 / Year</p>
  <button>Apply Now</button>
</div>
```

```
<div class="box">
  <h3>Home Insurance</h3>
  <p>Premium: ₹15,000 / Year</p>
  <button>Apply Now</button>
</div>
</section>
```

```
<section id="login">
  <h2>User Login</h2>

  <div class="box">
    <input type="text" placeholder="Username">
    <input type="password" placeholder="Password">
    <button onclick="login()">Login</button>
  </div>
</section>
```

```
<section id="admin">
  <h2>Admin</h2>

  <div class="box">
    <p>✓ Approve Agent Login</p>
```

```
<p>✓ View Agent Details</p>
<button onclick="alert('Agent Approved')">
  Approve Agent
</button>
</div>
</section>
```

```
<section id="agent">
  <h2>Agent</h2>
```

```
<div class="box">
  <p>✓ Register</p>
  <p>✓ Create Customer</p>
  <p>✓ Manage Customer Details</p>
  <p>✓ Manage Policy Details</p>

  <button onclick="alert('Customer Created')">
    Create Customer
  </button>
</div>
</section>
```

```
<section id="user">
  <h2>User Dashboard</h2>
```

```
<div class="box">
  <p>✓ Manage Policy Details</p>
  <p>✓ View Premium</p>
  <p>✓ Receive SMS Alerts</p>
```

```

        <button onclick="alert('SMS Alert Sent')">
            Send SMS Alert
        </button>
    </div>
</section>

<footer>
    <p>© 2026 InsureEasy | Online Insurance Management System</p>
</footer>

<script>
    function login() {
        alert("Login Successful!");
    }
</script>

</body>
</html>


```

OUTPUT:

```

1  <!DOCTYPE html>
2  <html>
3  <head>
4      <title>InsureEasy</title>
5
6  <style>
7      body {
8          font-family: Arial;
9          margin: 0;
10         background: #f2f6f8;
11     }
12
13     header {
14         background: #073b4c;
15         color: white;
16         padding: 20px;
17         text-align: center;
18     }
19
20     nav {
21         background: #06a77d;
22         padding: 12px;
23         text-align: center;
24     }
25
26     nav a {
27         color: white;
28         margin: 15px;
29         text-decoration: none;
30     }
31

```



13)PROGRAM

```
<!DOCTYPE html>
```

```
<html>

<head>

  <title>BlossomGifts</title>


<style>

  body{

    font-family: Arial;

    margin: 0;

    background: #fff5f7;

  }


  header{

    background: #d6336c;

    color: white;

    text-align: center;

    padding: 20px;

  }


  nav{

    background: #ff8fab;

    padding: 12px;

    text-align: center;

  }


  nav a {

    color: white;

    margin: 15px;

    text-decoration: none;

  }


  section {
```

```
padding: 25px;
text-align: center;
}
```

```
.box {
  background: white;
  display: inline-block;
  width: 220px;
  padding: 20px;
  margin: 10px;
  border-radius: 10px;
  box-shadow: 0 2px 8px #ccc;
}
```

```
button {
  background: #d6336c;
  color: white;
  border: none;
  padding: 10px 20px;
  cursor: pointer;
}
```

```
footer {
  background: #d6336c;
  color: white;
  text-align: center;
  padding: 20px;
}
```

```
</style>
</head>
```

<body>

<header>

<h1> 🌸 BlossomGifts</h1>

<p>Flowers and Gifts for Every Occasion</p>

</header>

<nav>

Home

Categories

Products

Cart

Login

</nav>

<section id="home">

<h2>Welcome to BlossomGifts</h2>

<p>Send beautiful flowers and thoughtful gifts to your loved ones.</p>

<button onclick="alert('Welcome to BlossomGifts!')">

Shop Now

</button>

</section>

<section id="categories">

<h2>Categories</h2>

<div class="box">

<h3> 🌹 Flowers</h3>

<p>Roses, Lilies, Bouquets</p>

</div>


```
<div class="box">
```

```
  <h3>🎁 Gifts</h3>
```

```
  <p>Gift Baskets and Personalized Gifts</p>
```

```
</div>
```

```
<div class="box">
```

```
  <h3>🎂 Occasions</h3>
```

```
  <p>Birthday, Anniversary, Wedding</p>
```

```
</div>
```

```
</section>
```

```
<section id="products">
```

```
  <h2>Popular Products</h2>
```

```
  <div class="box">
```

```
    <h3>Rose Bouquet</h3>
```

```
    <p>Price: ₹999</p>
```

```
    <button onclick="addCart('Rose Bouquet')">
```

```
      Add to Cart
```

```
    </button>
```

```
  </div>
```

```
  <div class="box">
```

```
    <h3>Gift Basket</h3>
```

```
    <p>Price: ₹1499</p>
```

```
    <button onclick="addCart('Gift Basket')">
```

```
      Add to Cart
```

```
    </button>
```

```
  </div>
```

```
<div class="box">
```

```
<h3>Birthday Gift</h3>

<p>Price: ₹799</p>

<button onclick="addCart('Birthday Gift')">
    Add to Cart
</button>
</div>
</section>

<section id="cart">
    <h2>Shopping Cart</h2>
    <p id="cartItems">Your cart is empty.</p>

    <button onclick="checkout()">
        Checkout
    </button>
</section>

<section id="login">
    <h2>Customer Login</h2>

    <input type="text" placeholder="Username">
    <input type="password" placeholder="Password">

    <button onclick="login()">
        Login
    </button>
</section>

<section>
    <h2>Admin Panel</h2>
```

<p>✓ Add Items</p>

<p>✓ Remove Items</p>

<p>✓ Modify Item Prices</p>

<p>✓ Manage Inventory</p>

<p>✓ View Customer Information</p>

<p>✓ View Order Summary</p>

<button onclick="alert('Admin Panel Opened')">

Manage Website

</button>

</section>

<footer>

<p>© 2026 BlossomGifts</p>

<p>Flowers and Gifts Delivered With Love 🌸 </p>

</footer>

<script>

let cart = [];

function addCart(item) {

cart.push(item);

document.getElementById("cartItems").innerHTML =

cart.join("
");

alert(item + " added to cart!");

}

```
function checkout() {
    alert("Order placed successfully!");
}
```

```
function login() {
    alert("Login Successful!");
}
```


```
</script>
```

```
</body>
```

```
</html>
```

OUTPUT:

```
1 <!DOCTYPE html>
2 <html>
3 <head>
4     <title>BlossomGifts</title>
5
6     <style>
7         body {
8             font-family: Arial;
9             margin: 0;
10            background: #fff5f7;
11        }
12
13        header {
14            background: #d6336c;
15            color: white;
16            text-align: center;
17            padding: 20px;
18        }
19
20        nav {
21            background: #fff8fab;
22            padding: 12px;
23            text-align: center;
24        }
25
26        nav a {
27            color: white;
28            margin: 15px;
29            text-decoration: none;
30        }
31    </style>
32 </head>
33 <body>
```



14)PROGRAM

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>ReNewMarket</title>
```

```
<style>
```

```
body{
```

```
font-family: Arial;  
margin: 0;  
background: #f2f7f2;  
}
```

```
header {  
    background: #2e7d32;  
    color: white;  
    text-align: center;  
    padding: 20px;  
}
```

```
nav {  
    background: #66bb6a;  
    padding: 12px;  
    text-align: center;  
}
```

```
nav a {  
    color: white;  
    margin: 15px;  
    text-decoration: none;  
}
```

```
section {  
    padding: 25px;  
    text-align: center;  
}
```

```
.box {  
    background: white;
```

```
display: inline-block;

width: 220px;

padding: 20px;

margin: 10px;

border-radius: 10px;

box-shadow: 0 2px 8px #ccc;

}
```

```
button {

background: #2e7d32;

color: white;

border: none;

padding: 10px 20px;

margin: 5px;

cursor: pointer;

}
```

```
footer {

background: #2e7d32;

color: white;

text-align: center;

padding: 20px;

}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<header>
```

```
<h1>  ReNewMarket</h1>
```

```
<p>Buy and Sell Pre-Owned Products</p>
```

</header>

<nav>

Home

Categories

Products

Login

Admin

</nav>

<section id="home">

<h2>Welcome to ReNewMarket</h2>

<p>Buy and sell quality second-hand goods easily.</p>

<input type="text" placeholder="Search products">

<button onclick="search()">Search</button>

</section>

<section id="categories">

<h2>Categories</h2>

<div class="box">

<h3>📺 Electronics</h3>

<p>Mobiles, Laptops and TVs</p>

</div>

<div class="box">

<h3>🪑 Furniture</h3>

<p>Tables, Chairs and Sofas</p>

</div>

```
<div class="box">

  <h3>👕 Clothing</h3>

  <p>New and Used Clothes</p>

</div>

</section>
```

```
<section id="products">

  <h2>Available Products</h2>
```

```
  <div class="box">

    <h3>Used Laptop</h3>

    <p>Price: ₹25,000</p>

    <button onclick="buy('Used Laptop')">

      Buy Now

    </button>

  </div>
```

```
  <div class="box">

    <h3>Second-Hand Sofa</h3>

    <p>Price: ₹8,000</p>

    <button onclick="buy('Second-Hand Sofa')">

      Buy Now

    </button>

  </div>
```

```
  <div class="box">

    <h3>Used Mobile</h3>

    <p>Price: ₹12,000</p>

    <button onclick="buy('Used Mobile')">

      Buy Now

    </button>
```


</div>

</section>

<section id="login">

<h2>User Login</h2>

<input type="text" placeholder="Username">

<input type="password" placeholder="Password">

<button onclick="login()">Login</button>

</section>

<section id="admin">

<h2>Admin Management</h2>

<div class="box">

<h3>User Management</h3>

<p>✓ Add User</p>

<p>✓ Edit User</p>

<p>✓ Delete User</p>

</div>

<div class="box">

<h3>Category Management</h3>

<p>✓ Add Category</p>

<p>✓ Delete Category</p>

</div>

<div class="box">

<h3>Commodity Management</h3>

<p>✓ Edit Commodity</p>

<p>✓ Delete Commodity</p>

</div>

<div class="box">

<h3>Order Management</h3>

<p>✓ Shipped / Received</p>

<p>✓ Delete Order</p>

</div>

</section>

<footer>

<p>© 2026 ReNewMarket</p>

<p>♻️ Buy Used. Sell Smart. Save the Planet.</p>

</footer>

<script>

function login() {

 alert("Login Successful!");

}

function search() {

 alert("Searching for products...");

}

function buy(item) {

 alert(item + " order placed successfully!");


}

</script>

</body>

</html>

OUTPUT:



15)PROGRAM

<!DOCTYPE html>

<html>

<head>

<title>EasyToll</title>

<style>

body{

font-family: Arial;

margin: 0;

background: #f2f5f7;

}

header{

background: #1565c0;

color: white;

text-align: center;

padding: 20px;

```
}
```

```
nav{  
    background: #42a5f5;  
    padding: 12px;  
    text-align: center;  
}
```

```
nav a {  
    color: white;  
    margin: 15px;  
    text-decoration: none;  
}
```

```
section {  
    padding: 25px;  
    text-align: center;  
}
```

```
.box {  
    background: white;  
    display: inline-block;  
    width: 220px;  
    padding: 20px;  
    margin: 10px;  
    border-radius: 10px;  
    box-shadow: 0 2px 8px #ccc;  
}
```

```
input, button {  
    padding: 10px;
```

```
margin: 5px;
}
```

```
button {
    background: #1565c0;
    color: white;
    border: none;
    cursor: pointer;
}
```

```
footer {
    background: #1565c0;
    color: white;
    text-align: center;
    padding: 20px;
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<header>
```

```
<h1> 🚗 EasyToll</h1>
```

```
<p>Easy Online Toll Payment System</p>
```

```
</header>
```

```
<nav>
```

```
<a href="#home">Home</a>
```

```
<a href="#user">User</a>
```

```
<a href="#admin">Admin</a>
```

```
<a href="#toll">Toll Gate</a>
```

```
<a href="#login">Login</a>
</nav>
```

```
<section id="home">
  <h2>Welcome to EasyToll</h2>
  <p>Pay your toll in advance and travel without waiting.</p>

  <button onclick="alert('Welcome to EasyToll!')">
    Get Started
  </button>
</section>
```

```
<section id="login">
  <h2>User Login</h2>

  <div class="box">
    <input type="text" placeholder="Username">
    <input type="password" placeholder="Password">

    <button onclick="login()">
      Login
    </button>

    <button onclick="register()">
      Register
    </button>
  </div>
</section>
```

```
<section id="user">
  <h2>User Services</h2>
```

```
<div class="box">

  <h3>💰 e-Wallet</h3>

  <button onclick="addMoney()">

    Add Money

  </button>

</div>
```

```
<div class="box">

  <h3>🎫 Toll Ticket</h3>

  <button onclick="buyTicket()">

    Buy Toll Ticket

  </button>

</div>
```

```
<div class="box">

  <h3>📄 Toll Pass</h3>

  <button onclick="applyPass()">

    Apply Toll Pass

  </button>

</div>
```

```
<div class="box">

  <h3>🔄 Renewal</h3>

  <button onclick="renewPass()">

    Renew Toll Pass

  </button>

</div>
```

```
<div class="box">

  <h3>📱 QR Code</h3>
```

```
<button onclick="getQR()">
  Get QR Code
</button>
</div>
</section>

<section id="admin">
  <h2>Admin Panel</h2>

  <div class="box">
    <h3>Admin Management</h3>

    <p>✓ Manage User & Toll Pass</p>
    <p>✓ Manage Toll Login</p>
    <p>✓ Approve Toll Pass</p>
    <p>✓ Generate QR Code</p>
    <p>✓ Create Toll Details</p>

    <button onclick="alert('Admin Panel Opened')">
      Manage
    </button>
  </div>
</section>

<section id="toll">
  <h2>Toll Gate User</h2>

  <div class="box">
    <h3>Scan QR</h3>

    <input type="text">
```


placeholder="Enter Toll Pass ID">

<button onclick="verifyPass()">

Verify Toll Pass

</button>

<p>✓ Verify Toll Pass ID</p>

<p>✓ Verify Toll Ticket</p>

<p>✓ Update Toll Location</p>

</div>

</section>

<footer>

<p>© 2026 EasyToll</p>

<p> 🚗 Fast, Secure and Easy Toll Payments</p>

</footer>

<script>

function login() {

 alert("Login Successful!");

}

function register() {

 alert("Registration Successful!");

}

function addMoney() {

 alert("Money added to e-Wallet!");

}

```
function buyTicket() {  
    alert("Toll Ticket Purchased!");  
}
```

```
function applyPass() {  
    alert("Toll Pass Application Submitted!");  
}
```

```
function renewPass() {  
    alert("Toll Pass Renewed!");  
}
```

```
function getQR() {  
    alert("QR Code Generated!");  
}
```

```
function verifyPass() {  
    alert("Toll Pass Verified Successfully!");  
}
```

```
</script>
```

```
</body>
```

```
</html>
```

OUTPUT:

```
5 function register() {
7   | alert("Registration Successful!");
8 }
9
10 function addMoney() {
11   | alert("Money added to e-Wallet!");
12 }
13
14 function buyTicket() {
15   | alert("Toll Ticket Purchased!");
16 }
17
18 function applyPass() {
19   | alert("Toll Pass Application Submitted!");
20 }
21
22 function renewPass() {
23   | alert("Toll Pass Renewed!");
24 }
25
26 function getQR() {
27   | alert("QR Code Generated!");
28 }
29
30 function verifyPass() {
31   | alert("Toll Pass Verified Successfully!");
32 }
33
34 </script>
35 </body>
```

 **EasyToll**

Easy Online Toll Payment System

[Home](#) [User](#) [Admin](#) [Toll Gate](#) [Login](#)

Welcome to EasyToll

Pay your toll in advance and travel without waiting.

[Get Started](#)

User Login