

Naga Tejaswitha
192371057
CSA4302 - INTERNET PROGRAMING

‘
‘

```
36)
<!DOCTYPE html>
<html>
<head>
<title>BookHaven</title>

<style>
body {
    margin: 0;
    font-family: Arial;
    background: #f5f0e8;
}

header {
    background:
    #4b2e2e; color:
    white;
    text-align: center;
} padding: 25px;

nav {
    background:
    #222; padding:
    15px; text-align:
    center;

nav a {
    color: white;
    text-decoration:
    none; margin: 20px;
}
```

```
.hero {
  text-align: center;
  padding: 50px;
  background: #ead8c0;
}

.search {
  width: 60%;
  padding: 12px;
  border-radius: 20px;
  border: 1px solid gray;
}

.books {
  display: flex;
  justify-content: center;
  gap: 25px;
  padding: 30px;
}

.book {
  background: white;
  width: 200px;
  padding: 20px;
  text-align: center;
  border-radius: 10px;
  box-shadow: 0 3px 10px gray;
}

.book img {
  width: 150px;
  height: 200px;
  object-fit: cover;
}

button {
  background: #4b2e2e;
  color: white;
  padding: 10px 20px;
  border: none;
  border-radius: 5px;
}

section {
  padding: 30px;
  text-align: center;
}
```

```

        footer {
            background: #222;
            color: white;
            text-align: center;
            padding: 20px;
        }
    </style>
</head>

<body>

<header>
    <h1>📖 BookHaven</h1>
    <p>Your Online Bookstore</p>
</header>

<nav>
    <a href="#">Home</a>
    <a href="#about">About</a>
    <a href="#catalog">Catalog</a>
    <a href="#contact">Contact</a>
    <a href="#faq">FAQs</a>
</nav>

<div class="hero">
    <h1>Discover Your Next Great Book</h1>
    <input class="search" type="text" placeholder="Search books...">
</div>

<section>
    <h2>Featured Books</h2>

    <div class="books">

        <div class="book">
            
            <h3>The Great Adventure</h3>
            <p>By John Smith</p>
            <p>₹499</p>
            <button>Add to Cart</button>
        </div>

        <div class="book">
            
            <h3>Learning Python</h3>
            <p>By David Brown</p>
            <p>₹699</p>
            <button>Add to Cart</button>
        </div>
    </div>

```

</div>

```
<div class="book">
  
  <h3>Modern Fiction</h3>
  <p>By Sarah Lee</p>
  <p>₹399</p>
  <button>Add to Cart</button>
</div>
```

</div>

</section>

```
<section id="about">
  <h2>About Us</h2>
  <p>BookHaven provides quality books for students and book lovers.</p>
</section>
```

```
<section id="catalog">
  <h2>Categories</h2>
  <p>Fiction | Non-Fiction | Academic | Science | Technology</p>
</section>
```


```
<section id="contact">
  <h2>Contact Us</h2>
  <p>Email: bookhaven@gmail.com</p>
  <p>Phone: +91 9876543210</p>
</section>
```

```
<section id="faq">
  <h2>FAQs</h2>
  <p>Shipping takes 3–7 working days.</p>
  <p>Books can be returned within 7 days.</p>
</section>
```

```
<footer>
  <p>© 2026 BookHaven</p>
</footer>
```

</body>

</html>



37)

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
  <title>MyProfessionalShowcase</title>
```

```
  <style>
```

```
    body {
```

```
      margin: 0;
```

```
      font-family: Arial;
```

```
      background: #f4f4f4;
```

```
    }
```

```
    header {
```

```
      background: #111827;
```

```
      color: white;
```

```
      text-align: center;
```

```
      padding: 50px;
```

```
    }
```

```
    header h1 {
```

```
      font-size: 45px;
```

```
    }
```

```
    nav {
```

```
      background: #1f2937;
```

```
      padding: 15px;
```

```
      text-align: center;
```

```
    }
```

```
    nav a {
```

```
      color: white;
```

```
      text-decoration: none;
```

```
      margin: 20px;
```

```
}

section {
  padding: 40px;
  text-align: center;
}

.skills span {
  display: inline-block;
  background: #2563eb;
  color: white;
  padding: 10px 20px;
  margin: 5px;
  border-radius: 20px;
}

.projects {
  display: flex;
  justify-content: center;
  gap: 25px;
  flex-wrap: wrap;
}

.card {
  width: 250px;
  padding: 25px;
  background: white;
  border-radius: 10px;
  box-shadow: 0 3px 10px gray;
}

button {
  background: #2563eb;
  color: white;
  border: none;
  padding: 12px 25px;
  border-radius: 5px;
}

input, textarea {
  padding: 12px;
  width: 300px;
}

footer {
  background: #111827;
  color: white;
  text-align: center;
  padding: 20px;
}
```

```
    }
  </style>
</head>

<body>

<header>
  <h1>My Professional Showcase</h1>
  <p>Web Developer | Python Programmer | AI Enthusiast</p>
  <button>Download Resume</button>
</header>

<nav>
  <a href="#">Home</a>
  <a href="#about">About Me</a>
  <a href="#portfolio">Portfolio</a>
  <a href="#resume">Resume</a>
  <a href="#blog">Blog</a>
  <a href="#contact">Contact</a>
</nav>

<section id="about">
  <h2>About Me</h2>
  <p>I am passionate about software development and modern technologies.</p>

  <div class="skills">
    <span>HTML</span>
    <span>CSS</span>
    <span>JavaScript</span>
    <span>Python</span>
    <span>C++</span>
    <span>SQL</span>
  </div>
</section>

<section id="portfolio">
  <h2>My Projects</h2>

  <div class="projects">

    <div class="card">
      <h3>Farming App</h3>
      <p>Smart agriculture application.</p>
      <button>View Project</button>
    </div>

    <div class="card">
      <h3>Book Store</h3>
      <p>Online bookstore website.</p>
    </div>

  </div>
</section>
</body>
</html>
```

```

        <button>View Project</button>
    </div>

    <div class="card">
        <h3>AI Project</h3>
        <p>Machine learning application.</p>
        <button>View Project</button>
    </div>

</div>
</section>

<section id="resume">
    <h2>Resume</h2>
    <p>Education | Skills | Projects | Achievements</p>
    <button>Download Resume</button>
</section>

<section id="blog">
    <h2>Blog</h2>
    <p>Articles about programming and technology.</p>
</section>


<section id="contact">
    <h2>Contact Me</h2>

    <input type="text" placeholder="Your Name"><br><br>
    <input type="email" placeholder="Email"><br><br>
    <textarea placeholder="Message"></textarea><br><br>
    <button>Send Message</button>
</section>

<footer>
    <p>© 2026 MyProfessionalShowcase</p>
</footer>

</body>
</html>

```




```
<!DOCTYPE html>
<html>
<head>
  <title>Gourmet Haven</title>

  <style>
    body {
      margin: 0;
      font-family: Arial;
      background: #111;
      color: white;
    }

    header {
      height: 400px;
      text-align: center;
      padding-top: 150px;
      background: url("https://images.unsplash.com/photo-1515003197210-e0cd71810b5f")
center/cover;
    }

    header h1 {
      font-size: 55px;
    }

    nav {
      background: black;
      padding: 20px;
      text-align: center;
    }

    nav a {
      color: white;
      text-decoration: none;
      margin: 20px;
    }

    section {
      padding: 40px;
      text-align: center;
    }

    .menu {
      display: flex;
      justify-content: center;
      gap: 25px;
      flex-wrap: wrap;
    }
```

```

.item {
    width: 250px;
    background: #222;
    padding: 20px;
    border-radius: 10px;
}

.item img {
    width: 100%;
    height: 160px;
    object-fit: cover;
}

.price {
    color: #facc15;
    font-size: 20px;
}

button {
    background: #facc15;
    border: none;
    padding: 12px 25px;
}

input, textarea {
    padding: 12px;
    margin: 5px;
}

footer {
    background: black;
    text-align: center;
    padding: 20px;
}
</style>
</head>

<body>

<header>
    <h1>Gourmet Haven</h1>
    <p>Fine Dining. Extraordinary Experience.</p>
    <button>Reserve a Table</button>
</header>

<nav>
    <a href="#">Home</a>
    <a href="#menu">Menu</a>
    <a href="#about">About</a>

```

```
<a href="#reservation">Reservation</a>
<a href="#contact">Contact</a>
</nav>
```

```
<section id="menu">
  <h2>Our Menu</h2>
```

```
  <div class="menu">
```

```
    <div class="item">
      
      <h3>Italian Pasta</h3>
      <p>Fresh pasta with creamy sauce.</p>
      <p class="price">₹450</p>
    </div>
```

```
    <div class="item">
      
      <h3>Grilled Steak</h3>
      <p>Premium grilled steak.</p>
      <p class="price">₹850</p>
    </div>
```

```
    <div class="item">
      
      <h3>Chocolate Dessert</h3>
      <p>Rich chocolate dessert.</p>
      <p class="price">₹300</p>
    </div>
```

```
  </div>
</section>
```

```
<section id="about">
  <h2>About Us</h2>
  <p>Gourmet Haven offers delicious food and excellent dining experiences.</p>
</section>
```


```
<section id="reservation">
  <h2>Reservation</h2>
  <input type="date">
  <input type="time">
  <input type="number" placeholder="Number of Guests">
  <br><br>
  <button>Book Table</button>
</section>
```

```
<section id="contact">
  <h2>Contact Us</h2>
```

<p> 📍 Chennai, Tamil Nadu</p>
<p> 📞 +91 9876543210</p>
<p> ✉ gourmet@gmail.com</p>
</section>

<footer>
<p>© 2026 Gourmet Haven</p>
</footer>

</body>
</html>



39)<!DOCTYPE html>
<html>
<head>
<title>Online Store</title>

<style>
body {
margin: 0;
font-family: Arial;
background: #f5f5f5;
}

header {
background: #2563eb;
color: white;
text-align: center;
padding: 30px;
}

.search {
width: 60%;
padding: 12px;
border-radius: 20px;
border: none;
}

```
nav {
  background: #111827;
  padding: 15px;
  text-align: center;
}

nav a {
  color: white;
  text-decoration: none;
  margin: 20px;
}

.products {
  display: flex;
  justify-content: center;
  gap: 25px;
  flex-wrap: wrap;
  padding: 40px;
}

.product {
  width: 220px;
  background: white;
  padding: 20px;
  text-align: center;
  border-radius: 10px;
  box-shadow: 0 3px 10px gray;
}

.product img {
  width: 180px;
  height: 180px;
  object-fit: cover;
}

.price {
  font-size: 20px;
  font-weight: bold;
}

button {
  background: #2563eb;
  color: white;
  border: none;
  padding: 10px 20px;
  border-radius: 5px;
}
```

```

        .checkout {
            background: white;
            padding: 30px;
            text-align: center;
        }

        .checkout input {
            padding: 12px;
            width: 300px;
            margin: 5px;
        }
    </style>
</head>

<body>

<header>
    <h1>🛒 SmartStore</h1>
    <input class="search" placeholder="Search products...">
</header>

<nav>
    <a href="#">Home</a>
    <a href="#">Electronics</a>
    <a href="#">Clothing</a>
    <a href="#">Accessories</a>
    <a href="#">Cart 🛒</a>
</nav>

<h2 style="text-align:center;">Featured Products</h2>

<div class="products">

    <div class="product">
        
        <h3>Headphones</h3>
        <p>Wireless headphones</p>
        <p class="price">₹1,999</p>
        <button>Add to Cart</button>
    </div>

    <div class="product">
        
        <h3>Smart Watch</h3>
        <p>Fitness smart watch</p>
        <p class="price">₹2,499</p>
        <button>Add to Cart</button>
    </div>

```

```

<div class="product">
  
  <h3>T-Shirt</h3>
  <p>Cotton T-Shirt</p>
  <p class="price">₹599</p>
  <button>Add to Cart</button>
</div>

```

```

</div>

```

```

<div class="checkout">
  <h2>Checkout</h2>
  <input placeholder="Name"><br>
  <input placeholder="Address"><br>
  <input placeholder="Payment Details"><br><br>
  <button>Place Order</button>
</div>

```

```


</body>

```

```

</html>

```



40)

```

<!DOCTYPE html>

```

```

<html>

```

```

<head>

```

```

  <title>WanderWorld Travel Blog</title>

```

```

  <style>

```

```

    body {
      margin: 0;
      font-family: Arial;
      background: #eff6ff;
    }

```

```

    header {
      padding: 80px;
      text-align: center;
      color: white;
    }

```

```
        background:          url("https://images.unsplash.com/photo-1500530855697-b586d89ba3ee")
center/cover;
    }

    header h1 {
        font-size: 50px;
    }

    nav {
        background: #0369a1;
        padding: 15px;
        text-align: center;
    }

    nav a {
        color: white;
        text-decoration: none;
        margin: 20px;
    }

    section {
        padding: 30px;
        text-align: center;
    }

    .posts {
        display: flex;
        justify-content: center;
        gap: 25px;
        flex-wrap: wrap;
    }

    .post {
        width: 280px;
        background: white;
        padding: 15px;
        border-radius: 10px;
        box-shadow: 0 3px 10px gray;
    }

    .post img {
        width: 100%;
        height: 180px;
        object-fit: cover;
    }

    .map {
        background: #bae6fd;
        padding: 50px;
```



```

        margin: 20px;
    }

    footer {
        background: #075985;
        color: white;
        text-align: center;
        padding: 20px;
    }
</style>
</head>

<body>

<header>
    <h1>🌍 WanderWorld</h1>
    <p>Explore. Travel. Discover.</p>
</header>

<nav>
    <a href="#">Home</a>
    <a href="#destinations">Destinations</a>
    <a href="#blog">Blog</a>
    <a href="#gallery">Gallery</a>
    <a href="#about">About</a>
</nav>

<section id="blog">
    <h2>Latest Travel Stories</h2>

    <div class="posts">

        <div class="post">
            
            <h3>Exploring India</h3>
            <p>Discover the beauty and culture of India.</p>
        </div>

        <div class="post">
            
            <h3>Beautiful Beaches</h3>
            <p>A relaxing journey through tropical beaches.</p>
        </div>

        <div class="post">
            
            <h3>Mountain Adventure</h3>
            <p>An exciting mountain trekking experience.</p>
        </div>
    </div>

```

```

    </div>

</div>
</section>

<section id="destinations">
    <h2>Travel Destinations</h2>

    <div class="map">
        <h2>🗺 Interactive Map</h2>
        <p>📍 India &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;& 📍 Europe &nbsp;&nbsp;&nbsp;&nbsp;& 📍 Asia</p>
    </div>
</section>


<section id="gallery">
    <h2>Photo Gallery</h2>
    <p>🏔 Mountains &nbsp;&nbsp;&nbsp;& 🏖 Beaches &nbsp;&nbsp;& 🏙 Cities</p>
</section>

<section id="about">
    <h2>About the Traveler</h2>
    <p>I am a travel enthusiast sharing my adventures and travel tips.</p>
</section>

<footer>
    <p>© 2026 WanderWorld</p>
</footer>

</body>
</html>

```



```

41)
<!DOCTYPE html>
<html>
<head>
    <title>Digital Recipe Book</title>

    <style>
        body {
            margin: 0;

```

```
    font-family: Arial;
    background: #fff7ed;
}

header {
    background: #ea580c;
    color: white;
    text-align: center;
    padding: 35px;
}

.search {
    width: 60%;
    padding: 12px;
    border-radius: 20px;
    border: none;
}

nav {
    background: #7c2d12;
    padding: 15px;
    text-align: center;
}

nav a {
    color: white;
    text-decoration: none;
    margin: 20px;
}

.recipes {
    display: flex;
    justify-content: center;
    gap: 25px;
    flex-wrap: wrap;
    padding: 40px;
}

.recipe {
    width: 280px;
    background: white;
    border-radius: 10px;
    overflow: hidden;
    box-shadow: 0 3px 10px gray;
}

.recipe img {
    width: 100%;
    height: 180px;
}
```

```

        object-fit: cover;
    }

    .recipe-content {
        padding: 20px;
    }

    button {
        background: #ea580c;
        color: white;
        border: none;
        padding: 10px 20px;
    }

    .instructions {
        background: white;
        margin: 20px;
        padding: 30px;
    }
}
</style>
</head>

<body>

<header>
    <h1>🍳 Digital Recipe Book</h1>
    <input class="search" placeholder="Search recipes...">
</header>

<nav>
    <a href="#">Home</a>
    <a href="#">Breakfast</a>
    <a href="#">Main Course</a>
    <a href="#">Desserts</a>
    <a href="#">Vegetarian</a>
</nav>

<div class="recipes">

    <div class="recipe">
        
        <div class="recipe-content">
            <h2>Pizza</h2>
            <p>Cheese, tomato and vegetables.</p>
            <p>🕒 30 Minutes | 👤 4 Servings</p>
            <button>View Recipe</button>
        </div>
    </div>
</div>

```

```
<div class="recipe">
  
  <div class="recipe-content">
    <h2>Fried Rice</h2>
    <p>Rice with vegetables and spices.</p>
    <p>🕒 20 Minutes | 👤 3 Servings</p>
    <button>View Recipe</button>
  </div>
</div>

<div class="recipe">
  
  <div class="recipe-content">
    <h2>Chocolate Cake</h2>
    <p>Soft and delicious chocolate cake.</p>
    <p>🕒 45 Minutes | 👤 6 Servings</p>
    <button>View Recipe</button>
  </div>
</div>

</div>

<div class="instructions">
  <h2>Pizza Recipe</h2>


  <h3>Ingredients</h3>

  <ul>
    <li>2 cups flour</li>
    <li>1 cup cheese</li>
    <li>Tomato sauce</li>
    <li>Vegetables</li>
    <li>Oregano</li>
  </ul>

  <h3>Instructions</h3>

  <ol>
    <li>Prepare the dough.</li>
    <li>Add tomato sauce.</li>
    <li>Add vegetables and cheese.</li>
    <li>Bake for 20 minutes.</li>
  </ol>
</div>

</body>
</html>
```



<!DOCTYPE html>

<head>

<title>Electricity Bill Payment</title>

```
body {
  margin: 0;
  font-family: Arial;
  background: #eff6ff;
}
```

```
header {
  background: #075985;
  color: white;
  text-align: center;
  padding: 30px;
}
```

```
.container {
  width: 450px;
  margin: 40px auto;
  background: white;
  padding: 30px;
  border-radius: 10px;
  box-shadow: 0 3px 10px gray;
}
```

```
input, select {
  width: 100%;
  padding: 12px;
  margin: 8px 0;
}
```

```
button {
  width: 100%;
  padding: 12px;
  background: #0284c7;
  color: white;
  border: none;
}

.bill {
  background: #e0f2fe;
  padding: 20px;
  margin: 20px 0;
}

h2 {
  color: #075985;
}
</style>
</head>

<body>

<header>
  <h1> ⚡ Electricity Bill Payment</h1>
</header>

<div class="container">

  <h2>Customer Login</h2>

  <input type="email" placeholder="Email">
  <input type="password" placeholder="Password">

  <button>Login</button>

  <hr>

  <h2>Bill Details</h2>

  <input placeholder="Consumer Number">

  <select>
    <option>Domestic</option>
    <option>Commercial</option>
  </select>

  <input type="number" placeholder="Units Consumed">
```

```

<div class="bill">
  <h3>Domestic Tariff</h3>
  <p>First 100 Units - ₹1/unit</p>
  <p>101–200 Units - ₹2.50/unit</p>
  <p>201–500 Units - ₹4/unit</p>
  <p>501+ Units - ₹6/unit</p>

  <h3>Commercial Tariff</h3>
  <p>First 100 Units - ₹2/unit</p>
  <p>101–200 Units - ₹4.50/unit</p>
  <p>201–500 Units - ₹6/unit</p>
  <p>501+ Units - ₹7/unit</p>

  <h3>Late Fine</h3>
  <p>₹10 for each day after due date.</p>
</div>

```

```

<select>
  <option>Credit Card</option>
  <option>Debit Card</option>
  <option>Net Banking</option>
  <option>Digital Wallet</option>
</select>

```

```

<button>Pay Bill</button>

```

```

</div>

```

```


</body>

```

```

</html>

```



43)

```

<!DOCTYPE html>

```

```

<html>

```

```

<head>

```

```

  <title>Online Placement Examination</title>

```

```

<style>

```



```
body {
  margin: 0;
  font-family: Arial;
  background: #f1f5f9;
}

header {
  background: #1e3a8a;
  color: white;
  text-align: center;
  padding: 30px;
}

.container {
  max-width: 800px;
  margin: 30px auto;
  background: white;
  padding: 30px;
  border-radius: 10px;
}

input {
  padding: 12px;
  width: 90%;
  margin: 8px;
}

.question {
  background: #f8f9fa;
  padding: 20px;
  margin: 15px 0;
  border-radius: 8px;
}

button {
  background: #1e3a8a;
  color: white;
  padding: 12px 25px;
  border: none;
  border-radius: 5px;
}

.result {
  background: #dcf8e6;
  padding: 20px;
  margin-top: 20px;
}
</style>
</head>
```

```
<body>

<header>
  <h1>Online Placement Examination</h1>
</header>

<div class="container">

  <h2>Candidate Login</h2>

  <input placeholder="Candidate ID">
  <input type="password" placeholder="Password">
  <button>Login</button>

  <hr>

  <h2>Placement Test</h2>

  <div class="question">
    <p><b>1. Which language is used to create web page structure?</b></p>

    <input type="radio" name="q1"> Python<br>
    <input type="radio" name="q1"> HTML<br>
    <input type="radio" name="q1"> SQL<br>
    <input type="radio" name="q1"> C++
  </div>

  <div class="question">
    <p><b>2. What does CSS stand for?</b></p>

    <input type="radio" name="q2"> Computer Style Sheet<br>
    <input type="radio" name="q2"> Cascading Style Sheets<br>
    <input type="radio" name="q2"> Creative Style System<br>
    <input type="radio" name="q2"> Colorful Style Sheet
  </div>

  <div class="question">
    <p><b>3. Which is a programming language?</b></p>

    <input type="radio" name="q3"> HTML<br>
    <input type="radio" name="q3"> CSS<br>
    <input type="radio" name="q3"> Python<br>
    <input type="radio" name="q3"> XML
  </div>

  <button>Submit Exam</button>


  <div class="result">
```

```
<h2>Result</h2>
<p>Score: 85%</p>
<p>Rank: 12</p>
<p>Status: <b>PASS</b></p>
</div>
```

```
</div>
```

```
</body>
```

```
</html>
```



44)

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>Painting Rating and Review</title>
```

```
<style>
```

```
  body {
    margin: 0;
    font-family: Arial;
    background: #f5f3ff;
  }
```

```
  header {
    background: #581c87;
    color: white;
    text-align: center;
    padding: 30px;
  }
```

```
  .container {
    width: 800px;
    max-width: 90%;
    margin: 30px auto;
  }
```

```
  .painting, .review {
```

```
        background: white;
        padding: 25px;
        margin: 20px 0;
        border-radius: 10px;
        box-shadow: 0 3px 10px gray;
    }

    .painting {
        text-align: center;
    }

    .painting img {
        width: 400px;
        max-width: 100%;
        height: 300px;
        object-fit: cover;
    }

    .stars {
        color: #eab308;
        font-size: 30px;
    }

    input, textarea, select {
        width: 90%;
        padding: 12px;
        margin: 8px;
    }

    button {
        background: #7e22ce;
        color: white;
        border: none;
        padding: 12px 25px;
    }
</style>
</head>

<body>

<header>
    <h1> 🎨 Painting Rating & Review</h1>
</header>

<div class="container">

    <div class="painting">
```

<h2>Sunset Beauty</h2>

<p>Beautiful artistic painting.</p>

<div class="stars">★★★★★</div>

<p>Average Rating: 4.5 / 5</p>

</div>

<div class="review">

<h2>Submit Your Review</h2>

<input type="text" placeholder="Your Name">

<textarea rows="5" placeholder="Write your review"></textarea>

<select>

<option>★★★★★</option>

<option>★★★★</option>

<option>★★★</option>

<option>★★</option>

<option>★</option>

</select>

<button>Submit Review</button>

</div>

<div class="review">

<h2>Customer Reviews</h2>

<p>👍 Beautiful painting and excellent colours.</p>

<p>👍 Very creative artwork.</p>


<p>👎 Packaging could be improved.</p>

</div>

</div>

</body>

</html>



45)

<!DOCTYPE html>

<html>

<head>

<title>Income Tax Calculator</title>

<style>

```
body {
  margin: 0;
  font-family: Arial;
  background: #f0fdf4;
}
```

```
header {
  background: #166534;
  color: white;
  text-align: center;
  padding: 30px;
}
```

```
.container {
  width: 500px;
  max-width: 90%;
  margin: 30px auto;
  background: white;
  padding: 30px;
  border-radius: 10px;
  box-shadow: 0 3px 10px gray;
}
```

```
input {
  width: 100%;
  padding: 12px;
  margin: 8px 0;
```

```

    }

    button {
        width: 100%;
        padding: 12px;
        background: #15803d;
        color: white;
        border: none;
    }

    .result {
        background: #dcfce7;
        padding: 20px;
        margin-top: 20px;
    }
}
</style>
</head>

<body>

<header>
    <h1>Income Tax Calculator</h1>
</header>

<div class="container">

    <h2>Employee Details</h2>

    <input type="number" placeholder="Monthly Gross Pay">

    <input type="number" placeholder="Monthly HRA">

    <input type="number" placeholder="Monthly Pension">

    <input type="number" placeholder="Monthly Health Insurance">

    <button>Calculate Tax</button>

    <div class="result">

        <h3>Tax Calculation</h3>

        <p>Gross Pay = Monthly Gross Pay × 12</p>

        <p>Standard Deduction = ₹50,000</p>

        <p>Pension Maximum Deduction = ₹1,50,000</p>

        <h3>Tax Slabs</h3>

```

<p>₹0 – ₹2,50,000 → 0%</p>

<p>₹2,50,001 – ₹5,00,000 → 5%</p>

<p>₹5,00,001 – ₹10,00,000 → ₹12,500 + 20%</p>

<p>Above ₹10,00,000 → ₹1,12,500 + 30%</p>


<h3>Tax Payable: ₹0</h3>

</div>

</div>

</body>

</html>



45)

<!DOCTYPE html>

<html>

<head>

<title>Phone Bill Payment</title>

<style>

body {
margin: 0;
font-family: Arial;
background: #eff6ff;
}

header {
background: #1d4ed8;
color: white;
text-align: center;
padding: 30px;
}

.container {
width: 500px;


```

        max-width: 90%;
        margin: 30px auto;
        background: white;
        padding: 30px;
        border-radius: 10px;
        box-shadow: 0 3px 10px gray;
    }

    input, select {
        width: 100%;
        padding: 12px;
        margin: 8px 0;
    }

    button {
        width: 100%;
        padding: 12px;
        background: #2563eb;
        color: white;
        border: none;
        border-radius: 5px;
    }

    .bill {
        background: #dbeafe;
        padding: 20px;
        margin: 20px 0;
    }

    .history {
        background: #f8fafc;
        padding: 20px;
        margin-top: 20px;
    }
</style>
</head>

<body>

<header>
    <h1> 📞 Phone Bill Payment</h1>
</header>

<div class="container">

    <h2>Customer Login</h2>

    <input type="email" placeholder="Email">

```

<input type="password" placeholder="Password">

<button>Login</button>

<hr>

<h2>Bill Details</h2>

<input placeholder="Mobile Number">

<div class="bill">

<h3>Current Bill</h3>

<p>Billing Period: August 2026</p>

<p>Due Date: 30 August 2026</p>

<h2>Amount: ₹599</h2>

<p>Late Fine: ₹10 per day after due date</p>

</div>

<h3>Payment Amount</h3>

<input type="number" placeholder="Enter Amount">

<h3>Payment Method</h3>

<select>

<option>Credit Card</option>

<option>Debit Card</option>

<option>Net Banking</option>

<option>Mobile Wallet</option>

</select>

<button>Pay Bill</button>

<div class="history">

<h3>Payment History</h3>

<p>July 2026 - ₹599 - Paid</p>

<p>June 2026 - ₹599 - Paid</p>

<p>May 2026 - ₹549 - Paid</p>

</div>

</div>

</body>

</html>

