

Welcome to Java! | HackerRank

hackerrank.com/challenges/welcome-to-java/problem?isFullScreen=true

HackerRank | Prepare > Java > Introduction > Welcome to Java!

Exit Full Screen View

Problem | Submissions | Leaderboard | Discussions

Welcome to the world of Java! In this challenge, we practice printing to stdout.

The code stubs in your editor declare a Solution class and a main method. Complete the main method by copying the two lines of code below and pasting them inside the body of your main method.

```
System.out.println("Hello, World.");
System.out.println("Hello, Java.");
```

Input Format

There is no input for this challenge.

Output Format

You must print two lines of output:

1. Print `Hello, World.` on the first line.
2. Print `Hello, Java.` on the second line.

Sample Output

```
Hello, World.
Hello, Java.
```

Change Theme   Language   Java 7

```java
public class Solution {

    public static void main(String[] args) {
        System.out.println("Hello, World.");
        System.out.println("Hello, Java.");

    }
}

```

Line: 9 Col: 1

Upload Code as File   Test against custom input   Run Code   Submit Code



Java Stdin and Stdout I | Hacker

hackerrank.com/challenges/java-stdin-and-stdout-1/problem?isFullScreen=true

HackerRank | Prepare > Java > Introduction > Java Stdin and Stdout I

Exit Full Screen View

Problem | Submissions | Leaderboard | Discussions

Most HackerRank challenges require you to read input from stdin (standard input) and write output to stdout (standard output).

One popular way to read input from stdin is by using the Scanner class and specifying the Input Stream as System.in. For example:

```
Scanner scanner = new Scanner(System.in);
String myString = scanner.next();
int myInt = scanner.nextInt();
scanner.close();

System.out.println("myString is: " + myString);
System.out.println("myInt is: " + myInt);
```

The code above creates a Scanner object named *scanner* and uses it to read a String and an int. It then closes the Scanner object because there is no more input to read, and prints to stdout using System.out.println(String). So, if our input is:

```
Hi 5
```

Our code will print:

```
myString is: Hi
myInt is: 5
```

Alternatively, you can use the BufferedReader class.

Task

Change Theme   Language   Java 7

```java
import java.util.*;

public class Solution {

    public static void main(String[] args) {
        Scanner scan = new Scanner(System.in);
        int a = scan.nextInt();
        int b = scan.nextInt();
        int c = scan.nextInt();
        System.out.println(a);
        System.out.println(b);
        System.out.println(c);
    }
}

```

Line: 15 Col: 1

Upload Code as File   Test against custom input   Run Code   Submit Code

Java Stdin and Stdout II | Hacke X +

hackerrank.com/challenges/java-stdin-stdout/problem?isFullScreen=true

HackerRank | Prepare › Java › Introduction › Java Stdin and Stdout II

Exit Full Screen View

Problem

In this challenge, you must read an integer, a double, and a String from stdin, then print the values according to the instructions in the Output Format section below. To make the problem a little easier, a portion of the code is provided for you in the editor.

Note: We recommend completing Java Stdin and Stdout I before attempting this challenge.

Input Format

There are three lines of input:

1. The first line contains an integer.
2. The second line contains a double.
3. The third line contains a String.

Output Format

There are three lines of output:

1. On the first line, print `String:` followed by the unaltered String read from stdin.
2. On the second line, print `Double:` followed by the unaltered double read from stdin.
3. On the third line, print `Int:` followed by the unaltered integer read from stdin.

To make the problem easier, a portion of the code is already provided in the editor.

Note: If you use the nextLine() method immediately following the nextInt() method, recall that nextInt() reads integer tokens; because of this, the last newline character for that line of integer input is still queued in the input buffer and the next nextLine() will be reading the remainder of the integer line (which is empty).

Sample Input

Submissions | Leaderboard | Discussions

Change Theme | Language | Java 7

```java
import java.util.Scanner;

public class Solution {

    public static void main(String[] args) {
        Scanner scan = new Scanner(System.in);
        int i = scan.nextInt();
        double d = scan.nextDouble();
        scan.nextLine();
        String s = scan.nextLine();

        System.out.println("String: " + s);
        System.out.println("Double: " + d);
        System.out.println("Int: " + i);
    }
}

```

Line: 17 Col: 1

Upload Code as File | Test against custom input | Run Code | Submit Code

Java Output Formatting | Hacke X +

hackerrank.com/challenges/java-output-formatting/problem?isFullScreen=true

HackerRank | Prepare › Java › Introduction › Java Output Formatting

Exit Full Screen View

Problem

Java's System.out.printf function can be used to print formatted output. The purpose of this exercise is to test your understanding of formatting output using printf.

To get you started, a portion of the solution is provided for you in the editor; you must format and print the input to complete the solution.

Input Format

Every line of input will contain a String followed by an integer.

Each String will have a maximum of 10 alphabetic characters, and each integer will be in the inclusive range from 0 to 999.

Output Format

In each line of output there should be two columns:

The first column contains the String and is left justified using exactly 15 characters.

The second column contains the integer, expressed in exactly 3 digits; if the original input has less than three digits, you must pad your output's leading digits with zeroes.

Sample Input

```
java 100
cpp 65
python 50
```

Sample Output

```
================================
```

Submissions | Leaderboard | Discussions

Change Theme | Language | Java 7

```java
import java.util.Scanner;

public class Solution {

    public static void main(String[] args) {
            Scanner sc=new Scanner(System.in);
            System.out.println("================================");
            for(int i=0;i<3;i++){
                String s1=sc.next();
                int x=sc.nextInt();
            System.out.printf("%-15s%03d%n" , s1, x);
            }
            System.out.println("================================");

    }
}




```

Line: 20 Col: 1

Upload Code as File | Test against custom input | Run Code | Submit Code


Java Loops I | HackerRank

hackerrank.com/challenges/java-loops-i/problem?isFullScreen=true

HackerRank | Prepare > Java > Introduction > Java Loops I

Exit Full Screen View

Problem | Submissions | Leaderboard | Discussions

Objective

In this challenge, we're going to use loops to help us do some simple math.

Task

Given an integer, N, print its first 10 multiples. Each multiple $N \times i$ (where $1 \leq i \leq 10$) should be printed on a new line in the form: `N x i = result`.

Input Format

A single integer, N.

Constraints

- $2 \leq N \leq 20$

Output Format

Print 10 lines of output; each line i (where $1 \leq i \leq 10$) contains the $result$ of $N \times i$ in the form:

`N x i = result`.

Sample Input

```
2
```

Sample Output

```
2 x 1 = 2
2 x 2 = 4
```

Change Theme Language Java 7

```java
import java.io.*;
import java.math.*;
import java.security.*;
import java.text.*;
import java.util.*;
import java.util.concurrent.*;
import java.util.regex.*;


public class Solution {
    public static void main(String[] args) throws IOException {
        BufferedReader bufferedReader = new BufferedReader(new InputStreamReader
        (System.in));

        int N = Integer.parseInt(bufferedReader.readLine().trim());
        for(int i = 1; i <= 10; i++){
            System.out.println(N + " x " + i + " = " + (N * i));
        }

        bufferedReader.close();
    }
}
```

Line: 23 Col: 1

Upload Code as File | Test against custom input | Run Code | Submit Code


Java Loops II | HackerRank

hackerrank.com/challenges/java-loops/problem?isFullScreen=true

HackerRank | Prepare > Java > Introduction > Java Loops II

Exit Full Screen View

Problem | Submissions | Leaderboard | Discussions

We use the integers a, b, and n to create the following series:

$$(a + 2^0 \cdot b), (a + 2^0 \cdot b + 2^1 \cdot b), \ldots, (a + 2^0 \cdot b + 2^1 \cdot b + \ldots + 2^{n-1} \cdot b)$$

You are given q queries in the form of a, b, and n. For each query, print the series corresponding to the given a, b, and n values as a single line of n space-separated integers.

Input Format

The first line contains an integer, q, denoting the number of queries.

Each line i of the q subsequent lines contains three space-separated integers describing the respective a_i, b_i, and n_i values for that query.

Constraints

- $0 \leq q \leq 500$
- $0 \leq a, b \leq 50$
- $1 \leq n \leq 15$

Output Format

For each query, print the corresponding series on a new line. Each series must be printed in order as a single line of n space-separated integers.

Sample Input

```
2
0 2 10
```

Change Theme Language Java 7

```java
import java.util.*;
import java.io.*;

class Solution{
    public static void main(String []argh){
        Scanner in = new Scanner(System.in);
        int t=in.nextInt();
        for(int i=0;i<t;i++){
            int a = in.nextInt();
            int b = in.nextInt();
            int n = in.nextInt();
            int sum = a;
            for(int j = 0; j < n; j++) {
                sum = sum + (1 << j) * b;
System.out.print(sum);
                if(j != n - 1)
System.out.print(" ");
            }
            System.out.println();
        }
        in.close();
    }
}
```

Line: 24 Col: 1

Upload Code as File | Test against custom input | Run Code | Submit Code

Java Datatypes | HackerRank

hackerrank.com/challenges/java-datatypes/problem?isFullScreen=true

HackerRank Prepare › Java › Introduction › Java Datatypes — Exit Full Screen View

Problem | Submissions | Leaderboard | Discussions

Java has 8 primitive data types; char, boolean, byte, short, int, long, float, and double. For this exercise, we'll work with the primitives used to hold integer values (byte, short, int, and long):

- A byte is an 8-bit signed integer.
- A short is a 16-bit signed integer.
- An int is a 32-bit signed integer.
- A long is a 64-bit signed integer.

Given an input integer, you must determine which primitive data types are capable of properly storing that input.

To get you started, a portion of the solution is provided for you in the editor.

Reference: https://docs.oracle.com/javase/tutorial/java/nutsandbolts/datatypes.html

Input Format

The first line contains an integer, T, denoting the number of test cases.

Each test case, T, is comprised of a single line with an integer, n, which can be arbitrarily large or small.

Output Format

For each input variable n and appropriate primitive $dataType$, you must determine if the given primitives are capable of storing it. If yes, then print:

```
n can be fitted in:
* dataType
```

Change Theme   Language Java 7

```java
class Solution{
    public static void main(String []args)
        Scanner sc = new Scanner(System.in);
        int t=sc.nextInt();

        for(int i=0;i<t;i++)
        {

            try
            {
                long x=sc.nextLong();
                System.out.println(x+" can be fitted in:");
                if(x>=-128 && x<=127)System.out.println("* byte");
                if(x>=-32768 && x<=32767)System.out.println("* short");
                if(x>=-2147483648 && x<=2147483647)System.out.println("* int");
                                                    System.out.println("* long");
            }
            catch(Exception e)
            {
                System.out.println(sc.next()+" can't be fitted anywhere.");
            }

        }
    }
```

Line: 18 Col: 16

Upload Code as File   Test against custom input   Run Code   Submit Code

Java End-of-file | HackerRank

hackerrank.com/challenges/java-end-of-file/problem?isFullScreen=true

HackerRank Prepare › Java › Introduction › Java End-of-file — Exit Full Screen View

Problem | Submissions | Leaderboard | Discussions

> "In computing, End Of File (commonly abbreviated EOF) is a condition in a computer operating system where no more data can be read from a data source." — (Wikipedia: End-of-file)

The challenge here is to read n lines of input until you reach EOF, then number and print all n lines of content.

Hint: Java's Scanner.hasNext() method is helpful for this problem.

Input Format

Read some unknown n lines of input from stdin(System.in) until you reach EOF; each line of input contains a non-empty String.

Output Format

For each line, print the line number, followed by a single space, and then the line content received as input.

Sample Input

```
Hello world
I am a file
Read me until end-of-file.
```

Sample Output

```
1 Hello world
```

Change Theme   Language Java 7

```java
import java.io.*;
import java.util.*;
import java.text.*;
import java.math.*;
import java.util.regex.*;

public class Solution {

    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        int lineNumber = 1;
        while(sc.hasNext()) {
            String line = sc.nextLine();
System.out.println(lineNumber + " " + line);
           lineNumber++;
        }
    }
}
```

Line: 19 Col: 1

Upload Code as File   Test against custom input   Run Code   Submit Code



Java Static Initializer Block | Hac

hackerrank.com/challenges/java-static-initializer-block/problem?isFullScreen=true

HackerRank Prepare › Java › Introduction › Java Static Initializer Block

Exit Full Screen View

Problem

Static initialization blocks are executed when the class is loaded, and you can initialize static variables in those blocks.

It's time to test your knowledge of Static initialization blocks. You can read about it here.

You are given a class Solution with a main method. Complete the given code so that it outputs the area of a parallelogram with breadth B and height H. You should read the variables from the standard input.

If $B \leq 0$ or $H \leq 0$, the output should be "java.lang.Exception: Breadth and height must be positive" without quotes.

Input Format

There are two lines of input. The first line contains B: the breadth of the parallelogram. The next line contains H: the height of the parallelogram.

Constraints

- $-100 \leq B \leq 100$
- $-100 \leq H \leq 100$

Output Format

If both values are greater than zero, then the main method must output the area of the parallelogram. Otherwise, print "java.lang.Exception: Breadth and height must be positive" without quotes.

Sample input 1

1

Submissions Leaderboard Discussions

Change Theme Language Java 7

```java
import java.math.*;
import java.util.regex.*;

public class Solution {
    static int B;
    static int H;
    static boolean flag = true;
    static {
        Scanner sc = new Scanner(System.in);
        B = sc.nextInt();
        H = sc.nextInt();
        if(B <= 0 || H <= 0) {
            flag = false;
System.out.println("java.lang.Exception: Breadth and height must be positive");
        }
    }

public static void main(String[] args){
        if(flag){
            int area=B*H;
            System.out.print(area);
        }

    }//end of main

}//end of class
```

Line: 8 Col: 1

Upload Code as File | Test against custom input | Run Code | Submit Code



Java Int to String | HackerRank

hackerrank.com/challenges/java-int-to-string/problem?isFullScreen=true

HackerRank Prepare › Java › Introduction › Java Int to String

Exit Full Screen View

Problem

You are given an integer n, you have to convert it into a string.

Please complete the partially completed code in the editor. If your code successfully converts n into a string s the code will print "Good job". Otherwise it will print "Wrong answer".

n can range between -100 to 100 inclusive.

Sample Input 0

100

Sample Output 0

Good job

Submissions Leaderboard Discussions

Change Theme Language Java 7

```java
import java.util.*;
import java.security.*;
public class Solution {
 public static void main(String[] args) {

  DoNotTerminate.forbidExit();

  try {
   Scanner in = new Scanner(System.in);
   int n = in .nextInt();
   in.close();
   //String s=???; Complete this line below
   String s = Integer.toString(n);
   //Write your code here


   if (n == Integer.parseInt(s)) {
    System.out.println("Good job");
   } else {
    System.out.println("Wrong answer.");
   }
  } catch (DoNotTerminate.ExitTrappedException e) {
   System.out.println("Unsuccessful Termination!!");
  }
 }
```

Line: 13 Col: 1

Upload Code as File | Test against custom input | Run Code | Submit Code

Java Date and Time | HackerRank

hackerrank.com/challenges/java-date-and-time/problem?isFullScreen=true

HackerRank Prepare > Java > Introduction > Java Date and Time

Exit Full Screen View

Problem | Submissions | Leaderboard | Discussions

The Calendar class is an abstract class that provides methods for converting between a specific instant in time and a set of calendar fields such as YEAR, MONTH, DAY_OF_MONTH, HOUR, and so on, and for manipulating the calendar fields, such as getting the date of the next week.

You are given a date. You just need to write the method, *getDay*, which returns the day on that date. To simplify your task, we have provided a portion of the code in the editor.

Example

$month = 8$

$day = 14$

$year = 2017$

The method should return $MONDAY$ as the day on that date.

Change Theme Language Java 7

```java
import java.io.*;···

class Result {

    /*
     * Complete the 'findDay' function below.
     *
     * The function is expected to return a STRING.
     * The function accepts following parameters:
     *  1. INTEGER month
     *  2. INTEGER day
     *  3. INTEGER year
     */

    public static String findDay(int month, int day, int year) {
        Calendar cal = new GregorianCalendar(year, month - 1, day);

        int dayOfWeek = cal.get(Calendar.DAY_OF_WEEK);
        String[] days = {
            "SUNDAY", "MONDAY", "TUESDAY",
            "WEDNESDAY", "THURSDAY", "FRIDAY", "SATURDAY"
        };
        return days[dayOfWeek - 1];

    }
```

Line: 8 Col: 1

Upload Code as File | Test against custom input | Run Code | Submit Code

Java Currency Formatter | Hack

hackerrank.com/challenges/java-currency-formatter/problem?isFullScreen=true

HackerRank Prepare > Java > Introduction > Java Currency Formatter

Exit Full Screen View

Problem | Submissions | Leaderboard | Discussions

Given a double-precision number, *payment*, denoting an amount of money, use the NumberFormat class' getCurrencyInstance method to convert *payment* into the US, Indian, Chinese, and French currency formats. Then print the formatted values as follows:

```
US: formattedPayment
India: formattedPayment
China: formattedPayment
France: formattedPayment
```

where *formattedPayment* is *payment* formatted according to the appropriate Locale's currency.

Note: India does not have a built-in Locale, so you must construct one where the language is en (i.e., English).

Input Format

A single double-precision number denoting *payment*.

Constraints

- $0 \leq payment \leq 10^9$

Output Format

On the first line, print `US: u` where u is *payment* formatted for US currency.

On the second line, print `India: i` where i is *payment* formatted for Indian currency.

On the third line, print `China: c` where c is *payment* formatted for Chinese currency.

On the fourth line, print `France: f`, where f is *payment* formatted for French currency.

Change Theme Language Java 7

```java
import java.util.*;
import java.text.*;

public class Solution {

    public static void main(String[] args) {
        Scanner scanner = new Scanner(System.in);
        double payment = scanner.nextDouble();
        scanner.close();
        NumberFormat usFormat = NumberFormat.getCurrencyInstance(Locale.US);
        Locale indiaLocale = new Locale("en", "IN");
        NumberFormat indiaFormat = NumberFormat.getCurrencyInstance(indiaLocale);
        NumberFormat chinaFormat = NumberFormat.getCurrencyInstance(Locale.CHINA)
        NumberFormat franceFormat = NumberFormat.getCurrencyInstance(Locale.FRANC
        String us = usFormat.format(payment);
        String india = indiaFormat.format(payment);
        String china = chinaFormat.format(payment);
        String france = franceFormat.format(payment);
        System.out.println("US: " + us);
        System.out.println("India: " + india);
        System.out.println("China: " + china);
        System.out.println("France: " + france);
    }
}
```

Line: 25 Col: 1

Upload Code as File | Test against custom input | Run Code | Submit Code


Java String Reverse | HackerRank
Ask Gemini
hackerrank.com/challenges/java-string-reverse/problem?isFullScreen=true
Paused
HackerRank
Prepare
Java
Strings
Java String Reverse
Exit Full Screen View
Problem
Submissions
Leaderboard
Discussions
A palindrome is a word, phrase, number, or other sequence of characters which reads the same backward or forward.
Given a string A, print Yes if it is a palindrome, print No otherwise.
Constraints
A will consist at most 50 lower case english letters.
Sample Input
madam
Sample Output
Yes
Change Theme
Language
Java 7
import java.io.*;
import java.util.*;
public class Solution {
public static void main(String[] args) {
Scanner sc=new Scanner(System.in);
String A=sc.next();
String reverse = "";
for (int i = A.length() - 1; i >= 0; i--) {
reverse += A.charAt(i);
}
if (A.equals(reverse)) {
System.out.println("Yes");
} else {
System.out.println("No");
}
sc.close();
}
}
Line: 29 Col: 1
Upload Code as File
Test against custom input
Run Code
Submit Code


Java Anagrams | HackerRank
Ask Gemini
hackerrank.com/challenges/java-anagrams/problem?isFullScreen=true
Paused
HackerRank
Prepare
Java
Strings
Java Anagrams
Exit Full Screen View
Problem
Submissions
Leaderboard
Discussions
Two strings, a and b, are called anagrams if they contain all the same characters in the same frequencies. For this challenge, the test is not case-sensitive. For example, the anagrams of CAT are CAT, ACT, tac, TCA, aTC, and CtA.
Function Description
Complete the isAnagram function in the editor.
isAnagram has the following parameters:
string a: the first string
string b: the second string
Returns
boolean: If a and b are case-insensitive anagrams, return true. Otherwise, return false.
Input Format
The first line contains a string a.
The second line contains a string b.
Constraints
1 ≤ length(a), length(b) ≤ 50
Strings a and b consist of English alphabetic characters.
The comparison should NOT be case sensitive.
Sample Input 0
anagram
margana
Change Theme
Language
Java 7
import java.util.Scanner;
static boolean isAnagram(String a, String b) {
if (a.length() != b.length()) {
return false;
}
a = a.toLowerCase();
b = b.toLowerCase();
int[] count = new int[26];
for (int i = 0; i < a.length(); i++) {
count[a.charAt(i) - 'a']++;
count[b.charAt(i) - 'a']--;
}
for (int i = 0; i < 26; i++) {
if (count[i] != 0) {
return false;
}
}
return true;
}
Line: 4 Col: 1
Upload Code as File
Test against custom input
Run Code
Submit Code

Java String Tokens | HackerRank

hackerrank.com/challenges/java-string-tokens/problem?isFullScreen=true

HackerRank | Prepare › Java › Strings › Java String Tokens

Exit Full Screen View

Problem | Submissions | Leaderboard | Discussions

Given a string, s, matching the regular expression `[A-Za-z !,?._'@]+`, split the string into tokens. We define a token to be one or more consecutive English alphabetic letters. Then, print the number of tokens, followed by each token on a new line.

Note: You may find the String.split method helpful in completing this challenge.

Input Format

A single string, s.

Constraints

- $1 \leq$ length of $s \leq 4 \cdot 10^5$
- s is composed of any of the following: English alphabetic letters, blank spaces, exclamation points (`!`), commas (`,`), question marks (`?`), periods (`.`), underscores (`_`), apostrophes (`'`), and at symbols (`@`).

Output Format

On the first line, print an integer, n, denoting the number of tokens in string s (they do not need to be unique). Next, print each of the n tokens on a new line in the same order as they appear in input string s.

Sample Input

```
He is a very very good boy, isn't he?
```

Sample Output

Change Theme | Language: Java 7

```java
import java.io.*;
import java.util.*;

public class Solution {

    public static void main(String[] args) {
        Scanner scan = new Scanner(System.in);
        String s = scan.nextLine();
        scan.close();

        s = s.trim();

        if (s.length() == 0) {
            System.out.println(0);
            return;
        }

        String[] tokens = s.split("[^A-Za-z]+");

        System.out.println(tokens.length);

        for (String token : tokens) {
            System.out.println(token);
        scan.close();
        }
```

Line: 29 Col: 1

Upload Code as File | Test against custom input | Run Code | Submit Code

Pattern Syntax Checker | HackerRank

hackerrank.com/challenges/pattern-syntax-checker/problem?isFullScreen=true

HackerRank | Prepare › Java › Strings › Pattern Syntax Checker

Exit Full Screen View

Problem | Submissions | Leaderboard | Discussions

Using **Regex**, we can easily match or search for patterns in a text. Before searching for a pattern, we have to specify one using some well-defined syntax.

In this problem, you are given a pattern. You have to check whether the syntax of the given pattern is valid.

Note: In this problem, a regex is only valid if you can compile it using the Pattern.compile method.

Input Format

The first line of input contains an integer N, denoting the number of test cases. The next N lines contain a string of any printable characters representing the pattern of a regex.

Output Format

For each test case, print `Valid` if the syntax of the given pattern is correct. Otherwise, print `Invalid`. Do not print the quotes.

Sample Input

```
3
([A-Z])(.+)
[AZ[a-z](a-z)
batcatpat(nat
```

Sample Output

```
Valid
```

Change Theme | Language: Java 7

```java
import java.util.Scanner;
import java.util.regex.*;

public class Solution
{
    public static void main(String[] args){
        Scanner in = new Scanner(System.in);
        int testCases = Integer.parseInt(in.nextLine());
        while(testCases>0){
            String pattern = in.nextLine();

            try {
                Pattern.compile(pattern);
                System.out.println("Valid");
            } catch (PatternSyntaxException e) {
                System.out.println("Invalid");
            }

            testCases--;
        }
        in.close();
    }
}
```

Line: 27 Col: 1

Upload Code as File | Test against custom input | Run Code | Submit Code

Java Regex | HackerRank

hackerrank.com/challenges/java-regex/problem?isFullScreen=true

HackerRank Prepare › Java › Strings › Java Regex

Write a class called MyRegex which will contain a string pattern. You need to write a regular expression and assign it to the pattern such that it can be used to validate an IP address. Use the following definition of an IP address:

```
IP address is a string in the form "A.B.C.D", where the value of A
```

Some valid IP address:

```
000.12.12.034
121.234.12.12
23.45.12.56
```

Some invalid IP address:

```
000.12.234.23.23
666.666.23.23
.213.123.23.32
23.45.22.32.
I.Am.not.an.ip
```

In this problem you will be provided strings containing any combination of ASCII characters. You have to write a regular expression to find the valid IPs.

Just write the MyRegex class which contains a String *pattern*. The string should contain the correct regular expression.

(MyRegex class MUST NOT be public)

Change Theme Language Java 7

```java
import java.util.regex.Matcher;
import java.util.regex.Pattern;
import java.util.Scanner;

class Solution{

    public static void main(String[] args){
        Scanner in = new Scanner(System.in);
        while(in.hasNext()){
            String IP = in.next();
            System.out.println(IP.matches(new MyRegex().pattern));
        }

    }
}
class MyRegex {

    String pattern = "^(25[0-5]|2[0-4][0-9]|1[0-9]{2}|0?[0-9]{1,2})\\."
                + "(25[0-5]|2[0-4][0-9]|1[0-9]{2}|0?[0-9]{1,2})\\."
                + "(25[0-5]|2[0-4][0-9]|1[0-9]{2}|0?[0-9]{1,2})\\."
                + "(25[0-5]|2[0-4][0-9]|1[0-9]{2}|0?[0-9]{1,2})$";
}
```

Line: 22 Col: 2

Upload Code as File | Test against custom input | Run Code | Submit Code

Java Regex 2 - Duplicate Words

hackerrank.com/challenges/duplicate-word/problem?isFullScreen=true

HackerRank Prepare › Java › Strings › Java Regex 2 - Duplicate Words

In this challenge, we use regular expressions (RegEx) to remove instances of words that are repeated more than once, but retain the first occurrence of any case-insensitive repeated word. For example, the words `love` and `to` are repeated in the sentence `I love Love to To tO code`. Can you complete the code in the editor so it will turn `I love Love to To tO code` into `I love to code`?

To solve this challenge, complete the following three lines:

1. Write a RegEx that will match any repeated word.
2. Complete the second compile argument so that the compiled RegEx is case-insensitive.
3. Write the two necessary arguments for replaceAll such that each repeated word is replaced with the very first instance the word found in the sentence. It must be the exact first occurrence of the word, as the expected output is case-sensitive.

Note: This challenge uses a custom checker; you will fail the challenge if you modify anything other than the three locations that the comments direct you to complete. To restore the editor's original stub code, create a new buffer by clicking on the branch icon in the top left of the editor.

Input Format

The following input is handled for you the given stub code:

The first line contains an integer, n, denoting the number of sentences.

Each of the n subsequent lines contains a single sentence consisting of English alphabetic letters and whitespace characters.

Constraints

Change Theme Language Java 7

```java
import java.util.Scanner;
import java.util.regex.Matcher;
import java.util.regex.Pattern;

public class DuplicateWords {

    public static void main(String[] args) {

        String regex = "\\b(\\w+)(\\s+\\1\\b)+";
        Pattern p = Pattern.compile(regex, Pattern.CASE_INSENSITIVE);

        Scanner in = new Scanner(System.in);
        int numSentences = Integer.parseInt(in.nextLine());

        while (numSentences-- > 0) {
            String input = in.nextLine();

            Matcher m = p.matcher(input);

            // Check for subsequences of input that match the compiled pattern
            while (m.find()) {
                input = input.replaceAll(m.group(), m.group(1));
            }

            // Prints the modified sentence.
```

Line: 32 Col: 1

Upload Code as File | Test against custom input | Run Code | Submit Code



Valid Username Regular Express X +

Ask Gemini

hackerrank.com/challenges/valid-username-checker/problem?isFullScreen=true

Paused

HackerRank | Prepare > Java > Strings > Valid Username Regular Expression

Exit Full Screen View

Problem | Submissions | Leaderboard | Discussions

You are updating the username policy on your company's internal networking platform. According to the policy, a username is considered valid if all the following constraints are satisfied:

- The username consists of 8 to 30 characters inclusive. If the username consists of less than 8 or greater than 30 characters, then it is an invalid username.
- The username can only contain alphanumeric characters and underscores (_). Alphanumeric characters describe the character set consisting of lowercase characters $[a - z]$, uppercase characters $[A - Z]$, and digits $[0 - 9]$.
- The first character of the username must be an alphabetic character, i.e., either lowercase character $[a - z]$ or uppercase character $[A - Z]$.

For example:

Username	Validity
Julia	INVALID; Username length < 8 characters
Samantha	VALID
Samantha_21	VALID
1Samantha	INVALID; Username begins with non-alphabetic character
Samantha?10_2A	INVALID; '?' character not allowed

Update the value of regularExpression field in the UsernameValidator class so that the regular expression only matches with valid usernames.

Input Format

The first line of input contains an integer n, describing the total number of usernames.

Change Theme Language Java 7

```java
import java.util.Scanner;
class UsernameValidator {
    /*
     * Write regular expression here.
     */
     public static final String regularExpression = "^[A-Za-z][A-Za-z0-9_]{7,29}
}


public class Solution {
    private static final Scanner scan = new Scanner(System.in);

    public static void main(String[] args) {
        int n = Integer.parseInt(scan.nextLine());
        while (n-- != 0) {
            String userName = scan.nextLine();

            if (userName.matches(UsernameValidator.regularExpression)) {
                System.out.println("Valid");
            } else {
                System.out.println("Invalid");
            }
        }
    }
}
```

Line: 2 Col: 1

Upload Code as File | Test against custom input | Run Code | Submit Code



Java Primality Test | HackerRank X +

Ask Gemini

hackerrank.com/challenges/java-primality-test/problem?isFullScreen=true

Paused

HackerRank | Prepare > Java > BigNumber > Java Primality Test

Exit Full Screen View

Problem | Submissions | Leaderboard | Discussions

A prime number is a natural number greater than 1 whose only positive divisors are 1 and itself. For example, the first six prime numbers are 2, 3, 5, 7, 11, and 13.

Given a large integer, n, use the Java BigInteger class' isProbablePrime method to determine and print whether it's `prime` or `not prime`.

Input Format

A single line containing an integer, n (the number to be checked).

Constraints

- n contains at most 100 digits.

Output Format

If n is a prime number, print `prime`; otherwise, print `not prime`.

Sample Input

```
13
```

Sample Output

```
prime
```

Explanation

The only positive divisors of 13 are 1 and 13, so we print `prime`.

Change Theme Language Java 7

```java
import java.io.*;
import java.math.*;
import java.security.*;
import java.text.*;
import java.util.*;
import java.util.concurrent.*;
import java.util.regex.*;



public class Solution {
    public static void main(String[] args) throws IOException {
        BufferedReader bufferedReader = new BufferedReader(new InputStreamReader
        (System.in));

        String n = bufferedReader.readLine();

          BigInteger number = new BigInteger(n);

        if (number.isProbablePrime(100)) {
            System.out.println("prime");
        } else {
            System.out.println("not prime");
        }

```

Line: 29 Col: 1

Upload Code as File | Test against custom input | Run Code | Submit Code