

ITERATORS



SIMATS Online Programming Lab

JAVA PROGRAMMING

NAGA TEJASWITHA

192371057RD

ITERATOR

QUESTIONS

Q1

A college stores the names of students in an ArrayList. The administrator wants to display all student names using an Iterator instead of a for loop.

10 marks

Q2

Remove Even Numbers Using Iterator

10 marks

Q3

Product Price Analysis Using Iterator

10 marks

3/3 answered

Q1

A college stores the names of students in an ArrayList. The administrator wants to display all student names using an Iterator instead of a for loop.

10 marks

A college stores the names of students in an ArrayList. The administrator wants to display all student names using an Iterator instead of a for loop.

Write a Java program to:

- Create an ArrayList of student names.
- Read 8 student names from the user.
- Traverse the list using an Iterator.
- Display each student name on a separate line.
- Display the total number of students stored in the list.

Your Code

```
1 import java.util.*;
2 public class StudentList {
3     public static void main(String[] args) {
4         Scanner sc = new Scanner(System.in);
5         ArrayList<String> students = new ArrayList<>();
6         for(int i = 0; i < 8; i++)
7             students.add(sc.nextLine());
8         Iterator<String> it = students.iterator();
```

Input

Teju
Vijju
Sekhar
Kalpana
...

Output

Kalpana
Mani



SIMATS Online Programming Lab

JAVA PROGRAMMING

NAGA TEJASWITHA

192371057RD

Iterator

10 marks

Q3

Product Price Analysis Using Iterator

10 marks

3/3 answered

Traverse the list using an Iterator.

Display each student name on a separate line.

Display the total number of students stored in the list.

Your Code

```
1 import java.util.*;
2 public class StudentList {
3     public static void main(String[] args) {
4         Scanner sc = new Scanner(System.in);
5         ArrayList<String> students = new ArrayList<>();
6         for(int i = 0; i < 8; i++)
7             students.add(sc.nextLine());
8         Iterator<String> it = students.iterator();
9         while(it.hasNext())
10             System.out.println(it.next());
11         System.out.println("Total students = " + students.size());
12     }
13 }
```

Input

Teju
Vijju
Sekhar
Kalpana
...

Output

Kalpana
Mani
Rahul
Priya
Charan
Total students = 8

Run

Save



SIMATS

ENGINEERING

SIMATS Online Programming Lab

JAVA PROGRAMMING

NAGA TEJASWITHA

192371057RD

ITERATOR

← Back

QUESTIONS

Q1

A college stores the names of students in an ArrayList. The administrator wants to display all student names using an Iterator instead of a for loop.

10 marks

Q2

Remove Even Numbers Using Iterator

10 marks

Q3

Product Price Analysis Using Iterator

10 marks

Q2 Remove Even Numbers Using Iterator

10 marks

A company maintains a list of employee ID numbers. The management wants to remove all employees whose ID numbers are even, using an Iterator.

Write a Java program to:

Create an ArrayList<Integer>.

Read 10 employee ID numbers from the user.

Traverse the list using an Iterator.

Remove all even ID numbers using the remove() method of the Iterator.

Display the updated list containing only odd employee IDs.

Your Code

Input



online compiler and debugger for c/c++

code, compile, run, debug, share.

IDE

My Projects

Classroom new

Learn Programming

Programming Questions

Sign Up

Login

About • FAQ • Docs • Blog • Terms of Use • Contact Us • GDB Tutorial • Credits • Privacy

© 2016 - 2026 GDB Online

Run

Debug

Stop

Share

Save

Beautify

Download

Language: Java

Main.java

```
1 import java.util.*;
2 public class Main {
3     public static void main(String[] args) {
4         Scanner sc = new Scanner(System.in);
5         ArrayList<Integer> list = new ArrayList<>();
6         for (int i = 0; i < 10; i++)
7             list.add(sc.nextInt());
8         Iterator<Integer> it = list.iterator();
9         while (it.hasNext()) {
10             if (it.next() % 2 == 0)
11                 it.remove();
12         }
13         System.out.println(list);
14     }
15 }
```

input

stdout

stderr

Compiled Successfully. memory: 57344 time: 0.13 exit code: 0

[11, 13, 15, 17, 19]

←

Not secure simatslab.saveetha.com/practice_app/classactivity/attempt?assignment_id=816

🔍 📄 ⭐ ⚙️ 🗨️ 👤 ... Chat



SIMATS
ENGINEERING

SIMATS Online Programming Lab

JAVA PROGRAMMING

9 NAGA TEJASWITHA
192371057RD

▼

ITERATOR

← Back

QUESTIONS

Q1

A college stores the names of students in an ArrayList. The administrator wants to display all student names using an Iterator instead of a for loop.
10 marks

✓

Q2

Remove Even Numbers Using Iterator
10 marks

✓

Q3

Product Price Analysis Using Iterator
10 marks

✓

3/3 answered

Q3 Product Price Analysis Using Iterator10 marks

A supermarket stores the prices of various products in an ArrayList<Double>. The manager wants to analyze the prices using an Iterator.

Write a Java program to:

- Create an ArrayList<Double>.
- Read the prices of 10 products from the user.
- Traverse the list using an Iterator.
- Calculate and display:
 - Total price of all products.
 - Average product price.
 - Highest product price.
- Display all product prices using the Iterator.

Your Code

```
1 import java.util.*;
2 public class ProductPrice {
3     public static void main(String[] args) {
4         Scanner sc = new Scanner(System.in);
5         ArrayList<Double> prices = new ArrayList<>();
6         for (int i = 0; i < 10; i++)
7             prices.add(sc.nextDouble());
8     }
9 }
```

Input

100 200 300 250 50 70 90 305 400 500

Output

Product Prices:

←

Not secure simatslab.saveetha.com/practice_app/classactivity/attempt?assignment_id=816

🔍 📄 ⭐ ⚙️ 🗨️ 👤 ... Chat



SIMATS
ENGINEERING

SIMATS Online Programming Lab

JAVA PROGRAMMING

9 NAGA TEJASWITHA
192371057RD

▼

3/3 answered

Your Code

```
1 import java.util.*;
2 public class ProductPrice {
3     public static void main(String[] args) {
4         Scanner sc = new Scanner(System.in);
5         ArrayList<Double> prices = new ArrayList<>();
6         for (int i = 0; i < 10; i++)
7             prices.add(sc.nextDouble());
8         Iterator<Double> it = prices.iterator();
9         double total = 0, highest = 0;
10        while (it.hasNext()) {
11            double price = it.next();
12            total += price;
13            if (price > highest)
14                highest = price;
15        }
16        System.out.println("Product Prices:");
17        it = prices.iterator();
18        while (it.hasNext())
19            System.out.println(it.next());
20        System.out.println("Total = " + total);
21        System.out.println("Average = " + (total / 10));
22        System.out.println("Highest = " + highest);
23    }
24 }
```

Input

100 200 300 250 50 70 90 305 400 500

Output

305.0
400.0
500.0
Total = 2265.0
Average = 226.5
Highest = 500.0

Run

Save