Response Headers for Catalog Classification

To enable Buyer NPs (BNPs) to distinguish between different types of **/on_search responses**, Seller NPs (SNPs) **must** include a custom response header indicating the response type.

Header Format

X-ONDC-Search-Response: <type>

Header Types

Header Value	Type	Description
X-ONDC-Search-Response: full	Full Broadcast	Complete catalog with all provider details, items, locations, categories, and registration requirements
X-ONDC-Search-Response: inc	Incremental	Partial catalog update containing only changed items/availability/prices
X-ONDC-Search-Response: p2p	Point-to-Point	Retailer-specific response with serviceability, credit, POC, and scheme progress**, and the provider(s) mapped to that retailer**

Note: These headers are **mandatory** in eB2B protocol to ensure proper catalog processing by BNPs.

Broadcast Search Scenario


/search

The Broadcast Search is the **discovery phase** of the eB2B protocol. It is used when a Buyer App (BAP) wants to discover available distributors/providers and their catalog without having a pre-existing relationship.

- First discovery of providers in a city/region
- Exploring available products across multiple distributors
- Retailer has not yet been mapped/registered with any specific provider

Key Characteristics

- **No Seller Targeting:** the context carries no bpp_id or bpp_uri, so the request reaches every Seller NP.
- **No Customer Identity:** no customer ID or retailer details are sent.
- **Category-Level Search**: Search is performed at category level (e.g., "Energy and Soft Drinks"), not item level
- **Full Catalog Response:** the response carries every provider's details, locations, items and registration requirements.
- **Feature Declaration:** the Buyer NP lists the features it supports in bap_features: 030 for retailer identification and 031 for retailer mapping. Each Seller NP shapes its response to match. See Buyer NP features.




```
{
 "context": {
  "domain[1]": "ONDC:RETeB2B",
  "action": "search",
  "country": "IND",
  "city[2]": "std:080",
  "core_version": "1.2.5",
  "bap_id": "buyer-np.com",
  "bap_uri": "https://buyer-np.com/ondc",
  "transaction_id": "T1",
  "message_id": "M1",
  "timestamp": "2025-01-08T08:00:00.000Z",
  "ttl": "PT30S"
 },
 "message": {
  "intent": {
   "category[3]": {
    "id[4]": "Energy and Soft Drinks"
   },
   "fulfillment[5]": {
    "type": "Delivery"
   },
   "payment": {
    "@ondc/org/buyer_app_finder_fee_type": "percent[6]",
    "@ondc/org/buyer_app_finder_fee_amount": "3.54[7]"
   },
   "tags": [
    {
     "code": "bap_terms[8]",
     "list": [
      {
```


---

[1] domain namespace
[2] city codes in the format "std:*"
[3] optional
[4] sub-category as per the taxonomy here;
[5] optional, when not specified, all fulfillment types supported by provider should be returned in response;
[6] enum - "percent", "amount";
[7] inclusive of GST;
[8] static terms for transaction level contract;

```
          "code": "static_terms",
          "value": ""
        },
        {
          "code": "static_terms_new[9]",
          "value": "https://github.com/ONDC-Official/NP-Static-Terms/buyerNP_BNP/1.0/tc.pdf"
        },
        {
          "code": "effective_date",
          "value": "2025-02-01T00:00:00.000Z"
        }
      ]
    },
    {
      "code": "bap_features[10]",
      "list": [
        {
          "code": "01A[11]",
          "value": "yes[12]"
        },
        {
          "code": "0091",
          "value": "yes"
        },
        {
          "code": "0092",
          "value": "yes"
        },
        {
          "code": "0093",
          "value": "yes"
        },
        {
          "code": "0094",
          "value": "yes"
        },
        {
          "code": "0095",
          "value": "yes"
        },
        {
          "code": "030"[13],
          "value": "yes"
        },
        {
          "code": "031"[14],
          "value": "yes"
        }
      ]
    }
  ]
 }
}
```

/on_search

The /on_search response provides:

- The catalogue of every provider, with all its items.
- retailer_info_required lists the codes that identify or register a retailer. It is published per provider, or once at bpp/descriptor.tags for all providers.

---

[9] Optional; required if new static terms are to be provided
[10] list of enhanced features supported, details here; optional
[11] maps to feature id here;
[12] enum - "yes", "no";
[13] Retailer identification: the Buyer NP reads retailer_info_required (provider-level, or the descriptor group where a provider publishes none), applies catalogue visibility, and uses the P2P Search with fulfillment.customer for identification, registration and terms. enum "yes", "no". A missing 030 is read as "yes" until a cut-over date set by ONDC.
[14] Retailer mapping: the Buyer NP reads retailer_mapping_required, applies distributor visibility, and sends provider-less and many-retailer lookups. enum "yes", "no"; "yes" implies 030. How a Seller NP responds to each declaration: Retailer identification model.

- retailer_mapping_required lists the codes that find which distributors serve a retailer. It is published at bpp/descriptor.tags.
- No retailer-specific data, such as credit limits, scheme progress or POC.
- The full catalogue arrives before any retailer is identified. The Buyer NP caches it per provider.

What the Buyer NP shows a retailer

- retailer_mapping_required decides which distributors the retailer sees. See Retailer Mapping.
- retailer_info_required decides whether each distributor's catalogue opens before the retailer is identified. See Retailer Identification & Terms.

This example publishes both declarations at bpp/descriptor.tags. P1 also publishes its own retailer_info_required, so its own group applies to P1. P2 publishes none, so the descriptor group applies to P2.


```
{
 "context": {
   "domain": "ONDC:RETeB2B",
   "country": "IND",
   "city": "std:080",
   "action": "on_search",
   "core_version": "1.2.5",
   "bap_id": "buyer-np.com",
   "bap_uri": "https://buyer-np.com/ondc",
   "bpp_id": "seller-np.com",
   "bpp_uri": "https://seller-np.com/ondc",
   "transaction_id": "T1",
   "message_id": "M1",
   "timestamp": "2025-01-08T08:00:30.000Z"
 },
 "message": {
   "catalog": {
     "bpp/descriptor[15]": {
       "name": "Distributor Marketplace",
       "symbol[16]": "https://seller-np.com/images/logo.png",
       "short_desc": "B2B Wholesale Distribution Platform",
       "long_desc": "B2B Wholesale Distribution Platform for Retailers",
       "images": [
         "https://seller-np.com/images/logo.png"
       ],
       "tags": [
         {
           "code": "bpp_terms",
           "list": [
             {
               "code": "np_type",
               "value": "MSN[17]"
             },
             {
               "code": "accept_bap_terms",
               "value": "Y[18]"
             },
             {
               "code": "collect_payment",
               "value": "Y[19]"
             }
           ]
         },
         {
           "code": "retailer_mapping_required"[20],
           "list": [
             {
```


[15] descriptor for SNP;
[16] logo or image for SNP; type: URL (https).
[17] self-declaration of type of NP, enum - "ISN" (inventory seller), "MSN" (marketplace);
[18] enum - "Y" (yes), "N" (no);
[19] enum - "Y" (yes), "N" (no);
[20] Optional. Publish only if the Seller NP can resolve which of its providers serve a retailer, across all of them; it is required for provider-less lookups (feature 031). One group per lookup set: here customer_id, or phone_number with GSTIN. Lookup only: it never registers retailers.

```
      "code": "customer_id",
      "value": "true"
    }
   ]
  },
  {
   "code": "retailer_mapping_required",
   "list": [
    {
     "code": "phone_number",
     "value": "true"
    },
    {
     "code": "GSTIN",
     "value": "true"
    }
   ]
  },
  {
   "code": "retailer_info_required"[21],
   "list": [
    {
     "code": "name"[22],
     "value": "true"
    },
    {
     "code": "phone_number",
     "value": "true"
    },
    {
     "code": "email",
     "value": "true"
    },
    {
     "code": "consent"[23],
     "value": "true"
    },
    {
     "code": "shop_name",
     "value": "true"
    },
    {
     "code": "shop_category"[24],
     "value": "true"
    },
    {
     "code": "address",
     "value": "true"
    },
    {
     "code": "area_code"[25],
     "value": "true"
    },
    {
     "code": "gps"[26],
     "value": "true"
    },
    {
     "code": "shop_image_board"[27],
     "value": "true"
```

[21] Optional. Publish here when the requirement is the same for every provider. It applies to each provider that publishes no retailer_info_required of its own (here P2); a provider that publishes its own uses that instead (here P1). A Seller NP that publishes retailer_mapping_required and registers new retailers must publish type = new here, as an unmapped retailer sees no provider to register with.
[22] string; the owner's name, carried in fulfillment.customer.person.name.
[23] The one field no existing attribute holds, so it travels in fulfillment.customer.tags, consent group: whatsapp_otp, enum "yes", "no"; consented_at, ISO 8601 UTC timestamp of the OTP confirmation.
[24] Shop category; enums to be defined eg: "wholesale". On registration it is carried in fulfillment.customer.organization.descriptor.code.
[25] string, 6-digit PIN code; carried in fulfillment.end.location.address.area_code.
[26] string "latitude,longitude" in decimal degrees, minimum 6 decimal precision, taken at the store; carried in fulfillment.end.location.gps.
[27] Photo of the shop board; URL (https) of a JPEG or PNG taken live by camera at the store, no gallery uploads. On registration it is carried in fulfillment.customer.organization.descriptor.symbol.

```
        },
        {
          "code": "shop_image_inside"[28],
          "value": "true"
        },
        {
          "code": "document"[29],
          "value": "true"
        },
        {
          "code": "type"[30],
          "value": "new"
        }
      ]
    }
  ]
},
"bpp/providers"[31]: [
  {
    "id"[32]: "P1"[33],
    "time": {
      "label": "enable"[34],
      "timestamp": "2025-01-08T07:00:30.000Z"[35]
    },
    "descriptor": {
      "name"[36]: "ABC Manufacturer",
      "code": "distributor"[37],
      "symbol"[38]: "https://seller-np.com/images/abc-dist.png",
      "short_desc"[39]: "ABC Distributors",
      "long_desc": "Leading FMCG Wholesale Distributor in Bangalore",
      "images": [
        "https://seller-np.com/images/abc-dist.png"
      ]
    },
    "ttl": "P1D"[40],
    "creds"[41]: [
      {
        "id"[42]: "07AABCF8078M123",
        "descriptor": {
          "code": "Identifier",
          "short_desc": "GSTIN"
        }
      }
    ],
    "fulfillments"[43]: [
      {
        "id": "F1",
        "type": "Delivery",
```

---

[28] Photos inside the shop; one or more URL (https), JPEG or PNG, taken live by camera. On registration they are carried in fulfillment.customer.organization.descriptor.images.
[29] At least one document, carried as fulfillment.customer.person.creds[] with type, id and url. type enum: "GSTIN", "PAN", "UDYAM" (Udyam Aadhar), "UDYOG_AADHAAR" (Udyog Aadhar), "FSSAI", "SHOP_ESTABLISHMENT", "TRADE_LICENSE", "HEALTH_TRADE_LICENSE", "SSI_LICENSE", "GRAM_PANCHAYAT_CERTIFICATE", "LOCAL_BODY_PERMISSION", "AADHAAR" (masked: last four digits only). A Seller NP that accepts only some types adds the code document_types, a comma-separated list of them.
[30] enum: "new" (codes collected to register a retailer), "existing" (codes that identify one already held). The value of every other code is enum "true" (must be sent) or "false" (may be sent).
[31] descriptor for seller (merchant) that processes & fulfills orders;
[32] The bpp/providers.id is defined as a combination of Distributor and Manufacturer (Distributor x Manufacturer). The Provider ID in the system will be updated to reflect this specific combination
[33] unique id for provider;
[34] enum - "enable" (default), "disable" (soft delete of provider from BNP cache);
[35] timestamp when the snapshot for this provider was generated. BNPs can use this to determine from when to start incremental refresh;
[36] Manufacturer name
[37] Enum: [wholesaler, distributor, manufacturer]
[38] Distributor Symbol; type: URL (https).
[39] Distributor name
[40] ISO8601 duration format for validity of provider catalog;
[41] credentials for provider;
[42] unique ID;;
[43] provider level fulfillment options;

```
      "contact[44]": {
        "phone": "9886098860[45]",
        "email[46]": "orders@abcdist.com"
      }
    }
  ],
  "locations": [
    {
      "id": "L1",
      "time": {
        "label": "enable[47]",
        "timestamp": "2025-01-08T07:30:30.000Z[48]",
        "schedule": {
          "holidays[49]": [
            "2025-01-26",
            "2025-08-15"
          ]
        }
      },
      "gps": "12.9675,77.7496[50]",
      "address": {
        "locality[51]": "Jayanagar",
        "street": "Jayanagar 4th Block",
        "city": "Bengaluru",
        "area_code": "560076",
        "state": "KA"
      }
    },
    {
      "id": "L2",
      "time": {
        "label": "enable[52]",
        "timestamp": "2025-01-08T07:30:30.000Z[53]",
        "schedule": {
          "holidays[54]": [
            "2025-01-26",
            "2025-08-15"
          ]
        }
      },
      "gps": "12.9352,77.6245[55]",
      "address": {
        "locality[56]": "BTM Layout",
        "street": "BTM Layout 2nd Stage",
        "city": "Bengaluru",
        "area_code": "560076",
        "state": "KA"
      }
    }
  ],
```

---

[44] contact details for merchant - if merchant is in multiple locations, this will be the contact detail for merchant and contact detail for the storefront (specific location) will be in fulfillment.start;
[45] valid 10 digit (mobile no) or 11 digit no;
[46] email id of merchant or SNP;
[47] enum - "enable" (default), "disable" (soft delete of provider location, i.e. warehouse or store, from BNP cache - in this case, the serviceability for the store should not be a part of the catalog), "close" (temporary closure of store with the same format for time.range as specified, for incremental refresh, here - only if this event is available at the time of generating the full catalog snapshot), "open" (reopening of store when the store was previously closed for an indefinite time);
if store close timing was provided previously and store info is being updated thru "enable", provider.tags.close_timing may be used to provide the store close timing;
[48] timestamp when the snapshot for location was generated, must be <= Context.timestamp;
[49] list of future dated holidays, to be used as per holiday calendar; if no holidays, empty array needs to be passed;
[50] **minimum 4 decimal precision**;
[51] locality name;
[52] enum - "enable" (default), "disable" (soft delete of provider location, i.e. warehouse or store, from BNP cache - in this case, the serviceability for the store should not be a part of the catalog), "close" (temporary closure of store with the same format for time.range as specified, for incremental refresh, here - only if this event is available at the time of generating the full catalog snapshot), "open" (reopening of store when the store was previously closed for an indefinite time);
if store close timing was provided previously and store info is being updated thru "enable", provider.tags.close_timing may be used to provide the store close timing;
[53] timestamp when the snapshot for location was generated, must be <= Context.timestamp;
[54] list of future dated holidays, to be used as per holiday calendar; if no holidays, empty array needs to be passed;
[55] **minimum 4 decimal precision**;
[56] locality name;

```
"categories": [
 {
  "id": "V1[57]",
  "descriptor": {
   "name": "Plain Atta Variant Group"
  },
  "tags": [
   {
    "code": "type",
    "list": [
     {
      "code": "type",
      "value": "variant_group"
     }
    ]
   },
   {
    "code": "attr",
    "list": [
     {
      "code": "name",
      "value": "item.quantity.unitized.count"
     },
     {
      "code": "seq",
      "value": "1"
     }
    ]
   },
   {
    "code": "attr",
    "list": [
     {
      "code": "name",
      "value": "item.quantity.unitized.measure[58]"
     },
     {
      "code": "seq",
      "value": "2"
     }
    ]
   }
  ]
 },
 {[59]
  "id": "V2",
  "descriptor": {
   "name": "Juice Variant Group"
  },
  "tags": [
   {
    "code": "type",
    "list": [
     {
      "code": "type",
      "value": "variant_group"
     }
    ]
   },
   {
    "code": "attr",
    "list": [
     {
      "code": "name",
      "value": "item.quantity.unitized.measure"
     },
     {
      "code": "seq",
      "value": "1"
```

[57] unique id for custom category (across customization group, custom menu, variant group); alphanumeric & up to 12 characters;
[58] means concatenation of item.quantity.unitized.measure.value and item.quantity.unitized.measure.unit e.g. "1 kilogram", "2 kilogram", "5 kilogram";
[59] grouping of variant based on quantity (quantity.unitized.measure), and pack size(quantity.count)

```
            }
           ]
          },
          {
           "code": "attr",
           "list": [
            {
             "code": "name",
             "value": "item.quantity.unitized.count"
            },
            {
             "code": "seq",
             "value": "2"
            }
           ]
          }
         ]
        }
       ],
       "offers": [
        {
         "id": "discp10[60]",
         "descriptor": {
          "code": "discount[61]",
          "images": [
           "https://seller-np.com/images/offer1-banner.webp"
          ]
         },
         "location_ids": [
          "L1"
         ],
         "category_ids[62]": [
          "Atta, Flours and Sooji[63]"
         ],
         "item_ids": [
          "I1",
          "I2"
         ],
         "time": {
          "label": "valid",
          "range": {
           "start": "2025-01-01T00:00:00.000Z",
           "end": "2025-01-31T23:59:59.000Z"
          }
         },
         "tags": [
          {
           "code": "qualifier",
           "list": [
            {
             "code": "min_value",
             "value": "500.00"
            }
           ]
          },
          {
           "code": "benefit",
           "list": [
            {
             "code": "value_type",
             "value": "percent"
            },
            {
             "code": "value",
             "value": "-10.00"
            },
            {
             "code": "value_cap",
             "value": "-2000.00"
            }
```


[60] unique id for this offer
[61] offer type
[62] optional; includes standard categories defined in the taxonomy sheet, custom categories (variant group)
[63] Category enums available here

```
        ]
      },
      {
        "code": "meta",
        "list": [
          {
            "code": "additive",
            "value": "yes"
          },
          {
            "code": "auto",
            "value": "no"
          }
        ]
      }
    ]
  },
  {
    "id": "flat150[64]",
    "descriptor": {
      "code": "discount",
      "images": [
        "https://seller-np.com/images/offer2-banner.webp"
      ]
    },
    "location_ids": [
      "L1"
    ],
    "category_ids": [
      "Soft Drinks and Juices"
    ],
    "item_ids": [
      "I3",
      "I4"
    ],
    "time": {
      "label": "valid",
      "range": {
        "start": "2025-01-01T00:00:00.000Z",
        "end": "2025-01-31T23:59:59.000Z"
      }
    },
    "tags": [
      {
        "code": "qualifier",
        "list": [
          {
            "code": "min_value",
            "value": "1000.00"
          }
        ]
      },
      {
        "code": "benefit",
        "list": [
          {
            "code": "value_type",
            "value": "amount"
          },
          {
            "code": "value",
            "value": "-150.00"
          }
        ]
      },
      {
        "code": "meta",
        "list": [
          {
            "code": "additive",
            "value": "yes"
          },
          {
```

[64] unique id for this offer

```
          "code": "auto",
          "value": "yes"
        }
      ]
    }
  ]
},
{
  "id": "slab1[65]",
  "descriptor": {
    "code": "slab",
    "images": [
      "https://seller-np.com/images/slab-offer-banner.webp"
    ]
  },
  "location_ids": [
    "L1"
  ],
  "category_ids": [],
  "item_ids": [
    "I3"
  ],
  "time": {
    "label": "valid",
    "range": {
      "start": "2025-01-01T00:00:00.000Z",
      "end": "2025-03-31T23:59:59.000Z"
    }
  },
  "tags": [
    {
      "code": "qualifier",
      "list": [
        {
          "code": "item_count",
          "value": "10"
        },
        {
          "code": "item_count_upper",
          "value": "19"
        }
      ]
    },
    {
      "code": "benefit",
      "list": [
        {
          "code": "value_type",
          "value": "percent"
        },
        {
          "code": "value",
          "value": "-5.00"
        },
        {
          "code": "value_cap",
          "value": "-5000.00"
        }
      ]
    },
    {
      "code": "meta",
      "list": [
        {
          "code": "additive",
          "value": "no"
        },
        {
          "code": "auto",
          "value": "yes"
        }
      ]
    }
```


[65] unique id for this slab offer (**Slab 1:** Buy **10 to 19 units** and get **5% OFF**, up to a maximum discount of **₹5000**)

```
    ]
  },
  {
    "id": "slab2[66]",
    "descriptor": {
      "code": "slab",
      "images": [
        "https://seller-np.com/images/slab-offer-banner.webp"
      ]
    },
    "location_ids": [
      "L2"
    ],
    "category_ids": [],
    "item_ids": [
      "I2"
    ],
    "time": {
      "label": "valid",
      "range": {
        "start": "2025-01-01T00:00:00.000Z",
        "end": "2025-03-31T23:59:59.000Z"
      }
    },
    "tags": [
      {
        "code": "qualifier",
        "list": [
          {
            "code": "item_weight",
            "value": "150"
          },
          {
            "code": "item_weight_upper",
            "value": "200"
          }
        ]
      },
      {
        "code": "benefit",
        "list": [
          {
            "code": "value_type",
            "value": "percent"
          },
          {
            "code": "value",
            "value": "-15.00"
          },
          {
            "code": "value_cap",
            "value": "-1000.00"
          }
        ]
      },
      {
        "code": "meta",
        "list": [
          {
            "code": "additive",
            "value": "no"
          },
          {
            "code": "auto",
            "value": "yes"
          }
        ]
      }
    ]
  },
  {
    "id": "freebie1",
    "descriptor": {
```

[66] unique id for this slab offer (**Slab 1:** Buy **10 to 19 units** and get **5% OFF**, up to a maximum discount of **₹5000**)

```
      "code": "freebie",
      "images": [
        "https://seller-np.com/images/freebie-offer-banner.webp"
      ]
    },
    "location_ids": [
      "L1"
    ],
    "category_ids": [],
    "item_ids": [
      "I1"
    ],
    "time": {
      "label": "valid",
      "range": {
        "start": "2025-01-01T00:00:00.000Z",
        "end": "2025-01-31T23:59:59.000Z"
      }
    },
    "tags": [
      {
        "code": "qualifier",
        "list": [
          {
            "code": "item_count",
            "value": "50"
          }
        ]
      },
      {
        "code": "benefit",
        "list": [
          {
            "code": "value_type",
            "value": "freebie"
          },
          {
            "code": "item_id",
            "value": "I1"
          },
          {
            "code": "item_count",
            "value": "5"
          }
        ]
      },
      {
        "code": "meta",
        "list": [
          {
            "code": "additive",
            "value": "no"
          },
          {
            "code": "auto",
            "value": "yes"
          }
        ]
      }
    ]
  },
  {
    "id": "buy2get3[67]",
    "descriptor": {
      "code": "buyXgetY",
      "images[68]": [
        "https://snp.com/images/offer1-banner.webp"
      ]
    },
    "location_ids": [
```


[67] unique id for this offer - buy 2 items, get additional item for free or for offered price;

[68] optional; array of URL (https).

```
        "L1"
      ],
      "category_ids[69]": [],
      "item_ids[70]": [
        "I1",
        "I2"
      ],
      "time": {
        "label": "valid",
        "range": {
          "start": "2025-01-01T16:00:00.000Z",
          "end": "2025-01-01T23:00:00.000Z"
        }
      },
      "tags": [
        {
          "code": "qualifier",
          "list": [
            {
              "code": "item_count[71]",
              "value": "2"
            }
          ]
        },
        {
          "code": "benefit",
          "list": [
            {
              "code": "item_count[72]",
              "value": "1"
            },
            {
              "code": "item_id[73]",
              "value": "I1"
            },
            {
              "code": "item_value[74]",
              "value": "0.00"
            }
          ]
        },
        {
          "code": "meta",
          "list": [
            {
              "code": "additive",
              "value": "no"
            },
            {
              "code": "auto",
              "value": "yes"
            }
          ]
        }
      ]
    }
  ],
  "items": [
    {
      "id": "I1",
      "time": {
        "label": "enable[75]",
        "timestamp": "2025-01-08T07:30:00.000Z[76]"
      },
```

---

[69] includes standard categories defined in the taxonomy sheet, custom categories (variant groups, customization groups)

[70] item(s) for which offer applies - empty array if offer applies across any 2 items;

[71] count of item(s), as specified in applicability criteria, for which offer applies; if applicability criteria not specified for items, this count applies to all items in the cart;

[72] additional count of item offered;

[73] id of item for which additional count offered;

[74] offered value of additional item; in this case, extra item is offered for free;

[75] enum - "enable", "disable";

[76] timestamp for item event;

```
"parent_item_id": "V1[77]",
"descriptor": {
 "name": "Ashirwad Plain Atta 1kg",
 "code[78]": "1:XXXXXXXXXXXXX",
 "symbol": "https://seller-np.com/images/ashirwad-atta-1kg.png",
 "short_desc": "Ashirwad Plain Atta 1kg Pack",
 "long_desc": "Premium quality wheat flour",
 "images[79]": [
  "https://seller-np.com/images/ashirwad-atta-1kg.png"
 ]
},
"quantity": {
 "unitized[80]": {
  "count": 1[81],
  "measure": {
   "unit": "kilogram[82]",
   "value": "1"
  }
 },
 "available": {
  "count[83]": "99"
 },
 "maximum": {
  "count[84]": "100"
 },
 "minimum": {
  "count[85]": "20"
 }
},
"price": {
 "currency": "INR",
 "value": "52.00",
 "maximum_value": "55.00"
},
"category_id": "Atta, Flours and Sooji[86]",
"fulfillment_id": "F1",
"location_id": "L1",
"@ondc/org/returnable": true,
"@ondc/org/cancellable": true,
"@ondc/org/return_window": "P2D",
"@ondc/org/seller_pickup_return[87]": true,
"@ondc/org/time_to_ship[88]": "PT4H",
"@ondc/org/available_on_cod": false,
"@ondc/org/contact_details_consumer_care[89]": "support,support@abcdist.com,18004254444",
"@ondc/org/statutory_reqs_packaged_commodities[90]": {
 "manufacturer_or_packer_name": "ITC Limited",
 "manufacturer_or_packer_address": "ITC Quality Care Cell, P.O Box No.592, Bangalore-560005",
 "common_or_generic_name_of_commodity": "Wheat Flour (Atta)",
 "month_year_of_manufacture_packing_import": "12/2024"
},
"@ondc/org/statutory_reqs_prepackaged_food[91]": {
 "nutritional_info": "Energy(KCal)-(per 100g) 348; Protein(g)-(per 100g) 11.8",
 "additives_info": "None",
 "brand_owner_FSSAI_license_no": "12345678901234",
 "other_FSSAI_license_no": "12345678901234",
 "importer_FSSAI_license_no": ""
},
```

---

[77] if variant grouping defined for provider above, this matches id for variant_group definition; if not defined or id is invalid, BNPs may choose to display as standalone SKU item;
[78] unique code for item which will be in this format - "type:code" where type is 1 - EAN, 2 - ISBN, 3 - GTIN, 4 - HSN, 5 - others;
[79] while item images ensures better discoverability & enhances user experience, if no image is available, SNPs shouldn't send image (instead of sending placeholder image); Each image: URL (https).
[80] net quantity per unit;
[81] optional; unitized count defines the number of packs
[82] enum - "unit", "dozen", "gram", "kilogram", "tonne", "litre", "millilitre" (list here);
[83] stringified integer value - inventory status; 99 - available, 0 - out of stock;
[84] stringified integer value - cap per order (if exists) or default value 99(no limit);
[85] stringified integer value - minimum order quantity;
[86] enum from here;
[87] whether seller is responsible for pick up of item for return;
[88] O2S: time to ship in ISO8601 duration format;
[89] valid contact details exactly in this format - name, email, contact no;
[90] mapping of category to attribute key is defined here;
[91] mapping of category to attribute key is defined here;

```
"tags": [
 {
  "code": "origin[92]",
  "list": [
   {
    "code": "country",
    "value": "IND[93]"
   }
  ]
 },
 {
  "code": "pack_config[94]",
  "list": [
   {
    "code": "set[95]",
    "value": "10"
   },
   {
    "code": "case[96]",
    "value": "40"
   },
   {
    "code": "selling_unit[97]",
    "value": "20"
   },
   {
    "code": "selling_unit",
    "value": "60"
   }
  ]
 },
 {
  "code": "attribute[98]",
  "list": [
   {
    "code": "brand",
    "value": "Ashirwad"
   }
  ]
 },
 {
  "code": "veg_nonveg[99]",
  "list": [
   {
    "code": "veg[100]",
    "value": "yes"
   }
  ]
 },
 {
  "code": "image[101]",
  "list": [
   {
    "code": "type",
    "value": "back_image"
   },
   {
    "code": "url",
```

---

[92] identifies origin of item i.e. country, state, etc.;
[93] ISO 3166-1 alpha-3 code;
[94] Optional; Defines the packaging hierarchy for a SKU, including the number of units in a sellable set and the number of units contained in a master case.
[95] Number of individual units grouped together and sold as a single pack/set. Example: A value of 10 means one set contains 10 individual units.
[96] Total number of individual units contained in a master case/carton.The case size should be greater than or equal to the set size and is typically a multiple of the set size. Example: A value of 40 means one case contains 40 individual units.
[97] selling_unit represents the permitted order quantity multiple(s) defined by the seller or distributor for a SKU. It specifies the quantities in which the product can be purchased, irrespective of its physical packaging configuration. Unlike set and case, multiple selling_unit values may be provided to support different ordering options.
[98] item attributes defined **here** (mapping of attributes to keys e.g "Brand" => "brand") - populating with valid values will enable better discoverability on BNPs, suggestive enums here;
[99] optional, only as applicable;
[100] enum - "veg", "non_veg";
[101] images for statutory requirements - optional;

```
          "value": "https://seller-np.com/images/i1_back_image.png"
        }
       ]
      }
     ]
    },
    {
     "id": "I2",
     "time": {
      "label": "enable",
      "timestamp": "2025-01-08T07:30:00.000Z"
     },
     "parent_item_id": "V1",
     "descriptor": {
      "name": "Ashirwad Plain Atta 5kg",
      "code": "1:XXXXXXXXXXXXY",
      "symbol": "https://seller-np.com/images/ashirwad-atta-5kg.png",
      "short_desc": "Ashirwad Plain Atta 5kg Pack",
      "long_desc": "Premium quality wheat flour - bulk pack",
      "images": [
       "https://seller-np.com/images/ashirwad-atta-5kg.png"
      ]
     },
     "quantity": {
      "unitized": {
       "count": "12",
       "measure": {
        "unit": "kilogram",
        "value": "5"
       }
      },
      "available": {
       "count": "99"
      },
      "maximum": {
       "count": "50"
      },
      "minimum": {
       "count": "10"
      }
     },
     "price": {
      "currency": "INR",
      "value": "245.00",
      "maximum_value": "260.00"
     },
     "category_id": "Atta, Flours and Sooji",
     "fulfillment_id": "F1",
     "location_id": "L2",
     "@ondc/org/returnable": true,
     "@ondc/org/cancellable": true,
     "@ondc/org/return_window": "P2D",
     "@ondc/org/seller_pickup_return": true,
     "@ondc/org/time_to_ship": "PT4H",
     "@ondc/org/available_on_cod": false,
     "@ondc/org/contact_details_consumer_care": "support,support@abcdist.com,18004254444",
     "@ondc/org/statutory_reqs_packaged_commodities": {
      "manufacturer_or_packer_name": "ITC Limited",
      "manufacturer_or_packer_address": "ITC Quality Care Cell, P.O Box No.592, Bangalore-560005",
      "common_or_generic_name_of_commodity": "Wheat Flour (Atta)",
      "month_year_of_manufacture_packing_import": "12/2024"
     },
     "@ondc/org/statutory_reqs_prepackaged_food": {
      "nutritional_info": "Energy(KCal)-(per 100g) 348; Protein(g)-(per 100g) 11.8",
      "additives_info": "None",
      "brand_owner_FSSAI_license_no": "12345678901234",
      "other_FSSAI_license_no": "12345678901234",
      "importer_FSSAI_license_no": ""
     },
     "tags": [
      {
       "code": "origin",
       "list": [
        {
         "code": "country",
```

```
            "value": "IND"
           }
          ]
         },
         {
          "code": "attribute",
          "list": [
           {
            "code": "brand",
            "value": "Ashirwad"
           }
          ]
         },
         {
          "code": "veg_nonveg",
          "list": [
           {
            "code": "veg",
            "value": "yes"
           }
          ]
         },
         {
          "code": "image",
          "list": [
           {
            "code": "type",
            "value": "back_image"
           },
           {
            "code": "url",
            "value": "https://seller-np.com/images/i2_back_image.png"
           }
          ]
         }
        ]
       },
       {
        "id": "I3",
        "time": {
         "label": "enable",
         "timestamp": "2025-01-08T07:30:00.000Z"
        },
        "parent_item_id": "V2",
        "descriptor": {
         "name": "B Natural 300ml (Case of 24)",
         "code": "1:XXXXXXXXXXXXY",
         "symbol": "https://seller-np.com/images/coke-300ml.png",
         "short_desc": "B Natural 300ml Glass Bottle - Case of 24",
         "long_desc": "B Natural 300ml Glass Bottle - Case of 24 bottles",
         "images": [
          "https://seller-np.com/images/coke-300ml.png"
         ]
        },
        "quantity": {
         "unitized": {
          "count[102]": "24",
          "measure": {
           "unit": "millilitre",
           "value": "300"
          }
         },
         "available": {
          "count": "99"
         },
         "maximum": {
          "count": "20"
         },
         "minimum": {
          "count": "5"
         }
        },
        "price": {
```


[102] number of units of an item; eg: item id: I5:= 24 cans of B Natural - each 300ml;

```
    "currency": "INR",
    "value": "480.00",
    "maximum_value": "520.00"
   },
   "category_id": "Soft Drinks and Juices",
   "fulfillment_id": "F1",
   "location_id": "L1",
   "@ondc/org/returnable": true,
   "@ondc/org/cancellable": true,
   "@ondc/org/return_window": "P1D",
   "@ondc/org/seller_pickup_return": true,
   "@ondc/org/time_to_ship": "PT4H",
   "@ondc/org/available_on_cod": false,
   "@ondc/org/contact_details_consumer_care": "Support,support@abcdist.com,18004254444",
   "@ondc/org/statutory_reqs_packaged_commodities": {
    "manufacturer_or_packer_name": "B Natural Beverages Pvt Ltd",
    "manufacturer_or_packer_address": "B Natural India Pvt Ltd, Gurgaon, Haryana",
    "common_or_generic_name_of_commodity": "Soft Drink",
    "month_year_of_manufacture_packing_import": "01/2025"
   },
   "@ondc/org/statutory_reqs_prepackaged_food": {
    "nutritional_info": "Energy(KCal)-(per 100ml) 42; Sugars(g)-(per 100ml) 10.6",
    "additives_info": "Carbonated Water, Sugar, Caramel Colour, Phosphoric Acid, Caffeine",
    "brand_owner_FSSAI_license_no": "10012011000011",
    "other_FSSAI_license_no": "10012011000011",
    "importer_FSSAI_license_no": ""
   },
   "tags": [
    {
     "code": "origin",
     "list": [
      {
       "code": "country",
       "value": "IND"
      }
     ]
    },
    {
     "code": "attribute",
     "list": [
      {
       "code": "brand",
       "value": "B Natural"
      }
     ]
    },
    {
     "code": "veg_nonveg",
     "list": [
      {
       "code": "veg",
       "value": "yes"
      }
     ]
    }
   ]
  },
  {
   "id": "I4",
   "time": {
    "label": "enable",
    "timestamp": "2025-01-08T07:30:00.000Z"
   },
   "parent_item_id": "V2",
   "descriptor": {
    "name": "B Natural 2L (Pack of 6)",
    "code": "1:XXXXXXXXXXXXY",
    "symbol": "https://seller-np.com/images/coke-2l.png",
    "short_desc": "B Natural 2 Liter PET - Pack of 6",
    "long_desc": "B Natural 2 Liter PET Bottle - Pack of 6 bottles",
    "images": [
     "https://seller-np.com/images/coke-2l.png"
    ]
   },
   "quantity": {
```

```
    "unitized": {
      "count": " 6",
      "measure": {
        "unit": "litre",
        "value": "2"
      }
    },
    "available": {
      "count": "99"
    },
    "maximum": {
      "count": "15"
    },
    "minimum": {
      "count": "3"
    }
  },
  "price": {
    "currency": "INR",
    "value": "720.00",
    "maximum_value": "780.00"
  },
  "category_id": "Energy and Soft Drinks",
  "fulfillment_id": "F1",
  "location_id": "L2",
  "@ondc/org/returnable": true,
  "@ondc/org/cancellable": true,
  "@ondc/org/return_window": "P1D",
  "@ondc/org/seller_pickup_return": true,
  "@ondc/org/time_to_ship": "PT4H",
  "@ondc/org/available_on_cod": false,
  "@ondc/org/contact_details_consumer_care": "support,support@abcdist.com,18004254444",
  "@ondc/org/statutory_reqs_packaged_commodities": {
    "manufacturer_or_packer_name": "B Natural Beverages Pvt Ltd",
    "manufacturer_or_packer_address": "B Natural India Pvt Ltd, Gurgaon, Haryana",
    "common_or_generic_name_of_commodity": "Carbonated Soft Drink",
    "month_year_of_manufacture_packing_import": "01/2025"
  },
  "@ondc/org/statutory_reqs_prepackaged_food": {
    "nutritional_info": "Energy(KCal)-(per 100ml) 42; Sugars(g)-(per 100ml) 10.6",
    "additives_info": "Carbonated Water, Sugar, Caramel Colour, Phosphoric Acid, Caffeine",
    "brand_owner_FSSAI_license_no": "10012011000011",
    "other_FSSAI_license_no": "10012011000011",
    "importer_FSSAI_license_no": ""
  },
  "tags": [
    {
      "code": "origin",
      "list": [
        {
          "code": "country",
          "value": "IND"
        }
      ]
    },
    {
      "code": "attribute",
      "list": [
        {
          "code": "brand",
          "value": "B Natural"
        }
      ]
    },
    {
      "code": "veg_nonveg",
      "list": [
        {
          "code": "veg",
          "value": "yes"
        }
      ]
    }
  ]
}
```

```
],
"tags": [
 {
  "code": "order_value",
  "list": [
   {
    "code": "min_value[103]",
    "value": "500.00"
   }
  ]
 },
 {
  "code": "timing",
  "list": [
   {
    "code": "type",
    "value": "Order"
   },
   {
    "code": "location",
    "value": "L1"
   },
   {
    "code": "day_from",
    "value": "1"
   },
   {
    "code": "day_to",
    "value": "7"
   },
   {
    "code": "time_from",
    "value": "0000"
   },
   {
    "code": "time_to",
    "value": "2359"
   }
  ]
 },
 {
  "code": "timing",
  "list": [
   {
    "code": "type",
    "value": "Delivery"
   },
   {
    "code": "location",
    "value": "L1"
   },
   {
    "code": "day_from",
    "value": "1"
   },
   {
    "code": "day_to",
    "value": "6"
   },
   {
    "code": "time_from",
    "value": "0900"
   },
   {
    "code": "time_to",
    "value": "1800"
   }
  ]
 },
 {
  "code": "timing",
  "list": [
   {
```

[103] required;

```
        "code": "type",
        "value": "Order"
      },
      {
        "code": "location",
        "value": "L2"
      },
      {
        "code": "day_from",
        "value": "1"
      },
      {
        "code": "day_to",
        "value": "7"
      },
      {
        "code": "time_from",
        "value": "0000"
      },
      {
        "code": "time_to",
        "value": "2359"
      }
    ]
  },
  {
    "code": "timing",
    "list": [
      {
        "code": "type",
        "value": "Delivery"
      },
      {
        "code": "location",
        "value": "L2"
      },
      {
        "code": "day_from",
        "value": "1"
      },
      {
        "code": "day_to",
        "value": "6"
      },
      {
        "code": "time_from",
        "value": "0900"
      },
      {
        "code": "time_to",
        "value": "1800"
      }
    ]
  },
  {
    "code": "serviceability",
    "list": [
      {
        "code": "location",
        "value": "L1"
      },
      {
        "code": "category",
        "value": "Atta, Flours and Sooji"
      },
      {
        "code": "type",
        "value": "10"
      },
      {
        "code": "val",
        "value": "15"
      },
      {
        "code": "unit",
```

```
            "value": "km"
           }
          ]
         },
         {
          "code": "serviceability",
          "list": [
           {
            "code": "location",
            "value": "L2"
           },
           {
            "code": "category",
            "value": "Atta, Flours and Sooji"
           },
           {
            "code": "type",
            "value": "11[104]"
           },
           {
            "code": "val",
            "value": "560001-560076,560083"
           },
           {
            "code": "unit",
            "value": "pincode"
           }
          ]
         },
         {
          "code": "serviceability",
          "list": [
           {
            "code": "location",
            "value": "L1"
           },
           {
            "code": "category",
            "value": "*"[105]
           },
           {
            "code": "type",
            "value": "13[106]"
           },
           {
            "code": "unit",
            "value": "geojson[107]"
           },
           {
            "code": "val",
            "value": "{\"type\": \"FeatureCollection\", \"features\": [{\"type\": \"Feature\", \"properties\": {}, \"geometry\":
{\"coordinates\": [[[[77.4366, 14.6230], [75.5973, 13.2507], [76.8359, 11.9329], [78.7709, 11.3290]]], [[[75.6948, 15.9928],
[74.8319, 14.8515], [77.4006, 15.1229], [75.6948, 15.9928]]]], \"type\": \"MultiPolygon\"}}]}[108]"
           },
           {
            "code": "day_from[109]",
            "value": "1"
           },
           {
            "code": "day_to",
            "value": "7"
           },
           {
            "code": "time_from",
            "value": "1000"
           },
           {
```


[104] enum - "10" (hyperlocal), "11" (intercity), "12" (pan-India), "13" (polygon);
[105] "*" : meaning all categories
[106] polygon serviceability;
[107] enum - "geojson";
[108] GeoJSON polygon (check here & here), gps coordinates with minimum 6 decimal precision;
[109] serviceability timing ("day_from", "day_to", "time_from", "time_to") - optional and only required if serviceability varies based on day & time; if not provided, serviceability will apply for store timing;

```
            "code": "time_to",
            "value": "2200"
          }
        ]
      },
      {
        "code": "serviceability",
        "list": [
          {
            "code": "location",
            "value": "L2"
          },
          {
            "code": "category",
            "value": "*"[110]
          },
          {
            "code": "type",
            "value": "13[111]"
          },
          {
            "code": "unit",
            "value": "geojson[112]"
          },
          {
            "code": "val",
            "value": "{\"type\": \"FeatureCollection\", \"features\": [{\"type\": \"Feature\", \"properties\": {}, \"geometry\":
{\"coordinates\": [[[77.1755, 28.6759], [77.1287, 28.6009], [77.4469, 28.5453], [77.1755, 28.6759]]], \"type\": \"Polygon\"}}]}[113]"
          },
          {
            "code": "day_from[114]",
            "value": "1"
          },
          {
            "code": "day_to",
            "value": "7"
          },
          {
            "code": "time_from",
            "value": "1000"
          },
          {
            "code": "time_to",
            "value": "2200"
          },
          {
            "code": "delivery_days[115]",
            "value": "1,5"
          }
        ]
      },
      {
        "code": "brand_images[116]",
        "list": [
          {
            "code": "B Natural",
            "value": "https://cdn.example.com/brands/b_natural.png"
          },
          {
            "code": "Aashirwad",
            "value": "https://cdn.example.com/brands/aashirwad.png"
          }
        ]
```


---

[110] "*" : meaning all categories
[111] polygon serviceability;
[112] enum - "geojson";
[113] GeoJSON polygon (check here & here), gps coordinates with minimum 4 decimal precision;
[114] serviceability timing ("day_from", "day_to", "time_from", "time_to") - optional and only required if serviceability varies based on day & time; if not provided, serviceability will apply for store timing;
[115] optional; comma-separated list of weekdays (1 = Monday, 7 = Sunday) on which deliveries are available for this serviceability area; if not provided, deliveries are assumed to be available on all serviceable days
[116] Required; Provides a mapping between brand names and their corresponding image URLs. Buyer applications may use these images for brand discovery, navigation, filtering, merchandising, or display purposes. Each brand should have a unique entry. Each value: URL (https).

```
},
{
  "code": "retailer_info_required"[117],
  "list": [
    {
      "code": "phone_number"[118],
      "value": "true"
    },
    {
      "code": "GSTIN"[119],
      "value": "false"
    },
    {
      "code": "PAN"[120],
      "value": "false"
    },
    {
      "code": "shop_name",
      "value": "true"
    },
    {
      "code": "email",
      "value": "false"
    },
    {
      "code": "address",
      "value": "true"
    },
    {
      "code": "type"[121],
      "value": "new"
    }
  ]
},
{
  "code": "retailer_info_required",
  "list": [
    {
      "code": "customer_id"[122],
      "value": "true"
    },
    {
      "code": "type",
      "value": "existing"
    }
  ]
},
{
  "code": "retailer_info_required",
  "list": [
    {
      "code": "phone_number"[123],
      "value": "true"
    },
    {
      "code": "GSTIN"[124],
      "value": "false"
    },
    {
```

---

[117] Optional. Publish when this provider identifies or registers retailers; it replaces the descriptor group for this provider. type = existing variants gate the catalogue: only an identified retailer sees it. A type = new variant opens it to every retailer and offers registration. If neither this provider nor the descriptor publishes one, the provider does not identify retailers and its catalogue is open.

[118] phone required for registration; string, 10-digit mobile number.

[119] GSTIN of the retailer; string, 15 characters.

[120] PAN of the retailer; string, 10 characters.

[121] enum: "new", "existing". The value of every other code is enum "true" (must be sent) or "false" (may be sent).

[122] Required for existing customers; provided when the retailer is successfully registered in /on_search; string. In retailer_info_required the code is this provider's and travels with intent.provider.id; in retailer_mapping_required it is unique across every provider of the Seller NP.

[123] Phone number held against the retailer in the Seller NP's system, used to identify an existing retailer; string, 10-digit mobile number.

[124] GSTIN of the retailer; string, 15 characters.

```
            "code": "PAN[125]",
            "value": "true"
          },
          {
            "code": "type",
            "value": "existing"
          }
        ]
      }
    ]
  },
  {
   "id": "P2"[126],
   "descriptor": {
    "name": "XYZ Manufacturer",
    "code": "distributor",
    "short_desc": "XYZ Distributors"
   },
   ..
   "tags": [
    {
     "code": "serviceability",
     "list": [ .. ]
    }
   ]
  }
 ]
 }
}
```

Incremental Catalog Refresh /search

- Incremental refresh is necessary for BNPs that cache catalogs and have to reflect changes since the last **full** catalog refresh;
- Incremental refresh will **include**:
  - item(s) changes - entire item record to be sent when there are delta changes since the last full catalog snapshot;
  - store temporarily closed for online orders;
  - store (i.e. provider location) disabling;
  - provider / merchant disabling;
- Incremental refresh will **not include**:
  - disabling & enabling of variants; it will be done through the full catalog refresh;
  - new provider(s) / location(s);
  - retailer_info_required and retailer_mapping_required; a change to either is published in the next full refresh;
- Every BNP that wants to consume incremental catalog changes should send a /search request through the gateway, with following params:
  - **mode** - "start", "stop";
  - **start_time** - start time for incremental refresh;
  - **end_time** - end time for incremental refresh;
  - **payload_type - for a full refresh: inline (response contains the catalogue) or link (response points to it);**
- Following scenarios are possible:
  - BNP requests **1-time** incremental refresh:
    - **start_time** < **Context.timestamp**, **end_time** <= **Context.timestamp**, **end_time** > **start_time**
      - means BNP pulls incremental updates from **start_time** to **end_time** in a single solicited response;
      - response will have the same transaction_id & message_id as the request;
  - BNP requests **regular** incremental refresh until stopped:
    - **mode="start"**, **start_time** <= **Context.timestamp** (means SNP pushes incremental updates from **start_time** at a frequency range of 1-30 mins). If no start_time provided, it defaults to Context.timestamp;
      - SNP should aggregate and push updates, at the same time, to all BNPs that have requested for incremental refresh;

---

[125] PAN of the retailer; string, 10 characters.

[126] P2 publishes no retailer_info_required, so the descriptor group applies to it: its catalogue is shown to every retailer the Seller NP maps to P2, and new retailers register with the descriptor's type = new codes.

                - each response will have the same transaction_id but different message_id;
                - if there are no incremental catalog updates, SNP should not send empty catalog;
            - Buyer NP requests stopping of incremental refresh:
                - **mode="stop"**;
                - transaction_id for stop incremental search request should be same as start incremental search request;
        - All the above scenarios are mandatory for all NPs;
- At any point of time, BNP may have only 1 open incremental search request (i.e. 1-time or regular):
    - Accordingly, BNP needs to stop the current incremental search request before initiating a new incremental search request:
- To handle race condition where BNP receives full & incremental refresh at the same time:
    - to enable BNP to distinguish between full vs incremental catalog response, a custom response header should be used by SNPs:
        - "**X-ONDC-Search-Response:inc**" - for incremental response;
        - "**X-ONDC-Search-Response:full**" - for full response;
        - since incremental catalog changes are sent directly to BNP, the auth header will only have the signature of SNP (and not include the gateway signature in x-gateway-authorization);
    - versioning is enabled for both types of refresh:
        - full refresh will have a timestamp at the provider & location level and indicates when the snapshot was generated;
        - incremental refresh will have a timestamp at provider / location / item level and indicates the time of the event;
    - in case BNP receives full & incremental refresh at the same time, either of these approaches for processing is feasible:
        - BNP can process the full refresh and then initiate incremental refresh e.g. if full refresh at 8AM was ingested between 8-9AM, BNP can stop the **incremental** refresh before initiating the **full** refresh or choose to ignore all **incremental** refresh within this duration of catalog ingestion. After processing the full refresh, BNP can initiate incremental refresh based on the timestamp in full refresh;
        - BNP can process full & incremental refresh in sequence and use the timestamp to decide which incremental refresh updates to persist;
- To handle error conditions:
    - BNP not responding or responding with a NACK:
        - SNP should push catalog updates in multiple incremental refresh until ACK is received from all BNPs. Response format for NACK is here;
    - BNP that didn't request for incremental catalog changes should respond with NACK for all incremental catalog changes received;
    - In the sync ACK/NACK response to incremental catalog refresh, BNP can communicate whether the refresh was successfully ingested or not and the error codes & message format are defined here;

Incremental /search (Pull)


```
{
 "context": {
   "domain": "ONDC:RETeB2B",
   "action": "search",
   "country": "IND",
   "city": "*",
   "core_version": "1.2.5",
   "bap_id": "buyer-np.com",
   "bap_uri": "https://buyer-np.com/ondc",
   "transaction_id": "T1",
   "message_id": "M1",
   "timestamp": "2025-01-08T09:00:00.000Z",
   "ttl": "PT30S"
 },
 "message": {
   "intent": {
     "fulfillment": {
       "type": "Delivery"
     },
     "payment": {
       "@ondc/org/buyer_app_finder_fee_type": "percent",
       "@ondc/org/buyer_app_finder_fee_amount": "3.54"
     },
     "tags": [
       {
```

```
        "code": "catalog_inc[127]",
        "list": [
         {
          "code": "start_time",
          "value": "2025-01-08T08:00:00.000Z"
         },
         {
          "code": "end_time",
          "value": "2025-01-08T09:00:00.000Z"
         }
        ]
       },
       {
        "code": "bap_terms[128]",
        "list": [
         {
          "code": "static_terms",
          "value": ""
         },
         {
          "code": "static_terms_new",
          "value": "https://github.com/ONDC-Official/NP-Static-Terms/buyerNP_BNP/1.0/tc.pdf"
         },
         {
          "code": "effective_date",
          "value": "2025-01-08T00:00:00.000Z"
         }
        ]
       }
      ]
     }
    }
}
```

Start Incremental Catalog Refresh (Push)

```
{
 "context": {
   "domain": "ONDC:RETeB2B",
   "action": "search",
   "country": "IND",
   "city": "*",
   "core_version": "1.2.5",
   "bap_id": "buyer-np.com",
   "bap_uri": "https://buyer-np.com/ondc",
   "transaction_id": "T1",
   "message_id": "M1",
   "timestamp": "2025-01-08T08:00:00.000Z",
   "ttl": "PT30S"
 },
 "message": {
   "intent": {
     "fulfillment": {
       "type": "Delivery"
     },
     "payment": {
       "@ondc/org/buyer_app_finder_fee_type": "percent",
       "@ondc/org/buyer_app_finder_fee_amount": "3.54"
     },
     "tags": [
       {
         "code": "catalog_inc[129]",
         "list": [
           {
             "code": "mode",
             "value": "start"
           }
         ]
       },
       {
```

---

[127] start_time < Context.timestamp, end_time <= Context.timestamp, end_time > start_time;
In this case, incremental updates will be sent from 8AM to 9AM in a single solicited response;
[128] static terms for transaction level contract;
[129] in this case, incremental changes will be pushed from Context.timestamp and aggregated within a range of 1-30 mins at the SNP discretion;

```
        "code": "bap_terms",
        "list": [
         {
          "code": "static_terms",
          "value": ""
         },
         {
          "code": "static_terms_new",
          "value": "https://github.com/ONDC-Official/NP-Static-Terms/buyerNP_BNP/1.0/tc.pdf"
         },
         {
          "code": "effective_date",
          "value": "2025-02-01T00:00:00.000Z"
         }
        ]
       }
     ]
   }
  }
}
```

Stop Incremental Catalog Refresh (Push)

```
{
 "context": {
   "domain": "ONDC:RETeB2B",
   "action": "search",
   "country": "IND",
   "city": "*",
   "core_version": "1.2.5",
   "bap_id": "buyer-np.com",
   "bap_uri": "https://buyer-np.com/ondc",
   "transaction_id": "T1",
   "message_id": "M1",
   "timestamp": "2025-01-08T08:00:00.000Z",
   "ttl": "PT30S"
 },
 "message": {
   "intent": {
     "fulfillment": {
       "type": "Delivery"
     },
     "payment": {
       "@ondc/org/buyer_app_finder_fee_type": "percent",
       "@ondc/org/buyer_app_finder_fee_amount": "3.54"
     },
     "tags": [
       {
         "code": "catalog_inc",
         "list": [
           {
             "code": "mode",
             "value": "stop"
           }
         ]
       }
     ]
   }
 }
}
```

Incremental Catalog /on_search examples

1. Item Changes

- whenever there is any change in an item, i.e. changes in inventory, price, quantity, etc., the corresponding item record, as in the full catalog refresh, will be a part of the incremental refresh;
- only item(s) that have changed or new item(s) added will be a part of the incremental refresh. Item(s) for which there are no changes should not be included in the incremental refresh;

```
{
 "context": {
   "domain": "ONDC:RETeB2B",
   "action": "on_search",
```

```
    "country": "IND",
    "city": "*",
    "core_version": "1.2.5",
    "bap_id": "buyer-np.com",
    "bap_uri": "https://buyer-np.com/ondc",
    "bpp_id": "seller-np.com",
    "bpp_uri": "https://seller-np.com/ondc",
    "transaction_id": "T1",
    "message_id": "M2",
    "timestamp": "2025-01-08T08:30:00.000Z",
    "ttl": "PT30S"
  },
  "message": {
    "catalog": {
      "bpp/providers": [
        {
          "id": "P1",
          "items": [
            {
              "id": "I1",
              "time": {
                "label": "enable",
                "timestamp": "2025-01-08T07:30:00.000Z[130]"
              },
              "parent_item_id[131]": "V1",
              "descriptor": {
                "name": "Ashirwad Plain Atta 1kg",
                "code": "1:XXXXXXXXXXXXX",
                "symbol": "https://seller-np.com/images/ashirwad-atta-1kg.png",
                "short_desc": "Ashirwad Plain Atta 1kg Pack",
                "long_desc": "Premium quality wheat flour",
                "images": [
                  "https://seller-np.com/images/ashirwad-atta-1kg.png"
                ]
              },
              "quantity": {
                "unitized": {
                  "measure": {
                    "unit": "kilogram",
                    "value": "1"
                  }
                },
                "available": {
                  "count": "450"
                },
                "maximum": {
                  "count": "100"
                },
                "minimum": {
                  "count": "25"
                }
              },
              "price": {
                "currency": "INR",
                "value": "54.00",
                "maximum_value": "58.00"
              },
              "category_id": "Atta, Flours and Sooji",
              "fulfillment_id": "F1",
              "location_id": "L1",
              "@ondc/org/returnable": true,
              "@ondc/org/cancellable": true,
              "@ondc/org/return_window": "P2D",
              "@ondc/org/seller_pickup_return": true,
              "@ondc/org/time_to_ship": "PT4H",
              "@ondc/org/available_on_cod": false,
              "@ondc/org/contact_details_consumer_care": "Support,support@abcdist.com,18004254444",
              "@ondc/org/statutory_reqs_packaged_commodities": {
                "manufacturer_or_packer_name": "ITC Limited",
                "manufacturer_or_packer_address": "ITC Quality Care Cell, P.O Box No.592, Bangalore-560005",
                "common_or_generic_name_of_commodity": "Wheat Flour (Atta)",
                "month_year_of_manufacture_packing_import": "12/2024"
```


[130] timestamp for item event;
[131] optional; required for mapping to variant group;

```
            },
            "@ondc/org/statutory_reqs_prepackaged_food": {
              "nutritional_info": "Energy(KCal)-(per 100g) 348; Protein(g)-(per 100g) 11.8",
              "additives_info": "None",
              "brand_owner_FSSAI_license_no": "12345678901234",
              "other_FSSAI_license_no": "12345678901234",
              "importer_FSSAI_license_no": ""
            },
            "tags": [
              {
                "code": "origin",
                "list": [
                  {
                    "code": "country",
                    "value": "IND"
                  }
                ]
              },
              {
                "code": "attribute",
                "list": [
                  {
                    "code": "brand",
                    "value": "Ashirwad"
                  }
                ]
              },
              {
                "code": "veg_nonveg",
                "list": [
                  {
                    "code": "veg",
                    "value": "yes"
                  }
                ]
              }
            ]
          }
        ]
      }
    ]
  }
 }
}
```

2. Item Disabling

```
{
 "context": {
   "domain": "ONDC:RETeB2B",
   "action": "on_search",
   "country": "IND",
   "city": "*",
   "core_version": "1.2.5",
   "bap_id": "buyer-np.com",
   "bap_uri": "https://buyer-np.com/ondc",
   "bpp_id": "seller-np.com",
   "bpp_uri": "https://seller-np.com/ondc",
   "transaction_id": "T1",
   "message_id": "M2",
   "timestamp": "2025-01-08T08:30:00.000Z",
   "ttl": "PT30S"
 },
 "message": {
   "catalog": {
     "bpp/providers": [
       {
         "id": "P1",
         "items": [
           {
             "id": "I3",
             "time": {
               "label": "disable",
               "timestamp": "2025-01-08T08:30:00.000Z"
             }
           }
         ]
```

```
      }
     ]
    }
   }
  }
}
```

3. Store Closed Temporarily

- any subsequent incremental catalog refresh that happens, when the store remains closed, may have updates for the items for that store. BNP should process this so that the updated items are visible when the store reopens;
- any subsequent full catalog refresh that happens, when the store remains closed, will have the store marked as closed, along with the other details that are a part of the full catalog;

```
{
 "context": {
   "domain": "ONDC:RETeB2B",
   "action": "on_search",
   "country": "IND",
   "city": "*",
   "core_version": "1.2.5",
   "bap_id": "buyer-np.com",
   "bap_uri": "https://buyer-np.com/ondc",
   "bpp_id": "seller-np.com",
   "bpp_uri": "https://seller-np.com/ondc",
   "transaction_id": "T1",
   "message_id": "M2",
   "timestamp": "2025-01-08T08:30:00.000Z",
   "ttl": "PT30S"
 },
 "message": {
   "catalog": {
     "bpp/providers": [
       {
         "id": "P1",
         "locations": [
           {
             "id": "L1",
             "time": {
               "label": "close",
               "timestamp": "2025-01-08T10:20:00.000Z",
               "range[132]": {
                 "start": "2025-01-08T16:00:00.000Z",
                 "end[133]": "2025-01-08T23:59:00.000Z"
               }
             }
           }
         ]
       }
     ]
   }
 }
}
```

4. Store Reopening

- following states can be passed for a store in the catalog refresh:
  - **open** - open an already enabled store:
    - using full / incremental catalog refresh;
    - using time.label="open", time.timestamp = event timestamp;
    - store will be shown as open after BNP processes the incremental refresh;
    - after the store reopens, it will default to the normal store timings;
    - if used for disabled store, BNP may NACK with error code 20004;
  - **close** - close an already enabled store:
    - using full / incremental catalog refresh;
    - using time.label="close", time.timestamp = event timestamp, time.range.start = start datetime for closure, time.range.end is optional;
    - if time.range.end is not passed, the store will remain closed until it is marked as open in a subsequent catalog refresh (incremental or full);

---

[132] means store is closed from 4PM till rest of the day;
[133] optional - end time may or may not be available;

        - any subsequent incremental catalog refresh that happens, when the store remains closed, may have updates for the items for that store. BNP should process this so that the updated items are visible when the store reopens;
        - any subsequent full catalog refresh that happens, when the store remains closed, will have the store marked as closed, along with the other details that are a part of the full catalog;
    - **enable** - for activation of store by BNP or for updating other information including serviceability, items, store timing, etc:
        - using full catalog refresh (for now);
        - using time.label="enable", time.timestamp = event timestamp;
        - store timings using provider.timing;
    - **disable** - for soft-delete of store by BNP:
        - using full / incremental catalog refresh;
        - using time.label="disable", time.timestamp = event timestamp;


```
{
 "context": {
   "domain": "ONDC:RETeB2B",
   "action": "on_search",
   "country": "IND",
   "city": "*",
   "core_version": "1.2.5",
   "bap_id": "buyer-np.com",
   "bap_uri": "https://buyer-np.com/ondc",
   "bpp_id": "seller-np.com",
   "bpp_uri": "https://seller-np.com/ondc",
   "transaction_id": "T1",
   "message_id": "M2",
   "timestamp": "2025-01-08T08:30:00.000Z",
   "ttl": "PT30S"
 },
 "message": {
   "catalog": {
    "bpp/providers": [
     {
      "id": "P1",
      "locations": [
       {
        "id": "L1",
        "time": {
         "label": "open",
         "timestamp": "2025-01-08T08:30:00.000Z"
        }
       }
      ]
     }
    ]
   }
 }
}
```


5. Provider Disabling

- no items should be sent for a provider being disabled;


```
{
 "context": {
   "domain": "ONDC:RETeB2B",
   "action": "on_search",
   "country": "IND",
   "city": "*",
   "core_version": "1.2.5",
   "bap_id": "buyer-np.com",
   "bap_uri": "https://buyer-np.com/ondc",
   "bpp_id": "seller-np.com",
   "bpp_uri": "https://seller-np.com/ondc",
   "transaction_id": "T1",
   "message_id": "M2",
   "timestamp": "2025-01-08T08:30:00.000Z",
   "ttl": "PT30S"
 },
```

```
 "message": {
  "catalog": {
   "bpp/providers": [
    {
     "id": "P1",
     "time": {
      "label": "disable",
      "timestamp": "2025-01-08T10:20:00.000Z"
     }
    }
   ]
  }
 }
}
```

6. Store/Location Disabling

- serviceability for store, being disabled, shouldn't be sent in the full catalog;

```
{
 "context": {
  "domain": "ONDC:RETeB2B",
  "action": "on_search",
  "country": "IND",
  "city": "*",
  "core_version": "1.2.5",
  "bap_id": "buyer-np.com",
  "bap_uri": "https://buyer-np.com/ondc",
  "bpp_id": "seller-np.com",
  "bpp_uri": "https://seller-np.com/ondc",
  "transaction_id": "T1",
  "message_id": "M2",
  "timestamp": "2025-01-08T08:30:00.000Z",
  "ttl": "PT30S"
 },
 "message": {
  "catalog": {
   "bpp/providers": [
    {
     "id": "P1",
     "locations": [
      {
       "id": "L1",
       "time": {
        "label": "disable",
        "timestamp": "2025-01-08T10:20:00.000Z"
       }
      }
     ]
    }
   ]
  }
 }
}
```

7. Scheme Changes

New scheme or changes

```
{
 "context": {
  "domain": "ONDC:RETeB2B",
  "action": "on_search",
  "country": "IND",
  "city": "*",
  "core_version": "1.2.5",
  "bap_id": "buyer-np.com",
  "bap_uri": "https://buyer-np.com/ondc",
  "bpp_id": "seller-np.com",
  "bpp_uri": "https://seller-np.com/ondc",
  "transaction_id": "T2",
  "message_id": "M3",
  "timestamp": "2025-01-08T10:00:00.000Z",
  "ttl": "PT30S"
 },
 "message": {
```

```
"catalog": {
  "bpp/providers": [
    {
      "id": "P1",
      "offers": [
        {
          "id": "newflash",
          "descriptor": {
            "code": "discount",
            "images": [
              "https://seller-np.com/images/flash-sale-banner.webp"
            ]
          },
          "location_ids": [
            "L1",
            "L2"
          ],
          "category_ids": [],
          "item_ids": [
            "I1",
            "I2",
            "I5",
            "I6"
          ],
          "time": {
            "label": "enable",
            "range": {
              "start": "2025-01-08T10:00:00.000Z",
              "end": "2025-01-08T18:00:00.000Z"
            }
          },
          "tags": [
            {
              "code": "qualifier",
              "list": [
                {
                  "code": "min_value",
                  "value": "2000.00"
                }
              ]
            },
            {
              "code": "benefit",
              "list": [
                {
                  "code": "value_type",
                  "value": "percent"
                },
                {
                  "code": "value",
                  "value": "-25.00"
                },
                {
                  "code": "value_cap",
                  "value": "-1000.00"
                }
              ]
            },
            {
              "code": "meta",
              "list": [
                {
                  "code": "additive",
                  "value": "no"
                },
                {
                  "code": "auto",
                  "value": "yes"
                }
              ]
            }
          ]
        }
      ]
    }
```

```
    ]
   }
  }
}
```

/on_search sync response (ACK, NACK)

In the sync response to incremental catalog refresh /on_search, the BNP can send ACK or NACK:

- ACK means refresh was successfully ingested;
- NACK means refresh couldn't be ingested and could happen because the incremental refresh being shared for specific provider(s) / location(s) / item(s) are not found on the BNP cache or for other reasons. BNP should use these error codes / message in the NACK response:
    - provider not found - error code 20003, error message should have provider id delimited by comma, e.g. "[{\"provider_id\":\"P1\"},{\"provider_id\":\"P2\"},{\"provider_id\":\"P3\"}]" (means provider ids P1, P2, P3 are not found);
    - provider location not found - error code 20004, error message should have provider & location ids delimited by comma, e.g. "[{\"provider_id\":\"P1\",\"location_id\":\"L1\"},{\"provider_id\":\"P2\",\"location_id\":\"L2\"}]" (means location id L1 for provider id P1, location id L2 for provider id P2 are not found);
    - item not found - error code 20005, error message should have provider & item ids delimited by comma, e.g. " [{\"provider_id\":\"P1\",\"item_id\":\"I1\"},{\"provider_id\":\"P2\",\"item_id\":\"I2\"}]" (means item id I1 for provider id P1, item id I2 for provider id P2 are not found);
    - for a combination of the above errors, error codes should be delimited by comma and above error messages combined in stringified json, e.g. if the following not found:
        - provider location L3 for provider P1
        - item id I3 for provider P2
        - error code - "20004,20005" and error message - "[{\"provider_id\":\"P1\",\"location_id\":\"L3\"},{\"provider_id\":\"P2\",\"item_id\":\"I3\"}]"
    - for all other cases, error code 20000, error message will be a text string describing the error;

/on_search (NACK response)

```
{
 "context": {
   "domain": "ONDC:RETeB2B",
   "country": "IND",
   "city": "*",
   "action": "on_search",
   "core_version": "1.2.5",
   "bap_id": "bnp.com",
   "bap_uri": "https://bnp.com/ondc",
   "bpp_id": "snp.com",
   "bpp_uri": "https://snp.com/ondc",
   "transaction_id": "T1",
   "message_id": "M2",
   "timestamp": "2025-01-08T08:00:30.000Z"
 },
 "message": {
   "ack": {
     "status": "NACK"
   }
 },
 "error": {
   "type": "DOMAIN-ERROR",
   "code": "20000",
   "message": "appropriate error message"
 }
}
```

1. **P2P Search Scenario**

Retailer identification model

The P2P Search is a seller-targeted /search: the context carries bpp_id and bpp_uri. It covers three features, and each can be built on its own:

- **Retailer Mapping** finds which distributors serve a retailer (feature 031).
- **Retailer Identification & Terms** decides whether a distributor's catalogue opens for a retailer, and returns that retailer's credit, schemes, POC and serviceability (feature 030).
- **Retailer Registration** onboards a retailer that a distributor does not hold yet.

Glossary

Term	Meaning
retailer_mapping_required	Published by the Seller NP at bpp/descriptor.tags. Lists the codes that find which distributors serve a retailer. Used for lookup only.
retailer_info_required	Published per provider, or once at bpp/descriptor.tags. Lists the codes that identify a retailer (type = existing) or register one (type = new).
Seller NP	The network participant publishing the catalogue: an inventory seller (ISN) or a marketplace of distributors (MSN).
Provider (distributor)	One distributor × manufacturer in the catalogue (bpp/providers[].id). In this section, distributor means a provider.
Brand	The manufacturer whose distributors serve retailers by assignment.
Retailer	The buying business, identified at a distributor by its customer_id.
customer_id	The retailer's outlet code at a distributor; it may differ between distributors.
Mapping	The list of distributors that serve a retailer. The Seller NP holds it and returns it in the mapping lookup.
Gated distributor	A distributor whose retailer_info_required has only type = existing variants. Its catalogue opens only for an identified retailer.
Terms	A retailer's credit, offers with scheme progress, POC and tier at a distributor.
Seller-targeted	A request whose context carries bpp_id and bpp_uri with city code. Every P2P Search is seller-targeted.
Provider-targeted	A seller-targeted request that also carries intent.provider.id. Its response covers only that provider.

Two request carriers

Request carries	Targets	Returns
fulfillment.customer	One provider: the one in intent.provider.id or, for a New Retailer sent without it, the one the Seller NP assigns.	The provider's terms in bpp/providers: serviceability, credit, POC, offers with scheme_progress, and customer (id, tier). No full catalogue.
intent.tags: retailer_mapping blocks	No provider. One retailer or many.	The mapping in bpp/descriptor.tags: provider_id and customer_id for each distributor that serves the retailer. No terms.

Key Characteristics

- **Seller Targeted:** the context carries bpp_id and bpp_uri. Add intent.provider.id to target one provider.
- **Provider Scoping:** intent.provider.id limits the request and response to that one provider. A /search (Existing Retailer) always carries it. Only two requests may leave it out:

    - A mapping lookup, sent to a Seller NP that publishes retailer_mapping_required. Any other Seller NP NACKs it with 40001.
    - A /search (New Retailer), where the Seller NP publishes retailer_info_required with type = new at bpp/descriptor.tags. Otherwise it is NACKed with 30000.
- **Customer Identity Provided:** the request carries the customer ID, or credentials such as GSTIN and PAN.
- **Minimal Request:** only customer identification is sent: no payment tags and no bap_features.
- **Personalized Response:** the response carries the retailer's own offers, credit and POC.
- **Asynchronous Creation:** a new retailer's record is created later, and its customer_id arrives in an unsolicited /on_search. See Retailer Registration.

Four combinations

A Seller NP may publish either declaration, both or neither:

	Providers publish no retailer_info_required	**Providers publish retailer_info_required**
No retailer_mapping_required	Open. All distributors shown, all catalogues open. No identification, no customer_id. E.g. cash-and-carry wholesalers.	Identify per distributor. All distributors shown; the retailer identifies with one to open its catalogue and terms. E.g. a marketplace of independent distributors.
retailer_mapping_required	Mapped only. The retailer identifies once with the Seller NP, sees only its mapped distributors, and their catalogues open straight away. E.g. distributors assigned by beat.	Mapped and gated. Mapped as above, and each distributor also gates its own catalogue and terms. E.g. distributors running their own credit and schemes.

Buyer NP flow

1. Read bpp/descriptor.tags. If retailer_mapping_required is published, look the retailer up without a provider. If it is not found, register it with /search (New Retailer).

2. Show the distributors the mapping returned. With no mapping, show every distributor.

3. For each distributor, check its retailer_info_required. If it needs codes the Buyer NP does not hold, collect only those and identify the retailer.

4. Fetch credit, schemes and POC from each distributor that knows the retailer, with /search (Existing Retailer) and that distributor's intent.provider.id.

5. Order with the customer_id that the distributor returned.

Buyer NP features

The Buyer NP lists its features in bap_features of the broadcast /search: 030 for retailer identification and 031 for retailer mapping. 031 implies 030. The Seller NP shapes its responses, including incremental refresh, to match:

Buyer NP declares	**Mapped-only Seller NP**	**Any other Seller NP**
031	Mapping applies in full.	Mapping applies where the Seller NP publishes it. Otherwise the catalogue works as published.
030 only	The Seller NP either treats the Buyer NP as identifier-per-distributor, publishing customer_id per provider in that response, or leaves its providers out.	Mapping is ignored. Catalogue visibility works as published.
Neither	The Seller NP leaves its providers out, because they would otherwise show as open to every retailer.	Treated as 030 until the cut-over date. After that, gated providers may be left out.

General rules

- **Code scope.** A customer_id in retailer_mapping_required is unique across all the Seller NP's providers. A customer_id in retailer_info_required belongs to that one provider. The same retailer may still have a different customer_id at each provider.

- **Identity.** A provider that extends credit identifies retailers by customer_id plus phone_number, and the Buyer NP verifies the phone by OTP before sending it. If the codes belong to different records, the answer is 50009, so codes cannot be guessed one by one.
- **Consent.** The Buyer NP gets the retailer's consent before sharing phone, PAN, GSTIN or documents with a Seller NP. The Seller NP does not keep identifiers it could not match.

Retailer Mapping (Distributor Visibility)

Feature card	Retailer Mapping (Distributor Visibility)
Purpose	Find which distributors serve a retailer, so the Buyer NP shows only those.
Feature code	031 in bap_features of the broadcast /search; implies 030.
Seller NP publishes	retailer_mapping_required at bpp/descriptor.tags, one group per lookup set (customer_id; phone_number, PAN, GSTIN).
Buyer NP sends	/search with intent.tags retailer_mapping blocks, one per retailer, at most 100; intent.provider.id omitted.
Seller NP returns	/on_search with bpp/descriptor.tags retailer_mapping blocks: provider_id and customer_id per serving distributor. No terms.
Display rule	Only the mapped distributors are shown.
Errors	50009, 50010, 50011, 50012, 50017; 30000, 40001, 31001.
Examples	/search (Mapping lookup), /on_search (Mapping), /on_search (Mapping change), NACK (mapping not supported).

Why


- A brand assigns each retailer to one of its distributors in a city, usually by beat.
- The retailer must buy from that distributor: its credit, schemes and claims sit there, and orders to any other are rejected.
- The Buyer NP cannot see this assignment. One mapping lookup returns it.

Display rule — distributor visibility

retailer_mapping_required, published at bpp/descriptor.tags, decides which providers a retailer sees.

retailer_mapping_required published by the Seller NP	Which providers a retailer is shown
Published	Only the providers the mapping returned for that retailer, including one the Seller NP assigned at registration. This applies to every provider of the Seller NP. Until the retailer is mapped, the Seller NP shows as one entry, built from bpp/descriptor, with a prompt to identify or register.
Not published	Every provider. Catalogue visibility then decides, provider by provider, whether each catalogue opens.

Sequence: mapped retailer (mapping lookup, then terms per distributor)



/search (Mapping lookup)

- Send it only to a Seller NP that publishes retailer_mapping_required. Leave out intent.provider.id and fulfillment.customer; a request with both carriers is NACKed with 30000.
- Put one retailer_mapping block per retailer, up to 100 per request.
- Each block carries every code marked true in one type = existing group of retailer_mapping_required. Satisfying any one group in full is enough.
- Set context.city to the retailers' city, or to "*" if they are in several cities.
- The answer is /on_search (Mapping).


```
{
  "context": {
    "domain": "ONDC:RETeB2B",
    "action": "search",
    "country": "IND",
    "city": "std:080",
    "core_version": "1.2.5",
    "bap_id": "buyer-np.com",
    "bap_uri": "https://buyer-np.com/ondc",
    "bpp_id": "seller-np.com",
```

```
    "bpp_uri": "https://seller-np.com/ondc",
    "transaction_id": "T2",
    "message_id": "M1",
    "timestamp": "2025-01-08T02:00:00.000Z",
    "ttl"[134]: "PT60S"
  },
  "message": {
    "intent": {
      "tags"[135]: [
        {
          "code": "retailer_mapping",[136]
          "list": [
            {
              "code": "customer_id"[137],
              "value": "CUST-2024-001234"
            }
          ]
        },
        {
          "code": "retailer_mapping",
          "list": [
            {
              "code": "phone_number",
              "value": "9876543210"
            },
            {
              "code": "PAN",
              "value": "AABCU9603R"
            }
          ]
        },
        {
          "code": "retailer_mapping",
          "list": [
            {
              "code": "customer_id",
              "value": "CUST-2024-002001"
            }
          ]
        }
      ]
    }
  }
}
```

N.B. The second block carries two codes because the Seller NP's second lookup group marks both phone_number and PAN as true. A block must satisfy one whole group, which can have more than one code.

For one retailer, send the same request with a single block:

```
{
  "context": {
    "domain": "ONDC:RETeB2B",
    "country": "IND",
    "city": "std:080",
    "action": "search",
```

[134] Longer than the PT30S used elsewhere in pre-order, to allow up to one hundred lookups in a single call.

[135] Carried at intent level, the same array that carries bap_terms and bap_features in the broadcast /search. Sent in place of fulfillment.customer when resolving more than one retailer in a single call.

[136] Repeatable, once per retailer, maximum 100 per request. Sent only to a Seller NP that publishes retailer_mapping_required. Answered by the tag group of the same name at bpp/descriptor.tags in /on_search.

[137] The codes of one type = existing group in retailer_mapping_required, published at bpp/descriptor.tags in the full broadcast. A block carries every code that group marks true; where several such groups are published, it satisfies any one of them in full. Codes: customer_id, phone_number, GSTIN, PAN; data types as in Retailer codes.

```
    "core_version": "1.2.5",
    "bap_id": "buyer-np.com",
    "bap_uri": "https://buyer-np.com/ondc",
    "bpp_id": "seller-np.com",
    "bpp_uri": "https://seller-np.com/ondc",
    "transaction_id": "T4",
    "message_id": "M1",
    "timestamp": "2025-01-08T08:00:00.000Z"
  },
  "message": {
    "intent": {
      "tags": [
        {
          "code": "retailer_mapping",
          "list": [
            {
              "code": "customer_id",
              "value": "CUST-2024-001234"
            }
          ]
        }
      ]
    }
  }
}
```

/on_search (Mapping)

Response to the three-retailer request above. CUST-2024-001234 is served by P1 and P2, so it gets two blocks with the same code. The phone + PAN retailer is held by two distributors under different codes, so it also gets two blocks. CUST-2024-002001 is not held, so it is listed in the error block with 50009.

```
{
  "context": {
    "domain": "ONDC:RETeB2B",
    "country": "IND",
    "city": "std:080",
    "action": "on_search",
    "core_version": "1.2.5",
    "bap_id": "buyer-np.com",
    "bap_uri": "https://buyer-np.com/ondc",
    "bpp_id": "seller-np.com",
    "bpp_uri": "https://seller-np.com/ondc",
    "transaction_id": "T2",
    "message_id": "M1",
    "timestamp": "2025-01-08T02:00:30.000Z"
  },
  "message": {
    "catalog": {
      "bpp/descriptor"[138]: {
        "tags": [
          {
            "code": "retailer_mapping",[139]
            "list": [
              {
                "code": "customer_id"[140],
                "value": "CUST-2024-001234"
              },
              {
```

[138] Present only in responses, solicited or unsolicited, to a request that carried retailer_mapping tag groups. Carries the mapping for each retailer resolved. Only the tags array is sent; the descriptive attributes were supplied in the full broadcast.

[139] One block per resolved retailer per provider that serves them. Every code the request sent for that retailer is echoed unchanged in each of its blocks, and together they are the correlation key. A retailer served by two providers appears in two blocks with the same echo. Every retailer sent appears either here or in the error block with a code.

[140] This provider's code for the retailer; string. Mandatory in every block. Where the request identified the retailer by customer_id it is that code; otherwise it is new information, and the retailer's blocks may carry different values. The Buyer NP stores it against the retailer and this provider, and sends it as fulfillments.customer.id on /select to this provider.

```
            "code": "provider_id"[141],
            "value": "P1"
          }
        ]
      },
      {
        "code": "retailer_mapping",
        "list": [
          {
            "code": "customer_id",
            "value": "CUST-2024-001234"
          },
          {
            "code": "provider_id",
            "value": "P2"
          }
        ]
      },
      {
        "code": "retailer_mapping",
        "list": [
          {
            "code": "phone_number",
            "value": "9876543210"
          },,
          {
            "code": "customer_id",
            "value": "CUST-2024-003311"
          },
          {
            "code": "provider_id",
            "value": "P3"
          }
        ]
      },
      {
        "code": "retailer_mapping",
        "list": [
          {
            "code": "phone_number",
            "value": "9876543210"
          },
          {
            "code": "PAN",
            "value": "AABCU9603R"
          },
          {
            "code": "customer_id",
            "value": "D4-77812"
          },
          {
            "code": "provider_id",
            "value": "P4"
          }
        ]
      }
    ]
  }
 }
},
"error"[142]: {
  "type": "DOMAIN-ERROR",
  "code": "50009"[143],
  "message": "[{\"customer_id\":\"CUST-2024-002001\",\"code\":\"50009\"}]"[144]
```


[141] The id of one provider, from this Seller NP's published catalogue, that serves this retailer; string. Mandatory and single-valued: a retailer served by more than one provider is returned in one block per provider.

[142] Lists the retailers that were not resolved; placed after context and message, as in every callback that carries an error.

[143] The distinct codes among the unresolved retailers, comma-separated; see Retailer Identity and Mapping Errors.

[144] Stringified JSON array, one entry per unresolved retailer, keyed by the codes the request sent for it, plus its error code.

```
  }
}
```

N.B. The mapping carries no catalogue, prices, credit or offers. Each distributor returns those in /on_search (Existing Retailer).

Response to the one-retailer lookup:


```
{
  "context": {
    "domain": "ONDC:RETeB2B",
    "country": "IND",
    "city": "std:080",
    "action": "on_search",
    "core_version": "1.2.5",
    "bap_id": "buyer-np.com",
    "bap_uri": "https://buyer-np.com/ondc",
    "bpp_id": "seller-np.com",
    "bpp_uri": "https://seller-np.com/ondc",
    "transaction_id": "T4",
    "message_id": "M1",
    "timestamp": "2025-01-08T08:00:01.000Z"
  },
  "message": {
    "catalog": {
      "bpp/descriptor": {
        "tags": [
          {
            "code": "retailer_mapping",
            "list": [
              {
                "code": "customer_id",
                "value": "CUST-2024-001234"
              },
              {
                "code": "provider_id",
                "value": "P1"
              }
            ]
          }
        ]
      }
    }
  }
}
```


/on_search (Mapping change — unsolicited)

The Seller NP sends this when a retailer's distributors change, on the transaction_id of the Buyer NP's latest lookup. Here the retailer moved from P1 to P2. The new blocks replace the old mapping completely. A retailer that no provider serves any more is listed in the error block with 50010.


```
{
  "context": {
    "domain": "ONDC:RETeB2B",
    "country": "IND",
    "city": "std:080",
    "action": "on_search",
    "core_version": "1.2.5",
    "bap_id": "buyer-np.com",
    "bap_uri": "https://buyer-np.com/ondc",
    "bpp_id": "seller-np.com",
    "bpp_uri": "https://seller-np.com/ondc",
    "transaction_id": "T4",
    "message_id": "M2",
    "timestamp": "2025-02-01T10:00:00.000Z"
  },
  "message": {
```

```
    "catalog": {
      "bpp/descriptor": {
        "tags": [
          {
            "code": "retailer_mapping",
            "list": [
              {
                "code": "customer_id",
                "value": "CUST-2024-001234"
              },
              {
                "code": "provider_id",
                "value": "P2"
              }
            ]
          }
        ]
      }
    }
  }
}
```

NACK — mapping lookup not supported

The Seller NP sends this NACK at once when a provider-less request reaches it but it publishes no retailer_mapping_required.

```
{
  "message": {
    "ack": {
      "status": "NACK"
    }
  },
  "error": {
    "type": "DOMAIN-ERROR",
    "code": "40001",
    "message": "Mapping lookup not supported: this Seller NP publishes no retailer_mapping_required"
  }
}
```

Rules

- **Identified once.** A retailer returned by the mapping is identified at each distributor returned, by the customer_id the mapping gave. If a distributor needs more, it lists the extra codes in its own type = existing variant, and the Buyer NP asks only for those.
- **Mapping changes.** When a retailer's distributors change, the Seller NP sends an unsolicited /on_search with the retailer's full current mapping, on the transaction_id of the Buyer NP's latest request for that retailer. A retailer no longer served by any provider gets 50010.
- **Many-retailer timing.** The Seller NP may answer a many-retailer request in several /on_search callbacks, with the same transaction_id and message_id, within ttl. Retailers not answered by the end of ttl count as 31001 and may be sent again.
- **City.** context.city is the city where the retailers are served, not where the provider is located. A many-retailer request may use "*".

Errors

Code	When
50009	The retailer is not found.
50010	The retailer is held, but no provider of this Seller NP serves it.
50011	The codes sent do not satisfy any lookup group.
50012	The codes match more than one retailer.
50017	The lookup was resent too soon.

Code	When
30000	The request is malformed: both carriers, more than 100 blocks, or two blocks for one retailer.
40001	The Seller NP does not support mapping.
31001	The distributor's system could not be reached. Retry.

See Retailer Identity and Mapping Errors.

Implementation checklist

Who	Must
Buyer NP	Declare 031 in bap_features, and read retailer_mapping_required from bpp/descriptor.tags.
Buyer NP	Send the lookup with intent.tags retailer_mapping blocks and no provider.id; at most 100 blocks.
Buyer NP	Show only the providers the mapping returned, and store customer_id per retailer per provider.
Buyer NP	Keep the transaction_id, and accept unsolicited mapping changes on it.
Seller NP	Publish retailer_mapping_required only if it can resolve a retailer across all its providers.
Seller NP	Return one retailer_mapping block per retailer per serving provider, echoing the request codes, and list every unresolved retailer in the error block.
Seller NP	NACK with 30000 a lookup that also carries fulfillment.customer, and with 40001 any lookup it cannot serve.
Seller NP	Push a mapping change as an unsolicited /on_search, retried until ACKed.

Retailer Identification & Terms (Catalogue Visibility)

Feature card	Retailer Identification & Terms (Catalogue Visibility)
Purpose	Recognise a retailer at a distributor, so its catalogue opens and the retailer's terms can be fetched.
Feature code	030 in bap_features; a missing 030 is read as yes until the cut-over date.
Seller NP publishes	retailer_info_required with type = existing per provider, or once at bpp/descriptor.tags; a provider's own group takes precedence.
Buyer NP sends	/search with fulfillment.customer: customer.id, or the codes of a type = existing variant; always with intent.provider.id, one provider per request.
Seller NP returns	/on_search with bpp/providers: credit, poc, offers with scheme_progress, and the customer tag group (id, tier).
Display rule	A gated distributor's catalogue opens once the retailer is identified.
Errors	50009, 50010, 50011, 50013, 50014; 30001, 40001.
Examples	/search (Existing Retailer with Customer ID), /search (Existing Retailer without Customer ID), /on_search (Existing Retailer).

Why

- Some distributors sell only to retailers they know: prices, credit and schemes are agreed per retailer.
- Others, such as cash-and-carry, sell to anyone.
- retailer_info_required tells the Buyer NP, for each distributor, whether to identify the retailer before showing the catalogue, and with which codes. Once the retailer is identified, the distributor returns its terms.


Display rule — catalogue visibility

The retailer_info_required that applies to a provider decides who sees its catalogue. No other attribute is used.

retailer_info_required that applies (the provider's own, else the descriptor's)	Who may be shown the catalogue
A variant with type = new is published	Every retailer. The provider accepts new retailers, so anyone can see its items, prices and offers before being identified. The registration form uses the codes in the type = new variant.
Only variants with type = existing are published	Only retailers identified through the P2P Search with the codes of a type = existing variant. Until then the provider is listed with a prompt to identify, but its items, prices and offers are hidden. Without a type = new variant, the provider does not register new retailers.
No retailer_info_required tag group is published	Every retailer. The provider does not identify retailers, and no P2P Search is needed before ordering. This applies only when neither the provider nor the descriptor publishes retailer_info_required. A provider-targeted P2P Search to such a provider is NACKed with 40001.

- **Precedence.** retailer_info_required can be published at bpp/descriptor.tags and per provider. If a provider publishes its own, that one applies to it and the descriptor's does not. The descriptor's applies only to providers that publish none.

Sequence: known retailer (provider-targeted P2P Search)



/search (Existing Retailer with Customer ID)

Identifies the retailer at the provider in intent.provider.id, using its customer_id there. The answer is /on_search (Existing Retailer).

One retailer

```
{
  "context": {
    "domain"[145]: "ONDC:RETeB2B",
    "action": "search",
    "country": "IND",
```

[145] domain namespace

```
    "city"[146]: "std:080",
    "core_version": "1.2.5",
    "bap_id": "buyer-np.com",
    "bap_uri": "https://buyer-np.com/ondc",
    "bpp_id"[147]: "seller-np.com",
    "bpp_uri"[148]: "https://seller-np.com/ondc",
    "transaction_id": "T1",
    "message_id": "M1",
    "timestamp": "2025-01-08T08:00:00.000Z",
    "ttl": "PT30S"
   },
   "message": {
    "intent": {
     "provider": {
      "id"[149]: "P1"
     },
     "fulfillment"[150]: {
      "type": "Delivery",
      "customer": {
       "id"[151]: "CUST-2024-001234"
      }
     }
    }
   }
  }
```

/search (Existing Retailer without Customer ID)

Identifies a retailer that the provider holds but that does not know its code. It sends the codes of a type = existing variant, here phone_number and PAN. The answer is /on_search (Existing Retailer).

```
{
  "context": {
    "domain[152]": "ONDC:RETeB2B",
    "action": "search",
    "country": "IND",
    "city": "std:080",
    "core_version": "1.2.5",
    "bap_id": "buyer-np.com",
    "bap_uri": "https://buyer-np.com/ondc",
    "bpp_id[153]": "seller-np.com",
    "bpp_ur[154]i": "https://seller-np.com/ondc",
    "transaction_id": "T1",
    "message_id": "M1",
    "timestamp": "2025-01-08T08:00:00.000Z",
    "ttl": "PT30S"
  },
  "message": {
    "intent": {
      "provider": {
        "id[155]": "P1"
      },
```

---

[146] City codes mapped here

[147] optional for broadcast search, required for P2P search

[148] optional for broadcast search, required for P2P search

[149] Mandatory: the one provider whose terms are requested. To find which providers serve a retailer, run the mapping lookup first.

[150] optional, when not specified, all fulfillment types supported by provider should be returned in response;

[151] optional; required if existing; string, the provider's code for the retailer. With intent.provider.id omitted, a customer_id declared in retailer_mapping_required.

[152] domain namespace

[153] optional for broadcast search, required for P2P search

[154] optional for broadcast search, required for P2P search

[155] Mandatory: the one provider whose terms are requested. To find which providers serve a retailer, run the mapping lookup first.

```
    "fulfillment[156]": {
      "type": "Delivery",
      "customer": {
        "person": {
          "creds": [
            {
              "id": "29AABCU9603R1ZM",
              "type": "GSTIN"
            },
            {
              "id": "AABCU9603R",
              "type": "PAN"
            }
          ]
        },
        "contact": {
          "phone": "9876543210"
        }
      }
    }
  }
 }
}
```

/on_search (Existing Retailer)

- This answers /search (Existing Retailer), with or without the customer ID, for the provider in intent.provider.id.
- bpp/providers holds that one provider, with its serviceability, credit, poc, offers with scheme_progress, and the customer tag group (id, tier).
- If the retailer is not resolved, bpp/providers is empty and an error code says why. See Response outcomes.
- If several providers serve the retailer, run the mapping lookup to find them, then send one request to each.

Example: one provider (P1)

```
{
  "context": {
    "domain": "ONDC:RETeB2B",
    "country": "IND",
    "city": "std:080",
    "action": "on_search",
    "core_version": "1.2.5",
    "bap_id": "buyer-np.com",
    "bap_uri": "https://buyer-np.com/ondc",
    "bpp_id": "seller-np.com",
    "bpp_uri": "https://seller-np.com/ondc",
    "transaction_id": "T1",
    "message_id": "M1",
    "timestamp": "2025-01-08T08:00:30.000Z"
  },
  "message": {
    "catalog": {
      "bpp/providers"[157]: [
        {
          "id"[158]: "P1",
          "offers": [
            {
```

[156] optional, when not specified, all fulfillment types supported by provider should be returned in response;

[157] The one provider requested. An empty array means the retailer is not resolved at that provider and is followed by an error giving the reason (Retailer Identity and Mapping Errors).

[158] unique id for provider;

```
    "id"[159]: "discp10",
    "tags": [
     {
      "code": "scheme_progress",[160]
      "list": [
       {
        "code": "target_quantity"[161],
        "value": "100"
       },
       {
        "code": "remaining_quantity"[162],
        "value": "35"
       },
       {
        "code": "valid_till"[163],
        "value": "2025-03-31T23:59:59.000Z"
       }
      ]
     }
    ]
  },
  {
    "id": "flat150",
    "tags": [
     {
      "code": "scheme_progress",
      "list": [ .. ]
     }
    ]
  },
  {
    "id": "slab1",
    "tags": [
     {
      "code": "scheme_progress",
      "list": [ .. ]
     }
    ]
  },
  {
    "id": "freebie1",
    "tags": [
     {
      "code": "scheme_progress",
      "list": [ .. ]
     }
    ]
  },
  {
    "id": "buy2get3",
    "tags": [
     {
      "code": "scheme_progress",
      "list": [ .. ]
     }
    ]
  },
  {[164]
    "id": "combo3[165]",
```

---

[159] unique id for this offer

[160] Optional; Retailer's progress toward scheme targets

[161] scheme target quantity; integer, sent as a string.

[162] remaining quantity to achieve target scheme; integer, sent as a string.

[163] scheme validity timestamp (in ISO 8601 UTC)

[164] New offers can be provided for P2P Flow

[165] unique id for this offer, if cart includes combo of any primary item & all secondary items - 50% off up to ₹200; this offer is auto-applied, for opt-in offers check above;

```
  "descriptor": {
    "code": "combo[166]",
    "images[167]": [
      "https://snp.com/images/offer1-banner.webp"
    ]
  },
  "location_ids": [
    "L1"
  ],
  "category_ids[168]": [ .. ],
  "item_ids[169]": [
    "I1",
    "I2"
  ],
  "time": {
    "label": "valid",
    "range": {
      "start": "2025-01-01T16:00:00.000Z",
      "end": "2025-01-01T23:00:00.000Z"
    }
  },
  "tags": [
    {
      "code": "qualifier",
      "list": [
        {
          "code": "item_id[170]",
          "value": "I4,I5"
        }
      ]
    },
    {
      "code": "benefit",
      "list": [
        {
          "code": "value_type",
          "value": "percent"
        },
        {
          "code": "value",
          "value": "-50.00"
        },
        {
          "code": "value_cap",
          "value": "-200.00"
        }
      ]
    },
    {
      "code": "meta",
      "list": [
        {
          "code": "additive",
          "value": "no"
        },
        {
          "code": "auto",
          "value": "yes"
        }
      ]
    }
  ]
}
```

[166] offer type - defined in template above;
[167] optional; array of URL (https).
[168] includes standard categories defined in the taxonomy sheet, custom categories (variant groups, customization groups)
[169] primary items for combo offer;
[170] secondary items for combo offer (distinct from primary items) - in this case, if cart includes combo of any primary item (I1) and all secondary items (I4, I5), the offer benefit as defined above will apply;

```
      ],
      "tags": [
        {
          "code": "credit",[171]
          "list": [
            {
              "code": "credit_limit"[172],
              "value": "25000.00"
            },
            {
              "code": "valid_till"[173],
              "value": "2025-04-30T23:59:59.000Z"
            }
          ]
        },
        {
          "code": "poc",[174]
          "list": [
            {
              "code": "name",
              "value": "Rajesh Kumar"
            },
            {
              "code": "phone",
              "value": "9876543210"
            },
            {
              "code": "email",
              "value": "rajesh.kumar@abcdist.com"
            }
          ]
        },
        {
          "code": "customer",
          "list": [
            {
              "code": "id",
              "value": "CUST-2024-001234"[175]
            },
            {
              "code": "tier",
              "value": "silver"
            }[176]
          ]
        }
      ]
    }
  ]
 }
}
```

N.B. One request covers one provider. If several providers serve the retailer, find them with the mapping lookup and send one /search (Existing Retailer) to each. Each response carries that provider's own credit, scheme progress, tier and customer_id.

Rules

---

[171] retailer credit information

[172] total credit limit in INR; decimal string with two places.

[173] credit info validity timestamp (ISO 8601)

[174] point of contact; name (string), phone (10-digit mobile number), email (string).

[175] This provider's code for the retailer, sent as fulfillments.customer.id on /select to this provider; string. Where the retailer was identified by customer_id every provider returns that code; otherwise each returns its own, and they may differ.

[176] The retailer's tier with this provider, for display; string set by the Seller NP, e.g. "gold", "silver", "bronze". It decides no eligibility: a benefit that depends on tier is sent to the retailer as a P2P-only offer.

- **Not applicable.** A provider-targeted P2P Search to a provider with no retailer_info_required, at either level, is NACKed with 40001.

Errors

Code	When
50009	The retailer is not found at this provider.
50010	The retailer is held, but not by this provider.
50011	The codes sent do not satisfy any type = existing variant.
50013	The retailer is blocked: a credit, overdue or compliance hold.
50014	This provider takes no network orders from the retailer.
30000	intent.provider.id is missing.
30001	intent.provider.id is unknown.
40001	This provider does not identify retailers.

See Retailer Identity and Mapping Errors.

Implementation checklist

Who	Must
Buyer NP	Apply catalogue visibility from the retailer_info_required that applies to each provider: its own, else the descriptor group.
Buyer NP	Ask the retailer only for codes the provider's type = existing variant needs that the Buyer NP does not already hold.
Buyer NP	Send the customer_id the provider returned in /select, /init and /confirm to that provider.
Buyer NP	Send one /search (Existing Retailer) per provider; to cover several, run the mapping lookup first.
Seller NP	Return the provider element with credit, poc, offers with scheme_progress, and the customer tag group (id, tier).
Seller NP	Answer an unknown retailer with an empty bpp/providers and 50009, and never create a record from an existing-retailer request.
Seller NP	NACK with 40001 a P2P Search to a provider with no retailer_info_required at either level.
Seller NP	NACK with 30000 a /search (Existing Retailer) without intent.provider.id.

Retailer Registration (New Retailer)

Feature card	Retailer Registration (New Retailer)
Purpose	Register a retailer a distributor does not hold, and return its customer_id once created.
Feature code	030.
Seller NP publishes	retailer_info_required with type = new, per provider or once at bpp/descriptor.tags.
Buyer NP sends	/search (New Retailer) with fulfillment.customer and fulfillment.end.location; intent.provider.id present, or omitted where the descriptor publishes type = new (the Seller NP assigns the distributor).
Seller NP returns	/on_search (creation pending) at once; later an unsolicited /on_search with customer.id (created), 50015 (declined) or 50016 (lapsed).
Display rule	While creation is pending, the assigned distributor is shown, and catalogue visibility decides whether its catalogue opens.
Errors	50015, 50016, 50011; 30000.

Feature card	Retailer Registration (New Retailer)
Examples	/search (New Retailer), /on_search (New Retailer — creation pending, created, declined).

Why

- A retailer new to a distributor has nothing to be identified by, so it cannot open a gated catalogue or receive terms.
- Registration creates the retailer at the distributor and returns its customer_id; from then on it is identified like any other retailer.

Which provider receives /search (New Retailer)

type = new published	Seller NP publishes retailer_mapping_required	intent.provider.id	Distributor chosen by
On the provider	No	That provider	The retailer, by picking the provider
At bpp/descriptor.tags	No	The provider the retailer picked, or omitted	The retailer; or the Seller NP when omitted
At bpp/descriptor.tags	Yes	Omitted: an unmapped retailer is shown no provider	The Seller NP, from fulfillment.end.location
On the provider only	Yes	Not available: an unmapped retailer is shown no provider	None on the network: onboard offline, or publish type = new at the descriptor

- Collect the codes of the group that applies to the provider: its own, else the descriptor's. If provider.id is left out, use the descriptor's.
- Leaving out provider.id without a descriptor type = new gets a 30000 NACK.
- The creation-pending response names the provider that will hold the retailer.

How a new retailer buys from a Seller NP that requires mapping

1. The Seller NP publishes retailer_mapping_required, so the Buyer NP shows it as a single entry until the retailer is mapped.

2. The Buyer NP looks the retailer up, for example by phone and PAN. The Seller NP answers 50009: not found.

3. The Buyer NP builds the form from retailer_info_required (type = new) at bpp/descriptor.tags. It sends /search (New Retailer) with fulfillment.customer and fulfillment.end.location, and no provider.id.


4. The Seller NP picks a distributor from the location and answers creation pending, naming it (P1). The retailer sees P1 as pending. If P1's applicable group has type = new, the retailer can already order, with its details in the customer object.

5. An unsolicited /on_search brings the customer.id, credit and scheme progress. The retailer is now mapped and identified at P1.


6. The retailer orders from P1 with that customer_id.

If the Seller NP declines (50015) or does not decide within P7D (50016), the retailer cannot order from it, and the Buyer NP tells the retailer.

Sequence: new retailer at a Seller NP that requires mapping



Sequence: new-retailer registration (asynchronous)



/search (New Retailer)

Registers a retailer that the provider does not hold, using the codes of the type = new variant that applies. The Seller NP answers at once with /on_search (New Retailer — creation pending).


```
{
  "context": {
    "domain[177]": "ONDC:RETeB2B",
    "action": "search",
    "country": "IND",
    "city": "std:080",
    "core_version": "1.2.5",
    "bap_id": "buyer-np.com",
    "bap_uri": "https://buyer-np.com/ondc",
    "bpp_id[178]": "seller-np.com",
    "bpp_uri[179]": "https://seller-np.com/ondc",
    "transaction_id": "T1",
    "message_id": "M1",
```


[177] domain namespace
[178] optional for broadcast search, required for P2P search
[179] optional for broadcast search, required for P2P search

```
  "timestamp": "2025-01-08T08:00:00.000Z",
  "ttl": "PT30S"
 },
 "message": {
  "intent": {
   "provider": {
    "id[180]": "P1"
   },
   "fulfillment[181]": {
    "type": "Delivery",
    "customer": {
     "person": {
      "name": "Ramesh Sharma"[182],
      "creds": [
       {
        "id": "29AABCU9603R1ZM",
        "type": "GSTIN"
       },
       {
        "id": "AABCU9603R",
        "type": "PAN"
       },
       {
        "id": "UDYAM-KR-03-0012345",
        "type": "UDYAM"[183],
        "url": "https://buyer-np.com/kyc/r-1001/udyam.jpg"[184]
       }
      ]
     },
     "organization": {
      "descriptor": {
       "name": "Sharma Kirana Store",
       "code": "grocer"[185],
       "symbol": "https://buyer-np.com/kyc/r-1001/board.jpg"[186],
       "images": [
        "https://buyer-np.com/kyc/r-1001/inside.jpg"
       ][187]
      },
      "address": "123, MG Road, Koramangala",
      "city": {
       "name": "Bengaluru",
       "code": "std:080"
      },
      "state": {
       "name": "Karnataka",
       "code": "KA"
      }
     },
     "contact": {
      "phone": "9876543210",
      "email": "sharma.kirana@email.com"
     },
```

[180] Target provider ID. Optional where the Seller NP publishes retailer_info_required with type = new at bpp/descriptor.tags (a uniform registration requirement); the Seller NP then assigns the distributor from fulfillment.end.location. Mandatory otherwise; omitting it without a descriptor type = new is NACKed with 30000.
[181] optional, when not specified, all fulfillment types supported by provider should be returned in response;
[182] Owner's name; string. Sent where name is required.
[183] Document type; enum as in Retailer codes. A document of type GSTIN or PAN gains a url on the cred that carries its number, rather than a second cred.
[184] URL (https) of the document image or PDF, taken live by camera at the store and fetchable by the Seller NP without login for at least P7D.
[185] Shop category; enum "chemist", "grocer", "wholesale". The same attribute a provider uses for its own type.
[186] Photo of the shop board; URL (https) of a JPEG or PNG taken live by camera at the store, fetchable by the Seller NP without login for at least P7D.
[187] Photos inside the shop; array of URL (https), JPEG or PNG, taken live by camera at the store.

```
      "tags"[188]: [
        {
          "code": "consent",
          "list": [
            {
              "code": "whatsapp_otp",
              "value": "yes"
            },
            {
              "code": "consented_at",
              "value": "2025-01-08T07:55:00.000Z"
            }
          ]
        }
      ]
    },
    "end"[189]: {
      "location": {
        "gps": "12.9352,77.6245",
        "address": {
          "area_code": "560034"
        }
      }
    }
  }
 }
}
```

N.B. A request without intent.provider.id goes only to a Seller NP that publishes retailer_info_required with type = new at bpp/descriptor.tags. The Seller NP picks the distributor from fulfillment.end.location and names it in the creation-pending response.

/on_search (New Retailer — creation pending)

Sent at once in answer to /search (New Retailer). The provider element confirms that the request was accepted. The customer tag group, credit and scheme_progress are missing until the record exists. If intent.provider.id was left out, the provider is the distributor the Seller NP picked. The Buyer NP tells the retailer that its details are awaiting approval.

```
{
  "context": {
    "domain": "ONDC:RETeB2B",
    "country": "IND",
    "city": "std:080",
    "action": "on_search",
    "core_version": "1.2.5",
    "bap_id": "buyer-np.com",
    "bap_uri": "https://buyer-np.com/ondc",
    "bpp_id": "seller-np.com",
    "bpp_uri": "https://seller-np.com/ondc",
    "transaction_id": "T1",
    "message_id": "M1",
    "timestamp": "2025-01-08T08:00:30.000Z"
  },
  "message": {
    "catalog": {
      "bpp/providers": [
        {
          "id": "P1",
          "offers": [
```

[188] Only what no existing attribute carries: consent, with whatsapp_otp (enum "yes", "no") and consented_at (ISO 8601 UTC timestamp of the OTP confirmation). Beckn core gives tags to Person, not Customer; this extends Customer as customer.id and customer.organization already do.

[189] The retailer's store. Mandatory where intent.provider.id is omitted, as the Seller NP assigns the distributor from it. gps: string "latitude,longitude", decimal degrees, minimum 6 decimal precision. area_code: string, 6-digit PIN code.

```
          {
            "id": "discp10"
          },
          {
            "id": "flat150"
          }
        ],[190]
        "tags": [
          {
            "code": "poc",
            "list": [
              {
                "code": "name",
                "value": "Rajesh Kumar"
              },
              {
                "code": "phone",
                "value": "9876543210"
              }
            ]
          }
        ]
      }
    ]
  }
 }
}
```

/on_search (New Retailer — created)

Sent unsolicited once the record exists, on the original transaction_id. It is the normal P2P response, with the new code in the customer tag group, plus credit and scheme progress.

```
{
  "context": {
    "domain": "ONDC:RETeB2B",
    "country": "IND",
    "city": "std:080",
    "action": "on_search",
    "core_version": "1.2.5",
    "bap_id": "buyer-np.com",
    "bap_uri": "https://buyer-np.com/ondc",
    "bpp_id": "seller-np.com",
    "bpp_uri": "https://seller-np.com/ondc",
    "transaction_id"[191]: "T1",
    "message_id": "M2",
    "timestamp": "2025-01-08T14:20:00.000Z"
  },
  "message": {
    "catalog": {
      "bpp/providers": [
        {
          "id": "P1",
          "offers": [
            {
              "id": "discp10",
              "tags": [
                {
                  "code": "scheme_progress",
                  "list": [ .. ]
                }
              ]
            },
            ..
          ],
          "tags": [
```

[190] Offers are returned without scheme_progress. Progress is measured against a retailer, and no retailer record exists yet.

[191] The transaction_id of the originating /search (New Retailer), retained so that an unsolicited response arriving later can be correlated to the request that caused it.

```
          {
            "code": "credit",
            "list": [
              {
                "code": "credit_limit",
                "value": "15000.00"
              },
              {
                "code": "valid_till",
                "value": "2025-04-30T23:59:59.000Z"
              }
            ]
          },
          {
            "code": "poc",
            "list": [ .. ]
          },
          {
            "code": "customer",
            "list": [
              {
                "code": "id",
                "value": "CUST-2024-002456"
              }
            ]
          }
        ]
      }
    ]
  }
 }
}
```

[192]

/on_search (New Retailer — declined)

N.B. If the Seller NP declines to create the record, it sends an unsolicited /on_search on the original transaction_id, with an empty bpp/providers and error 50015. If no decision is made within P7D, it sends the same with 50016.

```
{
  "context": {
    "domain": "ONDC:RETeB2B",
    "country": "IND",
    "city": "std:080",
    "action": "on_search",
    "core_version": "1.2.5",
    "bap_id": "buyer-np.com",
    "bap_uri": "https://buyer-np.com/ondc",
    "bpp_id": "seller-np.com",
    "bpp_uri": "https://seller-np.com/ondc",
    "transaction_id": "T1",
    "message_id": "M3",
    "timestamp": "2025-01-09T10:00:00.000Z"
  },
  "message": {
    "catalog": {
      "bpp/providers": []
    }
  },
  "error": {
    "type": "DOMAIN-ERROR",
    "code": "50015"[193],
    "message": "Retailer creation declined by provider P1"
  }
```

[192] The code created by the Seller NP. The Buyer NP stores it against the retailer and sends it as fulfillments.customer.id from this point onward.

[193] 50015 when the Seller NP declines; 50016, in the same shape, when the request lapses after P7D.

```
}
```

Rules

- **Registration.** Uses retailer_info_required with type = new, and the data travels in fulfillment.customer on /search (New Retailer). A provider's own group needs provider.id. The descriptor group lets the Buyer NP leave provider.id out; the Seller NP then picks the distributor from fulfillment.end.location. Leaving it out without a descriptor type = new gets a 30000 NACK. If the codes match a retailer already held, the existing customer_id is returned and nothing is created.
- **Lookup or create.** Only /search (New Retailer) creates a record. If its codes match a retailer already held, the existing customer_id comes back instead. An existing-retailer search that finds nothing returns 50009 and never creates a record, because it has no registration data and a mistyped code would create a duplicate outlet.
- **Creation lifetime.** A pending creation lapses P7D after the pending response. The Seller NP sends an unsolicited /on_search with 50015 if it declines, or 50016 when the request lapses. A provider-less New Retailer whose location no distributor covers is declined at once with 50015.
- **Unsolicited callbacks.** The Buyer NP keeps P2P transaction_ids for at least P7D and accepts unsolicited /on_search on them. The Seller NP retries an unsolicited /on_search until it is ACKed, as for incremental refresh.
- **Ordering without a customer_id.** A provider whose applicable retailer_info_required has type = new takes orders from a retailer with no customer_id yet, as published. From /select onwards, the retailer's details travel in fulfillments[].customer (person, organization, contact) with no id. This covers new retailers and retailers whose creation is pending. Once the record exists, customer.id arrives in fulfillments[].customer in the next /on_status. A provider with only type = existing needs customer.id; without it, /on_select returns 50011.
- **Mapping Seller NPs.** A Seller NP that publishes retailer_mapping_required and accepts new retailers must publish retailer_info_required with type = new at bpp/descriptor.tags. An unmapped retailer sees no distributor, so it can only register through the Seller NP, which picks the distributor. Without a descriptor type = new, such a Seller NP cannot onboard retailers on the network; they are created offline and then found by the mapping lookup.

Errors

Code	When
50015	The Seller NP declined the registration, or no distributor covers the location.
50016	No decision was made within P7D.
50011	The registration data is incomplete.
30000	provider.id was left out without a descriptor type = new.

See Retailer Identity and Mapping Errors.

Implementation checklist

Who	Must
Buyer NP	Build the form from the type = new group that applies, and capture images and documents live by camera.

Who	Must
Buyer NP	Send fulfillment.end.location whenever provider.id is omitted.
Buyer NP	Keep the transaction_id for P7D, and accept the unsolicited created, 50015 or 50016 response on it.
Seller NP	Answer at once with creation pending, naming the assigned provider.
Seller NP	Return the existing customer_id, creating nothing, when the codes match a retailer already held.
Seller NP	Send created, 50015 or 50016 within P7D as an unsolicited /on_search, retried until ACKed.
Seller NP	If it publishes retailer_mapping_required and accepts new retailers, publish type = new at bpp/descriptor.tags.
Seller NP	Take /select without customer.id at a provider whose applicable group has type = new, from the details in the customer object.

Reference

Request variants

Which request a Buyer NP sends, and whether it targets a provider, depends on what it knows about the retailer. All variants use the same API and the same response header.

Request variant	Identity carried in	intent.provider.id	Used when
/search (New Retailer)	fulfillment.customer — person.creds, organization, contact; plus fulfillment.end.location where intent.provider.id is omitted	Present, or omitted where the Seller NP publishes retailer_info_required with type = new at bpp/descriptor.tags	The retailer has no relationship with the provider and is asking to be created in its system. The codes collected are those of the provider's type = new variant. Creation **is asynchronous — see Response outcomes. Where provider.id is omitted, the codes are those of the descriptor type = new group, and the Seller NP assigns the distributor from the retailer's location. If the codes match a retailer already held, the existing customer_id is returned and nothing is created.**
/search (Existing Retailer with Customer ID)	fulfillment.customer.id	Present, always: one request, one provider	The retailer knows their customer or outlet code with the provider.
/search (Existing Retailer without Customer ID)	fulfillment.customer — person.creds, contact.phone	Present, always: one request, one provider	The retailer is held by the provider but does not know their code. The codes sent are those of a type = existing variant.
Mapping lookup (one retailer or many)	**intent.tags — retailer_mapping blocks, one per retailer**	**Omitted, only to a Seller NP that publishes retailer_mapping_required**	**Resolve which distributors serve one retailer or many, without targeting a provider. The response is the mapping only (bpp/descriptor.tags), no terms; the Buyer NP then fetches terms per provider.**

Retailer codes

Each code has one data type and one carrier, and only listed codes can be declared. Registration data travels in fulfillment.customer; only consent needs a tag group. The four lookup codes (customer_id, phone_number, GSTIN, PAN) also travel as simple code/value pairs in retailer_mapping blocks.

Code	Data type / format	Carried in (single-retailer forms)	Variant types
customer_id	string; the Seller NP's outlet code	fulfillment.customer.id	existing
phone_number	string, 10-digit mobile number	fulfillment.customer.contact.phone	new, existing

Code	Data type / format	Carried in (single-retailer forms)	Variant types
GSTIN	string, 15 characters	fulfillment.customer.person.creds[], type "GSTIN"	new, existing
PAN	string, 10 characters	fulfillment.customer.person.creds[], type "PAN"	new, existing
name	string; the owner's name	fulfillment.customer.person.name	new
shop_name	string	fulfillment.customer.organization.descriptor.name	new
email	string, email address	fulfillment.customer.contact.email	new
address	string; city and state as objects with name and code	fulfillment.customer.organization.address, city, state	new
area_code	string, 6-digit PIN code	fulfillment.end.location.address.area_code	new
gps	string "latitude,longitude", decimal degrees, minimum 6 decimal precision	fulfillment.end.location.gps	new
shop_category	enum: to be defined, e.g. "wholesale"	fulfillment.customer.organization.descriptor.code	new
shop_image_board	URL (https) of a JPEG or PNG of the shop board, taken live by camera	fulfillment.customer.organization.descriptor.symbol	new
shop_image_inside	one or more URL (https), JPEG or PNG, inside the shop, taken live by camera	fulfillment.customer.organization.descriptor.images	new
document	document_type enum[194]; document id; url URL (https) of a JPEG, PNG or PDF, taken live by camera	**fulfillment.customer.person.creds[]**	new
consent	whatsapp_otp: enum "yes", "no"; consented_at: ISO 8601 UTC timestamp	fulfillment.customer.tags, consent group (no existing attribute holds it)	new

P2P request fields

M = mandatory, O = optional, C = conditional, — = not sent. context.bpp_id and bpp_uri are mandatory in every P2P request.

Field	New Retailer	Existing (Customer ID)	Existing (no Customer ID)	Mapping lookup
intent.provider.id	O[195]	M	M	—
fulfillment.customer.id	—	M	—	—
fulfillment.customer.contact.phone	O	—	M	—
fulfillment.customer.person.creds[] (GSTIN, PAN, documents)	O[196]	—	O[197]	—

[194] creds[].type enum: "GSTIN", "PAN", "UDYAM", "UDYOG_AADHAAR", "FSSAI", "SHOP_ESTABLISHMENT", "TRADE_LICENSE", "HEALTH_TRADE_LICENSE", "SSI_LICENSE", "GRAM_PANCHAYAT_CERTIFICATE", "LOCAL_BODY_PERMISSION", "AADHAAR". AADHAAR travels masked: the last four digits and a masked image only, never the full number.
[195] Optional only where the Seller NP publishes retailer_info_required with type = new at bpp/descriptor.tags; mandatory otherwise.
[196] As the applicable type = new group marks true.
[197] As the provider's type = existing variant marks true, where it asks for more than the lookup gave.

Field	New Retailer	Existing (Customer ID)	Existing (no Customer ID)	Mapping lookup
fulfillment.customer (name, organization, shop fields)	M[198]	—	—	—
fulfillment.end.location (gps, area_code)	C[199]	—	—	—
intent.tags — retailer_mapping blocks	—	—	—	M[200]

Response outcomes

The customer tag group on a provider tells the Buyer NP that the retailer exists in the Seller NP's system. There is no status attribute: the shape of the response is the answer. If the retailer is not resolved, an error code from Retailer Identity and Mapping Errors gives the reason.

Outcome	When	The /on_search carries
Resolved	**The retailer is held by the Seller NP, including a /search (New Retailer) whose codes match a record already held; the existing customer_id is returned and nothing is created**	**bpp/providers with the requested provider, carrying its offers with scheme progress, credit, poc and customer**
Creation pending	**A /search (New Retailer) has been accepted and the record is being created**	**bpp/providers with the provider element, but no customer tag group. credit and scheme_progress are absent for the same reason — neither can exist before the retailer does. Where intent.provider.id was omitted, the element is the distributor the Seller NP has assigned**
Created	**The Seller NP has created the record**	**An unsolicited /on_search on the originating transaction_id, carrying the ordinary P2P payload with customer.id holding the new code**
Not found	**The retailer is not held by the Seller NP**	An empty bpp/providers array, followed by error 50009. In a mapping lookup, the retailer is listed in the error block. An existing-retailer search never creates a record.
Not resolved, other reasons	**Held but not mapped, blocked, not enabled, identification insufficient or ambiguous, creation declined or lapsed**	**As Not found, with the error code that gives the reason: 50010–50017 (Retailer Identity and Mapping Errors)**

N.B. The Buyer NP reads each response against its request. A provider element without a customer tag group means creation is pending only after a /search (New Retailer). After an existing-retailer request, it is a malformed response, which the Buyer NP NACKs with 20006.

Retailer Identity and Mapping Errors

These codes explain why a retailer is not resolved in the P2P Search, or cannot order from a provider. 50009 replaces Invalid Customer ID with a wider meaning; 50010 to 50017 are new. In every callback, error follows context and message.

---

[198] The registration data the applicable type = new group marks true; codes and carriers in Retailer codes.
[199] Mandatory where intent.provider.id is omitted, as the Seller NP assigns the distributor from it.
[200] One retailer_mapping block per retailer, each carrying the codes of one type = existing group of retailer_mapping_required; maximum 100.

Code	Name	Raised when	Returned in	Buyer NP action
50009	Retailer not found	No record matches the codes sent, or the codes sent belong to different records	/on_search; /on_select to /on_confirm	Offer registration where a type = new variant or group applies; do not resend the same codes for P1D
50010	Retailer not mapped	The retailer is held, but not by the provider addressed; or, in a mapping lookup, by none of the Seller NP's providers.	/on_search; /on_select to /on_confirm; mapping-change pushes	Run the mapping lookup once. If it still lists that provider, stop: the mapping is wrong on the Seller NP's side.
50011	Identification insufficient	Codes missing, malformed or not satisfying any type = existing variant or group; or no customer.id at /select to a provider whose applicable retailer_info_required has no type = new	/on_search; /on_select	Collect the declared codes and resend
50012	Identification ambiguous	The codes match more than one record, such as one phone with two GSTINs	/on_search	Resend with a stronger variant; the Seller NP never picks one
50013	Retailer blocked	Held and mapped, but on a credit, overdue or compliance hold	/on_search; /on_select to /on_confirm	Show the POC; do not resend for P7D
50014	Retailer not enabled	Held and mapped, but the provider takes no network orders for this retailer	/on_search; /on_select to /on_confirm	Show as unavailable with this distributor. Purely geographic misses keep the existing serviceability handling
50015	Creation declined	The provider rejected a /search (New Retailer), or no distributor covers a provider-less New Retailer's location	Unsolicited /on_search; /on_select for a pending retailer	Clear the pending state; do not resend for P7D
50016	Creation lapsed	No decision within P7D of the pending response	Unsolicited /on_search	Clear the pending state; may resend
50017	Mapping throttled	A mapping or creation request resent inside one of the cool-offs above	/on_search	Wait out the cool-off

Existing codes, used as they stand

- **30000 (sync NACK):** the request is malformed. For example: both fulfillment.customer and retailer_mapping in one request, more than 100 blocks, two blocks for one retailer, or a /search (Existing Retailer) without intent.provider.id.
- **30001 (sync NACK):** intent.provider.id is unknown.
- **40001 (sync NACK):** a mapping lookup reached a Seller NP that publishes no retailer_mapping_required, or a provider-targeted P2P Search reached a provider with no retailer_info_required at either level.
- **31001:** the Seller NP could not reach the distributor's system for a retailer. It can be retried at once and is reported per retailer in a many-retailer request.
- **20006 (raised by the Buyer NP):** the response is malformed. For example: a provider element without a customer tag after an existing-retailer search, or a request block missing from both bpp/descriptor.tags and the error block.

Rules

- Faults in the request itself get a sync NACK. Outcomes for each retailer go in the callback. One bad retailer never NACKs a many-retailer request.
- In every callback, error follows context and message, as in /on_select (Out of stock).
- error.type: enum "CONTEXT-ERROR", "CORE-ERROR", "DOMAIN-ERROR", "POLICY-ERROR", "JSON-SCHEMA-ERROR"; these codes always use "DOMAIN-ERROR". error.code: string. error.message: string.

- In a many-retailer request, error.code lists the distinct codes, separated by commas, and error.message is a stringified JSON array with one entry per unresolved retailer, keyed by its codes exactly as sent. In single-retailer requests and order callbacks, error.message is plain text.
- 50009 to 50017 are to be registered in ONDC-RFC-001 for RETeB2B; today 50009 exists only in this contract.

Schemes

Offer defines a promotional scheme provided by the seller and applied to eligible items under specific conditions.
The offer structure must follow the sequence below to ensure consistent interpretation across buyers and BPPs.

Evaluation Order:
Applicability → Qualifiers → Scheme Progress → Benefit → Meta

Scheme Evaluation Flow

1. Applicability is evaluated.
2. Qualifiers are checked.
3. Scheme progress is shown to the retailer; it decides nothing, and benefits follow the qualifiers alone.
4. Benefit is calculated and applied.
5. Meta rules determine stacking and application behavior.

Component	Description
Applicability	location_ids, category_ids, item_ids, time (validity period)
Qualifier	Eligibility criteria (min_value, item_count, item_count_upper)
Scheme Progress	Retailer's progress toward scheme targets (P2P response only; informational)
Benefit	Benefit to buyer (value, value_type, value_cap, item_id, item_count, item_value)
Meta	additive (combinable with other offers), auto (auto-applied or opt-in)

1. Scheme (discount) - 0091

Publish

```
{
  "context": {
    "action": "on_search",
    "domain": "ONDC:RETeB2B",
    ...
  },
  "message": {
    "catalog": {
      ...
      "bpp/providers": [
        {
          "id": "P1",
          ...
          "offers": [
            {
              "id": "discp10",
              "descriptor": {
```

```
            "code": "discount",
            "images": [
              "https://seller-np.com/images/offer1-banner.webp"
            ]
          },
          "location_ids": [
            "L1"
          ],
          "category_ids": [
            "Atta, Flours and Sooji"
          ],
          "item_ids": [
            "I1",
            "I2",
            "I3",
            "I4"
          ],
          "time": {
            "label": "valid",
            "range": {
              "start": "2025-01-01T00:00:00.000Z",
              "end": "2025-01-31T23:59:59.000Z"
            }
          },
          "tags": [
            {
              "code": "qualifier",
              "list": [
                {
                  "code": "min_value",
                  "value": "500.00"
                }
              ]
            },
            {
              "code": "benefit",
              "list": [
                {
                  "code": "value_type",
                  "value": "percent"
                },
                {
                  "code": "value",
                  "value": "-10.00"
                },
                {
                  "code": "value_cap",
                  "value": "-200.00"
                }
              ]
            },
            {
              "code": "meta",
              "list": [
                {
                  "code": "additive",
                  "value": "yes"
                },
                {
                  "code": "auto",
                  "value": "yes"
                }
              ]
            }
          ]
        }
      ]
    }
  ]
 }
}
```


Apply

```
{
  "context": {
    "action": "on_select",
    "domain": "ONDC:RETeB2B",
    ...
  },
  "message": {
    "order": {
      ...
      "quote": {
        ...
        "breakup": [
          ...
          {
            "@ondc/org/item_id": "discp10",
            "title": "10% off on Atta (max ₹200)",
            "@ondc/org/title_type": "offer",
            "price": {
              "currency": "INR",
              "value": "-104.00"
            },
            "item": {
              "tags": [
                {
                  "code": "quote",
                  "list": [
                    {
                      "code": "type",
                      "value": "order[201]"
                    }
                  ]
                },
                {
                  "code": "offer",
                  "list": [
                    {
                      "code": "type",
                      "value": "discount"
                    },
                    {
                      "code": "additive",
                      "value": "yes"
                    },
                    {
                      "code": "auto",
                      "value": "yes"
                    }
                  ]
                }
              ]
            }
          }
        ]
      }
    }
  }
}
```


2. Scheme (buyXgetY) - 0092

Publish


```
{
  "context": {
    "action": "on_search",
    "domain": "ONDC:RETeB2B",
    ...
  },
  "message": {
    "catalog": {
```


[201] enum: order, fulfillment, item

```
...
"bpp/providers": [
  {
    "id": "P1",
    ...
    "offers": [
     {
       "id": "buy2get3",
       "descriptor": {
         "code": "buyXgetY",
         "images": [
           "..."
         ]
       },
       "location_ids": [
         "L1"
       ],
       "category_ids": [],
       "item_ids": [
         "I1",
         "I2"
       ],
       "time": {
         "label": "valid",
         "range": {
           "start": "...",
           "end": "..."
         }
       },
       "tags": [
         {
           "code": "qualifier",
           "list": [
             {
               "code": "item_count",
               "value": "2"
             }
           ]
         },
         {
           "code": "benefit",
           "list": [
             {
               "code": "item_count",
               "value": "1"
             },
             {
               "code": "item_id",
               "value": "I1"
             },
             {
               "code": "item_value",
               "value": "0.00"
             }
           ]
         },
         {
           "code": "meta",
           "list": [
             {
               "code": "additive",
               "value": "no"
             },
             {
               "code": "auto",
               "value": "yes"
             }
           ]
         }
       ]
     }
    ]
  }
 ]
}
```

```
  }
}
```

Apply

```
{
  "context": {
    "action": "on_select",
    "domain": "ONDC:RETeB2B",
    ...
  },
  "message": {
    "order": {
      ...
      "quote": {
        ...
        "breakup": [
          ...
          {
            "@ondc/org/item_id": "buy2get3",
            "@ondc/org/item_quantity": {
              "count": 1
            },
            "title": "Buy 2, get 3rd free",
            "@ondc/org/title_type": "offer",
            "price": {
              "currency": "INR",
              "value": "0.00"
            },
            "item": {
              "tags": [
                {
                  "code": "quote",
                  "list": [
                    {
                      "code": "type",
                      "value": "order"
                    }
                  ]
                },
                {
                  "code": "offer",
                  "list": [
                    {
                      "code": "type",
                      "value": "buyXgetY"
                    },
                    {
                      "code": "auto",
                      "value": "yes"
                    },
                    {
                      "code": "additive",
                      "value": "no"
                    },
                    {
                      "code": "item_id",
                      "value": "I1"
                    },
                    {
                      "code": "item_count",
                      "value": "1"
                    },
                    {
                      "code": "item_value",
                      "value": "0.00"
                    }
                  ]
                }
              ]
            }
          }
        ]
      }
    }
  }
```

```
  }
}
```

3. Scheme (freebie) - 0093

Publish

```
{
  "context": {
    "action": "on_search",
    "domain": "ONDC:RETeB2B",
    ...
  },
  "message": {
    "catalog": {
      ...
      "bpp/providers": [
        {
          "id": "P1",
          ...
          "offers": [
            {
              "id": "freebie1",
              "descriptor": {
                "code": "freebie",
                "images": [
                  "..."
                ]
              },
              "location_ids": [
                "L1"
              ],
              "category_ids": [],
              "item_ids": [
                "I1"
              ],
              "time": {
                "label": "valid",
                "range": {
                  "start": "...",
                  "end": "..."
                }
              },
              "tags": [
                {
                  "code": "qualifier",
                  "list": [
                    {
                      "code": "item_count",
                      "value": "50"
                    }
                  ]
                },
                {
                  "code": "benefit",
                  "list": [
                    {
                      "code": "item_count",
                      "value": "5"
                    },
                    {
                      "code": "item_id",
                      "value": "I1"
                    }
                  ]
                },
                {
                  "code": "meta",
                  "list": [
                    {
                      "code": "additive",
                      "value": "no"
                    },
                    {
```

```
                "code": "auto",
                "value": "yes"
              }
            ]
          }
        ]
      }
    ]
  }
 }
}
```

Apply

```
{
  "context": {
    "action": "on_select",
    "domain": "ONDC:RETeB2B",
    ...
  },
  "message": {
    "order": {
      ...
      "quote": {
        ...
        "breakup": [
          ...
          {
            "@ondc/org/item_id": "freebie1",
            "@ondc/org/item_quantity": {
              "count": 5
            },
            "title": "Buy 50 get 5 free",
            "@ondc/org/title_type": "offer",
            "price": {
              "currency": "INR",
              "value": "0.00"
            },
            "item": {
              "tags": [
                {
                  "code": "quote",
                  "list": [
                    {
                      "code": "type",
                      "value": "order"
                    }
                  ]
                },
                {
                  "code": "offer",
                  "list": [
                    {
                      "code": "type",
                      "value": "freebie"
                    },
                    {
                      "code": "auto",
                      "value": "yes"
                    },
                    {
                      "code": "additive",
                      "value": "no"
                    },
                    {
                      "code": "item_id",
                      "value": "I1"
                    },
                    {
                      "code": "item_count",
                      "value": "5"
                    }
```

```
            ]
           }
          ]
         }
        }
       ]
     }
    }
  }
}
```

4. Scheme (slab) - 0094

Publish

```
{
 "context": {
   "action": "on_search",
   "domain": "ONDC:RETeB2B",
   ...
 },
 "message": {
   "catalog": {
     ...
     "bpp/providers": [
      {
        "id": "P1",
       ...
       "offers": [
        {
          "id": "slab1",
          "descriptor": {
            "code": "slab",
            "images": [
              "..."
            ]
          },
          "location_ids": [
            "L1"
          ],
          "category_ids": [],
          "item_ids": [
            "I5"
          ],
          "time": {
            "label": "valid",
            "range": {
              "start": "...",
              "end": "..."
            }
          },
          "tags": [
            {
              "code": "qualifier",
              "list": [
                {
                  "code": "item_count",
                  "value": "10"
                },
                {
                  "code": "item_count_upper",
                  "value": "19"
                }
              ]
            },
            {
              "code": "benefit",
              "list": [
                {
                  "code": "value_type",
                  "value": "percent"
                },
                {
                  "code": "value",
```

```
            "value": "-5.00"
          },
          {
            "code": "value_cap",
            "value": "-500.00"
          }
        ]
      },
      {
        "code": "meta",
        "list": [
          {
            "code": "additive",
            "value": "no"
          },
          {
            "code": "auto",
            "value": "yes"
          }
        ]
      }
    ]
  },
  {
    "id": "slab2",
    "descriptor": {
      "code": "slab",
      "images": [
        "..."
      ]
    },
    "location_ids": [
      "L1"
    ],
    "category_ids": [],
    "item_ids": [
      "I5"
    ],
    "time": {
      "label": "valid",
      "range": {
        "start": "...",
        "end": "..."
      }
    },
    "tags": [
      {
        "code": "qualifier",
        "list": [
          {
            "code": "item_count"[202],
            "value": "20"
          },
          {
            "code": "item_count_upper"[203],
            "value": ""[204]
          }
        ]
      },
      {
        "code": "benefit",
        "list": [
          {
            "code": "value_type",
            "value": "percent"
          },
          {
            "code": "value",
            "value": "-10.00"
          },
          {
```

[202] enum: [item_weight, item_count,item_value]
[203] enum: [item_weight_upper, item_count_upper,item_value_upper]
[204] item_count_upper: "" (empty) means no upper limit for that slab.

```
          "code": "value_cap",
          "value": "-1000.00"
        }
      ]
    },
    {
      "code": "meta",
      "list": [
        {
          "code": "additive",
          "value": "no"
        },
        {
          "code": "auto",
          "value": "yes"
        }
      ]
    }
  ]
},
{
  "id": "slab3",
  "descriptor": {
    "code": "slab",
    "images": [
      "..."
    ]
  },
  "location_ids": [
    "L1"
  ],
  "category_ids": [],
  "item_ids": [
    "I5"
  ],
  "time": {
    "label": "valid",
    "range": {
      "start": "...",
      "end": "..."
    }
  },
  "tags": [
    {
      "code": "qualifier",
      "list": [
        {
          "code": "item_value",
          "value": "2000"
        },
        {
          "code": "item_value_upper",
          "value": "20000"
        }
      ]
    },
    {
      "code": "benefit",
      "list": [
        {
          "code": "value_type",
          "value": "percent"
        },
        {
          "code": "value",
          "value": "-10.00"
        },
        {
          "code": "value_cap",
          "value": "-1000.00"
        }
      ]
    },
    {
      "code": "meta",
```

```
            "list": [
              {
                "code": "additive",
                "value": "no"
              },
              {
                "code": "auto",
                "value": "yes"
              }
            ]
          }
        ]
      }
    ]
  }
 }
}
```

Apply

```
{
 "context": {
   "action": "on_select",
   "domain": "ONDC:RETeB2B",
   ...
 },
 "message": {
   "order": {
     ...
     "quote": {
       ...
       "breakup": [
         ...
         {
           "@ondc/org/item_id": "slab2",
           "title": "10% slab discount (20+ units)",
           "@ondc/org/title_type": "offer",
           "price": {
             "currency": "INR",
             "value": "-960.00"
           },
           "item": {
             "tags": [
               {
                 "code": "quote",
                 "list": [
                   {
                     "code": "type",
                     "value": "order"
                   }
                 ]
               },
               {
                 "code": "offer",
                 "list": [
                   {
                     "code": "type",
                     "value": "slab"
                   },
                   {
                     "code": "additive",
                     "value": "no"
                   },
                   {
                     "code": "auto",
                     "value": "yes"
                   }
                 ]
               }
             ]
           }
         }
       ]
```

```
    }
   }
  }
}
```

5. Scheme (Combo) - 0095

Publish

SNP publishes offer, in full or incremental catalog refresh:

```
{
 "context":
 {
  "action":"on_search",
  "core_version":"1.2.5",
  ..
 },
 "message":
 {
  "catalog":
  {
   ..
   "bpp/providers":
   [
    {
     "id":"P1",
     ..
     "items":
     [
      {
       "id":"I1",
       ..
      },
      {
       "id":"I2",
       ..
      },
      {
       "id":"I3",
       ..
      }
     ],
     "offers":
     [
      {
       "id":"combo1[205]",
       "descriptor":
       {
        "code":"combo[206]",
        "images[207]":
        [
         "https://snp.com/images/offer1-banner.webp"
        ]
       },
       "location_ids":
       [
        "L1"
       ],
       "category_ids[208]":
       [
        ..
       ],
       "item_ids[209]":
```

[205] unique id for this offer, if cart includes combo of any primary item & all secondary items - 50% off up to ₹200; this offer is auto-applied, for opt-in offers check above;
[206] offer type - defined in template above;
[207] optional
[208] includes standard categories defined in the taxonomy sheet, custom categories (variant groups, customization groups)
[209] primary items for combo offer;

```
          [
            "I1",
            "I2"
          ],
          "time":
          {
            "label":"valid",
            "range":
            {
              "start":"2025-01-01T16:00:00.000Z",
              "end":"2025-01-01T23:00:00.000Z"
            }
          },
          "tags":
          [
            {
              "code":"qualifier",
              "list":
              [
                {
                  "code":"item_id[210]",
                  "value":"I4,I5"
                }
              ]
            },
            {
              "code":"benefit",
              "list":
              [
                {
                  "code":"value_type",
                  "value":"percent"
                },
                {
                  "code":"value",
                  "value":"-50.00"
                },
                {
                  "code":"value_cap",
                  "value":"-200.00"
                }
              ]
            },
            {
              "code":"meta",
              "list":
              [
                {
                  "code":"additive",
                  "value":"no"
                },
                {
                  "code":"auto",
                  "value":"yes"
                }
              ]
            },

          ]
        }
      ],
      ..
    }
  ]
 }
}
```


[210] secondary items for combo offer (distinct from primary items) - in this case, if cart includes combo of any primary item (I1) and all secondary items (I4, I5), the offer benefit as defined above will apply;

Apply

Any offer that results in change in the order value and / or quantity of items will be applied to the order quote, and will be a part of all order level callbacks, i.e. /on_init, /on_confirm, /on_status, /on_cancel, /on_update:

```
{
 "context":
 {
  "action":"on_select",
  "core_version":"1.2.5",
  ..
 },
 "message":
 {
  "order":
  {
   ..
   "quote":
   {
    ..
    "breakup":
    [
     ..
     {
      "@ondc/org/item_id":"combo1[211]",
      "title":"Flat discount of ₹200 on combo",
      "@ondc/org/title_type":"offer",
      "price":
      {
       "currency":"INR",
       "value":"-200.00"
      },
      "item":
      {
       "tags":
       [
        {
         "code":"quote",
         "list":
         [
          {
           "code":"type[212]",
           "value":"order[213]"
          }
         ]
        },
        {
         "code":"offer",
         "list":
         [
          {
           "code":"type",
           "value":"combo[214]"
          },
          {
           "code":"additive",
           "value":"no"
          },
          {
           "code":"auto",
           "value":"yes"
          }
         ]
        }
       ]
      }
     }
    ],
    ..
   }
```

[211] offer id;
[212] quote type for title type above (mapping of title_type to quote type defined here);
[213] enum - "order", "fulfillment", "item";
[214] offer type (with enum) as per offer template above;

```
   }
  }
}
```

/select

- if there is a change in cart in /on_init (i.e. due to reduction in item quantity), BNP is required to call /select again;

```
{
  "context": {
    "domain": "ONDC:RETeB2B",
    "action": "select",
    "core_version": "1.2.5",
    "bap_id": "buyer-np.com",
    "bap_uri": "https://buyer-np.com/ondc",
    "bpp_id": "seller-np.com",
    "bpp_uri": "https://seller-np.com/ondc",
    "transaction_id": "T2",
    "message_id": "M1",
    "city": "std:080",
    "country": "IND",
    "timestamp": "2025-01-08T08:30:00.000Z",
    "ttl": "PT30S"
  },
  "message": {
    "order": {
      "provider": {
        "id": "P1",
        "descriptor": {
          "name[215]": "ABC Manufacturer",
          "code": "distributor[216]",
          "short_desc[217]": "ABC Distributors"
        },
        "locations": [
          {
            "id": "L1"
          }
        ]
      },
      "items": [
        {
          "id": "I1",
          "location_id": "L1",
          "quantity": {
            "count": 20
          }
        }
      ],
      "offers[218]": [
        {
          "id": "discp10[219]"
        }
      ],
      "fulfillments": [
        {
          "customer": {
            "id": "CUST-2024-001234"[220],
            "person": {
              "creds": [
                {
                  "id": "29AABCU9603R1ZM",
                  "type": "GSTIN"
                },
```

---

[215] Manufacturer name
[216] Enum: [wholesaler, distributor, manufacturer]
[217] Distributor name
[218] optional, only if buyer selects offer code; offer construct to be added in /init and /confirm as well;
[219] this is opt-in offer as defined above ("auto" is "no");
[220] Optional; required if available. The code this provider returned, which may differ from the retailer's code at another provider; string. Omitted by a retailer that has none yet, new or with its creation pending: a provider whose applicable retailer_info_required has type = new then takes the order from the details in this customer object. Not sent to a provider that publishes no retailer_info_required.

```
            {
              "id": "AABCU9603R",
              "type": "PAN"
            }
          ]
        },
        "organization": {
          "descriptor": {
            "name": "Sharma Kirana Store"
          },
          "address": "123, MG Road, Koramangala",
          "city": {
            "code": "std:080"
          },
          "state": {
            "code": "KA"
          }
        },
        "contact": {
          "phone": "9876543210",
          "email": "sharma.kirana@email.com"
        }
      },
      "end[221]": {
        "location": {
          "gps[222]": "12.4535,77.9283",
          "address": {
            "area_code": "560001"
          }
        }
      }
    }
  ]
 }
}
```

N.B. A retailer with no customer_id at this provider, new or with its creation pending, can order where the provider's applicable retailer_info_required has type = new: fulfillments[].customer carries person, organization and contact, with no id. A provider whose applicable group has only type = existing answers a missing customer.id with 50011.

/on_select (Retailer identity error)

Returned when the retailer cannot order from this provider: 50009, 50010, 50011, 50013, 50014 or 50015, with only the code and message changing. The order is returned as far as it can be served, and the error follows context and message.

```
{
 "context": {
   "domain": "ONDC:RETeB2B",
   "action": "on_select",
   "core_version": "1.2.5",
   "bap_id": "buyer-np.com",
   "bap_uri": "https://buyer-np.com/ondc",
   "bpp_id": "seller-np.com",
   "bpp_uri": "https://seller-np.com/ondc",
   "transaction_id": "T2",
   "message_id": "M2",
   "city": "std:080",
   "country": "IND",
   "timestamp": "2025-01-08T09:00:30.000Z"
 },
 "message": {
   "order": {
     "provider": {
       "id": "P1",
       "locations": [
         {
           "id": "L1"
         }
       ]
     },
```

[221] fulfillment end location, i.e. delivery location for buyer;
[222] GPS coordinates & precision for fulfillment end location has to be same in /confirm;

```
    "items": [
     {
      "id": "I1",
      "fulfillment_id": "F1"
     }
    ],
    "fulfillments": [
     {
      "id": "F1",
      "type": "Delivery",
      "customer": {
       "id": "CUST-2024-001234"
      },
      "state": {
       "descriptor": {
        "code": "Non-serviceable"[223]
       }
      }
     }
    ],
    "quote": {
     "price": {
      "currency": "INR",
      "value": "0.00"
     },
     "breakup": [
      {
       "@ondc/org/item_id": "I1",
       "@ondc/org/item_quantity": {
        "count": 0
       },
       "title": "Ashirwad Plain Atta 1kg",
       "@ondc/org/title_type": "item",
       "price": {
        "currency": "INR",
        "value": "0.00"
       }
      }
     ],
     "ttl": "P1D"
    }
   }
  },
  "error": {
   "type": "DOMAIN-ERROR",
   "code": "50009"[224],
   "message": "Invalid Customer ID. Retailer not found in distributor system."
  }
}
```

/on_select

```
{
  "context": {
    "domain": "ONDC:RETeB2B",
    "action": "on_select",
    "core_version": "1.2.5",
    "bap_id": "buyer-np.com",
    "bap_uri": "https://buyer-np.com/ondc",
    "bpp_id": "seller-np.com",
    "bpp_uri": "https://seller-np.com/ondc",
    "transaction_id": "T2",
    "message_id": "M1",
    "city": "std:080",
    "country": "IND",
    "timestamp": "2025-01-08T08:30:30.000Z"
  },
  "message": {
    "order": {
      "provider": {
        "id": "P1",
        "descriptor": {
```

[223] enum: "Serviceable", "Non-serviceable". Non-serviceable whenever a retailer-identity error is returned; items come back at zero count with a zero quote.

[224] One of 50009 (retailer not found), 50010, 50011, 50013, 50014 or 50015; see Retailer Identity and Mapping Errors.

```
    "name[225]": "ABC Manufacturer",
    "code": "distributor[226]",
    "short_desc[227]": "ABC Distributors"
   },
   "locations": [
    {
     "id": "L1[228]"
    }
   ]
  },
  "items": [
   {
    "id": "I1",
    "fulfillment_id": "F1"
   }
  ],
  "fulfillments[229]": [
   {
    "id": "F1[230]",
    "type": "Delivery",
    "@ondc/org/provider_name": "ABC Distributors",
    "tracking": false,
    "@ondc/org/category[231]": "Standard Delivery",
    "@ondc/org/TAT[232]": "PT4H",
    "customer": {
     "id": "CUST-2024-001234[233]"
    },
    "state[234]": {
     "descriptor": {
      "code": "Serviceable[235]"
     }
    }
   }
  ],
  "quote": {
   "price": {
    "currency": "INR",
    "value": "1150.00"
   },
   "breakup": [
    {
     "@ondc/org/item_id": "I1",
     "@ondc/org/item_quantity": {
      "count": 20
     },
     "title": "Ashirwad Plain Atta 1kg",
     "@ondc/org/title_type[236]": "item",
     "price": {
      "currency": "INR",
      "value": "1040.00[237]"
```

---

[225] Manufacturer name
[226] Enum: [wholesaler, distributor, manufacturer]
[227] Distributor name
[228] may be the same location as selected by the buyer or a different location - in this case, BNP should display a message to the buyer and use the updated location in /init;
[229] order can have multiple fulfillments; in this case, unique fulfillment id (for provider & order) needs to be assigned by SNP for each fulfillment & mapped to item(s) that are a part of that fulfillment;
[230] unique fulfillment id assigned by SNP & mapped to item and will be persisted right through order confirm;
[231] maps to logistics category as defined in Logistics API contract;
[232] Order-to-delivery (O2D) TAT shown = max(time_to_ship for items in the fulfillment) + ship-to-delivery (S2D) time provided by LSP in TAT;
[233] Optional; required if already existing customer_id provided in /select
[234] SNP performs serviceability checks based on end location in /select. If non serviceable, SNP has to return the appropriate error code along with a valid /on_select response;
[235] enum - "Serviceable", "Non-serviceable";
[236] defines the type of line item, enum:
item level
"item" (product cost), "tax", "discount";
fulfillment level
"delivery" (shipping charges), "packing", "misc" (convenience fees), **"tax"** (with quote type "fulfillment");
order level
as per offer construct;
title text can be customized by BNP;
[237] item price should be either inclusive or exclusive of taxes, exactly as defined in the catalog

```
          },
          "item": {
            "quantity": {
              "available": {
                "count": "500"
              },
              "maximum": {
                "count": "100"
              },
              "minimum": {
                "count": "20"
              }
            },
            "price": {
              "currency": "INR",
              "value": "52.00"
            }
          }
        },
        {
          "@ondc/org/item_id": "F1",
          "title": "Tax",
          "@ondc/org/title_type": "tax",
          "price": {
            "currency": "INR",
            "value": "10.00"
          },
          "item": {
            "tags": [
              {
                "code": "quote",
                "list": [
                  {
                    "code": "type",
                    "value": "fulfillment[238]"
                  }
                ]
              }
            ]
          }
        },
        {
          "@ondc/org/item_id": "F1",
          "title": "Delivery charges",
          "@ondc/org/title_type": "delivery",
          "price": {
            "currency": "INR",
            "value": "100.00"
          }
        },
        {
          "@ondc/org/item_id": "I1",
          "title": "Tax",
          "@ondc/org/title_type": "tax",
          "price": {
            "currency": "INR",
            "value": "0.00"
          }
        }
      ],
      "ttl": "P1D"
    }
  }
 }
}
```


/on_select (Out of stock)


```
{
  "context": {
    "domain": "ONDC:RETeB2B",
    "action": "on_select",
    "core_version": "1.2.5",
```


[238] enum - "fulfillment", "order", "item";

```
  "bap_id": "bnp.com",
  "bap_uri": "https://bnp.com/ondc",
  "bpp_id": "snp.com",
  "bpp_uri": "https://snp.com/ondc",
  "transaction_id": "T2",
  "message_id": "M2",
  "city": "std:080",
  "country": "IND",
  "timestamp": "2025-01-08T08:30:30.000Z"
},
"message": {
  "order": {
    "provider": {
      "id": "P1",
      "locations": [
        {
          "id": "L1[239]"
        }
      ]
    },
    "items": [
      {
        "fulfillment_id": "F1",
        "id": "I1"
      }
    ],
    "fulfillments": [
      {
        "id": "F1",
        "type": "Delivery",
        "@ondc/org/provider_name": "LSP or Provider Name",
        "tracking": false,
        "@ondc/org/category": "Immediate Delivery",
        "@ondc/org/TAT": "PT60M",
        "state": {
          "descriptor": {
            "code": "Serviceable"
          }
        }
      }
    ],
    "quote": {
      "price": {
        "currency": "INR",
        "value": "0.00"
      },
      "breakup": [
        {
          "@ondc/org/item_id": "I1",
          "@ondc/org/item_quantity": {
            "count": 0[240]
          },
          "title": "Atta",
          "@ondc/org/title_type": "item",
          "price": {
            "currency": "INR",
            "value": "0.00"
          },
          "item": {
            "quantity": {
              "available": {
                "count": "0"
              },
              "maximum": {
                "count": "100"
              },
              "minimum": {
                "count": "20"
              }
            },
            "price": {
              "currency": "INR",
```


[239] may be the same location as selected by the buyer or a different location;
[240] can be 0 (completely out of stock) or the reduced quantity in stock;

```
            "value": "52.00"
           }
          }
         },
         {
          "@ondc/org/item_id": "F1",
          "title": "Delivery charges",
          "@ondc/org/title_type[241]": "delivery",
          "price": {
           "currency": "INR",
           "value": "0.00"
          }
         }
        ],
        "ttl": "P1D"
      }
    }
  },
  "error": {
    "type": "DOMAIN-ERROR",
    "code": "40002",
    "message": "[{\"item_id\":\"I1\",\"error\":\"40002\"}][242]"
  }
}
```


/init


```
{
  "context": {
    "domain": "ONDC:RETeB2B",
    "action": "init",
    "core_version": "1.2.5",
    "bap_id": "buyer-np.com",
    "bap_uri": "https://buyer-np.com/ondc",
    "bpp_id": "seller-np.com",
    "bpp_uri": "https://seller-np.com/ondc",
    "transaction_id": "T2",
    "message_id": "M2",
    "city": "std:080",
    "country": "IND",
    "timestamp": "2025-01-08T09:00:00.000Z",
    "ttl": "PT30S"
  },
  "message": {
    "order": {
      "provider": {
        "id": "P1",
        "descriptor": {
          "name[243]": "ABC Manufacturer",
          "code": "distributor[244]",
          "short_desc[245]": "ABC Distributors"
        },
        "locations": [
          {
            "id": "L1"
          }
        ]
      },
      "items": [
        {
          "id": "I1",
          "fulfillment_id": "F1",
          "quantity": {
            "count": 20
          }
        }
```


---

[241] delivery charge to be included only if fulfillment state code is "Serviceable";
[242] error.message in the response should have the list of corresponding item ids referenced in stringified object notation, e.g. if items "I1", "I2", "I3" are out of stock, error.message would be encoded as: "[{\"item_id\":\"I1\",\"error\":\"40002\"},{\"item_id\":\"I2\",\"error\":\"40002\"},{\"item_id\":\"I3\",\"error\":\"40002\"}]". This is in addition to the error.code (40002) which is being sent by SNP;
[243] Manufacturer name
[244] Enum: [wholesaler, distributor, manufacturer]
[245] Distributor name

```
    ],
    "offers[246]": [
     {
      "id": "discp10"
     }
    ],
    "billing": {
     "name": "Sharma Kirana Store",
     "address": {
      "name": "Shop No. 12",
      "building": "Lakshmi Complex",
      "locality": "MG Road",
      "city": "Bengaluru",
      "state": "Karnataka",
      "country": "IND",
      "area_code": "560001"
     },
     "tax_number[247]": "29AABCU9603R1ZM",
     "email": "sharma.kirana@email.com",
     "phone": "9876543210",
     "created_at[248]": "2025-01-08T09:00:00.000Z",
     "updated_at[249]": "2025-01-08T09:00:00.000Z"
    },
    "payments": [
     {
      "type": "ON-FULFILLMENT",
      "collected_by": "BPP"
     }
    ],
    "fulfillments": [
     {
      "id": "F1",
      "type": "Delivery",
      "customer": {
       "id": "CUST-2024-001234"
      },
      "end": {
       "location": {
        "gps": "12.4535,77.9283",
        "address[250]": {
         "name": "Shop No. 12",
         "building": "Lakshmi Complex",
         "locality": "MG Road",
         "city": "Bengaluru",
         "state": "Karnataka",
         "country": "IND",
         "area_code": "560001"
        }
       },
       "contact": {
        "phone": "9876543210[251]"
       }
      }
     }
    ]
   }
  }
}
```

/on_init

```
{
 "context": {
   "domain": "ONDC:RETeB2B",
   "action": "on_init",
   "core_version": "1.2.5",
   "bap_id": "buyer-np.com",
   "bap_uri": "https://buyer-np.com/ondc",
```

---

[246] optional, only if buyer selects offer code;
[247] optional, may be required if defined by seller;
[248] timestamp for creation of billing object;
[249] same as created_at;
[250] name + building + locality < 190 chars, name != locality;
[251] 10 digit mobile no

```
  "bpp_id": "seller-np.com",
  "bpp_uri": "https://seller-np.com/ondc",
  "transaction_id": "T2",
  "message_id": "M2",
  "city": "std:080",
  "country": "IND",
  "timestamp": "2025-01-08T09:00:30.000Z"
},
"message": {
  "order": {
    "provider": {
      "id": "P1",
      "descriptor": {
        "name[252]": "ABC Manufacturer",
        "code": "distributor[253]",
        "short_desc[254]": "ABC Distributors"
      },
      "locations": [
        {
          "id": "L1[255]"
        }
      ]
    },
    "items": [
      {
        "id": "I1",
        "fulfillment_id": "F1",
        "quantity": {
          "count": 20
        }
      }
    ],
    "billing[256]": {
      "name": "Sharma Kirana Store",
      "address": {
        "name": "Shop No. 12",
        "building": "Lakshmi Complex",
        "locality": "MG Road",
        "city": "Bengaluru",
        "state": "Karnataka",
        "country": "IND",
        "area_code": "560001"
      },
      "tax_number[257]": "29AABCU9603R1ZM",
      "email[258]": "sharma.kirana@email.com",
      "phone": "9876543210",
      "created_at[259]": "2025-01-08T09:00:00.000Z",
      "updated_at[260]": "2025-01-08T09:00:00.000Z"
    },
    "fulfillments": [
      {
        "id": "F1",
        "type": "Delivery",
        "tracking": false,
        "customer": {
          "id": "CUST-2024-001234"
        },
        "end": {
          "location": {
            "gps": "12.4535,77.9283",
            "address": {
              "name": "Shop No. 12",
              "building": "Lakshmi Complex",
              "locality": "MG Road",
              "city": "Bengaluru",
```

---

[252] Manufacturer name
[253] Enum: [wholesaler, distributor, manufacturer]
[254] Distributor name
[255] may be the same location as selected by the buyer or a different location;
[256] billing object timestamps (created_at, updated_at) have to be the same as in /init;
[257] optional, same as provided in /init;
[258] optional
[259] same as in /init;
[260] same as in /init;

```
          "state": "Karnataka",
          "country": "IND",
          "area_code": "560001"
        }
      },
      "contact": {
        "phone": "9876543210"
      }
    }
  }
],
"quote": {
  "price": {
    "currency": "INR",
    "value": "1150.00"
  },
  "breakup": [
    {
      "@ondc/org/item_id": "I1",
      "@ondc/org/item_quantity": {
        "count": 20
      },
      "title": "Ashirwad Plain Atta 1kg",
      "@ondc/org/title_type": "item",
      "price": {
        "currency": "INR",
        "value": "1040.00"
      },
      "item": {
        "price": {
          "currency": "INR",
          "value": "52.00"
        }
      }
    },
    {
      "@ondc/org/item_id": "F1",
      "title": "Tax",
      "@ondc/org/title_type": "tax",
      "price": {
        "currency": "INR",
        "value": "10.00"
      },
      "item": {
        "tags": [
          {
            "code": "quote",
            "list": [
              {
                "code": "type",
                "value": "fulfillment"
              }
            ]
          }
        ]
      }
    },
    {
      "@ondc/org/item_id": "F1",
      "title": "Delivery charges",
      "@ondc/org/title_type": "delivery",
      "price": {
        "currency": "INR",
        "value": "100.00"
      }
    },
    {
      "@ondc/org/item_id": "I1",
      "title": "Tax",
      "@ondc/org/title_type": "tax",
      "price": {
        "currency": "INR",
        "value": "0.00"
      }
    }
```

```
      ],
      "ttl": "P1D"
    },
    "payments": [
      {
        "type": "ON-ORDER",
        "collected_by": "BPP",
        "uri": "https://snp.com/pg",
        "status": "NOT-PAID[261]",
        "@ondc/org/buyer_app_finder_fee_type": "percent",
        "@ondc/org/buyer_app_finder_fee_amount": "3",
        "@ondc/org/settlement_details[262]": [
          {
            "settlement_counterparty": "seller-app",
            "settlement_phase": "sale-amount",
            "settlement_type": "upi[263]",
            "beneficiary_name": "ABC Distributors",
            "upi_address": "abcdist@oksbi",
            "settlement_bank_account_no": "XXXXXXXXXX",
            "settlement_ifsc_code": "XXXXXXXXX",
            "bank_name": "State Bank of India",
            "branch_name": "Jayanagar Branch"
          }
        ]
      }
    ],
    "tags": [
      {
        "code": "bpp_terms",
        "list": [
          {
            "code": "tax_number[264]",
            "value": "gst_number_of_sellerNP"
          },
          {
            "code": "provider_tax_number[265]",
            "value": "PAN_number_of_provider"
          }
        ]
      },
      {
        "code": "credit",
        "list": [
          {
            "code": "credit_limit",
            "value": "25000.00"
          },
          {
            "code": "valid_till",
            "value": "2025-04-30T23:59:59.000Z"
          }
        ]
      }
    ]
  }
 }
}
```

/confirm

```
{
  "context": {
    "domain": "ONDC:RETeB2B",
    "action": "confirm",
```

---

[261] enum - "PAID", "NOT-PAID";
[262] optional (may be provided by SNP if they are not collecting payment or not CoD payment);
[263] enum - "upi", "neft", "rtgs"; for "upi", upi_address needs to be entered & for the other settlement_type, ("settlement_bank_account_no", "settlement_ifsc_code", "bank_name", "branch_name") should be entered;
[264] GST no for ISN/MSN for TDS/TCS deduction / input credit, KYC verification. For MSN/ISN with stores located in multiple states, the GST no for HQ for the provider legal entity should be provided;
[265] if PAN no of SNP & provider is same, NP is ISN, else MSN;

```
  "core_version": "1.2.5",
  "bap_id": "buyer-np.com",
  "bap_uri": "https://buyer-np.com/ondc",
  "bpp_id": "seller-np.com",
  "bpp_uri": "https://seller-np.com/ondc",
  "transaction_id": "T2",
  "message_id": "M3",
  "city": "std:080",
  "country": "IND",
  "timestamp": "2025-01-08T09:05:00.000Z",
  "ttl": "PT30S"
},
"message": {
  "order": {
    "id": "O1[266]",
    "state": "Created",
    "provider": {
      "id": "P1",
      "descriptor": {
        "name[267]": "ABC Manufacturer",
        "code": "distributor[268]",
        "short_desc[269]": "ABC Distributors"
      },
      "locations": [
        {
          "id": "L1"
        }
      ]
    },
    "items": [
      {
        "id": "I1",
        "fulfillment_id": "F1",
        "quantity": {
          "count": 20
        }
      }
    ],
    "billing": {
      "name": "Sharma Kirana Store",
      "address": {
        "name": "Shop No. 12",
        "building": "Lakshmi Complex",
        "locality": "MG Road",
        "city": "Bengaluru",
        "state": "Karnataka",
        "country": "IND",
        "area_code": "560001"
      },
      "tax_number": "29AABCU9603R1ZM",
      "email": "sharma.kirana@email.com",
      "phone": "9876543210",
      "created_at[270]": "2025-01-08T09:00:00.000Z",
      "updated_at[271]": "2025-01-08T09:00:00.000Z"
    },
    "fulfillments": [
      {
        "id": "F1",
        "type": "Delivery",
        "@ondc/org/TAT": "P2D[272]",
        "tracking": false,
        "customer": {
          "id": "CUST-2024-001234"
        },
        "end": {
          "location": {
```

---

[266] alphanumeric, up to 32 characters
[267] Manufacturer name
[268] Enum: [wholesaler, distributor, manufacturer]
[269] Distributor name
[270] same as in /init;
[271] same as in /init;
[272] same as what is proposed in /on_select; If TAT is different from what was originally quoted in /on_select, SNP can NACK the request with error code 30013

```
        "gps": "12.4535,77.9283",
        "address": {
          "name": "Shop No. 12",
          "building": "Lakshmi Complex",
          "locality": "MG Road",
          "city": "Bengaluru",
          "state": "Karnataka",
          "country": "IND",
          "area_code": "560001"
        }
      },
      "contact": {
        "phone": "9876543210",
        "email": "sharma.kirana@email.com"
      }
    }
  }
],
"quote": {
  "price": {
    "currency": "INR",
    "value": "1150.00"
  },
  "breakup": [
    {
      "@ondc/org/item_id": "I1",
      "@ondc/org/item_quantity": {
        "count": 20
      },
      "title": "Ashirwad Plain Atta 1kg",
      "@ondc/org/title_type": "item",
      "price": {
        "currency": "INR",
        "value": "1040.00"
      },
      "item": {
        "price": {
          "currency": "INR",
          "value": "52.00"
        }
      }
    },
    {
      "@ondc/org/item_id": "F1",
      "title": "Tax",
      "@ondc/org/title_type": "tax",
      "price": {
        "currency": "INR",
        "value": "10.00"
      },
      "item": {
        "tags": [
          {
            "code": "quote",
            "list": [
              {
                "code": "type",
                "value": "fulfillment"
              }
            ]
          }
        ]
      }
    },
    {
      "@ondc/org/item_id": "F1",
      "title": "Delivery charges",
      "@ondc/org/title_type": "delivery",
      "price": {
        "currency": "INR",
        "value": "100.00"
      }
    },
    {
      "@ondc/org/item_id": "I1",
```

```
      "title": "Tax",
      "@ondc/org/title_type": "tax",
      "price": {
        "currency": "INR",
        "value": "0.00"
      }
    }
  ],
  "ttl": "P1D"
},
"payments": [
  {[273]
    "uri[274]": "https://ondc.transaction.com/payment",
    "tl_method": "http/get",
    "params": {
      "currency": "INR",
      "transaction_id[275]": "3937",
      "amount": "1150[276]"
    },
    "status": "NOT-PAID[277]",
    "type": "ON-FULFILLMENT",
    "collected_by": "BPP",
    "@ondc/org/buyer_app_finder_fee_type": "percent",
    "@ondc/org/buyer_app_finder_fee_amount": "3.54",
    "@ondc/org/settlement_basis": "delivery[278]",
    "@ondc/org/settlement_window": "P1D[279]",
    "@ondc/org/withholding_amount": "0.00[280]",
    "@ondc/org/settlement_details"[281]: [
      {
        "settlement_counterparty": "seller-app",
        "settlement_phase": "sale-amount",
        "settlement_type": "upi",
        "beneficiary_name": "ABC Distributors",
        "upi_address": "abcdist@oksbi",
        "settlement_bank_account_no": "XXXXXXXXXX",
        "settlement_ifsc_code": "XXXXXXXXX",
        "bank_name": "State Bank of India",
        "branch_name": "Jayanagar Branch"
      }
    ]
  }
],
"tags": [
  {
    "code": "bpp_terms",
    "list": [
      {
        "code": "tax_number",
        "value": "gst_number_of_sellerNP"
      },
      {
        "code": "provider_tax_number",
        "value": "PAN_number_of_provider"
      }
    ]
  },
  {
    "code": "bap_terms",
    "list": [
      {
        "code": "accept_bpp_terms[282]",
        "value": "Y"
```

---

[273] if buyer NP is collecting payment, they may also provide the following details - settlement_basis, settlement_window, withholding_amount;
[274] **optional**
[275] transaction id if prepaid payment collected by buyer NP, not required for payment on delivery;
[276] amount collected should match the order value;
[277] Based on payments.type i.e payment status is PAID in case of ON-ORDER and NOT-PAID in case on ON-FULFILLMENT
[278] indicates from when settlement window starts, enum - "delivery" (from delivery), "shipment" (from shipment), "return_window_expiry" (from expiry of return window);
[279] settlement window, as per settlement basis, in ISO8601 Duration format;
[280] withholding amount as % of total order value (valid values between "0.00" and "100.00");
[281] optional
[282] BNP must accept bpp terms. If not accepted, SNP can NACK /confirm with error code 50006;

```
        },
        {
          "code": "static_terms[283]",
          "value": "https://github.com/ONDC-Official/NP-Static-Terms/buyerNP_BNP/1.0/tc.pdf"
        },
        {
          "code": "tax_number[284]",
          "value": "gst_number_of_buyerNP"
        }
       ]
      }
    ],
    "created_at[285]": "2025-01-08T09:05:00.000Z",
    "updated_at[286]": "2025-01-08T09:05:00.000Z"
  }
 }
}
```

/on_confirm

```
{
 "context": {
   "domain": "ONDC:RETeB2B",
   "action": "on_confirm",
   "core_version": "1.2.5",
   "bap_id": "buyer-np.com",
   "bap_uri": "https://buyer-np.com/ondc",
   "bpp_id": "seller-np.com",
   "bpp_uri": "https://seller-np.com/ondc",
   "transaction_id": "T2",
   "message_id": "M3",
   "city": "std:080",
   "country": "IND",
   "timestamp": "2025-01-08T09:05:30.000Z"
 },
 "message": {
   "order": {
     "id": "O1",
     "state": "Accepted",
     "provider": {
       "id": "P1",
       "descriptor": {
         "name[287]": "ABC Manufacturer",
         "code": "distributor[288]",
         "short_desc[289]": "ABC Distributors"
       },
       "locations": [
         {
           "id": "L1"
         }
       ]
     },
     "items": [
       {
         "id": "I1",
         "fulfillment_id": "F1",
         "quantity": {
           "count": 20
         }
       }
     ],
     "billing": {
       "name": "Sharma Kirana Store",
       "address": {
         "name": "Shop No. 12",
         "building": "Lakshmi Complex",
```

---

[283] URL for fixed terms of BNP. If SNP doesn't accept, they should NACK /confirm with error code 50005;
[284] GST no for BNP for TDS deduction at SNP;
[285] can't be future dated timestamp;
[286] can't be future dated timestamp;


[287] Manufacturer name
[288] Enum: [wholesaler, distributor, manufacturer]
[289] Distributor name

```
    "locality": "MG Road",
    "city": "Bengaluru",
    "state": "Karnataka",
    "country": "IND",
    "area_code": "560001"
   },
   "tax_number": "29AABCU9603R1ZM",
   "email": "sharma.kirana@email.com",
   "phone": "9876543210",
   "created_at": "2025-01-08T09:00:00.000Z",
   "updated_at": "2025-01-08T09:00:00.000Z"
  },
  "fulfillments": [
   {
    "id": "F1",
    "@ondc/org/provider_name": "ABC Distributors",
    "state": {
     "descriptor": {
      "code": "Pending"
     }
    },
    "type": "Delivery",
    "tracking": true,
    "@ondc/org/TAT": "P2D",
    "customer": {
     "id": "CUST-2024-001234"
    },
    "start": {
     "location": {
      "id": "L1",
      "descriptor": {
       "name": "ABC Distributors Warehouse"
      },
      "gps": "12.9563,77.6368",
      "address": {
       "locality": "Jayanagar",
       "city": "Bengaluru",
       "area_code": "560076",
       "state": "KA"
      }
     },
     "contact": {
      "phone": "9876543210",
      "email": "warehouse@abcdist.com"
     }
    },
    "end": {
     "location": {
      "gps": "12.4535,77.9283",
      "address": {
       "name": "Shop No. 12",
       "building": "Lakshmi Complex",
       "locality": "MG Road",
       "city": "Bengaluru",
       "state": "Karnataka",
       "country": "IND",
       "area_code": "560001"
      }
     },
     "contact": {
      "phone": "9876543210",
      "email": "sharma.kirana@email.com"
     }
    }
   }
  ],
  "quote": {
   "price": {
    "currency": "INR",
    "value": "1150.00"
   },
   "breakup": [
    {
     "@ondc/org/item_id": "I1",
     "@ondc/org/item_quantity": {
```

```
          "count": 20
        },
        "title": "Ashirwad Plain Atta 1kg",
        "@ondc/org/title_type": "item",
        "price": {
          "currency": "INR",
          "value": "1040.00"
        },
        "item": {
          "price": {
            "currency": "INR",
            "value": "52.00"
          }
        }
      },
      {
        "@ondc/org/item_id": "F1",
        "title": "Tax",
        "@ondc/org/title_type": "tax",
        "price": {
          "currency": "INR",
          "value": "10.00"
        },
        "item": {
          "tags": [
            {
              "code": "quote",
              "list": [
                {
                  "code": "type",
                  "value": "fulfillment"
                }
              ]
            }
          ]
        }
      },
      {
        "@ondc/org/item_id": "F1",
        "title": "Delivery charges",
        "@ondc/org/title_type": "delivery",
        "price": {
          "currency": "INR",
          "value": "100.00"
        }
      },
      {
        "@ondc/org/item_id": "I1",
        "title": "Tax",
        "@ondc/org/title_type": "tax",
        "price": {
          "currency": "INR",
          "value": "0.00"
        }
      }
    ],
    "ttl": "P1D"
  },
  "payments": [
    {
      "status": "NOT-PAID",
      "type": "ON-FULFILLMENT",
      "collected_by": "BPP",
      "params": {
        "currency": "INR",
        "amount": "1150.00"
      },
      "@ondc/org/buyer_app_finder_fee_type": "percent",
      "@ondc/org/buyer_app_finder_fee_amount": "3.54",
      "@ondc/org/settlement_basis": "delivery",
      "@ondc/org/settlement_window": "P1D",
      "@ondc/org/withholding_amount": "0.00",
      "@ondc/org/settlement_details": [
        {
          "settlement_counterparty": "seller-app",
```

```
            "settlement_phase": "sale-amount",
            "beneficiary_name": "ABC Distributors",
            "settlement_type": "upi",
            "upi_address": "abcdist@oksbi",
            "settlement_bank_account_no": "XXXXXXXXXX",
            "settlement_ifsc_code": "XXXXXXXXX",
            "bank_name": "State Bank of India",
            "branch_name": "Jayanagar Branch"
          }
        ]
      }
    ],
    "tags[290]": [
      {
        "code": "bpp_terms",
        "list": [
          {
            "code": "np_type",
            "value": "MSN[291]"
          },
          {
            "code": "tax_number",
            "value": "gst_number_of_sellerNP"
          },
          {
            "code": "provider_tax_number[292]",
            "value": "PAN_number_of_provider"
          },
          {
            "code": "accept_bap_terms[293]",
            "value": "Y"
          }
        ]
      },
      {
        "code": "bap_terms",
        "list": [
          {
            "code": "static_terms[294]",
            "value": "https://github.com/ONDC-Official/protocol-network-extension/discussions/79"
          },
          {
            "code": "tax_number[295]",
            "value": "gst_number_of_buyerNP"
          }
        ]
      }
    ],
    "created_at[296]": "2025-01-08T09:05:00.000Z",
    "updated_at[297]": "2025-01-08T09:06:30.000Z"
  }
 }
}
```

[290] if terms & conditions different from what was quoted earlier, BNP can NACK /on_confirm with error code 22506;
[291] self-declaration of type of NP, enum - "ISN" (inventory seller), "MSN" (marketplace);
[292] if PAN no of SNP & provider is same, NP is ISN, else MSN;
[293] SNP must accept proposed bap terms & conditions (if proposed). If not accepted, BNP can NACK /on_confirm with error code 27502;
[294] URL for fixed terms of BNP. If SNP doesn't accept, they should NACK /confirm with error code 50005;
[295] GST no for BNP for TDS deduction at SNP;
[296] same as in /confirm;
[297] can't be a future date;


Retailer
Buyer NP
Seller NP
Discovery Phase
/search (P2P)
provider.id: P1
fulfillment.customer.id: CUST-2024-001234
1
/on_search
✓ credit + poc + scheme_progress + customer
2
Order Phase
/select
item: I1, qty: 20 (MOQ)
fulfillments.customer.id: CUST-2024-001234
3
/on_select
quote: ₹1150 (item + delivery)
4
/init
fulfillments.customer.id: CUST-2024-001234
billing (GST optional)
5
/on_init
✓ retailer validated
✓ credit: 25000 (credit_limit, valid_till)
✓ quote confirmed
6
/confirm
payment.type: ON-FULFILLMENT
payment.status: NOT-PAID
payment.collected_by: BPP
7
/on_confirm
order.state: Accepted
fulfillment.state: Pending
8
Fulfillment Phase
/status
9
/on_status
fulfillment.state: Order-picked-up
10
/status
11
/on_status
fulfillment.state: Order-delivered
payment.status: PAID
payment.time: 2025-01-10T09:30:00Z
documents: [Invoice URL]
12
Deliver goods + Collect payment
13
Retailer
Buyer NP
Seller NP