Errata[Σ]

OPERATING SYSTEM CONCEPTS, EIGHT EDITION
Silberschatz, Galvin, and Gagne

September 27, 2010

To Be Corrected in 2nd Printing:

Page 50, line 6: DTrace command-line ➔   command-line

Page 212, Figure 5.15: 140 ➔ 139

Page 347, Figure 8.23: (logical address) ➔ (linear address)

Page 353, Exercise 8.23, line 4: 2 ➔ 2   90   100

Page 353, Exercise 8.23, line 5: 90   100 ➔

Page 413, line 8: other user ➔ other

Page 634, line 15: to ravage system performance. ➔   to duplicate itself.

Page 667, problem 15.13: $D(ke, N)(E(kd, N)(m))$ ➔ $D(kd, N)(E(ke, N)(m))$

Page 901, Exercise 22.20: How is caching managed? ➔ How is the cache managed?

Page 903, line -1: ( ) ➔ (MIT)

To Be Corrected in 3rd Printing:

Page 39, line -3: Mac ➔   Mac OS X

Page 39, line -1: Mac ➔   Mac OS X

Page 40, line 2: Mac ➔   Mac OS X

Page 128, Figure 3.17: (< = 256 bytes) ➔   (> 256 bytes)

Page 169, line 21: Thread Create() ➔ CreateThread()

Page 211, line -2: 140 ➔ 139

Page 212, Figure 5.16: 140 ➔ 139

Page 217, line -7: /POSIX ➔ POSIX

Page 217, line -7: /WinAPI/ ➔   Win32 API

Page 266, line 11: W-timestamp() ➔ W-timestamp(Q)

Page 338, line 7: page of the outer page table ➔ page of the inner page table

---

Errata - page 2

Page 482, line 7: file- system ➜ file-system

Page 770, line -6 : $2(2**(1/n) -1)$ ➜ $n(2**(1/n) -1)$