


Step1: Launch an instance




Step 2: Select the amazon linux




Step 3: Create a key pair




Step 4: Select the appropriate options




Step 5:


Search
[Alt+S]
Europe (Stockholm)
Tejaswini_Pamarthy (282561214397)
Tejaswini_Pamarthy
EC2 / Instances / Launch an instance
Success
Successfully initiated launch of instance (i-0d565db4a042b04ee)
Launch log
Next Steps
What would you like to do next with this instance, for example "create alarm" or "create backup"
1 2 3 4
Create billing usage alerts
To manage costs and avoid surprise bills, set up email notifications for billing usage thresholds.
Create billing alerts
Connect to your instance
Once your instance is running, log into it from your local computer.
Connect to instance
Learn more
Connect an RDS database
Configure the connection between an EC2 instance and a database to allow traffic flow between them.
Connect an RDS database
Create a new RDS database
Learn more
Create EBS snapshot policy
Create a policy that automates the creation, retention, and deletion of EBS snapshots
Create EBS snapshot policy
Manage detailed monitoring
Enable or disable detailed monitoring for the instance. If you enable detailed monitoring, the Amazon EC2 console displays monitoring graphs with a 1-minute period.
Manage detailed monitoring
Create Load Balancer
Create a application, network gateway or classic Elastic Load Balancer
Create Load Balancer
Create AWS budget
AWS Budgets allows you to create budgets, forecast spend, and take action on your costs and usage from a single location.
Create AWS budget
Manage CloudWatch alarms
Create or update Amazon CloudWatch alarms for the instance.
Manage CloudWatch alarms
Disaster recovery for your instances
Recover the instances you just launched into a different Availability Zone or a different Region using AWS Elastic Disaster Recovery (DRS).
Disaster recovery for your instances
Monitor for suspicious runtime activities
Amazon GuardDuty enables you to continuously monitor for malicious runtime activity and unauthorized behavior, with near real-time visibility into on-host activities occurring across your Amazon EC2 workloads.
Monitor for suspicious runtime activities
Get instance screenshot
Capture a screenshot from the instance and view it as an image. This is useful for troubleshooting an unreachable instance.
Get instance screenshot
Get system log
View the instance's system log to troubleshoot issues.
Get system log
https://eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#SelectCreateELBWizard:
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Step 6:


Search
[Alt+S]
Europe (Stockholm)
Tejaswini_Pamarthy (282561214397)
Tejaswini_Pamarthy
EC2 / Instances / i-0d565db4a042b04ee / Connect to instance
Connect to an instance to test, troubleshoot, deploy code, update software etc. You can use browser based methods or an SSH client.
Instance info
Instance
i-0d565db4a042b04ee (Tejaswini_Pamarthy)
State: Running
Status: 3/3 checks passed
VPC
vpc-04c04082db834fd53
Subnet
subnet-0b237a86e7c738b7f
Security groups
sg-020c324fc4a7914e4 (launch-wizard-1)
In web browser
In SSH client
Choose how to connect
Public subnet access
Managed SSH keys
EC2 Instance Connect
Use for instances with public IPs or accessible via standard routing. Requires network connectivity to your instance. Connect using temporary SSH keys managed by AWS.
Private subnet access
Managed SSH keys
EC2 Instance Connect Endpoint
Use for instances in private subnets. Traffic is routed through a VPC endpoint. Connect using temporary SSH keys managed by AWS.
Maximum security
IAM authentication
SSM Session Manager
Uses IAM-based authentication. Connect without SSH keys, bastion hosts, or opening any inbound ports.
Direct
Troubleshoot
EC2 Serial Console
Access your instance's serial port for troubleshooting boot, network, and OS issues. Works without network connectivity. Requires account-level enablement.
Settings
Choose public IP address
IPv4 address (13.53.212.64)
IPv6 address
Username
Enter the username defined in the AMI used to launch the instance. If you didn't define a custom username, use the default username, ec2-user. Read your AMI usage instructions to check if the AMI owner has changed the default AMI username.
ec2-user
Port 22 (SSH) is open to all IPv4 addresses
Port 22 (SSH) is currently open to all IPv4 addresses, indicated by 0.0.0.0/0 in the inbound rule in your security group. For increased security, consider restricting access to only the EC2 Instance Connect service IP addresses for your Region: 13.48.4.200/30. Learn more
Cancel
Connect assist
Connect
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Step 7:


Amazon Linux 2023
https://aws.amazon.com/linux/amazon-linux-2023
[ec2-user@ip-172-31-42-227 ~]$ ls
[ec2-user@ip-172-31-42-227 ~]$ mkdir test
[ec2-user@ip-172-31-42-227 ~]$ ls
test
[ec2-user@ip-172-31-42-227 ~]$ vi file.txt
[ec2-user@ip-172-31-42-227 ~]$ cat file.txt
cat: file.txt: No such file or directory
[ec2-user@ip-172-31-42-227 ~]$ vi file.txt
[1]+ Stopped vim file.txt
[ec2-user@ip-172-31-42-227 ~]$ cat file.txt
cat: file.txt: No such file or directory
[ec2-user@ip-172-31-42-227 ~]$ vi file.txt
[2]+ Stopped vim file.txt
[ec2-user@ip-172-31-42-227 ~]$ vi new.txt
[ec2-user@ip-172-31-42-227 ~]$ cat file.txt
cat: file.txt: No such file or directory
[ec2-user@ip-172-31-42-227 ~]$ cat new.txt
testpage
[ec2-user@ip-172-31-42-227 ~]$


Step 8: Deleting the instance




Step 1: Creating a bucket




Step 2: Upload




Step 3: status check




Step 4: create a new bucket



Step 5:


Search
[Alt+S]
Europe (Stockholm)
Tejaswini_Pamarthy
Amazon S3 / Buckets / demo-2-282561214397-eu-north-1-an / Upload
Upload Info
Add the files and folders you want to upload to S3. To upload a file larger than 160GB, use the AWS CLI, AWS SDKs or Amazon S3 REST API. Learn more
Drag and drop files and folders you want to upload here, or choose Add files or Add folder.
Files and folders (1 total, 92.7 KB)
All files and folders in this table will be uploaded.
Remove
Add files
Add folder
Find by name
Name
Folder
Type
Size
CDIS Lab Template (1).docx
application/vnd.openxmlformats-officedocument.wordpr...
92.7 KB
Destination Info
Destination
s3://demo-2-282561214397-eu-north-1-an
Destination details
Bucket settings that impact new objects stored in the specified destination.
Permissions
Grant public access and access to other AWS accounts.
Properties
Specify storage class, encryption settings, tags, and more.
Cancel
Upload
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences

Step 6:


Search
[Alt+S]
Europe (Stockholm)
Tejaswini_Pamarthy
Amazon S3
Upload succeeded
For more information, see the Files and folders table.
Upload: status
Close
After you navigate away from this page, the following information is no longer available.
Summary
Destination
s3://demo-2-282561214397-eu-north-1-an
Succeeded
1 file, 92.7 KB (100.00%)
Failed
0 files, 0 B (0%)
Files and folders
Configuration
Files and folders (1 total, 92.7 KB)
Find by name
Name
Folder
Type
Size
Status
Error
CDIS Lab Template (1).docx
application/vnd.openxmlformats-offi...
92.7 KB
Succeeded
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences

Step 7: Check the url

