

Name: P.Tejaswini
Rollno:2520030011

Bank database acid properties and isolation

Program:

```
1  ● CREATE DATABASE BankDB;
2  ● USE BankDB;
3
4  ● ○ CREATE TABLE Customer (
5      Customer_ID INT PRIMARY KEY,
6      Customer_Name VARCHAR(100) NOT NULL,
7      Phone VARCHAR(15),
8      Email VARCHAR(100),
9      City VARCHAR(50)
10 ) ;
11
12 ● ○ CREATE TABLE Account (
13     Account_No INT PRIMARY KEY,
14     Customer_ID INT,
15     Account_Type VARCHAR(20),
16     Balance DECIMAL(12,2),
17     Branch VARCHAR(50),
18     FOREIGN KEY (Customer_ID) REFERENCES Customer(Customer_ID)
19 ) ;
20
21 ● ○ CREATE TABLE Bank_Transaction (
22     Transaction_ID INT PRIMARY KEY AUTO_INCREMENT,
23     Account_No INT,
24     Transaction_Type VARCHAR(20),
25     Amount DECIMAL(12,2),
26     Transaction_Date DATETIME DEFAULT CURRENT_TIMESTAMP,
27     FOREIGN KEY (Account_No) REFERENCES Account(Account_No)
28 ) ;
29
```

Output:

Output					
Action Output					
#	Time	Action	Message	Duration / Fetch	
✓ 1	12:42:11	CREATE DATABASE BankDB	1 row(s) affected	0.000 sec	
✓ 2	12:42:13	USE BankDB	0 row(s) affected	0.000 sec	
✓ 3	12:42:14	CREATE TABLE Customer (Customer_ID INT P...	0 row(s) affected	0.016 sec	
✓ 4	12:42:16	CREATE TABLE Account (Account_No INT P...	0 row(s) affected	0.047 sec	
✓ 5	12:42:23	CREATE TABLE Bank_Transaction (Transacti...	0 row(s) affected	0.031 sec	

Program:

```
30 CREATE TABLE Loan (  
31     Loan_ID INT PRIMARY KEY,  
32     Customer_ID INT,  
33     Loan_Type VARCHAR(30),  
34     Loan_Amount DECIMAL(12,2),  
35     Interest_Rate DECIMAL(5,2),  
36     FOREIGN KEY (Customer_ID) REFERENCES Customer(Customer_ID)  
37 );  
38  
39 INSERT INTO Customer VALUES  
40 (101,'Tejaswini','9876543210','tejaswini@gmail.com','Hyderabad'),  
41 (102,'Priya Sharna','9876543211','priya@gmail.com','Vijayawada'),  
42 (103,'Arjun Reddy','9876543212','arjun@gmail.com','Bangalore'),  
43 (104,'Sneha Rao','9876543213','sneha@gmail.com','Chennai'),  
44 (105,'Kiran Kumar','9876543214','kiran@gmail.com','Hyderabad'),  
45 (106,'Anil Kumar','9876543215','anil@gmail.com','Delhi'),  
46 (107,'Meena Reddy','9876543216','meena@gmail.com','Mumbai'),  
47 (108,'Rahul Sharna','9876543217','rahul@gmail.com','Pune'),  
48 (109,'Lakshmi Devi','9876543218','lakshmi@gmail.com','Hyderabad'),  
49 (110,'Suresh Babu','9876543219','suresh@gmail.com','Vijayawada');  
50  
51 INSERT INTO Account VALUES  
52 (10001,101,'Savings',50000,'Hyderabad'),  
53 (10002,102,'Savings',75000,'Vijayawada'),  
54 (10003,103,'Current',120000,'Bangalore'),  
55 (10004,104,'Savings',45000,'Chennai'),  
56 (10005,105,'Current',90000,'Hyderabad'),  
57 (10006,106,'Savings',65000,'Delhi'),  
58 (10007,107,'Current',150000,'Mumbai'),  
59 (10008,108,'Savings',35000,'Pune'),  
60 (10009,109,'Savings',85000,'Hyderabad'),  
61 (10010,110,'Current',110000,'Vijayawada');  
--
```

Output:

✓	6	12:44:40	CREATE TABLE Loan (Loan_ID INT PRIMA...	0 row(s) affected	0.062 sec
✓	7	12:44:43	INSERT INTO Customer VALUES (101,Tejaswin...	10 row(s) affected Records: 10 Duplicates: 0 W...	0.016 sec
✓	8	12:44:48	INSERT INTO Account VALUES (10001,101,'Sa...	10 row(s) affected Records: 10 Duplicates: 0 W...	0.015 sec

Program:

```
63 ● INSERT INTO Bank_Transaction
64     (Account_No,Transaction_Type,Amount) VALUES
65     (10001,'DEPOSIT',10000),
66     (10001,'WITHDRAW',5000),
67     (10002,'DEPOSIT',15000),
68     (10003,'WITHDRAW',20000),
69     (10004,'DEPOSIT',5000),
70     (10005,'WITHDRAW',10000),
71     (10006,'DEPOSIT',12000),
72     (10007,'DEPOSIT',25000),
73     (10008,'WITHDRAW',5000),
74     (10009,'DEPOSIT',20000),
75     (10010,'WITHDRAW',15000);
76
77 ● INSERT INTO Loan VALUES
78     (501,101,'Home Loan',5000000,7.5),
79     (502,102,'Education Loan',1000000,6.5),
80     (503,103,'Car Loan',800000,8.2),
81     (504,104,'Personal Loan',500000,10.5),
82     (505,105,'Home Loan',4000000,7.2),
83     (506,106,'Car Loan',900000,8.5),
84     (507,107,'Business Loan',3000000,9.0),
85     (508,109,'Personal Loan',600000,10.0);
86
87 ● SELECT * FROM Customer;
```

Output:

The screenshot displays a database management interface. At the top, a 'Result Grid' shows a table with columns: Customer_ID, Customer_Name, Phone, Email, and City. The table contains 10 rows of data, with the last row (110) showing NULL values for Customer_ID, Customer_Name, Phone, Email, and City. Below the result grid, there are buttons for 'Apply', 'Revert', 'Context Help', and 'Snippets'. The 'Output' section shows a log of actions performed, including creating a table, inserting data into Customer, Account, Bank_Transaction, and Loan tables, and a final SELECT statement returning 10 rows.

Customer_ID	Customer_Name	Phone	Email	City
101	Tejaswini	9876543210	tejaswini@gmail.com	Hydera
102	Priya Sharma	9876543211	priya@gmail.com	Vijayaw
103	Arjun Reddy	9876543212	arjun@gmail.com	Bangalc
104	Sneha Rao	9876543213	sneha@gmail.com	Chenna
105	Kiran Kumar	9876543214	kiran@gmail.com	Hydera
106	Anil Kumar	9876543215	anil@gmail.com	Delhi
107	Meena Reddy	9876543216	meena@gmail.com	Mumbai
108	Rahul Sharma	9876543217	rahul@gmail.com	Pune
109	Lakshmi Devi	9876543218	lakshmi@gmail.com	Hydera
110	Suresh Babu	9876543219	suresh@gmail.com	Vijayaw
NULL	NULL	NULL	NULL	NULL

#	Time	Action	Message	Duration / Fetch
6	12:44:40	CREATE TABLE Loan (Loan_ID INT PRIM...	0 row(s) affected	0.062 sec
7	12:44:43	INSERT INTO Customer VALUES (101,Tejaswi...	10 row(s) affected Records: 10 Duplicates: 0 ...	0.016 sec
8	12:44:48	INSERT INTO Account VALUES (10001,101,'S...	10 row(s) affected Records: 10 Duplicates: 0 ...	0.015 sec
9	12:45:43	INSERT INTO Bank_Transaction (Account_No...	11 row(s) affected Records: 11 Duplicates: 0 ...	0.031 sec
10	12:45:46	INSERT INTO Loan VALUES (501,101,'Home ...	8 row(s) affected Records: 8 Duplicates: 0 Wa...	0.016 sec
11	12:45:49	SELECT * FROM Customer LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec

Program:

```
88 • SELECT * FROM Account;
89 • SELECT * FROM Bank_Transaction;
90 • SELECT * FROM Loan;
91
92 • CREATE VIEW Customer_View AS
93   SELECT * FROM Customer;
```

Output:

	Account_No	Customer_ID	Account_Type	Balance	Branch
▶	10001	101	Savings	50000.00	Hyderabad
	10002	102	Savings	75000.00	Vijayawada
	10003	103	Current	120000.00	Bangalore
	10004	104	Savings	45000.00	Chennai
	10005	105	Current	90000.00	Hyderabad
	10006	106	Savings	65000.00	Delhi
	10007	107	Current	150000.00	Mumbai
	10008	108	Savings	35000.00	Pune
	10009	109	Savings	85000.00	Hyderabad
	10010	110	Current	110000.00	Vijayawada
★	NULL	NULL	NULL	NULL	NULL

Result Grid					
		Filter Rows:		Edit:	
	Transaction_ID	Account_No	Transaction_Type	Amount	Transaction_D
▶	1	10001	DEPOSIT	10000.00	2026-08-15 12:
	2	10001	WITHDRAW	5000.00	2026-08-15 12:
	3	10002	DEPOSIT	15000.00	2026-08-15 12:
	4	10003	WITHDRAW	20000.00	2026-08-15 12:
	5	10004	DEPOSIT	5000.00	2026-08-15 12:
	6	10005	WITHDRAW	10000.00	2026-08-15 12:
	7	10006	DEPOSIT	12000.00	2026-08-15 12:
	8	10007	DEPOSIT	25000.00	2026-08-15 12:
	9	10008	WITHDRAW	5000.00	2026-08-15 12:
	10	10009	DEPOSIT	20000.00	2026-08-15 12:
	11	10010	WITHDRAW	15000.00	2026-08-15 12:
	NULL	NULL	NULL	NULL	NULL
Bank_Transaction 3 ×					
				Apply	Rev

	Loan_ID	Customer_ID	Loan_Type	Loan_Amount	Interest_Rate
▶	501	101	Home Loan	5000000.00	7.50
	502	102	Education Loan	1000000.00	6.50
	503	103	Car Loan	800000.00	8.20
	504	104	Personal Loan	500000.00	10.50
	505	105	Home Loan	4000000.00	7.20
	506	106	Car Loan	900000.00	8.50
	507	107	Business Loan	3000000.00	9.00
	508	109	Personal Loan	600000.00	10.00
✱	NULL	NULL	NULL	NULL	NULL

✓	12	12:46:17	SELECT * FROM Account LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
✓	13	12:46:47	SELECT * FROM Bank_Transaction LIMIT 0, 1...	11 row(s) returned	0.000 sec / 0.000 sec
✓	14	12:47:02	SELECT * FROM Loan LIMIT 0, 1000	8 row(s) returned	0.000 sec / 0.000 sec
✓	15	12:47:16	CREATE VIEW Customer_View AS SELECT * ...	0 row(s) affected	0.016 sec

Program:

```
95 ● SELECT * FROM Customer_View;
96 ● CREATE VIEW Customer_Basic_View AS
97     SELECT Customer_ID, Customer_Name, City
98     FROM Customer;
99 ● CREATE VIEW Account_View AS
100     SELECT Account_No, Account_Type, Balance, Branch
101     FROM Account;
102
103 ● CREATE VIEW Savings_Account_View AS
104     SELECT * FROM Account
105     WHERE Account_Type='Savings';
106
107 ● CREATE VIEW Current_Account_View AS
108     SELECT * FROM Account
109     WHERE Account_Type='Current';
110
111 ● CREATE VIEW High_Balance_View AS
112     SELECT Account_No, Customer_ID, Account_Type, Balance
113     FROM Account
114     WHERE Balance>100000;
115
116 ● CREATE VIEW Hyderabad_Account_View AS
117     SELECT * FROM Account
118     WHERE Branch='Hyderabad';
119
```

Output:

	Customer_ID	Customer_Name	Phone	Email	City
▶	101	Tejaswini	9876543210	tejaswini@gmail.com	Hydera
	102	Priya Sharma	9876543211	priya@gmail.com	Vijayaw
	103	Arjun Reddy	9876543212	arjun@gmail.com	Bangalc
	104	Sneha Rao	9876543213	sneha@gmail.com	Chenna
	105	Kiran Kumar	9876543214	kiran@gmail.com	Hydera
	106	Anil Kumar	9876543215	anil@gmail.com	Delhi
	107	Meena Reddy	9876543216	meena@gmail.com	Mumbai
	108	Rahul Sharma	9876543217	rahul@gmail.com	Pune
	109	Lakshmi Devi	9876543218	lakshmi@gmail.com	Hydera
	110	Suresh Babu	9876543219	suresh@gmail.com	Vijayaw

✓	17	12:49:48	SELECT * FROM Customer_View LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
✓	18	12:50:04	CREATE VIEW Customer_Basic_View AS SEL...	0 row(s) affected	0.016 sec
✓	19	12:50:07	CREATE VIEW Account_View AS SELECT Ac...	0 row(s) affected	0.000 sec
✓	20	12:50:11	CREATE VIEW Savings_Account_View AS SE...	0 row(s) affected	0.015 sec
✓	21	12:50:15	CREATE VIEW Current_Account_View AS SEL...	0 row(s) affected	0.125 sec
✓	22	12:50:17	CREATE VIEW High_Balance_View AS SELE...	0 row(s) affected	0.016 sec
✓	23	12:50:22	CREATE VIEW Hyderabad_Account_View AS ...	0 row(s) affected	0.000 sec

Program:

```
119 ● CREATE VIEW Low_Balance_View AS
120     SELECT Account_No, Customer_ID, Balance
121     FROM Account
122     WHERE Balance < 50000;
123 ● CREATE VIEW Customer_Account_View AS
124     SELECT C.Customer_ID, C.Customer_Name, C.City,
125            A.Account_No, A.Account_Type, A.Balance, A.Branch
126     FROM Customer C
127     JOIN Account A ON C.Customer_ID = A.Customer_ID;
128 ● CREATE VIEW Hyderabad_Customer_Accounts AS
129     SELECT C.Customer_Name, C.City, A.Account_No, A.Account_Type, A.Balance
130     FROM Customer C
131     JOIN Account A ON C.Customer_ID = A.Customer_ID
132     WHERE A.Branch = 'Hyderabad';
133 ● CREATE VIEW Customer_Loan_View AS
134     SELECT C.Customer_ID, C.Customer_Name, C.City,
135            L.Loan_ID, L.Loan_Type, L.Loan_Amount, L.Interest_Rate
136     FROM Customer C
137     JOIN Loan L ON C.Customer_ID = L.Customer_ID;
```

Output:

✓	24	12:52:26	CREATE VIEW Low_Balance_View AS SELEC...	0 row(s) affected	0.000 sec
✓	25	12:52:29	CREATE VIEW Customer_Account_View AS S...	0 row(s) affected	0.000 sec
✓	26	12:52:35	CREATE VIEW Hyderabad_Customer_Account...	0 row(s) affected	0.016 sec
✓	27	12:52:39	CREATE VIEW Customer_Loan_View AS SEL...	0 row(s) affected	0.000 sec

Program:

```
138 ● CREATE VIEW Customer_Banking_View AS
139 SELECT C.Customer_ID,C.Customer_Name,C.City,
140        A.Account_No,A.Account_Type,A.Balance,A.Branch,
141        L.Loan_Type,L.Loan_Amount
142 FROM Customer C
143 LEFT JOIN Account A ON C.Customer_ID=A.Customer_ID
144 LEFT JOIN Loan L ON C.Customer_ID=L.Customer_ID;
145
146 ● CREATE VIEW Total_Bank_Balance AS
147 SELECT SUM(Balance) AS Total_Balance
148 FROM Account;
149
150 ● CREATE VIEW Average_Account_Balance AS
151 SELECT AVG(Balance) AS Average_Balance
152 FROM Account;
153
154 ● CREATE VIEW Maximum_Balance_View AS
155 SELECT MAX(Balance) AS Maximum_Balance
156 FROM Account;
157
158 ● CREATE VIEW Minimum_Balance_View AS
159 SELECT MIN(Balance) AS Minimum_Balance
160 FROM Account;
```

Output:

✓	28	12:53:44	CREATE VIEW Customer_Banking_View AS S...	0 row(s) affected	0.000 sec
✓	29	12:53:48	CREATE VIEW Total_Bank_Balance AS SELE...	0 row(s) affected	0.016 sec
✓	30	12:53:51	CREATE VIEW Average_Account_Balance AS...	0 row(s) affected	0.000 sec
✓	31	12:53:52	CREATE VIEW Maximum_Balance_View AS S...	0 row(s) affected	0.000 sec
✓	32	12:53:55	CREATE VIEW Minimum_Balance_View AS SE...	0 row(s) affected	0.016 sec

Program:

```
162 ● CREATE VIEW Account_Count_View AS
163     SELECT COUNT(*) AS Total_Accounts
164     FROM Account;
165
166 ● CREATE VIEW Branch_Account_Count AS
167     SELECT Branch,COUNT(*) AS Number_of_Accounts
168     FROM Account
169     GROUP BY Branch;
170
171 ● CREATE VIEW Branch_Total_Balance AS
172     SELECT Branch,SUM(Balance) AS Total_Balance
173     FROM Account
174     GROUP BY Branch;
175
176 ● CREATE VIEW Account_Type_Count AS
177     SELECT Account_Type,COUNT(*) AS Number_of_Accounts
178     FROM Account
179     GROUP BY Account_Type;
180
181 ● CREATE VIEW Account_Type_Balance AS
182     SELECT Account_Type,SUM(Balance) AS Total_Balance
183     FROM Account
184     GROUP BY Account_Type;
185
186 ● CREATE VIEW Multiple_Account_Branches AS
187     SELECT Branch,COUNT(*) AS Number_of_Accounts
188     FROM Account
189     GROUP BY Branch
190     HAVING COUNT(*)>1;
```

Output:

✓	33	12:55:15	CREATE VIEW Account_Count_View AS SEL...	0 row(s) affected	0.016 sec
✓	34	12:55:18	CREATE VIEW Branch_Account_Count AS SE...	0 row(s) affected	0.016 sec
✓	35	12:55:20	CREATE VIEW Branch_Total_Balance AS SEL...	0 row(s) affected	0.000 sec
✓	36	12:55:22	CREATE VIEW Account_Type_Count AS SEL...	0 row(s) affected	0.015 sec
✓	37	12:55:25	CREATE VIEW Account_Type_Balance AS SE...	0 row(s) affected	0.000 sec
✓	38	12:55:27	CREATE VIEW Multiple_Account_Branches A...	0 row(s) affected	0.000 sec

Program:

```
192 ● CREATE VIEW Rich_Branches AS
193     SELECT Branch,SUM(Balance) AS Total_Balance
194     FROM Account
195     GROUP BY Branch
196     HAVING SUM(Balance)>100000;
197
198 ● CREATE VIEW Deposit_Transaction_View AS
199     SELECT * FROM Bank_Transaction
200     WHERE Transaction_Type='DEPOSIT';
201
202 ● CREATE VIEW Withdrawal_Transaction_View AS
203     SELECT * FROM Bank_Transaction
204     WHERE Transaction_Type='WITHDRAW';
205
206 ● CREATE VIEW Customer_Transaction_View AS
207     SELECT C.Customer_Name,A.Account_No,A.Account_Type,
208            T.Transaction_ID,T.Transaction_Type,T.Amount,T.Transaction_Date
209     FROM Customer C
210     JOIN Account A ON C.Customer_ID=A.Customer_ID
211     JOIN Bank_Transaction T ON A.Account_No=T.Account_No;
212
213 ● CREATE VIEW High_Value_Transaction_View AS
214     SELECT * FROM Bank_Transaction
215     WHERE Amount>10000;
216
217 ● CREATE VIEW Balance_Ranking_View AS
218     SELECT Account_No,Customer_ID,Account_Type,Balance
219     FROM Account
220     ORDER BY Balance DESC;
```

Output:

✓	39	12:56:27	CREATE VIEW Rich_Branches AS SELECT Br...	0 row(s) affected	0.000 sec
✓	40	12:56:29	CREATE VIEW Deposit_Transaction_View AS ...	0 row(s) affected	0.000 sec
✓	41	12:56:31	CREATE VIEW Withdrawal_Transaction_View ...	0 row(s) affected	0.015 sec
✓	42	12:56:33	CREATE VIEW Customer_Transaction_View A...	0 row(s) affected	0.016 sec
✓	43	12:56:35	CREATE VIEW High_Value_Transaction_View ...	0 row(s) affected	0.015 sec
✓	44	12:56:36	CREATE VIEW Balance_Ranking_View AS SE...	0 row(s) affected	0.016 sec

Program:

```
222 ● CREATE VIEW Customer_Name_View AS
223     SELECT Customer_ID, Customer_Name, City
224     FROM Customer
225     ORDER BY Customer_Name;
226 ● CREATE VIEW Loan_Interest_View AS
227     SELECT Loan_ID, Customer_ID, Loan_Type, Loan_Amount, Interest_Rate,
228            (Loan_Amount*Interest_Rate/100) AS Annual_Interest
229     FROM Loan;
230 ● CREATE VIEW Loan_Total_Amount_View AS
231     SELECT Loan_ID, Customer_ID, Loan_Type, Loan_Amount, Interest_Rate,
232            Loan_Amount+(Loan_Amount*Interest_Rate/100) AS Total_Amount
233     FROM Loan;
234
235 ● SELECT * FROM High_Balance_View WHERE Balance>120000;
236 ● SELECT * FROM Savings_Account_View WHERE Balance>60000;
237 ● SELECT * FROM Hyderabad_Account_View WHERE Balance>50000;
238 ● SELECT * FROM Customer_Basic_View WHERE City='Hyderabad';
239 ● SELECT * FROM Customer_Account_View ORDER BY Balance DESC;
240 ● SELECT * FROM Customer_Loan_View WHERE Loan_Amount>1000000;
241
242 ● UPDATE Account_View
243     SET Balance=60000
244     WHERE Account_No=10001;
245
246 ● SELECT * FROM Account WHERE Account_No=10001;
247
248 ● CREATE VIEW Simple_Account_View AS
249     SELECT Account_No, Customer_ID, Account_Type, Balance, Branch
250     FROM Account;
```

Output:

	Account_No	Customer_ID	Account_Type	Balance
▶	10007	107	Current	150000.00

	Account_No	Customer_ID	Account_Type	Balance	Branch
▶	10002	102	Savings	75000.00	Vijayawada
	10006	106	Savings	65000.00	Delhi
	10009	109	Savings	85000.00	Hyderabad

Result Grid | Filter Rows: | Export: | Wrap Cell Cor |

	Account_No	Customer_ID	Account_Type	Balance	Branch
▶	10005	105	Current	90000.00	Hyderabad
	10009	109	Savings	85000.00	Hyderabad

Result Grid
Form Editor
Field Types

Hyderabad_Account_View 8 x Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 45	12:57:40	CREATE VIEW Customer_Name_View AS SEL...	0 row(s) affected	0.016 sec
✓ 46	12:57:43	CREATE VIEW Loan_Interest_View AS SELEC...	0 row(s) affected	0.015 sec
✓ 47	12:57:45	CREATE VIEW Loan_Total_Amount_View AS ...	0 row(s) affected	0.016 sec
✓ 48	12:57:53	SELECT * FROM High_Balance_View WHERE...	1 row(s) returned	0.000 sec / 0.000 sec
✓ 49	12:58:14	SELECT * FROM Savings_Account_View WH...	3 row(s) returned	0.000 sec / 0.000 sec
✓ 50	12:58:26	SELECT * FROM Hyderabad_Account_View W...	2 row(s) returned	0.000 sec / 0.000 sec

	Customer_ID	Customer_Name	City
▶	101	Tejaswini	Hyderabad
	105	Kiran Kumar	Hyderabad
	109	Lakshmi Devi	Hyderabad

	Customer_ID	Customer_Name	City	Account_No	Account_Type
▶	107	Meena Reddy	Mumbai	10007	Current
	103	Arjun Reddy	Bangalore	10003	Current
	110	Suresh Babu	Vijayawada	10010	Current
	105	Kiran Kumar	Hyderabad	10005	Current
	109	Lakshmi Devi	Hyderabad	10009	Savings
	102	Priya Sharma	Vijayawada	10002	Savings
	106	Anil Kumar	Delhi	10006	Savings
	101	Tejaswini	Hyderabad	10001	Savings
	104	Sneha Rao	Chennai	10004	Savings
	108	Rahul Sharma	Pune	10008	Savings

	Customer_ID	Customer_Name	City	Loan_ID	Loan_Type	Loa
▶	101	Tejaswini	Hyderabad	501	Home Loan	500
	105	Kiran Kumar	Hyderabad	505	Home Loan	400
	107	Meena Reddy	Mumbai	507	Business Loan	300

	Account_No	Customer_ID	Account_Type	Balance	Branch
▶	10001	101	Savings	60000.00	Hyderabad
•	NULL	NULL	NULL	NULL	NULL

✓	51	12:59:10	SELECT * FROM Customer_Basic_View WHE...	3 row(s) returned	0.000 sec / 0.000 sec
✓	52	12:59:26	SELECT * FROM Customer_Account_View OR...	10 row(s) returned	0.000 sec / 0.000 sec
✓	53	12:59:41	SELECT * FROM Customer_Loan_View WHER...	3 row(s) returned	0.000 sec / 0.000 sec
✓	54	13:00:03	UPDATE Account_View SET Balance=60000 ...	1 row(s) affected Rows matched: 1 Changed: 1...	0.015 sec
✓	55	13:00:06	SELECT * FROM Account WHERE Account_N...	1 row(s) returned	0.000 sec / 0.000 sec
✓	56	13:00:26	CREATE VIEW Simple_Account_View AS SEL...	0 row(s) affected	0.015 sec

Program:

```

252 ● INSERT INTO Simple_Account_View
253     VALUES (10011,101,'Savings',55000,'Hyderabad');
254
255 ● SELECT * FROM Account;
256
257 ● DELETE FROM Simple_Account_View
258     WHERE Account_No=10011;
259
260 ● SELECT * FROM Account;
261
262 ● SHOW FULL TABLES
263     WHERE TABLE_TYPE='VIEW';
264
265 ● SHOW CREATE VIEW Customer_Account_View;
266
267 ● DESCRIBE Customer_Account_View;
268
269 ● DROP VIEW Customer_View;
270
271 ● DROP VIEW Customer_Basic_View,
272     Savings_Account_View,
273     Current_Account_View;

```

Output:

	Account_No	Customer_ID	Account_Type	Balance	Branch
▶	10001	101	Savings	60000.00	Hyderabad
	10002	102	Savings	75000.00	Vijayawada
	10003	103	Current	120000.00	Bangalore
	10004	104	Savings	45000.00	Chennai
	10005	105	Current	90000.00	Hyderabad
	10006	106	Savings	65000.00	Delhi
	10007	107	Current	150000.00	Mumbai
	10008	108	Savings	35000.00	Pune
	10009	109	Savings	85000.00	Hyderabad
	10010	110	Current	110000.00	Vijayawada
	10011	101	Savings	55000.00	Hyderabad
	NULL	NULL	NULL	NULL	NULL
Account 13 ×					Apply

	Account_No	Customer_ID	Account_Type	Balance	Branch
▶	10001	101	Savings	60000.00	Hyderabad
	10002	102	Savings	75000.00	Vijayawada
	10003	103	Current	120000.00	Bangalore
	10004	104	Savings	45000.00	Chennai
	10005	105	Current	90000.00	Hyderabad
	10006	106	Savings	65000.00	Delhi
	10007	107	Current	150000.00	Mumbai
	10008	108	Savings	35000.00	Pune
	10009	109	Savings	85000.00	Hyderabad
	10010	110	Current	110000.00	Vijayawada
●	NULL	NULL	NULL	NULL	NULL
Account 14 ×					Apply

	Tables_in_bankdb	Table_type
▶	account_count_view	VIEW
	account_type_balance	VIEW
	account_type_count	VIEW
	account_view	VIEW
	average_account_balance	VIEW
	balance_ranking_view	VIEW
	branch_account_count	VIEW
	branch_total_balance	VIEW
	current_account_view	VIEW
	customer_account_view	VIEW
	customer_banking_view	VIEW
	customer_basic_view	VIEW

Result 15 x

	View	Create View	cha
▶	customer_account_view	CREATE ALGORITHM=UNDEFINED DEFINER=`r...` utf8	

✓	57	13:01:38	INSERT INTO Simple_Account_View VALUES ...	1 row(s) affected	0.016 sec
✓	58	13:01:40	SELECT * FROM Account LIMIT 0, 1000	11 row(s) returned	0.000 sec / 0.000 sec
✓	59	13:01:53	DELETE FROM Simple_Account_View WHER...	1 row(s) affected	0.016 sec
✓	60	13:01:57	SELECT * FROM Account LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
✓	61	13:02:13	SHOW FULL TABLES WHERE TABLE_TYPE...	32 row(s) returned	0.000 sec / 0.000 sec
✓	62	13:02:29	SHOW CREATE VIEW Customer_Account_View	1 row(s) returned	0.000 sec / 0.000 sec

	Field	Type	Null	Key	Default	Extra
▶	Customer_ID	int	NO		NULL	
	Customer_Name	varchar(100)	NO		NULL	
	City	varchar(50)	YES		NULL	
	Account_No	int	NO		NULL	
	Account_Type	varchar(20)	YES		NULL	
	Balance	decimal(12,2)	YES		NULL	
	Branch	varchar(50)	YES		NULL	

✓	63	13:03:03	DESCRIBE Customer_Account_View	7 row(s) returned	0.000 sec / 0.000 sec
✓	64	13:03:17	DROP VIEW Customer_View	0 row(s) affected	0.015 sec
✓	65	13:03:20	DROP VIEW Customer_Basic_View, Savings_...	0 row(s) affected	0.015 sec