

TCS IPA PREPARATION

UI/UX (HTML, CSS & JS) MCQs

1. What is the correct syntax to set border colors?

- a) `<h1 style="border-line: 2px solid DodgerBlue;">Hello World</h1>`
- b) `<h1 style="border: solid DodgerBlue;">Hello World</h1>`
- c) `<h1 style="border: 2px solid DodgerBlue;">Hello World</h1>` ✓
- d) None of the above

Correct Answer: c

2. What is the usage of `<span>` in HTML?

- a) It is often used as a container for other HTML elements to style them with CSS
- b) It is used to group inline elements in document ✓
- c) It is used to highlight parts of your text

Correct Answer: b

3. What is the usage of `<svg>` tag in HTML?

- a) It is used to add audio controls, like play, pause, and volume
- b) It is used to draw graphics, on the fly, via scripting
- c) It is used for drawing paths, boxes and graphic images etc ✓

Correct Answer: c

4. Find the output of the code? (optional)

```
<html><body><p id="result"></p><script>
var X;
X = myFunction(NaN, 3);
document.getElementById("result").innerHTML = X;
function myFunction(a, b) { return a*b; }
</script></body></html>
```

Correct Answer: NaN (options will be given)

5. Which of the following tag is used to insert a line-break in HTML?

- a) `<br>` ✓
- b) `<a>`
- c) `<pre>`
- d) `<b>`

Correct Answer: a

6. Which character is used to represent the closing of a tag in HTML?

- a) \
- b) !
- c) / ✓
- d) .

Correct Answer: c

7. How to create a hyperlink in HTML?

- a) `<a href = "www.javatpoint.com"> javatpoint.com </a>` ✓
- b) `<a url = "www.javatpoint.com"> javatpoint.com</a>`
- c) `<a link="www.javatpoint.com"> javatpoint.com </a>`
- d) `<a> www.javatpoint.com <javaTpoint.com>`

Correct Answer: a

8. How to insert an image in HTML?

- a) `<img href= "jtp.png" />`
- b) `<img url = "jtp.png" />`
- c) `<img link = "jtp.png" />`
- d) `<img src= "jtp.png" />` ✓

Correct Answer: d

9. Which of the following tag is used to define options in a drop-down selection list?

- a) `<select>`
- b) `<list>`
- c) `<dropdown>`
- d) `<option>` ✓

Correct Answer: d

10. Which of the following tag is used to create a combo box (or drop-down box)?

- a) `<list>`
- b) `<select>` ✓
- c) `<input type = "dropdown">`
- d) `<ul>`

Correct Answer: b

11. Which of the following attribute is used to provide a unique name to an element?

- a) class
- b) id ✓
- c) type
- d) None of the above

Correct Answer: b

12. Which of the following HTML tag is used to display the text with scrolling effect?

- a) `<marquee>` ✓
- b) `<scroll>`
- c) `<div>`
- d) None of the above

Correct Answer: a

13. Which of the following HTML tag is the special formatting tag?

- a) <p>
- b)
- c) <pre> ✓
- d) None of the above

Correct Answer: c

14. How to insert a background image in HTML?

- a) <body background = "img.png"> ✓
- b)
- c) <bg-image = "img.png">
- d) None of the above

Correct Answer: a

15. In the JavaScript, which one of the following is not considered as an error?

- a) Syntax error
- b) Missing of semicolons
- c) Division by zero ✓
- d) Missing of Bracket

Correct Answer: c

16. In JavaScript the x===y statement implies that?

- a) Both x and y are equal in value, type and reference address as well
- b) Both x and y are equal in value only
- c) Both are equal in the value and data type ✓
- d) Both are not same at all

Correct Answer: c

17. Choose the correct snippet from the following to check if the variable "a" is not equal the "NULL"?

- a) if(a!=null) ✓
- b) if {a!}
- c) if(a!null)
- d) if(a!= -null)

Correct Answer: a

18. Which tag is used to emphasize the text?

- a)
- b)
- c) ✓

Correct Answer: c

19. What is the smallest header in HTML by default?

- a) H1

- b) H2
- c) H6 ✓
- d) H4

Correct Answer: c

20. Which of the following colors contain equal amounts of RGB?

- a) White
- b) Gray
- c) Black
- d) All of the above ✓

Correct Answer: d

21. What is the correct syntax to write an HTML comment?

- a) <!-- Comment --> ✓
- b) // Comment
- c) # Comment
- d) /* Comment */

Correct Answer: a

22. Which HTML element is used to define description data?

- a)
- b)
- c) <dd> ✓
- d) <dl>

Correct Answer: c

23. Which is not a CSS unit?

- a) Em
- b) ut ✓
- c) %
- d) px

Correct Answer: b

24. What is the syntax of background image in CSS?

Correct Answer: background-image

25. Do all HTML tags have closing tags?

Correct Answer: False

26. What is the command for an ordered list with Roman numerals?

Correct Answer: <ol type = 'I'>

27. Which is an invalid escape sequence in JavaScript?

- a) \e ✓
- b) \r
- c) \f
- d) \b

Correct Answer: a

28. Which is the invalid field in HTML5?

- a) Day
- b) Date
- c) Datetime ✓
- d) Month

Correct Answer: c

29. Which tag is not used for formatting text?

- a)
- b) <p> ✓
- c)
- d) <i>

Correct Answer: b

30. How are quotations defined in HTML?

- a) <quote>
- b) <block>
- c) <blockquote> ✓
- d) None of the above

Correct Answer: c

31. How to create an ordered list in HTML?

- a)
- b) ✓
- c) <href>
- d)

Correct Answer: b

32. What are some valid character sets available?

- a) UTF-8
- b) ANSI
- c) ASCII
- d) All of the above ✓

Correct Answer: d

33. What are the types of unordered lists in HTML?

- a) Circle, square, disc ✓
- b) Triangle, square, disc

- c) Triangle, circle, disc
- d) All of the above

Correct Answer: a

34. How can we select an element with a specific class in CSS?

- a) #
- b) . ✓
- c) <
- d) None of them

Correct Answer: b

35. How can we write comments in CSS?

- a) /* */ ✓
- b) //
- c) #
- d) All of them

Correct Answer: a

36. You have created a shell script and want to run the script. What should you do before trying to run the script?

- a) No action required
- b) Compile the script
- c) Update the execute permission of the script ✓

Correct Answer: c

37. The <caption> tag is used with:

- a) Image
- b) Table ✓
- c) Both
- d) None

Correct Answer: b

38. What will the result of `var x = 100 + 5 ^ 3` be in JS?

- a) 125
- b) 225 ✓
- c) NaN

Correct Answer: b

39. Given the following HTML: `<p>Top news</p> <blockquote url: Hindu news.com></blockquote>` Will the blockquote display?

- a) True ✓
- b) False

Correct Answer: a

40. How are arrays defined in JavaScript?

- a) List form [] ✓
- b) Tuple form ()
- c) Dictionary form {}
- d) None of these

Correct Answer: a

41. Which of the following is not inline in HTML?

- a) <hr> ✓
- b)

- c)
- d) <a>

Correct Answer: a

42. Which is not a valid color in HTML?

- a) Color: darkblue
- b) Color: #000ff ✓
- c) Color: rgb(0,0,255)
- d) Color: blue

Correct Answer: b

43. Given the following HTML: What will happen?

- a) Display with mentioned width and height
- b) Display image as watermark ✓
- c) None of these

Correct Answer: b

44. Appearance of the <ins> tag?

- a) Italics
- b) Underline ✓
- c) Bold
- d) Unformatted

Correct Answer: b

45. A link can be an image or any other HTML element?

- a) True ✓
- b) False

Correct Answer: a

46. Which property is not applicable for a paragraph?

- a) Float ✓
- b) Border
- c) Margin

d) font-family

Correct Answer: a

47. Which block of code will be executed?

a) `p {<!-- comment color: red; }`

b) `p {/* comment */ color: red; }` ✓

c) `p {//comment color: red; }`

d) `p {#comment color: red; }`

Correct Answer: b

48. Which block is used to style the `<h1>` tag with class "Xplore"? `<h1 class="Xplore">`

a) `h1 {...}`

b) `xplore.h1 {...}`

c) `h1 {...}`

d) `h1.xplore {...}` ✓

Correct Answer: d

49. JavaScript runs using a script engine?

a) True ✓

b) False

Correct Answer: a

50. Given the following code:

```
<p class="abc"></p>
```

```
<script> var x; document.getElementsByClassName("abc").innerHTML = x;
```

```
</script>
```

What is the output?

a) NaN

b) 0

c) 1

d) Error ✓

Correct Answer: d

51. Which statement is correct in JavaScript?

a) true and false are numeric values 1 and 0

b) true and false are numeric values 0 and 1

c) true is any nonzero value and false is 0

d) true and false are nonnumeric values ✓

Correct Answer: d

52. Which is not a CSS property?

a) background-render ✓

b) background-attachment

Correct Answer: a

53. Given the following HTML: <p class="A">ABC</p> How do you style "ABC"?

- a) .A {color: red;} ✓
- b) #A {color: red;}
- c) *A {color: red;}
- d) A {color: red;}

Correct Answer: a

54. Which of the following sequences of HTML tags is correct?

- a) <html><head><title></title><body></body></head></html>
- b) <html><title></title><head><body></body></html>
- c) <html><head><body><title></title></body></html>
- d) <html><head><title></title></head><body></body></html> ✓

Correct Answer: d

55. What does CSS stand for?

- a) Cascading Style Sheets ✓
- b) Common Style Sheets
- c) Central Style Sheets
- d) Control Style Sheets

Correct Answer: a

56. How would you define an ID selector in CSS?

- a) ID selector as # ✓
- b) ID selector as @
- c) ID selector as \$
- d) None of the above

Correct Answer: a

57. In an HTML document, where is the correct place to refer to an external style sheet?

- a) In the <head> section ✓
- b) At the end of the document
- c) At the beginning of the document
- d) In the <body> section

Correct Answer: a

58. Which of the following tags would you use to insert JavaScript in an HTML page?

- a) <script type="text/javascript"></script> ✓
- b) <HTMLScript type="text/javascript"></HTMLScript>
- c) <Script type="text/javascript"></Script>
- d) <javascript type="text/javascript"></javascript>

Correct Answer: a

59. The JavaScript is also known as server-side JavaScript.

- a) Navigator
- b) Microsoft
- c) LiveWire ✓
- d) Native

Correct Answer: c

60. The following code would allow you to set the background with CSS:

`<style type="text/css"> body {background-color: yellow} </style>`

- a) True ✓
- b) False

Correct Answer: a

61. If para1 is the DOM object for a paragraph, what is the correct syntax to change the text within the paragraph?

- a) `para1.firstChild.nodeValue= "New Text";` ✓
- b) `para1.nodeValue="New Text";`
- c) `"New Text"?`
- d) `para1.value="New Text";`

Correct Answer: a

62. How does JavaScript store the date in a Date object?

- a) The number of seconds since Netscape's public stock offering
- b) The number of milliseconds since January 1st, 1970 ✓
- c) The number of days since January 1st, 1900
- d) None of the above

Correct Answer: b

63. Given the following HTML: `<h2 class="fruit mango">I love fruits</h2>` Which statement is true?

- a) It is an invalid statement in HTML
- b) None of the options
- c) It is a heading tag with a class named "fruit mango"
- d) It is a heading tag with two classes named "fruit" and "mango" ✓

Correct Answer: d

64. Which of the following CSS syntax will hide the element?

- a) `h1.hidden {visibility: hidden;}`
- b) `h1.hidden {display: none;}` ✓
- c) `h1.hidden {display: hidden;}`
- d) `h1.hidden {visibility: none;}`

Correct Answer: b

65. "I cannot create a JS array by using the 'new' keyword."

- a) FALSE ✓

b) TRUE

Correct Answer: a

66. Which of the following elements were added in HTML5?

a) <main>

b) <header>

c) <article>

d) <footer>

e) All of them ✓

Correct Answer: e

67. "Different tags cannot share the same class."

a) TRUE

b) FALSE ✓

Correct Answer: b

68. "The <div> element is a block-level element."

a) TRUE ✓

b) FALSE

Correct Answer: a

69. Which option correctly represents the code for creating and initializing a string variable?

a) var str1=Hello;

b) var str1="Hello"; ✓

c) var str1='Hello';

d) var str1=""Hello"";

Correct Answer: b

70. What does the display: block property result in?

a) Two-tab spacings between the two elements

b) Two-line breaks between the two elements

c) A line break between the two elements ✓

d) A tab spacing between the two elements

Correct Answer: c

71. Which of the following options will open the Google website in a new window?

a) Click here

b) Click here

c) Click here

d) Click here ✓

Correct Answer: d

72. To specify table border in CSS which property is used?

- a) table-border
- b) border ✓
- c) Tb-border
- d) tbl-border

Correct Answer: b

73. Which of the below is the correct way to set a font size?

- a) h2 {font-size: 200pixels;}
- b) h2 {font-size: 200;}
- c) h2 {font-size: 200px;} ✓
- d) h2 {font-size: 200%;} ✓

Correct Answer: c or d

74. Given the JavaScript code:

```
var x = 12; var y = 8;  
var res = eval("x + y");  
document.write(res);
```

Correct Answer: 20

75. Given the JavaScript code:

```
let sum = 0;  
const a = [1,2,3];  
a.forEach(getSum);  
print(sum);  
function getSum(ele) { sum += ele; }
```

Correct Answer: 6